



CQASZ20260701600E FCC-01

Summary


NO.	Item	Verdict
1	DTS Bandwidth	Pass
2	Occupied Channel Bandwidth	Pass
3	Maximum conducted output power	Pass
4	Maximum power spectral density	Pass
5	Band edge measurements	Pass
6	Conducted Spurious Emission	Pass
7	Emissions in Restricted Bands	Pass
8	Duty Cycle	Pass

Appendix A: DTS Bandwidth

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	6dB Occupy Bandwidth (MHz)	FL (MHz)	FH (MHz)	Limit (MHz)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	0.74	2401.62	2402.36	≥ 0.5	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	0.74	2439.62	2440.36	≥ 0.5	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	0.74	2479.62	2480.36	≥ 0.5	Pass

Test Graphs




Appendix B: Occupied Channel Bandwidth

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	99% OBW (MHz)	FL (MHz)	FH (MHz)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	1.04	2401.47	2402.51	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	1.04	2439.47	2440.51	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	1.04	2479.47	2480.51	Pass

Test Graphs




Appendix C: Maximum conducted output power

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Detector	Antenna	Conducted Peak Power (dBm)	Conducted Limit (dBm)	Verdict
1	NTNV	BLE	2402	Peak	ANT1	2.15	≤ 30	Pass
2	NTNV	BLE	2440	Peak	ANT1	2.31	≤ 30	Pass
3	NTNV	BLE	2480	Peak	ANT1	0.75	≤ 30	Pass

Test Graphs




Appendix D: Maximum power spectral density

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	-8.64	≤ 8	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	-8.59	≤ 8	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	-9.93	≤ 8	Pass

Test Graphs




Appendix E: Band edge measurements

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Reference (dBm)	Emission Level (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	6.28	-40.46	≤ -13.72	Pass
2	NTNV	BLE	2480	1Mbps	ANT1	4.87	-40.18	≤ -15.13	Pass

Test Graphs





Appendix F: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	6.37	/	/
						30~1000	0.1	-43.09	≤-13.63	Pass
						1000~26500	0.1	-31.22	≤-13.63	Pass
2	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	6.57	/	/
						30~1000	0.1	-42.72	≤-13.43	Pass
						1000~26500	0.1	-31.13	≤-13.43	Pass
3	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	4.99	/	/
						30~1000	0.1	-41.54	≤-15.01	Pass
						1000~26500	0.1	-30.66	≤-15.01	Pass

Test Graphs






Date: 29 JUL 2026 16:55:59




Date: 29 JUL 2026 16:56:05




Date: 29 JUL 2026 16:56:20


NTNV_BLE_2402_1Mbps



Date: 29 JUL 2026 16:59:28



Date: 29 JUL 2026 16:59:35



Date: 29 JUL 2026 16:59:49

Appendix G: Duty Cycle

Test Result

NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	T_On (ms)	Period (ms)	Duty Cycle Correction Factor (dB)	Max DC Variation (%)
1	NTNV	BLE	2402	1Mbps	ANT1	0.00	0.00	1.00	100.00
2	NTNV	BLE	2440	1Mbps	ANT1	0.00	0.00	1.00	100.00
3	NTNV	BLE	2480	1Mbps	ANT1	0.00	0.00	1.00	100.00

Test Graphs

