


CQASZ20260601240E-01


Appendix A: DTS Bandwidth

Test Result

TestMode	Freq(MHz)	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	2402	0.70	2401.65	2402.35	0.5	PASS
	2440	0.73	2439.63	2440.36	0.5	PASS
	2480	0.70	2479.65	2480.35	0.5	PASS

Test Graphs






Date: 23 JUN 2026 12:18:16


Appendix B: Occupied Channel Bandwidth

Test Result

TestMode	Antenna	Freq(MHz)	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.051	2401.4645	2402.5155	---	---
		2440	1.047	2439.4685	2440.5155	---	---
		2480	1.039	2479.4685	2480.5075	---	---

Test Graphs






Date: 23 JUN 2026 12:18:20


Appendix C: Maximum conducted output power

Test Result Peak

TestMode	Freq(MHz)	Conducted Peak Power[dBm]	Conducted Limit[dBm]	EIRP[dBm]	EIRP Limit[dBm]	Verdict
BLE_1M	2402	5.08	≤30	10.88	≤36	PASS
	2440	6.28	≤30	12.08	≤36	PASS
	2480	3.63	≤30	9.43	≤36	PASS

Test Graphs Peak






Date: 23 JUN 2026 12:18:24


Appendix D: Maximum power spectral density

Test Result

TestMode	Freq(MHz)	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	2402	-11.36	≤8.00	PASS
	2440	-10.38	≤8.00	PASS
	2480	-12.95	≤8.00	PASS

Test Graphs






Date: 23 JUN 2026 12:18:30

Appendix F: Band edge measurements

Test Result

TestMode	ChName	Freq(MHz)	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Low	2402	3.94	-43.31	≤-16.06	PASS
	High	2480	2.18	-42.37	≤-17.82	PASS

Test Graphs





Appendix G: Conducted Spurious Emission

Test Result


NO.	Test Condition	Test Mode	Freq (MHz)	Rate	Antenna	Frequency Range (MHz)	Ref Level (MHz)	Max Power (dBm)	Limit (dBm)	Verdict
1	NTNV	BLE	2402	1Mbps	ANT1	Reference	0.1	4.97	/	/
						30~1000	0.1	-47.86	≤-25.03	Pass
						1000~26500	0.1	-36.20	≤-25.03	Pass
2	NTNV	BLE	2440	1Mbps	ANT1	Reference	0.1	5.73	/	/
						30~1000	0.1	-47.70	≤-24.27	Pass
						1000~26500	0.1	-36.39	≤-24.27	Pass
3	NTNV	BLE	2480	1Mbps	ANT1	Reference	0.1	3.46	/	/
						30~1000	0.1	-47.08	≤-26.54	Pass
						1000~26500	0.1	-36.70	≤-26.54	Pass

Test Graphs






Date: 13.OCT.2026 10.04.20




Date: 13.OCT.2026 10.04.26




Date: 13.OCT.2026 10.04.40


NTNV_BLE_2480_1Mbps



Date: 13.OCT.2026 10:06:59



Date: 13.OCT.2026 10:07:05




Date: 13.OCT.2026 10:07:19


Appendix H: Duty Cycle

Test Result

TestMode	Freq(MHz)	ON Time [ms]	Period [ms]	X	DC [%]	xFactor
BLE_1M	2402	0.00	0.00	NaN	100	NaN
	2440	0.00	0.00	NaN	100	NaN
	2480	0.00	0.00	NaN	100	NaN

Test Graphs





Date: 23 JUN 2026 12:31:08