



















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-53.88	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-53.62	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-53.44	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-52.08	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-52.36	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-53.86	-20	Pass




















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-53.09	-20	Pass
NVNT	1-DH5	2480	Hopping	-51.83	-20	Pass
NVNT	2-DH5	2402	Hopping	-52.68	-20	Pass
NVNT	2-DH5	2480	Hopping	-52.1	-20	Pass
NVNT	3-DH5	2402	Hopping	-53.36	-20	Pass
NVNT	3-DH5	2480	Hopping	-52.78	-20	Pass



















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.3	-20	Pass
NVNT	1-DH5	2441	-40.33	-20	Pass
NVNT	1-DH5	2480	-39.45	-20	Pass
NVNT	2-DH5	2402	-40.99	-20	Pass
NVNT	2-DH5	2441	-39.64	-20	Pass
NVNT	2-DH5	2480	-38.81	-20	Pass
NVNT	3-DH5	2402	-41.32	-20	Pass
NVNT	3-DH5	2441	-40.39	-20	Pass
NVNT	3-DH5	2480	-38.89	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****