


Mode:

DH5 2480MHz




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	41.45	3.46	74.00	32.55	150	134	Vertical	PASS
2	2488.55	42.40	3.51	74.00	31.60	150	4	Vertical	PASS
3	2492.20	41.99	3.56	74.00	32.01	150	121	Vertical	PASS
4	2494.90	42.03	3.56	74.00	31.97	150	4	Vertical	PASS
5	2497.05	41.93	3.59	74.00	32.07	150	199	Vertical	PASS
6	2500.00	41.21	3.50	74.00	32.79	150	183	Vertical	PASS

Mode:

DH5 2480MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	40.85	3.46	74.00	33.15	150	2	Horizontal	PASS
2	2486.50	42.36	3.50	74.00	31.64	150	356	Horizontal	PASS
3	2490.75	42.28	3.55	74.00	31.72	150	138	Horizontal	PASS
4	2492.55	43.16	3.57	74.00	30.84	150	224	Horizontal	PASS
5	2496.10	41.87	3.56	74.00	32.13	150	224	Horizontal	PASS
6	2500.00	41.65	3.50	74.00	32.35	150	135	Horizontal	PASS

Mode:	2DH5 2402MHz
-------	--------------




★ PK Detector ★ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	40.88	2.67	74.00	33.12	150	4	Vertical	PASS
2	2320.53	42.29	2.92	74.00	31.71	150	324	Vertical	PASS
3	2345.36	43.74	2.98	74.00	30.26	150	200	Vertical	PASS
4	2364.08	42.47	2.95	74.00	31.53	150	34	Vertical	PASS
5	2382.54	41.92	3.02	74.00	32.08	150	360	Vertical	PASS
6	2390.00	40.42	2.95	74.00	33.58	150	236	Vertical	PASS

Mode:

2DH5 2402MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	40.83	2.67	74.00	33.17	150	212	Horizontal	PASS
2	2316.76	42.07	2.89	74.00	31.93	150	248	Horizontal	PASS
3	2333.92	41.88	2.78	74.00	32.12	150	133	Horizontal	PASS
4	2347.70	42.14	2.94	74.00	31.86	150	68	Horizontal	PASS
5	2368.37	42.05	3.01	74.00	31.95	150	210	Horizontal	PASS
6	2390.00	40.37	2.95	74.00	33.63	150	1	Horizontal	PASS

Mode:

2DH5 2480MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	41.49	3.46	74.00	32.51	150	107	Vertical	PASS
2	2487.85	42.47	3.47	74.00	31.53	150	202	Vertical	PASS
3	2491.80	42.06	3.56	74.00	31.94	150	55	Vertical	PASS
4	2495.40	41.75	3.56	74.00	32.25	150	179	Vertical	PASS
5	2497.35	42.16	3.58	74.00	31.84	150	61	Vertical	PASS
6	2500.00	41.77	3.50	74.00	32.23	150	82	Vertical	PASS

Mode:

2DH5 2480MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	40.59	3.46	74.00	33.41	150	348	Horizontal	PASS
2	2487.80	42.22	3.48	74.00	31.78	150	1	Horizontal	PASS
3	2490.40	42.45	3.56	74.00	31.55	150	26	Horizontal	PASS
4	2495.60	43.61	3.56	74.00	30.39	150	335	Horizontal	PASS
5	2497.90	41.88	3.58	74.00	32.12	150	171	Horizontal	PASS
6	2500.00	41.36	3.50	74.00	32.64	150	186	Horizontal	PASS

Mode:

3DH5 2402MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	39.93	2.67	74.00	34.07	150	318	Vertical	PASS
2	2321.70	42.33	2.89	74.00	31.67	150	332	Vertical	PASS
3	2340.68	41.68	2.86	74.00	32.32	150	326	Vertical	PASS
4	2353.55	41.62	2.96	74.00	32.38	150	91	Vertical	PASS
5	2374.35	41.61	3.00	74.00	32.39	150	258	Vertical	PASS
6	2390.00	40.01	2.95	74.00	33.99	150	15	Vertical	PASS

Mode:

3DH5 2402MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.00	40.73	2.67	74.00	33.27	150	120	Horizontal	PASS
2	2326.51	41.95	2.87	74.00	32.05	150	52	Horizontal	PASS
3	2342.37	41.68	2.89	74.00	32.32	150	293	Horizontal	PASS
4	2358.10	43.30	2.95	74.00	30.70	150	145	Horizontal	PASS
5	2373.70	41.48	3.00	74.00	32.52	150	187	Horizontal	PASS
6	2390.00	42.30	2.95	74.00	31.70	150	232	Horizontal	PASS

Mode:

3DH5 2480MHz




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	41.26	3.46	74.00	32.74	150	332	Vertical	PASS
2	2486.65	42.00	3.52	74.00	32.00	150	204	Vertical	PASS
3	2490.55	42.11	3.56	74.00	31.89	150	195	Vertical	PASS
4	2493.40	42.10	3.58	74.00	31.90	150	220	Vertical	PASS
5	2496.00	42.30	3.56	74.00	31.70	150	282	Vertical	PASS
6	2500.00	41.00	3.50	74.00	33.00	150	307	Vertical	PASS

Mode:

3DH5 2480MHz



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.50	41.44	3.46	74.00	32.56	150	14	Horizontal	PASS
2	2485.05	42.73	3.54	74.00	31.27	150	115	Horizontal	PASS
3	2488.95	42.12	3.56	74.00	31.88	150	71	Horizontal	PASS
4	2493.35	42.19	3.58	74.00	31.81	150	84	Horizontal	PASS
5	2497.55	43.15	3.58	74.00	30.85	150	109	Horizontal	PASS
6	2500.00	40.44	3.50	74.00	33.56	150	257	Horizontal	PASS

Appendix L: Radiated emissions for transmitter


Note:

The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (DH5-2402MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	45.8838	-15.91	17.04	40.00	22.96	100	184	Vertical	PASS
2	79.1062	-19.61	16.01	40.00	23.99	100	21	Vertical	PASS
3	142.5200	-16.40	17.99	43.50	25.51	200	307	Vertical	PASS
4	254.6762	-17.56	17.14	46.00	28.86	200	271	Vertical	PASS
5	365.6200	-14.50	19.33	46.00	26.67	100	12	Vertical	PASS
6	481.5350	-11.77	24.92	46.00	21.08	200	241	Vertical	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	39.2150	-15.96	12.86	40.00	27.14	100	159	Horizontal	PASS
2	78.1362	-19.58	15.57	40.00	24.43	200	172	Horizontal	PASS
3	110.8738	-18.61	18.84	43.50	24.66	200	184	Horizontal	PASS
4	209.6925	-19.17	23.95	43.50	19.55	200	172	Horizontal	PASS
5	269.4688	-16.90	26.84	46.00	19.16	100	176	Horizontal	PASS
6	459.9525	-11.48	30.98	46.00	15.02	100	188	Horizontal	PASS

Mode:

DH5 2402MHz

Test Graph




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.20	46.25	-0.17	74.00	27.75	150	106	Vertical	PASS
2	1881.80	39.66	1.44	74.00	34.34	150	198	Vertical	PASS
3	4363.00	39.25	-16.82	74.00	34.75	150	278	Vertical	PASS
4	6379.00	42.68	-10.12	74.00	31.32	150	232	Vertical	PASS
5	9607.50	50.37	-5.07	74.00	23.63	150	30	Vertical	PASS
6	13826.5	48.47	1.06	74.00	25.53	150	278	Vertical	PASS

Mode:

DH5 2402MHz




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1225.60	38.49	-0.50	74.00	35.51	150	37	Horizontal	PASS
2	1932.20	40.30	1.49	74.00	33.70	150	160	Horizontal	PASS
3	4803.50	42.36	-14.56	74.00	31.64	150	112	Horizontal	PASS
4	7529.50	44.36	-8.93	74.00	29.64	150	134	Horizontal	PASS
5	9607.50	51.91	-5.07	74.00	22.09	150	89	Horizontal	PASS
6	13869.5	48.89	0.84	74.00	25.11	150	313	Horizontal	PASS


Mode:	DH5 2441MHz
-------	-------------



★ PK Detector ★ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1165.20	40.55	-0.19	74.00	33.45	150	248	Vertical	PASS
2	1793.40	41.27	1.00	74.00	32.73	150	41	Vertical	PASS
3	4881.50	41.92	-14.02	74.00	32.08	150	92	Vertical	PASS
4	6432.50	42.76	-10.58	74.00	31.24	150	100	Vertical	PASS
5	9763.50	50.42	-4.62	74.00	23.58	150	30	Vertical	PASS
6	15342.5	50.19	2.64	74.00	23.81	150	348	Vertical	PASS

Mode:	2DH5 2441MHz
-------	--------------




★ PK Detector ✱ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1199.40	38.79	-0.29	74.00	35.21	150	241	Horizontal	PASS
2	1653.00	39.77	0.46	74.00	34.23	150	196	Horizontal	PASS
3	4882.00	46.44	-14.00	74.00	27.56	150	138	Horizontal	PASS
4	7748.50	44.21	-8.40	74.00	29.79	150	122	Horizontal	PASS
5	9763.50	52.60	-4.62	74.00	21.40	150	6	Horizontal	PASS
6	14185.5	48.94	1.29	74.00	25.06	150	37	Horizontal	PASS


Mode:

DH5 2480MHz


Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1163.00	42.66	-0.26	74.00	31.34	150	113	Vertical	PASS
2	1996.40	42.13	1.69	74.00	31.87	150	33	Vertical	PASS
3	4960.00	42.80	-14.84	74.00	31.20	150	68	Vertical	PASS
4	6480.50	43.61	-10.32	74.00	30.39	150	216	Vertical	PASS
5	9919.50	52.00	-4.29	74.00	22.00	150	29	Vertical	PASS
6	13803.0	49.75	1.17	74.00	24.25	150	106	Vertical	PASS


Mode:	DH5 2480MHz
-------	-------------



★ PK Detector ★ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1189.00	38.93	-0.48	74.00	35.07	150	259	Horizontal	PASS
2	1863.20	40.67	1.28	74.00	33.33	150	315	Horizontal	PASS
3	4960.00	47.09	-14.84	74.00	26.91	150	129	Horizontal	PASS
4	6235.00	43.72	-10.24	74.00	30.28	150	302	Horizontal	PASS
5	9919.50	53.27	-4.29	74.00	20.73	150	151	Horizontal	PASS
6	14182.5	48.74	1.36	74.00	25.26	150	188	Horizontal	PASS


Mode:	2DH5 2402MHz
-------	--------------



★ PK Detector ✱ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1162.40	43.72	-0.28	74.00	30.28	150	102	Vertical	PASS
2	1662.00	39.62	0.45	74.00	34.38	150	280	Vertical	PASS
3	3323.00	40.06	-20.30	74.00	33.94	150	77	Vertical	PASS
4	4905.00	40.32	-13.32	74.00	33.68	150	186	Vertical	PASS
5	9607.50	51.01	-5.07	74.00	22.99	150	186	Vertical	PASS
6	14967.0	49.35	2.15	74.00	24.65	150	132	Vertical	PASS

Mode:	2DH5 2402MHz
-------	--------------




★ PK Detector ✱ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1293.20	38.78	-0.43	74.00	35.22	150	190	Horizontal	PASS
2	2104.00	41.14	2.18	74.00	32.86	150	208	Horizontal	PASS
3	4909.50	41.05	-13.13	74.00	32.95	150	35	Horizontal	PASS
4	6277.00	43.52	-10.70	74.00	30.48	150	4	Horizontal	PASS
5	9607.50	52.70	-5.07	74.00	21.30	150	90	Horizontal	PASS
6	14966.0	49.57	2.16	74.00	24.43	150	300	Horizontal	PASS

Mode:

2DH5 2441MHz




★ PK Detector ★ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.60	42.44	-0.16	74.00	31.56	150	119	Vertical	PASS
2	1821.20	40.91	1.18	74.00	33.09	150	133	Vertical	PASS
3	3321.50	39.60	-20.23	74.00	34.40	150	83	Vertical	PASS
4	4882.00	43.08	-14.00	74.00	30.92	150	83	Vertical	PASS
5	9763.50	48.83	-4.62	74.00	25.17	150	68	Vertical	PASS
6	14948.5	50.02	1.80	74.00	23.98	150	106	Vertical	PASS

Mode:

2DH5 2441MHz




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1212.40	39.02	-0.29	74.00	34.98	150	162	Horizontal	PASS
2	1831.60	40.66	1.23	74.00	33.34	150	204	Horizontal	PASS
3	4881.50	49.55	-14.02	74.00	24.45	150	79	Horizontal	PASS
4	7856.50	44.51	-8.39	74.00	29.49	150	174	Horizontal	PASS
5	9763.50	53.36	-4.62	74.00	20.64	150	204	Horizontal	PASS
6	15998.5	50.07	4.04	74.00	23.93	150	124	Horizontal	PASS

Mode:

2DH5 2480MHz




★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Freq. [MHz]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1161.80	43.07	-0.29	74.00	30.93	150	92	Vertical	PASS
2	1991.00	41.12	1.81	74.00	32.88	150	30	Vertical	PASS
3	4960.00	42.64	-14.84	74.00	31.36	150	82	Vertical	PASS
4	6333.00	42.89	-10.89	74.00	31.11	150	40	Vertical	PASS
5	9919.50	49.03	-4.29	74.00	24.97	150	68	Vertical	PASS
6	14882.5	49.27	1.82	74.00	24.73	150	275	Vertical	PASS


Mode:	2DH5 2480MHz
-------	--------------



★ PK Detector ★ AV Detector

Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBµV/m]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Reading [dBµV/m]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.0000	-0.24	39.14	38.90	74.00	35.10	38.88	38.64	54.00	15.36	150	146	Horizontal	PASS
2	1964.8000	1.73	39.75	41.48	74.00	32.52	39.48	41.21	54.00	12.79	150	150	Horizontal	PASS
3	4959.5000	-14.79	64.91	50.12	74.00	23.88	61.27	46.48	54.00	7.52	150	76	Horizontal	PASS
4	7914.0000	-8.07	52.85	44.78	74.00	29.22	50.48	42.41	54.00	11.59	150	69	Horizontal	PASS
5	9919.5000	-4.29	58.32	54.03	74.00	19.97	57.06	52.77	54.00	1.23	150	217	Horizontal	PASS
6	17173.000	4.11	48.46	52.57	74.00	21.43	46.11	50.22	54.00	3.78	150	69	Horizontal	PASS


Mode:	3DH5 2402MHz
-------	--------------



★ PK Detector ★ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1166.00	41.78	-0.17	74.00	32.22	150	108	Vertical	PASS
2	2086.60	41.59	2.02	74.00	32.41	150	27	Vertical	PASS
3	3320.00	38.18	-20.16	74.00	35.82	150	87	Vertical	PASS
4	5062.50	40.13	-12.91	74.00	33.87	150	230	Vertical	PASS
5	8715.00	45.60	-6.58	74.00	28.40	150	297	Vertical	PASS
6	13874.0	48.60	0.92	74.00	25.40	150	308	Vertical	PASS


Mode:	3DH5 2402MHz
-------	--------------



★ PK Detector ✱ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1255.60	38.30	-0.48	74.00	35.70	150	116	Horizontal	PASS
2	1679.40	39.80	0.46	74.00	34.20	150	103	Horizontal	PASS
3	4804.00	40.92	-14.53	74.00	33.08	150	4	Horizontal	PASS
4	7643.00	44.21	-8.60	74.00	29.79	150	199	Horizontal	PASS
5	9607.50	52.99	-5.07	74.00	21.01	150	199	Horizontal	PASS
6	17473.0	50.79	4.44	74.00	23.21	150	254	Horizontal	PASS


Mode:	3DH5 2441MHz
-------	--------------



★ PK Detector ★ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1164.40	43.61	-0.23	74.00	30.39	150	100	Vertical	PASS
2	1990.60	40.90	1.82	74.00	33.10	150	223	Vertical	PASS
3	4143.50	38.44	-17.25	74.00	35.56	150	96	Vertical	PASS
4	7961.00	44.80	-7.35	74.00	29.20	150	302	Vertical	PASS
5	9763.50	47.16	-4.62	74.00	26.84	150	81	Vertical	PASS
6	14376.0	48.85	1.42	74.00	25.15	150	332	Vertical	PASS


Mode:	3DH5 2441MHz
-------	--------------



★ PK Detector ✱ AV Detector

Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1159.60	39.07	-0.34	74.00	34.93	150	62	Horizontal	PASS
2	1877.60	40.07	1.44	74.00	33.93	150	269	Horizontal	PASS
3	3827.00	37.82	-18.17	74.00	36.18	150	127	Horizontal	PASS
4	4881.50	47.62	-14.02	74.00	26.38	150	81	Horizontal	PASS
5	9763.50	53.41	-4.62	74.00	20.59	150	206	Horizontal	PASS
6	13762.5	48.77	0.69	74.00	25.23	150	319	Horizontal	PASS


Mode:	3DH5 2480MHz
-------	--------------



★ PK Detector ★ AV Detector


Suspected Data List									
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1165.40	44.77	-0.19	74.00	29.23	150	99	Vertical	PASS
2	1996.80	41.27	1.68	74.00	32.73	150	30	Vertical	PASS
3	4959.00	40.97	-14.74	74.00	33.03	150	52	Vertical	PASS
4	6423.50	43.38	-10.53	74.00	30.62	150	239	Vertical	PASS
5	9919.50	48.14	-4.29	74.00	25.86	150	129	Vertical	PASS
6	13808.0	49.82	1.16	74.00	24.18	150	91	Vertical	PASS

Mode:
3DH5 2480MHz




Final Data List														
NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1304.0000	-0.40	38.71	38.31	74.00	35.69	38.53	38.13	54.00	15.87	150	32	Horizontal	PASS
2	1879.8000	1.44	39.04	40.48	74.00	33.52	38.78	40.22	54.00	13.78	150	151	Horizontal	PASS
3	3805.5000	-18.42	55.72	37.30	74.00	36.70	54.17	35.75	54.00	18.25	150	67	Horizontal	PASS
4	4960.0000	-14.84	65.84	51.00	74.00	23.00	61.87	47.03	54.00	6.97	150	74	Horizontal	PASS
5	7870.5000	-8.38	52.29	43.91	74.00	30.09	48.81	40.43	54.00	13.57	150	12	Horizontal	PASS
6	9919.5000	-4.29	58.84	54.55	74.00	19.45	57.21	52.92	54.00	1.08	150	222	Horizontal	PASS

Appendix K: Conducted emission AC power port



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.177	10.30	42.37	64.63	22.26	35.74	54.63	18.89	L1	PASS
2	0.204	10.35	38.54	63.45	24.91	31.21	53.45	22.24	L1	PASS
3	0.513	10.25	42.63	56.00	13.37	40.63	46.00	5.37	L1	PASS
4	0.648	10.26	36.16	56.00	19.84	26.76	46.00	19.24	L1	PASS
5	1.473	10.32	32.02	56.00	23.98	21.52	46.00	24.48	L1	PASS
6	9.738	10.44	39.40	60.00	20.60	29.54	50.00	20.46	L1	PASS



Final Data List										
NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.24	10.34	38.19	62.10	23.91	24.99	52.10	27.11	N	PASS
2	0.51	10.25	42.63	56.00	13.37	40.46	46.00	5.54	N	PASS
3	0.624	10.26	37.17	56.00	18.83	29.45	46.00	16.55	N	PASS
4	1.026	10.26	33.36	56.00	22.64	22.71	46.00	23.29	N	PASS
5	5.868	10.41	35.74	60.00	24.26	24.18	50.00	25.82	N	PASS
6	13.77	10.61	35.63	60.00	24.37	23.44	50.00	26.56	N	PASS