







802.11ax 20MHz Chain1 5825MHz




802.11ax 20MHz Chain1 5845MHz




802.11ax 20MHz Chain1 5865MHz



802.11ax 20MHz Chain1 5885MHz



802.11ax 40MHz Chain0 5190MHz




802.11ax 40MHz Chain0 5230MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 40MHz Chain0 5270MHz




802.11ax 40MHz Chain0 5310MHz




802.11ax 40MHz Chain0 5510MHz



802.11ax 40MHz Chain0 5550MHz



802.11ax 40MHz Chain0 5670MHz




802.11ax 40MHz Chain0 5710MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 40MHz Chain0 5755MHz




802.11ax 40MHz Chain0 5795MHz




802.11ax 40MHz Chain0 5835MHz



802.11ax 40MHz Chain0 5875MHz



802.11ax 40MHz Chain1 5190MHz




802.11ax 40MHz Chain1 5230MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 40MHz Chain1 5270MHz




802.11ax 40MHz Chain1 5310MHz




802.11ax 40MHz Chain1 5510MHz



802.11ax 40MHz Chain1 5550MHz



802.11ax 40MHz Chain1 5670MHz




802.11ax 40MHz Chain1 5710MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 40MHz Chain1 5755MHz




802.11ax 40MHz Chain1 5795MHz




802.11ax 40MHz Chain1 5835MHz



802.11ax 40MHz Chain1 5875MHz



802.11ax 80MHz Chain0 5210MHz




802.11ax 80MHz Chain0 5290MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 80MHz Chain0 5530MHz




802.11ax 80MHz Chain0 5610MHz




802.11ax 80MHz Chain0 5690MHz



802.11ax 80MHz Chain0 5775MHz



802.11ax 80MHz Chain0 5855MHz




802.11ax 80MHz Chain1 5210MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 80MHz Chain1 5290MHz




802.11ax 80MHz Chain1 5530MHz




802.11ax 80MHz Chain1 5610MHz



802.11ax 80MHz Chain1 5690MHz



802.11ax 80MHz Chain1 5775MHz




802.11ax 80MHz Chain1 5855MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 160MHz Chain0 5250MHz




802.11ax 160MHz Chain0 5570MHz




802.11ax 160MHz Chain0 5815MHz



802.11ax 160MHz Chain1 5250MHz



802.11ax 160MHz Chain1 5570MHz



802.11ax 160MHz Chain1 5815MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2 Maximum Conducted Output Power

7.2.1 Duty Cycle

Duty Cycle					
Mode		Duty Cycle (%) =Ton / (Ton+Toff)	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11a		99.23	0.03	0.49	0.01
802.11n_20		99.67	0.01	0.18	0.01
802.11ac_20		99.67	0.01	0.18	0.01
802.11n_40		99.71	0.01	0.18	0.01
802.11ac_40		99.71	0.01	0.18	0.01
802.11ac_80		99.71	0.01	0.18	0.01
802.11ac_160		99.71	0.01	0.18	0.01
802.11ax_20		100.00	0.00	0.00	0.01
802.11ax_40		99.71	0.01	0.18	0.01
802.11ax_80		99.69	0.01	0.20	0.01
802.11ax_160		99.65	0.02	0.20	0.01
Mode	RU Config	99.66	Duty Factor (dB) =10*log (1/Duty Cycle)	1/T (kHz)	VBW setting (kHz)
802.11ax_20	242	99.71	0.01	0.18	0.01
	26 RU	99.66	0.01	0.21	0.01
	52 RU	99.64	0.02	0.20	0.01
	106 RU	99.66	0.01	0.21	0.01
802.11ax_40	484	99.67	0.01	0.18	0.01
	242 RU	99.66	0.01	0.21	0.01
802.11ax_80	996	99.70	0.01	0.18	0.01
	484 RU	99.66	0.01	0.21	0.01
802.11ax_160	996*2	99.70	0.01	0.18	0.01
	996 RU	99.66	0.01	0.21	0.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


7.2.2 Duty Cycle test plots



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ac 160MHz Chain0 5250MHz




802.11ax 20MHz Chain0 5180MHz




802.11ax 20MHz Chain0 5180MHz RU26 0



802.11ax 20MHz Chain0 5180MHz RU52 37



802.11ax 20MHz Chain0 5180MHz RU106 53



802.11ax 40MHz Chain0 5190MHz


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。


This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




802.11ax 40MHz Chain0 5190MHz RU242 61




802.11ax 80MHz Chain0 5210MHz



802.11ax 80MHz Chain0 5210MHz RU484 65



802.11ax 160MHz Chain0 5250MHz



802.11ax 160MHz Chain0 5250MHz RU996 67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.2.3 FCC Output Power

802.11a_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	18.5	64.174	18.07	23.98	PASS
44	5220	6	18.5	69.240	18.40	23.98	PASS
48	5240	6	18.5	69.881	18.44	23.98	PASS
52	5260	6	19	67.820	18.31	23.80	PASS
60	5300	6	19	67.353	18.28	23.88	PASS
64	5320	6	19	66.429	18.22	23.78	PASS
100	5500	6	19	69.881	18.44	23.9	PASS
116	5580	6	18.5	65.216	18.14	23.88	PASS
140	5700	6	18.5	65.820	18.18	23.91	PASS
144	5720	6	18.5	66.124	18.20	22.63	PASS
149	5745	6	19	67.976	18.32	30	PASS
157	5785	6	19	69.881	18.44	30	PASS
165	5825	6	19	69.240	18.40	30	PASS
169	5845	6	19	67.976	18.32	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	6	19	214.960	23.32	30	PASS
173	5865	6	19	216.949	23.36	30	PASS
177	5885	6	19	213.972	23.30	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11a_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	6	18.5	48.013	16.81	23.98	PASS
44	5220	6	18.5	53.132	17.25	23.98	PASS
48	5240	6	18.5	53.995	17.32	23.98	PASS
52	5260	6	19	56.022	17.48	23.98	PASS
60	5300	6	19	56.410	17.51	23.98	PASS
64	5320	6	19	55.253	17.42	23.98	PASS
100	5500	6	19	51.803	17.14	23.98	PASS
116	5580	6	18.5	51.923	17.15	23.98	PASS
140	5700	6	18.5	50.276	17.01	23.98	PASS
144	5720	6	18.5	49.472	16.94	23.98	PASS
149	5745	6	19	59.478	17.74	30	PASS
157	5785	6	19	61.995	17.92	30	PASS
165	5825	6	19	62.857	17.98	30	PASS
169	5845	6	19	63.293	18.01	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	6	19	200.151	23.01	30	PASS
173	5865	6	19	198.773	22.98	30	PASS
177	5885	6	19	202.935	23.07	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11n_HT20_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	17	45.966	16.62	23.98	PASS
44	5220	MCS0	17	51.338	17.10	23.98	PASS
48	5240	MCS0	17	51.456	17.11	23.98	PASS
52	5260	MCS0	18	56.681	17.53	23.98	PASS
60	5300	MCS0	18	57.735	17.61	23.98	PASS
64	5320	MCS0	18	59.216	17.72	23.98	PASS
100	5500	MCS0	17	46.820	16.70	23.98	PASS
116	5580	MCS0	17	45.023	16.53	23.98	PASS
140	5700	MCS0	17	47.363	16.75	23.98	PASS
144	5720	MCS0	17	47.911	16.80	23.98	PASS
149	5745	MCS0	17	44.610	16.49	30	PASS
157	5785	MCS0	17	45.966	16.62	30	PASS
165	5825	MCS0	17	44.303	16.46	30	PASS
169	5845	MCS0	17	44.100	16.44	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	17	139.455	21.44	30	PASS
173	5865	MCS0	16	137.542	21.38	30	PASS
177	5885	MCS0	15	91.503	19.61	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11n_HT20_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	17	35.846	15.54	23.98	PASS
44	5220	MCS0	17	40.967	16.12	23.98	PASS
48	5240	MCS0	17	43.195	16.35	23.98	PASS
52	5260	MCS0	18	50.285	17.01	23.98	PASS
60	5300	MCS0	18	52.172	17.17	23.98	PASS
64	5320	MCS0	18	49.027	16.90	23.98	PASS
100	5500	MCS0	17	36.011	15.56	23.98	PASS
116	5580	MCS0	17	41.921	16.22	23.98	PASS
140	5700	MCS0	17	41.442	16.17	23.98	PASS
144	5720	MCS0	17	43.195	16.35	23.98	PASS
149	5745	MCS0	17	43.695	16.40	30	PASS
157	5785	MCS0	17	43.998	16.43	30	PASS
165	5825	MCS0	17	49.481	16.94	30	PASS
169	5845	MCS0	17	49.709	16.96	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	17	157.194	21.96	30	PASS
173	5865	MCS0	16	118.969	20.75	30	PASS
177	5885	MCS0	15	94.283	19.74	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11n_HT20_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	17	16.66	15.58	82.568	19.17	23.98	PASS
44	5220	MCS0	17	17.14	16.20	93.541	19.71	23.98	PASS
48	5240	MCS0	17	17.18	16.32	95.190	19.79	23.98	PASS
52	5260	MCS0	18	17.56	17.06	107.941	20.33	23.98	PASS
60	5300	MCS0	18	17.64	17.15	110.067	20.42	23.98	PASS
64	5320	MCS0	18	17.76	16.93	109.130	20.38	23.98	PASS
100	5500	MCS0	17	16.73	15.58	83.322	19.21	23.98	PASS
116	5580	MCS0	17	16.59	16.26	87.959	19.44	23.98	PASS
140	5700	MCS0	17	16.79	16.12	88.768	19.48	23.98	PASS
144	5720	MCS0	17	16.84	16.32	91.252	19.60	22.79	PASS
149	5745	MCS0	17	16.47	16.42	88.302	19.46	30	PASS
157	5785	MCS0	17	16.56	16.46	89.638	19.52	30	PASS
165	5825	MCS0	17	16.50	16.89	93.627	19.71	30	PASS
169	5845	MCS0	17	16.39	16.88	92.397	19.66	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845	MCS0	17	16.39	16.88	292.184	24.66	30	PASS
173	5865	MCS0	16	15.37	15.88	231.587	23.65	30	PASS
177	5885	MCS0	15	14.63	14.80	187.520	22.73	30	PASS

802.11n_HT40_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	18	70.188	18.46	23.98	PASS
46	5230	MCS0	18	69.865	18.44	23.98	PASS
54	5270	MCS0	18	69.544	18.42	23.98	PASS
62	5310	MCS0	18	68.275	18.34	23.98	PASS
102	5510	MCS0	18	68.590	18.36	23.98	PASS
110	5550	MCS0	18	67.805	18.31	23.98	PASS
134	5670	MCS0	18	69.544	18.42	23.98	PASS
142	5710	MCS0	18	67.338	18.28	23.98	PASS
151	5755	MCS0	18	61.413	17.88	30	PASS
159	5795	MCS0	18	61.839	17.91	30	PASS
167	5835	MCS0	18	58.920	17.70	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	18	186.321	22.70	30	PASS
175	5875	MCS0	18	186.750	22.71	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11n_HT40_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	18	53.735	17.30	23.98	PASS
46	5230	MCS0	18	53.243	17.26	23.98	PASS
54	5270	MCS0	18	52.512	17.20	23.98	PASS
62	5310	MCS0	18	53.489	17.28	23.98	PASS
102	5510	MCS0	18	55.114	17.41	23.98	PASS
110	5550	MCS0	18	54.987	17.40	23.98	PASS
134	5670	MCS0	18	53.243	17.26	23.98	PASS
142	5710	MCS0	18	54.108	17.33	23.98	PASS
151	5755	MCS0	18	59.192	17.72	30	PASS
159	5795	MCS0	18	60.710	17.83	30	PASS
167	5835	MCS0	18	65.805	18.18	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	18	208.095	23.18	30	PASS
175	5875	MCS0	18	203.358	23.08	30	PASS

802.11n_HT40_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	18	18.50	17.34	125.070	20.97	23.98	PASS
46	5230	MCS0	18	18.48	17.24	123.510	20.92	23.98	PASS
54	5270	MCS0	18	18.49	17.12	122.228	20.87	23.98	PASS
62	5310	MCS0	18	18.40	17.26	122.468	20.88	23.98	PASS
102	5510	MCS0	18	18.42	17.45	125.168	20.97	23.98	PASS
110	5550	MCS0	18	18.37	17.43	124.117	20.94	23.98	PASS
134	5670	MCS0	18	18.46	17.30	123.923	20.93	23.98	PASS
142	5710	MCS0	18	18.25	17.31	120.734	20.82	23.98	PASS
151	5755	MCS0	18	17.85	17.78	121.006	20.83	30	PASS
159	5795	MCS0	18	17.97	17.89	124.254	20.94	30	PASS
167	5835	MCS0	18	17.74	18.16	124.968	20.97	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835	MCS0	18	17.74	18.16	395.183	25.97	30	PASS
175	5875	MCS0	18	17.75	18.14	394.665	25.96	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT20_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	17	45.335	16.56	23.98	PASS
44	5220	MCS0	17	50.984	17.07	23.98	PASS
48	5240	MCS0	17	52.292	17.18	23.98	PASS
52	5260	MCS0	18	56.291	17.50	23.98	PASS
60	5300	MCS0	18	57.469	17.59	23.98	PASS
64	5320	MCS0	18	58.538	17.67	23.98	PASS
100	5500	MCS0	17	46.178	16.64	23.98	PASS
116	5580	MCS0	17	45.544	16.58	23.98	PASS
140	5700	MCS0	17	46.928	16.71	23.98	PASS
144	5720	MCS0	17	47.254	16.74	23.98	PASS
149	5745	MCS0	17	44.610	16.49	30	PASS
157	5785	MCS0	17	45.335	16.56	30	PASS
165	5825	MCS0	17	43.897	16.42	30	PASS
169	5845	MCS0	17	42.701	16.30	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	17	135.032	21.30	30	PASS
173	5865	MCS0	16	109.002	20.37	30	PASS
177	5885	MCS0	15	91.925	19.63	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT20_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	17	35.763	15.53	23.98	PASS
44	5220	MCS0	17	41.537	16.18	23.98	PASS
48	5240	MCS0	17	43.295	16.36	23.98	PASS
52	5260	MCS0	18	51.575	17.12	23.98	PASS
60	5300	MCS0	18	50.633	17.04	23.98	PASS
64	5320	MCS0	18	48.802	16.88	23.98	PASS
100	5500	MCS0	17	36.094	15.57	23.98	PASS
116	5580	MCS0	17	42.309	16.26	23.98	PASS
140	5700	MCS0	17	39.851	16.00	23.98	PASS
144	5720	MCS0	17	42.898	16.32	23.98	PASS
149	5745	MCS0	17	43.897	16.42	30	PASS
157	5785	MCS0	17	44.201	16.45	30	PASS
165	5825	MCS0	17	47.472	16.76	30	PASS
169	5845	MCS0	17	48.243	16.83	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	17	152.558	21.83	30	PASS
173	5865	MCS0	16	119.794	20.78	30	PASS
177	5885	MCS0	15	94.283	19.74	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT20_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
36	5180	MCS0	17	16.60	15.56	81.766	19.13	23.98	PASS
44	5220	MCS0	17	17.11	16.15	92.707	19.67	23.98	PASS
48	5240	MCS0	17	17.12	16.31	94.374	19.75	23.98	PASS
52	5260	MCS0	18	17.53	17.01	106.965	20.29	23.98	PASS
60	5300	MCS0	18	17.62	17.10	109.205	20.38	23.98	PASS
64	5320	MCS0	18	17.69	16.91	107.948	20.33	23.98	PASS
100	5500	MCS0	17	16.69	15.56	82.724	19.18	23.98	PASS
116	5580	MCS0	17	16.52	16.23	86.938	19.39	23.98	PASS
140	5700	MCS0	17	16.74	16.08	87.845	19.44	23.98	PASS
144	5720	MCS0	17	16.81	16.29	90.624	19.57	22.79	PASS
149	5745	MCS0	17	16.45	16.38	87.696	19.43	30	PASS
157	5785	MCS0	17	16.54	16.41	88.923	19.49	30	PASS
165	5825	MCS0	17	16.45	16.80	92.112	19.64	30	PASS
169	5845	MCS0	17	16.34	16.81	91.117	19.60	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
169	5845	MCS0	17	16.34	16.81	288.138	24.60	30	PASS
173	5865	MCS0	16	15.33	15.82	228.906	23.60	30	PASS
177	5885	MCS0	15	14.60	14.71	184.927	22.67	30	PASS

802.11ac_VHT40_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	18	69.225	18.40	23.98	PASS
46	5230	MCS0	18	69.066	18.39	23.98	PASS
54	5270	MCS0	18	68.275	18.34	23.98	PASS
62	5310	MCS0	18	67.649	18.30	23.98	PASS
102	5510	MCS0	18	67.338	18.28	23.98	PASS
110	5550	MCS0	18	67.029	18.26	23.98	PASS
134	5670	MCS0	18	69.384	18.41	23.98	PASS
142	5710	MCS0	18	64.012	18.06	23.98	PASS
151	5755	MCS0	18	58.784	17.69	30	PASS
159	5795	MCS0	18	61.131	17.86	30	PASS
167	5835	MCS0	18	59.056	17.71	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	18	186.750	22.71	30	PASS
175	5875	MCS0	18	183.764	22.64	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT40_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	18	52.755	17.22	23.98	PASS
46	5230	MCS0	18	51.673	17.13	23.98	PASS
54	5270	MCS0	18	51.554	17.12	23.98	PASS
62	5310	MCS0	18	52.392	17.19	23.98	PASS
102	5510	MCS0	18	54.358	17.35	23.98	PASS
110	5550	MCS0	18	53.984	17.32	23.98	PASS
134	5670	MCS0	18	53.243	17.26	23.98	PASS
142	5710	MCS0	18	53.612	17.29	23.98	PASS
151	5755	MCS0	18	57.978	17.63	30	PASS
159	5795	MCS0	18	60.292	17.80	30	PASS
167	5835	MCS0	18	63.279	18.01	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	18	200.107	23.01	30	PASS
175	5875	MCS0	18	198.272	22.97	30	PASS

802.11ac_VHT40_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
38	5190	MCS0	18	18.43	17.30	123.440	20.91	23.98	PASS
46	5230	MCS0	18	18.42	17.18	121.815	20.86	23.98	PASS
54	5270	MCS0	18	18.40	17.06	120.071	20.79	23.98	PASS
62	5310	MCS0	18	18.34	17.21	120.908	20.82	23.98	PASS
102	5510	MCS0	18	18.32	17.40	122.948	20.90	23.98	PASS
110	5550	MCS0	18	18.31	17.39	122.666	20.89	23.98	PASS
134	5670	MCS0	18	18.46	17.22	122.942	20.90	23.98	PASS
142	5710	MCS0	18	18.19	17.26	119.200	20.76	23.98	PASS
151	5755	MCS0	18	17.78	17.66	118.395	20.73	30	PASS
159	5795	MCS0	18	17.91	17.83	122.549	20.88	30	PASS
167	5835	MCS0	18	17.68	18.08	122.957	20.90	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
167	5835	MCS0	18	17.68	18.08	388.823	25.90	30	PASS
175	5875	MCS0	18	17.69	18.09	389.719	25.91	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT80_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	17	52.876	17.23	23.98	PASS
58	5290	MCS0	17	47.453	16.76	23.98	PASS
106	5530	MCS0	14	23.892	13.78	23.98	PASS
122	5610	MCS0	17	47.782	16.79	23.98	PASS
138	5690	MCS0	17	49.234	16.92	23.98	PASS
155	5775	MCS0	18	59.328	17.73	30	PASS
171	5855	MCS0	18	58.514	17.67	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855	MCS0	18	185.038	22.67	30	PASS

802.11ac_VHT80_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	17	37.520	15.74	23.98	PASS
58	5290	MCS0	17	36.920	15.67	23.98	PASS
106	5530	MCS0	14	17.071	12.32	23.98	PASS
122	5610	MCS0	17	40.296	16.05	23.98	PASS
138	5690	MCS0	17	38.042	15.80	23.98	PASS
155	5775	MCS0	18	53.859	17.31	30	PASS
171	5855	MCS0	18	52.876	17.23	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855	MCS0	18	167.210	22.23	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ac_VHT80_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
42	5210	MCS0	17	17.27	15.78	91.233	19.60	23.98	PASS
58	5290	MCS0	17	16.74	15.66	84.070	19.25	23.98	PASS
106	5530	MCS0	14	13.75	12.40	41.116	16.14	23.98	PASS
122	5610	MCS0	17	16.86	16.12	89.509	19.52	23.98	PASS
138	5690	MCS0	17	16.98	15.84	88.312	19.46	23.98	PASS
155	5775	MCS0	18	17.79	17.37	114.762	20.60	30	PASS
171	5855	MCS0	18	17.70	17.29	112.532	20.51	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
171	5855	MCS0	18	17.70	17.29	355.857	25.51	30	PASS

802.11ac_VHT160_Ch0

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	16	35.421	15.49	23.98	PASS
114	5570	MCS0	16	36.013	15.56	23.98	PASS
163	5815	MCS0	16	33.983	15.31	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815	MCS0	16	107.464	20.31	30	PASS

802.11ac_VHT160_Ch1

CH	Frequency (MHz)	Data Rate	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	16	25.779	14.11	23.98	PASS
114	5570	MCS0	16	27.878	14.45	23.98	PASS
163	5815	MCS0	16	29.125	14.64	30	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815	MCS0	16	92.100	19.64	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ac_VHT160_2TX

CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
				Ch0	Ch1				
50	5250	MCS0	16	15.52	14.13	61.564	17.89	23.98	PASS
114	5570	MCS0	16	15.59	14.48	64.317	18.08	23.98	PASS
163	5815	MCS0	16	15.30	14.70	63.435	18.02	27.99	PASS
CH	Frequency (MHz)	Data Rate	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
				CH 0	CH 1				
163	5815	MCS0	16	15.30	14.70	200.598	23.02	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	17	49.120	16.91	23.98	PASS
		MCS0	26/0	8	6.259	7.96	23.98	PASS
		MCS0	52/37	11	12.519	10.98	23.98	PASS
		MCS0	106/53	14	26.150	14.17	23.98	PASS
44	5220	MCS0	full	17	56.139	17.49	23.98	PASS
48	5240	MCS0	full	17	55.241	17.42	23.98	PASS
52	5260	MCS0	full	17	47.782	16.79	23.98	PASS
60	5300	MCS0	full	17	48.558	16.86	23.98	PASS
64	5320	MCS0	full	17	48.670	16.87	23.98	PASS
		MCS0	26/8	14	27.383	14.37	23.98	PASS
		MCS0	52/40	14	26.216	14.19	23.98	PASS
		MCS0	106/54	14	26.211	14.18	23.98	PASS
100	5500	MCS0	full	17.5	58.245	17.65	23.98	PASS
		MCS0	26/0	8	5.643	7.51	23.98	PASS
		MCS0	52/37	11	12.150	10.85	23.98	PASS
		MCS0	106/53	14	26.150	14.17	23.98	PASS
116	5580	MCS0	full	17	49.234	16.92	23.98	PASS
140	5700	MCS0	full	18	67.649	18.30	23.98	PASS
		MCS0	26/8	14	26.453	14.22	23.98	PASS
		MCS0	52/40	14	26.888	14.30	23.98	PASS
		MCS0	106/54	14	26.945	14.30	23.98	PASS
144	5720	MCS0	full	15	30.079	14.78	23.98	PASS
149	5745	MCS0	full	18	61.697	17.90	30	PASS
		MCS0	26/0	17	49.600	16.95	30	PASS
		MCS0	52/37	17	50.184	17.01	30	PASS
		MCS0	106/53	17	49.714	16.96	30	PASS
157	5785	MCS0	full	18	62.267	17.94	30	PASS
165	5825	MCS0	full	18	61.555	17.89	30	PASS
		MCS0	26/8	17	51.580	17.12	30	PASS
		MCS0	52/40	17	52.067	17.17	30	PASS
		MCS0	106/54	17	49.944	16.98	30	PASS
169	5845	MCS0	242	17	64.160	18.07	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	242	17	202.890	23.07	30	PASS
173	5865	MCS0	242	18	202.424	23.06	30	PASS
		MCS0	26/0	14	78.610	18.95	30	PASS
		MCS0	52/37	14	77.547	18.90	30	PASS
		MCS0	106/53	14	77.353	18.88	30	PASS
177	5885	MCS0	242	15	95.557	19.80	30	PASS
		MCS0	26/8	10	34.236	15.34	30	PASS
		MCS0	52/40	14	83.285	19.21	30	PASS
		MCS0	106/54	17	167.294	22.23	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
36	5180	MCS0	full	17	34.376	15.36	23.98	PASS
		MCS0	26/0	8	4.608	6.63	23.98	PASS
		MCS0	52/37	11	9.238	9.66	23.98	PASS
		MCS0	106/53	14	18.301	12.62	23.98	PASS
44	5220	MCS0	full	17	39.743	15.99	23.98	PASS
48	5240	MCS0	full	17	40.389	16.06	23.98	PASS
52	5260	MCS0	full	17	37.606	15.75	23.98	PASS
60	5300	MCS0	full	17	38.130	15.81	23.98	PASS
64	5320	MCS0	full	17	36.835	15.66	23.98	PASS
		MCS0	26/8	14	18.988	12.78	23.98	PASS
		MCS0	52/40	14	18.305	12.63	23.98	PASS
		MCS0	106/54	14	19.076	12.80	23.98	PASS
100	5500	MCS0	full	17.5	40.296	16.05	23.98	PASS
		MCS0	26/0	8	5.315	7.25	23.98	PASS
		MCS0	52/37	11	8.945	9.52	23.98	PASS
		MCS0	106/53	14	17.761	12.49	23.98	PASS
116	5580	MCS0	full	17	40.857	16.11	23.98	PASS
140	5700	MCS0	full	18	49.575	16.95	23.98	PASS
		MCS0	26/8	14	19.746	12.95	23.98	PASS
		MCS0	52/40	14	19.614	12.93	23.98	PASS
		MCS0	106/54	14	20.253	13.06	23.98	PASS
144	5720	MCS0	full	15	25.838	14.12	23.98	PASS
149	5745	MCS0	full	18	53.612	17.29	30	PASS
		MCS0	26/0	17	47.150	16.73	30	PASS
		MCS0	52/37	17	45.349	16.57	30	PASS
		MCS0	106/53	17	43.599	16.39	30	PASS
157	5785	MCS0	full	18	53.489	17.28	30	PASS
165	5825	MCS0	full	18	52.512	17.20	30	PASS
		MCS0	26/8	17	46.610	16.68	30	PASS
		MCS0	52/40	17	44.727	16.51	30	PASS
		MCS0	106/54	17	44.206	16.45	30	PASS
169	5845	MCS0	242	17	53.735	17.30	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
169	5845	MCS0	242	17	169.927	22.30	30	PASS
173	5865	MCS0	242	18	173.485	22.39	30	PASS
		MCS0	26/0	14	76.468	18.83	30	PASS
		MCS0	52/37	14	74.915	18.75	30	PASS
		MCS0	106/53	14	73.195	18.64	30	PASS
177	5885	MCS0	242	15	91.046	19.59	30	PASS
		MCS0	26/8	10	28.872	14.60	30	PASS
		MCS0	52/40	14	76.483	18.84	30	PASS
		MCS0	106/54	17	148.074	21.70	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE20_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
36	5180	MCS0	full	17	16.95	15.41	84.349	19.26	23.98	PASS
		MCS0	26/0	8	7.92	6.63	10.809	10.34	23.98	PASS
		MCS0	52/37	11	10.98	9.67	21.778	13.38	23.98	PASS
		MCS0	106/53	14	14.13	12.67	44.424	16.48	23.98	PASS
44	5220	MCS0	full	17	17.49	16.01	96.065	19.83	23.98	PASS
48	5240	MCS0	full	17	17.45	16.06	96.013	19.82	23.98	PASS
52	5260	MCS0	full	17	16.82	15.78	85.980	19.34	23.98	PASS
60	5300	MCS0	full	17	16.86	15.84	86.952	19.39	23.98	PASS
64	5320	MCS0	full	17	17.00	15.66	86.984	19.39	23.98	PASS
		MCS0	26/8	14	14.37	12.72	46.110	16.64	23.98	PASS
		MCS0	52/40	14	14.19	12.65	44.605	16.49	23.98	PASS
		MCS0	106/54	14	14.15	12.83	45.238	16.56	23.98	PASS
100	5500	MCS0	full	17.5	17.65	16.05	98.541	19.94	23.98	PASS
		MCS0	26/0	8	7.47	7.22	10.869	10.36	23.98	PASS
		MCS0	52/37	11	10.91	9.61	21.451	13.31	23.98	PASS
		MCS0	106/53	14	14.09	12.60	43.890	16.42	23.98	PASS
116	5580	MCS0	full	17	16.96	16.15	90.924	19.59	23.98	PASS
140	5700	MCS0	full	18	18.30	17.01	117.913	20.72	23.98	PASS
		MCS0	26/8	14	14.22	12.99	46.382	16.66	23.98	PASS
		MCS0	52/40	14	14.25	12.94	46.240	16.65	23.98	PASS
		MCS0	106/54	14	14.25	13.06	46.889	16.71	23.98	PASS
144	5720	MCS0	full	15	14.82	14.05	55.782	17.46	23.98	PASS
149	5745	MCS0	full	18	17.90	17.37	116.305	20.66	30	PASS
		MCS0	26/0	17	16.96	16.74	96.972	19.87	30	PASS
		MCS0	52/37	17	16.99	16.63	95.933	19.82	30	PASS
		MCS0	106/53	17	16.96	16.39	93.313	19.70	30	PASS
157	5785	MCS0	full	18	17.97	17.34	116.932	20.68	30	PASS
165	5825	MCS0	full	18	17.94	17.29	115.879	20.64	30	PASS
		MCS0	26/8	17	17.12	16.68	98.190	19.92	30	PASS
		MCS0	52/40	17	17.14	16.57	97.058	19.87	30	PASS
		MCS0	106/54	17	16.98	16.49	94.558	19.76	30	PASS
169	5845	MCS0	242	17	18.03	17.30	117.307	20.69	27.99	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
169	5845	MCS0	242	17	18.03	17.30	370.957	25.69	30	PASS
173	5865	MCS0	242	18	18.06	17.36	374.714	25.74	30	PASS
		MCS0	26/0	14	13.98	13.83	155.623	21.92	30	PASS
		MCS0	52/37	14	13.87	13.79	152.621	21.84	30	PASS
		MCS0	106/53	14	13.88	13.64	150.548	21.78	30	PASS
177	5885	MCS0	242	15	14.89	14.62	189.235	22.77	30	PASS
		MCS0	26/8	10	10.32	9.66	63.352	18.02	30	PASS
		MCS0	52/40	14	14.24	13.90	161.409	22.08	30	PASS
		MCS0	106/54	17	17.23	16.75	317.082	25.01	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE40_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	18.5	70.054	18.45	23.98	PASS
		MCS0	242/61	17	51.225	17.09	23.98	PASS
46	5230	MCS0	full	18	68.302	18.34	23.98	PASS
54	5270	MCS0	full	18	58.538	17.67	23.98	PASS
62	5310	MCS0	full	17	46.820	16.70	23.98	PASS
		MCS0	242/62	17	49.944	16.98	23.98	PASS
102	5510	MCS0	full	18	63.451	18.02	23.98	PASS
		MCS0	242/61	17	53.147	17.25	23.98	PASS
110	5550	MCS0	full	18	63.451	18.16	23.98	PASS
134	5670	MCS0	full	18	67.210	18.27	23.98	PASS
		MCS0	242/62	17	56.167	17.49	23.98	PASS
142	5710	MCS0	full	18	64.779	18.11	23.98	PASS
151	5755	MCS0	full	18	56.550	17.52	30	PASS
		MCS0	242/61	17	49.032	16.90	30	PASS
159	5795	MCS0	full	18	60.178	17.79	30	PASS
		MCS0	242/62	17	52.418	17.19	30	PASS
167	5835	MCS0	484	17	45.335	16.56	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	484	17	143.362	21.56	30	PASS
175	5875	MCS0	484	18	142.376	21.53	30	PASS
		MCS0	242/61	17	150.827	21.78	30	PASS
		MCS0	242/62	17	160.872	22.06	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE40_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
38	5190	MCS0	full	18.5	47.254	16.74	23.98	PASS
		MCS0	242/61	17	35.602	15.51	23.98	PASS
46	5230	MCS0	full	18	46.928	16.71	23.98	PASS
54	5270	MCS0	full	18	45.335	16.56	23.98	PASS
62	5310	MCS0	full	17	33.070	15.19	23.98	PASS
		MCS0	242/62	17	35.767	15.53	23.98	PASS
102	5510	MCS0	full	18	40.873	16.11	23.98	PASS
		MCS0	242/61	17	33.766	15.28	23.98	PASS
110	5550	MCS0	full	18	40.873	16.29	23.98	PASS
134	5670	MCS0	full	18	45.127	16.54	23.98	PASS
		MCS0	242/62	17	40.409	16.06	23.98	PASS
142	5710	MCS0	full	17	43.595	16.39	23.98	PASS
151	5755	MCS0	full	18	49.595	16.95	30	PASS
		MCS0	242/61	17	41.733	16.20	30	PASS
159	5795	MCS0	full	18	50.285	17.01	30	PASS
		MCS0	242/62	17	43.499	16.38	30	PASS
167	5835	MCS0	484	17	42.603	16.29	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
167	5835	MCS0	484	17	134.721	21.29	30	PASS
175	5875	MCS0	484	18	136.281	21.34	30	PASS
		MCS0	242/61	17	143.047	21.55	30	PASS
		MCS0	242/62	17	149.101	21.73	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE40_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
38	5190	MCS0	full	18.5	18.48	16.76	118.012	20.72	23.98	PASS
		MCS0	242/61	17	17.16	15.50	87.578	19.42	23.98	PASS
46	5230	MCS0	full	18	18.38	16.73	116.079	20.65	23.98	PASS
54	5270	MCS0	full	18	17.68	16.53	103.696	20.16	23.98	PASS
62	5310	MCS0	full	17	16.74	15.23	80.630	19.06	23.98	PASS
		MCS0	242/62	17	17.02	15.56	86.420	19.37	23.98	PASS
102	5510	MCS0	full	18	18.00	16.07	103.657	20.16	23.98	PASS
		MCS0	242/61	17	17.28	15.23	86.895	19.39	23.98	PASS
110	5550	MCS0	full	18	18.12	16.34	103.657	20.34	23.98	PASS
134	5670	MCS0	full	18	18.32	16.57	113.428	20.55	23.98	PASS
		MCS0	242/62	17	17.53	16.00	96.541	19.85	23.98	PASS
142	5710	MCS0	full	17	18.14	16.45	109.430	20.39	23.98	PASS
151	5755	MCS0	full	18	17.57	17.01	107.490	20.31	30	PASS
		MCS0	242/61	17	16.97	16.14	90.989	19.59	30	PASS
159	5795	MCS0	full	18	17.82	17.03	111.112	20.46	30	PASS
		MCS0	242/62	17	17.13	16.34	94.799	19.77	30	PASS
167	5835	MCS0	484	17	16.53	16.24	87.138	19.40	27.99	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
167	5835	MCS0	484	17	16.53	16.24	275.555	24.40	30	PASS
175	5875	MCS0	484	18	16.58	16.40	282.201	24.51	30	PASS
		MCS0	242/61	17	16.84	16.60	297.629	24.74	30	PASS
		MCS0	242/62	17	17.03	16.80	311.287	24.93	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE80_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	14	22.715	13.56	23.98	PASS
		MCS0	484/65	10.5	12.632	11.01	23.98	PASS
58	5290	MCS0	full	16	33.986	15.31	23.98	PASS
		MCS0	484/66	10.5	10.387	10.16	23.98	PASS
106	5530	MCS0	full	13.5	20.244	13.06	23.98	PASS
		MCS0	484/65	10.5	11.284	10.52	23.98	PASS
122	5610	MCS0	full	18	57.984	17.63	23.98	PASS
		MCS0	484/66	10.5	10.702	10.29	23.98	PASS
138	5690	MCS0	full	18	58.655	17.68	23.98	PASS
155	5775	MCS0	full	18	56.794	17.54	30	PASS
		MCS0	484/65	10.5	11.233	10.50	30	PASS
		MCS0	484/66	10.5	11.415	10.57	30	PASS
171	5855	MCS0	996	10.5	55.629	17.45	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855	MCS0	996	10.5	175.916	22.45	30	PASS

802.11ax_HE80_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
42	5210	MCS0	full	14	17.470	12.42	23.98	PASS
		MCS0	484/65	10.5	9.151	9.61	23.98	PASS
58	5290	MCS0	full	16	26.749	14.27	23.98	PASS
		MCS0	484/66	10.5	8.820	9.45	23.98	PASS
106	5530	MCS0	full	13.5	15.146	11.80	23.98	PASS
		MCS0	484/65	10.5	8.739	9.41	23.98	PASS
122	5610	MCS0	full	18	48.118	16.82	23.98	PASS
		MCS0	484/66	10.5	9.343	9.70	23.98	PASS
138	5690	MCS0	full	18	46.591	16.68	23.98	PASS
155	5775	MCS0	full	18	50.969	17.07	30	PASS
		MCS0	484/65	10.5	9.538	9.79	30	PASS
		MCS0	484/66	10.5	9.761	9.89	30	PASS
171	5855	MCS0	996	10.5	55.758	17.46	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
171	5855	MCS0	996	10.5	176.321	22.46	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

802.11ax_HE80_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
42	5210	MCS0	full	14	13.54	12.50	40.406	16.06	23.98	PASS
		MCS0	484/65	10.5	11.06	9.64	21.993	13.42	23.98	PASS
58	5290	MCS0	full	16	15.38	14.31	61.535	17.89	23.98	PASS
		MCS0	484/66	10.5	10.18	9.50	19.357	12.87	23.98	PASS
106	5530	MCS0	full	13.5	13.06	11.83	35.496	15.50	23.98	PASS
		MCS0	484/65	10.5	10.55	9.43	20.142	13.04	23.98	PASS
122	5610	MCS0	full	18	17.65	16.85	106.702	20.28	23.98	PASS
		MCS0	484/66	10.5	10.32	9.76	20.249	13.06	23.98	PASS
138	5690	MCS0	full	18	17.76	16.72	106.768	20.28	23.98	PASS
155	5775	MCS0	full	18	17.55	17.12	108.484	20.35	30	PASS
		MCS0	484/65	10.5	10.53	9.88	21.049	13.23	30	PASS
		MCS0	484/66	10.5	10.58	9.97	21.384	13.30	30	PASS
171	5855	MCS0	996	10.5	17.42	17.50	111.520	20.47	27.99	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
171	5855	MCS0	996	10.5	17.42	17.50	352.658	25.47	30	PASS

802.11ax_HE160_Ch0

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	13	18.980	12.78	23.98	PASS
		MCS0	996/67	14	25.911	14.13	23.98	PASS
		MCS0	996/S67	14	26.211	14.18	23.98	PASS
114	5570	MCS0	full	13	18.043	12.56	23.98	PASS
		MCS0	996/67	13	20.440	13.10	23.98	PASS
		MCS0	996/S67	13	20.021	13.01	23.98	PASS
163	5815	MCS0	996*2	13	19.512	12.90	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815	MCS0	996*2	13	61.703	17.90	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

802.11ax_HE160_Ch1

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
50	5250	MCS0	full	13	13.845	11.41	23.98	PASS
		MCS0	996/67	14	18.343	12.63	23.98	PASS
		MCS0	996/S67	14	18.556	12.68	23.98	PASS
114	5570	MCS0	full	13	14.233	11.53	23.98	PASS
		MCS0	996/67	13	16.462	12.16	23.98	PASS
		MCS0	996/S67	13	16.311	12.12	23.98	PASS
163	5815	MCS0	996*2	13	14.498	11.61	30	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
163	5815	MCS0	996*2	13	45.846	16.61	30	PASS

802.11ax_HE160_2TX

CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		TOTAL POWER (mW)	TOTAL POWER (dBm)	REQUIRED LIMIT (dBm)	RESULT
					Ch0	Ch1				
50	5250	MCS0	full	13	12.80	11.43	32.977	15.18	23.98	PASS
		MCS0	996/67	14	14.18	12.70	44.852	16.52	23.98	PASS
		MCS0	996/S67	14	14.23	12.72	45.242	16.56	23.98	PASS
114	5570	MCS0	full	13	12.58	11.49	32.229	15.08	23.98	PASS
		MCS0	996/67	13	13.14	12.12	36.940	15.67	23.98	PASS
		MCS0	996/S67	13	13.06	12.14	36.639	15.64	23.98	PASS
163	5815	MCS0	996*2	13	12.89	11.52	33.668	15.27	27.99	PASS
CH	Frequency (MHz)	Data Rate	RU config.	Power Setting	Avg. POWER (dBm)		EIRP (mW)	EIRP (dBm)	REQUIRED EIRP LIMIT (dBm)	RESULT
					CH 0	CH 1				
163	5815	MCS0	996*2	13	12.89	11.52	106.467	20.27	30	PASS

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.3 Maximum Power Spectral Density

POWER DENSITY 802.11a MODE						
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	9.075	0.00	9.08		11.00 dBm/MHz	-1.93
5220	9.715	0.00	9.72		11.00 dBm/MHz	-1.29
5240	8.295	0.00	8.30		11.00 dBm/MHz	-2.71
5260	9.036	0.00	9.04		11.00 dBm/MHz	-1.96
5300	8.767	0.00	8.77		11.00 dBm/MHz	-2.23
5320	9.070	0.00	9.07		11.00 dBm/MHz	-1.93
5500	9.389	0.00	9.39		11.00 dBm/MHz	-1.61
5580	9.809	0.00	9.81		11.00 dBm/MHz	-1.19
5700	9.831	0.00	9.83		11.00 dBm/MHz	-1.17
5720 (U-NII 2C)	9.517	0.00	9.52		11.00 dBm/MHz	-1.48
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	4.424	0.00	2.22	6.64	30.00 dBm/500kHz	-23.36
5745	4.374	0.00	2.22	6.59	30.00 dBm/500kHz	-23.41
5785	4.347	0.00	2.22	6.57	30.00 dBm/500kHz	-23.43
5825	4.205	0.00	2.22	6.43	30.00 dBm/500kHz	-23.58
5845 (U-NII 3)	1.895	0.00	2.22	4.12	30.00 dBm/500kHz	-25.89
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	2.441	0.00	2.44	7.44	14.00 dBm/MHz	-6.56
5865	2.791	0.00	2.79	7.79	14.00 dBm/MHz	-6.21
5885	2.251	0.00	2.25	7.25	14.00 dBm/MHz	-6.75

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11n HT20 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	5.517	4.813	0.00	8.06		8.99 dBm/MHz	-0.93
5220	5.885	4.674	0.00	8.33		8.99 dBm/MHz	-0.66
5240	5.793	4.469	0.00	8.19		8.99 dBm/MHz	-0.80
5260	6.186	5.552	0.00	8.89		8.99 dBm/MHz	-0.10
5300	6.044	5.298	0.00	8.70		8.99 dBm/MHz	-0.29
5320	6.236	5.239	0.00	8.78		8.99 dBm/MHz	-0.21
5500	5.495	4.598	0.00	8.08		8.99 dBm/MHz	-0.91
5580	5.683	5.534	0.00	8.62		8.99 dBm/MHz	-0.37
5700	5.593	4.518	0.00	8.10		8.99 dBm/MHz	-0.89
5720 (U-NII 2C)	5.513	4.551	0.00	8.07		8.99 dBm/MHz	-0.92
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	0.390	-1.008	0.00	2.22	4.98	27.99 dBm/500kHz	-23.01
5745	4.417	3.869	0.00	2.22	9.38	27.99 dBm/500kHz	-18.61
5785	4.077	3.248	0.00	2.22	8.91	27.99 dBm/500kHz	-19.08
5825	3.733	3.571	0.00	2.22	8.88	27.99 dBm/500kHz	-19.11
5845 (U-NII 3)	2.672	2.500	0.00	2.22	7.82	27.99 dBm/500kHz	-20.17
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5845 (U-NII4)	2.087	2.087	0.00	5.10	13.11	14.00 dBm/MHz	-0.89
5865	2.599	2.503	0.00	5.56	13.57	14.00 dBm/MHz	-0.43
5885	2.064	2.138	0.00	5.11	13.12	14.00 dBm/MHz	-0.88

POWER DENSITY 802.11n HT40 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	3.937	3.241	0.00	6.61		8.99 dBm/MHz	-2.38
5230	4.432	3.568	0.00	7.03		8.99 dBm/MHz	-1.96
5270	3.656	3.256	0.00	6.47		8.99 dBm/MHz	-2.52
5310	3.948	2.926	0.00	6.48		8.99 dBm/MHz	-2.51
5510	4.640	3.238	0.00	7.01		8.99 dBm/MHz	-1.98
5550	4.674	3.474	0.00	7.13		8.99 dBm/MHz	-1.86
5670	4.894	3.458	0.00	7.25		8.99 dBm/MHz	-1.74
5710 (U-NII 2C)	5.868	4.556	0.00	8.27		8.99 dBm/MHz	-0.72
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	-0.060	-1.989	0.00	2.22	4.31	27.99 dBm/500kHz	-23.68
5755	0.271	-0.280	0.00	2.22	5.23	27.99 dBm/500kHz	-22.76
5795	0.413	-0.745	0.00	2.22	5.10	27.99 dBm/500kHz	-22.89
5835 (U-NII 3)	-1.228	-1.145	0.00	2.22	4.04	27.99 dBm/500kHz	-23.95
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5835 (U-NII4)	-1.989	-1.989	0.00	1.02	9.03	14.00 dBm/MHz	-4.97
5875	2.586	2.628	0.00	5.62	13.63	14.00 dBm/MHz	-0.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ac VHT80 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	-0.061	-1.598	0.00	2.25		8.99 dBm/MHz	-6.74
5290	-0.807	-2.262	0.00	1.54		8.99 dBm/MHz	-7.45
5530	-3.464	-4.758	0.00	-1.05		8.99 dBm/MHz	-10.04
5610	-0.021	-0.941	0.00	2.55		8.99 dBm/MHz	-6.44
5690 (U-NII 2C)	0.117	-1.675	0.00	2.32		8.99 dBm/MHz	-6.67
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	-7.194	-9.729	0.00	2.22	-3.05	27.99 dBm/500kHz	-31.04
5775	-2.309	-3.888	0.00	2.22	2.20	27.99 dBm/500kHz	-25.79
5855 (U-NII 3)	-0.181	0.144	0.00	2.22	5.21	27.99 dBm/500kHz	-22.78
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5855 (U-NII4)	-9.729	-9.729	0.00	-6.72	1.29	14.00 dBm/MHz	-12.71

POWER DENSITY 802.11ac VHT160 MODE							
Frequency (MHz)	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5250	-8.657	-9.124	0.00	-5.87		8.99 dBm/MHz	-14.86
5570	-12.287	-13.031	0.00	-9.63		8.99 dBm/MHz	-18.62
Frequency (MHz)	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5815 (U-NII 3)	-10.602	-10.873	0.00	2.22	-5.51	27.99 dBm/500kHz	-33.50
Frequency (MHz)	ch0 meas PSD (dBm/MHz)	ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	EIRP PSD (dBm/MHz)	EIRP PSD Limit	Margin (dB)
5815 (U-NII4)	2.220	2.220	0.00	5.23	13.24	14.00 dBm/MHz	-0.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE20 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5180	full	4.888	5.406	0.00	8.17		8.99 dBm/MHz	-0.82
	26/0	4.501	5.394	0.00	7.98		8.99 dBm/MHz	-1.01
	52/37	4.670	5.677	0.00	8.21		8.99 dBm/MHz	-0.78
	106/53	5.114	6.086	0.00	8.64		8.99 dBm/MHz	-0.35
5220	full	5.155	5.695	0.00	8.44		8.99 dBm/MHz	-0.55
5240	full	5.396	5.654	0.00	8.54		8.99 dBm/MHz	-0.45
5260	full	4.913	5.045	0.00	7.99		8.99 dBm/MHz	-1.00
5300	full	4.885	4.994	0.00	7.95		8.99 dBm/MHz	-1.04
5320	full	4.652	4.977	0.00	7.83		8.99 dBm/MHz	-1.16
	26/8	4.271	3.900	0.00	7.10		8.99 dBm/MHz	-1.89
	52/40	3.961	5.134	0.00	7.60		8.99 dBm/MHz	-1.39
	106/54	4.734	5.378	0.00	8.08		8.99 dBm/MHz	-0.91
5500	full	5.567	6.131	0.00	8.87		8.99 dBm/MHz	-0.12
	26/0	4.856	5.054	0.00	7.97		8.99 dBm/MHz	-1.02
	52/37	4.493	6.320	0.00	8.51		8.99 dBm/MHz	-0.48
	106/53	5.009	6.293	0.00	8.71		8.99 dBm/MHz	-0.28
5580	full	5.568	5.636	0.00	8.61		8.99 dBm/MHz	-0.38
5700	full	5.048	5.630	0.00	8.36		8.99 dBm/MHz	-0.63
	26/8	3.833	4.813	0.00	7.36		8.99 dBm/MHz	-1.63
	52/40	4.293	5.923	0.00	8.19		8.99 dBm/MHz	-0.80
	106/54	4.759	6.140	0.00	8.51		8.99 dBm/MHz	-0.48
5720 (U-NII 2C)	full	4.995	5.553	0.00	8.29		8.99 dBm/MHz	-0.70
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5720 (U-NII 3)	full	-0.850	-0.060	0.00	2.22	4.79	27.99 dBm/500kHz	-23.20
5745	full	4.068	4.173	0.00	2.22	9.35	27.99 dBm/500kHz	-18.64
	26/0	9.165	9.236	0.00	2.22	14.43	27.99 dBm/500kHz	-13.56
	52/37	6.145	6.478	0.00	2.22	11.54	27.99 dBm/500kHz	-16.45
	106/53	3.479	3.701	0.00	2.22	8.82	27.99 dBm/500kHz	-19.17
5785	full	3.688	3.833	0.00	2.22	8.99	27.99 dBm/500kHz	-19.00
5825	full	3.626	3.761	0.00	2.22	8.92	27.99 dBm/500kHz	-19.07
	26/8	8.877	9.379	0.00	2.22	14.37	27.99 dBm/500kHz	-13.62
	52/40	6.068	6.542	0.00	2.22	11.54	27.99 dBm/500kHz	-16.45
	106/54	3.016	3.498	0.00	2.22	8.49	27.99 dBm/500kHz	-19.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

POWER DENSITY 802.11ax HE40 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5190	full	2.994	3.671	0.00	6.36		8.99 dBm/MHz	-2.63
	242/61	4.288	5.068	0.00	7.71		8.99 dBm/MHz	-1.28
5230	full	2.702	3.288	0.00	6.02		8.99 dBm/MHz	-2.97
5270	full	2.187	2.828	0.00	5.53		8.99 dBm/MHz	-3.46
5310	full	2.374	3.168	0.00	5.80		8.99 dBm/MHz	-3.19
	242/62	3.811	4.685	0.00	7.28		8.99 dBm/MHz	-1.71
5510	full	2.795	3.660	0.00	6.26		8.99 dBm/MHz	-2.73
	242/61	4.415	5.647	0.00	8.08		8.99 dBm/MHz	-0.91
5550	full	2.652	3.554	0.00	6.14		8.99 dBm/MHz	-2.85
5670	full	2.471	3.888	0.00	6.25		8.99 dBm/MHz	-2.74
	242/62	4.064	5.621	0.00	7.92		8.99 dBm/MHz	-1.07
5710 (U-NII 2C)	full	2.352	3.270	0.00	5.85		8.99 dBm/MHz	-3.14
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5710 (U-NII 3)	full	-4.396	-2.485	0.00	2.22	1.89	27.99 dBm/500kHz	-26.10
5755	full	-2.128	-2.237	0.00	2.22	3.05	27.99 dBm/500kHz	-24.94
	242/61	-0.540	0.219	0.00	2.22	5.09	27.99 dBm/500kHz	-22.90
5795	full	-2.475	-2.185	0.00	2.22	2.90	27.99 dBm/500kHz	-25.09
	242/62	-0.473	0.149	0.00	2.22	5.08	27.99 dBm/500kHz	-22.91

POWER DENSITY 802.11ax HE80 MODE								
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)		Limit	Margin (dB)
5210	full	-4.773	-3.739	0.00	-1.21		8.99 dBm/MHz	-10.20
	484/65	-5.306	-3.992	0.00	-1.59		8.99 dBm/MHz	-10.58
5290	full	-2.693	-1.873	0.00	0.75		8.99 dBm/MHz	-8.24
	484/66	-5.706	-4.824	0.00	-2.23		8.99 dBm/MHz	-11.22
5530	full	-4.960	-3.872	0.00	-1.37		8.99 dBm/MHz	-10.36
	484/65	-5.071	-3.280	0.00	-1.07		8.99 dBm/MHz	-10.06
5610	full	-0.120	0.724	0.00	3.33		8.99 dBm/MHz	-5.66
	484/66	-5.144	-4.015	0.00	-1.53		8.99 dBm/MHz	-10.52
5690 (U-NII 2C)	full	-0.745	0.555	0.00	2.96		8.99 dBm/MHz	-6.03
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/300kHz)	Ch1 meas PSD (dBm/300kHz)	Duty Factor (dB)	10log (500kHz/RBW) Factor(dB)	Maximum Corr'd PSD (dBm/500kHz)	Limit	Margin (dB)
5690 (U-NII 3)	full	-8.369	-6.904	0.00	2.22	-2.34	27.99 dBm/500kHz	-30.33
5775	full	-5.516	-5.115	0.00	2.22	-0.08	27.99 dBm/500kHz	-28.07
	484/65	-10.276	-9.570	0.00	2.22	-4.68	27.99 dBm/500kHz	-32.67
	484/66	-10.701	-9.534	0.00	2.22	-4.85	27.99 dBm/500kHz	-32.84

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

POWER DENSITY 802.11ax HE160 MODE							
Frequency (MHz)	RU config.	Ch0 meas PSD (dBm/MHz)	Ch1 meas PSD (dBm/MHz)	Duty Factor (dB)	Maximum Corr'd PSD(dBm/MHz)	Limit	Margin (dB)
5250	full	-9.223	-7.582	0.00	-5.32	11.00 dBm/MHz	-16.32
	996/67	-4.984	-3.804	0.00	-1.34	11.00 dBm/MHz	-12.34
	996/S67	-5.041	-4.112	0.00	-1.54	11.00 dBm/MHz	-12.54
5570	full	-8.670	-7.403	0.00	-4.98	11.00 dBm/MHz	-15.98
	996/67	-5.059	-4.419	0.00	-1.72	11.00 dBm/MHz	-12.72
	996/S67	-5.296	-4.498	0.00	-1.87	11.00 dBm/MHz	-12.87

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號


台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw


Member of SGS Group




802.11a 20MHz Chain0 5180MHz




802.11a 20MHz Chain0 5220MHz




802.11a 20MHz Chain0 5240MHz



802.11a 20MHz Chain0 5260MHz



802.11a 20MHz Chain0 5300MHz



802.11a 20MHz Chain0 5320MHz

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.