RF Test Data for Bluetooth (Conducted Measurements)

General Description of EUT	
Product Name:	POWERDOME NX2
Test Model:	2485-9
Sample ID:	HC-C-202504-0061-01-2#
Environmental Conditions	
Temperature:	24.4℃
Relative Humidity:	50%
Test Voltage:	DC 5V
Test Engineer:	Lily Zhang
Note: For a more detailed features description, please refer to the report TBR-C-202504-0061-2 The report only show the worst case data.	

Contents

1. Duty Cycle....3
2. Maximum Conducted Output Power....9
3. -20dB Bandwidth....18
4. Occupied Channel Bandwidth....24
5. Band Edge....30
6. Band Edge(Hopping)....37
7. Conducted RF Spurious Emission....44
8. Restrict Band....54
9. Carrier Frequencies Separation....61
10. Number of Hopping Channel....64
11. Dwell Time....67

1. Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	1-DH1	2402	Ant1	31.25	5.05	2.5
NVNT	1-DH1	2441	Ant1	29.37	5.32	2.7
NVNT	1-DH1	2480	Ant1	29.37	5.32	2.7
NVNT	2-DH1	2402	Ant1	31.25	5.05	2.5
NVNT	2-DH1	2441	Ant1	31.01	5.08	2.5
NVNT	2-DH1	2480	Ant1	30.16	5.21	2.63
NVNT	3-DH1	2402	Ant1	29.69	5.27	2.63
NVNT	3-DH1	2441	Ant1	29.92	5.24	2.63
NVNT	3-DH1	2480	Ant1	31.01	5.08	2.5

Test Graphs

Duty Cycle NVNT 1-DH1 2402MHz Ant1



Duty Cycle NVNT 1-DH1 2441MHz Ant1



Duty Cycle NVNT 1-DH1 2480MHz Ant1



Duty Cycle NVNT 2-DH1 2402MHz Ant1



Duty Cycle NVNT 2-DH1 2441MHz Ant1



Duty Cycle NVNT 2-DH1 2480MHz Ant1



Duty Cycle NVNT 3-DH1 2402MHz Ant1



Duty Cycle NVNT 3-DH1 2441MHz Ant1



Duty Cycle NVNT 3-DH1 2480MHz Ant1



2. Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH1	2402	Ant1	2.294	21	Pass
NVNT	1-DH1	2441	Ant1	1.477	21	Pass
NVNT	1-DH1	2480	Ant1	1.167	21	Pass
NVNT	1-DH3	2441	Ant1	1.598	21	Pass
NVNT	1-DH5	2441	Ant1	1.571	21	Pass
NVNT	2-DH1	2402	Ant1	4.426	21	Pass
NVNT	2-DH1	2441	Ant1	3.795	21	Pass
NVNT	2-DH1	2480	Ant1	3.399	21	Pass
NVNT	2-DH3	2441	Ant1	3.841	21	Pass
NVNT	2-DH5	2441	Ant1	3.702	21	Pass
NVNT	3-DH1	2402	Ant1	4.821	21	Pass
NVNT	3-DH1	2441	Ant1	4.137	21	Pass
NVNT	3-DH1	2480	Ant1	3.746	21	Pass
NVNT	3-DH3	2441	Ant1	4.096	21	Pass
NVNT	3-DH5	2441	Ant1	4.091	21	Pass

Test Graphs

Power NVNT 1-DH1 2402MHz Ant1



Power NVNT 1-DH1 2441MHz Ant1



Power NVNT 1-DH1 2480MHz Ant1



Power NVNT 1-DH3 2441MHz Ant1



Power NVNT 1-DH5 2441MHz Ant1



Power NVNT 2-DH1 2402MHz Ant1



Power NVNT 2-DH1 2441MHz Ant1



Power NVNT 2-DH1 2480MHz Ant1



Power NVNT 2-DH3 2441MHz Ant1



Power NVNT 2-DH5 2441MHz Ant1



Power NVNT 3-DH1 2402MHz Ant1



Power NVNT 3-DH1 2441MHz Ant1



Power NVNT 3-DH1 2480MHz Ant1



Power NVNT 3-DH3 2441MHz Ant1



Power NVNT 3-DH5 2441MHz Ant1



3. -20dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH1	2402	Ant1	1.03	0	Pass
NVNT	1-DH1	2441	Ant1	1.02	0	Pass
NVNT	1-DH1	2480	Ant1	1.02	0	Pass
NVNT	2-DH1	2402	Ant1	1.34	0	Pass
NVNT	2-DH1	2441	Ant1	1.35	0	Pass
NVNT	2-DH1	2480	Ant1	1.35	0	Pass
NVNT	3-DH1	2402	Ant1	1.33	0	Pass
NVNT	3-DH1	2441	Ant1	1.34	0	Pass
NVNT	3-DH1	2480	Ant1	1.34	0	Pass

Test Graphs

-20dB Bandwidth NVNT 1-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 1-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 2-DH1 2480MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2402MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2441MHz Ant1



-20dB Bandwidth NVNT 3-DH1 2480MHz Ant1



4. Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	1-DH1	2402	Ant1	0.901
NVNT	1-DH1	2441	Ant1	0.909
NVNT	1-DH1	2480	Ant1	0.908
NVNT	2-DH1	2402	Ant1	1.189
NVNT	2-DH1	2441	Ant1	1.186
NVNT	2-DH1	2480	Ant1	1.185
NVNT	3-DH1	2402	Ant1	1.188
NVNT	3-DH1	2441	Ant1	1.186
NVNT	3-DH1	2480	Ant1	1.181

Test Graphs

OBW NVNT 1-DH1 2402MHz Ant1



OBW NVNT 1-DH1 2441MHz Ant1



OBW NVNT 1-DH1 2480MHz Ant1



OBW NVNT 2-DH1 2402MHz Ant1



OBW NVNT 2-DH1 2441MHz Ant1



OBW NVNT 2-DH1 2480MHz Ant1



OBW NVNT 3-DH1 2402MHz Ant1



OBW NVNT 3-DH1 2441MHz Ant1



OBW NVNT 3-DH1 2480MHz Ant1



5. Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	-56.36	-20	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	-50.08	-20	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	-55.05	-20	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	-48.8	-20	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	-54.79	-20	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	-47.08	-20	Pass

Test Graphs

Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 1-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 2-DH1 2480MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2402MHz Ant1 No-Hopping Emission



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Ref



Band Edge NVNT 3-DH1 2480MHz Ant1 No-Hopping Emission



6. Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	Hopping	-55.48	-20	Pass
NVNT	1-DH1	2480	Ant1	Hopping	-54.3	-20	Pass
NVNT	2-DH1	2402	Ant1	Hopping	-53.36	-20	Pass
NVNT	2-DH1	2480	Ant1	Hopping	-49.62	-20	Pass
NVNT	3-DH1	2402	Ant1	Hopping	-54.14	-20	Pass
NVNT	3-DH1	2480	Ant1	Hopping	-49.63	-20	Pass

Test Graphs

Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 1-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 2-DH1 2480MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH1 2402MHz Ant1 Hopping Emission



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Ref



Band Edge(Hopping) NVNT 3-DH1 2480MHz Ant1 Hopping Emission



7. Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH1	2402	Ant1	-42.1	-20	Pass
NVNT	1-DH1	2441	Ant1	-42.44	-20	Pass
NVNT	1-DH1	2480	Ant1	-43.41	-20	Pass
NVNT	2-DH1	2402	Ant1	-43.44	-20	Pass
NVNT	2-DH1	2441	Ant1	-42.92	-20	Pass
NVNT	2-DH1	2480	Ant1	-43.97	-20	Pass
NVNT	3-DH1	2402	Ant1	-46.52	-20	Pass
NVNT	3-DH1	2441	Ant1	-45.27	-20	Pass
NVNT	3-DH1	2480	Ant1	-43.58	-20	Pass

Test Graphs

Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2402MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	1.432 dBm			
2	N	1	f	4.003 1 GHz	-40.292 dBm			
3	N	1	f	4.804 3 GHz	-44.280 dBm			
4	N	1	f	7.386 0 GHz	-61.301 dBm			
5	N	1	f	9.607 7 GHz	-55.194 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2441MHz Ant1 Emission



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 1-DH1 2480MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.480 2 GHz	0.787 dBm			
2	N	1	f	4.133 7 GHz	-42.757 dBm			
3	N	1	f	4.960 5 GHz	-45.461 dBm			
4	N	1	f	7.439 8 GHz	-59.042 dBm			
5	N	1	f	9.920 1 GHz	-60.457 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2402MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.401 7 GHz	-0.341 dBm			
2	N	1	f	4.003 1 GHz	-43.208 dBm			
3	N	1	f	4.803 4 GHz	-47.688 dBm			
4	N	1	f	7.206 0 GHz	-61.553 dBm			
5	N	1	f	9.607 7 GHz	-55.600 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2441MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.441 4 GHz	-2.599 dBm			
2	N	1	f	4.068 4 GHz	-43.322 dBm			
3	N	1	f	4.882 0 GHz	-46.900 dBm			
4	N	1	f	7.323 4 GHz	-60.380 dBm			
5	N	1	f	9.763 9 GHz	-56.278 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 2-DH1 2480MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.479 4 GHz	-2.263 dBm			
2	N	1	f	4.959 6 GHz	-44.823 dBm			
3	N	1	f	4.959 6 GHz	-44.823 dBm			
4	N	1	f	7.337 5 GHz	-61.781 dBm			
5	N	1	f	9.920 1 GHz	-57.277 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2402MHz Ant1 Emission



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2441MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.441 4 GHz	-0.927 dBm			
2	N	1	f	2.533 2 GHz	-45.640 dBm			
3	N	1	f	4.882 0 GHz	-48.365 dBm			
4	N	1	f	7.323 4 GHz	-61.727 dBm			
5	N	1	f	9.763 9 GHz	-55.718 dBm			
6								
7								
8								
9								
10								
11								

Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Ref



Tx. Spurious NVNT 3-DH1 2480MHz Ant1 Emission



MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE
1	N	1	f	2.479 4 GHz	-1.500 dBm			
2	N	1	f	4.133 7 GHz	-44.326 dBm			
3	N	1	f	4.960 5 GHz	-47.527 dBm			
4	N	1	f	7.365 7 GHz	-61.821 dBm			
5	N	1	f	9.920 1 GHz	-57.361 dBm			
6								
7								
8								
9								
10								
11								

8. Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-48.76	2.39	-	48.89	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2310	-56.03	2.39	5.05	46.67	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2374.32	-45.29	2.39	-	52.36	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2350.224	-55.16	2.39	5.05	47.54	Average	54	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-47.95	2.39	-	49.7	Peak	74	Pass
NVNT	1-DH1	2402	Ant1	No-Hopping	2390	-55.93	2.39	5.05	46.77	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-35.82	2.39	-	61.83	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.5	-55.18	2.39	5.32	47.79	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.536	-30.27	2.39	-	67.38	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2483.536	-52.53	2.39	5.32	50.44	Average	54	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-47.3	2.39	-	50.35	Peak	74	Pass
NVNT	1-DH1	2480	Ant1	No-Hopping	2500	-55.64	2.39	5.32	47.33	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-47.24	2.39	-	50.41	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2310	-56.12	2.39	5.05	46.58	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2369.232	-45.06	2.39	-	52.59	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2388.048	-55.34	2.39	5.05	47.36	Average	54	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-47.03	2.39	-	50.62	Peak	74	Pass
NVNT	2-DH1	2402	Ant1	No-Hopping	2390	-55.96	2.39	5.05	46.74	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-47.38	2.39	-	50.27	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2483.5	-55.41	2.39	5.21	47.45	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2484.4	-32.71	2.39	-	64.94	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2484.4	-51.65	2.39	5.21	51.21	Average	54	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-48.2	2.39	-	49.45	Peak	74	Pass
NVNT	2-DH1	2480	Ant1	No-Hopping	2500	-55.88	2.39	5.21	46.98	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-48.8	2.39	-	48.85	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2310	-55.96	2.39	5.27	46.96	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2385.648	-45.08	2.39	-	52.57	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2359.152	-55.14	2.39	5.27	47.78	Average	54	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-48.2	2.39	-	49.45	Peak	74	Pass
NVNT	3-DH1	2402	Ant1	No-Hopping	2390	-56.53	2.39	5.27	46.39	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-46.71	2.39	-	50.94	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.5	-54.69	2.39	5.08	48.04	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2484.16	-32.09	2.39	-	65.56	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2483.752	-51.71	2.39	5.08	51.02	Average	54	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-48.12	2.39	-	49.53	Peak	74	Pass
NVNT	3-DH1	2480	Ant1	No-Hopping	2500	-55.2	2.39	5.08	47.53	Average	54	Pass

Test Graphs

Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 1-DH1 2480MHz Ant1 No-Hopping Average



Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 2-DH1 2480MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2402MHz Ant1 No-Hopping Average



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Peak



Restrict Band NVNT 3-DH1 2480MHz Ant1 No-Hopping Average



9. Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH1	Ant1	2441.014	2442.01	0.996	0.025	Pass
NVNT	2-DH1	Ant1	2440.858	2442.097	1.239	0.9	Pass
NVNT	3-DH1	Ant1	2440.984	2441.98	0.996	0.893	Pass

Test Graphs

CFS NVNT 1-DH1 2441MHz Ant1



CFS NVNT 2-DH1 2441MHz Ant1



CFS NVNT 3-DH1 2441MHz Ant1



10. Number of Hopping Channel

Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH1	Ant1	79	15	Pass
NVNT	2-DH1	Ant1	79	15	Pass
NVNT	3-DH1	Ant1	79	15	Pass

Test Graphs

Hopping No. NVNT 1-DH1 2441MHz Ant1



Hopping No. NVNT 2-DH1 2441MHz Ant1



Hopping No. NVNT 3-DH1 2441MHz Ant1



11. Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH1	2441	Ant1	0.376	120.32	31600	400	Pass
NVNT	1-DH3	2441	Ant1	1.652	264.32	31600	400	Pass
NVNT	1-DH5	2441	Ant1	2.921	311.573	31600	400	Pass
NVNT	2-DH1	2441	Ant1	0.394	126.08	31600	400	Pass
NVNT	2-DH3	2441	Ant1	1.643	262.88	31600	400	Pass
NVNT	2-DH5	2441	Ant1	2.931	312.64	31600	400	Pass
NVNT	3-DH1	2441	Ant1	0.375	120	31600	400	Pass
NVNT	3-DH3	2441	Ant1	1.643	262.88	31600	400	Pass
NVNT	3-DH5	2441	Ant1	2.931	312.64	31600	400	Pass

Test Graphs

Dwell NVNT 1-DH1 2441MHz Ant1



Dwell NVNT 1-DH3 2441MHz Ant1



Dwell NVNT 1-DH5 2441MHz Ant1



Dwell NVNT 2-DH1 2441MHz Ant1



Dwell NVNT 2-DH3 2441MHz Ant1



Dwell NVNT 2-DH5 2441MHz Ant1



Dwell NVNT 3-DH1 2441MHz Ant1



Dwell NVNT 3-DH3 2441MHz Ant1



Dwell NVNT 3-DH5 2441MHz Ant1



-----END OF THE REPORT-----