




802.11n(HT20) MCH 5785MHz Ant1_NTNV




802.11n(HT20) HCH 5825MHz Ant1_NTNV




802.11n(HT40) LCH 5755MHz Ant1_NTNV




802.11n(HT40) HCH 5795MHz Ant1_NTNV




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH_5785MHz_SU / Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_SU / Ant1_NTNV



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTVN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTVN



3. Maximum Conducted Output Power

3.1 Test Result

3.1.1 Power

Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum Average Conducted Output Power (dBm)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	10.83	<=23.98	Pass
		5200	/	/	10.79	<=23.98	Pass
		5240	/	/	10.80	<=23.98	Pass
		5745	/	/	10.44	<=30	Pass
		5785	/	/	10.81	<=30	Pass
		5825	/	/	10.26	<=30	Pass
802.11n (HT20)	SISO	5180	/	/	10.96	<=23.98	Pass
		5200	/	/	10.75	<=23.98	Pass
		5240	/	/	10.84	<=23.98	Pass
		5745	/	/	10.67	<=30	Pass
		5785	/	/	11.01	<=30	Pass
		5825	/	/	10.29	<=30	Pass
802.11n (HT40)	SISO	5190	/	/	10.88	<=23.98	Pass
		5230	/	/	11.12	<=23.98	Pass
		5755	/	/	10.65	<=30	Pass
		5795	/	/	10.95	<=30	Pass
802.11ac (VHT20)	SISO	5180	/	/	11.01	<=23.98	Pass
		5200	/	/	10.76	<=23.98	Pass
		5240	/	/	10.87	<=23.98	Pass
		5745	/	/	10.76	<=30	Pass
		5785	/	/	10.93	<=30	Pass
		5825	/	/	10.35	<=30	Pass
802.11ac (VHT40)	SISO	5190	/	/	10.91	<=23.98	Pass
		5230	/	/	11.08	<=23.98	Pass
		5755	/	/	10.74	<=30	Pass
		5795	/	/	10.92	<=30	Pass
802.11ax (HEW20)	SISO	5180	SU	/	10.73	<=23.98	Pass
		5200	SU	/	10.61	<=23.98	Pass
		5240	SU	/	10.62	<=23.98	Pass
		5745	SU	/	10.56	<=30	Pass
		5785	SU	/	10.82	<=30	Pass
		5825	SU	/	10.23	<=30	Pass
802.11ax (HEW40)	SISO	5190	SU	/	10.62	<=23.98	Pass
		5230	SU	/	10.79	<=23.98	Pass

		5755	SU	/	10.46	<=30	Pass
		5795	SU	/	10.65	<=30	Pass


Note1: Antenna Gain:

- Band: 3 Ant1: 3.48dBi;
- Band: 1 Ant1: 3.48dBi;




3.2 Test Graph


3.2.1 Power




802.11a HCH 5240MHz Ant1 NTN




802.11a LCH 5745MHz Ant1 NTN




802.11a MCH 5785MHz Ant1 NTN




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTNV




802.11n(HT20) MCH 5200MHz Ant1 NTNV




802.11n(HT20) HCH 5240MHz Ant1_NTNV




802.11n(HT20) LCH 5745MHz Ant1_NTNV




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40) LCH 5190MHz Ant1_NTNV




802.11n(HT40) HCH 5230MHz Ant1_NTNV




802.11n(HT40) LCH 5755MHz Ant1 NTNV




802.11n(HT40) HCH 5795MHz Ant1 NTNV




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTNV




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTNV




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5785MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTNV




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTNV



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



4. Maximum Power Spectral Density

4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/MHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5180	/	/	0.46	<=11	Pass
		5200	/	/	0.70	<=11	Pass
		5240	/	/	0.32	<=11	Pass
802.11n (HT20)	SISO	5180	/	/	0.57	<=11	Pass
		5200	/	/	0.47	<=11	Pass
		5240	/	/	0.28	<=11	Pass
802.11n (HT40)	SISO	5190	/	/	-2.90	<=11	Pass
		5230	/	/	-2.80	<=11	Pass
802.11ac (VHT20)	SISO	5180	/	/	0.38	<=11	Pass
		5200	/	/	0.35	<=11	Pass
		5240	/	/	0.39	<=11	Pass
802.11ac (VHT40)	SISO	5190	/	/	-2.83	<=11	Pass
		5230	/	/	-2.68	<=11	Pass
802.11ax (HEW20)	SISO	5180	SU	/	0.23	<=11	Pass
		5200	SU	/	-0.02	<=11	Pass
		5240	SU	/	-0.01	<=11	Pass
802.11ax (HEW40)	SISO	5190	SU	/	-3.44	<=11	Pass
		5230	SU	/	-3.05	<=11	Pass

4.1.2 PSD-Band3


Mode	TX Type	Frequency (MHz)	RU	RU Pos	Maximum PSD (dBm/500kHz)		Verdict
					ANT1	Limit	
802.11a	SISO	5745	/	/	-3.24	<=30	Pass
		5785	/	/	-2.48	<=30	Pass
		5825	/	/	-3.51	<=30	Pass
802.11n (HT20)	SISO	5745	/	/	-3.00	<=30	Pass
		5785	/	/	-2.11	<=30	Pass
		5825	/	/	-3.53	<=30	Pass
802.11n (HT40)	SISO	5755	/	/	-6.25	<=30	Pass
		5795	/	/	-5.68	<=30	Pass
802.11ac (VHT20)	SISO	5745	/	/	-2.98	<=30	Pass
		5785	/	/	-2.77	<=30	Pass
		5825	/	/	-3.52	<=30	Pass
802.11ac (VHT40)	SISO	5755	/	/	-5.99	<=30	Pass
		5795	/	/	-6.14	<=30	Pass
802.11ax (HEW20)	SISO	5745	SU	/	-3.23	<=30	Pass
		5785	SU	/	-3.24	<=30	Pass
		5825	SU	/	-3.92	<=30	Pass
802.11ax (HEW40)	SISO	5755	SU	/	-6.85	<=30	Pass
		5795	SU	/	-6.40	<=30	Pass

4.2 Test Graph


4.2.1 PSD




802.11a HCH 5240MHz Ant1 NTN




802.11n(HT20) LCH 5180MHz Ant1 NTN




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40) LCH 5190MHz Ant1_NTNV




802.11n(HT40) HCH 5230MHz Ant1_NTNV




802.11ac(VHT20) LCH 5180MHz Ant1 NTN




802.11ac(VHT20) MCH 5200MHz Ant1 NTN




802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT40) LCH 5190MHz Ant1 NTN




802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTN




802.11ax(HEW20) MCH 5200MHz SU / Ant1 NTN




802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTN




802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTN




802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTN




4.2.2 PSD-Band3




802.11a HCH 5825MHz Ant1 NTN




802.11n(HT20) LCH 5745MHz Ant1 NTN




802.11n(HT20)_MCH_5785MHz_Ant1_NTNV




802.11n(HT20)_HCH_5825MHz_Ant1_NTNV




802.11n(HT40) LCH 5755MHz Ant1_NTNV




802.11n(HT40) HCH 5795MHz Ant1_NTNV




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




802.11ac(VHT20) MCH 5785MHz Ant1 NTN




802.11ac(VHT20) HCH 5825MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




802.11ac(VHT40) HCH 5795MHz Ant1 NTN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




802.11ax(HEW20) MCH_5785MHz_SU / Ant1_NTNV




802.11ax(HEW20) HCH_5825MHz_SU / Ant1_NTNV



802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



5. Unwanted Emissions In Restricted Frequency Bands


5.1 Test Result

5.1.1 CSE


Mode	TX Type	Frequency (MHz)	RU	RU Pos	ANT	Level of Unwanted Emissions (dBm)		Verdict
						Result	Limit	
802.11a	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT20)	SISO	5180	/	/	1	Refer To Test Graph		Pass
		5240	/	/	1	Refer To Test Graph		Pass
		5745	/	/	1	Refer To Test Graph		Pass
		5825	/	/	1	Refer To Test Graph		Pass
802.11ac (VHT40)	SISO	5190	/	/	1	Refer To Test Graph		Pass
		5230	/	/	1	Refer To Test Graph		Pass
		5755	/	/	1	Refer To Test Graph		Pass
		5795	/	/	1	Refer To Test Graph		Pass
802.11ax (HEW20)	SISO	5180	SU	/	1	Refer To Test Graph		Pass
		5240	SU	/	1	Refer To Test Graph		Pass
		5745	SU	/	1	Refer To Test Graph		Pass
		5825	SU	/	1	Refer To Test Graph		Pass
802.11ax (HEW40)	SISO	5190	SU	/	1	Refer To Test Graph		Pass
		5230	SU	/	1	Refer To Test Graph		Pass
		5755	SU	/	1	Refer To Test Graph		Pass
		5795	SU	/	1	Refer To Test Graph		Pass
Note: 1) EIRP[dBm]=E[dBuV/m]- 95.2, for d= 3 m; 2) Level[dBm] results have calculated the antenna gain; 3) Antenna gain= U-NII-1: 5150 MHz to 5250 MHz: 3.48 dBi and U-NII-3: 5725 MHz to 5850 MHz: 3.48 dBi								

5.2 Test Graph

5.2.1 CSE




802.11a LCH 5745MHz Ant1 NTVN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-47.79	-27.00	20.79	Pass	Peak	3	5725.000	-40.56	27.00	67.56	Pass	Peak
2	5724.405	-38.61	25.64	64.25	Pass	Peak							

802.11a HCH 5825MHz Ant1 NTVN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-43.28	27.00	70.28	Pass	Peak	3	5925.000	-46.87	-27.00	19.87	Pass	Peak
2	5850.240	-41.88	26.45	68.33	Pass	Peak							


802.11n(HT20) LCH 5180MHz Ant1_NTNV



802.11n(HT20) HCH 5240MHz Ant1_NTNV




802.11n(HT20) LCH 5745MHz Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-47.35	-27.00	20.35	Pass	Peak	3	5725.000	-39.46	27.00	66.46	Pass	Peak
2	5723.600	-37.84	23.81	61.65	Pass	Peak							

802.11n(HT20) HCH 5825MHz Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-39.46	27.00	66.46	Pass	Peak	3	5925.000	-49.30	-27.00	22.30	Pass	Peak
2	5850.480	-38.66	25.91	64.57	Pass	Peak							

802.11n(HT40) LCH 5190MHz Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5036.000	-49.07	-21.20	27.87	Pass	Peak	7	5036.000	-55.45	-41.20	14.25	Pass	AVG
2	5056.500	-48.96	-21.20	27.76	Pass	Peak	8	5056.500	-54.95	-41.20	13.75	Pass	AVG
3	5081.500	-47.89	-21.20	26.69	Pass	Peak	9	5081.500	-54.78	-41.20	13.58	Pass	AVG
4	5102.000	-45.79	-21.20	24.59	Pass	Peak	10	5102.000	-54.16	-41.20	12.96	Pass	AVG
5	5124.000	-44.76	-21.20	23.56	Pass	Peak	11	5124.000	-53.06	-41.20	11.86	Pass	AVG
6	5149.500	-45.21	-21.20	24.01	Pass	Peak	12	5149.500	-52.97	-41.20	11.77	Pass	AVG

802.11n(HT40) HCH 5230MHz Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5350.110	-46.05	-21.20	24.85	Pass	Peak	7	5350.110	-54.25	-41.20	13.05	Pass	AVG
2	5363.070	-47.17	-21.20	25.97	Pass	Peak	8	5363.070	-53.98	-41.20	12.78	Pass	AVG
3	5379.000	-47.32	-21.20	26.12	Pass	Peak	9	5379.000	-54.51	-41.20	13.31	Pass	AVG
4	5393.310	-48.90	-21.20	27.70	Pass	Peak	10	5393.310	-54.73	-41.20	13.53	Pass	AVG
5	5411.940	-48.70	-21.20	27.50	Pass	Peak	11	5411.940	-54.97	-41.20	13.77	Pass	AVG
6	5433.270	-47.87	-21.20	26.67	Pass	Peak	12	5433.270	-54.89	-41.20	13.69	Pass	AVG


802.11n(HT40) LCH 5755MHz Ant1_NTNV




802.11n(HT40) HCH 5795MHz Ant1_NTNV




802.11ac(VHT20) LCH 5180MHz Ant1 NTN



802.11ac(VHT20) HCH 5240MHz Ant1 NTN




802.11ac(VHT20) LCH 5745MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-47.92	-27.00	20.92	Pass	Peak	2	5725.000	-38.33	27.00	65.33	Pass	Peak

802.11ac(VHT20) HCH 5825MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-40.44	27.00	67.44	Pass	Peak	3	5925.000	-47.55	-27.00	20.55	Pass	Peak
2	5850.600	-38.47	25.63	64.10	Pass	Peak							


802.11ac(VHT40) LCH 5190MHz Ant1 NTN



802.11ac(VHT40) HCH 5230MHz Ant1 NTN




802.11ac(VHT40) LCH 5755MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-46.09	-27.00	19.09	Pass	Peak	3	5725.000	-33.28	27.00	60.28	Pass	Peak
2	5723.805	-30.54	24.28	54.82	Pass	Peak							

802.11ac(VHT40) HCH 5795MHz Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-46.29	27.00	73.29	Pass	Peak	3	5925.000	-48.30	-27.00	21.30	Pass	Peak
2	5857.680	-44.35	14.85	59.20	Pass	Peak							


802.11ax(HEW20) LCH 5180MHz SU / Ant1 NTVN



802.11ax(HEW20) HCH 5240MHz SU / Ant1 NTVN




802.11ax(HEW20) LCH 5745MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-46.85	-27.00	19.85	Pass	Peak	3	5725.000	-38.47	27.00	65.47	Pass	Peak
2	5723.255	-38.29	23.02	61.31	Pass	Peak							

802.11ax(HEW20) HCH 5825MHz SU / Ant1 NTN




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-35.78	27.00	62.78	Pass	Peak	3	5925.000	-47.90	-27.00	20.90	Pass	Peak
2	5850.120	-34.83	26.73	61.56	Pass	Peak							

802.11ax(HEW40) LCH 5190MHz SU / Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5007.500	-49.96	-21.20	28.76	Pass	Peak	7	5007.500	-55.36	-41.20	14.16	Pass	AVG
2	5030.500	-49.97	-21.20	28.77	Pass	Peak	8	5030.500	-54.89	-41.20	13.69	Pass	AVG
3	5067.500	-47.14	-21.20	25.94	Pass	Peak	9	5067.500	-54.60	-41.20	13.40	Pass	AVG
4	5098.000	-46.80	-21.20	25.60	Pass	Peak	10	5098.000	-54.13	-41.20	12.93	Pass	AVG
5	5119.000	-47.31	-21.20	26.11	Pass	Peak	11	5119.000	-53.44	-41.20	12.24	Pass	AVG
6	5145.500	-44.85	-21.20	23.65	Pass	Peak	12	5145.500	-53.32	-41.20	12.12	Pass	AVG

802.11ax(HEW40) HCH 5230MHz SU / Ant1 NTV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.890	-48.33	-21.20	27.13	Pass	Peak	7	5353.890	-54.16	-41.20	12.96	Pass	AVG
2	5364.420	-47.46	-21.20	26.26	Pass	Peak	8	5364.420	-54.06	-41.20	12.86	Pass	AVG
3	5380.350	-48.82	-21.20	27.62	Pass	Peak	9	5380.350	-54.52	-41.20	13.32	Pass	AVG
4	5389.800	-47.61	-21.20	26.41	Pass	Peak	10	5389.800	-54.74	-41.20	13.54	Pass	AVG
5	5415.180	-49.27	-21.20	28.07	Pass	Peak	11	5415.180	-54.87	-41.20	13.67	Pass	AVG
6	5423.820	-47.82	-21.20	26.62	Pass	Peak	12	5423.820	-54.84	-41.20	13.64	Pass	AVG

802.11ax(HEW40) LCH 5755MHz SU / Ant1 NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5650.000	-47.90	-27.00	20.90	Pass	Peak	3	5725.000	-33.24	27.00	60.24	Pass	Peak
2	5724.095	-31.25	24.94	56.19	Pass	Peak							

802.11ax(HEW40) HCH 5795MHz SU / Ant1 NTN



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5850.000	-44.81	27.00	71.81	Pass	Peak	3	5925.000	-48.02	-27.00	21.02	Pass	Peak
2	5857.510	-43.91	14.90	58.81	Pass	Peak							

6. Frequency Stability

6.1 Test Result

6.1.1 Ant1

Ant1									
Mode	TX Type	Frequency (MHz)	RU	RU Pos	Temperature (°C)	Voltage (VAC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	SISO	5180	/	/	20	102	5179.960	5150 to 5250	Pass
						120	5180.000	5150 to 5250	Pass
						138	5180.120	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	/	/	20	102	5200.120	5150 to 5250	Pass
						120	5200.060	5150 to 5250	Pass
						138	5200.120	5150 to 5250	Pass
					-30	120	5200.080	5150 to 5250	Pass
					-20	120	5200.080	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
					0	120	5200.080	5150 to 5250	Pass
					10	120	5200.100	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.080	5150 to 5250	Pass
					50	120	5200.100	5150 to 5250	Pass
		5240	/	/	20	102	5240.020	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.000	5150 to 5250	Pass
					-30	120	5240.120	5150 to 5250	Pass
					-20	120	5240.060	5150 to 5250	Pass
					-10	120	5239.960	5150 to 5250	Pass
					0	120	5240.020	5150 to 5250	Pass
					10	120	5240.040	5150 to 5250	Pass
					30	120	5239.960	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.000	5150 to 5250	Pass
		5745	/	/	20	102	5745.020	5725 to 5850	Pass

						120	5744.980	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5744.940	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.000	5725 to 5850	Pass
					0	120	5744.920	5725 to 5850	Pass
					10	120	5744.960	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5744.980	5725 to 5850	Pass
					50	120	5744.940	5725 to 5850	Pass
		5785	/	/	20	102	5785.060	5725 to 5850	Pass
						120	5785.040	5725 to 5850	Pass
						138	5785.100	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5785.060	5725 to 5850	Pass
					-10	120	5785.100	5725 to 5850	Pass
					0	120	5785.040	5725 to 5850	Pass
					10	120	5785.080	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5785.000	5725 to 5850	Pass
					50	120	5785.040	5725 to 5850	Pass
		5825	/	/	20	102	5825.000	5725 to 5850	Pass
						120	5825.020	5725 to 5850	Pass
						138	5825.060	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.040	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.080	5725 to 5850	Pass
					10	120	5825.100	5725 to 5850	Pass
					30	120	5825.060	5725 to 5850	Pass
					40	120	5825.040	5725 to 5850	Pass
					50	120	5825.040	5725 to 5850	Pass
802.11n (HT20)	SISO	5180	/	/	20	102	5179.960	5150 to 5250	Pass
						120	5179.980	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.020	5150 to 5250	Pass
					-10	120	5180.100	5150 to 5250	Pass
					0	120	5180.000	5150 to 5250	Pass
					10	120	5179.980	5150 to 5250	Pass
					30	120	5179.960	5150 to 5250	Pass
					40	120	5180.020	5150 to 5250	Pass
					50	120	5180.020	5150 to 5250	Pass
		5200	/	/	20	102	5200.140	5150 to 5250	Pass

						120	5200.040	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.100	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5199.980	5150 to 5250	Pass
					0	120	5200.040	5150 to 5250	Pass
					10	120	5200.040	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5199.960	5150 to 5250	Pass
					50	120	5200.040	5150 to 5250	Pass
		5240	/	/	20	102	5239.980	5150 to 5250	Pass
						120	5240.060	5150 to 5250	Pass
						138	5240.040	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.020	5150 to 5250	Pass
					-10	120	5240.040	5150 to 5250	Pass
					0	120	5240.100	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.000	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5239.940	5150 to 5250	Pass
		5745	/	/	20	102	5744.980	5725 to 5850	Pass
						120	5744.980	5725 to 5850	Pass
						138	5745.040	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5744.980	5725 to 5850	Pass
					-10	120	5745.040	5725 to 5850	Pass
					0	120	5745.020	5725 to 5850	Pass
					10	120	5745.020	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.000	5725 to 5850	Pass
						120	5785.000	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
					-30	120	5785.060	5725 to 5850	Pass
					-20	120	5785.060	5725 to 5850	Pass
					-10	120	5785.000	5725 to 5850	Pass
					0	120	5785.060	5725 to 5850	Pass
					10	120	5785.020	5725 to 5850	Pass
					30	120	5785.080	5725 to 5850	Pass
					40	120	5785.100	5725 to 5850	Pass
					50	120	5785.060	5725 to 5850	Pass
		5825	/	/	20	102	5825.040	5725 to 5850	Pass

						120	5825.080	5725 to 5850	Pass	
						138	5825.020	5725 to 5850	Pass	
						-30	120	5825.020	5725 to 5850	Pass
						-20	120	5825.020	5725 to 5850	Pass
						-10	120	5825.000	5725 to 5850	Pass
						0	120	5825.040	5725 to 5850	Pass
						10	120	5825.040	5725 to 5850	Pass
						30	120	5825.060	5725 to 5850	Pass
						40	120	5825.000	5725 to 5850	Pass
						50	120	5825.020	5725 to 5850	Pass
802.11n (HT40)	SISO	5190	/	/	20	102	5190.040	5150 to 5250	Pass	
						120	5190.040	5150 to 5250	Pass	
						138	5190.080	5150 to 5250	Pass	
					-30	120	5190.120	5150 to 5250	Pass	
					-20	120	5190.120	5150 to 5250	Pass	
					-10	120	5190.040	5150 to 5250	Pass	
					0	120	5190.120	5150 to 5250	Pass	
					10	120	5190.080	5150 to 5250	Pass	
					30	120	5190.080	5150 to 5250	Pass	
					40	120	5190.040	5150 to 5250	Pass	
					50	120	5190.120	5150 to 5250	Pass	
					5230	/	/	20	102	5230.080
		120	5230.160	5150 to 5250					Pass	
		138	5230.080	5150 to 5250					Pass	
		-30	120	5230.080				5150 to 5250	Pass	
		-20	120	5230.080				5150 to 5250	Pass	
		-10	120	5230.080				5150 to 5250	Pass	
		0	120	5230.120				5150 to 5250	Pass	
		10	120	5230.080				5150 to 5250	Pass	
		30	120	5230.080				5150 to 5250	Pass	
		40	120	5230.040				5150 to 5250	Pass	
		50	120	5230.040				5150 to 5250	Pass	
		5755	/	/				20	102	5755.080
					120	5755.080	5725 to 5850		Pass	
					138	5755.080	5725 to 5850		Pass	
					-30	120	5755.000	5725 to 5850	Pass	
					-20	120	5755.080	5725 to 5850	Pass	
					-10	120	5755.120	5725 to 5850	Pass	
					0	120	5755.120	5725 to 5850	Pass	
					10	120	5755.200	5725 to 5850	Pass	
					30	120	5755.160	5725 to 5850	Pass	
					40	120	5755.040	5725 to 5850	Pass	
					50	120	5755.080	5725 to 5850	Pass	
					5795	/	/	20	102	5795.120

						120	5795.080	5725 to 5850	Pass
						138	5795.120	5725 to 5850	Pass
					-30	120	5795.120	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.080	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.160	5725 to 5850	Pass
					30	120	5795.080	5725 to 5850	Pass
					40	120	5795.120	5725 to 5850	Pass
					50	120	5795.120	5725 to 5850	Pass
802.11ac (VHT20)	SISO	5180	/	/	20	102	5180.040	5150 to 5250	Pass
						120	5180.060	5150 to 5250	Pass
						138	5180.000	5150 to 5250	Pass
					-30	120	5180.000	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.040	5150 to 5250	Pass
					0	120	5180.060	5150 to 5250	Pass
					10	120	5180.020	5150 to 5250	Pass
					30	120	5179.980	5150 to 5250	Pass
					40	120	5180.060	5150 to 5250	Pass
					50	120	5180.080	5150 to 5250	Pass
		5200	/	/	20	102	5200.060	5150 to 5250	Pass
						120	5200.120	5150 to 5250	Pass
						138	5199.980	5150 to 5250	Pass
					-30	120	5200.140	5150 to 5250	Pass
					-20	120	5200.060	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
					0	120	5200.100	5150 to 5250	Pass
					10	120	5200.060	5150 to 5250	Pass
					30	120	5200.040	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.120	5150 to 5250	Pass
		5240	/	/	20	102	5240.060	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5239.980	5150 to 5250	Pass
					-30	120	5240.040	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.040	5150 to 5250	Pass
					40	120	5240.000	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5745	/	/	20	102	5745.020	5725 to 5850	Pass


						120	5745.060	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.000	5725 to 5850	Pass
					-20	120	5744.960	5725 to 5850	Pass
					-10	120	5745.020	5725 to 5850	Pass
					0	120	5745.060	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.000	5725 to 5850	Pass
					40	120	5745.020	5725 to 5850	Pass
					50	120	5745.000	5725 to 5850	Pass
		5785	/	/	20	102	5785.040	5725 to 5850	Pass
						120	5785.060	5725 to 5850	Pass
						138	5785.020	5725 to 5850	Pass
					-30	120	5785.020	5725 to 5850	Pass
					-20	120	5785.040	5725 to 5850	Pass
					-10	120	5785.040	5725 to 5850	Pass
					0	120	5785.100	5725 to 5850	Pass
					10	120	5785.040	5725 to 5850	Pass
					30	120	5785.040	5725 to 5850	Pass
					40	120	5785.080	5725 to 5850	Pass
					50	120	5785.040	5725 to 5850	Pass
		5825	/	/	20	102	5825.000	5725 to 5850	Pass
						120	5825.040	5725 to 5850	Pass
						138	5824.980	5725 to 5850	Pass
					-30	120	5825.000	5725 to 5850	Pass
					-20	120	5825.040	5725 to 5850	Pass
					-10	120	5825.020	5725 to 5850	Pass
					0	120	5825.000	5725 to 5850	Pass
					10	120	5825.100	5725 to 5850	Pass
					30	120	5825.060	5725 to 5850	Pass
					40	120	5825.080	5725 to 5850	Pass
					50	120	5825.060	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	/	/	20	102	5190.080	5150 to 5250	Pass
						120	5190.080	5150 to 5250	Pass
						138	5190.040	5150 to 5250	Pass
					-30	120	5190.080	5150 to 5250	Pass
					-20	120	5190.040	5150 to 5250	Pass
					-10	120	5190.040	5150 to 5250	Pass
					0	120	5190.080	5150 to 5250	Pass
					10	120	5190.040	5150 to 5250	Pass
					30	120	5190.080	5150 to 5250	Pass
					40	120	5190.120	5150 to 5250	Pass
					50	120	5189.960	5150 to 5250	Pass
		5230	/	/	20	102	5230.080	5150 to 5250	Pass

						120	5230.080	5150 to 5250	Pass
						138	5230.080	5150 to 5250	Pass
					-30	120	5230.120	5150 to 5250	Pass
					-20	120	5230.080	5150 to 5250	Pass
					-10	120	5230.080	5150 to 5250	Pass
					0	120	5230.080	5150 to 5250	Pass
					10	120	5230.080	5150 to 5250	Pass
					30	120	5230.080	5150 to 5250	Pass
					40	120	5230.040	5150 to 5250	Pass
					50	120	5230.080	5150 to 5250	Pass
		5755	/	/	20	102	5755.080	5725 to 5850	Pass
						120	5755.120	5725 to 5850	Pass
						138	5755.040	5725 to 5850	Pass
					-30	120	5755.120	5725 to 5850	Pass
					-20	120	5755.120	5725 to 5850	Pass
					-10	120	5755.120	5725 to 5850	Pass
					0	120	5755.120	5725 to 5850	Pass
					10	120	5755.080	5725 to 5850	Pass
					30	120	5755.080	5725 to 5850	Pass
					40	120	5755.160	5725 to 5850	Pass
					50	120	5755.080	5725 to 5850	Pass
		5795	/	/	20	102	5795.040	5725 to 5850	Pass
						120	5795.120	5725 to 5850	Pass
						138	5795.120	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.040	5725 to 5850	Pass
					-10	120	5795.040	5725 to 5850	Pass
					0	120	5795.120	5725 to 5850	Pass
					10	120	5795.040	5725 to 5850	Pass
					30	120	5795.040	5725 to 5850	Pass
					40	120	5795.080	5725 to 5850	Pass
					50	120	5795.080	5725 to 5850	Pass
802.11ax (HEW20)	SISO	5180	SU	/	20	102	5180.020	5150 to 5250	Pass
						120	5180.020	5150 to 5250	Pass
						138	5180.020	5150 to 5250	Pass
					-30	120	5180.040	5150 to 5250	Pass
					-20	120	5180.040	5150 to 5250	Pass
					-10	120	5180.020	5150 to 5250	Pass
					0	120	5180.020	5150 to 5250	Pass
					10	120	5180.040	5150 to 5250	Pass
					30	120	5180.000	5150 to 5250	Pass
					40	120	5180.000	5150 to 5250	Pass
					50	120	5180.000	5150 to 5250	Pass
		5200	SU	/	20	102	5200.080	5150 to 5250	Pass

						120	5200.020	5150 to 5250	Pass
						138	5200.020	5150 to 5250	Pass
					-30	120	5200.040	5150 to 5250	Pass
					-20	120	5200.040	5150 to 5250	Pass
					-10	120	5200.080	5150 to 5250	Pass
					0	120	5200.060	5150 to 5250	Pass
					10	120	5200.020	5150 to 5250	Pass
					30	120	5200.080	5150 to 5250	Pass
					40	120	5200.040	5150 to 5250	Pass
					50	120	5200.060	5150 to 5250	Pass
		5240	SU	/	20	102	5240.040	5150 to 5250	Pass
						120	5240.040	5150 to 5250	Pass
						138	5240.020	5150 to 5250	Pass
					-30	120	5240.020	5150 to 5250	Pass
					-20	120	5240.040	5150 to 5250	Pass
					-10	120	5240.020	5150 to 5250	Pass
					0	120	5240.040	5150 to 5250	Pass
					10	120	5240.020	5150 to 5250	Pass
					30	120	5240.020	5150 to 5250	Pass
					40	120	5240.020	5150 to 5250	Pass
					50	120	5240.040	5150 to 5250	Pass
		5745	SU	/	20	102	5745.060	5725 to 5850	Pass
						120	5745.060	5725 to 5850	Pass
						138	5745.020	5725 to 5850	Pass
					-30	120	5745.020	5725 to 5850	Pass
					-20	120	5745.020	5725 to 5850	Pass
					-10	120	5745.100	5725 to 5850	Pass
					0	120	5745.060	5725 to 5850	Pass
					10	120	5745.040	5725 to 5850	Pass
					30	120	5745.020	5725 to 5850	Pass
					40	120	5745.000	5725 to 5850	Pass
					50	120	5745.060	5725 to 5850	Pass
		5785	SU	/	20	102	5785.040	5725 to 5850	Pass
						120	5785.080	5725 to 5850	Pass
						138	5785.060	5725 to 5850	Pass
					-30	120	5785.040	5725 to 5850	Pass
					-20	120	5785.080	5725 to 5850	Pass
					-10	120	5785.020	5725 to 5850	Pass
					0	120	5785.100	5725 to 5850	Pass
					10	120	5785.040	5725 to 5850	Pass
					30	120	5785.020	5725 to 5850	Pass
					40	120	5785.040	5725 to 5850	Pass
					50	120	5785.080	5725 to 5850	Pass
		5825	SU	/	20	102	5825.040	5725 to 5850	Pass

						120	5825.020	5725 to 5850	Pass	
						138	5825.020	5725 to 5850	Pass	
						-30	120	5825.060	5725 to 5850	Pass
						-20	120	5825.040	5725 to 5850	Pass
						-10	120	5825.020	5725 to 5850	Pass
						0	120	5825.040	5725 to 5850	Pass
						10	120	5825.020	5725 to 5850	Pass
						30	120	5825.020	5725 to 5850	Pass
						40	120	5825.040	5725 to 5850	Pass
						50	120	5825.020	5725 to 5850	Pass
						802.11ax (HEW40)	SISO	5190	SU	/
120	5190.080	5150 to 5250	Pass							
138	5190.000	5150 to 5250	Pass							
-30	120	5190.080	5150 to 5250	Pass						
-20	120	5190.120	5150 to 5250	Pass						
-10	120	5190.000	5150 to 5250	Pass						
0	120	5190.080	5150 to 5250	Pass						
10	120	5190.000	5150 to 5250	Pass						
30	120	5190.000	5150 to 5250	Pass						
40	120	5190.080	5150 to 5250	Pass						
50	120	5190.000	5150 to 5250	Pass						
5230	SU	/	20	102	5230.080					
				120	5230.080			5150 to 5250	Pass	
				138	5230.080			5150 to 5250	Pass	
			-30	120	5230.120			5150 to 5250	Pass	
			-20	120	5230.080			5150 to 5250	Pass	
			-10	120	5229.960			5150 to 5250	Pass	
			0	120	5230.040			5150 to 5250	Pass	
			10	120	5230.040			5150 to 5250	Pass	
			30	120	5230.080			5150 to 5250	Pass	
			40	120	5230.040			5150 to 5250	Pass	
			50	120	5230.080			5150 to 5250	Pass	
			5755	SU	/			20	102	5755.040
120	5755.080	5725 to 5850							Pass	
138	5755.080	5725 to 5850							Pass	
-30	120	5755.160						5725 to 5850	Pass	
-20	120	5755.000						5725 to 5850	Pass	
-10	120	5755.080						5725 to 5850	Pass	
0	120	5755.040						5725 to 5850	Pass	
10	120	5755.120						5725 to 5850	Pass	
30	120	5755.080						5725 to 5850	Pass	
40	120	5755.040						5725 to 5850	Pass	
50	120	5755.080						5725 to 5850	Pass	
5795	SU	/						20	102	5795.080

						120	5795.080	5725 to 5850	Pass
						138	5795.080	5725 to 5850	Pass
					-30	120	5795.040	5725 to 5850	Pass
					-20	120	5795.080	5725 to 5850	Pass
					-10	120	5795.120	5725 to 5850	Pass
					0	120	5795.080	5725 to 5850	Pass
					10	120	5795.120	5725 to 5850	Pass
					30	120	5795.000	5725 to 5850	Pass
					40	120	5795.120	5725 to 5850	Pass
					50	120	5795.120	5725 to 5850	Pass



STATEMENT

1. The laboratory guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. The report without China inspection body and laboratory Mandatory Approval (CMA) mark has no effect of proving to the society.
3. For the report with CNAS mark or A2LA mark, the items marked with "☆" are not within the accredited scope.
4. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the "inspection and testing dedicated stamp" or test report stamp.
5. The test data and results are only valid for the tested samples provided by the customer.
6. This report shall not be partially reproduced without the written permission of the laboratory.
7. Any objection shall be raised to the laboratory within 30 days after receiving the report.

--- End of Report ---