





















11.7 Band Edge(Hopping)

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	Hopping	-44.58	-20	Pass
NVNT	1-DH5	2480	Ant1	Hopping	-44.61	-20	Pass
NVNT	2-DH5	2402	Ant1	Hopping	-44.52	-20	Pass
NVNT	2-DH5	2480	Ant1	Hopping	-45.5	-20	Pass
NVNT	3-DH5	2402	Ant1	Hopping	-44.59	-20	Pass
NVNT	3-DH5	2480	Ant1	Hopping	-46.9	-20	Pass






Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 2-DH5 2402MHz Ant1 Hopping Emission

Spectrum

Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.40195 GHz	-4.04 dBm		
M2	1		2.4 GHz	-52.22 dBm		
M3	1		2.39 GHz	-51.37 dBm		
M4	1		2.3406 GHz	-47.54 dBm		

Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 2-DH5 2480MHz Ant1 Hopping Emission

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.47715 GHz	-3.13 dBm		
M2	1		2.4835 GHz	-49.13 dBm		
M3	1		2.5 GHz	-51.86 dBm		
M4	1		2.4836 GHz	-48.54 dBm		

Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 3-DH5 2402MHz Ant1 Hopping Emission

Spectrum

Ref Level 20.00 dBm Offset 2.94 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.40395 GHz	-5.00 dBm		
M2	1		2.4 GHz	-51.11 dBm		
M3	1		2.39 GHz	-50.96 dBm		
M4	1		2.3404 GHz	-47.56 dBm		

Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Ref

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 18.9 μ s VBW 300 kHz Mode Auto FFT
SGL Count 8000/8000

1Pk Max




Band Edge(Hopping) NVNT 3-DH5 2480MHz Ant1 Hopping Emission

Spectrum

Ref Level 20.00 dBm Offset 3.08 dB RBW 100 kHz
Att 35 dB SWT 227.5 μ s VBW 300 kHz Mode Auto FFT
SGL Count 1200/1200

1Pk Max





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1	1		2.47895 GHz	-3.43 dBm		
M2	1		2.4835 GHz	-50.82 dBm		
M3	1		2.5 GHz	-52.12 dBm		
M4	1		2.4976 GHz	-49.90 dBm		


11.8 Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Ant1	-40.03	-20	Pass
NVNT	1-DH5	2441	Ant1	-40.42	-20	Pass
NVNT	1-DH5	2480	Ant1	-40.44	-20	Pass
NVNT	2-DH5	2402	Ant1	-39.92	-20	Pass
NVNT	2-DH5	2441	Ant1	-39.75	-20	Pass
NVNT	2-DH5	2480	Ant1	-40.53	-20	Pass
NVNT	3-DH5	2402	Ant1	-40.24	-20	Pass
NVNT	3-DH5	2441	Ant1	-39.95	-20	Pass
NVNT	3-DH5	2480	Ant1	-39.02	-20	Pass























--- End of Report ---