

# Antenna Data Sheet



## 捷雷科技 OTA 实验室测试报告


### 检测结果记录表

|      |    |      |        |       |              |
|------|----|------|--------|-------|--------------|
| 样品名称 |    | 样机型号 |        | 申请单编号 |              |
| 检测依据 | 国标 | 样品数量 | 1台     | 样品编号  |              |
| 检测项目 | 无源 | 检测设备 | E5071C | 检测条件  | 22.2℃ / 43 % |
| 检测目的 | \  |      |        |       |              |

### 检测结果记录

|         |   |      |  |      |   |
|---------|---|------|--|------|---|
| 申请人/送样人 | \ | 软件版本 |  | 硬件版本 | — |
|---------|---|------|--|------|---|

样机信息  
(含S/N号)



H: xoy  
E1: xoz  
E2: zoy

备注说明

| Freq (MHz) | Effi (%) | Gain (dBi) | Freq (MHz) | Effi (%) | Gain (dBi) | Freq (MHz) | Effi (%) | Gain (dBi) |
|------------|----------|------------|------------|----------|------------|------------|----------|------------|
| 2400       | 69.99    | 3.87       | 2400       | 72.41    | 2.6        |            |          |            |
| 2410       | 70.88    | 3.71       | 2410       | 72.37    | 2.92       |            |          |            |
| 2420       | 70.91    | 3.9        | 2420       | 72.39    | 3.1        |            |          |            |
| 2430       | 70.72    | 4.14       | 2430       | 71.69    | 3.2        |            |          |            |
| 2440       | 68.55    | 4.33       | 2440       | 71.01    | 3.19       |            |          |            |
| 2450       | 69.45    | 3.97       | 2450       | 70.2     | 3.11       |            |          |            |
| 2460       | 66.94    | 4.38       | 2460       | 68.97    | 3.06       |            |          |            |
| 2470       | 66.71    | 4.23       | 2470       | 67.13    | 2.96       |            |          |            |
| 2480       | 65.44    | 3.27       | 2480       | 67.77    | 3.01       |            |          |            |
| 2490       | 67.07    | 4.24       | 2490       | 67.47    | 2.96       |            |          |            |
| 2500       | 64.66    | 3.43       | 2500       | 66.14    | 2.77       |            |          |            |

2.4G1

2.4G2

检测人员/日期

审核/日期




# 捷雷科技 OTA 实验室测试报告

## 检测结果记录表

|      |    |      |        |       |             |
|------|----|------|--------|-------|-------------|
| 样品名称 |    | 样机型号 |        | 申请单编号 |             |
| 检测依据 | 国标 | 样品数量 | 1台     | 样品编号  |             |
| 检测项目 | 无源 | 检测设备 | E5071C | 检测条件  | 22.2℃/ 43 % |
| 检测目的 | \  |      |        |       |             |

### 检测结果记录

|                 |                                                                                                                                                                                                                                                                                                          |      |  |      |   |
|-----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|--|------|---|
| 申请人/送样人         | \                                                                                                                                                                                                                                                                                                        | 软件版本 |  | 硬件版本 | — |
| 样机信息<br>(含S/N号) | <div><div>H: xoy<br/>E1:xoz<br/>E2:zoy</div></div> |      |  |      |   |

### 备注说明

| Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) |
|---------------|-------------|---------------|---------------|-------------|---------------|---------------|-------------|---------------|
| 5150          | 42.28       | 4.79          | 5390          | 41.66       | 5.98          | 5630          | 50.34       | 5.42          |
| 5160          | 42.33       | 4.7           | 5400          | 48.43       | 5.8           | 5640          | 50.79       | 5.96          |
| 5170          | 40.25       | 5.08          | 5410          | 45.69       | 6.49          | 5650          | 49.58       | 5.74          |
| 5180          | 39.44       | 5.07          | 5420          | 44.33       | 6.05          | 5660          | 52.5        | 5.74          |
| 5190          | 41.05       | 4.91          | 5430          | 46.53       | 6.91          | 5670          | 54.07       | 6.07          |
| 5200          | 41.36       | 4.36          | 5440          | 43.15       | 6.67          | 5680          | 51.24       | 5.51          |
| 5210          | 42.71       | 4.56          | 5450          | 45.37       | 6.62          | 5690          | 52.56       | 5.47          |
| 5220          | 41.23       | 5.41          | 5460          | 45.07       | 6.88          | 5700          | 53.65       | 5.55          |
| 5230          | 42.5        | 5.53          | 5470          | 46.51       | 6.8           | 5710          | 51.46       | 7.5           |
| 5240          | 40.24       | 4.81          | 5480          | 46.87       | 6.67          | 5720          | 49.27       | 5.49          |
| 5250          | 42.04       | 4.96          | 5490          | 46.76       | 6.58          | 5730          | 51.49       | 6.13          |
| 5260          | 41.3        | 5.16          | 5500          | 46.41       | 6.72          | 5740          | 49.68       | 5.09          |
| 5270          | 38.61       | 4.68          | 5510          | 47.08       | 7.29          | 5750          | 49.61       | 5.76          |
| 5280          | 40.81       | 4.78          | 5520          | 46.86       | 7.1           | 5760          | 51.81       | 6.89          |
| 5290          | 41.1        | 4.7           | 5530          | 48.29       | 6.92          | 5770          | 50.88       | 5.29          |
| 5300          | 41.88       | 6.1           | 5540          | 47.35       | 6.67          | 5780          | 49          | 6.5           |
| 5310          | 42.06       | 5.44          | 5550          | 49.29       | 6.27          | 5790          | 48.61       | 5.22          |
| 5320          | 41.4        | 5             | 5560          | 49.98       | 6.62          | 5800          | 48          | 5.38          |
| 5330          | 40.04       | 4.99          | 5570          | 52.17       | 6.13          | 5810          | 51.86       | 5.87          |
| 5340          | 41.62       | 5.3           | 5580          | 52.16       | 6.35          | 5820          | 56.94       | 6.26          |
| 5350          | 41.11       | 5.54          | 5590          | 48.51       | 6.15          | 5830          | 54.21       | 6.27          |
| 5360          | 42.09       | 5.44          | 5600          | 47.83       | 6.93          | 5840          | 54.44       | 6.31          |
| 5370          | 41.3        | 6.05          | 5610          | 52.14       | 6.38          | 5850          | 53.27       | 6.03          |
| 5380          | 42.63       | 5.65          | 5620          | 51.06       | 5.79          |               |             |               |

### 5G1


| Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) |
|---------------|-------------|---------------|---------------|-------------|---------------|---------------|-------------|---------------|
| 5150          | 44.05       | 3.39          | 5390          | 44.37       | 4.67          | 5630          | 50.4        | 4.76          |
| 5160          | 43.2        | 3.37          | 5400          | 49.3        | 5.03          | 5640          | 52.55       | 4.88          |
| 5170          | 43.4        | 3.57          | 5410          | 47.54       | 4.8           | 5650          | 51.75       | 4.9           |
| 5180          | 44.28       | 3.73          | 5420          | 46.55       | 4.73          | 5660          | 51.84       | 4.9           |
| 5190          | 44.95       | 3.76          | 5430          | 46.56       | 4.64          | 5670          | 52.05       | 4.99          |
| 5200          | 45.08       | 3.84          | 5440          | 45.51       | 4.49          | 5680          | 51.6        | 5             |
| 5210          | 45.49       | 3.86          | 5450          | 45.07       | 4.42          | 5690          | 50.98       | 5.08          |

|               |             |               |               |             |               |               |             |               |
|---------------|-------------|---------------|---------------|-------------|---------------|---------------|-------------|---------------|
| 5220          | 45.35       | 3.99          | 5460          | 45.83       | 4.48          | 5700          | 50.59       | 5.15          |
| 5230          | 45.17       | 4             | 5470          | 45.7        | 4.46          | 5710          | 50.15       | 5.2           |
| 5240          | 45.04       | 4.19          | 5480          | 46.53       | 4.6           | 5720          | 50.17       | 5.21          |
| 5250          | 44.42       | 4.22          | 5490          | 46.01       | 4.56          | 5730          | 50.29       | 4.96          |
| 5260          | 44.49       | 4.45          | 5500          | 46.33       | 4.63          | 5740          | 49.95       | 5.18          |
| 5270          | 43.43       | 4.47          | 5510          | 46.17       | 4.65          | 5750          | 49.59       | 5.08          |
| 5280          | 44.74       | 4.78          | 5520          | 47.3        | 4.74          | 5760          | 49.31       | 5.06          |
| 5290          | 44.62       | 4.75          | 5530          | 47.4        | 4.81          | 5770          | 48          | 4.82          |
| 5300          | 46.4        | 5.09          | 5540          | 47.84       | 4.91          | 5780          | 47.71       | 4.89          |
| 5310          | 45.48       | 5             | 5550          | 48.65       | 4.98          | 5790          | 47.7        | 4.86          |
| 5320          | 45.87       | 5.1           | 5560          | 48.88       | 5.09          | 5800          | 47.71       | 4.88          |
| 5330          | 44.58       | 4.97          | 5570          | 49.19       | 4.98          | 5810          | 49.08       | 5.15          |
| 5340          | 45.51       | 5.06          | 5580          | 49.19       | 5.02          | 5820          | 49.65       | 5.36          |
| 5350          | 45.2        | 5.02          | 5590          | 49.34       | 4.96          | 5830          | 50.29       | 5.41          |
| 5360          | 45.21       | 4.94          | 5600          | 49.53       | 4.86          | 5840          | 51.91       | 5.47          |
| 5370          | 44.69       | 4.72          | 5610          | 50.65       | 4.93          | 5850          | 51.63       | 5.41          |
| 5380          | 44.39       | 4.72          | 5620          | 49.78       | 4.75          |               |             |               |
| 5G2           |             |               |               |             |               |               |             |               |
| Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) | Freq<br>(MHz) | Effi<br>(%) | Gain<br>(dBi) |
| 5150          | 46.03       | 4.31          | 5390          | 46.33       | 5.3           | 5630          | 58.05       | 6.16          |
| 5160          | 45.94       | 4.2           | 5400          | 51.7        | 5.81          | 5640          | 60.37       | 6.5           |
| 5170          | 45.35       | 4.25          | 5410          | 49.91       | 5.6           | 5650          | 58.87       | 6.47          |
| 5180          | 45.96       | 4.26          | 5420          | 49.38       | 5.59          | 5660          | 60.12       | 6.47          |
| 5190          | 47.27       | 4.4           | 5430          | 49.28       | 5.51          | 5670          | 60.04       | 6.44          |
| 5200          | 48.46       | 4.51          | 5440          | 48.42       | 5.58          | 5680          | 59.74       | 6.38          |
| 5210          | 48.91       | 4.39          | 5450          | 48.1        | 5.7           | 5690          | 59.16       | 6.45          |
| 5220          | 48.19       | 4.5           | 5460          | 49.56       | 5.77          | 5700          | 59.37       | 6.64          |
| 5230          | 48.22       | 4.73          | 5470          | 49.29       | 5.62          | 5710          | 58.54       | 6.34          |
| 5240          | 48.31       | 4.78          | 5480          | 50.09       | 5.9           | 5720          | 58.27       | 6.13          |
| 5250          | 47.75       | 4.9           | 5490          | 49.27       | 6.03          | 5730          | 57.95       | 6.11          |
| 5260          | 46.93       | 4.92          | 5500          | 50.32       | 5.9           | 5740          | 58.2        | 6.19          |
| 5270          | 46.44       | 4.97          | 5510          | 51.19       | 6.07          | 5750          | 57.8        | 6.11          |
| 5280          | 47.73       | 5.17          | 5520          | 52.11       | 6.16          | 5760          | 56.67       | 5.94          |
| 5290          | 47.45       | 5.18          | 5530          | 52.29       | 6.04          | 5770          | 54.89       | 5.67          |
| 5300          | 48.76       | 5.42          | 5540          | 52.91       | 6.01          | 5780          | 54.67       | 5.54          |
| 5310          | 48.91       | 5.52          | 5550          | 54.43       | 6.19          | 5790          | 54.12       | 5.62          |
| 5320          | 48.69       | 5.7           | 5560          | 55.25       | 6.26          | 5800          | 54.73       | 5.63          |
| 5330          | 46.5        | 5.54          | 5570          | 55.86       | 6.2           | 5810          | 56.02       | 5.73          |
| 5340          | 47.39       | 5.49          | 5580          | 55.6        | 5.96          | 5820          | 56.72       | 5.83          |
| 5350          | 47.74       | 5.66          | 5590          | 56.34       | 6.37          | 5830          | 56.73       | 5.73          |
| 5360          | 47.05       | 5.58          | 5600          | 56.05       | 5.93          | 5840          | 58.61       | 5.9           |
| 5370          | 46.48       | 5.37          | 5610          | 57.51       | 6.12          | 5850          | 58.13       | 5.85          |
| 5380          | 45.87       | 5.36          | 5620          | 56.83       | 6.16          |               |             |               |
| 5G3           |             |               |               |             |               |               |             |               |
| 检测人员/日期       |             |               |               |             |               | 审核/日期         |             |               |




5G1


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2410.000MHz




2410.000MHz H




2410.000MHz E1




2410.000MHz E2




2420.000MHz




2420.000MHz H



2420.000MHz E1




2420.000MHz E2




5G2


2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2410.000MHz




2410.000MHz H




2410.000MHz E1




2410.000MHz E2




2420.000MHz




2420.000MHz H
































2420.000MHz E1




2420.000MHz E2









2490.000MHz




2490.000MHz H




2490.000MHz




2490.000MHz H




2490.000MHz E1




2490.000MHz E2




2490.000MHz E1




2490.000MHz E2




2500.000MHz




2500.000MHz H




2500.000MHz




2500.000MHz H




2500.000MHz E1




2500.000MHz E2



2500.000MHz E1




2500.000MHz E2






5G1


5150.000MHz




5150.000MHz H




5150.000MHz E1




5150.000MHz E2




5200.000MHz




5200.000MHz H




5200.000MHz E1




5200.000MHz E2



5250.000MHz




5250.000MHz H




5G2


5150.000MHz




5150.000MHz H




5150.000MHz E1




5150.000MHz E2




5200.000MHz




5200.000MHz H




5200.000MHz E1




5200.000MHz E2




5250.000MHz




5250.000MHz H




5250.000MHz E1




5250.000MHz E2




5250.000MHz E1




5250.000MHz E2




5300.000MHz




5300.000MHz H




5300.000MHz




5300.000MHz H




5300.000MHz E1




5300.000MHz E2




5300.000MHz E1




5300.000MHz E2




5350.000MHz




5350.000MHz H




5350.000MHz




5350.000MHz H




5350.000MHz E1




5350.000MHz E2




5350.000MHz E1




5350.000MHz E2




5400.000MHz




5400.000MHz H



























5400.000MHz




5400.000MHz H







5550.000MHz E1




5550.000MHz E2




5550.000MHz E1




5550.000MHz E2




5600.000MHz




5600.000MHz H




5600.000MHz




5600.000MHz H




5600.000MHz E1




5600.000MHz E2




5600.000MHz E1




5600.000MHz E2




5650.000MHz




5650.000MHz H




5650.000MHz




5650.000MHz H




5650.000MHz E1




5650.000MHz E2




5650.000MHz E1




5650.000MHz E2




5700.000MHz




5700.000MHz H




5700.000MHz




5700.000MHz H




5700.000MHz E1




5700.000MHz E2




5700.000MHz E1




5700.000MHz E2




5750.000MHz




5750.000MHz H




5750.000MHz




5750.000MHz H




5750.000MHz E1




5750.000MHz E2




5750.000MHz E1




5750.000MHz E2




5800.000MHz




5800.000MHz H




5800.000MHz




5800.000MHz H




5800.000MHz E1




5800.000MHz E2




5800.000MHz E1




5800.000MHz E2




5850.000MHz




5850.000MHz H




5850.000MHz




5850.000MHz H




5850.000MHz E1




5850.000MHz E2



5850.000MHz E1




5850.000MHz E2







5150.000MHz




5150.000MHz H




5150.000MHz E1




5150.000MHz E2




5200.000MHz




5200.000MHz H




5200.000MHz E1




5200.000MHz E2




5250.000MHz




5250.000MHz H




5250.000MHz E1




5250.000MHz E2




5300.000MHz




5300.000MHz H




5300.000MHz E1




5300.000MHz E2




5350.000MHz




5350.000MHz H




5350.000MHz E1




5350.000MHz E2




5400.000MHz




5400.000MHz H




5400.000MHz E1




5400.000MHz E2




5450.000MHz




5450.000MHz H




5450.000MHz E1




5450.000MHz E2




5500.000MHz




5500.000MHz H




5500.000MHz E1




5500.000MHz E2




5550.000MHz




5550.000MHz H




5550.000MHz E1




5550.000MHz E2




5600.000MHz




5600.000MHz H




5600.000MHz E1




5600.000MHz E2




5650.000MHz




5650.000MHz H




5650.000MHz E1




5650.000MHz E2




5700.000MHz




5700.000MHz H




5700.000MHz E1




5700.000MHz E2




5750.000MHz




5750.000MHz H




5750.000MHz E1




5750.000MHz E2




5800.000MHz




5800.000MHz H




5800.000MHz E1




5800.000MHz E2




5850.000MHz




5850.000MHz H



5850.000MHz E1





5850.000MHz E2






## 捷雷科技 OTA 实验室测试报告







## 捷雷科技 OTA 实验室测试报告





5G antenna



福州捷雷电子科技有限公司

地址：福建省福州市台江区富力中心 C1-1427

电话: 0591-83714556

传真: 0591-837155510

邮箱: fzjielei@163.com

Fuzhou Jielai Electronic Technology Co., Ltd.  
Address: No. 1427, C1 Floor, fuli Center, Taishan District, Fuzhou City, Fujian Province