

10. Frequency Stability Measurement

10.1. Limit of Frequency Stability

Manufacturers of U-NII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user’s manual.


10.2. Measuring Instruments

The measuring equipment is listed in the section 4 of this test report.

10.3. Test procedures

- (1) To ensure emission at the band edge is maintained within the authorized band, those values shall be measured by radiation emissions at upper and lower frequency points, and finally compensated by frequency deviation as procedures below.
- (2) The EUT was operated at the maximum output power, and connected to the spectrum analyzer, which is set to maximum hold function and peak detector. The peak value of the power envelope was measured and noted. The upper and lower frequency points were respectively measured relatively 10 dB lower than the measured peak value.
- (3) The frequency deviation was calculated by adding the upper frequency point and the lower frequency point divided by two. Those detailed values of frequency deviation are provided in table below.

10.4. Test setup



10.5. Test result

Test Engineer:	Huang Yanwen	Test Site:	RF Measurement system 4#
Ambient Condition:	25.9°C,44.5%RH	Test Date:	2025.10.14-2025.10.14
Test Power Supply:	AC120V/60Hz	Sample Number:	S25082524-001

Voltage								
Test Mode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	NT	20000.00	3.861004	20	PASS
			LV	NT	20000.00	3.861004	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
	Ant3	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
	Ant1	5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.846154	20	PASS
	Ant2	5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
	Ant3	5200	NV	NT	-20000.00	-3.846154	20	PASS
			LV	NT	-20000.00	-3.846154	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
	Ant1	5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-20000.00	-3.816794	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
	Ant2	5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	-40000.00	-7.633588	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
	Ant3	5240	NV	NT	-20000.00	-3.816794	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.816794	20	PASS
	Ant1	5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
	Ant2	5260	NV	NT	-20000.00	-3.802281	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
	Ant3	5260	NV	NT	-60000.00	-11.406844	20	PASS
			LV	NT	-20000.00	-3.802281	20	PASS
			HV	NT	-40000.00	-7.604563	20	PASS
	Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5280	NV	NT	-40000.00	-7.575758	20	PASS
			LV	NT	-40000.00	-7.575758	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
	Ant3	5280	NV	NT	-20000.00	-3.787879	20	PASS
			LV	NT	-20000.00	-3.787879	20	PASS
			HV	NT	-20000.00	-3.787879	20	PASS
	Ant1	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
	Ant2	5320	NV	NT	-20000.00	-3.759398	20	PASS
			LV	NT	-20000.00	-3.759398	20	PASS
			HV	NT	-20000.00	-3.759398	20	PASS
	Ant3	5320	NV	NT	-40000.00	-7.518797	20	PASS
			LV	NT	-40000.00	-7.518797	20	PASS

	Ant1	5500	HV	NT	-40000.00	-7.518797	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
	Ant2	5500	NV	NT	-40000.00	-7.272727	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-40000.00	-7.272727	20	PASS
	Ant3	5500	NV	NT	-20000.00	-3.636364	20	PASS
			LV	NT	-20000.00	-3.636364	20	PASS
			HV	NT	-20000.00	-3.636364	20	PASS
	Ant1	5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-40000.00	-7.168459	20	PASS
	Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
	Ant3	5580	NV	NT	-20000.00	-3.584229	20	PASS
			LV	NT	-20000.00	-3.584229	20	PASS
			HV	NT	-20000.00	-3.584229	20	PASS
	Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
	Ant2	5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
	Ant3	5700	NV	NT	-20000.00	-3.508772	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-20000.00	-3.508772	20	PASS
	Ant1	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-20000.00	-3.481288	20	PASS
	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant3	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant2	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant3	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
	Ant3	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
11N20MIMO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.861004	20	PASS
	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
	Ant3	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-60000.00	-11.583012	20	PASS

Ant1	5200	NV	NT	-60000.00	-11.538462	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-40000.00	-7.692308	20	PASS
Ant2	5200	NV	NT	-60000.00	-11.538462	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-60000.00	-11.538462	20	PASS
Ant3	5200	NV	NT	-40000.00	-7.692308	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-60000.00	-11.538462	20	PASS
Ant1	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-20000.00	-3.816794	20	PASS
Ant2	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-20000.00	-3.816794	20	PASS
		HV	NT	-20000.00	-3.816794	20	PASS
Ant3	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-40000.00	-7.633588	20	PASS
Ant1	5260	NV	NT	-20000.00	-3.802281	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
Ant2	5260	NV	NT	-20000.00	-3.802281	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
Ant3	5260	NV	NT	-40000.00	-7.604563	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-20000.00	-3.802281	20	PASS
Ant1	5280	NV	NT	-20000.00	-3.787879	20	PASS
		LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-20000.00	-3.787879	20	PASS
Ant2	5280	NV	NT	-40000.00	-7.575758	20	PASS
		LV	NT	-60000.00	-11.363636	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
Ant3	5280	NV	NT	-60000.00	-11.363636	20	PASS
		LV	NT	-60000.00	-11.363636	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
Ant1	5320	NV	NT	-60000.00	-11.278195	20	PASS
		LV	NT	-20000.00	-3.759398	20	PASS
		HV	NT	-60000.00	-11.278195	20	PASS
Ant2	5320	NV	NT	-40000.00	-7.518797	20	PASS
		LV	NT	-40000.00	-7.518797	20	PASS
		HV	NT	-20000.00	-3.759398	20	PASS
Ant3	5320	NV	NT	-60000.00	-11.278195	20	PASS
		LV	NT	-60000.00	-11.278195	20	PASS
		HV	NT	-60000.00	-11.278195	20	PASS
Ant1	5500	NV	NT	40000.00	7.272727	20	PASS
		LV	NT	20000.00	3.636364	20	PASS
		HV	NT	0.00	0.000000	20	PASS
Ant2	5500	NV	NT	20000.00	3.636364	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	0.00	0.000000	20	PASS
Ant3	5500	NV	NT	-20000.00	-3.636364	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-40000.00	-7.272727	20	PASS
Ant1	5580	NV	NT	-20000.00	-3.584229	20	PASS
		LV	NT	-20000.00	-3.584229	20	PASS
		HV	NT	0.00	0.000000	20	PASS
Ant2	5580	NV	NT	-20000.00	-3.584229	20	PASS
		LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-40000.00	-7.168459	20	PASS
Ant3	5580	NV	NT	0.00	0.000000	20	PASS
		LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-60000.00	-10.752688	20	PASS
Ant1	5700	NV	NT	-40000.00	-7.017544	20	PASS

	Ant2	5700	LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-60000.00	-10.526316	20	PASS
			NV	NT	-60000.00	-10.526316	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-60000.00	-10.526316	20	PASS
	Ant3	5700	NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-40000.00	-7.017544	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
	Ant1	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-60000.00	-10.443864	20	PASS
	Ant2	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-60000.00	-10.443864	20	PASS
	Ant3	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-60000.00	-10.443864	20	PASS
	Ant1	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-60000.00	-10.371651	20	PASS
			HV	NT	-40000.00	-6.914434	20	PASS
	Ant2	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-60000.00	-10.371651	20	PASS
	Ant3	5785	NV	NT	-40000.00	-6.914434	20	PASS
			LV	NT	-40000.00	-6.914434	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	Ant3	5825	NV	NT	-60000.00	-10.300429	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-60000.00	-10.300429	20	PASS
11N40MIMO	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.707129	20	PASS
			HV	NT	80000.00	15.414258	20	PASS
	Ant2	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-15.296367	20	PASS
	Ant2	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant3	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
	Ant2	5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
	Ant3	5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
	Ant1	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-80000.00	-15.065913	20	PASS

	Ant2	5310	HV	NT	-40000.00	-7.532957	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant3	5310	NV	NT	-80000.00	-15.065913	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-80000.00	-15.065913	20	PASS
	Ant1	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant3	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant1	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant3	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-80000.00	-14.414414	20	PASS
	Ant1	5670	NV	NT	40000.00	7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.054674	20	PASS
	Ant2	5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant2	5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant3	5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5795	NV	NT	-80000.00	-13.805004	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
	Ant3	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AC20MIM O	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
	Ant2	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
	Ant3	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
	Ant1	5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS

Ant2	5200	NV	NT	-20000.00	-3.846154	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-20000.00	-3.846154	20	PASS
Ant3	5200	NV	NT	-20000.00	-3.846154	20	PASS
		LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-40000.00	-7.692308	20	PASS
Ant1	5240	NV	NT	-60000.00	-11.450382	20	PASS
		LV	NT	-20000.00	-3.816794	20	PASS
		HV	NT	-40000.00	-7.633588	20	PASS
Ant2	5240	NV	NT	-60000.00	-11.450382	20	PASS
		LV	NT	-20000.00	-3.816794	20	PASS
		HV	NT	-40000.00	-7.633588	20	PASS
Ant3	5240	NV	NT	-40000.00	-7.633588	20	PASS
		LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-60000.00	-11.450382	20	PASS
Ant1	5260	NV	NT	-20000.00	-3.802281	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
Ant2	5260	NV	NT	-40000.00	-7.604563	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-20000.00	-3.802281	20	PASS
Ant3	5260	NV	NT	-20000.00	-3.802281	20	PASS
		LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-20000.00	-3.802281	20	PASS
Ant1	5280	NV	NT	-40000.00	-7.575758	20	PASS
		LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
Ant2	5280	NV	NT	-40000.00	-7.575758	20	PASS
		LV	NT	-20000.00	-3.787879	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
Ant3	5280	NV	NT	-40000.00	-7.575758	20	PASS
		LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
Ant1	5320	NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	0.00	0.000000	20	PASS
Ant2	5320	NV	NT	0.00	0.000000	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-20000.00	-3.759398	20	PASS
Ant3	5320	NV	NT	-20000.00	-3.759398	20	PASS
		LV	NT	0.00	0.000000	20	PASS
		HV	NT	-20000.00	-3.759398	20	PASS
Ant1	5500	NV	NT	-20000.00	-3.636364	20	PASS
		LV	NT	-20000.00	-3.636364	20	PASS
		HV	NT	-20000.00	-3.636364	20	PASS
Ant2	5500	NV	NT	-60000.00	-10.909091	20	PASS
		LV	NT	-40000.00	-7.272727	20	PASS
		HV	NT	-20000.00	-3.636364	20	PASS
Ant3	5500	NV	NT	0.00	0.000000	20	PASS
		LV	NT	-60000.00	-10.909091	20	PASS
		HV	NT	-20000.00	-3.636364	20	PASS
Ant1	5580	NV	NT	-40000.00	-7.168459	20	PASS
		LV	NT	-20000.00	-3.584229	20	PASS
		HV	NT	-40000.00	-7.168459	20	PASS
Ant2	5580	NV	NT	-40000.00	-7.168459	20	PASS
		LV	NT	-60000.00	-10.752688	20	PASS
		HV	NT	-40000.00	-7.168459	20	PASS
Ant3	5580	NV	NT	-60000.00	-10.752688	20	PASS
		LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-60000.00	-10.752688	20	PASS
Ant1	5700	NV	NT	-20000.00	-3.508772	20	PASS
		LV	NT	-60000.00	-10.526316	20	PASS
		HV	NT	-20000.00	-3.508772	20	PASS
Ant2	5700	NV	NT	-20000.00	-3.508772	20	PASS

11AC40MIM O	Ant3	5700	LV	NT	-60000.00	-10.526316	20	PASS
			HV	NT	-40000.00	-7.017544	20	PASS
			NV	NT	-40000.00	-7.017544	20	PASS
			LV	NT	-20000.00	-3.508772	20	PASS
			HV	NT	-60000.00	-10.526316	20	PASS
	Ant1	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-20000.00	-3.481288	20	PASS
			HV	NT	-60000.00	-10.443864	20	PASS
	Ant2	5745	NV	NT	-20000.00	-3.481288	20	PASS
			LV	NT	-60000.00	-10.443864	20	PASS
			HV	NT	-60000.00	-10.443864	20	PASS
	Ant3	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-60000.00	-10.443864	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5785	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	20000.00	3.457217	20	PASS
	Ant3	5785	NV	NT	-20000.00	-3.457217	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5825	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-20000.00	-3.433476	20	PASS
	Ant2	5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-60000.00	-10.300429	20	PASS
	Ant3	5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	-40000.00	-7.707129	20	PASS
	Ant3	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	-80000.00	-15.180266	20	PASS
	Ant2	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant2	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS

	Ant3	5310	HV	NT	-40000.00	-7.532957	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant1	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant2	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant1	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant3	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	-80000.00	-14.414414	20	PASS
	Ant1	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant2	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant3	5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5755	NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-80000.00	-13.900956	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant3	5755	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-80000.00	-13.900956	20	PASS
	Ant1	5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-80000.00	-13.805004	20	PASS
			HV	NT	-80000.00	-13.805004	20	PASS
	Ant2	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5795	NV	NT	-40000.00	-6.902502	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AC80MIM O	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
			LV	NT	-80000.00	-15.355086	20	PASS
			HV	NT	-80000.00	-15.355086	20	PASS
	Ant2	5210	NV	NT	-80000.00	-15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant3	5210	NV	NT	80000.00	15.355086	20	PASS
			LV	NT	-80000.00	-15.355086	20	PASS
			HV	NT	-80000.00	-15.355086	20	PASS
	Ant1	5290	NV	NT	-80000.00	-15.122873	20	PASS
			LV	NT	-80000.00	-15.122873	20	PASS
			HV	NT	-80000.00	-15.122873	20	PASS
	Ant2	5290	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS

	Ant3	5290	NV	NT	-80000.00	-15.122873	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5530	NV	NT	-80000.00	-14.466546	20	PASS
			LV	NT	80000.00	14.466546	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-14.466546	20	PASS
			HV	NT	-80000.00	-14.466546	20	PASS
	Ant3	5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-14.466546	20	PASS
	Ant1	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS
	Ant2	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS
	Ant3	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5775	NV	NT	-80000.00	-13.852814	20	PASS
			LV	NT	-80000.00	-13.852814	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS
	Ant2	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS
11AC160MIM O	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AX20MIMO	Ant1	5180	NV	NT	-40000.00	-7.722008	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-40000.00	-7.722008	20	PASS
	Ant2	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-60000.00	-11.583012	20	PASS
	Ant3	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-60000.00	-11.583012	20	PASS
	Ant1	5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-40000.00	-7.692308	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
	Ant2	5200	NV	NT	-40000.00	-7.692308	20	PASS
			LV	NT	-60000.00	-11.538462	20	PASS
			HV	NT	-40000.00	-7.692308	20	PASS
	Ant3	5200	NV	NT	-20000.00	-3.846154	20	PASS
			NV	NT	-20000.00	-3.846154	20	PASS

Ant1	5240	LV	NT	-40000.00	-7.692308	20	PASS
		HV	NT	-60000.00	-11.538462	20	PASS
		NV	NT	-40000.00	-7.633588	20	PASS
Ant2	5240	LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-40000.00	-7.633588	20	PASS
		NV	NT	-40000.00	-7.633588	20	PASS
Ant3	5240	LV	NT	-40000.00	-7.633588	20	PASS
		HV	NT	-60000.00	-11.450382	20	PASS
		NV	NT	-20000.00	-3.816794	20	PASS
Ant1	5260	LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
		NV	NT	-40000.00	-7.604563	20	PASS
Ant2	5260	LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
		NV	NT	-60000.00	-11.406844	20	PASS
Ant3	5260	LV	NT	-40000.00	-7.604563	20	PASS
		HV	NT	-40000.00	-7.604563	20	PASS
		NV	NT	-20000.00	-3.802281	20	PASS
Ant1	5280	LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
		NV	NT	-40000.00	-7.575758	20	PASS
Ant2	5280	LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
		NV	NT	-40000.00	-7.575758	20	PASS
Ant3	5280	LV	NT	-40000.00	-7.575758	20	PASS
		HV	NT	-40000.00	-7.575758	20	PASS
		NV	NT	-40000.00	-7.575758	20	PASS
Ant1	5320	LV	NT	-40000.00	-7.518797	20	PASS
		HV	NT	-40000.00	-7.518797	20	PASS
		NV	NT	-40000.00	-7.518797	20	PASS
Ant2	5320	LV	NT	-40000.00	-7.518797	20	PASS
		HV	NT	-20000.00	-3.759398	20	PASS
		NV	NT	-60000.00	-11.278195	20	PASS
Ant3	5320	LV	NT	-40000.00	-7.518797	20	PASS
		HV	NT	-40000.00	-7.518797	20	PASS
		NV	NT	-40000.00	-7.518797	20	PASS
Ant1	5500	LV	NT	-40000.00	-7.272727	20	PASS
		HV	NT	-40000.00	-7.272727	20	PASS
		NV	NT	-40000.00	-7.272727	20	PASS
Ant2	5500	LV	NT	-60000.00	-10.909091	20	PASS
		HV	NT	-40000.00	-7.272727	20	PASS
		NV	NT	-40000.00	-7.272727	20	PASS
Ant3	5500	LV	NT	-20000.00	-3.636364	20	PASS
		HV	NT	-20000.00	-3.636364	20	PASS
		NV	NT	-40000.00	-7.168459	20	PASS
Ant1	5580	LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-40000.00	-7.168459	20	PASS
		NV	NT	-40000.00	-7.168459	20	PASS
Ant2	5580	LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-40000.00	-7.168459	20	PASS
		NV	NT	-40000.00	-7.168459	20	PASS
Ant3	5580	LV	NT	-40000.00	-7.168459	20	PASS
		HV	NT	-20000.00	-3.584229	20	PASS
		NV	NT	-40000.00	-7.017544	20	PASS
Ant1	5700	LV	NT	-40000.00	-7.017544	20	PASS
		HV	NT	-40000.00	-7.017544	20	PASS
		NV	NT	-20000.00	-3.508772	20	PASS
Ant2	5700	LV	NT	-40000.00	-7.017544	20	PASS
		HV	NT	-40000.00	-7.017544	20	PASS
		NV	NT	-40000.00	-7.017544	20	PASS
Ant3	5700	LV	NT	-20000.00	-3.508772	20	PASS
		NV	NT	-40000.00	-7.017544	20	PASS

	Ant1	5745	HV	NT	-60000.00	-10.526316	20	PASS
			NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant2	5745	NV	NT	-60000.00	-10.443864	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant3	5745	NV	NT	-40000.00	-6.962576	20	PASS
			LV	NT	-40000.00	-6.962576	20	PASS
			HV	NT	-40000.00	-6.962576	20	PASS
	Ant1	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	20000.00	3.457217	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5785	NV	NT	20000.00	3.457217	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5785	NV	NT	-80000.00	-13.828868	20	PASS
			LV	NT	-20000.00	-3.457217	20	PASS
			HV	NT	-20000.00	-3.457217	20	PASS
	Ant1	5825	NV	NT	-40000.00	-6.866953	20	PASS
			LV	NT	-20000.00	-3.433476	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
	Ant3	5825	NV	NT	-20000.00	-3.433476	20	PASS
			LV	NT	-40000.00	-6.866953	20	PASS
			HV	NT	-40000.00	-6.866953	20	PASS
11AX40MIMO	Ant1	5190	NV	NT	-40000.00	-7.707129	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	80000.00	15.414258	20	PASS
	Ant2	5190	NV	NT	-80000.00	-15.414258	20	PASS
			LV	NT	-80000.00	-15.414258	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5190	NV	NT	-80000.00	-15.414258	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	-40000.00	-7.707129	20	PASS
	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant2	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant1	5270	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-80000.00	-15.180266	20	PASS
			HV	NT	-80000.00	-15.180266	20	PASS
	Ant3	5270	NV	NT	-40000.00	-7.590133	20	PASS
			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	-40000.00	-7.590133	20	PASS
	Ant1	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant2	5310	NV	NT	-80000.00	-15.065913	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant3	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-80000.00	-15.065913	20	PASS
			HV	NT	-80000.00	-15.065913	20	PASS

	Ant1	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant2	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant3	5510	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-40000.00	-7.207207	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant2	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	-40000.00	-7.207207	20	PASS
	Ant3	5550	NV	NT	-40000.00	-7.207207	20	PASS
			LV	NT	-80000.00	-14.414414	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	-40000.00	-7.054674	20	PASS
			HV	NT	-80000.00	-14.109347	20	PASS
	Ant2	5670	NV	NT	-40000.00	-7.054674	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5670	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-14.109347	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant1	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant2	5755	NV	NT	-40000.00	-6.950478	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant3	5755	NV	NT	-80000.00	-13.900956	20	PASS
			LV	NT	-40000.00	-6.950478	20	PASS
			HV	NT	-40000.00	-6.950478	20	PASS
	Ant1	5795	NV	NT	40000.00	6.902502	20	PASS
			LV	NT	40000.00	6.902502	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5795	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-6.902502	20	PASS
			HV	NT	-40000.00	-6.902502	20	PASS
11AX80MIMO	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
			LV	NT	80000.00	15.355086	20	PASS
			HV	NT	-80000.00	-15.355086	20	PASS
	Ant2	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5210	NV	NT	-80000.00	-15.355086	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	80000.00	15.355086	20	PASS
	Ant1	5290	NV	NT	-80000.00	-15.122873	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5290	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-15.122873	20	PASS
	Ant3	5290	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-15.122873	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5530	NV	NT	0.00	0.000000	20	PASS

	Ant2	5530	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	-80000.00	-14.466546	20	PASS
			LV	NT	-80000.00	-14.466546	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5530	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS
	Ant2	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	-80000.00	-14.260250	20	PASS
			HV	NT	-80000.00	-14.260250	20	PASS
	Ant3	5610	NV	NT	-80000.00	-14.260250	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5775	NV	NT	-80000.00	-13.852814	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-13.852814	20	PASS
	Ant2	5775	NV	NT	-80000.00	-13.852814	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5775	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11AX160MIM O	Ant1	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5250	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant2	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant3	5570	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
11BE20MIMO	Ant1	5180	NV	NT	-60000.00	11.583012	20	PASS
			LV	NT	-40000.00	-7.722008	20	PASS
			HV	NT	-60000.00	11.583012	20	PASS
	Ant2	5180	NV	NT	-60000.00	11.583012	20	PASS
			LV	NT	-60000.00	11.583012	20	PASS
			HV	NT	-60000.00	11.583012	20	PASS
	Ant3	5180	NV	NT	-60000.00	11.583012	20	PASS
			LV	NT	-60000.00	11.583012	20	PASS
			HV	NT	-60000.00	11.583012	20	PASS
	Ant1	5200	NV	NT	-80000.00	15.384615	20	PASS
			LV	NT	-80000.00	-	20	PASS

						15.384615		
			HV	NT	-80000.00	-	20	PASS
						15.384615		
			NV	NT	-80000.00	-	20	PASS
	Ant2	5200				15.384615		
			LV	NT	-80000.00	-	20	PASS
						15.384615		
			HV	NT	-80000.00	-	20	PASS
	Ant3	5200	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.384615		
			HV	NT	-80000.00	-	20	PASS
	Ant1	5240	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.267176		
			HV	NT	-80000.00	-	20	PASS
	Ant2	5240	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.267176		
			HV	NT	-80000.00	-	20	PASS
	Ant3	5240	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.267176		
			HV	NT	-80000.00	-	20	PASS
	Ant1	5260	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.209125		
			HV	NT	-80000.00	-	20	PASS
	Ant2	5260	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.209125		
			HV	NT	-100000.00	-	20	PASS
	Ant3	5260	NV	NT	-80000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						19.011407		
			HV	NT	-80000.00	-	20	PASS
	Ant1	5280	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.151515		
			HV	NT	-80000.00	-	20	PASS
	Ant2	5280	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.151515		
			HV	NT	-80000.00	-	20	PASS
	Ant3	5280	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.151515		
			HV	NT	-80000.00	-	20	PASS

			LV	NT	-80000.00	-	15.151515	20	PASS
			HV	NT	-80000.00	-	15.151515	20	PASS
Ant1	5320		NV	NT	-80000.00	-	15.037594	20	PASS
			LV	NT	-80000.00	-	15.037594	20	PASS
			HV	NT	-80000.00	-	15.037594	20	PASS
Ant2	5320		NV	NT	-80000.00	-	15.037594	20	PASS
			LV	NT	-80000.00	-	15.037594	20	PASS
			HV	NT	-80000.00	-	15.037594	20	PASS
Ant3	5320		NV	NT	-80000.00	-	15.037594	20	PASS
			LV	NT	-80000.00	-	15.037594	20	PASS
			HV	NT	-100000.00	-	18.796992	20	PASS
Ant1	5500		NV	NT	-80000.00	-	14.545455	20	PASS
			LV	NT	-80000.00	-	14.545455	20	PASS
			HV	NT	-80000.00	-	14.545455	20	PASS
Ant2	5500		NV	NT	-100000.00	-	18.181818	20	PASS
			LV	NT	-80000.00	-	14.545455	20	PASS
			HV	NT	-100000.00	-	18.181818	20	PASS
Ant3	5500		NV	NT	0.00	0.000000		20	PASS
			LV	NT	-80000.00	-	14.545455	20	PASS
			HV	NT	-80000.00	-	14.545455	20	PASS
Ant1	5580		NV	NT	-80000.00	-	14.336918	20	PASS
			LV	NT	-100000.00	-	17.921147	20	PASS
			HV	NT	-80000.00	-	14.336918	20	PASS
Ant2	5580		NV	NT	-80000.00	-	14.336918	20	PASS
			LV	NT	-100000.00	-	17.921147	20	PASS
			HV	NT	-100000.00	-	17.921147	20	PASS
Ant3	5580		NV	NT	-100000.00	-	17.921147	20	PASS
			LV	NT	-100000.00	-	17.921147	20	PASS
			HV	NT	-100000.00	-	17.921147	20	PASS
Ant1	5700		NV	NT	0.00	0.000000		20	PASS
			LV	NT	-100000.00	-	17.543860	20	PASS
			HV	NT	-80000.00	-	14.035088	20	PASS
Ant2	5700		NV	NT	-100000.00	-	17.543860	20	PASS
			LV	NT	-100000.00	-		20	PASS

						17.543860		
			HV	NT	-80000.00	-	20	PASS
						14.035088		
	Ant3	5700	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.543860		
			HV	NT	-100000.00	-	20	PASS
						17.543860		
						-		
	Ant1	5745	NV	NT	-80000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.406440		
			HV	NT	-80000.00	-	20	PASS
						13.925152		
						-		
	Ant2	5745	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.406440		
			HV	NT	-100000.00	-	20	PASS
						17.406440		
						-		
	Ant3	5745	NV	NT	-100000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.925152		
			HV	NT	-80000.00	-	20	PASS
						13.925152		
						-		
	Ant1	5785	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.543860		
			HV	NT	-100000.00	-	20	PASS
						17.543860		
						-		
	Ant2	5785	NV	NT	-80000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.543860		
			HV	NT	-100000.00	-	20	PASS
						17.286085		
						-		
	Ant3	5785	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.286085		
			HV	NT	-80000.00	-	20	PASS
						13.828868		
						-		
	Ant1	5825	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.167382		
			HV	NT	-100000.00	-	20	PASS
						17.543860		
						-		
	Ant2	5825	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.167382		
			HV	NT	-80000.00	-	20	PASS
						13.733906		
						-		
	Ant3	5825	NV	NT	-100000.00	-	20	PASS
			LV	NT	-100000.00	-	20	PASS
						17.167382		
			HV	NT	-100000.00	-	20	PASS
						17.167382		
						-		
11BE40MIMO	Ant1	5190	NV	NT	80000.00	15.414258	20	PASS
			LV	NT	-80000.00	-	20	PASS

						15.414258		
			HV	NT	-40000.00	-7.707129	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant2	5190	LV	NT	-100000.00	-	20	PASS
			HV	NT	40000.00	7.707129	20	PASS
	Ant3	5190	NV	NT	40000.00	7.707129	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-80000.00	-	20	PASS
						15.414258		
	Ant1	5230	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	40000.00	7.648184	20	PASS
	Ant2	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
	Ant3	5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	0.00	0.000000	20	PASS
	Ant1	5270	NV	NT	-80000.00	-	20	PASS
						15.180266		
			LV	NT	-40000.00	-7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
	Ant2	5270	NV	NT	-80000.00	-	20	PASS
						15.180266		
			LV	NT	-80000.00	-	20	PASS
						15.180266		
			HV	NT	40000.00	7.590133	20	PASS
	Ant3	5270	NV	NT	40000.00	7.590133	20	PASS
			LV	NT	40000.00	7.590133	20	PASS
			HV	NT	40000.00	7.590133	20	PASS
			NV	NT	-40000.00	-7.532957	20	PASS
	Ant1	5310	LV	NT	-80000.00	-	20	PASS
						15.065913		
			HV	NT	-80000.00	-	20	PASS
						15.065913		
	Ant2	5310	NV	NT	-80000.00	-	20	PASS
						15.065913		
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant3	5310	NV	NT	-40000.00	-7.532957	20	PASS
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant1	5510	NV	NT	-80000.00	-	20	PASS
						14.519056		
			LV	NT	-40000.00	-7.532957	20	PASS
			HV	NT	-40000.00	-7.532957	20	PASS
	Ant2	5510	NV	NT	-80000.00	-	20	PASS
						14.519056		
			LV	NT	-40000.00	-7.259528	20	PASS
			HV	NT	-40000.00	-7.259528	20	PASS
	Ant3	5510	NV	NT	-40000.00	-7.259528	20	PASS
			LV	NT	-80000.00	-	20	PASS
						14.519056		
			HV	NT	-80000.00	-	20	PASS
						14.519056		
	Ant1	5550	NV	NT	-80000.00	-	20	PASS
						14.519056		
			LV	NT	-80000.00	-	20	PASS
						14.519056		
			HV	NT	-80000.00	-	20	PASS
						14.414414		
	Ant2	5550	NV	NT	-80000.00	-	20	PASS
						14.414414		
			LV	NT	-80000.00	-	20	PASS
						-		

						14.414414		
			HV	NT	-80000.00	-	20	PASS
						14.414414		
	Ant3	5550	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						14.414414		
			HV	NT	-80000.00	-	20	PASS
						14.414414		
						-		
	Ant1	5670	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						14.414414		
			HV	NT	-80000.00	-	20	PASS
						14.109347		
						-		
	Ant2	5670	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						14.109347		
			HV	NT	-80000.00	-	20	PASS
						14.109347		
						-		
	Ant3	5670	NV	NT	-80000.00	-	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-40000.00	-7.054674	20	PASS
	Ant1	5755	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.900956		
			HV	NT	-40000.00	-6.950478	20	PASS
						-		
						13.900956		
	Ant2	5755	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.900956		
			HV	NT	-80000.00	-	20	PASS
						13.900956		
						-		
	Ant3	5755	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.900956		
			HV	NT	-80000.00	-	20	PASS
						13.900956		
						-		
	Ant1	5795	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.805004		
			HV	NT	-80000.00	-	20	PASS
						13.900956		
						-		
	Ant2	5795	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.805004		
			HV	NT	-80000.00	-	20	PASS
						13.805004		
						-		
	Ant3	5795	NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	-	20	PASS
						13.805004		
			HV	NT	-40000.00	-6.902502	20	PASS
						-		
						15.355086		
11BE80MIMO	Ant1	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	-	20	PASS
						15.355086		
	Ant2	5210	NV	NT	0.00	0.000000	20	PASS

			LV	NT	-80000.00	-	20	PASS
			HV	NT	-80000.00	15.355086	20	PASS
	Ant3	5210	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	15.355086	20	PASS
	Ant1	5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	-80000.00	15.122873	20	PASS
	Ant2	5290	HV	NT	-80000.00	-	20	PASS
			NV	NT	-80000.00	15.122873	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant3	5290	HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
	Ant1	5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	14.466546	20	PASS
	Ant2	5530	HV	NT	-80000.00	-	20	PASS
			NV	NT	-80000.00	14.466546	20	PASS
			LV	NT	-80000.00	-	20	PASS
	Ant3	5530	HV	NT	0.00	0.000000	20	PASS
			NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	14.466546	20	PASS
	Ant1	5610	HV	NT	-80000.00	-	20	PASS
			NV	NT	-80000.00	14.466546	20	PASS
			LV	NT	-80000.00	-	20	PASS
	Ant2	5610	HV	NT	-80000.00	14.260250	20	PASS
			NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	14.260250	20	PASS
	Ant3	5610	HV	NT	-80000.00	-	20	PASS
			NV	NT	-80000.00	14.260250	20	PASS
			LV	NT	-80000.00	-	20	PASS
	Ant1	5775	HV	NT	-80000.00	13.852814	20	PASS
			NV	NT	-80000.00	-	20	PASS
			LV	NT	-80000.00	13.852814	20	PASS
	Ant2	5775	HV	NT	-80000.00	-	20	PASS
			NV	NT	-80000.00	13.852814	20	PASS

	Ant3	5775	HV	NT	-80000.00	13.852814	20	PASS
			NV	NT	-80000.00	13.852814	20	PASS
11BE160MIM O	Ant1	5250	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant2	5250	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant3	5250	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant1	5570	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant2	5570	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS
	Ant3	5570	LV	NT	0.00	0.000000	20	PASS
			HV	NT	0.00	0.000000	20	PASS
			NV	NT	0.00	0.000000	20	PASS

Temperature								
Test Mode	Antenna	Frequency[MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11A	Ant1	5180	NV	-30	20000	3.861004	20	PASS
			NV	-20	20000	3.861004	20	PASS
			NV	-10	20000	3.861004	20	PASS
			NV	0	20000	3.861004	20	PASS
			NV	10	20000	3.861004	20	PASS
			NV	20	20000	3.861004	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-20000	-3.861004	20	PASS
	Ant2	5180	NV	65	20000	3.861004	20	PASS
			NV	-30	-20000	-3.861004	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-20000	-3.861004	20	PASS
			NV	10	-20000	-3.861004	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-20000	-3.861004	20	PASS

			NV	50	-20000	-3.861004	20	PASS
			NV	60	-20000	-3.861004	20	PASS
			NV	65	-20000	-3.861004	20	PASS
	Ant3	5180	NV	-30	-20000	-3.861004	20	PASS
			NV	-20	-20000	-3.861004	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.861004	20	PASS
			NV	10	-20000	-3.861004	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	-20000	-3.861004	20	PASS
			NV	40	-20000	-3.861004	20	PASS
			NV	50	-20000	-3.861004	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-20000	-3.861004	20	PASS
	Ant1	5200	NV	-30	0	0	20	PASS
			NV	-20	20000	3.846154	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	20000	3.846154	20	PASS
			NV	50	-20000	-3.846154	20	PASS
			NV	60	-20000	-3.846154	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5200	NV	-30	-20000	-3.846154	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	-20000	-3.846154	20	PASS
			NV	20	-20000	-3.846154	20	PASS
			NV	30	-20000	-3.846154	20	PASS
			NV	40	-20000	-3.846154	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-20000	-3.846154	20	PASS
			NV	65	-20000	-3.846154	20	PASS
	Ant3	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-20000	-3.846154	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-40000	-7.692308	20	PASS

	Ant1	5240	NV	60	-20000	-3.846154	20	PASS
			NV	65	-20000	-3.846154	20	PASS
			NV	-30	-20000	-3.816794	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-20000	-3.816794	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.816794	20	PASS
			NV	40	-20000	-3.816794	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant2	5240	NV	65	-20000	-3.816794	20	PASS
			NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-20000	-3.816794	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-20000	-3.816794	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-20000	-3.816794	20	PASS
			NV	40	-20000	-3.816794	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-20000	-3.816794	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5240	NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-20000	-3.816794	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-20000	-3.816794	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-20000	-3.816794	20	PASS
			NV	50	-20000	-3.816794	20	PASS
			NV	60	-20000	-3.816794	20	PASS
			NV	65	-20000	-3.816794	20	PASS
	Ant1	5260	NV	-30	-20000	-3.802281	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-20000	-3.802281	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.802281	20	PASS
			NV	40	-20000	-3.802281	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-20000	-3.802281	20	PASS

	Ant2	5260	NV	65	-20000	-3.802281	20	PASS
			NV	-30	-20000	-3.802281	20	PASS
			NV	-20	-20000	-3.802281	20	PASS
			NV	-10	-20000	-3.802281	20	PASS
			NV	0	-20000	-3.802281	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	-20000	-3.802281	20	PASS
			NV	30	-20000	-3.802281	20	PASS
			NV	40	-20000	-3.802281	20	PASS
			NV	50	-20000	-3.802281	20	PASS
			NV	60	-20000	-3.802281	20	PASS
	Ant3	5260	NV	65	-20000	-3.802281	20	PASS
			NV	-30	-20000	-3.802281	20	PASS
			NV	-20	-20000	-3.802281	20	PASS
			NV	-10	-20000	-3.802281	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	-20000	-3.802281	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-20000	-3.802281	20	PASS
			NV	50	-20000	-3.802281	20	PASS
			NV	60	-40000	-7.604563	20	PASS
	Ant1	5280	NV	65	-20000	-3.802281	20	PASS
			NV	-30	-20000	-3.787879	20	PASS
			NV	-20	-20000	-3.787879	20	PASS
			NV	-10	-20000	-3.787879	20	PASS
			NV	0	-20000	-3.787879	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-20000	-3.787879	20	PASS
			NV	40	-20000	-3.787879	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant2	5280	NV	65	-20000	-3.787879	20	PASS
			NV	-30	-40000	-7.575758	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-20000	-3.787879	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-20000	-3.787879	20	PASS
			NV	20	-20000	-3.787879	20	PASS
			NV	30	-20000	-3.787879	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-20000	-3.787879	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS

	Ant3	5280	NV	-30	-20000	-3.787879	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-20000	-3.787879	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-20000	-3.787879	20	PASS
			NV	65	-20000	-3.787879	20	PASS
	Ant1	5320	NV	-30	-20000	-3.759398	20	PASS
			NV	-20	-20000	-3.759398	20	PASS
			NV	-10	-20000	-3.759398	20	PASS
			NV	0	-20000	-3.759398	20	PASS
			NV	10	-20000	-3.759398	20	PASS
			NV	20	-20000	-3.759398	20	PASS
			NV	30	-20000	-3.759398	20	PASS
			NV	40	-20000	-3.759398	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	-20000	-3.759398	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant2	5320	NV	-30	-20000	-3.759398	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-20000	-3.759398	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-20000	-3.759398	20	PASS
			NV	20	-20000	-3.759398	20	PASS
			NV	30	-20000	-3.759398	20	PASS
			NV	40	-20000	-3.759398	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	-20000	-3.759398	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5320	NV	-30	-20000	-3.759398	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-20000	-3.759398	20	PASS
			NV	0	-20000	-3.759398	20	PASS
			NV	10	-40000	-7.518797	20	PASS
			NV	20	-20000	-3.759398	20	PASS
			NV	30	-20000	-3.759398	20	PASS
			NV	40	-20000	-3.759398	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant1	5500	NV	-30	0	0	20	PASS

			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	-40000	-7.272727	20	PASS
			NV	20	-20000	-3.636364	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-20000	-3.636364	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-20000	-3.636364	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5500	NV	-30	-20000	-3.636364	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-20000	-3.636364	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	-20000	-3.636364	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.636364	20	PASS
			NV	60	-20000	-3.636364	20	PASS
			NV	65	-20000	-3.636364	20	PASS
	Ant3	5500	NV	-30	-20000	-3.636364	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	-20000	-3.636364	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	-20000	-3.636364	20	PASS
			NV	60	-20000	-3.636364	20	PASS
			NV	65	-20000	-3.636364	20	PASS
	Ant1	5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-20000	-3.584229	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-20000	-3.584229	20	PASS
			NV	65	-20000	-3.584229	20	PASS
	Ant2	5580	NV	-30	-40000	-7.168459	20	PASS
			NV	-20	0	0	20	PASS

			NV	-10	-20000	-3.584229	20	PASS
			NV	0	-20000	-3.584229	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-20000	-3.584229	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-20000	-3.584229	20	PASS
			NV	50	-20000	-3.584229	20	PASS
			NV	60	-20000	-3.584229	20	PASS
			NV	65	-20000	-3.584229	20	PASS
	Ant3	5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	-20000	-3.584229	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.168459	20	PASS
			NV	20	-20000	-3.584229	20	PASS
			NV	30	-40000	-7.168459	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.584229	20	PASS
	Ant1	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-20000	-3.508772	20	PASS
			NV	0	-20000	-3.508772	20	PASS
			NV	10	-20000	-3.508772	20	PASS
			NV	20	-20000	-3.508772	20	PASS
			NV	30	-20000	-3.508772	20	PASS
			NV	40	-20000	-3.508772	20	PASS
			NV	50	-20000	-3.508772	20	PASS
	Ant2	5700	NV	60	-20000	-3.508772	20	PASS
			NV	65	-40000	-7.017544	20	PASS
			NV	-30	-20000	-3.508772	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-20000	-3.508772	20	PASS
			NV	0	-40000	-7.017544	20	PASS
			NV	10	-20000	-3.508772	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-20000	-3.508772	20	PASS
	Ant3	5700	NV	40	-40000	-7.017544	20	PASS
			NV	50	-40000	-7.017544	20	PASS
			NV	60	-20000	-3.508772	20	PASS
			NV	65	-20000	-3.508772	20	PASS
			NV	-30	-20000	-3.508772	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-20000	-3.508772	20	PASS

			NV	0	-20000	-3.508772	20	PASS
			NV	10	-20000	-3.508772	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-20000	-3.508772	20	PASS
			NV	40	-40000	-7.017544	20	PASS
			NV	50	-40000	-7.017544	20	PASS
			NV	60	-20000	-3.508772	20	PASS
			NV	65	-40000	-7.017544	20	PASS
	Ant1	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-20000	-3.481288	20	PASS
			NV	-10	-20000	-3.481288	20	PASS
			NV	0	-20000	-3.481288	20	PASS
			NV	10	-20000	-3.481288	20	PASS
			NV	20	-20000	-3.481288	20	PASS
			NV	30	-40000	-6.962576	20	PASS
			NV	40	-20000	-3.481288	20	PASS
			NV	50	-20000	-3.481288	20	PASS
			NV	60	-40000	-6.962576	20	PASS
			NV	65	-20000	-3.481288	20	PASS
	Ant2	5745	NV	-30	-20000	-3.481288	20	PASS
			NV	-20	-20000	-3.481288	20	PASS
			NV	-10	-40000	-6.962576	20	PASS
			NV	0	-20000	-3.481288	20	PASS
			NV	10	-20000	-3.481288	20	PASS
			NV	20	-20000	-3.481288	20	PASS
			NV	30	-20000	-3.481288	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-40000	-6.962576	20	PASS
			NV	60	-20000	-3.481288	20	PASS
	Ant3	5745	NV	65	-40000	-6.962576	20	PASS
			NV	-30	-20000	-3.481288	20	PASS
			NV	-20	-20000	-3.481288	20	PASS
			NV	-10	-20000	-3.481288	20	PASS
			NV	0	-20000	-3.481288	20	PASS
			NV	10	-20000	-3.481288	20	PASS
			NV	20	-20000	-3.481288	20	PASS
			NV	30	-20000	-3.481288	20	PASS
			NV	40	-20000	-3.481288	20	PASS
			NV	50	-40000	-6.962576	20	PASS
	Ant1	5785	NV	60	-20000	-3.481288	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	-20000	-3.457217	20	PASS
			NV	-20	-20000	-3.457217	20	PASS
			NV	-10	-20000	-3.457217	20	PASS

			NV	0	-20000	-3.457217	20	PASS
			NV	10	-20000	-3.457217	20	PASS
			NV	20	-20000	-3.457217	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-40000	-6.914434	20	PASS
			NV	50	-20000	-3.457217	20	PASS
			NV	60	-40000	-6.914434	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5785	NV	-30	0	0	20	PASS
			NV	-20	-20000	-3.457217	20	PASS
			NV	-10	-20000	-3.457217	20	PASS
			NV	0	-20000	-3.457217	20	PASS
			NV	10	-20000	-3.457217	20	PASS
			NV	20	-20000	-3.457217	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-20000	-3.457217	20	PASS
			NV	50	-40000	-6.914434	20	PASS
			NV	60	-20000	-3.457217	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5785	NV	-30	-40000	-6.914434	20	PASS
			NV	-20	-20000	-3.457217	20	PASS
			NV	-10	-20000	-3.457217	20	PASS
			NV	0	-60000	-10.371651	20	PASS
			NV	10	-40000	-6.914434	20	PASS
			NV	20	-20000	-3.457217	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-40000	-6.914434	20	PASS
			NV	50	-40000	-6.914434	20	PASS
			NV	60	-60000	-10.371651	20	PASS
			NV	65	-40000	-6.914434	20	PASS
	Ant1	5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	-20000	-3.433476	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-20000	-3.433476	20	PASS
	Ant2	5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-40000	-6.866953	20	PASS

11N20MIMO	Ant3	5825	NV	10	-40000	-6.866953	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-20000	-3.433476	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-20000	-3.433476	20	PASS
	Ant1	5180	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-40000	-6.866953	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-20000	-3.433476	20	PASS
			NV	10	-40000	-6.866953	20	PASS
			NV	20	-20000	-3.433476	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-20000	-3.433476	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-40000	-6.866953	20	PASS
			NV	65	-20000	-3.433476	20	PASS
			NV	-30	-20000	-3.861004	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-20000	-3.861004	20	PASS
	Ant2	5180	NV	0	-20000	-3.861004	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	-20000	-3.861004	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-40000	-7.722008	20	PASS
			NV	65	-20000	-3.861004	20	PASS
			NV	-30	-20000	-3.861004	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-20000	-3.861004	20	PASS
			NV	10	-40000	-7.722008	20	PASS
	Ant3	5180	NV	20	-40000	-7.722008	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-20000	-3.861004	20	PASS
			NV	65	-20000	-3.861004	20	PASS
			NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-20000	-3.861004	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-40000	-7.722008	20	PASS

			NV	20	-20000	-3.861004	20	PASS
			NV	30	-20000	-3.861004	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-20000	-3.861004	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant1	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-40000	-7.692308	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-40000	-7.692308	20	PASS
			NV	65	-40000	-7.692308	20	PASS
	Ant2	5200	NV	-30	-20000	-3.846154	20	PASS
			NV	-20	-40000	-7.692308	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-60000	-11.538462	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-20000	-3.846154	20	PASS
			NV	40	-60000	-11.538462	20	PASS
			NV	50	-20000	-3.846154	20	PASS
			NV	60	-60000	-11.538462	20	PASS
	Ant3	5200	NV	65	-20000	-3.846154	20	PASS
			NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-40000	-7.692308	20	PASS
			NV	-10	-40000	-7.692308	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	-60000	-11.538462	20	PASS
			NV	20	-60000	-11.538462	20	PASS
			NV	30	-60000	-11.538462	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-20000	-3.846154	20	PASS
	Ant1	5240	NV	60	-20000	-3.846154	20	PASS
			NV	65	-40000	-7.692308	20	PASS
			NV	-30	-60000	-11.450382	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-60000	-11.450382	20	PASS
			NV	10	-20000	-3.816794	20	PASS
			NV	20	-40000	-7.633588	20	PASS

			NV	30	-40000	-7.633588	20	PASS
			NV	40	-20000	-3.816794	20	PASS
			NV	50	-40000	-7.633588	20	PASS
			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant2	5240	NV	-30	-60000	-11.450382	20	PASS
			NV	-20	-20000	-3.816794	20	PASS
			NV	-10	-60000	-11.450382	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-20000	-3.816794	20	PASS
			NV	30	-20000	-3.816794	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-60000	-11.450382	20	PASS
			NV	60	-60000	-11.450382	20	PASS
			NV	65	-20000	-3.816794	20	PASS
	Ant3	5240	NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-20000	-3.816794	20	PASS
			NV	0	-20000	-3.816794	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-60000	-11.450382	20	PASS
			NV	30	-20000	-3.816794	20	PASS
			NV	40	-60000	-11.450382	20	PASS
			NV	50	-40000	-7.633588	20	PASS
			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant1	5260	NV	-30	-60000	-11.406844	20	PASS
			NV	-20	-20000	-3.802281	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-20000	-3.802281	20	PASS
			NV	60	-40000	-7.604563	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant2	5260	NV	-30	-60000	-11.406844	20	PASS
			NV	-20	-60000	-11.406844	20	PASS
			NV	-10	-60000	-11.406844	20	PASS
			NV	0	-20000	-3.802281	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS

			NV	40	-40000	-7.604563	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-20000	-3.802281	20	PASS
			NV	65	-60000	-11.406844	20	PASS
	Ant3	5260	NV	-30	-40000	-7.604563	20	PASS
			NV	-20	-60000	-11.406844	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-20000	-3.802281	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-60000	-11.406844	20	PASS
			NV	50	-20000	-3.802281	20	PASS
			NV	60	-60000	-11.406844	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant1	5280	NV	-30	-20000	-3.787879	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-20000	-3.787879	20	PASS
			NV	10	-20000	-3.787879	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant2	5280	NV	-30	-20000	-3.787879	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-20000	-3.787879	20	PASS
			NV	0	-20000	-3.787879	20	PASS
			NV	10	-60000	-11.363636	20	PASS
			NV	20	-20000	-3.787879	20	PASS
			NV	30	-60000	-11.363636	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-60000	-11.363636	20	PASS
			NV	65	-60000	-11.363636	20	PASS
	Ant3	5280	NV	-30	-40000	-7.575758	20	PASS
			NV	-20	-20000	-3.787879	20	PASS
			NV	-10	-60000	-11.363636	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-60000	-11.363636	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS

			NV	50	-40000	-7.575758	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant1	5320	NV	-30	-60000	-11.278195	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-60000	-11.278195	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-40000	-7.518797	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-20000	-3.759398	20	PASS
			NV	40	-40000	-7.518797	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	-60000	-11.278195	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant2	5320	NV	-30	-40000	-7.518797	20	PASS
			NV	-20	-60000	-11.278195	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-40000	-7.518797	20	PASS
			NV	20	-20000	-3.759398	20	PASS
			NV	30	-60000	-11.278195	20	PASS
			NV	40	-40000	-7.518797	20	PASS
			NV	50	-40000	-7.518797	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant3	5320	NV	-30	-20000	-3.759398	20	PASS
			NV	-20	-60000	-11.278195	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-60000	-11.278195	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-60000	-11.278195	20	PASS
			NV	40	-60000	-11.278195	20	PASS
			NV	50	-40000	-7.518797	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-40000	-7.518797	20	PASS
	Ant1	5500	NV	-30	20000	3.636364	20	PASS
			NV	-20	20000	3.636364	20	PASS
			NV	-10	20000	3.636364	20	PASS
			NV	0	20000	3.636364	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS

	Ant2	5500	NV	60	20000	3.636364	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-20000	-3.636364	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-20000	-3.636364	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.272727	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant3	5500	NV	65	-20000	-3.636364	20	PASS
			NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	20000	3.636364	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	-20000	-3.636364	20	PASS
			NV	50	-20000	-3.636364	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.584229	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-20000	-3.584229	20	PASS
			NV	50	-20000	-3.584229	20	PASS
			NV	60	-40000	-7.168459	20	PASS
			NV	65	-20000	-3.584229	20	PASS
	Ant2	5580	NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	-20000	-3.584229	20	PASS
			NV	0	-20000	-3.584229	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-40000	-7.168459	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-20000	-3.584229	20	PASS
			NV	60	-40000	-7.168459	20	PASS

	Ant3	5580	NV	65	-20000	-3.584229	20	PASS
			NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-20000	-3.584229	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-40000	-7.168459	20	PASS
			NV	40	-20000	-3.584229	20	PASS
			NV	50	-20000	-3.584229	20	PASS
			NV	60	-20000	-3.584229	20	PASS
			NV	65	-60000	-10.752688	20	PASS
	Ant1	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-40000	-7.017544	20	PASS
			NV	10	-60000	-10.526316	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-40000	-7.017544	20	PASS
			NV	40	-60000	-10.526316	20	PASS
			NV	50	-20000	-3.508772	20	PASS
			NV	60	-20000	-3.508772	20	PASS
			NV	65	-20000	-3.508772	20	PASS
	Ant2	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-60000	-10.526316	20	PASS
			NV	0	-20000	-3.508772	20	PASS
			NV	10	-60000	-10.526316	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-40000	-7.017544	20	PASS
			NV	40	-60000	-10.526316	20	PASS
			NV	50	-80000	-14.035088	20	PASS
			NV	60	-20000	-3.508772	20	PASS
			NV	65	-40000	-7.017544	20	PASS
	Ant3	5700	NV	-30	-20000	-3.508772	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-20000	-3.508772	20	PASS
			NV	10	-40000	-7.017544	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-20000	-3.508772	20	PASS
			NV	40	-40000	-7.017544	20	PASS
			NV	50	-40000	-7.017544	20	PASS
			NV	60	-40000	-7.017544	20	PASS
			NV	65	-40000	-7.017544	20	PASS

	Ant1	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-60000	-10.443864	20	PASS
			NV	0	-60000	-10.443864	20	PASS
			NV	10	-20000	-3.481288	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-60000	-10.443864	20	PASS
			NV	50	-40000	-6.962576	20	PASS
			NV	60	-40000	-6.962576	20	PASS
			NV	65	-20000	-3.481288	20	PASS
	Ant2	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-60000	-10.443864	20	PASS
			NV	-10	-60000	-10.443864	20	PASS
			NV	0	-20000	-3.481288	20	PASS
			NV	10	-60000	-10.443864	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-40000	-6.962576	20	PASS
			NV	40	-60000	-10.443864	20	PASS
			NV	50	-60000	-10.443864	20	PASS
			NV	60	-20000	-3.481288	20	PASS
			NV	65	-60000	-10.443864	20	PASS
	Ant3	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-60000	-10.443864	20	PASS
			NV	0	-60000	-10.443864	20	PASS
			NV	10	-60000	-10.443864	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-40000	-6.962576	20	PASS
			NV	60	-20000	-3.481288	20	PASS
			NV	65	-40000	-6.962576	20	PASS
	Ant1	5785	NV	-30	-60000	-10.371651	20	PASS
			NV	-20	-40000	-6.914434	20	PASS
			NV	-10	-60000	-10.371651	20	PASS
			NV	0	-60000	-10.371651	20	PASS
			NV	10	-60000	-10.371651	20	PASS
			NV	20	-40000	-6.914434	20	PASS
			NV	30	-40000	-6.914434	20	PASS
			NV	40	-40000	-6.914434	20	PASS
			NV	50	-60000	-10.371651	20	PASS
			NV	60	-40000	-6.914434	20	PASS
			NV	65	-40000	-6.914434	20	PASS
	Ant2	5785	NV	-30	-20000	-3.457217	20	PASS

			NV	-20	-40000	-6.914434	20	PASS
			NV	-10	-20000	-3.457217	20	PASS
			NV	0	-60000	-10.371651	20	PASS
			NV	10	-40000	-6.914434	20	PASS
			NV	20	-60000	-10.371651	20	PASS
			NV	30	-40000	-6.914434	20	PASS
			NV	40	-40000	-6.914434	20	PASS
			NV	50	-40000	-6.914434	20	PASS
			NV	60	-40000	-6.914434	20	PASS
			NV	65	-40000	-6.914434	20	PASS
	Ant3	5785	NV	-30	-40000	-6.914434	20	PASS
			NV	-20	-40000	-6.914434	20	PASS
			NV	-10	-40000	-6.914434	20	PASS
			NV	0	-60000	-10.371651	20	PASS
			NV	10	-40000	-6.914434	20	PASS
			NV	20	-40000	-6.914434	20	PASS
			NV	30	-60000	-10.371651	20	PASS
			NV	40	-20000	-3.457217	20	PASS
			NV	50	-60000	-10.371651	20	PASS
			NV	60	-60000	-10.371651	20	PASS
			NV	65	-60000	-10.371651	20	PASS
	Ant1	5825	NV	-30	-40000	-6.866953	20	PASS
			NV	-20	-40000	-6.866953	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-60000	-10.300429	20	PASS
			NV	10	-40000	-6.866953	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-40000	-6.866953	20	PASS
			NV	65	-40000	-6.866953	20	PASS
	Ant2	5825	NV	-30	-80000	-13.733906	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-60000	-10.300429	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-60000	-10.300429	20	PASS
			NV	50	-60000	-10.300429	20	PASS
			NV	60	-60000	-10.300429	20	PASS
			NV	65	-60000	-10.300429	20	PASS
	Ant3	5825	NV	-30	-40000	-6.866953	20	PASS
			NV	-20	-40000	-6.866953	20	PASS

11N40MIMO			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	-40000	-6.866953	20	PASS
			NV	20	-60000	-10.300429	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-60000	-10.300429	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-60000	-10.300429	20	PASS
	Ant1	5190	NV	-30	40000	7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.707129	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	40000	7.707129	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5190	NV	-30	40000	7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.707129	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	40000	7.707129	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.707129	20	PASS
	Ant3	5190	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	40000	7.707129	20	PASS
			NV	10	0	0	20	PASS
			NV	20	40000	7.707129	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	0	0	20	PASS
			NV	60	40000	7.707129	20	PASS
	Ant1	5230	NV	-30	-80000	-15.296367	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	-80000	-15.296367	20	PASS

			NV	0	40000	7.648184	20	PASS
			NV	10	-40000	-7.648184	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant2	5230	NV	-30	-40000	-7.648184	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant3	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5270	NV	-30	-40000	-7.590133	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.590133	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	-40000	-7.590133	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	-40000	-7.590133	20	PASS
			NV	65	-40000	-7.590133	20	PASS
	Ant2	5270	NV	-30	-40000	-7.590133	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

			NV	10	-40000	-7.590133	20	PASS
			NV	20	-40000	-7.590133	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	-40000	-7.590133	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5270	NV	-30	-40000	-7.590133	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.590133	20	PASS
			NV	10	-40000	-7.590133	20	PASS
			NV	20	-40000	-7.590133	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.590133	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	0	0	20	PASS
			NV	65	80000	15.180266	20	PASS
	Ant1	5310	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	-80000	-15.065913	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	-40000	-7.532957	20	PASS
			NV	50	-40000	-7.532957	20	PASS
			NV	60	-40000	-7.532957	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant2	5310	NV	-30	40000	7.532957	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	40000	7.532957	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.532957	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.532957	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant3	5310	NV	-30	0	0	20	PASS
			NV	-20	-80000	-15.065913	20	PASS
			NV	-10	-40000	-7.532957	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.065913	20	PASS

			NV	20	-40000	-7.532957	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	-40000	-7.532957	20	PASS
			NV	50	-40000	-7.532957	20	PASS
			NV	60	-80000	-15.065913	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant1	5510	NV	-30	-80000	-14.519056	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	-40000	-7.259528	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	-40000	-7.259528	20	PASS
			NV	65	-80000	-14.519056	20	PASS
	Ant2	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	80000	14.519056	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	-40000	-7.259528	20	PASS
			NV	30	-80000	-14.519056	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	-40000	-7.259528	20	PASS
	Ant3	5510	NV	65	-40000	-7.259528	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.519056	20	PASS
			NV	-10	-80000	-14.519056	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
	Ant1	5550	NV	60	0	0	20	PASS
			NV	65	-40000	-7.259528	20	PASS
			NV	-30	-40000	-7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	0	0	20	PASS

			NV	30	-40000	-7.207207	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-40000	-7.207207	20	PASS
			NV	60	-40000	-7.207207	20	PASS
			NV	65	-80000	-14.414414	20	PASS
	Ant2	5550	NV	-30	-80000	-14.414414	20	PASS
			NV	-20	-80000	-14.414414	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-80000	-14.414414	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	-40000	-7.207207	20	PASS
			NV	65	-80000	-14.414414	20	PASS
	Ant3	5550	NV	-30	-40000	-7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.414414	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-40000	-7.207207	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	-40000	-7.207207	20	PASS
			NV	65	-80000	-14.414414	20	PASS
	Ant1	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	40000	7.054674	20	PASS
			NV	-10	-40000	-7.054674	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant2	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.054674	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS

			NV	40	-40000	-7.054674	20	PASS
			NV	50	-40000	-7.054674	20	PASS
			NV	60	-40000	-7.054674	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant3	5670	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	-40000	-7.054674	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.054674	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant1	5755	NV	-30	0	0	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-40000	-6.950478	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	-80000	-13.900956	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5755	NV	-30	40000	6.950478	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	-40000	-6.950478	20	PASS
			NV	65	-40000	-6.950478	20	PASS
	Ant3	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-6.950478	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS

			NV	50	-40000	-6.950478	20	PASS
			NV	60	-80000	-13.900956	20	PASS
			NV	65	-80000	-13.900956	20	PASS
	Ant1	5795	NV	-30	-40000	-6.902502	20	PASS
			NV	-20	-40000	-6.902502	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-6.902502	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	-40000	-6.902502	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-6.902502	20	PASS
	Ant2	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-40000	-6.902502	20	PASS
			NV	-10	-40000	-6.902502	20	PASS
			NV	0	-40000	-6.902502	20	PASS
			NV	10	-80000	-13.805004	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-6.902502	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-80000	-13.805004	20	PASS
			NV	-10	-40000	-6.902502	20	PASS
			NV	0	-40000	-6.902502	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	-40000	-6.902502	20	PASS
			NV	60	-80000	-13.805004	20	PASS
			NV	65	-40000	-6.902502	20	PASS
11AC20MIMO	Ant1	5180	NV	-30	-60000	-11.583012	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-20000	-3.861004	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-60000	-11.583012	20	PASS
			NV	50	-40000	-7.722008	20	PASS

	Ant2	5180	NV	60	-40000	-7.722008	20	PASS
			NV	65	-40000	-7.722008	20	PASS
			NV	-30	-20000	-3.861004	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-60000	-11.583012	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-20000	-3.861004	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-60000	-11.583012	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-40000	-7.722008	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant3	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-60000	-11.583012	20	PASS
			NV	-10	-60000	-11.583012	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-20000	-3.861004	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-60000	-11.583012	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-60000	-11.583012	20	PASS
			NV	60	-60000	-11.583012	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant1	5200	NV	-30	-60000	-11.538462	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-60000	-11.538462	20	PASS
			NV	10	-60000	-11.538462	20	PASS
			NV	20	-60000	-11.538462	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-20000	-3.846154	20	PASS
			NV	65	-40000	-7.692308	20	PASS
	Ant2	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-40000	-7.692308	20	PASS
			NV	0	-40000	-7.692308	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-60000	-11.538462	20	PASS
			NV	60	-20000	-3.846154	20	PASS

	Ant3	5200	NV	65	-40000	-7.692308	20	PASS
			NV	-30	-60000	-11.538462	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-60000	-11.538462	20	PASS
			NV	0	-60000	-11.538462	20	PASS
			NV	10	-60000	-11.538462	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-20000	-3.846154	20	PASS
			NV	50	-20000	-3.846154	20	PASS
			NV	60	-20000	-3.846154	20	PASS
			NV	65	-60000	-11.538462	20	PASS
	Ant1	5240	NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-60000	-11.450382	20	PASS
			NV	-10	-20000	-3.816794	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-20000	-3.816794	20	PASS
			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant2	5240	NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-60000	-11.450382	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-60000	-11.450382	20	PASS
			NV	20	-20000	-3.816794	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-20000	-3.816794	20	PASS
			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant3	5240	NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-20000	-3.816794	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-20000	-3.816794	20	PASS
			NV	20	-20000	-3.816794	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-20000	-3.816794	20	PASS
			NV	50	-20000	-3.816794	20	PASS
			NV	60	-20000	-3.816794	20	PASS
			NV	65	-40000	-7.633588	20	PASS

	Ant1	5260	NV	-30	-40000	-7.604563	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-60000	-11.406844	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-60000	-11.406844	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-60000	-11.406844	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-20000	-3.802281	20	PASS
			NV	65	-20000	-3.802281	20	PASS
	Ant2	5260	NV	-30	-20000	-3.802281	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-20000	-3.802281	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-40000	-7.604563	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant3	5260	NV	-30	-40000	-7.604563	20	PASS
			NV	-20	-60000	-11.406844	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-20000	-3.802281	20	PASS
			NV	20	-60000	-11.406844	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-60000	-11.406844	20	PASS
			NV	60	-60000	-11.406844	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant1	5280	NV	-30	-40000	-7.575758	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-20000	-3.787879	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-20000	-3.787879	20	PASS
			NV	50	-60000	-11.363636	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant2	5280	NV	-30	-40000	-7.575758	20	PASS

			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-20000	-3.787879	20	PASS
			NV	20	-60000	-11.363636	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-60000	-11.363636	20	PASS
			NV	65	-20000	-3.787879	20	PASS
	Ant3	5280	NV	-30	-60000	-11.363636	20	PASS
			NV	-20	-60000	-11.363636	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-20000	-3.787879	20	PASS
			NV	20	-60000	-11.363636	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-20000	-3.787879	20	PASS
			NV	50	-20000	-3.787879	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant1	5320	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-20000	-3.759398	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant2	5320	NV	-30	-20000	-3.759398	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.759398	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-20000	-3.759398	20	PASS
			NV	30	-20000	-3.759398	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant3	5320	NV	-30	0	0	20	PASS
			NV	-20	-20000	-3.759398	20	PASS

			NV	-10	-40000	-7.518797	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.518797	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.518797	20	PASS
			NV	40	-20000	-3.759398	20	PASS
			NV	50	-20000	-3.759398	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-20000	-3.759398	20	PASS
	Ant1	5500	NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-40000	-7.272727	20	PASS
			NV	10	-40000	-7.272727	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-40000	-7.272727	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	-40000	-7.272727	20	PASS
	Ant2	5500	NV	60	-40000	-7.272727	20	PASS
			NV	65	-20000	-3.636364	20	PASS
			NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	-20000	-3.636364	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-20000	-3.636364	20	PASS
	Ant3	5500	NV	40	-60000	-10.909091	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-60000	-10.909091	20	PASS
			NV	65	-40000	-7.272727	20	PASS
			NV	-30	-20000	-3.636364	20	PASS
			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-60000	-10.909091	20	PASS
			NV	10	-20000	-3.636364	20	PASS
	Ant1	5580	NV	20	-40000	-7.272727	20	PASS
			NV	30	-40000	-7.272727	20	PASS
			NV	40	-60000	-10.909091	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-40000	-7.272727	20	PASS
			NV	65	-20000	-3.636364	20	PASS
			NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-60000	-10.752688	20	PASS

			NV	0	-20000	-3.584229	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-60000	-10.752688	20	PASS
			NV	30	-80000	-14.336918	20	PASS
			NV	40	-60000	-10.752688	20	PASS
			NV	50	-20000	-3.584229	20	PASS
			NV	60	-40000	-7.168459	20	PASS
			NV	65	-20000	-3.584229	20	PASS
	Ant2	5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-60000	-10.752688	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-60000	-10.752688	20	PASS
			NV	60	-40000	-7.168459	20	PASS
			NV	65	-60000	-10.752688	20	PASS
	Ant3	5580	NV	-30	-60000	-10.752688	20	PASS
			NV	-20	-20000	-3.584229	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-60000	-10.752688	20	PASS
			NV	10	-60000	-10.752688	20	PASS
			NV	20	-60000	-10.752688	20	PASS
			NV	30	-60000	-10.752688	20	PASS
			NV	40	-80000	-14.336918	20	PASS
			NV	50	-60000	-10.752688	20	PASS
			NV	60	-20000	-3.584229	20	PASS
			NV	65	-60000	-10.752688	20	PASS
	Ant1	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-20000	-3.508772	20	PASS
			NV	-10	-60000	-10.526316	20	PASS
			NV	0	-60000	-10.526316	20	PASS
			NV	10	-20000	-3.508772	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-40000	-7.017544	20	PASS
			NV	40	-20000	-3.508772	20	PASS
			NV	50	-20000	-3.508772	20	PASS
			NV	60	-20000	-3.508772	20	PASS
			NV	65	-40000	-7.017544	20	PASS
	Ant2	5700	NV	-30	-60000	-10.526316	20	PASS
			NV	-20	-60000	-10.526316	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-60000	-10.526316	20	PASS

			NV	10	-20000	-3.508772	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-60000	-10.526316	20	PASS
			NV	40	-20000	-3.508772	20	PASS
			NV	50	-60000	-10.526316	20	PASS
			NV	60	-40000	-7.017544	20	PASS
			NV	65	-40000	-7.017544	20	PASS
	Ant3	5700	NV	-30	-60000	-10.526316	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-60000	-10.526316	20	PASS
			NV	0	-60000	-10.526316	20	PASS
			NV	10	-40000	-7.017544	20	PASS
			NV	20	-60000	-10.526316	20	PASS
			NV	30	-40000	-7.017544	20	PASS
			NV	40	-20000	-3.508772	20	PASS
			NV	50	-40000	-7.017544	20	PASS
			NV	60	-60000	-10.526316	20	PASS
			NV	65	-20000	-3.508772	20	PASS
	Ant1	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-60000	-10.443864	20	PASS
			NV	-10	-60000	-10.443864	20	PASS
			NV	0	-20000	-3.481288	20	PASS
			NV	10	-60000	-10.443864	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-60000	-10.443864	20	PASS
			NV	50	-20000	-3.481288	20	PASS
			NV	60	-60000	-10.443864	20	PASS
			NV	65	-40000	-6.962576	20	PASS
	Ant2	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-60000	-10.443864	20	PASS
			NV	0	-60000	-10.443864	20	PASS
			NV	10	-40000	-6.962576	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-80000	-13.925152	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-60000	-10.443864	20	PASS
			NV	60	-60000	-10.443864	20	PASS
			NV	65	-40000	-6.962576	20	PASS
	Ant3	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-40000	-6.962576	20	PASS
			NV	0	-60000	-10.443864	20	PASS
			NV	10	-40000	-6.962576	20	PASS

			NV	20	-60000	-10.443864	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-60000	-10.443864	20	PASS
			NV	50	-60000	-10.443864	20	PASS
			NV	60	-60000	-10.443864	20	PASS
			NV	65	-60000	-10.443864	20	PASS
	Ant1	5785	NV	-30	40000	6.914434	20	PASS
			NV	-20	-20000	-3.457217	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	40000	6.914434	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	20000	3.457217	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	20000	3.457217	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.457217	20	PASS
			NV	60	20000	3.457217	20	PASS
	Ant3	5785	NV	65	0	0	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-20000	-3.457217	20	PASS
			NV	10	-20000	-3.457217	20	PASS
			NV	20	-20000	-3.457217	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.914434	20	PASS
			NV	50	-20000	-3.457217	20	PASS
	Ant1	5825	NV	60	-20000	-3.457217	20	PASS
			NV	65	-40000	-6.914434	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-40000	-6.866953	20	PASS

			NV	30	-40000	-6.866953	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-20000	-3.433476	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-40000	-6.866953	20	PASS
	Ant2	5825	NV	-30	-40000	-6.866953	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-6.866953	20	PASS
			NV	65	-40000	-6.866953	20	PASS
	Ant3	5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-40000	-6.866953	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	-40000	-6.866953	20	PASS
			NV	20	-20000	-3.433476	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	-20000	-3.433476	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-20000	-3.433476	20	PASS
11AC40MIMO	Ant1	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	-40000	-7.707129	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.707129	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	-40000	-7.707129	20	PASS
			NV	65	-40000	-7.707129	20	PASS
	Ant2	5190	NV	-30	-80000	-15.414258	20	PASS
			NV	-20	-40000	-7.707129	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.707129	20	PASS
			NV	20	40000	7.707129	20	PASS
			NV	30	-40000	-7.707129	20	PASS

			NV	40	40000	7.707129	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
Ant3	5190		NV	-30	-40000	-7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.707129	20	PASS
			NV	10	40000	7.707129	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.707129	20	PASS
			NV	65	-40000	-7.707129	20	PASS
Ant1	5230		NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	-40000	-7.648184	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	-40000	-7.648184	20	PASS
Ant2	5230		NV	-30	0	0	20	PASS
			NV	-20	40000	7.648184	20	PASS
			NV	-10	40000	7.648184	20	PASS
			NV	0	40000	7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	7.648184	20	PASS
			NV	40	40000	7.648184	20	PASS
			NV	50	0	0	20	PASS
			NV	60	40000	7.648184	20	PASS
			NV	65	0	0	20	PASS
Ant3	5230		NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.648184	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS

			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
Ant1	5270		NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.590133	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.590133	20	PASS
Ant2	5270		NV	-30	-40000	-7.590133	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.590133	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
Ant3	5270		NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-80000	-15.180266	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.590133	20	PASS
			NV	20	40000	7.590133	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.590133	20	PASS
			NV	65	0	0	20	PASS
Ant1	5310		NV	-30	-40000	-7.532957	20	PASS
			NV	-20	-80000	-15.065913	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.532957	20	PASS

	Ant2	5310	NV	60	-40000	-7.532957	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	-40000	-7.532957	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.532957	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.532957	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant3	5310	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.065913	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	-80000	-15.065913	20	PASS
			NV	50	-40000	-7.532957	20	PASS
			NV	60	80000	15.065913	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant1	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.259528	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.259528	20	PASS
	Ant2	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.259528	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	0	0	20	PASS

	Ant3	5510	NV	65	-40000	-7.259528	20	PASS
			NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.519056	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.519056	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	-40000	-7.259528	20	PASS
			NV	65	-40000	-7.259528	20	PASS
	Ant1	5550	NV	-30	-40000	-7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-14.414414	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-40000	-7.207207	20	PASS
			NV	40	-80000	-14.414414	20	PASS
			NV	50	-40000	-7.207207	20	PASS
			NV	60	-40000	-7.207207	20	PASS
			NV	65	-40000	-7.207207	20	PASS
	Ant2	5550	NV	-30	-80000	-14.414414	20	PASS
			NV	-20	-80000	-14.414414	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.414414	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	-80000	-14.414414	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	-80000	-14.414414	20	PASS
			NV	65	-80000	-14.414414	20	PASS
	Ant3	5550	NV	-30	-40000	-7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-80000	-14.414414	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-40000	-7.207207	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	-80000	-14.414414	20	PASS
			NV	65	-80000	-14.414414	20	PASS

	Ant1	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	-40000	-7.054674	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	-40000	-7.054674	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-40000	-7.054674	20	PASS
			NV	60	-80000	-14.109347	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant2	5670	NV	-30	-80000	-14.109347	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	-80000	-14.109347	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	-40000	-7.054674	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-40000	-7.054674	20	PASS
			NV	60	-40000	-7.054674	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant3	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	-40000	-7.054674	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-80000	-14.109347	20	PASS
			NV	60	-40000	-7.054674	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant1	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-40000	-6.950478	20	PASS
			NV	0	-80000	-13.900956	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	-80000	-13.900956	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5755	NV	-30	-40000	-6.950478	20	PASS

			NV	-20	-80000	-13.900956	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	-40000	-6.950478	20	PASS
			NV	65	-80000	-13.900956	20	PASS
	Ant3	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-80000	-13.900956	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	-40000	-6.950478	20	PASS
			NV	65	-40000	-6.950478	20	PASS
	Ant1	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-40000	-6.902502	20	PASS
			NV	-10	-40000	-6.902502	20	PASS
			NV	0	-80000	-13.805004	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	-40000	-6.902502	20	PASS
			NV	40	-80000	-13.805004	20	PASS
			NV	50	-40000	-6.902502	20	PASS
			NV	60	-40000	-6.902502	20	PASS
			NV	65	-80000	-13.805004	20	PASS
	Ant2	5795	NV	-30	0	0	20	PASS
			NV	-20	-80000	-13.805004	20	PASS
			NV	-10	80000	13.805004	20	PASS
			NV	0	-80000	-13.805004	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	-40000	-6.902502	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-13.805004	20	PASS
			NV	60	-40000	-6.902502	20	PASS
			NV	65	-40000	-6.902502	20	PASS
	Ant3	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-80000	-13.805004	20	PASS

11AC80MIMO			NV	-10	-40000	-6.902502	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	-40000	-6.902502	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	-80000	-13.805004	20	PASS
			NV	60	-80000	-13.805004	20	PASS
			NV	65	-40000	-6.902502	20	PASS
	Ant1	5210	NV	-30	80000	15.355086	20	PASS
			NV	-20	-80000	-15.355086	20	PASS
			NV	-10	-80000	-15.355086	20	PASS
			NV	0	80000	15.355086	20	PASS
			NV	10	-80000	-15.355086	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.355086	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.355086	20	PASS
			NV	60	-80000	-15.355086	20	PASS
			NV	65	-80000	-15.355086	20	PASS
	Ant2	5210	NV	-30	-80000	-15.355086	20	PASS
			NV	-20	-80000	-15.355086	20	PASS
			NV	-10	-80000	-15.355086	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.355086	20	PASS
			NV	50	-80000	-15.355086	20	PASS
			NV	60	80000	15.355086	20	PASS
	Ant3	5210	NV	65	80000	15.355086	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	80000	15.355086	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.355086	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.355086	20	PASS
	Ant1	5290	NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	80000	15.122873	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.122873	20	PASS

			NV	0	-80000	-15.122873	20	PASS
			NV	10	-80000	-15.122873	20	PASS
			NV	20	-80000	-15.122873	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.122873	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant2	5290	NV	-30	-80000	-15.122873	20	PASS
			NV	-20	-80000	-15.122873	20	PASS
			NV	-10	-80000	-15.122873	20	PASS
			NV	0	-80000	-15.122873	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-15.122873	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.122873	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant3	5290	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.122873	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5530	NV	-30	80000	14.466546	20	PASS
			NV	-20	-80000	-14.466546	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.466546	20	PASS
			NV	10	80000	14.466546	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.466546	20	PASS
			NV	60	0	0	20	PASS
			NV	65	80000	14.466546	20	PASS
	Ant2	5530	NV	-30	-80000	-14.466546	20	PASS
			NV	-20	-80000	-14.466546	20	PASS
			NV	-10	-80000	-14.466546	20	PASS
			NV	0	0	0	20	PASS

			NV	10	-80000	-14.466546	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	-80000	-14.466546	20	PASS
			NV	40	-80000	-14.466546	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-14.466546	20	PASS
			NV	65	-80000	-14.466546	20	PASS
	Ant3	5530	NV	-30	-80000	-14.466546	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	80000	14.466546	20	PASS
	Ant1	5610	NV	-30	-80000	-14.26025	20	PASS
			NV	-20	-80000	-14.26025	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.26025	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.26025	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-14.26025	20	PASS
	Ant2	5610	NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.26025	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.26025	20	PASS
			NV	40	-80000	-14.26025	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5610	NV	-30	-80000	-14.26025	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	0	0	20	PASS

	Ant1	5775	NV	20	-80000	-14.26025	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	80000	14.26025	20	PASS
			NV	60	-80000	-14.26025	20	PASS
			NV	65	-80000	-14.26025	20	PASS
	Ant2	5775	NV	-30	-80000	-13.852814	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-13.852814	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-13.852814	20	PASS
			NV	20	-80000	-13.852814	20	PASS
			NV	30	-80000	-13.852814	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-13.852814	20	PASS
			NV	60	0	0	20	PASS
	Ant3	5775	NV	65	-80000	-13.852814	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	80000	13.852814	20	PASS
			NV	10	-80000	-13.852814	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.852814	20	PASS
			NV	50	0	0	20	PASS
11AC160MIM O	Ant1	5250	NV	60	-80000	-13.852814	20	PASS
			NV	65	-80000	-13.852814	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS

			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-40000	-7.722008	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant2	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-40000	-7.722008	20	PASS
			NV	0	-20000	-3.861004	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-40000	-7.722008	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-40000	-7.722008	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant3	5180	NV	-30	-20000	-3.861004	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-20000	-3.861004	20	PASS
			NV	0	-40000	-7.722008	20	PASS
			NV	10	-40000	-7.722008	20	PASS
			NV	20	-40000	-7.722008	20	PASS
			NV	30	-20000	-3.861004	20	PASS
			NV	40	-20000	-3.861004	20	PASS

			NV	50	-40000	-7.722008	20	PASS
			NV	60	-60000	-11.583012	20	PASS
			NV	65	-60000	-11.583012	20	PASS
	Ant1	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-40000	-7.692308	20	PASS
			NV	-10	-40000	-7.692308	20	PASS
			NV	0	-40000	-7.692308	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-40000	-7.692308	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-40000	-7.692308	20	PASS
			NV	65	-40000	-7.692308	20	PASS
	Ant2	5200	NV	-30	-40000	-7.692308	20	PASS
			NV	-20	-40000	-7.692308	20	PASS
			NV	-10	-40000	-7.692308	20	PASS
			NV	0	-40000	-7.692308	20	PASS
			NV	10	-40000	-7.692308	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-60000	-11.538462	20	PASS
			NV	40	-40000	-7.692308	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-60000	-11.538462	20	PASS
			NV	65	-40000	-7.692308	20	PASS
	Ant3	5200	NV	-30	-60000	-11.538462	20	PASS
			NV	-20	-20000	-3.846154	20	PASS
			NV	-10	-20000	-3.846154	20	PASS
			NV	0	-20000	-3.846154	20	PASS
			NV	10	-60000	-11.538462	20	PASS
			NV	20	-40000	-7.692308	20	PASS
			NV	30	-60000	-11.538462	20	PASS
			NV	40	-20000	-3.846154	20	PASS
			NV	50	-40000	-7.692308	20	PASS
			NV	60	-40000	-7.692308	20	PASS
			NV	65	-60000	-11.538462	20	PASS
	Ant1	5240	NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-40000	-7.633588	20	PASS

			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant2	5240	NV	-30	-20000	-3.816794	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-40000	-7.633588	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-40000	-7.633588	20	PASS
			NV	60	-40000	-7.633588	20	PASS
			NV	65	-40000	-7.633588	20	PASS
	Ant3	5240	NV	-30	-40000	-7.633588	20	PASS
			NV	-20	-40000	-7.633588	20	PASS
			NV	-10	-20000	-3.816794	20	PASS
			NV	0	-40000	-7.633588	20	PASS
			NV	10	-40000	-7.633588	20	PASS
			NV	20	-40000	-7.633588	20	PASS
			NV	30	-40000	-7.633588	20	PASS
			NV	40	-40000	-7.633588	20	PASS
			NV	50	-40000	-7.633588	20	PASS
			NV	60	-60000	-11.450382	20	PASS
			NV	65	-60000	-11.450382	20	PASS
	Ant1	5260	NV	-30	-40000	-7.604563	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-40000	-7.604563	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-40000	-7.604563	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant2	5260	NV	-30	-20000	-3.802281	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-40000	-7.604563	20	PASS
			NV	10	-40000	-7.604563	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-20000	-3.802281	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-40000	-7.604563	20	PASS

	Ant3	5260	NV	65	-60000	-11.406844	20	PASS
			NV	-30	-20000	-3.802281	20	PASS
			NV	-20	-40000	-7.604563	20	PASS
			NV	-10	-40000	-7.604563	20	PASS
			NV	0	-60000	-11.406844	20	PASS
			NV	10	-60000	-11.406844	20	PASS
			NV	20	-40000	-7.604563	20	PASS
			NV	30	-40000	-7.604563	20	PASS
			NV	40	-60000	-11.406844	20	PASS
			NV	50	-40000	-7.604563	20	PASS
			NV	60	-40000	-7.604563	20	PASS
			NV	65	-40000	-7.604563	20	PASS
	Ant1	5280	NV	-30	-40000	-7.575758	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant2	5280	NV	-30	-40000	-7.575758	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-40000	-7.575758	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-40000	-7.575758	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS
	Ant3	5280	NV	-30	-20000	-3.787879	20	PASS
			NV	-20	-40000	-7.575758	20	PASS
			NV	-10	-40000	-7.575758	20	PASS
			NV	0	-40000	-7.575758	20	PASS
			NV	10	-60000	-11.363636	20	PASS
			NV	20	-40000	-7.575758	20	PASS
			NV	30	-40000	-7.575758	20	PASS
			NV	40	-40000	-7.575758	20	PASS
			NV	50	-60000	-11.363636	20	PASS
			NV	60	-40000	-7.575758	20	PASS
			NV	65	-40000	-7.575758	20	PASS

	Ant1	5320	NV	-30	-40000	-7.518797	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-40000	-7.518797	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-40000	-7.518797	20	PASS
			NV	40	-40000	-7.518797	20	PASS
			NV	50	-40000	-7.518797	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-40000	-7.518797	20	PASS
	Ant2	5320	NV	-30	-40000	-7.518797	20	PASS
			NV	-20	-40000	-7.518797	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-40000	-7.518797	20	PASS
			NV	10	-60000	-11.278195	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-40000	-7.518797	20	PASS
			NV	40	-60000	-11.278195	20	PASS
			NV	50	-40000	-7.518797	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-60000	-11.278195	20	PASS
	Ant3	5320	NV	-30	-40000	-7.518797	20	PASS
			NV	-20	-60000	-11.278195	20	PASS
			NV	-10	-40000	-7.518797	20	PASS
			NV	0	-60000	-11.278195	20	PASS
			NV	10	-60000	-11.278195	20	PASS
			NV	20	-40000	-7.518797	20	PASS
			NV	30	-60000	-11.278195	20	PASS
			NV	40	-40000	-7.518797	20	PASS
			NV	50	-40000	-7.518797	20	PASS
			NV	60	-40000	-7.518797	20	PASS
			NV	65	-60000	-11.278195	20	PASS
	Ant1	5500	NV	-30	-40000	-7.272727	20	PASS
			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-40000	-7.272727	20	PASS
			NV	10	-40000	-7.272727	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-40000	-7.272727	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-20000	-3.636364	20	PASS
			NV	65	-40000	-7.272727	20	PASS
	Ant2	5500	NV	-30	-40000	-7.272727	20	PASS

			NV	-20	-40000	-7.272727	20	PASS
			NV	-10	-40000	-7.272727	20	PASS
			NV	0	-40000	-7.272727	20	PASS
			NV	10	-60000	-10.909091	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-20000	-3.636364	20	PASS
			NV	40	-60000	-10.909091	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-40000	-7.272727	20	PASS
			NV	65	-40000	-7.272727	20	PASS
	Ant3	5500	NV	-30	-20000	-3.636364	20	PASS
			NV	-20	-20000	-3.636364	20	PASS
			NV	-10	-60000	-10.909091	20	PASS
			NV	0	-20000	-3.636364	20	PASS
			NV	10	-40000	-7.272727	20	PASS
			NV	20	-40000	-7.272727	20	PASS
			NV	30	-40000	-7.272727	20	PASS
			NV	40	-40000	-7.272727	20	PASS
			NV	50	-40000	-7.272727	20	PASS
			NV	60	-40000	-7.272727	20	PASS
			NV	65	-40000	-7.272727	20	PASS
	Ant1	5580	NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-40000	-7.168459	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-40000	-7.168459	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-40000	-7.168459	20	PASS
			NV	60	-40000	-7.168459	20	PASS
			NV	65	-40000	-7.168459	20	PASS
	Ant2	5580	NV	-30	-40000	-7.168459	20	PASS
			NV	-20	-40000	-7.168459	20	PASS
			NV	-10	-40000	-7.168459	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-60000	-10.752688	20	PASS
			NV	20	-40000	-7.168459	20	PASS
			NV	30	-40000	-7.168459	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-40000	-7.168459	20	PASS
			NV	60	-40000	-7.168459	20	PASS
			NV	65	-40000	-7.168459	20	PASS
	Ant3	5580	NV	-30	-20000	-3.584229	20	PASS
			NV	-20	-20000	-3.584229	20	PASS

			NV	-10	-60000	-10.752688	20	PASS
			NV	0	-40000	-7.168459	20	PASS
			NV	10	-20000	-3.584229	20	PASS
			NV	20	-60000	-10.752688	20	PASS
			NV	30	-20000	-3.584229	20	PASS
			NV	40	-40000	-7.168459	20	PASS
			NV	50	-40000	-7.168459	20	PASS
			NV	60	-60000	-10.752688	20	PASS
			NV	65	-40000	-7.168459	20	PASS
	Ant1	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-40000	-7.017544	20	PASS
			NV	10	-40000	-7.017544	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-40000	-7.017544	20	PASS
			NV	40	-40000	-7.017544	20	PASS
			NV	50	-40000	-7.017544	20	PASS
	Ant2	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-40000	-7.017544	20	PASS
			NV	10	-40000	-7.017544	20	PASS
			NV	20	-40000	-7.017544	20	PASS
			NV	30	-60000	-10.526316	20	PASS
			NV	40	-60000	-10.526316	20	PASS
			NV	50	-40000	-7.017544	20	PASS
	Ant3	5700	NV	-30	-40000	-7.017544	20	PASS
			NV	-20	-40000	-7.017544	20	PASS
			NV	-10	-40000	-7.017544	20	PASS
			NV	0	-40000	-7.017544	20	PASS
			NV	10	-40000	-7.017544	20	PASS
			NV	20	-20000	-3.508772	20	PASS
			NV	30	-60000	-10.526316	20	PASS
			NV	40	-60000	-10.526316	20	PASS
			NV	50	-40000	-7.017544	20	PASS
	Ant1	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-40000	-6.962576	20	PASS

			NV	0	-40000	-6.962576	20	PASS
			NV	10	-40000	-6.962576	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-40000	-6.962576	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-40000	-6.962576	20	PASS
			NV	60	-40000	-6.962576	20	PASS
			NV	65	-40000	-6.962576	20	PASS
	Ant2	5745	NV	-30	-60000	-10.443864	20	PASS
			NV	-20	-40000	-6.962576	20	PASS
			NV	-10	-40000	-6.962576	20	PASS
			NV	0	-60000	-10.443864	20	PASS
			NV	10	-20000	-3.481288	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-60000	-10.443864	20	PASS
			NV	60	-60000	-10.443864	20	PASS
			NV	65	-40000	-6.962576	20	PASS
	Ant3	5745	NV	-30	-40000	-6.962576	20	PASS
			NV	-20	-60000	-10.443864	20	PASS
			NV	-10	-40000	-6.962576	20	PASS
			NV	0	-40000	-6.962576	20	PASS
			NV	10	-40000	-6.962576	20	PASS
			NV	20	-40000	-6.962576	20	PASS
			NV	30	-60000	-10.443864	20	PASS
			NV	40	-40000	-6.962576	20	PASS
			NV	50	-60000	-10.443864	20	PASS
			NV	60	-60000	-10.443864	20	PASS
			NV	65	-60000	-10.443864	20	PASS
	Ant1	5785	NV	-30	20000	3.457217	20	PASS
			NV	-20	20000	3.457217	20	PASS
			NV	-10	20000	3.457217	20	PASS
			NV	0	0	0	20	PASS
			NV	10	20000	3.457217	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5785	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-20000	-3.457217	20	PASS
			NV	50	-20000	-3.457217	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-20000	-3.457217	20	PASS
	Ant3	5785	NV	-30	0	0	20	PASS
			NV	-20	-40000	-6.914434	20	PASS
			NV	-10	-40000	-6.914434	20	PASS
			NV	0	-40000	-6.914434	20	PASS
			NV	10	-20000	-3.457217	20	PASS
			NV	20	-60000	-10.371651	20	PASS
			NV	30	-20000	-3.457217	20	PASS
			NV	40	-20000	-3.457217	20	PASS
			NV	50	-40000	-6.914434	20	PASS
			NV	60	-40000	-6.914434	20	PASS
			NV	65	-20000	-3.457217	20	PASS
	Ant1	5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-20000	-3.433476	20	PASS
			NV	10	-20000	-3.433476	20	PASS
			NV	20	-20000	-3.433476	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-20000	-3.433476	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-20000	-3.433476	20	PASS
	Ant2	5825	NV	-30	-40000	-6.866953	20	PASS
			NV	-20	-20000	-3.433476	20	PASS
			NV	-10	-20000	-3.433476	20	PASS
			NV	0	-40000	-6.866953	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-40000	-6.866953	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-40000	-6.866953	20	PASS
	Ant3	5825	NV	-30	-20000	-3.433476	20	PASS
			NV	-20	-40000	-6.866953	20	PASS
			NV	-10	-40000	-6.866953	20	PASS
			NV	0	-20000	-3.433476	20	PASS
			NV	10	-40000	-6.866953	20	PASS

11AX40MIMO			NV	20	-40000	-6.866953	20	PASS
			NV	30	-40000	-6.866953	20	PASS
			NV	40	-20000	-3.433476	20	PASS
			NV	50	-40000	-6.866953	20	PASS
			NV	60	-20000	-3.433476	20	PASS
			NV	65	-40000	-6.866953	20	PASS
	Ant1	5190	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.707129	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	-80000	-15.414258	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	-80000	-15.414258	20	PASS
			NV	65	-40000	-7.707129	20	PASS
	Ant2	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	-40000	-7.707129	20	PASS
			NV	-10	-80000	-15.414258	20	PASS
			NV	0	-40000	-7.707129	20	PASS
			NV	10	-40000	-7.707129	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	-40000	-7.707129	20	PASS
	Ant3	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	-80000	-15.414258	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	-80000	-15.414258	20	PASS
	Ant1	5230	NV	65	-40000	-7.707129	20	PASS
			NV	-30	-40000	-7.648184	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	-80000	-15.296367	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.648184	20	PASS

			NV	30	-40000	-7.648184	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant2	5230	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	-80000	-15.296367	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	-40000	-7.648184	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant3	5230	NV	-30	-40000	-7.648184	20	PASS
			NV	-20	-40000	-7.648184	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.296367	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.648184	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant1	5270	NV	-30	-40000	-7.590133	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	-80000	-15.180266	20	PASS
			NV	10	-80000	-15.180266	20	PASS
			NV	20	-80000	-15.180266	20	PASS
			NV	30	-40000	-7.590133	20	PASS
			NV	40	-80000	-15.180266	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	-80000	-15.180266	20	PASS
			NV	65	-40000	-7.590133	20	PASS
	Ant2	5270	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	-40000	-7.590133	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-15.180266	20	PASS
			NV	30	0	0	20	PASS

			NV	40	-40000	-7.590133	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.590133	20	PASS
	Ant3	5270	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.590133	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	-80000	-15.180266	20	PASS
			NV	10	-80000	-15.180266	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.590133	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.590133	20	PASS
	Ant1	5310	NV	-30	-80000	-15.065913	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	-40000	-7.532957	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	-80000	-15.065913	20	PASS
			NV	20	80000	15.065913	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.532957	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5310	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-15.065913	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.532957	20	PASS
			NV	60	-40000	-7.532957	20	PASS
			NV	65	-40000	-7.532957	20	PASS
	Ant3	5310	NV	-30	0	0	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	-40000	-7.532957	20	PASS
			NV	0	-40000	-7.532957	20	PASS
			NV	10	-40000	-7.532957	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.532957	20	PASS
			NV	40	-40000	-7.532957	20	PASS

			NV	50	-40000	-7.532957	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.065913	20	PASS
	Ant1	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	-80000	-14.519056	20	PASS
			NV	20	-80000	-14.519056	20	PASS
			NV	30	-80000	-14.519056	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.259528	20	PASS
	Ant2	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-80000	-14.519056	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	-80000	-14.519056	20	PASS
			NV	10	-80000	-14.519056	20	PASS
			NV	20	-40000	-7.259528	20	PASS
			NV	30	-40000	-7.259528	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-7.259528	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5510	NV	-30	-40000	-7.259528	20	PASS
			NV	-20	-40000	-7.259528	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.259528	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	7.259528	20	PASS
			NV	40	-40000	-7.259528	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	-80000	-14.519056	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5550	NV	-30	-80000	-14.414414	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-80000	-14.414414	20	PASS
			NV	20	-80000	-14.414414	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-80000	-14.414414	20	PASS

	Ant2	5550	NV	60	40000	7.207207	20	PASS
			NV	65	-40000	-7.207207	20	PASS
			NV	-30	-40000	-7.207207	20	PASS
			NV	-20	-40000	-7.207207	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-40000	-7.207207	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-40000	-7.207207	20	PASS
			NV	60	-80000	-14.414414	20	PASS
			NV	65	-40000	-7.207207	20	PASS
	Ant3	5550	NV	-30	-40000	-7.207207	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.207207	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-80000	-14.414414	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	-80000	-14.414414	20	PASS
	Ant1	5670	NV	-30	-40000	-7.054674	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	-80000	-14.109347	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.109347	20	PASS
			NV	30	-80000	-14.109347	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-80000	-14.109347	20	PASS
			NV	60	-40000	-7.054674	20	PASS
	Ant2	5670	NV	65	-40000	-7.054674	20	PASS
			NV	-30	-40000	-7.054674	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	40000	7.054674	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-40000	-7.054674	20	PASS
			NV	60	80000	14.109347	20	PASS

	Ant3	5670	NV	65	-40000	-7.054674	20	PASS
			NV	-30	-80000	-14.109347	20	PASS
			NV	-20	-40000	-7.054674	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-7.054674	20	PASS
			NV	10	-40000	-7.054674	20	PASS
			NV	20	-40000	-7.054674	20	PASS
			NV	30	-40000	-7.054674	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	-40000	-7.054674	20	PASS
			NV	60	-40000	-7.054674	20	PASS
			NV	65	-40000	-7.054674	20	PASS
	Ant1	5755	NV	-30	0	0	20	PASS
			NV	-20	-80000	-13.900956	20	PASS
			NV	-10	-80000	-13.900956	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-80000	-13.900956	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-13.900956	20	PASS
			NV	65	-40000	-6.950478	20	PASS
	Ant2	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-40000	-6.950478	20	PASS
			NV	10	-40000	-6.950478	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-40000	-6.950478	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	-40000	-6.950478	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-6.950478	20	PASS
	Ant3	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-80000	-13.900956	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.950478	20	PASS
			NV	30	-80000	-13.900956	20	PASS
			NV	40	-40000	-6.950478	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-6.950478	20	PASS
			NV	65	-40000	-6.950478	20	PASS

	Ant1	5795	NV	-30	0	0	20	PASS
			NV	-20	40000	6.902502	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-6.902502	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-6.902502	20	PASS
			NV	50	40000	6.902502	20	PASS
			NV	60	0	0	20	PASS
	Ant2	5795	NV	65	40000	6.902502	20	PASS
			NV	-30	-40000	-6.902502	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	6.902502	20	PASS
			NV	0	-80000	-13.805004	20	PASS
			NV	10	40000	6.902502	20	PASS
			NV	20	0	0	20	PASS
			NV	30	40000	6.902502	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-40000	-6.902502	20	PASS
	Ant3	5795	NV	65	-40000	-6.902502	20	PASS
			NV	-30	40000	6.902502	20	PASS
			NV	-20	40000	6.902502	20	PASS
			NV	-10	40000	6.902502	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-6.902502	20	PASS
			NV	30	-40000	-6.902502	20	PASS
			NV	40	40000	6.902502	20	PASS
			NV	50	0	0	20	PASS
11AX80MIMO	Ant1	5210	NV	60	-40000	-6.902502	20	PASS
			NV	65	-40000	-6.902502	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	80000	15.355086	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.355086	20	PASS
	Ant2	5210	NV	50	-80000	-15.355086	20	PASS
			NV	60	-80000	-15.355086	20	PASS

			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.355086	20	PASS
			NV	0	80000	15.355086	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	80000	15.355086	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5210	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.355086	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.355086	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5290	NV	-30	-80000	-15.122873	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.122873	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	80000	15.122873	20	PASS
			NV	40	-80000	-15.122873	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant2	5290	NV	-30	80000	15.122873	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.122873	20	PASS
			NV	10	-80000	-15.122873	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.122873	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant3	5290	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS

			NV	-10	-80000	-15.122873	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.122873	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.122873	20	PASS
			NV	40	-80000	-15.122873	20	PASS
			NV	50	-80000	-15.122873	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant1	5530	NV	-30	-80000	-14.466546	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	80000	14.466546	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
	Ant2	5530	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.466546	20	PASS
	Ant3	5530	NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	-80000	-14.466546	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	80000	14.466546	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	0	0	20	PASS
	Ant1	5610	NV	40	-80000	-14.466546	20	PASS
			NV	50	80000	14.466546	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	-80000	-14.26025	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS

			NV	0	0	0	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.26025	20	PASS
			NV	40	-80000	-14.26025	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-14.26025	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5610	NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.26025	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.26025	20	PASS
			NV	40	-80000	-14.26025	20	PASS
			NV	50	-80000	-14.26025	20	PASS
			NV	60	-80000	-14.26025	20	PASS
			NV	65	-80000	-14.26025	20	PASS
	Ant3	5610	NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.26025	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.26025	20	PASS
			NV	60	-80000	-14.26025	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5775	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-13.852814	20	PASS
			NV	0	-80000	-13.852814	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.852814	20	PASS
			NV	50	-80000	-13.852814	20	PASS
			NV	60	-80000	-13.852814	20	PASS
			NV	65	-80000	-13.852814	20	PASS
	Ant2	5775	NV	-30	-80000	-13.852814	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

11AX160MIM O	Ant3	5775	NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-13.852814	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-13.852814	20	PASS
			NV	60	-80000	-13.852814	20	PASS
			NV	65	80000	13.852814	20	PASS
	Ant1	5250	NV	-30	-80000	-13.852814	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-13.852814	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-13.852814	20	PASS
	Ant2	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS

	Ant1	5570	NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant3	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
1BE20MIMO	Ant1	5180	NV	-30	-40000	-7.722008	20	PASS
			NV	-20	-60000	-11.583012	20	PASS
			NV	-10	-60000	-11.583012	20	PASS
			NV	0	-60000	-11.583012	20	PASS
			NV	10	-80000	-15.444015	20	PASS
			NV	20	-60000	-11.583012	20	PASS

			NV	30	-60000	-11.583012	20	PASS
			NV	40	-40000	-7.722008	20	PASS
			NV	50	-60000	-11.583012	20	PASS
			NV	60	-60000	-11.583012	20	PASS
			NV	65	-40000	-7.722008	20	PASS
	Ant2	5180	NV	-30	-80000	-15.444015	20	PASS
			NV	-20	-60000	-11.583012	20	PASS
			NV	-10	-80000	-15.444015	20	PASS
			NV	0	-80000	-15.444015	20	PASS
			NV	10	-80000	-15.444015	20	PASS
			NV	20	-80000	-15.444015	20	PASS
			NV	30	-60000	-11.583012	20	PASS
			NV	40	-80000	-15.444015	20	PASS
			NV	50	-40000	-7.722008	20	PASS
			NV	60	-60000	-11.583012	20	PASS
			NV	65	-80000	-15.444015	20	PASS
	Ant3	5180	NV	-30	-80000	-15.444015	20	PASS
			NV	-20	-40000	-7.722008	20	PASS
			NV	-10	-80000	-15.444015	20	PASS
			NV	0	-80000	-15.444015	20	PASS
			NV	10	-60000	-11.583012	20	PASS
			NV	20	-80000	-15.444015	20	PASS
			NV	30	-80000	-15.444015	20	PASS
			NV	40	-80000	-15.444015	20	PASS
			NV	50	-60000	-11.583012	20	PASS
			NV	60	-80000	-15.444015	20	PASS
			NV	65	-80000	-15.444015	20	PASS
	Ant1	5200	NV	-30	-80000	-15.384615	20	PASS
			NV	-20	-80000	-15.384615	20	PASS
			NV	-10	-80000	-15.384615	20	PASS
			NV	0	-80000	-15.384615	20	PASS
			NV	10	-80000	-15.384615	20	PASS
			NV	20	-80000	-15.384615	20	PASS
			NV	30	-80000	-15.384615	20	PASS
			NV	40	-80000	-15.384615	20	PASS
			NV	50	-80000	-15.384615	20	PASS
			NV	60	-80000	-15.384615	20	PASS
			NV	65	-80000	-15.384615	20	PASS
	Ant2	5200	NV	-30	-80000	-15.384615	20	PASS
			NV	-20	-80000	-15.384615	20	PASS
			NV	-10	-80000	-15.384615	20	PASS
			NV	0	-80000	-15.384615	20	PASS
			NV	10	-80000	-15.384615	20	PASS
			NV	20	-80000	-15.384615	20	PASS
			NV	30	-80000	-15.384615	20	PASS

			NV	40	-80000	-15.384615	20	PASS
			NV	50	-80000	-15.384615	20	PASS
			NV	60	-80000	-15.384615	20	PASS
			NV	65	-80000	-15.384615	20	PASS
	Ant3	5200	NV	-30	-80000	-15.384615	20	PASS
			NV	-20	-80000	-15.384615	20	PASS
			NV	-10	-80000	-15.384615	20	PASS
			NV	0	-80000	-15.384615	20	PASS
			NV	10	-80000	-15.384615	20	PASS
			NV	20	-80000	-15.384615	20	PASS
			NV	30	-80000	-15.384615	20	PASS
			NV	40	-80000	-15.384615	20	PASS
			NV	50	-80000	-15.384615	20	PASS
			NV	60	-80000	-15.384615	20	PASS
			NV	65	-80000	-15.384615	20	PASS
	Ant1	5240	NV	-30	-80000	-15.267176	20	PASS
			NV	-20	-80000	-15.267176	20	PASS
			NV	-10	-80000	-15.267176	20	PASS
			NV	0	-80000	-15.267176	20	PASS
			NV	10	-80000	-15.267176	20	PASS
			NV	20	-80000	-15.267176	20	PASS
			NV	30	-80000	-15.267176	20	PASS
			NV	40	-80000	-15.267176	20	PASS
			NV	50	-80000	-15.267176	20	PASS
			NV	60	-80000	-15.267176	20	PASS
			NV	65	-80000	-15.267176	20	PASS
	Ant2	5240	NV	-30	-80000	-15.267176	20	PASS
			NV	-20	-80000	-15.267176	20	PASS
			NV	-10	-80000	-15.267176	20	PASS
			NV	0	-80000	-15.267176	20	PASS
			NV	10	-80000	-15.267176	20	PASS
			NV	20	-80000	-15.267176	20	PASS
			NV	30	-80000	-15.267176	20	PASS
			NV	40	-80000	-15.267176	20	PASS
			NV	50	-80000	-15.267176	20	PASS
			NV	60	-80000	-15.267176	20	PASS
			NV	65	-80000	-15.267176	20	PASS
	Ant3	5240	NV	-30	-80000	-15.267176	20	PASS
			NV	-20	-80000	-15.267176	20	PASS
			NV	-10	-80000	-15.267176	20	PASS
			NV	0	-100000	-19.083969	20	PASS
			NV	10	-80000	-15.267176	20	PASS
			NV	20	-100000	-19.083969	20	PASS
			NV	30	-80000	-15.267176	20	PASS
			NV	40	-80000	-15.267176	20	PASS

			NV	50	-80000	-15.267176	20	PASS
			NV	60	-80000	-15.267176	20	PASS
			NV	65	-100000	-19.083969	20	PASS
	Ant1	5260	NV	-30	-80000	-15.209125	20	PASS
			NV	-20	-80000	-15.209125	20	PASS
			NV	-10	-80000	-15.209125	20	PASS
			NV	0	-80000	-15.209125	20	PASS
			NV	10	-80000	-15.209125	20	PASS
			NV	20	-80000	-15.209125	20	PASS
			NV	30	-80000	-15.209125	20	PASS
			NV	40	-80000	-15.209125	20	PASS
			NV	50	-80000	-15.209125	20	PASS
			NV	60	-80000	-15.209125	20	PASS
			NV	65	-80000	-15.209125	20	PASS
	Ant2	5260	NV	-30	-80000	-15.209125	20	PASS
			NV	-20	-80000	-15.209125	20	PASS
			NV	-10	-80000	-15.209125	20	PASS
			NV	0	-80000	-15.209125	20	PASS
			NV	10	-100000	-19.011407	20	PASS
			NV	20	-80000	-15.209125	20	PASS
			NV	30	-80000	-15.209125	20	PASS
			NV	40	-80000	-15.209125	20	PASS
			NV	50	-80000	-15.209125	20	PASS
			NV	60	-80000	-15.209125	20	PASS
			NV	65	-80000	-15.209125	20	PASS
	Ant3	5260	NV	-30	-80000	-15.209125	20	PASS
			NV	-20	-80000	-15.209125	20	PASS
			NV	-10	-80000	-15.209125	20	PASS
			NV	0	-80000	-15.209125	20	PASS
			NV	10	-80000	-15.209125	20	PASS
			NV	20	-80000	-15.209125	20	PASS
			NV	30	-80000	-15.209125	20	PASS
			NV	40	-80000	-15.209125	20	PASS
			NV	50	-80000	-15.209125	20	PASS
			NV	60	-80000	-15.209125	20	PASS
			NV	65	-80000	-15.209125	20	PASS
	Ant1	5280	NV	-30	-80000	-15.151515	20	PASS
			NV	-20	-80000	-15.151515	20	PASS
			NV	-10	-80000	-15.151515	20	PASS
			NV	0	-80000	-15.151515	20	PASS
			NV	10	-100000	-18.939394	20	PASS
			NV	20	-80000	-15.151515	20	PASS
			NV	30	-80000	-15.151515	20	PASS
			NV	40	-80000	-15.151515	20	PASS
			NV	50	-80000	-15.151515	20	PASS

	Ant2	5280	NV	60	-80000	-15.151515	20	PASS
			NV	65	-80000	-15.151515	20	PASS
			NV	-30	-80000	-15.151515	20	PASS
			NV	-20	-80000	-15.151515	20	PASS
			NV	-10	-80000	-15.151515	20	PASS
			NV	0	-80000	-15.151515	20	PASS
			NV	10	-80000	-15.151515	20	PASS
			NV	20	-80000	-15.151515	20	PASS
			NV	30	-80000	-15.151515	20	PASS
			NV	40	-80000	-15.151515	20	PASS
			NV	50	-80000	-15.151515	20	PASS
			NV	60	-80000	-15.151515	20	PASS
			NV	65	-80000	-15.151515	20	PASS
	Ant3	5280	NV	-30	-80000	-15.151515	20	PASS
			NV	-20	-80000	-15.151515	20	PASS
			NV	-10	-80000	-15.151515	20	PASS
			NV	0	-80000	-15.151515	20	PASS
			NV	10	-80000	-15.151515	20	PASS
			NV	20	-80000	-15.151515	20	PASS
			NV	30	-80000	-15.151515	20	PASS
			NV	40	-80000	-15.151515	20	PASS
			NV	50	-100000	-18.939394	20	PASS
			NV	60	-80000	-15.151515	20	PASS
			NV	65	-80000	-15.151515	20	PASS
	Ant1	5320	NV	-30	-80000	-15.037594	20	PASS
			NV	-20	-80000	-15.037594	20	PASS
			NV	-10	-80000	-15.037594	20	PASS
			NV	0	-80000	-15.037594	20	PASS
			NV	10	-100000	-18.796992	20	PASS
			NV	20	-80000	-15.037594	20	PASS
			NV	30	-80000	-15.037594	20	PASS
			NV	40	-80000	-15.037594	20	PASS
			NV	50	-80000	-15.037594	20	PASS
			NV	60	-80000	-15.037594	20	PASS
			NV	65	-80000	-15.037594	20	PASS
	Ant2	5320	NV	-30	-80000	-15.037594	20	PASS
			NV	-20	-80000	-15.037594	20	PASS
			NV	-10	-80000	-15.037594	20	PASS
			NV	0	-100000	-18.796992	20	PASS
			NV	10	-100000	-18.796992	20	PASS
			NV	20	-100000	-18.796992	20	PASS
			NV	30	-80000	-15.037594	20	PASS
			NV	40	-80000	-15.037594	20	PASS
			NV	50	-80000	-15.037594	20	PASS
			NV	60	-80000	-15.037594	20	PASS

	Ant3	5320	NV	65	-80000	-15.037594	20	PASS
			NV	-30	-80000	-15.037594	20	PASS
			NV	-20	-80000	-15.037594	20	PASS
			NV	-10	-80000	-15.037594	20	PASS
			NV	0	-80000	-15.037594	20	PASS
			NV	10	-100000	-18.796992	20	PASS
			NV	20	-80000	-15.037594	20	PASS
			NV	30	-80000	-15.037594	20	PASS
			NV	40	-100000	-18.796992	20	PASS
			NV	50	-100000	-18.796992	20	PASS
			NV	60	-80000	-15.037594	20	PASS
			NV	65	-100000	-18.796992	20	PASS
	Ant1	5500	NV	-30	-80000	-14.545455	20	PASS
			NV	-20	-80000	-14.545455	20	PASS
			NV	-10	-100000	-18.181818	20	PASS
			NV	0	-100000	-18.181818	20	PASS
			NV	10	-80000	-14.545455	20	PASS
			NV	20	-100000	-18.181818	20	PASS
			NV	30	-100000	-18.181818	20	PASS
			NV	40	-100000	-18.181818	20	PASS
			NV	50	-100000	-18.181818	20	PASS
			NV	60	-80000	-14.545455	20	PASS
			NV	65	-80000	-14.545455	20	PASS
	Ant2	5500	NV	-30	-80000	-14.545455	20	PASS
			NV	-20	-80000	-14.545455	20	PASS
			NV	-10	-100000	-18.181818	20	PASS
			NV	0	-100000	-18.181818	20	PASS
			NV	10	-100000	-18.181818	20	PASS
			NV	20	-100000	-18.181818	20	PASS
			NV	30	-100000	-18.181818	20	PASS
			NV	40	-80000	-14.545455	20	PASS
			NV	50	-100000	-18.181818	20	PASS
			NV	60	-80000	-14.545455	20	PASS
			NV	65	-80000	-14.545455	20	PASS
	Ant3	5500	NV	-30	-80000	-14.545455	20	PASS
			NV	-20	-100000	-18.181818	20	PASS
			NV	-10	-100000	-18.181818	20	PASS
			NV	0	-100000	-18.181818	20	PASS
			NV	10	-80000	-14.545455	20	PASS
			NV	20	-80000	-14.545455	20	PASS
			NV	30	-100000	-18.181818	20	PASS
			NV	40	-80000	-14.545455	20	PASS
			NV	50	-100000	-18.181818	20	PASS
			NV	60	-80000	-14.545455	20	PASS
			NV	65	-80000	-14.545455	20	PASS

	Ant1	5580	NV	-30	-80000	-14.336918	20	PASS
			NV	-20	-100000	-17.921147	20	PASS
			NV	-10	-100000	-17.921147	20	PASS
			NV	0	-80000	-14.336918	20	PASS
			NV	10	-100000	-17.921147	20	PASS
			NV	20	-100000	-17.921147	20	PASS
			NV	30	-100000	-17.921147	20	PASS
			NV	40	-100000	-17.921147	20	PASS
			NV	50	-80000	-14.336918	20	PASS
			NV	60	-80000	-14.336918	20	PASS
			NV	65	-80000	-14.336918	20	PASS
	Ant2	5580	NV	-30	-100000	-17.921147	20	PASS
			NV	-20	-100000	-17.921147	20	PASS
			NV	-10	-80000	-14.336918	20	PASS
			NV	0	-80000	-14.336918	20	PASS
			NV	10	-100000	-17.921147	20	PASS
			NV	20	-100000	-17.921147	20	PASS
			NV	30	-100000	-17.921147	20	PASS
			NV	40	-100000	-17.921147	20	PASS
			NV	50	-80000	-14.336918	20	PASS
			NV	60	-100000	-17.921147	20	PASS
			NV	65	-80000	-14.336918	20	PASS
	Ant3	5580	NV	-30	-100000	-17.921147	20	PASS
			NV	-20	-80000	-14.336918	20	PASS
			NV	-10	-80000	-14.336918	20	PASS
			NV	0	-80000	-14.336918	20	PASS
			NV	10	-100000	-17.921147	20	PASS
			NV	20	-100000	-17.921147	20	PASS
			NV	30	-100000	-17.921147	20	PASS
			NV	40	-100000	-17.921147	20	PASS
			NV	50	-100000	-17.921147	20	PASS
			NV	60	-100000	-17.921147	20	PASS
			NV	65	-100000	-17.921147	20	PASS
	Ant1	5700	NV	-30	-100000	-17.54386	20	PASS
			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-80000	-14.035088	20	PASS
			NV	0	-80000	-14.336918	20	PASS
			NV	10	-100000	-17.54386	20	PASS
			NV	20	-100000	-17.54386	20	PASS
			NV	30	-100000	-17.54386	20	PASS
			NV	40	-100000	-17.54386	20	PASS
			NV	50	-100000	-17.54386	20	PASS
			NV	60	-80000	-14.035088	20	PASS
			NV	65	-100000	-17.54386	20	PASS
	Ant2	5700	NV	-30	-100000	-17.54386	20	PASS

			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-80000	-14.035088	20	PASS
			NV	0	-80000	-14.035088	20	PASS
			NV	10	-100000	-17.54386	20	PASS
			NV	20	-100000	-17.54386	20	PASS
			NV	30	-100000	-17.54386	20	PASS
			NV	40	-100000	-17.54386	20	PASS
			NV	50	-100000	-17.54386	20	PASS
			NV	60	-80000	-14.035088	20	PASS
			NV	65	-100000	-17.54386	20	PASS
	Ant3	5700	NV	-30	-100000	-17.54386	20	PASS
			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-100000	-17.54386	20	PASS
			NV	0	-100000	-17.54386	20	PASS
			NV	10	-100000	-17.54386	20	PASS
			NV	20	-100000	-17.54386	20	PASS
			NV	30	-100000	-17.54386	20	PASS
			NV	40	-100000	-17.54386	20	PASS
			NV	50	-100000	-17.54386	20	PASS
			NV	60	-80000	-14.035088	20	PASS
			NV	65	-100000	-17.54386	20	PASS
	Ant1	5745	NV	-30	-100000	-17.40644	20	PASS
			NV	-20	-80000	-13.925152	20	PASS
			NV	-10	-100000	-17.40644	20	PASS
			NV	0	-100000	-17.54386	20	PASS
			NV	10	-100000	-17.40644	20	PASS
			NV	20	-100000	-17.40644	20	PASS
			NV	30	-100000	-17.40644	20	PASS
			NV	40	-100000	-17.40644	20	PASS
			NV	50	-80000	-13.925152	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-13.925152	20	PASS
	Ant2	5745	NV	-30	-100000	-17.54386	20	PASS
			NV	-20	-100000	-17.40644	20	PASS
			NV	-10	-100000	-17.40644	20	PASS
			NV	0	-100000	-17.40644	20	PASS
			NV	10	-80000	-13.925152	20	PASS
			NV	20	-80000	-13.925152	20	PASS
			NV	30	-100000	-17.40644	20	PASS
			NV	40	-80000	-13.925152	20	PASS
			NV	50	-100000	-17.40644	20	PASS
			NV	60	-100000	-17.40644	20	PASS
			NV	65	-100000	-17.40644	20	PASS
	Ant3	5745	NV	-30	-100000	-17.54386	20	PASS
			NV	-20	-100000	-17.40644	20	PASS

			NV	-10	-100000	-17.40644	20	PASS
			NV	0	-100000	-17.40644	20	PASS
			NV	10	-80000	-13.925152	20	PASS
			NV	20	-100000	-17.54386	20	PASS
			NV	30	-100000	-17.54386	20	PASS
			NV	40	-80000	-13.925152	20	PASS
			NV	50	-100000	-17.54386	20	PASS
			NV	60	-80000	-13.925152	20	PASS
			NV	65	-100000	-17.40644	20	PASS
	Ant1	5785	NV	-30	-100000	-17.286085	20	PASS
			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-100000	-17.54386	20	PASS
			NV	0	-100000	-17.54386	20	PASS
			NV	10	-100000	-17.286085	20	PASS
			NV	20	-100000	-17.286085	20	PASS
			NV	30	-80000	-13.828868	20	PASS
			NV	40	-100000	-17.286085	20	PASS
			NV	50	-80000	-13.828868	20	PASS
			NV	60	-80000	-13.828868	20	PASS
			NV	65	-80000	-13.828868	20	PASS
	Ant2	5785	NV	-30	-80000	-13.828868	20	PASS
			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-100000	-17.286085	20	PASS
			NV	0	-100000	-17.54386	20	PASS
			NV	10	-100000	-17.286085	20	PASS
			NV	20	-100000	-17.286085	20	PASS
			NV	30	-100000	-17.286085	20	PASS
			NV	40	-100000	-17.286085	20	PASS
			NV	50	-100000	-17.54386	20	PASS
			NV	60	-60000	-10.371651	20	PASS
			NV	65	-100000	-17.286085	20	PASS
	Ant3	5785	NV	-30	-100000	-17.286085	20	PASS
			NV	-20	-100000	-17.54386	20	PASS
			NV	-10	-100000	-17.54386	20	PASS
			NV	0	-100000	-17.54386	20	PASS
			NV	10	-100000	-17.286085	20	PASS
			NV	20	-80000	-13.828868	20	PASS
			NV	30	-100000	-17.54386	20	PASS
			NV	40	-100000	-17.286085	20	PASS
			NV	50	-80000	-13.828868	20	PASS
			NV	60	-100000	-17.286085	20	PASS
			NV	65	-80000	-13.828868	20	PASS
	Ant1	5825	NV	-30	-100000	-17.167382	20	PASS
			NV	-20	-100000	-17.167382	20	PASS
			NV	-10	-100000	-17.54386	20	PASS

11BE40MIMO			NV	0	-100000	-17.167382	20	PASS
			NV	10	-100000	-17.167382	20	PASS
			NV	20	-100000	-17.167382	20	PASS
			NV	30	-80000	-13.733906	20	PASS
			NV	40	-100000	-17.167382	20	PASS
			NV	50	-80000	-13.733906	20	PASS
			NV	60	-80000	-13.733906	20	PASS
			NV	65	-80000	-13.733906	20	PASS
	Ant2	5825	NV	-30	-100000	-17.167382	20	PASS
			NV	-20	-100000	-17.167382	20	PASS
			NV	-10	-100000	-17.167382	20	PASS
			NV	0	-100000	-17.167382	20	PASS
			NV	10	-100000	-17.167382	20	PASS
			NV	20	-100000	-17.167382	20	PASS
			NV	30	-100000	-17.167382	20	PASS
			NV	40	-100000	-17.167382	20	PASS
			NV	50	-100000	-17.167382	20	PASS
			NV	60	-80000	-13.733906	20	PASS
			NV	65	-80000	-13.733906	20	PASS
	Ant3	5825	NV	-30	-100000	-17.167382	20	PASS
			NV	-20	-100000	-17.167382	20	PASS
			NV	-10	-80000	-13.733906	20	PASS
			NV	0	-80000	-13.733906	20	PASS
			NV	10	-100000	-17.167382	20	PASS
			NV	20	-100000	-17.167382	20	PASS
			NV	30	-100000	-17.167382	20	PASS
			NV	40	-100000	-17.167382	20	PASS
			NV	50	-100000	-17.167382	20	PASS
			NV	60	-100000	-17.167382	20	PASS
			NV	65	-80000	-13.733906	20	PASS
	Ant1	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	-80000	-15.414258	20	PASS
			NV	-10	-80000	-15.414258	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.414258	20	PASS
			NV	20	-40000	-7.707129	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.707129	20	PASS
			NV	50	-40000	-7.707129	20	PASS
			NV	60	40000	7.707129	20	PASS
			NV	65	-80000	-15.414258	20	PASS
	Ant2	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.707129	20	PASS
			NV	0	0	0	20	PASS

			NV	10	-80000	-15.414258	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	-80000	-15.414258	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.414258	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5190	NV	-30	-40000	-7.707129	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-40000	-7.707129	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-40000	-7.707129	20	PASS
	Ant1	5230	NV	-30	0	0	20	PASS
			NV	-20	-80000	-15.296367	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.648184	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-40000	-7.648184	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.296367	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.296367	20	PASS
	Ant2	5230	NV	-30	-80000	-15.296367	20	PASS
			NV	-20	-80000	-15.296367	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	-40000	-7.648184	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-40000	-7.648184	20	PASS
			NV	30	-80000	-15.296367	20	PASS
			NV	40	-80000	-15.296367	20	PASS
			NV	50	-80000	-15.296367	20	PASS
			NV	60	-80000	-15.296367	20	PASS
			NV	65	-40000	-7.648184	20	PASS
	Ant3	5230	NV	-30	-80000	-15.296367	20	PASS
			NV	-20	-80000	-15.296367	20	PASS
			NV	-10	-40000	-7.648184	20	PASS
			NV	0	-80000	-15.296367	20	PASS
			NV	10	-40000	-7.648184	20	PASS

			NV	20	-80000	-15.296367	20	PASS
			NV	30	-80000	-15.296367	20	PASS
			NV	40	-40000	-7.648184	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.296367	20	PASS
			NV	65	-80000	-15.296367	20	PASS
	Ant1	5270	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.590133	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.180266	20	PASS
			NV	40	-80000	-15.180266	20	PASS
			NV	50	-80000	-15.180266	20	PASS
			NV	60	-80000	-15.180266	20	PASS
			NV	65	-40000	-7.590133	20	PASS
	Ant2	5270	NV	-30	-80000	-15.180266	20	PASS
			NV	-20	-80000	-15.180266	20	PASS
			NV	-10	-80000	-15.180266	20	PASS
			NV	0	-80000	-15.180266	20	PASS
			NV	10	-40000	-7.590133	20	PASS
			NV	20	-80000	-15.180266	20	PASS
			NV	30	-80000	-15.180266	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.180266	20	PASS
			NV	65	-80000	-15.180266	20	PASS
	Ant3	5270	NV	-30	0	0	20	PASS
			NV	-20	-80000	-15.180266	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.180266	20	PASS
			NV	10	-80000	-15.180266	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.180266	20	PASS
			NV	50	-40000	-7.590133	20	PASS
			NV	60	-80000	-15.180266	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5310	NV	-30	-80000	-15.065913	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	-80000	-15.065913	20	PASS
			NV	0	40000	7.532957	20	PASS
			NV	10	-80000	-15.065913	20	PASS
			NV	20	-40000	-7.532957	20	PASS

			NV	30	-80000	-15.065913	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.065913	20	PASS
	Ant2	5310	NV	-30	-80000	-15.065913	20	PASS
			NV	-20	-40000	-7.532957	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.065913	20	PASS
			NV	10	-80000	-15.065913	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	-80000	-15.065913	20	PASS
			NV	40	-80000	-15.065913	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.065913	20	PASS
	Ant3	5310	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.532957	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.532957	20	PASS
			NV	20	-40000	-7.532957	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.065913	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5510	NV	-30	0	0	20	PASS
			NV	-20	80000	14.519056	20	PASS
			NV	-10	-80000	-14.519056	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.519056	20	PASS
			NV	50	-80000	-14.519056	20	PASS
			NV	60	-80000	-14.519056	20	PASS
			NV	65	-80000	-14.519056	20	PASS
	Ant2	5510	NV	-30	-80000	-14.519056	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.519056	20	PASS
			NV	10	-40000	-7.259528	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.519056	20	PASS

			NV	40	0	0	20	PASS
			NV	50	-80000	-14.519056	20	PASS
			NV	60	-40000	-7.259528	20	PASS
			NV	65	-80000	-14.519056	20	PASS
	Ant3	5510	NV	-30	-80000	-14.519056	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-40000	-7.259528	20	PASS
			NV	0	-80000	-14.519056	20	PASS
			NV	10	-80000	-14.519056	20	PASS
			NV	20	-80000	-14.519056	20	PASS
			NV	30	-80000	-14.519056	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-40000	-7.259528	20	PASS
			NV	60	-80000	-14.519056	20	PASS
			NV	65	-40000	-7.259528	20	PASS
	Ant1	5550	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-14.414414	20	PASS
			NV	0	-40000	-7.207207	20	PASS
			NV	10	-80000	-14.414414	20	PASS
			NV	20	-80000	-14.414414	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	-40000	-7.207207	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5550	NV	-30	-80000	-14.414414	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-40000	-7.207207	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	-80000	-14.414414	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.414414	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-14.414414	20	PASS
	Ant3	5550	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-14.414414	20	PASS
			NV	20	-40000	-7.207207	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS

			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5670	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	40000	7.054674	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.109347	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.109347	20	PASS
			NV	50	40000	7.054674	20	PASS
			NV	60	-80000	-14.109347	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5670	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.109347	20	PASS
			NV	10	-80000	-14.109347	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-40000	-7.054674	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5670	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-14.109347	20	PASS
			NV	0	0	0	20	PASS
			NV	10	80000	14.109347	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-14.109347	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5755	NV	-30	-40000	-6.950478	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	6.950478	20	PASS
			NV	20	-80000	-13.900956	20	PASS
			NV	30	-80000	-13.900956	20	PASS
			NV	40	-80000	-13.900956	20	PASS
			NV	50	-80000	-13.900956	20	PASS

	Ant2	5755	NV	60	-80000	-13.900956	20	PASS
			NV	65	0	0	20	PASS
			NV	-30	-80000	-13.900956	20	PASS
			NV	-20	-80000	-13.900956	20	PASS
			NV	-10	-80000	-13.900956	20	PASS
			NV	0	0	0	20	PASS
			NV	10	40000	6.950478	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.900956	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
	Ant3	5755	NV	65	0	0	20	PASS
			NV	-30	-80000	-13.900956	20	PASS
			NV	-20	-40000	-6.950478	20	PASS
			NV	-10	-80000	-13.900956	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.900956	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-13.900956	20	PASS
	Ant1	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-80000	-13.805004	20	PASS
			NV	-10	-80000	-13.805004	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-13.805004	20	PASS
			NV	40	-80000	-13.805004	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-13.805004	20	PASS
			NV	65	-40000	-6.902502	20	PASS
	Ant2	5795	NV	-30	-80000	-13.805004	20	PASS
			NV	-20	-80000	-13.805004	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-13.805004	20	PASS
			NV	10	0	0	20	PASS
			NV	20	80000	13.805004	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.805004	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS

	Ant3	5795	NV	65	-80000	-13.805004	20	PASS
			NV	-30	0	0	20	PASS
			NV	-20	-80000	-13.805004	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-13.805004	20	PASS
			NV	10	-80000	-13.805004	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.805004	20	PASS
			NV	50	-80000	-13.805004	20	PASS
			NV	60	-40000	-6.902502	20	PASS
			NV	65	0	0	20	PASS
11BE80MIMO	Ant1	5210	NV	-30	-80000	-15.355086	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.355086	20	PASS
			NV	0	-80000	-15.355086	20	PASS
			NV	10	-80000	-15.355086	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-15.355086	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.355086	20	PASS
	Ant2	5210	NV	-30	0	0	20	PASS
			NV	-20	-80000	-15.355086	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.355086	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5210	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	-80000	-15.355086	20	PASS
			NV	20	-80000	-15.355086	20	PASS
			NV	30	0	0	20	PASS
			NV	40	80000	15.355086	20	PASS
			NV	50	-80000	-15.355086	20	PASS
			NV	60	-80000	-15.355086	20	PASS
			NV	65	0	0	20	PASS

	Ant1	5290	NV	-30	0	0	20	PASS
			NV	-20	-80000	-15.122873	20	PASS
			NV	-10	-80000	-15.122873	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.122873	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant2	5290	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-15.122873	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-15.122873	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-15.122873	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant3	5290	NV	-30	-80000	-15.122873	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-15.122873	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-15.122873	20	PASS
			NV	65	-80000	-15.122873	20	PASS
	Ant1	5530	NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.466546	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.466546	20	PASS
			NV	10	-80000	-14.466546	20	PASS
			NV	20	-80000	-14.466546	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.466546	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-14.466546	20	PASS
	Ant2	5530	NV	-30	0	0	20	PASS

			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5530	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.466546	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	-80000	-14.466546	20	PASS
			NV	65	-80000	-14.466546	20	PASS
	Ant1	5610	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	-80000	-14.26025	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-14.26025	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	-80000	-14.26025	20	PASS
	Ant2	5610	NV	-30	0	0	20	PASS
			NV	-20	-80000	-14.26025	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-14.26025	20	PASS
			NV	10	-80000	-14.26025	20	PASS
			NV	20	-80000	-14.26025	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5610	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS

			NV	-10	-80000	-14.26025	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-14.26025	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-14.26025	20	PASS
			NV	50	-80000	-14.26025	20	PASS
			NV	60	-80000	-14.26025	20	PASS
			NV	65	-80000	-14.26025	20	PASS
	Ant1	5775	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	-80000	-13.852814	20	PASS
			NV	10	-80000	-13.852814	20	PASS
			NV	20	-80000	-13.852814	20	PASS
			NV	30	-80000	-13.852814	20	PASS
			NV	40	-80000	-13.852814	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5775	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	-80000	-13.852814	20	PASS
			NV	30	0	0	20	PASS
			NV	40	-80000	-13.852814	20	PASS
			NV	50	-80000	-13.852814	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5775	NV	-30	0	0	20	PASS
			NV	-20	-80000	-13.852814	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	-80000	-13.852814	20	PASS
			NV	40	0	0	20	PASS
			NV	50	-80000	-13.852814	20	PASS
			NV	60	-80000	-13.852814	20	PASS
			NV	65	0	0	20	PASS
11BE160MIM O	Ant1	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS

			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5250	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant1	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant2	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS

			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS
	Ant3	5570	NV	-30	0	0	20	PASS
			NV	-20	0	0	20	PASS
			NV	-10	0	0	20	PASS
			NV	0	0	0	20	PASS
			NV	10	0	0	20	PASS
			NV	20	0	0	20	PASS
			NV	30	0	0	20	PASS
			NV	40	0	0	20	PASS
			NV	50	0	0	20	PASS
			NV	60	0	0	20	PASS
			NV	65	0	0	20	PASS

11. Antenna Requirements

11.1. Limit

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. And according to FCC 47 CFR Section 15.247 (b), if transmitting antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

For intentional device, according to RSS-Gen issue 5 section 6.8.

The applicant for equipment certification shall provide a list of all antenna types that may be used with the transmitter, where applicable (i.e. for transmitters with detachable antenna), indicating the maximum permissible antenna gain (in dBi) and the required impedance for each antenna. The test report shall demonstrate the compliance of the transmitter with the limit for maximum equivalent isotropically radiated power (e.i.r.p.) specified in the applicable RSS, when the transmitter is equipped with any antenna type, selected from this list.

11.2. Result


The antenna used for this product as Antenna information described in section 2.1 of the report, and there is no other antenna than that furnished by the responsible party shall be used with the device.


12. Radiated Emission

12.1. Test equipment

Equipment	Manufacturer	Model No.	Serial No.	Cal Due To
High pass filter	Micro-Tronics	HPM50102	DDT-ZC00561	2026/03/28
Radiation disturbance fully automated test software	Tonscend	JS32-RE	DDT-ZC02739	/
Pre-amplifier	SONOMA	310N	DDT-ZC01969	2026/07/06
RF Cable	N/A	W24.02 HL-562	DDT-ZC04022	2026/03/28
RF cable	Yuhu Technology	JCTB810-NJ-NJ-9M	DDT-ZC02538	2026/03/28
RF cable	Zhongke Junchuang	JCT26S-NJ-NJ-1.5M	DDT-ZC02762	/
RF cable	Yuhu Technology	ZT26S-SMAJ-SMAJ-1M	DDT-ZC02037	2026/10/10
RF Cable	N/A	W13.02 AP1-X2	DDT-ZC04023	2026/03/28
Pre-amplifier	COM-POWER	PAM-840A	DDT-ZC01693	2026/03/28
Pre-amplifier	COM-POWER	PAM-118A	DDT-ZC01293	2026/08/10
EMI TEST RECEIVER	R&S	ESU26	DDT-ZC01909	2026/03/28
Micro-Tronics filters	REBES	BRM50702	DDT-ZC03242	/
High pass filter	Micro-Tronics	HPM50108	DDT-ZC00560	2026/03/28
High Pass filter	Xi'an Xingbo	XBLBQ-GTA67	DDT-ZC02179	2026/03/28
Micro-Tronics filters	REBES	BRM50716	DDT-ZC03240	/
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	DDT-ZC00506	2026/04/01
Trilog Broadband Antenna	Schwarzbeck	VULB 9163	DDT-ZC02050	2026/07/25
Hochgewinn-Hornantenne	SCHWARZBEC K	BBHA 9120 D	DDT-ZC02129	2026/08/11
Active Loop Antenna	Schwarzbeck	FMZB1519	DDT-ZC00524	2026/08/18
PSA Series Spectrum Analyzer	Agilent	E4447A	DDT-ZC00517	2026/03/28

12.2. Block diagram of test setup





12.3. Limits

(1) FCC 15.205 Restricted frequency band

MHz	MHz	MHz	GHz
0.090-0.110	16.42-16.423	399.9-410	4.5-5.15
¹ 0.495-0.505	16.69475-16.69525	608-614	5.35-5.46
2.1735-2.1905	16.80425-16.80475	960-1240	7.25-7.75
4.125-4.128	25.5-25.67	1300-1427	8.025-8.5
4.1772&4.17775	37.5-38.25	1435-1626.5	9.0-9.2
4.2072&4.20775	73-74.6	1645.5-1646.5	9.3-9.5
6.215-6.218	74.8-75.2	1660-1710	10.6-12.7
6.26775-6.26825	108-121.94	1718.8-1722.2	13.25-13.4
6.31175-6.31225	123-138	2200-2300	14.47-14.5
8.291-8.294	149.9-150.05	2310-2390	15.35-16.2
8.362-8.366	156.52475-156.52525	2483.5-2500	17.7-21.4
8.37625-8.38675	156.7-156.9	2690-2900	22.01-23.12
8.41425-8.41475	162.0125-167.17	3260-3267	23.6-24.0
12.29-12.293	167.72-173.2	3332-3339	31.2-31.8
12.51975-12.52025	240-285	3345.8-3358	36.43-36.5
12.57675-12.57725	322-335.4	3600-4400	(²)
13.36-13.41			

1Until February 1, 1999, this restricted band shall be 0.490-0.510 MHz

2Above 38.6

RSS-Gen section 8.10 Restricted frequency bands*

MHz	MHz	MHz	GHz
0.090-0.110	12.51975-12.52025	240-285	3.5-4.4
0.495-0.505	12.57675-12.57725	322-335.4	4.5-5.15
2.1735-2.1905	13.36-13.41	399.9-410	5.35-5.46
3.020-3.026	16.42-16.423	608-614	7.25-7.75
4.125-4.128	16.69475-16.69525	960-1427	8.025-8.5
4.1772&4.17775	16.80425-16.80475	1435-1626.5	9.0-9.2
4.2072&4.20775	25.5-25.67	1645.5-1646.5	9.3-9.5
5.677-5.683	37.5-38.25	1660-1710	10.6-12.7
6.215-6.218	73-74.6	1718.8-1722.2	13.25-13.4
6.26775-6.26825	74.8-75.2	2200-2300	14.47-14.5
6.31175-6.31225	108-138	2310-2390	15.35-16.2
8.291-8.294	149.9-150.05	2483.5-2500	17.7-21.4
8.362-8.366	156.52475-156.52525	2655-2900	22.01-23.12
8.37625-8.38675	156.7-156.9	3260-3267	23.6-24.0
8.41425-8.41475	162.0125-167.17	3332-3339	31.2-31.8
12.29-12.293	167.72-173.2	3345.8-3358	36.43-36.5
			Above 38.6

* Certain frequency bands listed in table and in bands above 38.6 GHz are designated for licence-exempt applications. These frequency bands and the requirements that apply to related devices are set out in the 200 and 300 series of RSSs.

(2) FCC 15.209 Limit & RSS-Gen section 8.9 Limit

FREQUENCY MHz	DISTANCE Meters	FIELD STRENGTHS LIMIT	
		uV/m	dBuV/m
0.009 ~ 0.490	300	2400/F(kHz)	67.6-20log(F)
0.490 ~ 1.705	30	24000/F(kHz)	87.6-20log(F)
1.705 ~ 30.0	30	30	29.54
30~88	3	100	40.0
88~216	3	150	43.5
216~960	3	200	46.0
960~1000	3	500	54.0
Above 1000	3	74.0 dBuV/m (Peak) 54.0 dBuV/m (Average)	

Note:

(1) The emission limits shown in the above table are based on measurements employing a CISPR QP detector except for the frequency bands 9 - 90 kHz, 110 - 490 kHz and above 1000 MHz, radiated emissions limits in these three bands are based on measurements employing an average detector.

(2) At frequencies below 30 MHz, measurement may be performed at a distance closer than that specified, and the limit at closer measurement distance can be extrapolated by below formula:

$$\text{Limit}_{3m}(\text{dBuV/m}) = \text{Limit}_{30m}(\text{dBuV/m}) + 40\text{Log}(30\text{m}/3\text{m})$$

(3) Limit for this EUT

The emissions appearing within 15.205 restricted frequency bands shall not exceed the limits shown in 15.209, and the emissions appearing within RSS-Gen section 8.10 Restricted frequency bands shall not exceed the limits shown in RSS-Gen section 8.9, all the other emissions shall be at least 20 dB below the fundamental emissions or comply with 15.209 limits and RSS-Gen section 8.9 limits.

12.4. Assistant equipment used for test

Assistant equipment	Manufacturer	Model number	Description	other
/	/	/	/	/

12.5. Test procedure

(1) EUT was placed on a non-metallic table, 80 cm above the ground plane inside a semi-anechoic chamber for below 1G and 150 cm above the ground plane inside a fully-anechoic chamber for above 1G.

(2) Test antenna was located 3 m from the EUT on an adjustable mast, and the antenna used as below table.

Test frequency range	Test antenna used	Test antenna distance
9 kHz - 30 MHz	Active Loop antenna	3 m
30 MHz - 1 GHz	Trilog Broadband Antenna	3 m
1 GHz - 18 GHz	Double Ridged Horn Antenna(1 GHz-18 GHz)	3 m
18 GHz - 40 GHz	Horn Antenna(18 GHz-40 GHz)	1 m

According ANSI C63.10 clause 6.4.6 and 6.5.3, for measurements below 30 MHz, Antenna was located 3 m from EUT, the loop antenna was positioned in three antenna orientations (parallel, perpendicular, and round-parallel), for each measurement antenna alignment, the EUT shall be rotated through 0° to 360° on a turntable, and the lowest height of the magnetic antenna shall be 1 m above the ground. For measurement above 30MHz, the trilog Broadband Antenna or Horn Antenna was located 3m from EUT, Measurements were made with the antenna positioned in both the horizontal and vertical planes of Polarization, and the measurement antenna was varied from 1 m to 4 m. in height above the reference ground plane to obtain the maximum signal strength.

(3) Below pre-scan procedure was first performed in order to find prominent frequency spectrum radiated emissions from 9 kHz to 25 GHz:

(a) Scanning the peak frequency spectrum with the antenna specified in step (3), and the EUT was rotated 360 degree, the antenna height was varied from 1 m to 4 m (Except loop antenna, it's fixed 1 m above ground.)

(b) Change work frequency or channel of device if practicable.

(c) Change modulation type of device if practicable.

(d) Change power supply range from 85% to 115% of the rated supply voltage

(e) Rotated EUT though three orthogonal axes to determine the attitude of EUT arrangement produces highest emissions.

Spectrum frequency from 9 kHz to 25 GHz (tenth harmonic of fundamental frequency) was investigated, and no any obvious emission were detected from 18 GHz to 25 GHz, so below final test was performed with frequency range from 9 kHz to 18 GHz.

(4) For final emissions measurements at each frequency of interest, the EUT was rotated and the antenna height was varied between 1 m and 4 m in order to maximize the emission. Measurements in both horizontal and vertical polarities were made and the data was recorded. In order to find the maximum emission, the relative positions of equipment and all of the interface cables were changed according to ANSI C63.10 on Radiated Emission test.

(5) The emissions from 9 kHz to 1 GHz were measured based on CISPR QP detector except for the frequency bands 9 - 90 kHz, 110 - 490 kHz, for emissions from 9 kHz - 90 kHz, 110 kHz - 490 kHz and above 1 GHz were measured based on average detector, for emissions above 1 GHz, peak emissions also be measured and need comply with Peak limit.

(6) The emissions from 9 kHz to 1 GHz, QP or average values were measured with EMI receiver with below RBW.

Frequency band	RBW
9 kHz - 150 kHz	200 Hz
150 kHz - 30 MHz	9 kHz
30 MHz - 1 GHz	120 kHz

(7) For emissions above 1GHz, both Peak and Average level were measured with Spectrum Analyzer, and the RBW is set at 1 MHz, VBW is set at 3 MHz for Peak measure; According ANSI C63.10 clause 4.1.5.2.2 procedure for average measure.

(8) For portable device, X axis, Y axis, Z axis are tested, and worse setup is reported.

(9) According exploratory test, the emission levels are 20 dB below the limit detected from 9 kHz to 30 MHz and 18 GHz to 40 GHz, so the final test was performed with frequency range from 30 MHz to 18 GHz and recorded in below.

(10) 30 MHz ~ 40 GHz: (Scan with all mode, the worst case is record and report)

(11) For emissions below 1 GHz, according exploratory explorer test, when change Tx mode and channel, have no distinct influence on emissions level, so for emissions below 1 GHz, the final test was only performed with the worst mode.

12.6. Test result

PASS. (See below detailed test result)

12.7. Test data

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

TX AX20 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC BELOW1G\7

Memo:

Sample Numbler:S25082524-003



Final Data List									
NO.	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable Loss [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	50.404	35.19	13.24	3.88	20.01	40.00	19.99	QP	Horizontal
2	64.740	37.33	12.13	3.98	21.14	40.00	18.86	QP	Horizontal
3	77.198	42.12	8.08	4.05	21.95	40.00	18.05	QP	Horizontal
4	145.203	42.59	8.38	4.32	22.94	43.50	20.56	QP	Horizontal
5	202.165	37.47	11.04	4.48	20.59	43.50	22.91	QP	Horizontal
6	533.151	39.51	17.25	6.03	30.11	46.00	15.89	QP	Horizontal

Note:

1. Result Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.

3. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

TX AX20 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC BELOW1G\8

Memo:

Sample Numbler:S25082524-003



Final Data List									
NO.	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable Loss [dB]	Result [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	36.126	44.69	11.94	3.77	28.10	40.00	11.90	QP	Vertical
2	50.439	43.37	13.22	3.88	28.17	40.00	11.83	QP	Vertical
3	92.377	42.01	10.04	4.14	23.89	43.50	19.61	QP	Vertical
4	106.657	42.7	10.97	4.21	25.57	43.50	17.93	QP	Vertical
5	148.082	37.74	8.32	4.32	18.03	43.50	25.47	QP	Vertical
6	567.084	31.06	18.18	6.16	22.63	46.00	23.37	QP	Vertical

Note:

1. Result Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with QP limit, QP Result is deemed to comply with QP limit.
3. Test setup: RBW: 120 kHz, VBW: 300 kHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\38

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	4012.400	46.75	30.97	4.57	-39.70	42.59	74.00	31.41	PK	Horizontal
2	4918.500	45.80	33.10	4.98	-39.79	44.09	74.00	29.91	PK	Horizontal
3	7410.700	44.29	36.68	6.39	-39.86	47.50	74.00	26.50	PK	Horizontal
4	9409.900	44.06	38.60	6.79	-39.05	50.40	74.00	23.60	PK	Horizontal
5	10356.800	46.19	38.89	6.85	-39.66	52.27	68.20	15.93	PK	Horizontal
6	11844.300	43.56	38.56	7.29	-39.60	49.81	74.00	24.19	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\39

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3818.600	46.92	30.68	4.51	-39.63	42.48	74.00	31.52	PK	Vertical
2	4146.700	46.33	31.47	4.63	-39.71	42.72	74.00	31.28	PK	Vertical
3	4925.300	45.49	33.10	4.98	-39.79	43.78	74.00	30.22	PK	Vertical
4	7441.300	44.66	36.62	6.42	-39.86	47.84	74.00	26.16	PK	Vertical
5	10358.500	49.15	38.88	6.85	-39.66	55.22	68.20	12.98	PK	Vertical
6	11567.200	44.59	38.67	7.23	-39.60	50.89	74.00	23.11	PK	Vertical

Note:

- Level = Reading + Cable loss + Antenna Factor + AMP
- If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5200MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\40

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3842.400	46.18	30.39	4.41	-39.64	41.34	74.00	32.66	PK	Horizontal
2	4779.100	45.76	32.14	4.85	-39.78	42.97	74.00	31.03	PK	Horizontal
3	7420.900	42.89	36.66	6.09	-39.86	45.78	74.00	28.22	PK	Horizontal
4	9158.300	41.74	38.90	7.06	-38.77	48.93	74.00	25.07	PK	Horizontal
5	11614.800	41.71	38.59	7.52	-39.60	48.22	74.00	25.78	PK	Horizontal
6	16028.000	39.35	38.03	8.92	-39.58	46.72	74.00	27.28	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5200MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\41

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3786.300	46.33	30.60	4.40	-39.61	41.72	74.00	32.28	PK	Vertical
2	4265.700	49.73	31.45	4.59	-39.73	46.04	74.00	27.96	PK	Vertical
3	4882.800	44.85	33.03	4.90	-39.79	42.99	74.00	31.01	PK	Vertical
4	7505.900	42.44	36.82	6.11	-39.85	45.52	74.00	28.48	PK	Vertical
5	10406.100	44.40	38.77	7.21	-39.66	50.72	68.20	17.48	PK	Vertical
6	11942.900	41.81	38.71	7.69	-39.60	48.61	74.00	25.39	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5240MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\42

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3883.200	46.43	30.70	4.42	-39.65	41.90	74.00	32.10	PK	Horizontal
2	5001.800	45.56	33.00	4.96	-39.80	43.72	74.00	30.28	PK	Horizontal
3	7427.700	43.18	36.64	6.09	-39.86	46.05	74.00	27.95	PK	Horizontal
4	10858.300	40.94	39.35	7.20	-39.61	47.88	74.00	26.12	PK	Horizontal
5	12352.600	41.93	39.24	7.70	-39.32	49.55	74.00	24.45	PK	Horizontal
6	15795.100	39.51	38.21	8.68	-39.37	47.03	74.00	26.97	PK	Horizontal

Note:

- Level = Reading + Cable loss + Antenna Factor + AMP
- If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5240MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\43

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3849.200	46.27	30.31	4.41	-39.64	41.35	74.00	32.65	PK	Vertical
2	4265.700	49.17	31.45	4.59	-39.73	45.48	74.00	28.52	PK	Vertical
3	4881.100	46.09	33.02	4.90	-39.79	44.22	74.00	29.78	PK	Vertical
4	7517.800	43.71	36.65	6.12	-39.85	46.63	74.00	27.37	PK	Vertical
5	10484.300	43.90	38.38	7.21	-39.65	49.84	68.20	18.36	PK	Vertical
6	12267.600	40.65	39.34	7.70	-39.39	48.30	74.00	25.70	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5260MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\44

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3908.700	46.42	30.80	4.43	-39.66	41.99	74.00	32.01	PK	Horizontal
2	4274.200	45.43	31.59	4.60	-39.73	41.89	74.00	32.11	PK	Horizontal
3	4901.500	45.11	33.10	4.91	-39.79	43.33	74.00	30.67	PK	Horizontal
4	7439.600	43.59	36.62	6.09	-39.86	46.44	74.00	27.56	PK	Horizontal
5	11956.500	42.19	38.78	7.70	-39.60	49.07	74.00	24.93	PK	Horizontal
6	15737.300	38.96	38.39	8.61	-39.31	46.65	74.00	27.35	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5260MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\45

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3907.000	45.93	30.82	4.43	-39.66	41.52	74.00	32.48	PK	Vertical
2	4265.700	48.65	31.45	4.59	-39.73	44.96	74.00	29.04	PK	Vertical
3	4864.100	44.62	32.96	4.89	-39.79	42.68	74.00	31.32	PK	Vertical
4	7849.300	42.73	36.90	6.21	-39.82	46.02	68.20	22.18	PK	Vertical
5	10526.800	43.00	38.54	7.21	-39.65	49.10	68.20	19.10	PK	Vertical
6	12119.700	40.41	39.44	7.71	-39.50	48.06	74.00	25.94	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5280MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\46

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3786.300	46.24	30.60	4.40	-39.61	41.63	74.00	32.37	PK	Horizontal
2	4864.100	45.85	32.96	4.89	-39.79	43.91	74.00	30.09	PK	Horizontal
3	7381.800	43.22	36.81	6.07	-39.86	46.24	74.00	27.76	PK	Horizontal
4	9406.500	42.08	38.64	7.11	-39.05	48.78	74.00	25.22	PK	Horizontal
5	10681.500	41.14	39.44	7.21	-39.63	48.16	74.00	25.84	PK	Horizontal
6	11548.500	42.24	38.70	7.49	-39.60	48.83	74.00	25.17	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5280MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\47

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3859.400	46.24	30.41	4.42	-39.64	41.43	74.00	32.57	PK	Vertical
2	4265.700	48.43	31.45	4.59	-39.73	44.74	74.00	29.26	PK	Vertical
3	4908.300	44.71	33.10	4.91	-39.79	42.93	74.00	31.07	PK	Vertical
4	7419.200	43.22	36.66	6.09	-39.86	46.11	74.00	27.89	PK	Vertical
5	10560.800	43.28	38.85	7.21	-39.64	49.70	68.20	18.50	PK	Vertical
6	12131.600	41.31	39.41	7.71	-39.49	48.94	74.00	25.06	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5320MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\36

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3816.900	47.96	30.70	4.51	-39.63	43.54	74.00	30.46	PK	Horizontal
2	4826.700	45.97	32.53	4.94	-39.78	43.66	74.00	30.34	PK	Horizontal
3	7427.700	45.20	36.64	6.40	-39.86	48.38	74.00	25.62	PK	Horizontal
4	9143.000	43.22	38.86	6.84	-38.76	50.16	74.00	23.84	PK	Horizontal
5	11021.500	43.09	39.53	7.12	-39.60	50.14	74.00	23.86	PK	Horizontal
6	12362.800	43.01	39.21	7.26	-39.31	50.17	74.00	23.83	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5320MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\37

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3805.000	46.50	30.84	4.50	-39.62	42.22	74.00	31.78	PK	Vertical
2	4265.700	48.38	31.45	4.68	-39.73	44.78	74.00	29.22	PK	Vertical
3	4750.200	46.48	32.20	4.90	-39.78	43.80	74.00	30.20	PK	Vertical
4	7281.500	44.85	37.00	6.24	-39.87	48.22	74.00	25.78	PK	Vertical
5	10635.600	45.76	39.31	6.97	-39.64	52.40	74.00	21.60	PK	Vertical
6	11419.300	43.45	39.61	7.20	-39.60	50.66	74.00	23.34	PK	Vertical

Final Data List									
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	10635.600	41.55	39.31	6.97	48.19	54.00	5.81	AV	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5500MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\32

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3721.700	47.51	29.86	4.48	-39.59	42.26	74.00	31.74	PK	Horizontal
2	4112.700	46.39	31.20	4.61	-39.71	42.49	74.00	31.51	PK	Horizontal
3	5023.900	46.74	33.05	5.03	-39.80	45.02	74.00	28.98	PK	Horizontal
4	7373.300	45.17	36.86	6.34	-39.86	48.51	74.00	25.49	PK	Horizontal
5	10933.100	43.02	39.63	7.09	-39.61	50.13	74.00	23.87	PK	Horizontal
6	12237.000	43.28	39.27	7.28	-39.41	50.42	74.00	23.58	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5500MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\33

Memo:

Sample Numble:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3835.600	46.94	30.47	4.51	-39.63	42.29	74.00	31.71	PK	Vertical
2	4138.200	47.20	31.41	4.62	-39.71	43.52	74.00	30.48	PK	Vertical
3	4741.700	47.78	32.05	4.90	-39.77	44.96	74.00	29.04	PK	Vertical
4	7281.500	44.91	37.00	6.24	-39.87	48.28	74.00	25.72	PK	Vertical
5	10999.400	47.24	39.70	7.12	-39.60	54.46	74.00	19.54	PK	Vertical
6	12313.500	43.48	39.36	7.27	-39.35	50.76	74.00	23.24	PK	Vertical

Final Data List									
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	10999.880	42.23	39.70	7.12	49.45	54.0	4.55	AV	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-11-19

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5580MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\48

Memo:

Sample Numbler:S25082524-003 Power Setting:19




Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	4054.900	46.52	31.19	4.49	-39.71	42.49	74.00	31.51	PK	Horizontal
2	4882.800	44.52	33.03	4.90	-39.79	42.66	74.00	31.34	PK	Horizontal
3	7444.700	42.93	36.61	6.09	-39.86	45.77	74.00	28.23	PK	Horizontal
4	9025.700	41.36	38.71	7.03	-38.63	48.47	74.00	25.53	PK	Horizontal
5	11179.600	41.78	38.82	7.29	-39.60	48.29	74.00	25.71	PK	Horizontal
6	11917.400	41.94	38.59	7.68	-39.60	48.61	74.00	25.39	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date: 2025-11-19 **Tested By:** Nan Zhong
EUT: Wireless Access Point **Model Number:** L2534
Test Mode: MIMO TX 11N20 5580MHz Mode **Power Supply:** AC 120V/60Hz
Condition: Temp:23.8°C;Humi:54.3% **Test Site:** DDT 3# Chamber
File Path: d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\49
Memo: Sample Numbler:S25082524-003 Power Setting:19

**Suspected Data List**

NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3786.300	46.93	30.60	4.40	-39.61	42.32	74.00	31.68	PK	Vertical
2	4265.700	48.98	31.45	4.59	-39.73	45.29	74.00	28.71	PK	Vertical
3	4884.500	44.29	33.04	4.90	-39.79	42.44	74.00	31.56	PK	Vertical
4	7419.200	42.72	36.66	6.09	-39.86	45.61	74.00	28.39	PK	Vertical
5	11157.500	45.71	38.84	7.28	-39.60	52.23	74.00	21.77	PK	Vertical
6	16735.200	41.18	38.58	9.23	-39.01	49.98	68.20	18.22	PK	Vertical

Final Data List

NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	11161.500	40.05	38.84	7.28	46.57	54.00	7.43	AV	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP
2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5700MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\34

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3791.400	48.04	30.71	4.50	-39.62	43.63	74.00	30.37	PK	Horizontal
2	4910.000	45.97	33.10	4.98	-39.79	44.26	74.00	29.74	PK	Horizontal
3	7580.700	46.26	36.20	6.57	-39.84	49.19	74.00	24.81	PK	Horizontal
4	9046.100	43.41	38.87	6.85	-38.65	50.48	74.00	23.52	PK	Horizontal
5	10735.900	43.17	39.32	7.01	-39.63	49.87	74.00	24.13	PK	Horizontal
6	12296.500	43.23	39.39	7.27	-39.36	50.53	74.00	23.47	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5700MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\35

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3879.800	46.67	30.66	4.53	-39.65	42.21	74.00	31.79	PK	Vertical
2	4921.900	46.05	33.10	4.98	-39.79	44.34	74.00	29.66	PK	Vertical
3	7437.900	44.95	36.62	6.42	-39.86	48.13	74.00	25.87	PK	Vertical
4	9025.700	43.00	38.71	6.86	-38.63	49.94	74.00	24.06	PK	Vertical
5	11198.300	44.08	38.80	7.16	-39.60	50.44	74.00	23.56	PK	Vertical
6	12305.000	43.62	39.39	7.27	-39.36	50.92	74.00	23.08	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5745MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\40

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3891.700	46.75	30.80	4.53	-39.66	42.42	74.00	31.58	PK	Horizontal
2	4325.200	46.18	31.65	4.71	-39.73	42.81	74.00	31.19	PK	Horizontal
3	4840.300	46.15	32.74	4.94	-39.78	44.05	74.00	29.95	PK	Horizontal
4	7439.600	45.27	36.62	6.42	-39.86	48.45	74.00	25.55	PK	Horizontal
5	9144.700	43.64	38.89	6.84	-38.76	50.61	74.00	23.39	PK	Horizontal
6	11409.100	44.25	39.71	7.20	-39.60	51.56	74.00	22.44	PK	Horizontal

Final Data List									
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	11409.100	40.35	39.71	7.20	47.66	54.00	6.34	AV	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5745MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\41

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3808.400	47.12	30.80	4.50	-39.62	42.80	74.00	31.20	PK	Vertical
2	5010.300	47.24	33.02	5.02	-39.80	45.48	74.00	28.52	PK	Vertical
3	7640.200	44.77	36.84	6.64	-39.84	48.41	74.00	25.59	PK	Vertical
4	9161.700	42.70	38.86	6.83	-38.78	49.61	74.00	24.39	PK	Vertical
5	10907.600	43.36	39.61	7.08	-39.61	50.44	74.00	23.56	PK	Vertical
6	12352.600	43.14	39.24	7.26	-39.32	50.32	74.00	23.68	PK	Vertical

Note:

- Level = Reading + Cable loss + Antenna Factor + AMP
- If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.
- Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5785MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\42

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3781.200	46.27	30.49	4.50	-39.61	41.65	74.00	32.35	PK	Horizontal
2	4056.600	46.77	31.19	4.59	-39.71	42.84	74.00	31.16	PK	Horizontal
3	4930.400	45.97	33.10	4.98	-39.79	44.26	74.00	29.74	PK	Horizontal
4	7347.800	44.82	37.00	6.32	-39.87	48.27	74.00	25.73	PK	Horizontal
5	10888.900	42.85	39.53	7.07	-39.61	49.84	74.00	24.16	PK	Horizontal
6	11980.300	43.94	38.90	7.32	-39.60	50.56	74.00	23.44	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5785MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\43

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3947.800	47.09	30.33	4.54	-39.68	42.28	74.00	31.72	PK	Vertical
2	4265.700	47.65	31.45	4.68	-39.73	44.05	74.00	29.95	PK	Vertical
3	4916.800	45.51	33.10	4.98	-39.79	43.80	74.00	30.20	PK	Vertical
4	7463.400	44.46	36.68	6.44	-39.85	47.73	74.00	26.27	PK	Vertical
5	9170.200	44.18	38.76	6.83	-38.79	50.98	74.00	23.02	PK	Vertical
6	11723.600	44.04	38.52	7.26	-39.60	50.22	74.00	23.78	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5825MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\44

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	4318.400	47.17	31.74	4.71	-39.73	43.89	74.00	30.11	PK	Horizontal
2	5023.900	46.32	33.05	5.03	-39.80	44.60	74.00	29.40	PK	Horizontal
3	7587.500	45.13	36.20	6.58	-39.84	48.07	74.00	25.93	PK	Horizontal
4	9139.600	43.01	38.79	6.84	-38.75	49.89	74.00	24.11	PK	Horizontal
5	10713.800	43.04	39.43	7.00	-39.63	49.84	74.00	24.16	PK	Horizontal
6	11409.100	42.70	39.71	7.20	-39.60	50.01	74.00	23.99	PK	Horizontal

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-29

Tested By:

Nan Zhong

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

MIMO TX 11N20 5825MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\45

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	3798.200	46.26	30.86	4.50	-39.62	42.00	74.00	32.00	PK	Vertical
2	4265.700	46.97	31.45	4.68	-39.73	43.37	74.00	30.63	PK	Vertical
3	5013.700	45.52	33.03	5.02	-39.80	43.77	74.00	30.23	PK	Vertical
4	7572.200	44.95	36.20	6.57	-39.84	47.88	74.00	26.12	PK	Vertical
5	9049.500	42.70	38.90	6.85	-38.65	49.80	74.00	24.20	PK	Vertical
6	11385.300	43.72	39.62	7.20	-39.60	50.94	74.00	23.06	PK	Vertical

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.


3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

13. Band Edge Compliance

13.1. Test equipment

Equipment	Manufacturer	Model No.	Serial No.	Cal Due To
High pass filter	Micro-Tronics	HPM50102	DDT-ZC00561	2026/03/28
Radiation disturbance fully automated test software	Tonscend	JS32-RE	DDT-ZC02739	/
Pre-amplifier	SONOMA	310N	DDT-ZC01969	2026/07/06
RF Cable	N/A	W24.02 HL-562	DDT-ZC04022	2026/03/28
RF cable	Yuhu Technology	JCTB810-NJ-NJ-9M	DDT-ZC02538	2026/03/28
RF cable	Zhongke Junchuang	JCT26S-NJ-NJ-1.5M	DDT-ZC02762	/
RF cable	Yuhu Technology	ZT26S-SMAJ-SMAJ-1M	DDT-ZC02037	2026/10/10
RF Cable	N/A	W13.02 AP1-X2	DDT-ZC04023	2026/03/28
Pre-amplifier	COM-POWER	PAM-840A	DDT-ZC01693	2026/03/28
Pre-amplifier	COM-POWER	PAM-118A	DDT-ZC01293	2026/08/10
EMI TEST RECEIVER	R&S	ESU26	DDT-ZC01909	2026/03/28
Micro-Tronics filters	REBES	BRM50702	DDT-ZC03242	/
High pass filter	Micro-Tronics	HPM50108	DDT-ZC00560	2026/03/28
High Pass filter	Xi'an Xingbo	XBLBQ-GTA67	DDT-ZC02179	2026/03/28
Micro-Tronics filters	REBES	BRM50716	DDT-ZC03240	/
Broad-Band Horn Antenna	Schwarzbeck	BBHA 9170	DDT-ZC00506	2026/04/01
Trilog Broadband Antenna	Schwarzbeck	VULB 9163	DDT-ZC02050	2026/07/25
Hochgewinn-Hornantenne	SCHWARZBEC K	BBHA 9120 D	DDT-ZC02129	2026/08/11
Active Loop Antenna	Schwarzbeck	FMZB1519	DDT-ZC00524	2026/08/18
PSA Series Spectrum Analyzer	Agilent	E4447A	DDT-ZC00517	2026/03/28

13.2. Block diagram of test setup



13.3. Limits

- (1) For transmitters operating in the 5.15-5.25 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (2) For transmitters operating in the 5.25-5.35 GHz band: All emissions outside of the 5.15-5.35 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (3) For transmitters operating in the 5.47-5.725 GHz band: All emissions outside of the 5.47-5.725 GHz band shall not exceed an e.i.r.p. of -27 dBm/MHz.
- (4) For transmitters operating solely in the 5.725-5.850 GHz band:
All emissions shall be limited to a level of -27 dBm/MHz at 75 MHz or more above or below the band edge increasing linearly to 10 dBm/MHz at 25 MHz above or below the band edge, and from 25 MHz above or below the band edge increasing linearly to a level of 15.6 dBm/MHz at 5 MHz above or below the band edge, and from 5 MHz above or below the band edge increasing linearly to a level of 27 dBm/MHz at the band edge.

13.4. Assistant equipment used for test

Assistant equipment	Manufacturer	Model number	Description	other
/	/	/	/	/

13.5. Test procedure

Same with Emissions in Restricted Frequency Bands except change investigated frequency range from 5.15-5.25 GHz, 5250-5350 GHz, 5470-5725 GHz, 5.725-5.85 GHz.
Remark: All restriction band have been tested, and only the worst case is shown in report.

13.6. Test result

PASS. (See below detailed test result)

13.7. Test data

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-21

Tested By:

Lin Guoyuan

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

ANT1 TX 11A 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\46

Memo:

Sample Numble:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	5148.490	47.72	32.89	5.08	-29.77	55.92	74.00	18.08	PK	Horizontal
2	5150.000	45.97	32.90	5.09	-29.77	54.19	68.20	14.01	PK	Horizontal

Final Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	
1	5148.679	40.65	32.89	5.08	48.85	54.00	5.15	AV	Horizontal	
2	5150.208	41.41	32.90	5.09	49.63	54.00	4.37	AV	Horizontal	

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.

TR-4-E-009 Radiated Emission Test Result

Test Date:

2025-09-28

Tested By:

Lin Guoyuan

EUT:

Wireless Access Point

Model Number:

L2534

Test Mode:

ANT1 TX 11A 5180MHz Mode

Power Supply:

AC 120V/60Hz

Condition:

Temp:23.8°C;Humi:54.3%

Test Site:


DDT 3# Chamber

File Path:

d:\ts\2025 report date\Q25082524-1E\FCC Above 1G 5G\47

Memo:

Sample Numbler:S25082524-003 Power Setting:19



Suspected Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	AMP [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity
1	5146.400	46.52	32.87	5.08	-29.77	54.70	74.00	19.30	PK	Vertical
2	5150.000	42.80	32.90	5.09	-29.77	51.02	68.20	17.18	PK	Vertical

Final Data List										
NO	Freq. [MHz]	Reading [dBμV/m]	Antenna Factor [dB]	Cable loss [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Detector	Polarity	
1	5146.400	40.63	32.87	5.08	48.81	54.00	5.19	AV	Vertical	
2	5150.000	40.52	32.90	5.09	48.74	54.00	5.26	AV	Vertical	

Note:

1. Level = Reading + Cable loss + Antenna Factor + AMP

2. If Peak Result complies with AV limit, AV Result is deemed to comply with AV limit.

3. Test setup: RBW: 1 MHz, VBW: 3 MHz, Sweep time: auto.