



捷雷科技 OTA 实验室测试报告


检测结果记录表

样品名称		样机型号		申请单编号	
检测依据	国标	样品数量	1台	样品编号	
检测项目	无源	检测设备	E5071C	检测条件	22.2℃ / 43 %
检测目的	\				

检测结果记录

申请人/送样人	\	软件版本		硬件版本	—
---------	---	------	--	------	---

样机信息
(含S/N号)



H: xoy
E1: xoz
E2: zoy

备注说明

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
2400.00	74.84	3.63	2440.00	81.38	3.84	2480.00	76.70	3.37
2410.00	77.40	3.72	2450.00	79.57	3.70	2490.00	75.22	3.30
2420.00	75.39	3.59	2460.00	76.36	3.41	2500.00	75.94	3.47
2430.00	77.24	3.69	2470.00	76.95	3.41			

1号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
2400.00	69.38	3.79	2440.00	60.5	3.85	2480.00	63.54	3.93
2410.00	62.68	3.53	2450.00	61.67	3.96	2490.00	63.07	3.81
2420.00	61.67	3.66	2460.00	62.46	3.99	2500.00	61.21	3.61
2430.00	60.70	3.81	2470.00	62.5	3.95			

2号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5150.00	76.48	6.68	5390.00	90.05	6.88	5630.00	94.82	6.97
5160.00	73.29	6.95	5400.00	89.89	6.75	5640.00	96.84	6.88
5170.00	72.29	6.97	5410.00	90.17	6.66	5650.00	91.42	6.93
5180.00	74.47	6.41	5420.00	92.29	6.67	5660.00	87.12	6.72
5190.00	76.57	6.92	5430.00	89.84	6.58	5670.00	91.17	6.78

5200.00	75.82	6.77	5440.00	85.17	6.33	5680.00	96.68	6.97
5210.00	74.49	6.55	5450.00	80.38	6.01	5690.00	93.42	6.62
5220.00	74.93	6.50	5460.00	81.29	6.06	5700.00	88.07	6.10
5230.00	77.51	6.52	5470.00	82.65	6.26	5710.00	87.06	6.81
5240.00	76.82	6.32	5480.00	77.64	6.09	5720.00	87.15	6.54
5250.00	80.25	6.52	5490.00	73.92	5.81	5730.00	88.45	6.37
5260.00	82.21	6.61	5500.00	72.36	5.83	5740.00	92.04	6.40
5270.00	79.24	6.30	5510.00	71.96	5.97	5750.00	89.01	6.23
5280.00	78.10	6.21	5520.00	75.58	6.28	5760.00	84.54	6.03
5290.00	78.75	6.13	5530.00	79.51	6.56	5770.00	87.17	6.16
5300.00	79.71	6.13	5540.00	78.60	6.48	5780.00	94.25	6.58
5310.00	79.65	6.25	5550.00	77.88	6.53	5790.00	94.25	6.54
5320.00	79.37	6.20	5560.00	81.36	6.72	5800.00	89.58	6.42
5330.00	81.03	6.37	5570.00	87.32	6.95	5810.00	89.81	6.47
5340.00	81.63	6.45	5580.00	92.36	6.92	5820.00	93.95	6.73
5350.00	83.24	6.51	5590.00	88.84	6.77	5830.00	96.35	6.89
5360.00	88.59	6.79	5600.00	88.71	6.66	5840.00	95.92	6.89
5370.00	87.87	6.73	5610.00	88.76	6.86	5850.00	93.33	6.84
5380.00	87.45	6.73	5620.00	88.57	6.62			

3号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5150.00	73.45	5.02	5390.00	80.27	6.09	5630.00	87.43	6.98
5160.00	68.87	4.82	5400.00	80.26	6.11	5640.00	89.42	6.41
5170.00	66.72	4.71	5410.00	81.13	6.20	5650.00	83.00	6.73
5180.00	68.67	4.93	5420.00	83.06	6.34	5660.00	77.29	6.39
5190.00	69.78	5.01	5430.00	82.19	6.43	5670.00	81.36	6.49
5200.00	68.80	5.10	5440.00	78.35	6.28	5680.00	85.35	6.74
5210.00	67.19	5.08	5450.00	74.26	6.00	5690.00	82.47	6.55
5220.00	66.89	5.14	5460.00	76.61	6.13	5700.00	77.34	6.21
5230.00	68.95	5.24	5470.00	78.22	6.32	5710.00	74.62	6.06
5240.00	68.25	5.00	5480.00	74.77	6.16	5720.00	74.55	6.05
5250.00	71.68	5.24	5490.00	71.94	5.82	5730.00	74.80	6.08
5260.00	73.97	5.48	5500.00	69.85	5.67	5740.00	76.55	6.21
5270.00	71.34	5.24	5510.00	70.34	5.68	5750.00	73.27	6.00
5280.00	70.15	5.18	5520.00	73.99	5.82	5760.00	68.28	5.73
5290.00	70.58	5.16	5530.00	77.98	5.93	5770.00	70.45	5.85
5300.00	71.17	5.22	5540.00	77.96	5.75	5780.00	76.39	6.13
5310.00	70.74	5.25	5550.00	75.81	5.63	5790.00	76.11	6.09
5320.00	70.26	5.08	5560.00	79.08	5.83	5800.00	71.97	5.72
5330.00	71.66	5.19	5570.00	84.46	6.17	5810.00	70.83	5.52
5340.00	71.96	5.23	5580.00	87.53	6.46	5820.00	73.90	5.55
5350.00	73.66	5.33	5590.00	84.67	6.46	5830.00	76.40	5.50
5360.00	78.59	5.69	5600.00	82.76	6.54	5840.00	76.18	5.36
5370.00	78.19	5.73	5610.00	82.04	6.63	5850.00	74.78	5.08
5380.00	78.34	5.86	5620.00	82.84	6.67			

4号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5150.00	61.38	5.5	5390.00	63.8	5.88	5630.00	68.04	5.21
5160.00	62.34	5.73	5400.00	63.6	5.85	5640.00	67.71	5.13
5170.00	62.56	5.88	5410.00	72.54	6.45	5650.00	69.23	5.33
5180.00	63.12	5.87	5420.00	70.74	6.39	5660.00	70.24	5.42
5190.00	63.19	5.96	5430.00	68.93	6.19	5670.00	70.22	5.5
5200.00	63.46	5.84	5440.00	67.78	6.06	5680.00	69.43	5.46

5210.00	64.12	5.83	5450.00	67.09	6.04	5690.00	68.11	5.27
5220.00	63.79	5.61	5460.00	69.32	6.14	5700.00	67.12	5.12
5230.00	63.03	5.55	5470.00	68.86	6.05	5710.00	65.45	4.96
5240.00	62.55	5.51	5480.00	69.68	6.11	5720.00	64.48	4.82
5250.00	61.65	5.46	5490.00	69.38	6.09	5730.00	63.93	4.8
5260.00	61.54	5.51	5500.00	69.66	6.04	5740.00	63.74	4.67
5270.00	59.74	5.34	5510.00	69.3	5.97	5750.00	61.52	4.29
5280.00	60.73	5.35	5520.00	70.03	6.05	5760.00	60.59	4.25
5290.00	60.56	5.3	5530.00	70.53	6.03	5770.00	60.35	4.28
5300.00	60.9	5.23	5540.00	71.06	6.16	5780.00	60.37	4.35
5310.00	59.68	5.09	5550.00	71.41	6.21	5790.00	60.02	4.5
5320.00	60.23	5.08	5560.00	70.76	6.24	5800.00	61.08	4.76
5330.00	59.82	5.11	5570.00	69.78	6.17	5810.00	61.88	4.98
5340.00	59.99	5.16	5580.00	69.72	6.17	5820.00	61.85	4.96
5350.00	60.72	5.34	5590.00	68.4	5.91	5830.00	62.22	5.1
5360.00	61.38	5.41	5600.00	67.71	5.59	5840.00	62.33	5.15
5370.00	63.29	5.7	5610.00	66.92	5.34	5850.00	63.4	5.27
5380.00	63.23	5.77	5620.00	67.74	5.36			

5号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5925.00	77.57	5.06	6335.00	76.24	4.96	6745.00	71.69	4.37
5935.00	76.12	5.12	6345.00	75.91	4.98	6755.00	72.63	4.19
5945.00	74.55	5.21	6355.00	74.59	4.93	6765.00	76.15	4.21
5955.00	72.87	5.28	6365.00	76.36	5.07	6775.00	80.75	4.52
5965.00	73.52	5.47	6375.00	78.60	5.23	6785.00	82.13	4.76
5975.00	74.87	5.51	6385.00	75.38	5.08	6795.00	79.89	4.75
5985.00	75.72	5.47	6395.00	70.99	4.79	6805.00	78.77	4.76
5995.00	75.62	5.29	6405.00	71.66	4.84	6815.00	80.07	4.90
6005.00	74.46	5.10	6415.00	72.02	4.95	6825.00	82.18	5.06
6015.00	75.91	5.07	6425.00	69.33	4.87	6835.00	79.92	5.00
6025.00	78.94	5.27	6435.00	67.19	4.81	6845.00	78.27	4.93
6035.00	79.10	5.36	6445.00	65.54	4.81	6855.00	79.06	5.02
6045.00	77.85	5.37	6455.00	65.42	4.92	6865.00	78.14	4.90
6055.00	77.20	5.31	6465.00	65.64	5.01	6875.00	79.56	4.93
6065.00	74.74	5.30	6475.00	65.43	5.02	6885.00	82.25	5.03
6075.00	75.42	5.51	6485.00	65.43	5.06	6895.00	81.17	4.98
6085.00	76.56	5.69	6495.00	65.46	5.08	6905.00	80.62	4.91
6095.00	75.76	5.79	6505.00	65.64	5.06	6915.00	79.58	4.80
6105.00	75.40	5.84	6515.00	67.61	5.26	6925.00	81.07	4.85
6115.00	74.43	5.87	6525.00	69.62	5.45	6935.00	83.71	5.06
6125.00	75.37	5.97	6535.00	70.43	5.46	6945.00	82.33	5.15
6135.00	76.88	6.08	6545.00	71.03	5.39	6955.00	79.58	5.15
6145.00	76.72	6.13	6555.00	71.28	5.21	6965.00	79.35	5.26
6155.00	77.89	6.15	6565.00	72.36	5.12	6975.00	78.35	5.23
6165.00	80.32	6.25	6575.00	74.65	4.96	6985.00	82.71	5.47
6175.00	78.01	6.16	6585.00	74.43	4.55	6995.00	88.53	5.79
6185.00	77.14	6.11	6595.00	73.17	4.41	7005.00	86.76	5.74
6195.00	77.73	6.04	6605.00	75.03	4.48	7015.00	81.68	5.48
6205.00	76.17	5.86	6615.00	76.59	4.64	7025.00	79.88	5.37
6215.00	76.42	5.70	6625.00	74.12	4.48	7035.00	81.71	5.41
6225.00	75.82	5.55	6635.00	72.35	4.40	7045.00	84.82	5.56
6235.00	71.90	5.24	6645.00	70.85	4.33	7055.00	84.27	5.57
6245.00	71.31	5.06	6655.00	70.44	4.49	7065.00	82.47	5.45

6255.00	72.16	5.09	6665.00	70.98	4.68	7075.00	81.95	5.43
6265.00	71.96	5.08	6675.00	69.12	4.76	7085.00	80.62	5.32
6275.00	70.77	4.98	6685.00	65.85	4.67	7095.00	82.92	5.42
6285.00	69.29	4.86	6695.00	63.99	4.62	7105.00	87.17	5.63
6295.00	70.66	4.93	6705.00	64.41	4.61	7115.00	87.77	5.65
6305.00	73.52	5.02	6715.00	67.42	4.66	7125.00	86.64	5.57
6315.00	73.09	4.83	6725.00	70.44	4.72			
6325.00	73.69	4.80	6735.00	71.39	4.57			

6号

Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
5925.00	71.09	4.45	6335.00	70.84	5.32	6745.00	69.95	5.41
5935.00	69.81	4.61	6345.00	71.22	5.33	6755.00	70.69	5.51
5945.00	68.71	4.89	6355.00	70.09	5.19	6765.00	74.14	5.77
5955.00	67.99	5.14	6365.00	71.79	5.19	6775.00	78.60	6.01
5965.00	69.91	5.43	6375.00	74.14	5.26	6785.00	79.65	6.06
5975.00	72.02	5.70	6385.00	71.11	5.05	6795.00	78.08	5.91
5985.00	73.34	5.89	6395.00	67.14	4.68	6805.00	76.69	5.81
5995.00	73.47	6.07	6405.00	67.80	4.70	6815.00	76.99	5.80
6005.00	72.17	6.10	6415.00	68.08	4.71	6825.00	77.04	5.69
6015.00	73.58	6.29	6425.00	65.46	4.54	6835.00	72.02	5.32
6025.00	76.54	6.63	6435.00	63.40	4.42	6845.00	68.75	5.00
6035.00	76.59	6.78	6445.00	61.97	4.34	6855.00	68.15	4.87
6045.00	75.47	6.90	6455.00	61.73	4.41	6865.00	66.36	4.70
6055.00	74.95	6.94	6465.00	61.87	4.47	6875.00	67.33	4.65
6065.00	72.79	6.83	6475.00	61.91	4.49	6885.00	69.65	4.72
6075.00	74.07	6.92	6485.00	61.78	4.51	6895.00	69.62	4.88
6085.00	75.75	6.84	6495.00	61.80	4.60	6905.00	70.10	5.05
6095.00	75.37	6.91	6505.00	61.60	4.67	6915.00	70.02	5.15
6105.00	75.35	6.75	6515.00	62.56	4.85	6925.00	71.88	5.31
6115.00	74.61	6.58	6525.00	63.87	5.03	6935.00	74.62	5.51
6125.00	75.52	6.44	6535.00	63.76	5.05	6945.00	73.71	5.45
6135.00	77.16	6.28	6545.00	63.36	5.04	6955.00	71.61	5.27
6145.00	76.70	5.90	6555.00	62.92	4.98	6965.00	71.64	5.20
6155.00	77.83	5.65	6565.00	63.06	5.02	6975.00	70.82	5.03
6165.00	80.20	5.55	6575.00	64.80	5.09	6985.00	74.47	5.15
6175.00	77.45	5.17	6585.00	64.68	4.97	6995.00	79.13	5.38
6185.00	76.81	5.39	6595.00	63.62	4.85	7005.00	76.75	5.27
6195.00	76.87	5.57	6605.00	65.32	4.93	7015.00	71.43	4.97
6205.00	74.91	5.55	6615.00	67.12	5.05	7025.00	69.18	4.82
6215.00	75.12	5.55	6625.00	65.26	4.87	7035.00	70.49	4.84
6225.00	73.93	5.53	6635.00	64.04	4.75	7045.00	72.79	4.97
6235.00	70.66	5.40	6645.00	63.68	4.62	7055.00	72.67	4.98
6245.00	69.97	5.35	6655.00	64.03	4.50	7065.00	71.76	4.93
6255.00	69.95	5.34	6665.00	65.64	4.34	7075.00	71.86	4.96
6265.00	69.70	5.33	6675.00	64.76	4.02	7085.00	71.40	4.95
6275.00	67.70	5.21	6685.00	62.05	4.04	7095.00	73.66	5.09
6285.00	65.93	5.09	6695.00	61.10	4.17	7105.00	77.76	5.36
6295.00	67.18	5.19	6705.00	62.05	4.38	7115.00	78.79	5.48
6305.00	68.65	5.29	6715.00	65.55	4.81	7125.00	77.93	5.49
6315.00	68.05	5.28	6725.00	68.82	5.18			
6325.00	68.43	5.24	6735.00	69.49	5.34			

7号



Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)	Freq (MHz)	Effi (%)	Max (dB)
---------------	-------------	-------------	---------------	-------------	-------------	---------------	-------------	-------------

5925.00	72.64	5.45	6335.00	67.19	4.97	6745.00	73.27	6.14
5935.00	70.50	5.42	6345.00	67.83	5.01	6755.00	74.27	6.23
5945.00	68.70	5.41	6355.00	66.49	4.95	6765.00	78.00	6.50
5955.00	66.64	5.32	6365.00	69.43	5.17	6775.00	82.77	6.80
5965.00	67.60	5.33	6375.00	72.40	5.36	6785.00	84.53	6.99
5975.00	69.41	5.42	6385.00	70.43	5.20	6795.00	82.45	6.96
5985.00	69.28	5.35	6395.00	67.48	5.00	6805.00	80.80	6.93
5995.00	68.73	5.29	6405.00	67.70	5.01	6815.00	81.03	6.94
6005.00	66.26	4.98	6415.00	68.59	5.09	6825.00	81.16	6.94
6015.00	66.39	4.81	6425.00	66.67	5.01	6835.00	76.92	6.77
6025.00	69.24	4.84	6435.00	64.59	4.93	6845.00	74.28	6.66
6035.00	68.06	4.67	6445.00	63.86	4.90	6855.00	73.93	6.64
6045.00	66.38	4.54	6455.00	63.42	4.93	6865.00	72.16	6.45
6055.00	65.33	4.52	6465.00	63.61	4.95	6875.00	73.10	6.47
6065.00	62.48	4.41	6475.00	63.96	4.90	6885.00	75.62	6.57
6075.00	64.18	4.55	6485.00	63.44	4.89	6895.00	75.74	6.51
6085.00	65.46	4.63	6495.00	63.62	4.91	6905.00	75.96	6.42
6095.00	64.41	4.54	6505.00	63.24	4.90	6915.00	75.44	6.31
6105.00	64.62	4.46	6515.00	64.13	4.90	6925.00	76.90	6.24
6115.00	63.53	4.32	6525.00	66.28	5.17	6935.00	79.37	6.25
6125.00	65.19	4.32	6535.00	66.51	5.29	6945.00	78.27	6.10
6135.00	67.59	4.47	6545.00	66.62	5.40	6955.00	75.65	5.93
6145.00	67.08	4.56	6555.00	66.38	5.41	6965.00	75.20	5.86
6155.00	68.97	4.72	6565.00	66.52	5.53	6975.00	73.83	5.68
6165.00	70.96	4.88	6575.00	68.81	5.73	6985.00	77.40	5.87
6175.00	69.05	4.86	6585.00	68.94	5.68	6995.00	82.49	6.17
6185.00	69.12	4.95	6595.00	67.72	5.56	7005.00	80.43	6.09
6195.00	68.47	4.95	6605.00	69.53	5.70	7015.00	75.39	5.81
6205.00	67.14	4.92	6615.00	71.42	5.84	7025.00	73.47	5.69
6215.00	67.51	4.87	6625.00	69.54	5.69	7035.00	74.98	5.69
6225.00	66.65	4.85	6635.00	68.20	5.61	7045.00	77.48	5.79
6235.00	64.31	4.79	6645.00	67.67	5.57	7055.00	77.48	5.79
6245.00	62.98	4.71	6655.00	68.13	5.60	7065.00	76.65	5.68
6255.00	63.07	4.72	6665.00	69.96	5.66	7075.00	76.73	5.66
6265.00	63.10	4.72	6675.00	69.46	5.67	7085.00	75.96	5.64
6275.00	61.33	4.58	6685.00	66.74	5.52	7095.00	77.71	5.75
6285.00	60.77	4.52	6695.00	65.34	5.45	7105.00	81.79	6.02
6295.00	61.78	4.53	6705.00	65.90	5.46	7115.00	82.87	6.11
6305.00	63.36	4.57	6715.00	68.72	5.63	7125.00	81.56	6.00
6315.00	63.80	4.64	6725.00	71.92	5.93			
6325.00	64.11	4.75	6735.00	73.00	6.04			
8号								
检测人员/日期		/						




捷雷科技 OTA 实验室测试报告


2400MHz



H









E1 (phi=0°)



E2 (phi=90°)

2450MHz









E1


E2

2500MHz




H





E1





E2




捷雷科技 OTA 实验室测试报告


2400MHz



H




E1 (phi=0°)





E2 (phi=90°)


2450MHz

Z







H




E1




E2




2500MHz



H



E1





E2




捷雷科技 OTA 实验室测试报告


5150MHz



H







E1 (phi=0°)




E2 (phi=90°)

5500MHz







H





E1


E2

5850MHz




H





E1





E2




捷雷科技 OTA 实验室测试报告


5150MHz



H






E1 (phi=0°)




E2 (phi=90°)

5500MHz






H





E1




E2

5850MHz




H





E1





E2





捷雷科技 OTA 实验室测试报告

5150MHz




H





E1 (phi=0°)


E2 (phi=90°)

5500MHz






H





E1




E2


5850MHz



H



E1



E2