


8. Maximum Output Power

8.1. Block diagram of test setup



8.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Maximum Output Power	For FCC: outdoor access point: 1 W(30 dBm) indoor access point: 1 W(30 dBm) fixed point-to-point access points1 W(30 dBm) client devices: 250 mW (23.98 dBm)	5150-5250
	For RSS: e.i.r.p. power: not exceed 200 mW (23.01 dBm) or $10 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	5250-5350
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	For FCC:5470 - 5725 For IC:5470 - 5600
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	5650 - 5725
	1 Watt (30 dBm)	5725-5850

Note 1: For FCC: B=26 bandwidth; For ISM: B=99% bandwidth.

Note 2: If transmitting antennas of directional gain greater than 6 dBi are used, the average output power shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi, but for fixed point-to-point transmitters operating in 5150-5250MHz band that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum conducted output power and operating in 5725-5850 band may employ transmitting antennas with directional gain greater than 6 dBi without any corresponding reduction in transmitter conducted power.

8.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator

Measure the output power of each antenna port by power sensor.

8.4. Test result channel power

Test Engineer:	Haofeng	Test Site:	RF Measurement System 4#
Ambient Condition:	24.6°C,43.1%RH	Test Date:	2025.07.09 - 2025.08.14
Test Power Supply:	AC120V/60Hz	Sample Number:	S25062705-003

FCC UNII-1/ UNII-2A/UNII-2C/UNII-3and IC band UNII-2A/UNII-2C/UNII-3:

Test Mode	Antenna	Frequency [MHz]	TPC Mode	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	FCC Conducted Limit [dBm]	IC Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A-CDD	Ant1	5180	NA	2.42	95.86	0.18	2.60	≤29.02	---	9.58	---	PASS
	Ant2	5180	NA	2.54	95.89	0.18	2.72	≤29.02	---	9.70	---	PASS
	Ant3	5180	NA	3.10	95.86	0.18	3.28	≤29.02	---	10.26	---	PASS
	total	5180	NA	---	---	---	7.65	≤29.02	---	14.63	---	PASS
	Ant1	5200	NA	2.57	95.89	0.18	2.75	≤29.02	---	9.73	---	PASS
	Ant2	5200	NA	2.52	95.86	0.18	2.70	≤29.02	---	9.68	---	PASS
	Ant3	5200	NA	3.01	95.89	0.18	3.19	≤29.02	---	10.17	---	PASS
	total	5200	NA	---	---	---	7.66	≤29.02	---	14.64	---	PASS
	Ant1	5240	NA	3.19	95.86	0.18	3.37	≤29.02	---	10.35	---	PASS
	Ant2	5240	NA	2.98	95.86	0.18	3.16	≤29.02	---	10.14	---	PASS
	Ant3	5240	NA	3.70	95.86	0.18	3.88	≤29.02	---	10.86	---	PASS
	total	5240	NA	---	---	---	8.25	≤29.02	---	15.23	---	PASS
	Ant1	5260	TPC_L	3.02	95.86	0.18	3.20	≤22.65	≤22.2	10.18	24.00	PASS
			TPC_H	9.37	95.86	0.18	9.55	≤22.65	≤22.2	16.53	29.18	PASS
	Ant2	5260	TPC_L	3.22	95.86	0.18	3.40	≤22.65	≤22.2	10.38	24.00	PASS
			TPC_H	9.82	95.86	0.18	10.00	≤22.65	≤22.2	16.98	29.18	PASS
	Ant3	5260	TPC_L	3.22	95.86	0.18	3.40	≤22.65	≤22.2	10.38	24.00	PASS
			TPC_H	9.39	95.86	0.18	9.57	≤22.65	≤22.2	16.55	29.18	PASS
	total	5260	TPC_L	---	---	---	8.11	≤22.65	≤22.2	15.09	24.00	PASS
			TPC_H	---	---	---	14.48	≤22.65	≤22.2	21.46	29.18	PASS
	Ant1	5280	TPC_L	3.15	95.89	0.18	3.33	≤22.65	≤22.2	10.31	24.00	PASS
			TPC_H	9.48	95.89	0.18	9.66	≤22.65	≤22.2	16.64	29.18	PASS
	Ant2	5280	TPC_L	3.29	95.86	0.18	3.47	≤22.65	≤22.2	10.45	24.00	PASS
			TPC_H	9.86	95.86	0.18	10.04	≤22.65	≤22.2	17.02	29.18	PASS
	Ant3	5280	TPC_L	3.30	95.86	0.18	3.48	≤22.65	≤22.2	10.46	24.00	PASS
			TPC_H	9.55	95.86	0.18	9.73	≤22.65	≤22.2	16.71	29.18	PASS
	total	5280	TPC_L	---	---	---	8.20	≤22.65	≤22.2	15.18	24.00	PASS
			TPC_H	---	---	---	14.58	≤22.65	≤22.2	21.56	29.18	PASS
	Ant1	5320	TPC_L	2.52	95.86	0.18	2.70	≤22.65	≤22.2	9.68	24.00	PASS
			TPC_H	9.05	95.86	0.18	9.23	≤22.65	≤22.2	16.21	29.18	PASS
	Ant2	5320	TPC_L	2.71	95.86	0.18	2.89	≤22.65	≤22.2	9.87	24.00	PASS
			TPC_H	9.54	95.86	0.18	9.72	≤22.65	≤22.2	16.70	29.18	PASS
	Ant3	5320	TPC_L	2.55	95.21	0.21	2.76	≤22.65	≤22.2	9.74	24.00	PASS
			TPC_H	9.04	95.21	0.21	9.25	≤22.65	≤22.2	16.23	29.18	PASS
	total	5320	TPC_L	---	---	---	7.56	≤22.65	≤22.2	14.54	24.00	PASS
			TPC_H	---	---	---	14.18	≤22.65	≤22.2	21.16	29.18	PASS
	Ant1	5500	TPC_L	2.19	95.86	0.18	2.37	≤22.65	≤22.2	9.35	24.00	PASS
			TPC_H	9.11	95.86	0.18	9.29	≤22.65	≤22.2	16.27	29.18	PASS
	Ant2	5500	TPC_L	2.52	95.89	0.18	2.70	≤22.65	≤22.2	9.68	24.00	PASS
			TPC_H	9.56	95.89	0.18	9.74	≤22.65	≤22.2	16.72	29.18	PASS
	Ant3	5500	TPC_L	3.14	95.86	0.18	3.32	≤22.65	≤22.2	10.30	24.00	PASS
			TPC_H	10.30	95.86	0.18	10.48	≤22.65	≤22.2	17.46	29.18	PASS
	total	5500	TPC_L	---	---	---	7.59	≤22.65	≤22.2	14.57	24.00	PASS
			TPC_H	---	---	---	14.64	≤22.65	≤22.2	21.62	29.18	PASS
	Ant1	5580	TPC_L	1.99	95.86	0.18	2.17	≤22.65	≤22.2	9.15	24.00	PASS
			TPC_H	9.02	95.86	0.18	9.20	≤22.65	≤22.2	16.18	29.18	PASS
	Ant2	5580	TPC_L	1.52	95.86	0.18	1.70	≤22.65	≤22.2	8.68	24.00	PASS
			TPC_H	8.67	95.86	0.18	8.85	≤22.65	≤22.2	15.83	29.18	PASS
	Ant3	5580	TPC_L	2.19	95.86	0.18	2.37	≤22.65	≤22.2	9.35	24.00	PASS
			TPC_H	9.33	95.86	0.18	9.51	≤22.65	≤22.2	16.49	29.18	PASS
	total	5580	TPC_L	---	---	---	6.86	≤22.65	≤22.2	13.84	24.00	PASS

	Ant1	5700	TPC_H	---	---	---	13.97	≤22.65	≤22.2	20.95	29.18	PASS
			TPC_L	2.13	95.89	0.18	2.31	≤22.65	≤22.2	9.29	24.00	PASS
			TPC_H	8.92	95.89	0.18	9.10	≤22.65	≤22.2	16.08	29.18	PASS
	Ant2	5700	TPC_L	1.12	95.89	0.18	1.30	≤22.65	≤22.2	8.28	24.00	PASS
			TPC_H	8.31	95.89	0.18	8.49	≤22.65	≤22.2	15.47	29.18	PASS
	Ant3	5700	TPC_L	1.69	95.89	0.18	1.87	≤22.65	≤22.2	8.85	24.00	PASS
			TPC_H	9.03	95.89	0.18	9.21	≤22.65	≤22.2	16.19	29.18	PASS
	total	5700	TPC_L	---	---	---	6.62	≤22.65	≤22.2	13.60	24.00	PASS
			TPC_H	---	---	---	13.72	≤22.65	≤22.2	20.70	29.18	PASS
	Ant1	5720	TPC_L	2.55	95.86	0.18	2.73	≤22.65	≤22.2	9.71	24.00	PASS
			TPC_H	9.39	95.86	0.18	9.57	≤22.65	≤22.2	16.55	29.18	PASS
	Ant2	5720	TPC_L	1.56	95.86	0.18	1.74	≤22.65	≤22.2	8.72	24.00	PASS
			TPC_H	8.71	95.86	0.18	8.89	≤22.65	≤22.2	15.87	29.18	PASS
	Ant3	5720	TPC_L	2.25	95.86	0.18	2.43	≤22.65	≤22.2	9.41	24.00	PASS
			TPC_H	9.41	95.86	0.18	9.59	≤22.65	≤22.2	16.57	29.18	PASS
	total	5720	TPC_L	---	---	---	7.09	≤22.65	≤22.2	14.07	24.00	PASS
			TPC_H	---	---	---	14.13	≤22.65	≤22.2	21.11	29.18	PASS
	Ant1	5745	NA	12.51	95.86	0.18	12.69	≤29.02	≤29.02	19.67	---	PASS
	Ant2	5745	NA	13.32	95.86	0.18	13.50	≤29.02	≤29.02	20.48	---	PASS
	Ant3	5745	NA	11.82	95.86	0.18	12.00	≤29.02	≤29.02	18.98	---	PASS
	total	5745	NA	---	---	---	17.54	≤29.02	≤29.02	24.52	---	PASS
	Ant1	5785	NA	11.92	95.86	0.18	12.10	≤29.02	≤29.02	19.08	---	PASS
	Ant2	5785	NA	12.69	95.86	0.18	12.87	≤29.02	≤29.02	19.85	---	PASS
	Ant3	5785	NA	11.45	95.86	0.18	11.63	≤29.02	≤29.02	18.61	---	PASS
	total	5785	NA	---	---	---	17.00	≤29.02	≤29.02	23.98	---	PASS
	Ant1	5825	NA	10.80	95.86	0.18	10.98	≤29.02	≤29.02	17.96	---	PASS
	Ant2	5825	NA	10.68	95.89	0.18	10.86	≤29.02	≤29.02	17.84	---	PASS
	Ant3	5825	NA	11.27	95.89	0.18	11.45	≤29.02	≤29.02	18.43	---	PASS
	total	5825	NA	---	---	---	15.88	≤29.02	≤29.02	22.86	---	PASS
11N20 MIMO	Ant1	5180	NA	7.69	87.04	0.60	8.29	≤29.02	---	15.27	---	PASS
	Ant2	5180	NA	7.88	88.68	0.52	8.40	≤29.02	---	15.38	---	PASS
	Ant3	5180	NA	7.80	88.68	0.52	8.32	≤29.02	---	15.30	---	PASS
	total	5180	NA	---	---	---	13.11	≤29.02	---	20.09	---	PASS
	Ant1	5200	NA	7.64	88.68	0.52	8.16	≤29.02	---	15.14	---	PASS
	Ant2	5200	NA	7.87	87.04	0.60	8.47	≤29.02	---	15.45	---	PASS
	Ant3	5200	NA	7.78	87.04	0.60	8.38	≤29.02	---	15.36	---	PASS
	total	5200	NA	---	---	---	13.11	≤29.02	---	20.09	---	PASS
	Ant1	5240	NA	7.95	88.68	0.52	8.47	≤29.02	---	15.45	---	PASS
	Ant2	5240	NA	8.04	87.04	0.60	8.64	≤29.02	---	15.62	---	PASS
	Ant3	5240	NA	8.48	87.04	0.60	9.08	≤29.02	---	16.06	---	PASS
	total	5240	NA	---	---	---	13.51	≤29.02	---	20.49	---	PASS
	Ant1	5260	TPC_L	3.19	88.68	0.52	3.71	≤22.65	≤22.2	10.69	24.00	PASS
			TPC_H	9.52	88.68	0.52	10.04	≤22.65	≤22.2	17.02	29.18	PASS
	Ant2	5260	TPC_L	3.32	88.68	0.52	3.84	≤22.65	≤22.2	10.82	24.00	PASS
			TPC_H	10.03	88.68	0.52	10.55	≤22.65	≤22.2	17.53	29.18	PASS
	Ant3	5260	TPC_L	3.39	87.04	0.60	3.99	≤22.65	≤22.2	10.97	24.00	PASS
			TPC_H	9.73	87.04	0.60	10.33	≤22.65	≤22.2	17.31	29.18	PASS
	total	5260	TPC_L	---	---	---	8.62	≤22.65	≤22.2	15.60	24.00	PASS
			TPC_H	---	---	---	15.08	≤22.65	≤22.2	22.06	29.18	PASS
	Ant1	5280	TPC_L	3.33	87.04	0.60	3.93	≤22.65	≤22.2	10.91	24.00	PASS
			TPC_H	9.66	87.04	0.60	10.26	≤22.65	≤22.2	17.24	29.18	PASS
	Ant2	5280	TPC_L	3.41	88.68	0.52	3.93	≤22.65	≤22.2	10.91	24.00	PASS
			TPC_H	10.05	88.68	0.52	10.57	≤22.65	≤22.2	17.55	29.18	PASS
	Ant3	5280	TPC_L	3.41	87.04	0.60	4.01	≤22.65	≤22.2	10.99	24.00	PASS
			TPC_H	9.79	87.04	0.60	10.39	≤22.65	≤22.2	17.37	29.18	PASS
	total	5280	TPC_L	---	---	---	8.73	≤22.65	≤22.2	15.71	24.00	PASS
			TPC_H	---	---	---	15.18	≤22.65	≤22.2	22.16	29.18	PASS
	Ant1	5320	TPC_L	2.73	88.68	0.52	3.25	≤22.65	≤22.2	10.23	24.00	PASS
			TPC_H	9.20	88.68	0.52	9.72	≤22.65	≤22.2	16.70	29.18	PASS
	Ant2	5320	TPC_L	2.71	87.04	0.60	3.31	≤22.65	≤22.2	10.29	24.00	PASS
			TPC_H	9.73	87.04	0.60	10.33	≤22.65	≤22.2	17.31	29.18	PASS
	Ant3	5320	TPC_L	2.72	88.68	0.52	3.24	≤22.65	≤22.2	10.22	24.00	PASS
			TPC_H	9.23	88.68	0.52	9.75	≤22.65	≤22.2	16.73	29.18	PASS
	total	5320	TPC_L	---	---	---	8.04	≤22.65	≤22.2	15.02	24.00	PASS

11N40 MIMO	Ant1	5500	TPC_H	---	---	---	14.71	≤22.65	≤22.2	21.69	29.18	PASS
			TPC_L	2.28	87.04	0.60	2.88	≤22.65	≤22.2	9.86	24.00	PASS
			TPC_H	8.77	87.04	0.60	9.37	≤22.65	≤22.2	16.35	29.18	PASS
	Ant2	5500	TPC_L	2.51	88.68	0.52	3.03	≤22.65	≤22.2	10.01	24.00	PASS
			TPC_H	9.24	88.68	0.52	9.76	≤22.65	≤22.2	16.74	29.18	PASS
	Ant3	5500	TPC_L	3.27	88.68	0.52	3.79	≤22.65	≤22.2	10.77	24.00	PASS
			TPC_H	10.04	88.68	0.52	10.56	≤22.65	≤22.2	17.54	29.18	PASS
	total	5500	TPC_L	---	---	---	8.02	≤22.65	≤22.2	15.00	24.00	PASS
			TPC_H	---	---	---	14.70	≤22.65	≤22.2	21.68	29.18	PASS
	Ant1	5580	TPC_L	1.97	87.04	0.60	2.57	≤22.65	≤22.2	9.55	24.00	PASS
			TPC_H	8.66	87.04	0.60	9.26	≤22.65	≤22.2	16.24	29.18	PASS
	Ant2	5580	TPC_L	1.57	87.04	0.60	2.17	≤22.65	≤22.2	9.15	24.00	PASS
			TPC_H	8.33	87.04	0.60	8.93	≤22.65	≤22.2	15.91	29.18	PASS
	Ant3	5580	TPC_L	2.31	88.68	0.52	2.83	≤22.65	≤22.2	9.81	24.00	PASS
			TPC_H	9.02	88.68	0.52	9.54	≤22.65	≤22.2	16.52	29.18	PASS
	total	5580	TPC_L	---	---	---	7.30	≤22.65	≤22.2	14.28	24.00	PASS
			TPC_H	---	---	---	14.02	≤22.65	≤22.2	21.00	29.18	PASS
	Ant1	5700	TPC_L	2.15	87.04	0.60	2.75	≤22.65	≤22.2	9.73	24.00	PASS
			TPC_H	8.58	87.04	0.60	9.18	≤22.65	≤22.2	16.16	29.18	PASS
	Ant2	5700	TPC_L	1.16	87.04	0.60	1.76	≤22.65	≤22.2	8.74	24.00	PASS
			TPC_H	8.01	87.04	0.60	8.61	≤22.65	≤22.2	15.59	29.18	PASS
	Ant3	5700	TPC_L	1.68	87.04	0.60	2.28	≤22.65	≤22.2	9.26	24.00	PASS
			TPC_H	8.73	87.04	0.60	9.33	≤22.65	≤22.2	16.31	29.18	PASS
	total	5700	TPC_L	---	---	---	7.05	≤22.65	≤22.2	14.03	24.00	PASS
			TPC_H	---	---	---	13.82	≤22.65	≤22.2	20.80	29.18	PASS
	Ant1	5720	TPC_L	2.59	87.04	0.60	3.19	≤22.65	≤22.2	10.17	24.00	PASS
			TPC_H	9.03	87.04	0.60	9.63	≤22.65	≤22.2	16.61	29.18	PASS
	Ant2	5720	TPC_L	1.63	87.04	0.60	2.23	≤22.65	≤22.2	9.21	24.00	PASS
			TPC_H	8.40	87.04	0.60	9.00	≤22.65	≤22.2	15.98	29.18	PASS
	Ant3	5720	TPC_L	2.36	87.04	0.60	2.96	≤22.65	≤22.2	9.94	24.00	PASS
			TPC_H	9.07	87.04	0.60	9.67	≤22.65	≤22.2	16.65	29.18	PASS
	total	5720	TPC_L	---	---	---	7.58	≤22.65	≤22.2	14.56	24.00	PASS
			TPC_H	---	---	---	14.22	≤22.65	≤22.2	21.20	29.18	PASS
	Ant1	5745	NA	10.24	87.04	0.60	10.84	≤29.02	≤29.02	17.82	---	PASS
	Ant2	5745	NA	10.95	88.68	0.52	11.47	≤29.02	≤29.02	18.45	---	PASS
	Ant3	5745	NA	9.43	88.68	0.52	9.95	≤29.02	≤29.02	16.93	---	PASS
	total	5745	NA	---	---	---	15.57	≤29.02	≤29.02	22.55	---	PASS
	Ant1	5785	NA	9.67	88.68	0.52	10.19	≤29.02	≤29.02	17.17	---	PASS
	Ant2	5785	NA	10.35	88.68	0.52	10.87	≤29.02	≤29.02	17.85	---	PASS
	Ant3	5785	NA	9.06	87.04	0.60	9.66	≤29.02	≤29.02	16.64	---	PASS
	total	5785	NA	---	---	---	15.04	≤29.02	≤29.02	22.02	---	PASS
	Ant1	5825	NA	8.48	87.04	0.60	9.08	≤29.02	≤29.02	16.06	---	PASS
	Ant2	5825	NA	8.25	87.04	0.60	8.85	≤29.02	≤29.02	15.83	---	PASS
	Ant3	5825	NA	8.90	85.19	0.70	9.60	≤29.02	≤29.02	16.58	---	PASS
	total	5825	NA	---	---	---	13.96	≤29.02	≤29.02	20.94	---	PASS
	Ant1	5190	NA	8.63	78.13	1.07	9.70	≤29.02	---	16.68	---	PASS
	Ant2	5190	NA	8.93	78.13	1.07	10.00	≤29.02	---	16.98	---	PASS
	Ant3	5190	NA	8.86	78.13	1.07	9.93	≤29.02	---	16.91	---	PASS
	total	5190	NA	---	---	---	14.65	≤29.02	---	21.63	---	PASS
	Ant1	5230	NA	8.90	80.65	0.93	9.83	≤29.02	---	16.81	---	PASS
	Ant2	5230	NA	9.14	78.13	1.07	10.21	≤29.02	---	17.19	---	PASS
	Ant3	5230	NA	9.38	78.13	1.07	10.45	≤29.02	---	17.43	---	PASS
	total	5230	NA	---	---	---	14.94	≤29.02	---	21.92	---	PASS
	Ant1	5270	TPC_L	5.17	78.13	1.07	6.24	≤23.00	≤23.00	13.22	24.00	PASS
			TPC_H	11.65	78.13	1.07	12.72	≤23.00	≤23.00	19.70	30.00	PASS
	Ant2	5270	TPC_L	5.33	78.13	1.07	6.40	≤23.00	≤23.00	13.38	24.00	PASS
			TPC_H	12.04	78.13	1.07	13.11	≤23.00	≤23.00	20.09	30.00	PASS
	Ant3	5270	TPC_L	5.37	78.13	1.07	6.44	≤23.00	≤23.00	13.42	24.00	PASS
			TPC_H	11.81	78.13	1.07	12.88	≤23.00	≤23.00	19.86	30.00	PASS
	total	5270	TPC_L	---	---	---	11.13	≤23.00	≤23.00	18.11	24.00	PASS
			TPC_H	---	---	---	17.68	≤23.00	≤23.00	24.66	30.00	PASS
	Ant1	5310	TPC_L	4.80	78.13	1.07	5.87	≤23.00	≤23.00	12.85	24.00	PASS
			TPC_H	11.34	78.13	1.07	12.41	≤23.00	≤23.00	19.39	30.00	PASS
	Ant2	5310	TPC_L	5.04	78.13	1.07	6.11	≤23.00	≤23.00	13.09	24.00	PASS

11AC2 OMIM O	Ant3	5310	TPC_H	11.76	78.13	1.07	12.83	≤23.00	≤23.00	19.81	30.00	PASS
			TPC_L	4.86	80.65	0.93	5.79	≤23.00	≤23.00	12.77	24.00	PASS
			TPC_H	11.38	80.65	0.93	12.31	≤23.00	≤23.00	19.29	30.00	PASS
	total	5310	TPC_L	---	---	---	10.70	≤23.00	≤23.00	17.68	24.00	PASS
			TPC_H	---	---	---	17.29	≤23.00	≤23.00	24.27	30.00	PASS
	Ant1	5510	TPC_L	4.08	80.65	0.93	5.01	≤23.00	≤23.00	11.99	24.00	PASS
			TPC_H	10.99	80.65	0.93	11.92	≤23.00	≤23.00	18.90	30.00	PASS
			TPC_L	4.99	80.65	0.93	5.92	≤23.00	≤23.00	12.90	24.00	PASS
	Ant2	5510	TPC_H	11.52	80.65	0.93	12.45	≤23.00	≤23.00	19.43	30.00	PASS
			TPC_L	5.52	78.13	1.07	6.59	≤23.00	≤23.00	13.57	24.00	PASS
	Ant3	5510	TPC_H	12.22	78.13	1.07	13.29	≤23.00	≤23.00	20.27	30.00	PASS
			TPC_L	---	---	---	10.66	≤23.00	≤23.00	17.64	24.00	PASS
	total	5510	TPC_H	---	---	---	17.36	≤23.00	≤23.00	24.34	30.00	PASS
			TPC_L	3.88	78.13	1.07	4.95	≤23.00	≤23.00	11.93	24.00	PASS
	Ant1	5550	TPC_H	10.39	78.13	1.07	11.46	≤23.00	≤23.00	18.44	30.00	PASS
			TPC_L	4.20	78.13	1.07	5.27	≤23.00	≤23.00	12.25	24.00	PASS
	Ant2	5550	TPC_H	11.03	78.13	1.07	12.10	≤23.00	≤23.00	19.08	30.00	PASS
			TPC_L	4.51	78.13	1.07	5.58	≤23.00	≤23.00	12.56	24.00	PASS
	Ant3	5550	TPC_H	11.15	78.13	1.07	12.22	≤23.00	≤23.00	19.20	30.00	PASS
			TPC_L	---	---	---	10.05	≤23.00	≤23.00	17.03	24.00	PASS
	total	5550	TPC_H	---	---	---	16.71	≤23.00	≤23.00	23.69	30.00	PASS
			TPC_L	3.17	80.65	0.93	4.10	≤23.00	≤23.00	11.08	24.00	PASS
	Ant1	5670	TPC_H	9.95	80.65	0.93	10.88	≤23.00	≤23.00	17.86	30.00	PASS
			TPC_L	3.44	78.13	1.07	4.51	≤23.00	≤23.00	11.49	24.00	PASS
	Ant2	5670	TPC_H	10.71	78.13	1.07	11.78	≤23.00	≤23.00	18.76	30.00	PASS
			TPC_L	3.45	80.65	0.93	4.38	≤23.00	≤23.00	11.36	24.00	PASS
	Ant3	5670	TPC_H	10.28	80.65	0.93	11.21	≤23.00	≤23.00	18.19	30.00	PASS
			TPC_L	---	---	---	9.10	≤23.00	≤23.00	16.08	24.00	PASS
	total	5670	TPC_H	---	---	---	16.08	≤23.00	≤23.00	23.06	30.00	PASS
			TPC_L	4.64	78.13	1.07	5.71	≤23.00	≤23.00	12.69	24.00	PASS
	Ant1	5710	TPC_H	10.96	78.13	1.07	12.03	≤23.00	≤23.00	19.01	30.00	PASS
			TPC_L	3.74	78.13	1.07	4.81	≤23.00	≤23.00	11.79	24.00	PASS
	Ant2	5710	TPC_H	10.44	78.13	1.07	11.51	≤23.00	≤23.00	18.49	30.00	PASS
			TPC_L	4.38	78.13	1.07	5.45	≤23.00	≤23.00	12.43	24.00	PASS
	Ant3	5710	TPC_H	11.17	78.13	1.07	12.24	≤23.00	≤23.00	19.22	30.00	PASS
			TPC_L	---	---	---	10.11	≤23.00	≤23.00	17.09	24.00	PASS
	total	5710	TPC_H	---	---	---	16.71	≤23.00	≤23.00	23.69	30.00	PASS
			TPC_L	---	---	---	---	---	---	---	---	---
	Ant1	5755	NA	10.19	78.13	1.07	11.26	≤29.02	≤29.02	18.24	---	PASS
	Ant2	5755	NA	10.91	78.13	1.07	11.98	≤29.02	≤29.02	18.96	---	PASS
	Ant3	5755	NA	9.41	78.13	1.07	10.48	≤29.02	≤29.02	17.46	---	PASS
	total	5755	NA	---	---	---	16.05	≤29.02	≤29.02	23.03	---	PASS
	Ant1	5795	NA	9.61	78.13	1.07	10.68	≤29.02	≤29.02	17.66	---	PASS
	Ant2	5795	NA	10.08	78.13	1.07	11.15	≤29.02	≤29.02	18.13	---	PASS
	Ant3	5795	NA	8.94	78.13	1.07	10.01	≤29.02	≤29.02	16.99	---	PASS
	total	5795	NA	---	---	---	15.41	≤29.02	≤29.02	22.39	---	PASS
11AC2 OMIM O	Ant1	5180	NA	7.98	94.93	0.23	8.21	≤29.02	---	15.19	---	PASS
	Ant2	5180	NA	8.19	95.65	0.19	8.38	≤29.02	---	15.36	---	PASS
	Ant3	5180	NA	8.09	94.93	0.23	8.32	≤29.02	---	15.30	---	PASS
	total	5180	NA	---	---	---	13.08	≤29.02	---	20.06	---	PASS
	Ant1	5200	NA	8.00	95.62	0.19	8.19	≤29.02	---	15.17	---	PASS
	Ant2	5200	NA	8.21	95.62	0.19	8.40	≤29.02	---	15.38	---	PASS
	Ant3	5200	NA	8.13	95.62	0.19	8.32	≤29.02	---	15.30	---	PASS
	total	5200	NA	---	---	---	13.08	≤29.02	---	20.06	---	PASS
	Ant1	5240	NA	8.26	95.65	0.19	8.45	≤29.02	---	15.43	---	PASS
	Ant2	5240	NA	8.36	94.93	0.23	8.59	≤29.02	---	15.57	---	PASS
	Ant3	5240	NA	8.82	95.62	0.19	9.01	≤29.02	---	15.99	---	PASS
	total	5240	NA	---	---	---	13.46	≤29.02	---	20.44	---	PASS
	Ant1	5260	TPC_L	4.74	95.62	0.19	4.93	≤22.65	≤22.2	11.91	24.00	PASS
			TPC_H	10.93	95.62	0.19	11.12	≤22.65	≤22.2	18.10	29.18	PASS
	Ant2	5260	TPC_L	4.68	96.32	0.16	4.84	≤22.65	≤22.2	11.82	24.00	PASS
			TPC_H	11.44	96.32	0.16	11.60	≤22.65	≤22.2	18.58	29.18	PASS
	Ant3	5260	TPC_L	4.72	95.62	0.19	4.91	≤22.65	≤22.2	11.89	24.00	PASS
			TPC_H	11.16	95.62	0.19	11.35	≤22.65	≤22.2	18.33	29.18	PASS
	total	5260	TPC_L	---	---	---	9.66	≤22.65	≤22.2	16.64	24.00	PASS

11AC4 OMIM O	Ant1	5280	TPC_H	---	---	---	16.13	≤22.65	≤22.2	23.11	29.18	PASS
			TPC_L	4.66	96.32	0.16	4.82	≤22.65	≤22.2	11.80	24.00	PASS
			TPC_H	11.07	96.32	0.16	11.23	≤22.65	≤22.2	18.21	29.18	PASS
	Ant2	5280	TPC_L	4.75	95.62	0.19	4.94	≤22.65	≤22.2	11.92	24.00	PASS
			TPC_H	11.49	95.62	0.19	11.68	≤22.65	≤22.2	18.66	29.18	PASS
	Ant3	5280	TPC_L	4.78	95.62	0.19	4.97	≤22.65	≤22.2	11.95	24.00	PASS
			TPC_H	11.15	95.62	0.19	11.34	≤22.65	≤22.2	18.32	29.18	PASS
	total	5280	TPC_L	---	---	---	9.68	≤22.65	≤22.2	16.66	24.00	PASS
			TPC_H	---	---	---	16.19	≤22.65	≤22.2	23.17	29.18	PASS
	Ant1	5320	TPC_L	3.97	95.62	0.19	4.16	≤22.65	≤22.2	11.14	24.00	PASS
			TPC_H	10.60	95.62	0.19	10.79	≤22.65	≤22.2	17.77	29.18	PASS
	Ant2	5320	TPC_L	4.19	95.62	0.19	4.38	≤22.65	≤22.2	11.36	24.00	PASS
			TPC_H	11.15	95.62	0.19	11.34	≤22.65	≤22.2	18.32	29.18	PASS
	Ant3	5320	TPC_L	4.12	95.65	0.19	4.31	≤22.65	≤22.2	11.29	24.00	PASS
			TPC_H	10.71	95.65	0.19	10.90	≤22.65	≤22.2	17.88	29.18	PASS
	total	5320	TPC_L	---	---	---	9.06	≤22.65	≤22.2	16.04	24.00	PASS
			TPC_H	---	---	---	15.79	≤22.65	≤22.2	22.77	29.18	PASS
	Ant1	5500	TPC_L	3.72	95.62	0.19	3.91	≤22.65	≤22.2	10.89	24.00	PASS
			TPC_H	10.09	95.62	0.19	10.28	≤22.65	≤22.2	17.26	29.18	PASS
	Ant2	5500	TPC_L	4.03	95.62	0.19	4.22	≤22.65	≤22.2	11.20	24.00	PASS
			TPC_H	10.63	95.62	0.19	10.82	≤22.65	≤22.2	17.80	29.18	PASS
	Ant3	5500	TPC_L	4.67	95.62	0.19	4.86	≤22.65	≤22.2	11.84	24.00	PASS
			TPC_H	11.45	95.62	0.19	11.64	≤22.65	≤22.2	18.62	29.18	PASS
	total	5500	TPC_L	---	---	---	9.12	≤22.65	≤22.2	16.10	24.00	PASS
			TPC_H	---	---	---	15.72	≤22.65	≤22.2	22.70	29.18	PASS
	Ant1	5580	TPC_L	3.49	94.93	0.23	3.72	≤22.65	≤22.2	10.70	24.00	PASS
			TPC_H	10.07	94.93	0.23	10.30	≤22.65	≤22.2	17.28	29.18	PASS
	Ant2	5580	TPC_L	3.03	95.65	0.19	3.22	≤22.65	≤22.2	10.20	24.00	PASS
			TPC_H	9.71	95.65	0.19	9.90	≤22.65	≤22.2	16.88	29.18	PASS
	Ant3	5580	TPC_L	3.73	95.62	0.19	3.92	≤22.65	≤22.2	10.90	24.00	PASS
			TPC_H	10.48	95.62	0.19	10.67	≤22.65	≤22.2	17.65	29.18	PASS
	total	5580	TPC_L	---	---	---	8.40	≤22.65	≤22.2	15.38	24.00	PASS
			TPC_H	---	---	---	15.07	≤22.65	≤22.2	22.05	29.18	PASS
	Ant1	5700	TPC_L	3.53	94.93	0.23	3.76	≤22.65	≤22.2	10.74	24.00	PASS
			TPC_H	9.93	94.93	0.23	10.16	≤22.65	≤22.2	17.14	29.18	PASS
	Ant2	5700	TPC_L	2.67	95.62	0.19	2.86	≤22.65	≤22.2	9.84	24.00	PASS
			TPC_H	9.38	95.62	0.19	9.57	≤22.65	≤22.2	16.55	29.18	PASS
	Ant3	5700	TPC_L	3.32	95.62	0.19	3.51	≤22.65	≤22.2	10.49	24.00	PASS
			TPC_H	10.15	95.62	0.19	10.34	≤22.65	≤22.2	17.32	29.18	PASS
	total	5700	TPC_L	---	---	---	8.16	≤22.65	≤22.2	15.14	24.00	PASS
			TPC_H	---	---	---	14.81	≤22.65	≤22.2	21.79	29.18	PASS
	Ant1	5720	TPC_L	4.13	95.62	0.19	4.32	≤22.65	≤22.2	11.30	24.00	PASS
			TPC_H	10.40	95.62	0.19	10.59	≤22.65	≤22.2	17.57	29.18	PASS
	Ant2	5720	TPC_L	3.19	95.62	0.19	3.38	≤22.65	≤22.2	10.36	24.00	PASS
			TPC_H	9.76	95.62	0.19	9.95	≤22.65	≤22.2	16.93	29.18	PASS
	Ant3	5720	TPC_L	3.77	95.62	0.19	3.96	≤22.65	≤22.2	10.94	24.00	PASS
			TPC_H	10.47	95.62	0.19	10.66	≤22.65	≤22.2	17.64	29.18	PASS
	total	5720	TPC_L	---	---	---	8.67	≤22.65	≤22.2	15.65	24.00	PASS
			TPC_H	---	---	---	15.18	≤22.65	≤22.2	22.16	29.18	PASS
	Ant1	5745	NA	10.55	95.62	0.19	10.74	≤29.02	≤29.02	17.72	---	PASS
	Ant2	5745	NA	11.24	94.93	0.23	11.47	≤29.02	≤29.02	18.45	---	PASS
	Ant3	5745	NA	9.76	95.62	0.19	9.95	≤29.02	≤29.02	16.93	---	PASS
	total	5745	NA	---	---	---	15.54	≤29.02	≤29.02	22.52	---	PASS
	Ant1	5785	NA	9.97	95.62	0.19	10.16	≤29.02	≤29.02	17.14	---	PASS
	Ant2	5785	NA	10.63	95.62	0.19	10.82	≤29.02	≤29.02	17.80	---	PASS
	Ant3	5785	NA	9.36	95.65	0.19	9.55	≤29.02	≤29.02	16.53	---	PASS
	total	5785	NA	---	---	---	14.98	≤29.02	≤29.02	21.96	---	PASS
	Ant1	5825	NA	8.75	95.65	0.19	8.94	≤29.02	≤29.02	15.92	---	PASS
	Ant2	5825	NA	8.52	94.93	0.23	8.75	≤29.02	≤29.02	15.73	---	PASS
	Ant3	5825	NA	9.26	95.65	0.19	9.45	≤29.02	≤29.02	16.43	---	PASS
	total	5825	NA	---	---	---	13.83	≤29.02	≤29.02	20.81	---	PASS
11AC4 OMIM O	Ant1	5190	NA	9.20	91.55	0.38	9.58	≤29.02	---	16.56	---	PASS
	Ant2	5190	NA	9.49	90.28	0.44	9.93	≤29.02	---	16.91	---	PASS
	Ant3	5190	NA	9.41	90.28	0.44	9.85	≤29.02	---	16.83	---	PASS

	total	5190	NA	---	---	---	14.56	≤29.02	---	21.54	---	PASS
	Ant1	5230	NA	9.49	91.55	0.38	9.87	≤29.02	---	16.85	---	PASS
	Ant2	5230	NA	9.69	91.55	0.38	10.07	≤29.02	---	17.05	---	PASS
	Ant3	5230	NA	9.91	91.55	0.38	10.29	≤29.02	---	17.27	---	PASS
	total	5230	NA	---	---	---	14.85	≤29.02	---	21.83	---	PASS
	Ant1	5270	TPC_L	6.98	91.55	0.38	7.36	≤23.00	≤23.00	14.34	24.00	PASS
			TPC_H	13.15	91.55	0.38	13.53	≤23.00	≤23.00	20.51	30.00	PASS
	Ant2	5270	TPC_L	6.99	91.55	0.38	7.37	≤23.00	≤23.00	14.35	24.00	PASS
			TPC_H	13.60	91.55	0.38	13.98	≤23.00	≤23.00	20.96	30.00	PASS
	Ant3	5270	TPC_L	7.02	90.28	0.44	7.46	≤23.00	≤23.00	14.44	24.00	PASS
			TPC_H	13.33	90.28	0.44	13.77	≤23.00	≤23.00	20.75	30.00	PASS
	total	5270	TPC_L	---	---	---	12.17	≤23.00	≤23.00	19.15	24.00	PASS
			TPC_H	---	---	---	18.54	≤23.00	≤23.00	25.52	30.00	PASS
	Ant1	5310	TPC_L	6.38	91.55	0.38	6.76	≤23.00	≤23.00	13.74	24.00	PASS
			TPC_H	12.92	91.55	0.38	13.30	≤23.00	≤23.00	20.28	30.00	PASS
	Ant2	5310	TPC_L	6.71	91.55	0.38	7.09	≤23.00	≤23.00	14.07	24.00	PASS
			TPC_H	13.41	91.55	0.38	13.79	≤23.00	≤23.00	20.77	30.00	PASS
	Ant3	5310	TPC_L	6.54	91.55	0.38	6.92	≤23.00	≤23.00	13.90	24.00	PASS
			TPC_H	13.07	91.55	0.38	13.45	≤23.00	≤23.00	20.43	30.00	PASS
	total	5310	TPC_L	---	---	---	11.70	≤23.00	≤23.00	18.68	24.00	PASS
			TPC_H	---	---	---	18.29	≤23.00	≤23.00	25.27	30.00	PASS
	Ant1	5510	TPC_L	6.18	91.55	0.38	6.56	≤23.00	≤23.00	13.54	24.00	PASS
			TPC_H	12.54	91.55	0.38	12.92	≤23.00	≤23.00	19.90	30.00	PASS
	Ant2	5510	TPC_L	6.39	90.28	0.44	6.83	≤23.00	≤23.00	13.81	24.00	PASS
			TPC_H	13.08	90.28	0.44	13.52	≤23.00	≤23.00	20.50	30.00	PASS
	Ant3	5510	TPC_L	7.14	91.55	0.38	7.52	≤23.00	≤23.00	14.50	24.00	PASS
			TPC_H	13.81	91.55	0.38	14.19	≤23.00	≤23.00	21.17	30.00	PASS
	total	5510	TPC_L	---	---	---	11.76	≤23.00	≤23.00	18.74	24.00	PASS
			TPC_H	---	---	---	18.35	≤23.00	≤23.00	25.33	30.00	PASS
	Ant1	5550	TPC_L	5.46	91.55	0.38	5.84	≤23.00	≤23.00	12.82	24.00	PASS
			TPC_H	11.98	91.55	0.38	12.36	≤23.00	≤23.00	19.34	30.00	PASS
	Ant2	5550	TPC_L	5.81	90.28	0.44	6.25	≤23.00	≤23.00	13.23	24.00	PASS
			TPC_H	12.56	90.28	0.44	13.00	≤23.00	≤23.00	19.98	30.00	PASS
	Ant3	5550	TPC_L	6.16	91.55	0.38	6.54	≤23.00	≤23.00	13.52	24.00	PASS
			TPC_H	12.76	91.55	0.38	13.14	≤23.00	≤23.00	20.12	30.00	PASS
	total	5550	TPC_L	---	---	---	10.99	≤23.00	≤23.00	17.97	24.00	PASS
			TPC_H	---	---	---	17.62	≤23.00	≤23.00	24.60	30.00	PASS
	Ant1	5670	TPC_L	5.23	91.55	0.38	5.61	≤23.00	≤23.00	12.59	24.00	PASS
			TPC_H	11.53	91.55	0.38	11.91	≤23.00	≤23.00	18.89	30.00	PASS
	Ant2	5670	TPC_L	5.59	90.28	0.44	6.03	≤23.00	≤23.00	13.01	24.00	PASS
			TPC_H	12.36	90.28	0.44	12.80	≤23.00	≤23.00	19.78	30.00	PASS
	Ant3	5670	TPC_L	5.07	90.28	0.44	5.51	≤23.00	≤23.00	12.49	24.00	PASS
			TPC_H	11.88	90.28	0.44	12.32	≤23.00	≤23.00	19.30	30.00	PASS
	total	5670	TPC_L	---	---	---	10.49	≤23.00	≤23.00	17.47	24.00	PASS
			TPC_H	---	---	---	17.13	≤23.00	≤23.00	24.11	30.00	PASS
	Ant1	5710	TPC_L	6.19	90.28	0.44	6.63	≤23.00	≤23.00	13.61	24.00	PASS
			TPC_H	12.48	90.28	0.44	12.92	≤23.00	≤23.00	19.90	30.00	PASS
	Ant2	5710	TPC_L	5.33	91.55	0.38	5.71	≤23.00	≤23.00	12.69	24.00	PASS
			TPC_H	12.02	91.55	0.38	12.40	≤23.00	≤23.00	19.38	30.00	PASS
	Ant3	5710	TPC_L	5.96	90.28	0.44	6.40	≤23.00	≤23.00	13.38	24.00	PASS
			TPC_H	12.73	90.28	0.44	13.17	≤23.00	≤23.00	20.15	30.00	PASS
	total	5710	TPC_L	---	---	---	11.04	≤23.00	≤23.00	18.02	24.00	PASS
			TPC_H	---	---	---	17.61	≤23.00	≤23.00	24.59	30.00	PASS
	Ant1	5755	NA	9.55	91.55	0.38	9.93	≤29.02	≤29.02	16.91	---	PASS
	Ant2	5755	NA	10.27	90.28	0.44	10.71	≤29.02	≤29.02	17.69	---	PASS
	Ant3	5755	NA	8.61	91.55	0.38	8.99	≤29.02	≤29.02	15.97	---	PASS
	total	5755	NA	---	---	---	14.70	≤29.02	≤29.02	21.68	---	PASS
	Ant1	5795	NA	9.15	95.49	0.20	9.35	≤29.02	≤29.02	16.33	---	PASS
	Ant2	5795	NA	9.64	94.74	0.23	9.87	≤29.02	≤29.02	16.85	---	PASS
	Ant3	5795	NA	8.36	95.45	0.20	8.56	≤29.02	≤29.02	15.54	---	PASS
	total	5795	NA	---	---	---	14.06	≤29.02	≤29.02	21.04	---	PASS
11AC8 OMIM O	Ant1	5210	NA	8.82	82.05	0.86	9.68	≤29.02	---	16.66	---	PASS
	Ant2	5210	NA	9.01	84.21	0.75	9.76	≤29.02	---	16.74	---	PASS
	Ant3	5210	NA	9.14	84.21	0.75	9.89	≤29.02	---	16.87	---	PASS

11AC1 60MIM O	total	5210	NA	---	---	---	14.55	≤29.02	---	21.53	---	PASS
	Ant1	5290	TPC_L	5.50	84.62	0.73	6.23	≤23.00	≤23.00	13.21	24.00	PASS
			TPC_H	12.50	84.62	0.73	13.23	≤23.00	≤23.00	20.21	30.00	PASS
	Ant2	5290	TPC_L	6.19	82.05	0.86	7.05	≤23.00	≤23.00	14.03	24.00	PASS
			TPC_H	13.00	82.05	0.86	13.86	≤23.00	≤23.00	20.84	30.00	PASS
	Ant3	5290	TPC_L	6.08	84.21	0.75	6.83	≤23.00	≤23.00	13.81	24.00	PASS
			TPC_H	12.75	84.21	0.75	13.50	≤23.00	≤23.00	20.48	30.00	PASS
	total	5290	TPC_L	---	---	---	11.49	≤23.00	≤23.00	18.47	24.00	PASS
			TPC_H	---	---	---	18.31	≤23.00	≤23.00	25.29	30.00	PASS
	Ant1	5530	TPC_L	5.49	84.21	0.75	6.24	≤23.00	≤23.00	13.22	24.00	PASS
			TPC_H	12.58	84.21	0.75	13.33	≤23.00	≤23.00	20.31	30.00	PASS
	Ant2	5530	TPC_L	6.42	84.21	0.75	7.17	≤23.00	≤23.00	14.15	24.00	PASS
			TPC_H	13.17	84.21	0.75	13.92	≤23.00	≤23.00	20.90	30.00	PASS
	Ant3	5530	TPC_L	7.07	84.21	0.75	7.82	≤23.00	≤23.00	14.80	24.00	PASS
			TPC_H	13.60	84.21	0.75	14.35	≤23.00	≤23.00	21.33	30.00	PASS
	total	5530	TPC_L	---	---	---	11.90	≤23.00	≤23.00	18.88	24.00	PASS
			TPC_H	---	---	---	18.66	≤23.00	≤23.00	25.64	30.00	PASS
	Ant1	5610	TPC_L	4.82	84.21	0.75	5.57	≤23.00	≤23.00	12.55	24.00	PASS
			TPC_H	12.06	84.21	0.75	12.81	≤23.00	≤23.00	19.79	30.00	PASS
	Ant2	5610	TPC_L	4.62	82.05	0.86	5.48	≤23.00	≤23.00	12.46	24.00	PASS
			TPC_H	11.99	82.05	0.86	12.85	≤23.00	≤23.00	19.83	30.00	PASS
	Ant3	5610	TPC_L	5.49	84.21	0.75	6.24	≤23.00	≤23.00	13.22	24.00	PASS
			TPC_H	12.44	84.21	0.75	13.19	≤23.00	≤23.00	20.17	30.00	PASS
	total	5610	TPC_L	---	---	---	10.55	≤23.00	≤23.00	17.53	24.00	PASS
			TPC_H	---	---	---	17.72	≤23.00	≤23.00	24.70	30.00	PASS
	Ant1	5690	TPC_L	4.75	84.21	0.75	5.50	≤23.00	≤23.00	12.48	24.00	PASS
			TPC_H	11.56	84.21	0.75	12.31	≤23.00	≤23.00	19.29	30.00	PASS
	Ant2	5690	TPC_L	5.51	84.21	0.75	6.26	≤23.00	≤23.00	13.24	24.00	PASS
			TPC_H	12.29	84.21	0.75	13.04	≤23.00	≤23.00	20.02	30.00	PASS
	Ant3	5690	TPC_L	4.96	84.21	0.75	5.71	≤23.00	≤23.00	12.69	24.00	PASS
			TPC_H	11.80	84.21	0.75	12.55	≤23.00	≤23.00	19.53	30.00	PASS
	total	5690	TPC_L	---	---	---	10.61	≤23.00	≤23.00	17.59	24.00	PASS
			TPC_H	---	---	---	17.42	≤23.00	≤23.00	24.40	30.00	PASS
	Ant1	5775	NA	8.92	84.21	0.75	9.67	≤29.02	≤29.02	16.65	---	PASS
	Ant2	5775	NA	9.54	84.21	0.75	10.29	≤29.02	≤29.02	17.27	---	PASS
	Ant3	5775	NA	8.07	82.05	0.86	8.93	≤29.02	≤29.02	15.91	---	PASS
	total	5775	NA	---	---	---	14.44	≤29.02	≤29.02	21.42	---	PASS
11AX2 0MIM O	Ant1	5250	NA	8.98	72.00	1.43	10.41	≤23.00	≤29.02	17.39	30.00	PASS
			TPC_L	3.33	72.00	1.43	4.76	≤23.00	≤23.00	11.74	24.00	PASS
			TPC_H	9.92	72.00	1.43	11.35	≤23.00	≤23.00	18.33	30.00	PASS
	Ant2	5250	NA	8.97	72.00	1.43	10.40	≤23.00	≤29.02	17.38	30.00	PASS
			TPC_L	3.31	72.00	1.43	4.74	≤23.00	≤23.00	11.72	24.00	PASS
			TPC_H	9.89	72.00	1.43	11.32	≤23.00	≤23.00	18.30	30.00	PASS
	Ant3	5250	NA	9.55	72.00	1.43	10.98	≤23.00	≤29.02	17.96	30.00	PASS
			TPC_L	3.63	72.00	1.43	5.06	≤23.00	≤23.00	12.04	24.00	PASS
			TPC_H	10.51	72.00	1.43	11.94	≤23.00	≤23.00	18.92	30.00	PASS
	total	5250	NA	---	---	---	15.38	≤23.00	≤29.02	22.36	30.00	PASS
			TPC_L	---	---	---	9.63	≤23.00	≤23.00	16.61	24.00	PASS
			TPC_H	---	---	---	16.32	≤23.00	≤23.00	23.30	30.00	PASS
	Ant1	5570	TPC_L	2.54	72.00	1.43	3.97	≤23.00	≤23.00	10.95	24.00	PASS
			TPC_H	9.08	72.00	1.43	10.51	≤23.00	≤23.00	17.49	30.00	PASS
	Ant2	5570	TPC_L	3.07	72.00	1.43	4.50	≤23.00	≤23.00	11.48	24.00	PASS
			TPC_H	9.74	72.00	1.43	11.17	≤23.00	≤23.00	18.15	30.00	PASS
	Ant3	5570	TPC_L	2.81	72.00	1.43	4.24	≤23.00	≤23.00	11.22	24.00	PASS
			TPC_H	9.66	72.00	1.43	11.09	≤23.00	≤23.00	18.07	30.00	PASS
	total	5570	TPC_L	---	---	---	9.01	≤23.00	≤23.00	15.99	24.00	PASS
			TPC_H	---	---	---	15.70	≤23.00	≤23.00	22.68	30.00	PASS
11AX2 0MIM O	Ant1	5180	NA	7.70	81.58	0.88	8.58	≤29.02	---	15.56	---	PASS
	Ant2	5180	NA	7.91	83.78	0.77	8.68	≤29.02	---	15.66	---	PASS
	Ant3	5180	NA	7.80	81.58	0.88	8.68	≤29.02	---	15.66	---	PASS
	total	5180	NA	---	---	---	13.42	≤29.02	---	20.40	---	PASS
	Ant1	5200	NA	7.65	81.58	0.88	8.53	≤29.02	---	15.51	---	PASS
	Ant2	5200	NA	7.91	81.58	0.88	8.79	≤29.02	---	15.77	---	PASS
	Ant3	5200	NA	7.82	81.58	0.88	8.70	≤29.02	---	15.68	---	PASS

	total	5200	NA	---	---	---	13.45	≤29.02	---	20.43	---	PASS
	Ant1	5240	NA	7.96	83.78	0.77	8.73	≤29.02	---	15.71	---	PASS
	Ant2	5240	NA	8.05	81.58	0.88	8.93	≤29.02	---	15.91	---	PASS
	Ant3	5240	NA	8.47	81.58	0.88	9.35	≤29.02	---	16.33	---	PASS
	total	5240	NA	---	---	---	13.78	≤29.02	---	20.76	---	PASS
	Ant1	5260	TPC_L	3.34	83.78	0.77	4.11	≤22.65	≤22.2	11.09	24.00	PASS
			TPC_H	9.63	83.78	0.77	10.40	≤22.65	≤22.2	17.38	29.18	PASS
	Ant2	5260	TPC_L	3.18	81.58	0.88	4.06	≤22.65	≤22.2	11.04	24.00	PASS
			TPC_H	10.17	81.58	0.88	11.05	≤22.65	≤22.2	18.03	29.18	PASS
	Ant3	5260	TPC_L	3.57	81.58	0.88	4.45	≤22.65	≤22.2	11.43	24.00	PASS
			TPC_H	9.84	81.58	0.88	10.72	≤22.65	≤22.2	17.70	29.18	PASS
	total	5260	TPC_L	---	---	---	8.98	≤22.65	≤22.2	15.96	24.00	PASS
			TPC_H	---	---	---	15.50	≤22.65	≤22.2	22.48	29.18	PASS
	Ant1	5280	TPC_L	3.48	83.78	0.77	4.25	≤22.65	≤22.2	11.23	24.00	PASS
			TPC_H	9.79	83.78	0.77	10.56	≤22.65	≤22.2	17.54	29.18	PASS
	Ant2	5280	TPC_L	2.76	81.58	0.88	3.64	≤22.65	≤22.2	10.62	24.00	PASS
			TPC_H	10.18	81.58	0.88	11.06	≤22.65	≤22.2	18.04	29.18	PASS
	Ant3	5280	TPC_L	3.63	81.58	0.88	4.51	≤22.65	≤22.2	11.49	24.00	PASS
			TPC_H	9.88	81.58	0.88	10.76	≤22.65	≤22.2	17.74	29.18	PASS
	total	5280	TPC_L	---	---	---	8.92	≤22.65	≤22.2	15.90	24.00	PASS
			TPC_H	---	---	---	15.57	≤22.65	≤22.2	22.55	29.18	PASS
	Ant1	5320	TPC_L	2.52	81.58	0.88	3.40	≤22.65	≤22.2	10.38	24.00	PASS
			TPC_H	9.37	81.58	0.88	10.25	≤22.65	≤22.2	17.23	29.18	PASS
	Ant2	5320	TPC_L	2.32	81.58	0.88	3.20	≤22.65	≤22.2	10.18	24.00	PASS
			TPC_H	9.81	81.58	0.88	10.69	≤22.65	≤22.2	17.67	29.18	PASS
	Ant3	5320	TPC_L	3.02	81.58	0.88	3.90	≤22.65	≤22.2	10.88	24.00	PASS
			TPC_H	9.35	81.58	0.88	10.23	≤22.65	≤22.2	17.21	29.18	PASS
	total	5320	TPC_L	---	---	---	8.28	≤22.65	≤22.2	15.26	24.00	PASS
			TPC_H	---	---	---	15.17	≤22.65	≤22.2	22.15	29.18	PASS
	Ant1	5500	TPC_L	2.27	81.58	0.88	3.15	≤22.65	≤22.2	10.13	24.00	PASS
			TPC_H	8.82	81.58	0.88	9.70	≤22.65	≤22.2	16.68	29.18	PASS
	Ant2	5500	TPC_L	2.58	83.78	0.77	3.35	≤22.65	≤22.2	10.33	24.00	PASS
			TPC_H	9.27	83.78	0.77	10.04	≤22.65	≤22.2	17.02	29.18	PASS
	Ant3	5500	TPC_L	3.55	81.58	0.88	4.43	≤22.65	≤22.2	11.41	24.00	PASS
			TPC_H	10.11	81.58	0.88	10.99	≤22.65	≤22.2	17.97	29.18	PASS
	total	5500	TPC_L	---	---	---	8.45	≤22.65	≤22.2	15.43	24.00	PASS
			TPC_H	---	---	---	15.05	≤22.65	≤22.2	22.03	29.18	PASS
	Ant1	5580	TPC_L	2.41	81.58	0.88	3.29	≤22.65	≤22.2	10.27	24.00	PASS
			TPC_H	8.79	81.58	0.88	9.67	≤22.65	≤22.2	16.65	29.18	PASS
	Ant2	5580	TPC_L	1.59	83.78	0.77	2.36	≤22.65	≤22.2	9.34	24.00	PASS
			TPC_H	8.41	83.78	0.77	9.18	≤22.65	≤22.2	16.16	29.18	PASS
	Ant3	5580	TPC_L	2.54	83.78	0.77	3.31	≤22.65	≤22.2	10.29	24.00	PASS
			TPC_H	9.15	83.78	0.77	9.92	≤22.65	≤22.2	16.90	29.18	PASS
	total	5580	TPC_L	---	---	---	7.78	≤22.65	≤22.2	14.76	24.00	PASS
			TPC_H	---	---	---	14.37	≤22.65	≤22.2	21.35	29.18	PASS
	Ant1	5700	TPC_L	2.17	81.58	0.88	3.05	≤22.65	≤22.2	10.03	24.00	PASS
			TPC_H	8.66	81.58	0.88	9.54	≤22.65	≤22.2	16.52	29.18	PASS
	Ant2	5700	TPC_L	1.25	83.78	0.77	2.02	≤22.65	≤22.2	9.00	24.00	PASS
			TPC_H	8.06	83.78	0.77	8.83	≤22.65	≤22.2	15.81	29.18	PASS
	Ant3	5700	TPC_L	1.85	81.58	0.88	2.73	≤22.65	≤22.2	9.71	24.00	PASS
			TPC_H	8.79	81.58	0.88	9.67	≤22.65	≤22.2	16.65	29.18	PASS
	total	5700	TPC_L	---	---	---	7.39	≤22.65	≤22.2	14.37	24.00	PASS
			TPC_H	---	---	---	14.13	≤22.65	≤22.2	21.11	29.18	PASS
	Ant1	5720	TPC_L	3.03	81.58	0.88	3.91	≤22.65	≤22.2	10.89	24.00	PASS
			TPC_H	9.10	81.58	0.88	9.98	≤22.65	≤22.2	16.96	29.18	PASS
	Ant2	5720	TPC_L	1.73	81.58	0.88	2.61	≤22.65	≤22.2	9.59	24.00	PASS
			TPC_H	8.46	81.58	0.88	9.34	≤22.65	≤22.2	16.32	29.18	PASS
	Ant3	5720	TPC_L	2.68	83.78	0.77	3.45	≤22.65	≤22.2	10.43	24.00	PASS
			TPC_H	9.13	83.78	0.77	9.90	≤22.65	≤22.2	16.88	29.18	PASS
	total	5720	TPC_L	---	---	---	8.13	≤22.65	≤22.2	15.11	24.00	PASS
			TPC_H	---	---	---	14.52	≤22.65	≤22.2	21.50	29.18	PASS
	Ant1	5745	NA	10.09	81.58	0.88	10.97	≤29.02	≤29.02	17.95	---	PASS
	Ant2	5745	NA	10.76	81.58	0.88	11.64	≤29.02	≤29.02	18.62	---	PASS
	Ant3	5745	NA	9.20	81.58	0.88	10.08	≤29.02	≤29.02	17.06	---	PASS

	total	5745	NA	---	---	---	15.71	≤29.02	≤29.02	22.69	---	PASS
	Ant1	5785	NA	9.52	81.58	0.88	10.40	≤29.02	≤29.02	17.38	---	PASS
	Ant2	5785	NA	10.18	81.58	0.88	11.06	≤29.02	≤29.02	18.04	---	PASS
	Ant3	5785	NA	8.72	81.58	0.88	9.60	≤29.02	≤29.02	16.58	---	PASS
	total	5785	NA	---	---	---	15.17	≤29.02	≤29.02	22.15	---	PASS
	Ant1	5825	NA	8.40	81.58	0.88	9.28	≤29.02	≤29.02	16.26	---	PASS
	Ant2	5825	NA	8.05	81.58	0.88	8.93	≤29.02	≤29.02	15.91	---	PASS
	Ant3	5825	NA	8.59	81.58	0.88	9.47	≤29.02	≤29.02	16.45	---	PASS
	total	5825	NA	---	---	---	14.00	≤29.02	≤29.02	20.98	---	PASS
11AX4 OMIM O	Ant1	5190	NA	9.10	83.78	0.77	9.87	≤29.02	---	16.85	---	PASS
	Ant2	5190	NA	9.38	83.78	0.77	10.15	≤29.02	---	17.13	---	PASS
	Ant3	5190	NA	9.28	83.78	0.77	10.05	≤29.02	---	17.03	---	PASS
	total	5190	NA	---	---	---	14.80	≤29.02	---	21.78	---	PASS
	Ant1	5230	NA	9.36	81.58	0.88	10.24	≤29.02	---	17.22	---	PASS
	Ant2	5230	NA	9.57	78.95	1.03	10.60	≤29.02	---	17.58	---	PASS
	Ant3	5230	NA	9.84	81.58	0.88	10.72	≤29.02	---	17.70	---	PASS
	total	5230	NA	---	---	---	15.30	≤29.02	---	22.28	---	PASS
	Ant1	5270	TPC_L	5.84	81.58	0.88	6.72	≤23.00	≤23.00	13.70	24.00	PASS
			TPC_H	12.14	81.58	0.88	13.02	≤23.00	≤23.00	20.00	30.00	PASS
	Ant2	5270	TPC_L	5.92	81.58	0.88	6.80	≤23.00	≤23.00	13.78	24.00	PASS
			TPC_H	12.57	81.58	0.88	13.45	≤23.00	≤23.00	20.43	30.00	PASS
	Ant3	5270	TPC_L	6.16	81.58	0.88	7.04	≤23.00	≤23.00	14.02	24.00	PASS
			TPC_H	12.31	81.58	0.88	13.19	≤23.00	≤23.00	20.17	30.00	PASS
	total	5270	TPC_L	---	---	---	11.63	≤23.00	≤23.00	18.61	24.00	PASS
			TPC_H	---	---	---	17.99	≤23.00	≤23.00	24.97	30.00	PASS
	Ant1	5310	TPC_L	5.47	81.58	0.88	6.35	≤23.00	≤23.00	13.33	24.00	PASS
			TPC_H	11.83	81.58	0.88	12.71	≤23.00	≤23.00	19.69	30.00	PASS
	Ant2	5310	TPC_L	5.55	83.78	0.77	6.32	≤23.00	≤23.00	13.30	24.00	PASS
			TPC_H	12.27	83.78	0.77	13.04	≤23.00	≤23.00	20.02	30.00	PASS
	Ant3	5310	TPC_L	5.70	81.58	0.88	6.58	≤23.00	≤23.00	13.56	24.00	PASS
			TPC_H	11.94	81.58	0.88	12.82	≤23.00	≤23.00	19.80	30.00	PASS
	total	5310	TPC_L	---	---	---	11.19	≤23.00	≤23.00	18.17	24.00	PASS
			TPC_H	---	---	---	17.63	≤23.00	≤23.00	24.61	30.00	PASS
	Ant1	5510	TPC_L	4.79	83.78	0.77	5.56	≤23.00	≤23.00	12.54	24.00	PASS
			TPC_H	11.49	83.78	0.77	12.26	≤23.00	≤23.00	19.24	30.00	PASS
	Ant2	5510	TPC_L	5.76	81.58	0.88	6.64	≤23.00	≤23.00	13.62	24.00	PASS
			TPC_H	11.96	81.58	0.88	12.84	≤23.00	≤23.00	19.82	30.00	PASS
	Ant3	5510	TPC_L	6.30	81.58	0.88	7.18	≤23.00	≤23.00	14.16	24.00	PASS
			TPC_H	12.67	81.58	0.88	13.55	≤23.00	≤23.00	20.53	30.00	PASS
	total	5510	TPC_L	---	---	---	11.28	≤23.00	≤23.00	18.26	24.00	PASS
			TPC_H	---	---	---	17.69	≤23.00	≤23.00	24.67	30.00	PASS
	Ant1	5550	TPC_L	4.60	81.58	0.88	5.48	≤23.00	≤23.00	12.46	24.00	PASS
			TPC_H	10.88	81.58	0.88	11.76	≤23.00	≤23.00	18.74	30.00	PASS
	Ant2	5550	TPC_L	4.85	83.78	0.77	5.62	≤23.00	≤23.00	12.60	24.00	PASS
			TPC_H	11.49	83.78	0.77	12.26	≤23.00	≤23.00	19.24	30.00	PASS
	Ant3	5550	TPC_L	5.24	81.58	0.88	6.12	≤23.00	≤23.00	13.10	24.00	PASS
			TPC_H	11.63	81.58	0.88	12.51	≤23.00	≤23.00	19.49	30.00	PASS
	total	5550	TPC_L	---	---	---	10.52	≤23.00	≤23.00	17.50	24.00	PASS
			TPC_H	---	---	---	16.96	≤23.00	≤23.00	23.94	30.00	PASS
	Ant1	5670	TPC_L	3.86	81.58	0.88	4.74	≤23.00	≤23.00	11.72	24.00	PASS
			TPC_H	10.43	81.58	0.88	11.31	≤23.00	≤23.00	18.29	30.00	PASS
	Ant2	5670	TPC_L	4.22	81.58	0.88	5.10	≤23.00	≤23.00	12.08	24.00	PASS
			TPC_H	11.21	81.58	0.88	12.09	≤23.00	≤23.00	19.07	30.00	PASS
	Ant3	5670	TPC_L	4.28	81.58	0.88	5.16	≤23.00	≤23.00	12.14	24.00	PASS
			TPC_H	10.75	81.58	0.88	11.63	≤23.00	≤23.00	18.61	30.00	PASS
	total	5670	TPC_L	---	---	---	9.78	≤23.00	≤23.00	16.76	24.00	PASS
			TPC_H	---	---	---	16.46	≤23.00	≤23.00	23.44	30.00	PASS
	Ant1	5710	TPC_L	5.27	81.58	0.88	6.15	≤23.00	≤23.00	13.13	24.00	PASS
			TPC_H	11.45	81.58	0.88	12.33	≤23.00	≤23.00	19.31	30.00	PASS
	Ant2	5710	TPC_L	4.49	81.58	0.88	5.37	≤23.00	≤23.00	12.35	24.00	PASS
			TPC_H	10.90	81.58	0.88	11.78	≤23.00	≤23.00	18.76	30.00	PASS
	Ant3	5710	TPC_L	5.20	83.78	0.77	5.97	≤23.00	≤23.00	12.95	24.00	PASS
			TPC_H	11.68	83.78	0.77	12.45	≤23.00	≤23.00	19.43	30.00	PASS
	total	5710	TPC_L	---	---	---	10.61	≤23.00	≤23.00	17.59	24.00	PASS

			TPC_H	---	---	---	16.97	≤23.00	≤23.00	23.95	30.00	PASS
	Ant1	5755	NA	10.46	81.58	0.88	11.34	≤29.02	≤29.02	18.32	---	PASS
	Ant2	5755	NA	11.16	81.58	0.88	12.04	≤29.02	≤29.02	19.02	---	PASS
	Ant3	5755	NA	9.59	83.78	0.77	10.36	≤29.02	≤29.02	17.34	---	PASS
	total	5755	NA	---	---	---	16.07	≤29.02	≤29.02	23.05	---	PASS
	Ant1	5795	NA	9.91	81.58	0.88	10.79	≤29.02	≤29.02	17.77	---	PASS
	Ant2	5795	NA	10.38	83.78	0.77	11.15	≤29.02	≤29.02	18.13	---	PASS
	Ant3	5795	NA	9.12	81.58	0.88	10.00	≤29.02	≤29.02	16.98	---	PASS
11AX8 OMIM O	total	5795	NA	---	---	---	15.44	≤29.02	≤29.02	22.42	---	PASS
	Ant1	5210	NA	9.02	80.56	0.94	9.96	≤29.02	---	16.94	---	PASS
	Ant2	5210	NA	9.22	80.56	0.94	10.16	≤29.02	---	17.14	---	PASS
	Ant3	5210	NA	9.36	80.56	0.94	10.30	≤29.02	---	17.28	---	PASS
	total	5210	NA	---	---	---	14.91	≤29.02	---	21.89	---	PASS
	Ant1	5290	TPC_L	6.43	80.56	0.94	7.37	≤23.00	≤23.00	14.35	24.00	PASS
			TPC_H	12.72	80.56	0.94	13.66	≤23.00	≤23.00	20.64	30.00	PASS
	Ant2	5290	TPC_L	6.59	80.56	0.94	7.53	≤23.00	≤23.00	14.51	24.00	PASS
			TPC_H	13.20	80.56	0.94	14.14	≤23.00	≤23.00	21.12	30.00	PASS
	Ant3	5290	TPC_L	6.77	80.56	0.94	7.71	≤23.00	≤23.00	14.69	24.00	PASS
			TPC_H	12.96	80.56	0.94	13.90	≤23.00	≤23.00	20.88	30.00	PASS
	total	5290	TPC_L	---	---	---	12.31	≤23.00	≤23.00	19.29	24.00	PASS
			TPC_H	---	---	---	18.68	≤23.00	≤23.00	25.66	30.00	PASS
	Ant1	5530	TPC_L	6.44	80.56	0.94	7.38	≤23.00	≤23.00	14.36	24.00	PASS
			TPC_H	12.76	80.56	0.94	13.70	≤23.00	≤23.00	20.68	30.00	PASS
	Ant2	5530	TPC_L	6.86	80.56	0.94	7.80	≤23.00	≤23.00	14.78	24.00	PASS
			TPC_H	13.33	80.56	0.94	14.27	≤23.00	≤23.00	21.25	30.00	PASS
	Ant3	5530	TPC_L	7.58	80.56	0.94	8.52	≤23.00	≤23.00	15.50	24.00	PASS
			TPC_H	13.84	80.56	0.94	14.78	≤23.00	≤23.00	21.76	30.00	PASS
	total	5530	TPC_L	---	---	---	12.70	≤23.00	≤23.00	19.68	24.00	PASS
			TPC_H	---	---	---	19.04	≤23.00	≤23.00	26.02	30.00	PASS
	Ant1	5610	TPC_L	5.76	82.86	0.82	6.58	≤23.00	≤23.00	13.56	24.00	PASS
			TPC_H	12.29	82.86	0.82	13.11	≤23.00	≤23.00	20.09	30.00	PASS
	Ant2	5610	TPC_L	5.56	82.86	0.82	6.38	≤23.00	≤23.00	13.36	24.00	PASS
			TPC_H	12.22	82.86	0.82	13.04	≤23.00	≤23.00	20.02	30.00	PASS
	Ant3	5610	TPC_L	6.13	80.56	0.94	7.07	≤23.00	≤23.00	14.05	24.00	PASS
			TPC_H	12.70	80.56	0.94	13.64	≤23.00	≤23.00	20.62	30.00	PASS
	total	5610	TPC_L	---	---	---	11.46	≤23.00	≤23.00	18.44	24.00	PASS
			TPC_H	---	---	---	18.04	≤23.00	≤23.00	25.02	30.00	PASS
	Ant1	5690	TPC_L	5.63	80.56	0.94	6.57	≤23.00	≤23.00	13.55	24.00	PASS
			TPC_H	11.80	80.56	0.94	12.74	≤23.00	≤23.00	19.72	30.00	PASS
	Ant2	5690	TPC_L	6.05	80.56	0.94	6.99	≤23.00	≤23.00	13.97	24.00	PASS
			TPC_H	12.56	80.56	0.94	13.50	≤23.00	≤23.00	20.48	30.00	PASS
	Ant3	5690	TPC_L	5.64	80.56	0.94	6.58	≤23.00	≤23.00	13.56	24.00	PASS
			TPC_H	12.03	80.56	0.94	12.97	≤23.00	≤23.00	19.95	30.00	PASS
	total	5690	TPC_L	---	---	---	11.49	≤23.00	≤23.00	18.47	24.00	PASS
			TPC_H	---	---	---	17.85	≤23.00	≤23.00	24.83	30.00	PASS
	Ant1	5775	NA	9.18	80.56	0.94	10.12	≤29.02	≤29.02	17.10	---	PASS
	Ant2	5775	NA	9.82	82.86	0.82	10.64	≤29.02	≤29.02	17.62	---	PASS
	Ant3	5775	NA	8.31	80.56	0.94	9.25	≤29.02	≤29.02	16.23	---	PASS
	total	5775	NA	---	---	---	14.81	≤29.02	≤29.02	21.79	---	PASS
11AX1 60MIM O	Ant1	5250	NA	9.66	82.86	0.82	10.48	≤23.00	≤29.02	17.46	30.00	PASS
			TPC_L	4.22	82.86	0.82	5.04	≤23.00	≤23.00	12.02	24.00	PASS
			TPC_H	10.62	82.86	0.82	11.44	≤23.00	≤23.00	18.42	30.00	PASS
	Ant2	5250	NA	9.67	80.56	0.94	10.61	≤23.00	≤29.02	17.59	30.00	PASS
			TPC_L	3.72	80.56	0.94	4.66	≤23.00	≤23.00	11.64	24.00	PASS
			TPC_H	10.60	80.56	0.94	11.54	≤23.00	≤23.00	18.52	30.00	PASS
	Ant3	5250	NA	10.27	80.56	0.94	11.21	≤23.00	≤29.02	18.19	30.00	PASS
			TPC_L	5.15	80.56	0.94	6.09	≤23.00	≤23.00	13.07	24.00	PASS
			TPC_H	11.20	80.56	0.94	12.14	≤23.00	≤23.00	19.12	30.00	PASS
	total	5250	NA	---	---	---	15.55	≤23.00	≤29.02	22.53	30.00	PASS
			TPC_L	---	---	---	10.08	≤23.00	≤23.00	17.06	24.00	PASS
			TPC_H	---	---	---	16.49	≤23.00	≤23.00	23.47	30.00	PASS
	Ant1	5570	TPC_L	3.93	80.56	0.94	4.87	≤23.00	≤23.00	11.85	24.00	PASS
			TPC_H	10.25	80.56	0.94	11.19	≤23.00	≤23.00	18.17	30.00	PASS
	Ant2	5570	TPC_L	4.54	82.86	0.82	5.36	≤23.00	≤23.00	12.34	24.00	PASS

	Ant3	5570	TPC_H	11.05	82.86	0.82	11.87	≤23.00	≤23.00	18.85	30.00	PASS
			TPC_L	4.28	80.56	0.94	5.22	≤23.00	≤23.00	12.20	24.00	PASS
	total	5570	TPC_H	10.89	80.56	0.94	11.83	≤23.00	≤23.00	18.81	30.00	PASS
			TPC_L	---	---	---	9.93	≤23.00	≤23.00	16.91	24.00	PASS
			TPC_H	---	---	---	16.41	≤23.00	≤23.00	23.39	30.00	PASS
			TPC_L	---	---	---	16.41	≤23.00	≤23.00	23.39	30.00	PASS
	Ant1	5180	NA	7.77	81.58	0.88	8.65	≤29.02	---	15.63	---	PASS
			NA	7.98	81.58	0.88	8.86	≤29.02	---	15.84	---	PASS
	Ant2	5180	NA	7.85	81.58	0.88	8.73	≤29.02	---	15.71	---	PASS
			NA	7.85	81.58	0.88	8.73	≤29.02	---	15.71	---	PASS
	total	5180	NA	---	---	---	13.52	≤29.02	---	20.50	---	PASS
			NA	---	---	---	13.52	≤29.02	---	20.50	---	PASS
	Ant1	5200	NA	7.72	82.05	0.86	8.58	≤29.02	---	15.56	---	PASS
			NA	7.96	83.78	0.77	8.73	≤29.02	---	15.71	---	PASS
	Ant2	5200	NA	7.96	83.78	0.77	8.73	≤29.02	---	15.71	---	PASS
			NA	7.96	83.78	0.77	8.73	≤29.02	---	15.71	---	PASS
	Ant3	5200	NA	7.81	81.58	0.88	8.69	≤29.02	---	15.67	---	PASS
			NA	7.81	81.58	0.88	8.69	≤29.02	---	15.67	---	PASS
	total	5200	NA	---	---	---	13.44	≤29.02	---	20.42	---	PASS
			NA	---	---	---	13.44	≤29.02	---	20.42	---	PASS
	Ant1	5240	NA	7.97	83.78	0.77	8.74	≤29.02	---	15.72	---	PASS
			NA	7.97	83.78	0.77	8.74	≤29.02	---	15.72	---	PASS
	Ant2	5240	NA	8.06	83.78	0.77	8.83	≤29.02	---	15.81	---	PASS
			NA	8.06	83.78	0.77	8.83	≤29.02	---	15.81	---	PASS
	Ant3	5240	NA	8.50	81.58	0.88	9.38	≤29.02	---	16.36	---	PASS
			NA	8.50	81.58	0.88	9.38	≤29.02	---	16.36	---	PASS
	total	5240	NA	---	---	---	13.76	≤29.02	---	20.74	---	PASS
			NA	---	---	---	13.76	≤29.02	---	20.74	---	PASS
	Ant1	5260	TPC_L	2.66	83.78	0.77	3.43	≤22.65	≤22.2	10.41	24.00	PASS
			TPC_H	9.54	83.78	0.77	10.31	≤22.65	≤22.2	17.29	29.18	PASS
	Ant2	5260	TPC_L	2.73	81.58	0.88	3.61	≤22.65	≤22.2	10.59	24.00	PASS
			TPC_H	9.91	81.58	0.88	10.79	≤22.65	≤22.2	17.77	29.18	PASS
	Ant3	5260	TPC_L	3.27	81.58	0.88	4.15	≤22.65	≤22.2	11.13	24.00	PASS
			TPC_H	9.47	81.58	0.88	10.35	≤22.65	≤22.2	17.33	29.18	PASS
	total	5260	TPC_L	---	---	---	8.51	≤22.65	≤22.2	15.49	24.00	PASS
			TPC_H	---	---	---	15.26	≤22.65	≤22.2	22.24	29.18	PASS
	Ant1	5280	TPC_L	2.77	81.58	0.88	3.65	≤22.65	≤22.2	10.63	24.00	PASS
			TPC_H	9.72	81.58	0.88	10.60	≤22.65	≤22.2	17.58	29.18	PASS
	Ant2	5280	TPC_L	2.81	83.78	0.77	3.58	≤22.65	≤22.2	10.56	24.00	PASS
			TPC_H	9.99	83.78	0.77	10.76	≤22.65	≤22.2	17.74	29.18	PASS
	Ant3	5280	TPC_L	3.30	81.58	0.88	4.18	≤22.65	≤22.2	11.16	24.00	PASS
			TPC_H	9.57	81.58	0.88	10.45	≤22.65	≤22.2	17.43	29.18	PASS
	total	5280	TPC_L	---	---	---	8.58	≤22.65	≤22.2	15.56	24.00	PASS
			TPC_H	---	---	---	15.38	≤22.65	≤22.2	22.36	29.18	PASS
	Ant1	5320	TPC_L	2.20	83.78	0.77	2.97	≤22.65	≤22.2	9.95	24.00	PASS
			TPC_H	9.26	83.78	0.77	10.03	≤22.65	≤22.2	17.01	29.18	PASS
	Ant2	5320	TPC_L	2.32	81.58	0.88	3.20	≤22.65	≤22.2	10.18	24.00	PASS
			TPC_H	9.62	81.58	0.88	10.50	≤22.65	≤22.2	17.48	29.18	PASS
	Ant3	5320	TPC_L	2.22	81.58	0.88	3.10	≤22.65	≤22.2	10.08	24.00	PASS
			TPC_H	9.15	81.58	0.88	10.03	≤22.65	≤22.2	17.01	29.18	PASS
	total	5320	TPC_L	---	---	---	7.86	≤22.65	≤22.2	14.84	24.00	PASS
			TPC_H	---	---	---	14.96	≤22.65	≤22.2	21.94	29.18	PASS
	Ant1	5500	TPC_L	2.42	81.58	0.88	3.30	≤22.65	≤22.2	10.28	24.00	PASS
			TPC_H	8.88	81.58	0.88	9.76	≤22.65	≤22.2	16.74	29.18	PASS
	Ant2	5500	TPC_L	2.76	81.58	0.88	3.64	≤22.65	≤22.2	10.62	24.00	PASS
			TPC_H	9.20	81.58	0.88	10.08	≤22.65	≤22.2	17.06	29.18	PASS
	Ant3	5500	TPC_L	3.72	83.78	0.77	4.49	≤22.65	≤22.2	11.47	24.00	PASS
			TPC_H	9.85	83.78	0.77	10.62	≤22.65	≤22.2	17.60	29.18	PASS
	total	5500	TPC_L	---	---	---	8.61	≤22.65	≤22.2	15.59	24.00	PASS
			TPC_H	---	---	---	14.94	≤22.65	≤22.2	21.92	29.18	PASS
	Ant1	5580	TPC_L	1.73	83.78	0.77	2.50	≤22.65	≤22.2	9.48	24.00	PASS
			TPC_H	8.75	83.78	0.77	9.52	≤22.65	≤22.2	16.50	29.18	PASS
	Ant2	5580	TPC_L	1.27	83.78	0.77	2.04	≤22.65	≤22.2	9.02	24.00	PASS
			TPC_H	8.37	83.78	0.77	9.14	≤22.65	≤22.2	16.12	29.18	PASS
	Ant3	5580	TPC_L	1.84	83.78	0.77	2.61	≤22.65	≤22.2	9.59	24.00	PASS
			TPC_H	8.91	83.78	0.77	9.68	≤22.65	≤22.2	16.66	29.18	PASS
	total	5580	TPC_L	---	---	---	7.16	≤22.65	≤22.2	14.14	24.00	PASS
			TPC_H	---	---	---	14.22	≤22.65	≤22.2	21.20	29.18	PASS
	Ant1	5700	TPC_L	1.81	81.58	0.88	2.69	≤22.65	≤22.2	9.67	24.00	PASS
			TPC_H	8.75	81.58	0.88	9.63	≤22.65	≤22.2	16.61	29.18	PASS
	Ant2	5700	TPC_L	0.94	81.58	0.88	1.82	≤22.65	≤22.2	8.80	24.00	PASS
			TPC_H	8.02	81.58	0.88	8.90	≤22.65	≤22.2	15.88	29.18	PASS
	Ant3	5700	TPC_L	1.51	83.78	0.77	2.28	≤22.65	≤22.2	9.26	24.00	PASS
			TPC_H	8.56	83.78	0.77	9.33	≤22.65	≤22.2	16.31	29.18	PASS
	total	5700	TPC_L	---	---	---	7.05	≤22.65	≤22.2	14.03	24.00	PASS
			TPC_H	---	---	---	7.05	≤22.65	≤22.2	14.03	24.00	PASS

11BE4 0MIM O	Ant1	5720	TPC_H	---	---	---	14.07	≤22.65	≤22.2	21.05	29.18	PASS
			TPC_L	2.26	81.58	0.88	3.14	≤22.65	≤22.2	10.12	24.00	PASS
			TPC_H	9.21	81.58	0.88	10.09	≤22.65	≤22.2	17.07	29.18	PASS
	Ant2	5720	TPC_L	1.45	83.78	0.77	2.22	≤22.65	≤22.2	9.20	24.00	PASS
			TPC_H	8.39	83.78	0.77	9.16	≤22.65	≤22.2	16.14	29.18	PASS
	Ant3	5720	TPC_L	2.33	81.58	0.88	3.21	≤22.65	≤22.2	10.19	24.00	PASS
			TPC_H	8.88	81.58	0.88	9.76	≤22.65	≤22.2	16.74	29.18	PASS
	total	5720	TPC_L	---	---	---	7.65	≤22.65	≤22.2	14.63	24.00	PASS
			TPC_H	---	---	---	14.46	≤22.65	≤22.2	21.44	29.18	PASS
	Ant1	5745	NA	10.14	81.58	0.88	11.02	≤29.02	≤29.02	18.00	---	PASS
	Ant2	5745	NA	10.83	83.78	0.77	11.60	≤29.02	≤29.02	18.58	---	PASS
	Ant3	5745	NA	9.24	83.78	0.77	10.01	≤29.02	≤29.02	16.99	---	PASS
	total	5745	NA	---	---	---	15.70	≤29.02	≤29.02	22.68	---	PASS
	Ant1	5785	NA	9.58	81.58	0.88	10.46	≤29.02	≤29.02	17.44	---	PASS
	Ant2	5785	NA	10.22	81.58	0.88	11.10	≤29.02	≤29.02	18.08	---	PASS
	Ant3	5785	NA	8.78	81.58	0.88	9.66	≤29.02	≤29.02	16.64	---	PASS
	total	5785	NA	---	---	---	15.22	≤29.02	≤29.02	22.20	---	PASS
	Ant1	5825	NA	8.44	81.58	0.88	9.32	≤29.02	≤29.02	16.30	---	PASS
	Ant2	5825	NA	8.10	81.58	0.88	8.98	≤29.02	≤29.02	15.96	---	PASS
	Ant3	5825	NA	8.63	81.58	0.88	9.51	≤29.02	≤29.02	16.49	---	PASS
	total	5825	NA	---	---	---	14.05	≤29.02	≤29.02	21.03	---	PASS
	Ant1	5190	NA	9.11	83.78	0.77	9.88	≤29.02	---	16.86	---	PASS
	Ant2	5190	NA	9.40	83.78	0.77	10.17	≤29.02	---	17.15	---	PASS
	Ant3	5190	NA	9.27	81.58	0.88	10.15	≤29.02	---	17.13	---	PASS
	total	5190	NA	---	---	---	14.84	≤29.02	---	21.82	---	PASS
	Ant1	5230	NA	9.34	83.78	0.77	10.11	≤29.02	---	17.09	---	PASS
	Ant2	5230	NA	9.56	83.78	0.77	10.33	≤29.02	---	17.31	---	PASS
	Ant3	5230	NA	9.79	81.58	0.88	10.67	≤29.02	---	17.65	---	PASS
	total	5230	NA	---	---	---	15.15	≤29.02	---	22.13	---	PASS
	Ant1	5270	TPC_L	5.67	81.58	0.88	6.55	≤23.00	≤23.00	13.53	24.00	PASS
			TPC_H	12.11	81.58	0.88	12.99	≤23.00	≤23.00	19.97	30.00	PASS
	Ant2	5270	TPC_L	5.77	81.58	0.88	6.65	≤23.00	≤23.00	13.63	24.00	PASS
			TPC_H	12.48	81.58	0.88	13.36	≤23.00	≤23.00	20.34	30.00	PASS
	Ant3	5270	TPC_L	5.99	81.58	0.88	6.87	≤23.00	≤23.00	13.85	24.00	PASS
			TPC_H	12.14	81.58	0.88	13.02	≤23.00	≤23.00	20.00	30.00	PASS
	total	5270	TPC_L	---	---	---	11.46	≤23.00	≤23.00	18.44	24.00	PASS
			TPC_H	---	---	---	17.90	≤23.00	≤23.00	24.88	30.00	PASS
	Ant1	5310	TPC_L	5.26	83.78	0.77	6.03	≤23.00	≤23.00	13.01	24.00	PASS
			TPC_H	11.76	83.78	0.77	12.53	≤23.00	≤23.00	19.51	30.00	PASS
	Ant2	5310	TPC_L	5.41	83.78	0.77	6.18	≤23.00	≤23.00	13.16	24.00	PASS
			TPC_H	12.12	83.78	0.77	12.89	≤23.00	≤23.00	19.87	30.00	PASS
	Ant3	5310	TPC_L	5.46	81.58	0.88	6.34	≤23.00	≤23.00	13.32	24.00	PASS
			TPC_H	11.71	81.58	0.88	12.59	≤23.00	≤23.00	19.57	30.00	PASS
	total	5310	TPC_L	---	---	---	10.96	≤23.00	≤23.00	17.94	24.00	PASS
			TPC_H	---	---	---	17.44	≤23.00	≤23.00	24.42	30.00	PASS
	Ant1	5510	TPC_L	5.01	81.58	0.88	5.89	≤23.00	≤23.00	12.87	24.00	PASS
			TPC_H	11.57	81.58	0.88	12.45	≤23.00	≤23.00	19.43	30.00	PASS
	Ant2	5510	TPC_L	5.55	83.78	0.77	6.32	≤23.00	≤23.00	13.30	24.00	PASS
			TPC_H	11.95	83.78	0.77	12.72	≤23.00	≤23.00	19.70	30.00	PASS
	Ant3	5510	TPC_L	6.05	81.58	0.88	6.93	≤23.00	≤23.00	13.91	24.00	PASS
			TPC_H	12.56	81.58	0.88	13.44	≤23.00	≤23.00	20.42	30.00	PASS
	total	5510	TPC_L	---	---	---	11.17	≤23.00	≤23.00	18.15	24.00	PASS
			TPC_H	---	---	---	17.66	≤23.00	≤23.00	24.64	30.00	PASS
	Ant1	5550	TPC_L	4.38	83.78	0.77	5.15	≤23.00	≤23.00	12.13	24.00	PASS
			TPC_H	10.87	83.78	0.77	11.64	≤23.00	≤23.00	18.62	30.00	PASS
	Ant2	5550	TPC_L	4.66	81.58	0.88	5.54	≤23.00	≤23.00	12.52	24.00	PASS
			TPC_H	11.42	81.58	0.88	12.30	≤23.00	≤23.00	19.28	30.00	PASS
	Ant3	5550	TPC_L	5.05	81.58	0.88	5.93	≤23.00	≤23.00	12.91	24.00	PASS
			TPC_H	11.45	81.58	0.88	12.33	≤23.00	≤23.00	19.31	30.00	PASS
	total	5550	TPC_L	---	---	---	10.32	≤23.00	≤23.00	17.30	24.00	PASS
			TPC_H	---	---	---	16.87	≤23.00	≤23.00	23.85	30.00	PASS
	Ant1	5670	TPC_L	3.63	83.78	0.77	4.40	≤23.00	≤23.00	11.38	24.00	PASS
			TPC_H	10.52	83.78	0.77	11.29	≤23.00	≤23.00	18.27	30.00	PASS
	Ant2	5670	TPC_L	4.03	81.58	0.88	4.91	≤23.00	≤23.00	11.89	24.00	PASS

11BE8 OMIM O	Ant3	5670	TPC_H	11.14	81.58	0.88	12.02	≤23.00	≤23.00	19.00	30.00	PASS
			TPC_L	4.00	81.58	0.88	4.88	≤23.00	≤23.00	11.86	24.00	PASS
			TPC_H	10.51	81.58	0.88	11.39	≤23.00	≤23.00	18.37	30.00	PASS
	total	5670	TPC_L	---	---	---	9.51	≤23.00	≤23.00	16.49	24.00	PASS
			TPC_H	---	---	---	16.35	≤23.00	≤23.00	23.33	30.00	PASS
	Ant1	5710	TPC_L	5.02	82.05	0.86	5.88	≤23.00	≤23.00	12.86	24.00	PASS
			TPC_H	11.49	82.05	0.86	12.35	≤23.00	≤23.00	19.33	30.00	PASS
	Ant2	5710	TPC_L	4.23	83.78	0.77	5.00	≤23.00	≤23.00	11.98	24.00	PASS
			TPC_H	10.82	83.78	0.77	11.59	≤23.00	≤23.00	18.57	30.00	PASS
	Ant3	5710	TPC_L	4.91	83.78	0.77	5.68	≤23.00	≤23.00	12.66	24.00	PASS
			TPC_H	11.39	83.78	0.77	12.16	≤23.00	≤23.00	19.14	30.00	PASS
	total	5710	TPC_L	---	---	---	10.31	≤23.00	≤23.00	17.29	24.00	PASS
			TPC_H	---	---	---	16.82	≤23.00	≤23.00	23.80	30.00	PASS
	Ant1	5755	NA	10.49	81.58	0.88	11.37	≤29.02	≤29.02	18.35	---	PASS
	Ant2	5755	NA	11.19	83.78	0.77	11.96	≤29.02	≤29.02	18.94	---	PASS
	Ant3	5755	NA	9.58	83.78	0.77	10.35	≤29.02	≤29.02	17.33	---	PASS
	total	5755	NA	---	---	---	16.05	≤29.02	≤29.02	23.03	---	PASS
	Ant1	5795	NA	9.92	81.58	0.88	10.80	≤29.02	≤29.02	17.78	---	PASS
	Ant2	5795	NA	10.41	81.58	0.88	11.29	≤29.02	≤29.02	18.27	---	PASS
	Ant3	5795	NA	9.11	81.58	0.88	9.99	≤29.02	≤29.02	16.97	---	PASS
	total	5795	NA	---	---	---	15.50	≤29.02	≤29.02	22.48	---	PASS
	Ant1	5210	NA	8.99	81.08	0.91	9.90	≤29.02	---	16.88	---	PASS
	Ant2	5210	NA	9.19	81.08	0.91	10.10	≤29.02	---	17.08	---	PASS
	Ant3	5210	NA	9.30	81.08	0.91	10.21	≤29.02	---	17.19	---	PASS
	total	5210	NA	---	---	---	14.84	≤29.02	---	21.82	---	PASS
	Ant1	5290	TPC_L	6.16	81.08	0.91	7.07	≤23.00	≤23.00	14.05	24.00	PASS
			TPC_H	12.71	81.08	0.91	13.62	≤23.00	≤23.00	20.60	30.00	PASS
	Ant2	5290	TPC_L	6.34	83.33	0.79	7.13	≤23.00	≤23.00	14.11	24.00	PASS
			TPC_H	13.06	83.33	0.79	13.85	≤23.00	≤23.00	20.83	30.00	PASS
	Ant3	5290	TPC_L	6.45	83.33	0.79	7.24	≤23.00	≤23.00	14.22	24.00	PASS
			TPC_H	12.73	83.33	0.79	13.52	≤23.00	≤23.00	20.50	30.00	PASS
	total	5290	TPC_L	---	---	---	11.92	≤23.00	≤23.00	18.90	24.00	PASS
			TPC_H	---	---	---	18.44	≤23.00	≤23.00	25.42	30.00	PASS
	Ant1	5530	TPC_L	6.20	81.08	0.91	7.11	≤23.00	≤23.00	14.09	24.00	PASS
			TPC_H	12.82	81.08	0.91	13.73	≤23.00	≤23.00	20.71	30.00	PASS
	Ant2	5530	TPC_L	6.62	81.08	0.91	7.53	≤23.00	≤23.00	14.51	24.00	PASS
			TPC_H	13.36	81.08	0.91	14.27	≤23.00	≤23.00	21.25	30.00	PASS
	Ant3	5530	TPC_L	7.30	81.08	0.91	8.21	≤23.00	≤23.00	15.19	24.00	PASS
			TPC_H	13.65	81.08	0.91	14.56	≤23.00	≤23.00	21.54	30.00	PASS
	total	5530	TPC_L	---	---	---	12.41	≤23.00	≤23.00	19.39	24.00	PASS
			TPC_H	---	---	---	18.97	≤23.00	≤23.00	25.95	30.00	PASS
	Ant1	5610	TPC_L	5.51	83.33	0.79	6.30	≤23.00	≤23.00	13.28	24.00	PASS
			TPC_H	12.25	83.33	0.79	13.04	≤23.00	≤23.00	20.02	30.00	PASS
	Ant2	5610	TPC_L	5.30	81.08	0.91	6.21	≤23.00	≤23.00	13.19	24.00	PASS
			TPC_H	12.11	81.08	0.91	13.02	≤23.00	≤23.00	20.00	30.00	PASS
	Ant3	5610	TPC_L	5.89	81.08	0.91	6.80	≤23.00	≤23.00	13.78	24.00	PASS
			TPC_H	12.52	81.08	0.91	13.43	≤23.00	≤23.00	20.41	30.00	PASS
	total	5610	TPC_L	---	---	---	11.22	≤23.00	≤23.00	18.20	24.00	PASS
			TPC_H	---	---	---	17.94	≤23.00	≤23.00	24.92	30.00	PASS
	Ant1	5690	TPC_L	5.36	81.08	0.91	6.27	≤23.00	≤23.00	13.25	24.00	PASS
			TPC_H	11.83	81.08	0.91	12.74	≤23.00	≤23.00	19.72	30.00	PASS
	Ant2	5690	TPC_L	5.81	81.08	0.91	6.72	≤23.00	≤23.00	13.70	24.00	PASS
			TPC_H	12.49	81.08	0.91	13.40	≤23.00	≤23.00	20.38	30.00	PASS
	Ant3	5690	TPC_L	5.38	81.08	0.91	6.29	≤23.00	≤23.00	13.27	24.00	PASS
			TPC_H	11.89	81.08	0.91	12.80	≤23.00	≤23.00	19.78	30.00	PASS
	total	5690	TPC_L	---	---	---	11.20	≤23.00	≤23.00	18.18	24.00	PASS
			TPC_H	---	---	---	17.76	≤23.00	≤23.00	24.74	30.00	PASS
	Ant1	5775	NA	9.12	83.33	0.79	9.91	≤29.02	≤29.02	16.89	---	PASS
	Ant2	5775	NA	9.74	81.08	0.91	10.65	≤29.02	≤29.02	17.63	---	PASS
	Ant3	5775	NA	8.27	81.08	0.91	9.18	≤29.02	≤29.02	16.16	---	PASS
	total	5775	NA	---	---	---	14.73	≤29.02	≤29.02	21.71	---	PASS
11BE1 60MIM O	Ant1	5250	NA	9.66	81.08	0.91	10.57	≤23.00	≤29.02	17.55	30.00	PASS
			TPC_L	4.25	81.08	0.91	5.16	≤23.00	≤23.00	12.14	24.00	PASS
			TPC_H	10.64	81.08	0.91	11.55	≤23.00	≤23.00	18.53	30.00	PASS

	Ant2	5250	NA	9.69	81.08	0.91	10.60	≤23.00	≤29.02	17.58	30.00	PASS
			TPC_L	3.73	81.08	0.91	4.64	≤23.00	≤23.00	11.62	24.00	PASS
			TPC_H	10.62	81.08	0.91	11.53	≤23.00	≤23.00	18.51	30.00	PASS
	Ant3	5250	NA	10.33	81.08	0.91	11.24	≤23.00	≤29.02	18.22	30.00	PASS
			TPC_L	4.67	81.08	0.91	5.58	≤23.00	≤23.00	12.56	24.00	PASS
			TPC_H	11.20	81.08	0.91	12.11	≤23.00	≤23.00	19.09	30.00	PASS
	total	5250	NA	---	---	---	15.59	≤23.00	≤29.02	22.57	30.00	PASS
			TPC_L	---	---	---	9.91	≤23.00	≤23.00	16.89	24.00	PASS
			TPC_H	---	---	---	16.51	≤23.00	≤23.00	23.49	30.00	PASS
	Ant1	5570	TPC_L	3.95	81.08	0.91	4.86	≤23.00	≤23.00	11.84	24.00	PASS
			TPC_H	10.27	81.08	0.91	11.18	≤23.00	≤23.00	18.16	30.00	PASS
	Ant2	5570	TPC_L	4.55	81.08	0.91	5.46	≤23.00	≤23.00	12.44	24.00	PASS
			TPC_H	11.05	81.08	0.91	11.96	≤23.00	≤23.00	18.94	30.00	PASS
	Ant3	5570	TPC_L	4.30	81.08	0.91	5.21	≤23.00	≤23.00	12.19	24.00	PASS
			TPC_H	10.85	81.08	0.91	11.76	≤23.00	≤23.00	18.74	30.00	PASS
	total	5570	TPC_L	---	---	---	9.95	≤23.00	≤23.00	16.93	24.00	PASS
			TPC_H	---	---	---	16.42	≤23.00	≤23.00	23.40	30.00	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	FCC Conducted Limit [dBm]	IC Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE2 0 MIMO	Ant1	5180	52+26_O FDMA	1	2.18	93.48	0.29	2.47	≤29.02	---	9.45	---	PASS
				2	2.75	93.55	0.29	3.04	≤29.02	---	10.02	---	PASS
				3	2.31	92.55	0.34	2.65	≤29.02	---	9.63	---	PASS
			106+26_OFDMA	1	5.24	92.39	0.34	5.58	≤29.02	---	12.56	---	PASS
				2	5.21	92.39	0.34	5.55	≤29.02	---	12.53	---	PASS
				3	5.21	92.39	0.34	5.55	≤29.02	---	12.53	---	PASS
	Ant2	5180	52+26_O FDMA	1	2.98	92.47	0.34	3.32	≤29.02	---	10.30	---	PASS
				2	3.45	93.62	0.29	3.74	≤29.02	---	10.72	---	PASS
				3	2.87	93.62	0.29	3.16	≤29.02	---	10.14	---	PASS
			106+26_OFDMA	1	5.81	92.39	0.34	6.15	≤29.02	---	13.13	---	PASS
				2	5.87	92.39	0.34	6.21	≤29.02	---	13.19	---	PASS
				3	5.87	92.39	0.34	6.21	≤29.02	---	13.19	---	PASS
	Ant3	5180	52+26_O FDMA	1	3.63	92.47	0.34	3.97	≤29.02	---	10.95	---	PASS
				2	3.91	92.55	0.34	4.25	≤29.02	---	11.23	---	PASS
				3	3.59	93.62	0.29	3.88	≤29.02	---	10.86	---	PASS
			106+26_OFDMA	1	6.15	92.39	0.34	6.49	≤29.02	---	13.47	---	PASS
				2	5.92	92.39	0.34	6.26	≤29.02	---	13.24	---	PASS
				3	5.92	92.39	0.34	6.26	≤29.02	---	13.24	---	PASS
	total	5180	52+26_O FDMA	1	---	---	---	8.07	≤29.02	---	15.05	---	PASS
				2	---	---	---	8.48	≤29.02	---	15.46	---	PASS
				3	---	---	---	8.03	≤29.02	---	15.01	---	PASS
			106+26_OFDMA	1	---	---	---	10.86	≤29.02	---	17.84	---	PASS
				2	---	---	---	10.79	≤29.02	---	17.77	---	PASS
				3	---	---	---	10.79	≤29.02	---	17.77	---	PASS
	Ant1	5200	52+26_O FDMA	1	2.28	93.48	0.29	2.57	≤29.02	---	9.55	---	PASS
				2	2.62	92.55	0.34	2.96	≤29.02	---	9.94	---	PASS
				3	2.23	92.55	0.34	2.57	≤29.02	---	9.55	---	PASS
			106+26_OFDMA	1	5.08	92.39	0.34	5.42	≤29.02	---	12.40	---	PASS
				2	5.03	93.41	0.30	5.33	≤29.02	---	12.31	---	PASS
				3	5.03	93.41	0.30	5.33	≤29.02	---	12.31	---	PASS
	Ant2	5200	52+26_O FDMA	1	3.34	93.48	0.29	3.63	≤29.02	---	10.61	---	PASS
				2	3.58	92.55	0.34	3.92	≤29.02	---	10.90	---	PASS
				3	2.99	92.55	0.34	3.33	≤29.02	---	10.31	---	PASS
			106+26_OFDMA	1	5.99	92.39	0.34	6.33	≤29.02	---	13.31	---	PASS
				2	5.89	93.41	0.30	6.19	≤29.02	---	13.17	---	PASS
				3	5.89	93.41	0.30	6.19	≤29.02	---	13.17	---	PASS
	Ant3	5200	52+26_O FDMA	1	2.65	93.48	0.29	2.94	≤29.02	---	9.92	---	PASS
				2	3.71	93.62	0.29	4.00	≤29.02	---	10.98	---	PASS
				3	3.42	92.55	0.34	3.76	≤29.02	---	10.74	---	PASS
			106+26_OFDMA	1	6.20	92.39	0.34	6.54	≤29.02	---	13.52	---	PASS
				2	6.33	92.39	0.34	6.67	≤29.02	---	13.65	---	PASS
				3	6.33	92.39	0.34	6.67	≤29.02	---	13.65	---	PASS
	total	5200	52+26_O FDMA	1	---	---	---	7.84	≤29.02	---	14.82	---	PASS
				2	---	---	---	8.42	≤29.02	---	15.40	---	PASS
				3	---	---	---	8.02	≤29.02	---	15.00	---	PASS
			106+26_OFDMA	1	---	---	---	10.89	≤29.02	---	17.87	---	PASS
				2	---	---	---	10.87	≤29.02	---	17.85	---	PASS
				3	---	---	---	10.87	≤29.02	---	17.85	---	PASS

	Ant1	5240	52+26_O FDMA	1	2.86	92.47	0.34	3.20	≤29.02	---	10.18	---	PASS
				2	3.41	93.62	0.29	3.70	≤29.02	---	10.68	---	PASS
				3	2.67	92.55	0.34	3.01	≤29.02	---	9.99	---	PASS
			106+26_ OFDMA	1	5.37	93.41	0.30	5.67	≤29.02	---	12.65	---	PASS
				2	5.63	92.39	0.34	5.97	≤29.02	---	12.95	---	PASS
				3	3.58	93.48	0.29	3.87	≤29.02	---	10.85	---	PASS
	Ant2	5240	52+26_O FDMA	1	3.58	93.48	0.29	3.87	≤29.02	---	10.85	---	PASS
				2	3.97	92.55	0.34	4.31	≤29.02	---	11.29	---	PASS
				3	3.66	93.62	0.29	3.95	≤29.02	---	10.93	---	PASS
			106+26_ OFDMA	1	6.28	93.41	0.30	6.58	≤29.02	---	13.56	---	PASS
				2	6.40	92.39	0.34	6.74	≤29.02	---	13.72	---	PASS
				3	3.94	92.47	0.34	4.28	≤29.02	---	11.26	---	PASS
	Ant3	5240	52+26_O FDMA	1	4.33	93.55	0.29	4.62	≤29.02	---	11.60	---	PASS
				2	4.33	93.55	0.29	4.62	≤29.02	---	11.60	---	PASS
				3	3.02	93.55	0.29	3.31	≤29.02	---	10.29	---	PASS
			106+26_ OFDMA	1	6.82	92.39	0.34	7.16	≤29.02	---	14.14	---	PASS
				2	6.89	93.41	0.30	7.19	≤29.02	---	14.17	---	PASS
				3	3.02	93.55	0.29	3.31	≤29.02	---	10.29	---	PASS
	total	5240	52+26_O FDMA	1	---	---	---	8.58	≤29.02	---	15.56	---	PASS
				2	---	---	---	9.00	≤29.02	---	15.98	---	PASS
				3	---	---	---	8.21	≤29.02	---	15.19	---	PASS
			106+26_ OFDMA	1	---	---	---	11.28	≤29.02	---	18.26	---	PASS
				2	---	---	---	11.43	≤29.02	---	18.41	---	PASS
				3	---	---	---	---	---	---	---	---	---
	Ant1	5260	52+26_O FDMA	1	4.36	93.62	0.29	4.65	≤22.65	≤22.2	11.63	≤29.18	PASS
				2	4.89	92.55	0.34	5.23	≤22.65	≤22.2	12.21	≤29.18	PASS
				3	4.14	93.48	0.29	4.43	≤22.65	≤22.2	11.41	≤29.18	PASS
			106+26_ OFDMA	1	7.05	93.41	0.30	7.35	≤22.65	≤22.2	14.33	≤29.18	PASS
				2	7.26	92.39	0.34	7.60	≤22.65	≤22.2	14.58	≤29.18	PASS
				3	5.53	93.62	0.29	5.82	≤22.65	≤22.2	12.80	≤29.18	PASS
	Ant2	5260	52+26_O FDMA	1	5.91	92.55	0.34	6.25	≤22.65	≤22.2	13.23	≤29.18	PASS
				2	5.91	92.55	0.34	6.25	≤22.65	≤22.2	13.23	≤29.18	PASS
				3	5.38	92.47	0.34	5.72	≤22.65	≤22.2	12.70	≤29.18	PASS
			106+26_ OFDMA	1	7.74	92.39	0.34	8.08	≤22.65	≤22.2	15.06	≤29.18	PASS
				2	7.90	92.39	0.34	8.24	≤22.65	≤22.2	15.22	≤29.18	PASS
				3	5.08	93.55	0.29	5.37	≤22.65	≤22.2	12.35	≤29.18	PASS
	Ant3	5260	52+26_O FDMA	1	5.62	92.55	0.34	5.96	≤22.65	≤22.2	12.94	≤29.18	PASS
				2	5.62	92.55	0.34	5.96	≤22.65	≤22.2	12.94	≤29.18	PASS
				3	4.96	92.47	0.34	5.30	≤22.65	≤22.2	12.28	≤29.18	PASS
			106+26_ OFDMA	1	7.36	93.41	0.30	7.66	≤22.65	≤22.2	14.64	≤29.18	PASS
				2	7.70	93.41	0.30	8.00	≤22.65	≤22.2	14.98	≤29.18	PASS
				3	4.96	92.47	0.34	5.30	≤22.65	≤22.2	12.28	≤29.18	PASS
	total	5260	52+26_O FDMA	1	---	---	---	10.08	≤22.65	≤22.2	17.06	≤29.18	PASS
				2	---	---	---	10.61	≤22.65	≤22.2	17.59	≤29.18	PASS
				3	---	---	---	9.95	≤22.65	≤22.2	16.93	≤29.18	PASS
			106+26_ OFDMA	1	---	---	---	12.48	≤22.65	≤22.2	19.46	≤29.18	PASS
				2	---	---	---	12.73	≤22.65	≤22.2	19.71	≤29.18	PASS
				3	---	---	---	---	---	---	---	---	---
	Ant1	5280	52+26_O FDMA	1	4.26	93.62	0.29	4.55	≤22.65	≤22.2	11.53	≤29.18	PASS
				2	4.64	93.62	0.29	4.93	≤22.65	≤22.2	11.91	≤29.18	PASS
				3	4.21	92.47	0.34	4.55	≤22.65	≤22.2	11.53	≤29.18	PASS
			106+26_ OFDMA	1	7.18	92.39	0.34	7.52	≤22.65	≤22.2	14.50	≤29.18	PASS
				2	7.24	93.41	0.30	7.54	≤22.65	≤22.2	14.52	≤29.18	PASS
				3	5.46	93.62	0.29	5.75	≤22.65	≤22.2	12.73	≤29.18	PASS
	Ant2	5280	52+26_O FDMA	1	5.90	92.55	0.34	6.24	≤22.65	≤22.2	13.22	≤29.18	PASS
				2	5.90	92.55	0.34	6.24	≤22.65	≤22.2	13.22	≤29.18	PASS
				3	5.48	92.47	0.34	5.82	≤22.65	≤22.2	12.80	≤29.18	PASS
			106+26_ OFDMA	1	7.73	92.39	0.34	8.07	≤22.65	≤22.2	15.05	≤29.18	PASS
				2	8.03	92.39	0.34	8.37	≤22.65	≤22.2	15.35	≤29.18	PASS
				3	5.27	92.55	0.34	5.61	≤22.65	≤22.2	12.59	≤29.18	PASS
	Ant3	5280	52+26_O FDMA	1	5.60	92.55	0.34	5.94	≤22.65	≤22.2	12.92	≤29.18	PASS
				2	5.60	92.55	0.34	5.94	≤22.65	≤22.2	12.92	≤29.18	PASS
				3	3.85	92.47	0.34	4.19	≤22.65	≤22.2	11.17	≤29.18	PASS
			106+26_ OFDMA	1	7.60	92.39	0.34	7.94	≤22.65	≤22.2	14.92	≤29.18	PASS
				2	7.50	92.39	0.34	7.84	≤22.65	≤22.2	14.82	≤29.18	PASS
				3	3.85	92.47	0.34	4.19	≤22.65	≤22.2	11.17	≤29.18	PASS
	total	5280	52+26_O FDMA	1	---	---	---	10.11	≤22.65	≤22.2	17.09	≤29.18	PASS
				2	---	---	---	10.51	≤22.65	≤22.2	17.49	≤29.18	PASS
				3	---	---	---	9.68	≤22.65	≤22.2	16.66	≤29.18	PASS
			106+26_ OFDMA	1	---	---	---	12.62	≤22.65	≤22.2	19.60	≤29.18	PASS
				2	---	---	---	12.70	≤22.65	≤22.2	19.68	≤29.18	PASS
				3	---	---	---	---	---	---	---	---	---
	Ant1	5320	52+26_O FDMA	1	4.11	93.62	0.29	4.40	≤22.65	≤22.2	11.38	≤29.18	PASS
				2	4.45	93.55	0.29	4.74	≤22.65	≤22.2	11.72	≤29.18	PASS
				3	3.76	93.48	0.29	4.05	≤22.65	≤22.2	11.03	≤29.18	PASS
			106+26_	1	6.72	92.39	0.34	7.06	≤22.65	≤22.2	14.04	≤29.18	PASS

Ant2	5320	OFDMA	2	7.08	92.39	0.34	7.42	≤22.65	≤22.2	14.40	≤29.18	PASS	
			52+26_O FDMA	1	5.00	93.62	0.29	5.29	≤22.65	≤22.2	12.27	≤29.18	PASS
				2	5.31	92.55	0.34	5.65	≤22.65	≤22.2	12.63	≤29.18	PASS
		3		4.74	93.48	0.29	5.03	≤22.65	≤22.2	12.01	≤29.18	PASS	
		106+26_ OFDMA	1	7.27	92.39	0.34	7.61	≤22.65	≤22.2	14.59	≤29.18	PASS	
			2	7.38	92.39	0.34	7.72	≤22.65	≤22.2	14.70	≤29.18	PASS	
	Ant3		5320	52+26_O FDMA	1	4.61	92.55	0.34	4.95	≤22.65	≤22.2	11.93	≤29.18
		2			4.26	93.55	0.29	4.55	≤22.65	≤22.2	11.53	≤29.18	PASS
		3			3.44	93.48	0.29	3.73	≤22.65	≤22.2	10.71	≤29.18	PASS
		106+26_ OFDMA	1	7.02	92.39	0.34	7.36	≤22.65	≤22.2	14.34	≤29.18	PASS	
			2	7.14	93.41	0.30	7.44	≤22.65	≤22.2	14.42	≤29.18	PASS	
			total	5320	52+26_O FDMA	1	---	---	---	9.67	≤22.65	≤22.2	16.65
2	---	---				---	9.78	≤22.65	≤22.2	16.76	≤29.18	PASS	
3	---	---				---	9.08	≤22.65	≤22.2	16.06	≤29.18	PASS	
106+26_ OFDMA	1	---		---	---	12.12	≤22.65	≤22.2	19.10	≤29.18	PASS		
	2	---		---	---	12.30	≤22.65	≤22.2	19.28	≤29.18	PASS		
	Ant1	5500		52+26_O FDMA	1	1.82	93.55	0.29	2.11	≤22.65	≤22.2	9.09	≤29.18
2			2.11		92.55	0.34	2.45	≤22.65	≤22.2	9.43	≤29.18	PASS	
3			1.79		93.48	0.29	2.08	≤22.65	≤22.2	9.06	≤29.18	PASS	
106+26_ OFDMA		1	4.70	93.41	0.30	5.00	≤22.65	≤22.2	11.98	≤29.18	PASS		
		2	4.87	93.41	0.30	5.17	≤22.65	≤22.2	12.15	≤29.18	PASS		
		Ant2	5500	52+26_O FDMA	1	3.14	93.55	0.29	3.43	≤22.65	≤22.2	10.41	≤29.18
2	3.70				93.62	0.29	3.99	≤22.65	≤22.2	10.97	≤29.18	PASS	
3	3.14				93.48	0.29	3.43	≤22.65	≤22.2	10.41	≤29.18	PASS	
106+26_ OFDMA	1		5.89	92.39	0.34	6.23	≤22.65	≤22.2	13.21	≤29.18	PASS		
	2		6.03	93.41	0.30	6.33	≤22.65	≤22.2	13.31	≤29.18	PASS		
	Ant3		5500	52+26_O FDMA	1	3.44	92.55	0.34	3.78	≤22.65	≤22.2	10.76	≤29.18
2		3.79			93.62	0.29	4.08	≤22.65	≤22.2	11.06	≤29.18	PASS	
3		3.50			92.47	0.34	3.84	≤22.65	≤22.2	10.82	≤29.18	PASS	
106+26_ OFDMA		1	5.88	93.41	0.30	6.18	≤22.65	≤22.2	13.16	≤29.18	PASS		
		2	6.23	92.39	0.34	6.57	≤22.65	≤22.2	13.55	≤29.18	PASS		
		total	5500	52+26_O FDMA	1	---	---	---	7.94	≤22.65	≤22.2	14.92	≤29.18
2	---				---	---	8.34	≤22.65	≤22.2	15.32	≤29.18	PASS	
3	---				---	---	7.95	≤22.65	≤22.2	14.93	≤29.18	PASS	
106+26_ OFDMA	1		---	---	---	10.61	≤22.65	≤22.2	17.59	≤29.18	PASS		
	2		---	---	---	10.84	≤22.65	≤22.2	17.82	≤29.18	PASS		
	Ant1		5580	52+26_O FDMA	1	3.39	93.62	0.29	3.68	≤22.65	≤22.2	10.66	≤29.18
2		3.86			93.55	0.29	4.15	≤22.65	≤22.2	11.13	≤29.18	PASS	
3		3.44			92.47	0.34	3.78	≤22.65	≤22.2	10.76	≤29.18	PASS	
106+26_ OFDMA		1	6.11	92.39	0.34	6.45	≤22.65	≤22.2	13.43	≤29.18	PASS		
		2	6.21	92.39	0.34	6.55	≤22.65	≤22.2	13.53	≤29.18	PASS		
		Ant2	5580	52+26_O FDMA	1	3.55	93.62	0.29	3.84	≤22.65	≤22.2	10.82	≤29.18
2	4.03				93.62	0.29	4.32	≤22.65	≤22.2	11.30	≤29.18	PASS	
3	3.67				92.47	0.34	4.01	≤22.65	≤22.2	10.99	≤29.18	PASS	
106+26_ OFDMA	1		6.14	92.39	0.34	6.48	≤22.65	≤22.2	13.46	≤29.18	PASS		
	2		6.40	93.41	0.30	6.70	≤22.65	≤22.2	13.68	≤29.18	PASS		
	Ant3		5580	52+26_O FDMA	1	3.98	92.55	0.34	4.32	≤22.65	≤22.2	11.30	≤29.18
2		4.45			93.62	0.29	4.74	≤22.65	≤22.2	11.72	≤29.18	PASS	
3		4.04			92.47	0.34	4.38	≤22.65	≤22.2	11.36	≤29.18	PASS	
106+26_ OFDMA		1	6.50	92.39	0.34	6.84	≤22.65	≤22.2	13.82	≤29.18	PASS		
		2	6.70	93.41	0.30	7.00	≤22.65	≤22.2	13.98	≤29.18	PASS		
		total	5580	52+26_O FDMA	1	---	---	---	8.73	≤22.65	≤22.2	15.71	≤29.18
2	---				---	---	9.18	≤22.65	≤22.2	16.16	≤29.18	PASS	
3	---				---	---	8.83	≤22.65	≤22.2	15.81	≤29.18	PASS	
106+26_ OFDMA	1		---	---	---	11.36	≤22.65	≤22.2	18.34	≤29.18	PASS		
	2		---	---	---	11.53	≤22.65	≤22.2	18.51	≤29.18	PASS		
	Ant1		5700	52+26_O FDMA	1	3.20	92.55	0.34	3.54	≤22.65	≤22.2	10.52	≤29.18
2		3.65			93.55	0.29	3.94	≤22.65	≤22.2	10.92	≤29.18	PASS	
3		3.14			93.48	0.29	3.43	≤22.65	≤22.2	10.41	≤29.18	PASS	
106+26_ OFDMA		1	6.25	93.41	0.30	6.55	≤22.65	≤22.2	13.53	≤29.18	PASS		
		2	6.36	92.39	0.34	6.70	≤22.65	≤22.2	13.68	≤29.18	PASS		
		Ant2	5700	52+26_O FDMA	1	3.27	92.55	0.34	3.61	≤22.65	≤22.2	10.59	≤29.18
2	3.74				92.55	0.34	4.08	≤22.65	≤22.2	11.06	≤29.18	PASS	
3	3.49				93.48	0.29	3.78	≤22.65	≤22.2	10.76	≤29.18	PASS	

			106+26_OFDMA	1	5.86	93.41	0.30	6.16	≤22.65	≤22.2	13.14	≤29.18	PASS
				2	6.15	93.41	0.30	6.45	≤22.65	≤22.2	13.43	≤29.18	PASS
	Ant3	5700	52+26_OFDMA	1	3.70	93.62	0.29	3.99	≤22.65	≤22.2	10.97	≤29.18	PASS
				2	3.31	93.62	0.29	3.60	≤22.65	≤22.2	10.58	≤29.18	PASS
				3	3.80	93.48	0.29	4.09	≤22.65	≤22.2	11.07	≤29.18	PASS
			106+26_OFDMA	1	6.37	93.41	0.30	6.67	≤22.65	≤22.2	13.65	≤29.18	PASS
				2	6.33	93.41	0.30	6.63	≤22.65	≤22.2	13.61	≤29.18	PASS
	total	5700	52+26_OFDMA	1	---	---	---	8.49	≤22.65	≤22.2	15.47	≤29.18	PASS
				2	---	---	---	8.65	≤22.65	≤22.2	15.63	≤29.18	PASS
				3	---	---	---	8.55	≤22.65	≤22.2	15.53	≤29.18	PASS
			106+26_OFDMA	1	---	---	---	11.24	≤22.65	≤22.2	18.22	≤29.18	PASS
				2	---	---	---	11.37	≤22.65	≤22.2	18.35	≤29.18	PASS
	Ant1	5720	52+26_OFDMA	1	3.68	92.55	0.34	4.02	≤22.65	≤22.2	11.00	≤29.18	PASS
				2	4.09	92.55	0.34	4.43	≤22.65	≤22.2	11.41	≤29.18	PASS
				3	3.62	92.47	0.34	3.96	≤22.65	≤22.2	10.94	≤29.18	PASS
			106+26_OFDMA	1	6.58	92.39	0.34	6.92	≤22.65	≤22.2	13.90	≤29.18	PASS
				2	6.69	92.39	0.34	7.03	≤22.65	≤22.2	14.01	≤29.18	PASS
	Ant2	5720	52+26_OFDMA	1	3.99	92.55	0.34	4.33	≤22.65	≤22.2	11.31	≤29.18	PASS
				2	4.38	92.55	0.34	4.72	≤22.65	≤22.2	11.70	≤29.18	PASS
				3	3.88	92.47	0.34	4.22	≤22.65	≤22.2	11.20	≤29.18	PASS
			106+26_OFDMA	1	6.48	93.41	0.30	6.78	≤22.65	≤22.2	13.76	≤29.18	PASS
				2	6.49	93.41	0.30	6.79	≤22.65	≤22.2	13.77	≤29.18	PASS
	Ant3	5720	52+26_OFDMA	1	2.90	93.62	0.29	3.19	≤22.65	≤22.2	10.17	≤29.18	PASS
				2	3.98	93.62	0.29	4.27	≤22.65	≤22.2	11.25	≤29.18	PASS
				3	3.21	93.48	0.29	3.50	≤22.65	≤22.2	10.48	≤29.18	PASS
			106+26_OFDMA	1	6.74	92.39	0.34	7.08	≤22.65	≤22.2	14.06	≤29.18	PASS
				2	6.96	93.41	0.30	7.26	≤22.65	≤22.2	14.24	≤29.18	PASS
	total	5720	52+26_OFDMA	1	---	---	---	8.64	≤22.65	≤22.2	15.62	≤29.18	PASS
				2	---	---	---	9.25	≤22.65	≤22.2	16.23	≤29.18	PASS
				3	---	---	---	8.67	≤22.65	≤22.2	15.65	≤29.18	PASS
			106+26_OFDMA	1	---	---	---	11.70	≤22.65	≤22.2	18.68	≤29.18	PASS
				2	---	---	---	11.80	≤22.65	≤22.2	18.78	≤29.18	PASS
	Ant1	5745	52+26_OFDMA	1	5.39	93.62	0.29	5.68	≤29.02	≤29.02	12.66	---	PASS
				2	5.79	92.55	0.34	6.13	≤29.02	≤29.02	13.11	---	PASS
				3	5.40	92.47	0.34	5.74	≤29.02	≤29.02	12.72	---	PASS
			106+26_OFDMA	1	8.36	93.41	0.30	8.66	≤29.02	≤29.02	15.64	---	PASS
				2	8.36	92.39	0.34	8.70	≤29.02	≤29.02	15.68	---	PASS
	Ant2	5745	52+26_OFDMA	1	6.35	92.55	0.34	6.69	≤29.02	≤29.02	13.67	---	PASS
				2	6.79	92.55	0.34	7.13	≤29.02	≤29.02	14.11	---	PASS
				3	6.39	92.47	0.34	6.73	≤29.02	≤29.02	13.71	---	PASS
			106+26_OFDMA	1	9.08	92.39	0.34	9.42	≤29.02	≤29.02	16.40	---	PASS
				2	9.26	93.41	0.30	9.56	≤29.02	≤29.02	16.54	---	PASS
	Ant3	5745	52+26_OFDMA	1	4.94	93.62	0.29	5.23	≤29.02	≤29.02	12.21	---	PASS
				2	5.38	92.55	0.34	5.72	≤29.02	≤29.02	12.70	---	PASS
				3	4.14	92.47	0.34	4.48	≤29.02	≤29.02	11.46	---	PASS
			106+26_OFDMA	1	7.60	93.41	0.30	7.90	≤29.02	≤29.02	14.88	---	PASS
				2	7.60	92.39	0.34	7.94	≤29.02	≤29.02	14.92	---	PASS
	total	5745	52+26_OFDMA	1	---	---	---	10.68	≤29.02	≤29.02	17.66	---	PASS
				2	---	---	---	11.14	≤29.02	≤29.02	18.12	---	PASS
				3	---	---	---	10.52	≤29.02	≤29.02	17.50	---	PASS
			106+26_OFDMA	1	---	---	---	13.48	≤29.02	≤29.02	20.46	---	PASS
				2	---	---	---	13.56	≤29.02	≤29.02	20.54	---	PASS
	Ant1	5785	52+26_OFDMA	1	5.02	93.62	0.29	5.31	≤29.02	≤29.02	12.29	---	PASS
				2	5.40	93.62	0.29	5.69	≤29.02	≤29.02	12.67	---	PASS
				3	4.88	92.47	0.34	5.22	≤29.02	≤29.02	12.20	---	PASS
			106+26_OFDMA	1	7.88	93.41	0.30	8.18	≤29.02	≤29.02	15.16	---	PASS
				2	7.77	93.41	0.30	8.07	≤29.02	≤29.02	15.05	---	PASS
	Ant2	5785	52+26_OFDMA	1	5.87	92.55	0.34	6.21	≤29.02	≤29.02	13.19	---	PASS
				2	6.17	93.62	0.29	6.46	≤29.02	≤29.02	13.44	---	PASS
				3	5.71	93.48	0.29	6.00	≤29.02	≤29.02	12.98	---	PASS
			106+26_OFDMA	1	8.38	93.41	0.30	8.68	≤29.02	≤29.02	15.66	---	PASS
				2	8.48	92.39	0.34	8.82	≤29.02	≤29.02	15.80	---	PASS
	Ant3	5785	52+26_OFDMA	1	4.87	93.55	0.29	5.16	≤29.02	≤29.02	12.14	---	PASS
				2	5.19	93.62	0.29	5.48	≤29.02	≤29.02	12.46	---	PASS

11BE4 OMIMO	total	5785	106+26 OFDMA	3	4.66	92.47	0.34	5.00	≤29.02	≤29.02	11.98	---	PASS
				1	6.50	93.41	0.30	6.80	≤29.02	≤29.02	13.78	---	PASS
				2	7.14	92.39	0.34	7.48	≤29.02	≤29.02	14.46	---	PASS
				1	---	---	---	10.36	≤29.02	≤29.02	17.34	---	PASS
	Ant1	5825	52+26_O FDMA	2	---	---	---	10.67	≤29.02	≤29.02	17.65	---	PASS
				3	---	---	---	10.20	≤29.02	≤29.02	17.18	---	PASS
				1	---	---	---	12.73	≤29.02	≤29.02	19.71	---	PASS
				2	---	---	---	12.93	≤29.02	≤29.02	19.91	---	PASS
	Ant2	5825	106+26 OFDMA	1	---	---	---	---	---	---	---	---	PASS
				2	---	---	---	---	---	---	---	---	PASS
				1	3.63	92.55	0.34	3.97	≤29.02	≤29.02	10.95	---	PASS
				2	4.03	92.55	0.34	4.37	≤29.02	≤29.02	11.35	---	PASS
	Ant3	5825	52+26_O FDMA	3	3.71	93.48	0.29	4.00	≤29.02	≤29.02	10.98	---	PASS
				1	6.68	93.41	0.30	6.98	≤29.02	≤29.02	13.96	---	PASS
				2	6.68	93.41	0.30	6.98	≤29.02	≤29.02	13.96	---	PASS
				1	4.37	93.62	0.29	4.66	≤29.02	≤29.02	11.64	---	PASS
	total	5825	52+26_O FDMA	2	4.68	93.55	0.29	4.97	≤29.02	≤29.02	11.95	---	PASS
				3	4.33	92.47	0.34	4.67	≤29.02	≤29.02	11.65	---	PASS
				1	6.66	92.39	0.34	7.00	≤29.02	≤29.02	13.98	---	PASS
				2	6.81	92.39	0.34	7.15	≤29.02	≤29.02	14.13	---	PASS
	Ant1	5190	106+26 OFDMA	1	4.39	93.62	0.29	4.68	≤29.02	≤29.02	11.66	---	PASS
				2	4.66	92.55	0.34	5.00	≤29.02	≤29.02	11.98	---	PASS
				3	4.69	93.48	0.29	4.98	≤29.02	≤29.02	11.96	---	PASS
				1	7.02	92.39	0.34	7.36	≤29.02	≤29.02	14.34	---	PASS
	Ant2	5190	106+26 OFDMA	2	7.13	92.39	0.34	7.47	≤29.02	≤29.02	14.45	---	PASS
				1	---	---	---	9.22	≤29.02	≤29.02	16.20	---	PASS
				2	---	---	---	9.56	≤29.02	≤29.02	16.54	---	PASS
				3	---	---	---	9.34	≤29.02	≤29.02	16.32	---	PASS
	Ant3	5190	106+26 OFDMA	1	---	---	---	11.89	≤29.02	≤29.02	18.87	---	PASS
				2	---	---	---	11.98	≤29.02	≤29.02	18.96	---	PASS
	total	5190	106+26 OFDMA	3	3.45	92.39	0.34	3.79	≤29.02	---	10.77	---	PASS
				4	2.67	93.41	0.30	2.97	≤29.02	---	9.95	---	PASS
	Ant1	5230	106+26 OFDMA	3	4.48	93.41	0.30	4.78	≤29.02	---	11.76	---	PASS
				4	3.39	93.41	0.30	3.69	≤29.02	---	10.67	---	PASS
	Ant2	5230	106+26 OFDMA	3	4.68	93.41	0.30	4.98	≤29.02	---	11.96	---	PASS
				4	3.84	92.39	0.34	4.18	≤29.02	---	11.16	---	PASS
	Ant3	5230	106+26 OFDMA	3	---	---	---	9.32	≤29.02	---	16.30	---	PASS
				4	---	---	---	8.41	≤29.02	---	15.39	---	PASS
	total	5230	106+26 OFDMA	3	4.08	92.39	0.34	4.42	≤29.02	---	11.40	---	PASS
				4	2.96	92.39	0.34	3.30	≤29.02	---	10.28	---	PASS
	Ant1	5270	106+26 OFDMA	3	4.83	93.41	0.30	5.13	≤29.02	---	12.11	---	PASS
				4	4.04	92.39	0.34	4.38	≤29.02	---	11.36	---	PASS
	Ant2	5270	106+26 OFDMA	3	5.32	93.41	0.30	5.62	≤29.02	---	12.60	---	PASS
				4	4.19	92.39	0.34	4.53	≤29.02	---	11.51	---	PASS
	Ant3	5270	106+26 OFDMA	3	---	---	---	9.86	≤29.02	---	16.84	---	PASS
				4	---	---	---	8.87	≤29.02	---	15.85	---	PASS
	total	5270	106+26 OFDMA	3	7.05	92.39	0.34	7.39	≤23.00	≤23.00	14.37	≤30.00	PASS
				4	5.83	92.39	0.34	6.17	≤23.00	≤23.00	13.15	≤30.00	PASS
	Ant1	5310	106+26 OFDMA	3	7.54	92.39	0.34	7.88	≤23.00	≤23.00	14.86	≤30.00	PASS
				4	6.66	92.39	0.34	7.00	≤23.00	≤23.00	13.98	≤30.00	PASS
	Ant2	5310	106+26 OFDMA	3	7.42	92.39	0.34	7.76	≤23.00	≤23.00	14.74	≤30.00	PASS
				4	6.16	92.39	0.34	6.50	≤23.00	≤23.00	13.48	≤30.00	PASS
	Ant3	5310	106+26 OFDMA	3	---	---	---	12.45	≤23.00	≤23.00	19.43	≤30.00	PASS
				4	---	---	---	11.34	≤23.00	≤23.00	18.32	≤30.00	PASS
	total	5310	106+26 OFDMA	3	6.71	93.41	0.30	7.01	≤23.00	≤23.00	13.99	≤30.00	PASS
				4	5.91	92.39	0.34	6.25	≤23.00	≤23.00	13.23	≤30.00	PASS
	Ant1	5510	106+26 OFDMA	3	7.00	93.41	0.30	7.30	≤23.00	≤23.00	14.28	≤30.00	PASS
				4	6.04	92.39	0.34	6.38	≤23.00	≤23.00	13.36	≤30.00	PASS
	Ant2	5510	106+26 OFDMA	3	6.68	93.41	0.30	6.98	≤23.00	≤23.00	13.96	≤30.00	PASS
				4	6.05	92.39	0.34	6.39	≤23.00	≤23.00	13.37	≤30.00	PASS
	total	5510	106+26 OFDMA	3	---	---	---	11.87	≤23.00	≤23.00	18.85	≤30.00	PASS
				4	---	---	---	11.11	≤23.00	≤23.00	18.09	≤30.00	PASS
	Ant1	5510	106+26 OFDMA	3	4.68	92.39	0.34	5.02	≤23.00	≤23.00	12.00	≤30.00	PASS
				4	3.94	93.41	0.30	4.24	≤23.00	≤23.00	11.22	≤30.00	PASS
	Ant2	5510	106+26 OFDMA	3	5.72	92.39	0.34	6.06	≤23.00	≤23.00	13.04	≤30.00	PASS
				4	4.74	92.39	0.34	5.08	≤23.00	≤23.00	12.06	≤30.00	PASS

Ant3	5510	106+26_ OFDMA	3	5.90	93.41	0.30	6.20	≤23.00	≤23.00	13.18	≤30.00	PASS
			4	4.72	93.41	0.30	5.02	≤23.00	≤23.00	12.00	≤30.00	PASS
total	5510	106+26_ OFDMA	3	---	---	---	10.56	≤23.00	≤23.00	17.54	≤30.00	PASS
			4	---	---	---	9.57	≤23.00	≤23.00	16.55	≤30.00	PASS
Ant1	5550	106+26_ OFDMA	3	5.65	93.41	0.30	5.95	≤23.00	≤23.00	12.93	≤30.00	PASS
			4	4.81	92.39	0.34	5.15	≤23.00	≤23.00	12.13	≤30.00	PASS
Ant2	5550	106+26_ OFDMA	3	6.18	92.39	0.34	6.52	≤23.00	≤23.00	13.50	≤30.00	PASS
			4	5.35	92.39	0.34	5.69	≤23.00	≤23.00	12.67	≤30.00	PASS
Ant3	5550	106+26_ OFDMA	3	6.38	93.41	0.30	6.68	≤23.00	≤23.00	13.66	≤30.00	PASS
			4	5.57	92.39	0.34	5.91	≤23.00	≤23.00	12.89	≤30.00	PASS
total	5550	106+26_ OFDMA	3	---	---	---	11.17	≤23.00	≤23.00	18.15	≤30.00	PASS
			4	---	---	---	10.37	≤23.00	≤23.00	17.35	≤30.00	PASS
Ant1	5670	106+26_ OFDMA	3	5.45	92.39	0.34	5.79	≤23.00	≤23.00	12.77	≤30.00	PASS
			4	4.53	93.41	0.30	4.83	≤23.00	≤23.00	11.81	≤30.00	PASS
Ant2	5670	106+26_ OFDMA	3	5.86	93.41	0.30	6.16	≤23.00	≤23.00	13.14	≤30.00	PASS
			4	5.02	92.39	0.34	5.36	≤23.00	≤23.00	12.34	≤30.00	PASS
Ant3	5670	106+26_ OFDMA	3	5.42	92.39	0.34	5.76	≤23.00	≤23.00	12.74	≤30.00	PASS
			4	4.48	92.39	0.34	4.82	≤23.00	≤23.00	11.80	≤30.00	PASS
total	5670	106+26_ OFDMA	3	---	---	---	10.68	≤23.00	≤23.00	17.66	≤30.00	PASS
			4	---	---	---	9.78	≤23.00	≤23.00	16.76	≤30.00	PASS
Ant1	5710	106+26_ OFDMA	3	6.17	92.39	0.34	6.51	≤23.00	≤23.00	13.49	≤30.00	PASS
			4	5.29	92.39	0.34	5.63	≤23.00	≤23.00	12.61	≤30.00	PASS
Ant2	5710	106+26_ OFDMA	3	5.98	92.39	0.34	6.32	≤23.00	≤23.00	13.30	≤30.00	PASS
			4	4.99	92.39	0.34	5.33	≤23.00	≤23.00	12.31	≤30.00	PASS
Ant3	5710	106+26_ OFDMA	3	6.45	92.39	0.34	6.79	≤23.00	≤23.00	13.77	≤30.00	PASS
			4	5.51	92.39	0.34	5.85	≤23.00	≤23.00	12.83	≤30.00	PASS
total	5710	106+26_ OFDMA	3	---	---	---	11.32	≤23.00	≤23.00	18.30	≤30.00	PASS
			4	---	---	---	10.38	≤23.00	≤23.00	17.36	≤30.00	PASS
Ant1	5755	106+26_ OFDMA	3	6.01	92.39	0.34	6.35	≤29.02	≤29.02	13.33	---	PASS
			4	5.03	92.39	0.34	5.37	≤29.02	≤29.02	12.35	---	PASS
Ant2	5755	106+26_ OFDMA	3	6.50	92.39	0.34	6.84	≤29.02	≤29.02	13.82	---	PASS
			4	5.52	92.39	0.34	5.86	≤29.02	≤29.02	12.84	---	PASS
Ant3	5755	106+26_ OFDMA	3	5.11	92.39	0.34	5.45	≤29.02	≤29.02	12.43	---	PASS
			4	4.18	92.39	0.34	4.52	≤29.02	≤29.02	11.50	---	PASS
total	5755	106+26_ OFDMA	3	---	---	---	11.02	≤29.02	≤29.02	18.00	---	PASS
			4	---	---	---	10.06	≤29.02	≤29.02	17.04	---	PASS
Ant1	5795	106+26_ OFDMA	3	5.41	93.41	0.30	5.71	≤29.02	≤29.02	12.69	---	PASS
			4	4.42	92.39	0.34	4.76	≤29.02	≤29.02	11.74	---	PASS
Ant2	5795	106+26_ OFDMA	3	5.78	92.39	0.34	6.12	≤29.02	≤29.02	13.10	---	PASS
			4	4.94	93.41	0.30	5.24	≤29.02	≤29.02	12.22	---	PASS
Ant3	5795	106+26_ OFDMA	3	4.61	92.39	0.34	4.95	≤29.02	≤29.02	11.93	---	PASS
			4	3.53	92.39	0.34	3.87	≤29.02	≤29.02	10.85	---	PASS
total	5795	106+26_ OFDMA	3	---	---	---	10.39	≤29.02	≤29.02	17.37	---	PASS
			4	---	---	---	9.43	≤29.02	≤29.02	16.41	---	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Fact or [dBm]	Result [dBm]	FCC Conducted Limit [dBm]	IC Conducted Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE 80 MIMO	Ant1	5210	484+242_Non-OFDMA	1	8.26	84.78	0.72	8.98	≤29.02	---	15.96	---	PASS
				2	8.30	84.78	0.72	9.02	≤29.02	---	16.00	---	PASS
				3	8.27	84.78	0.72	8.99	≤29.02	---	15.97	---	PASS
				4	8.23	84.78	0.72	8.95	≤29.02	---	15.93	---	PASS
	Ant2	5210	484+242_Non-OFDMA	1	8.98	86.67	0.62	9.60	≤29.02	---	16.58	---	PASS
				2	8.94	84.78	0.72	9.66	≤29.02	---	16.64	---	PASS
				3	8.96	86.67	0.62	9.58	≤29.02	---	16.56	---	PASS
				4	8.88	86.67	0.62	9.50	≤29.02	---	16.48	---	PASS
	Ant3	5210	484+242_Non-OFDMA	1	9.12	84.78	0.72	9.84	≤29.02	---	16.82	---	PASS
				2	9.13	84.78	0.72	9.85	≤29.02	---	16.83	---	PASS
				3	9.09	84.78	0.72	9.81	≤29.02	---	16.79	---	PASS
				4	8.99	84.78	0.72	9.71	≤29.02	---	16.69	---	PASS
	total	5210	484+242	1	---	---	---	14.26	≤29.02	---	21.24	---	PASS

			_Non-OFDMA	2	---	---	---	14.30	≤29.02	---	21.28	---	PASS
				3	---	---	---	14.24	≤29.02	---	21.22	---	PASS
				4	---	---	---	14.17	≤29.02	---	21.15	---	PASS
				1	11.56	86.67	0.62	12.18	≤23.00	≤23.00	19.16	≤30.00	PASS
Ant1	5290	484+242 _Non-OFDMA		2	11.49	84.78	0.72	12.21	≤23.00	≤23.00	19.19	≤30.00	PASS
				3	11.47	84.78	0.72	12.19	≤23.00	≤23.00	19.17	≤30.00	PASS
				4	11.38	84.78	0.72	12.10	≤23.00	≤23.00	19.08	≤30.00	PASS
				1	12.63	84.78	0.72	13.35	≤23.00	≤23.00	20.33	≤30.00	PASS
Ant2	5290	484+242 _Non-OFDMA		2	12.65	84.78	0.72	13.37	≤23.00	≤23.00	20.35	≤30.00	PASS
				3	12.67	84.78	0.72	13.39	≤23.00	≤23.00	20.37	≤30.00	PASS
				4	12.59	84.78	0.72	13.31	≤23.00	≤23.00	20.29	≤30.00	PASS
				1	12.02	86.67	0.62	12.64	≤23.00	≤23.00	19.62	≤30.00	PASS
Ant3	5290	484+242 _Non-OFDMA		2	11.98	86.67	0.62	12.60	≤23.00	≤23.00	19.58	≤30.00	PASS
				3	12.09	84.78	0.72	12.81	≤23.00	≤23.00	19.79	≤30.00	PASS
				4	12.06	84.78	0.72	12.78	≤23.00	≤23.00	19.76	≤30.00	PASS
				1	---	---	---	17.52	≤23.00	≤23.00	24.50	≤30.00	PASS
total	5290	484+242 _Non-OFDMA		2	---	---	---	17.52	≤23.00	≤23.00	24.50	≤30.00	PASS
				3	---	---	---	17.60	≤23.00	≤23.00	24.58	≤30.00	PASS
				4	---	---	---	17.53	≤23.00	≤23.00	24.51	≤30.00	PASS
				1	10.28	84.78	0.72	11.00	≤23.00	≤23.00	17.98	≤30.00	PASS
Ant1	5530	484+242 _Non-OFDMA		2	10.20	84.78	0.72	10.92	≤23.00	≤23.00	17.90	≤30.00	PASS
				3	10.02	84.78	0.72	10.74	≤23.00	≤23.00	17.72	≤30.00	PASS
				4	9.96	84.78	0.72	10.68	≤23.00	≤23.00	17.66	≤30.00	PASS
				1	11.36	86.67	0.62	11.98	≤23.00	≤23.00	18.96	≤30.00	PASS
Ant2	5530	484+242 _Non-OFDMA		2	11.32	84.78	0.72	12.04	≤23.00	≤23.00	19.02	≤30.00	PASS
				3	11.21	84.78	0.72	11.93	≤23.00	≤23.00	18.91	≤30.00	PASS
				4	11.08	84.78	0.72	11.80	≤23.00	≤23.00	18.78	≤30.00	PASS
				1	11.49	84.78	0.72	12.21	≤23.00	≤23.00	19.19	≤30.00	PASS
Ant3	5530	484+242 _Non-OFDMA		2	11.48	86.67	0.62	12.10	≤23.00	≤23.00	19.08	≤30.00	PASS
				3	11.38	84.78	0.72	12.10	≤23.00	≤23.00	19.08	≤30.00	PASS
				4	11.11	84.78	0.72	11.83	≤23.00	≤23.00	18.81	≤30.00	PASS
				1	---	---	---	16.53	≤23.00	≤23.00	23.51	≤30.00	PASS
total	5530	484+242 _Non-OFDMA		2	---	---	---	16.49	≤23.00	≤23.00	23.47	≤30.00	PASS
				3	---	---	---	16.40	≤23.00	≤23.00	23.38	≤30.00	PASS
				4	---	---	---	16.24	≤23.00	≤23.00	23.22	≤30.00	PASS
				1	10.80	84.78	0.72	11.52	≤23.00	≤23.00	18.50	≤30.00	PASS
Ant1	5610	484+242 _Non-OFDMA		2	10.83	84.78	0.72	11.55	≤23.00	≤23.00	18.53	≤30.00	PASS
				3	10.86	86.67	0.62	11.48	≤23.00	≤23.00	18.46	≤30.00	PASS
				4	10.83	84.78	0.72	11.55	≤23.00	≤23.00	18.53	≤30.00	PASS
				1	11.59	84.78	0.72	12.31	≤23.00	≤23.00	19.29	≤30.00	PASS
Ant2	5610	484+242 _Non-OFDMA		2	11.57	86.67	0.62	12.19	≤23.00	≤23.00	19.17	≤30.00	PASS
				3	11.54	86.67	0.62	12.16	≤23.00	≤23.00	19.14	≤30.00	PASS
				4	11.49	84.78	0.72	12.21	≤23.00	≤23.00	19.19	≤30.00	PASS
				1	10.83	84.78	0.72	11.55	≤23.00	≤23.00	18.53	≤30.00	PASS
Ant3	5610	484+242 _Non-OFDMA		2	11.71	86.67	0.62	12.33	≤23.00	≤23.00	19.31	≤30.00	PASS
				3	11.14	84.78	0.72	11.86	≤23.00	≤23.00	18.84	≤30.00	PASS
				4	11.56	86.67	0.62	12.18	≤23.00	≤23.00	19.16	≤30.00	PASS
				1	---	---	---	16.58	≤23.00	≤23.00	23.56	≤30.00	PASS
total	5610	484+242 _Non-OFDMA		2	---	---	---	16.81	≤23.00	≤23.00	23.79	≤30.00	PASS
				3	---	---	---	16.61	≤23.00	≤23.00	23.59	≤30.00	PASS
				4	---	---	---	16.76	≤23.00	≤23.00	23.74	≤30.00	PASS
				1	10.44	84.78	0.72	11.16	≤23.00	≤23.00	18.14	≤30.00	PASS
Ant1	5690	484+242 _Non-OFDMA		2	10.45	84.78	0.72	11.17	≤23.00	≤23.00	18.15	≤30.00	PASS
				3	10.47	84.78	0.72	11.19	≤23.00	≤23.00	18.17	≤30.00	PASS
				4	10.42	84.78	0.72	11.14	≤23.00	≤23.00	18.12	≤30.00	PASS
				1	11.78	84.78	0.72	12.50	≤23.00	≤23.00	19.48	≤30.00	PASS
Ant2	5690	484+242 _Non-OFDMA		2	11.83	84.78	0.72	12.55	≤23.00	≤23.00	19.53	≤30.00	PASS
				3	11.79	84.78	0.72	12.51	≤23.00	≤23.00	19.49	≤30.00	PASS
				4	11.75	84.78	0.72	12.47	≤23.00	≤23.00	19.45	≤30.00	PASS
				1	11.09	86.67	0.62	11.71	≤23.00	≤23.00	18.69	≤30.00	PASS
Ant3	5690	484+242 _Non-OFDMA		2	10.89	84.78	0.72	11.61	≤23.00	≤23.00	18.59	≤30.00	PASS
				3	11.06	86.67	0.62	11.68	≤23.00	≤23.00	18.66	≤30.00	PASS
				4	10.95	84.78	0.72	11.67	≤23.00	≤23.00	18.65	≤30.00	PASS
				1	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS
total	5690	484+242		2	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS
				3	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS
				4	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS
				1	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS

11BE 160 MIMO	Ant1	5775	_Non-OFDMA	2	---	---	---	16.59	≤23.00	≤23.00	23.57	≤30.00	PASS
				3	---	---	---	16.60	≤23.00	≤23.00	23.58	≤30.00	PASS
				4	---	---	---	16.57	≤23.00	≤23.00	23.55	≤30.00	PASS
				1	8.46	84.78	0.72	9.18	≤29.02	≤29.02	16.16	---	PASS
	Ant2	5775	_Non-OFDMA	2	8.54	86.67	0.62	9.16	≤29.02	≤29.02	16.14	---	PASS
				3	8.63	84.78	0.72	9.35	≤29.02	≤29.02	16.33	---	PASS
				4	8.61	84.78	0.72	9.33	≤29.02	≤29.02	16.31	---	PASS
				1	9.60	86.67	0.62	10.22	≤29.02	≤29.02	17.20	---	PASS
	Ant3	5775	_Non-OFDMA	2	9.56	84.78	0.72	10.28	≤29.02	≤29.02	17.26	---	PASS
				3	9.80	84.78	0.72	10.52	≤29.02	≤29.02	17.50	---	PASS
				4	9.78	84.78	0.72	10.50	≤29.02	≤29.02	17.48	---	PASS
				1	8.29	84.78	0.72	9.01	≤29.02	≤29.02	15.99	---	PASS
	total	5775	_Non-OFDMA	2	7.77	86.67	0.62	8.39	≤29.02	≤29.02	15.37	---	PASS
				3	7.55	86.67	0.62	8.17	≤29.02	≤29.02	15.15	---	PASS
				4	8.30	86.67	0.62	8.92	≤29.02	≤29.02	15.90	---	PASS
				1	---	---	---	14.27	≤29.02	≤29.02	21.25	---	PASS
11BE 160 MIMO	Ant1	5250	_Non-OFDMA	2	---	---	---	14.12	≤29.02	≤29.02	21.10	---	PASS
				3	---	---	---	14.22	≤29.02	≤29.02	21.20	---	PASS
				4	---	---	---	14.41	≤29.02	≤29.02	21.39	---	PASS
				1	9.75	76.67	1.15	10.90	≤23.00	≤23.00	17.88	≤30.00	PASS
	Ant2	5250	_Non-OFDMA	2	9.81	76.67	1.15	10.96	≤23.00	≤23.00	17.94	≤30.00	PASS
				3	9.77	76.67	1.15	10.92	≤23.00	≤23.00	17.90	≤30.00	PASS
				4	9.63	76.67	1.15	10.78	≤23.00	≤23.00	17.76	≤30.00	PASS
				1	10.29	76.67	1.15	11.44	≤23.00	≤23.00	18.42	≤30.00	PASS
	Ant3	5250	_Non-OFDMA	2	10.40	76.67	1.15	11.55	≤23.00	≤23.00	18.53	≤30.00	PASS
				3	10.34	76.67	1.15	11.49	≤23.00	≤23.00	18.47	≤30.00	PASS
				4	10.23	79.31	1.01	11.24	≤23.00	≤23.00	18.22	≤30.00	PASS
				1	10.65	76.67	1.15	11.80	≤23.00	≤23.00	18.78	≤30.00	PASS
	total	5250	_Non-OFDMA	2	10.50	76.67	1.15	11.65	≤23.00	≤23.00	18.63	≤30.00	PASS
				3	10.75	76.67	1.15	11.90	≤23.00	≤23.00	18.88	≤30.00	PASS
				4	10.51	76.67	1.15	11.66	≤23.00	≤23.00	18.64	≤30.00	PASS
				1	---	---	---	16.17	≤23.00	≤23.00	23.15	≤30.00	PASS
11BE 160 MIMO	Ant1	5570	_Non-OFDMA	2	---	---	---	16.17	≤23.00	≤23.00	23.15	≤30.00	PASS
				3	---	---	---	16.23	≤23.00	≤23.00	23.21	≤30.00	PASS
				4	---	---	---	16.01	≤23.00	≤23.00	22.99	≤30.00	PASS
				1	9.96	76.67	1.15	11.11	≤23.00	≤23.00	18.09	≤30.00	PASS
	Ant2	5570	_Non-OFDMA	2	9.87	79.31	1.01	10.88	≤23.00	≤23.00	17.86	≤30.00	PASS
				3	9.79	76.67	1.15	10.94	≤23.00	≤23.00	17.92	≤30.00	PASS
				4	9.76	76.67	1.15	10.91	≤23.00	≤23.00	17.89	≤30.00	PASS
				1	11.41	76.67	1.15	12.56	≤23.00	≤23.00	19.54	≤30.00	PASS
	Ant3	5570	_Non-OFDMA	2	11.38	76.67	1.15	12.53	≤23.00	≤23.00	19.51	≤30.00	PASS
				3	11.13	79.31	1.01	12.14	≤23.00	≤23.00	19.12	≤30.00	PASS
				4	11.07	76.67	1.15	12.22	≤23.00	≤23.00	19.20	≤30.00	PASS
				1	10.83	76.67	1.15	11.98	≤23.00	≤23.00	18.96	≤30.00	PASS
	total	5570	_Non-OFDMA	2	10.97	76.67	1.15	12.12	≤23.00	≤23.00	19.10	≤30.00	PASS
				3	10.84	76.67	1.15	11.99	≤23.00	≤23.00	18.97	≤30.00	PASS
				4	10.58	76.67	1.15	11.73	≤23.00	≤23.00	18.71	≤30.00	PASS
				1	---	---	---	16.69	≤23.00	≤23.00	23.67	≤30.00	PASS
11BE 160 MIMO	total	5570	_Non-OFDMA	2	---	---	---	16.67	≤23.00	≤23.00	23.65	≤30.00	PASS
				3	---	---	---	16.49	≤23.00	≤23.00	23.47	≤30.00	PASS
				4	---	---	---	16.42	≤23.00	≤23.00	23.40	≤30.00	PASS
				1	---	---	---	16.42	≤23.00	≤23.00	23.40	≤30.00	PASS

IC UNII-1:

Test Mode	Antenna	Frequency [MHz]	TPC Mode	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A-CDD	Ant1	5180	NA	-2.13	95.86	0.18	-1.95	5.03	≤22.18	PASS
	Ant2	5180	NA	-1.81	95.89	0.18	-1.63	5.35	≤22.18	PASS
	Ant3	5180	NA	-1.98	95.86	0.18	-1.80	5.18	≤22.18	PASS
	total	5180	NA	---	---	---	2.98	9.96	≤22.18	PASS
	Ant1	5200	NA	-2.15	95.89	0.18	-1.97	5.01	≤22.18	PASS
	Ant2	5200	NA	-1.94	95.86	0.18	-1.76	5.22	≤22.18	PASS

	Ant3	5200	NA	-1.73	95.89	0.18	-1.55	5.43	≤22.18	PASS
	total	5200	NA	---	---	---	3.01	9.99	≤22.18	PASS
	Ant1	5240	NA	-1.95	95.86	0.18	-1.77	5.21	≤22.18	PASS
	Ant2	5240	NA	-1.83	95.86	0.18	-1.65	5.33	≤22.18	PASS
	Ant3	5240	NA	-1.11	95.86	0.18	-0.93	6.05	≤22.18	PASS
11N20MIMO	total	5240	NA	---	---	---	3.34	10.32	≤22.18	PASS
	Ant1	5180	NA	1.95	87.04	0.60	2.55	9.53	≤22.18	PASS
	Ant2	5180	NA	2.49	88.68	0.52	3.01	9.99	≤22.18	PASS
	Ant3	5180	NA	3.23	88.68	0.52	3.75	10.73	≤22.18	PASS
	total	5180	NA	---	---	---	7.90	14.88	≤22.18	PASS
	Ant1	5200	NA	2.10	88.68	0.52	2.62	9.60	≤22.18	PASS
	Ant2	5200	NA	2.63	87.04	0.60	3.23	10.21	≤22.18	PASS
	Ant3	5200	NA	3.08	87.04	0.60	3.68	10.66	≤22.18	PASS
	total	5200	NA	---	---	---	7.97	14.95	≤22.18	PASS
	Ant1	5240	NA	2.75	88.68	0.52	3.27	10.25	≤22.18	PASS
	Ant2	5240	NA	3.30	87.04	0.60	3.90	10.88	≤22.18	PASS
	Ant3	5240	NA	3.99	87.04	0.60	4.59	11.57	≤22.18	PASS
11N40MIMO	total	5240	NA	---	---	---	8.72	15.70	≤22.18	PASS
	Ant1	5190	NA	2.77	78.13	1.07	3.84	10.82	≤23.01	PASS
	Ant2	5190	NA	3.22	78.13	1.07	4.29	11.27	≤23.01	PASS
	Ant3	5190	NA	4.07	78.13	1.07	5.14	12.12	≤23.01	PASS
	total	5190	NA	---	---	---	9.23	16.21	≤23.01	PASS
	Ant1	5230	NA	3.08	80.65	0.93	4.01	10.99	≤23.01	PASS
	Ant2	5230	NA	4.15	78.13	1.07	5.22	12.20	≤23.01	PASS
	Ant3	5230	NA	4.81	78.13	1.07	5.88	12.86	≤23.01	PASS
11AC20MIMO	total	5230	NA	---	---	---	9.88	16.86	≤23.01	PASS
	Ant1	5180	NA	2.49	94.93	0.23	2.72	9.70	≤22.18	PASS
	Ant2	5180	NA	3.04	95.65	0.19	3.23	10.21	≤22.18	PASS
	Ant3	5180	NA	3.63	94.93	0.23	3.86	10.84	≤22.18	PASS
	total	5180	NA	---	---	---	8.07	15.05	≤22.18	PASS
	Ant1	5200	NA	2.62	95.62	0.19	2.81	9.79	≤22.18	PASS
	Ant2	5200	NA	3.16	95.62	0.19	3.35	10.33	≤22.18	PASS
	Ant3	5200	NA	3.48	95.62	0.19	3.67	10.65	≤22.18	PASS
	total	5200	NA	---	---	---	8.06	15.04	≤22.18	PASS
	Ant1	5240	NA	3.13	95.65	0.19	3.32	10.30	≤22.18	PASS
	Ant2	5240	NA	3.66	94.93	0.23	3.89	10.87	≤22.18	PASS
	Ant3	5240	NA	4.15	95.62	0.19	4.34	11.32	≤22.18	PASS
11AC40MIMO	total	5240	NA	---	---	---	8.64	15.62	≤22.18	PASS
	Ant1	5190	NA	3.66	91.55	0.38	4.04	11.02	≤23.01	PASS
	Ant2	5190	NA	4.12	90.28	0.44	4.56	11.54	≤23.01	PASS
	Ant3	5190	NA	4.75	90.28	0.44	5.19	12.17	≤23.01	PASS
	total	5190	NA	---	---	---	9.39	16.37	≤23.01	PASS
	Ant1	5230	NA	4.22	91.55	0.38	4.60	11.58	≤23.01	PASS
	Ant2	5230	NA	4.80	91.55	0.38	5.18	12.16	≤23.01	PASS
	Ant3	5230	NA	5.45	91.55	0.38	5.83	12.81	≤23.01	PASS
11AC80MIMO	total	5230	NA	---	---	---	10.00	16.98	≤23.01	PASS
	Ant1	5210	NA	4.17	82.05	0.86	5.03	12.01	≤23.01	PASS
	Ant2	5210	NA	4.52	84.21	0.75	5.27	12.25	≤23.01	PASS
	Ant3	5210	NA	5.58	84.21	0.75	6.33	13.31	≤23.01	PASS
11AC160MIMO	total	5210	NA	---	---	---	10.35	17.33	≤23.01	PASS
	Ant1	5250	NA	8.98	72.00	1.43	10.41	17.39	≤23.01	PASS
	Ant2	5250	NA	8.97	72.00	1.43	10.40	17.38	≤23.01	PASS
			TPC_L	-2.35	72.00	1.43	-0.92	6.06	≤23.01	PASS
			TPC_H	4.11	72.00	1.43	5.54	12.52	≤23.01	PASS
	Ant3	5250	NA	9.55	72.00	1.43	10.98	17.96	≤23.01	PASS
			TPC_L	-2.12	72.00	1.43	-0.69	6.29	≤23.01	PASS
			TPC_H	5.03	72.00	1.43	6.46	13.44	≤23.01	PASS
11AX20MIMO	total	5250	NA	---	---	---	15.38	22.36	≤23.01	PASS
	total	5250	TPC_L	---	---	---	3.89	10.87	≤23.01	PASS
			TPC_H	---	---	---	10.50	17.48	≤23.01	PASS
			TPC_H	---	---	---	10.50	17.48	≤23.01	PASS
11AX20MIMO	Ant1	5180	NA	1.93	81.58	0.88	2.81	9.79	≤22.18	PASS
	Ant2	5180	NA	2.46	83.78	0.77	3.23	10.21	≤22.18	PASS
	Ant3	5180	NA	3.37	81.58	0.88	4.25	11.23	≤22.18	PASS
	total	5180	NA	---	---	---	8.24	15.22	≤22.18	PASS

	Ant1	5200	NA	2.05	81.58	0.88	2.93	9.91	≤22.18	PASS
	Ant2	5200	NA	2.57	81.58	0.88	3.45	10.43	≤22.18	PASS
	Ant3	5200	NA	3.19	81.58	0.88	4.07	11.05	≤22.18	PASS
	total	5200	NA	---	---	---	8.28	15.26	≤22.18	PASS
	Ant1	5240	NA	2.46	83.78	0.77	3.23	10.21	≤22.18	PASS
	Ant2	5240	NA	3.39	81.58	0.88	4.27	11.25	≤22.18	PASS
	Ant3	5240	NA	4.14	81.58	0.88	5.02	12.00	≤22.18	PASS
	total	5240	NA	---	---	---	9.01	15.99	≤22.18	PASS
11AX40MIMO	Ant1	5190	NA	3.34	83.78	0.77	4.11	11.09	≤23.01	PASS
	Ant2	5190	NA	3.84	83.78	0.77	4.61	11.59	≤23.01	PASS
	Ant3	5190	NA	4.44	83.78	0.77	5.21	12.19	≤23.01	PASS
	total	5190	NA	---	---	---	9.44	16.42	≤23.01	PASS
	Ant1	5230	NA	3.69	81.58	0.88	4.57	11.55	≤23.01	PASS
	Ant2	5230	NA	4.70	78.95	1.03	5.73	12.71	≤23.01	PASS
	Ant3	5230	NA	5.12	81.58	0.88	6.00	12.98	≤23.01	PASS
	total	5230	NA	---	---	---	10.25	17.23	≤23.01	PASS
11AX80MIMO	Ant1	5210	NA	4.40	80.56	0.94	5.34	12.32	≤23.01	PASS
	Ant2	5210	NA	4.75	80.56	0.94	5.69	12.67	≤23.01	PASS
	Ant3	5210	NA	5.78	80.56	0.94	6.72	13.70	≤23.01	PASS
	total	5210	NA	---	---	---	10.73	17.71	≤23.01	PASS
11AX160MIMO	Ant1	5250	NA	9.66	82.86	0.82	10.48	17.46	≤23.01	PASS
			TPC_L	-1.78	82.86	0.82	-0.96	6.02	≤23.01	PASS
			TPC_H	4.52	82.86	0.82	5.34	12.32	≤23.01	PASS
	Ant2	5250	NA	9.67	80.56	0.94	10.61	17.59	≤23.01	PASS
			TPC_L	-1.57	80.56	0.94	-0.63	6.35	≤23.01	PASS
			TPC_H	5.04	80.56	0.94	5.98	12.96	≤23.01	PASS
	Ant3	5250	NA	10.27	80.56	0.94	11.21	18.19	≤23.01	PASS
			TPC_L	-1.27	80.56	0.94	-0.33	6.65	≤23.01	PASS
			TPC_H	5.78	80.56	0.94	6.72	13.70	≤23.01	PASS
	total	5250	NA	---	---	---	15.55	22.53	≤23.01	PASS
			TPC_L	---	---	---	4.14	11.12	≤22.18	PASS
			TPC_H	---	---	---	10.82	17.80	≤22.18	PASS
11BE20MIMO	Ant1	5180	NA	1.98	81.58	0.88	2.86	9.84	≤22.18	PASS
	Ant2	5180	NA	2.51	81.58	0.88	3.39	10.37	≤22.18	PASS
	Ant3	5180	NA	3.39	81.58	0.88	4.27	11.25	≤22.18	PASS
	total	5180	NA	---	---	---	8.32	15.30	≤22.18	PASS
	Ant1	5200	NA	2.10	82.05	0.86	2.96	9.94	≤22.18	PASS
	Ant2	5200	NA	2.62	83.78	0.77	3.39	10.37	≤22.18	PASS
	Ant3	5200	NA	3.23	81.58	0.88	4.11	11.09	≤22.18	PASS
	total	5200	NA	---	---	---	8.28	15.26	≤22.18	PASS
	Ant1	5240	NA	2.49	83.78	0.77	3.26	10.24	≤22.18	PASS
	Ant2	5240	NA	3.02	83.78	0.77	3.79	10.77	≤22.18	PASS
	Ant3	5240	NA	3.95	81.58	0.88	4.83	11.81	≤22.18	PASS
	total	5240	NA	---	---	---	8.78	15.76	≤22.18	PASS
11BE40MIMO	Ant1	5190	NA	3.41	83.78	0.77	4.18	11.16	≤23.01	PASS
	Ant2	5190	NA	3.91	83.78	0.77	4.68	11.66	≤23.01	PASS
	Ant3	5190	NA	4.66	81.58	0.88	5.54	12.52	≤23.01	PASS
	total	5190	NA	---	---	---	9.61	16.59	≤23.01	PASS
	Ant1	5230	NA	3.72	83.78	0.77	4.49	11.47	≤23.01	PASS
	Ant2	5230	NA	4.73	83.78	0.77	5.50	12.48	≤23.01	PASS
	Ant3	5230	NA	4.83	81.58	0.88	5.71	12.69	≤23.01	PASS
	total	5230	NA	---	---	---	10.04	17.02	≤23.01	PASS
11BE80MIMO	Ant1	5210	NA	4.40	81.08	0.91	5.31	12.29	≤23.01	PASS
	Ant2	5210	NA	4.77	81.08	0.91	5.68	12.66	≤23.01	PASS
	Ant3	5210	NA	5.87	81.08	0.91	6.78	13.76	≤23.01	PASS
	total	5210	NA	---	---	---	10.74	17.72	≤23.01	PASS
11BE160MIMO	Ant1	5250	NA	9.66	81.08	0.91	10.57	17.55	≤23.01	PASS
			TPC_L	-1.76	81.08	0.91	-0.85	6.13	≤23.01	PASS
			TPC_H	4.55	81.08	0.91	5.46	12.44	≤23.01	PASS
	Ant2	5250	NA	9.69	81.08	0.91	10.60	17.58	≤23.01	PASS
			TPC_L	-1.57	81.08	0.91	-0.66	6.32	≤23.01	PASS
			TPC_H	5.08	81.08	0.91	5.99	12.97	≤23.01	PASS
	Ant3	5250	NA	10.33	81.08	0.91	11.24	18.22	≤23.01	PASS
			TPC_L	-1.26	81.08	0.91	-0.35	6.63	≤23.01	PASS

	total	5250	TPC_H	5.75	81.08	0.91	6.66	13.64	≤23.01	PASS
			NA	---	---	---	15.59	22.57	≤23.01	PASS
			TPC_L	---	---	---	4.16	11.14	≤23.01	PASS
			TPC_H	---	---	---	10.84	17.82	≤23.01	PASS


Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE20 MIMO	Ant1	5180	52+26_O FDMA	1	-2.23	93.48	0.29	-1.94	5.04	≤22.18	PASS
				2	-2.08	93.55	0.29	-1.79	5.19	≤22.18	PASS
				3	-2.42	92.55	0.34	-2.08	4.90	≤22.18	PASS
			106+26_OFDMA	1	0.26	92.39	0.34	0.60	7.58	≤22.18	PASS
				2	0.08	92.39	0.34	0.42	7.40	≤22.18	PASS
				3	0.08	92.39	0.34	0.42	7.40	≤22.18	PASS
	Ant2	5180	52+26_O FDMA	1	-1.84	92.47	0.34	-1.50	5.48	≤22.18	PASS
				2	-1.36	93.62	0.29	-1.07	5.91	≤22.18	PASS
				3	-1.80	93.62	0.29	-1.51	5.47	≤22.18	PASS
			106+26_OFDMA	1	0.75	92.39	0.34	1.09	8.07	≤22.18	PASS
				2	0.81	92.39	0.34	1.15	8.13	≤22.18	PASS
				3	0.81	92.39	0.34	1.15	8.13	≤22.18	PASS
	Ant3	5180	52+26_O FDMA	1	-1.69	92.47	0.34	-1.35	5.63	≤22.18	PASS
				2	-1.19	92.55	0.34	-0.85	6.13	≤22.18	PASS
				3	-1.66	93.62	0.29	-1.37	5.61	≤22.18	PASS
			106+26_OFDMA	1	0.72	92.39	0.34	1.06	8.04	≤22.18	PASS
				2	1.04	92.39	0.34	1.38	8.36	≤22.18	PASS
				3	1.04	92.39	0.34	1.38	8.36	≤22.18	PASS
	total	5180	52+26_O FDMA	1	---	---	---	3.18	10.16	≤22.18	PASS
				2	---	---	---	3.55	10.53	≤22.18	PASS
				3	---	---	---	3.13	10.11	≤22.18	PASS
			106+26_OFDMA	1	---	---	---	5.69	12.67	≤22.18	PASS
				2	---	---	---	5.77	12.75	≤22.18	PASS
				3	---	---	---	5.77	12.75	≤22.18	PASS
	Ant1	5200	52+26_O FDMA	1	-2.52	93.48	0.29	-2.23	4.75	≤22.18	PASS
				2	-2.12	92.55	0.34	-1.78	5.20	≤22.18	PASS
				3	-2.47	92.55	0.34	-2.13	4.85	≤22.18	PASS
			106+26_OFDMA	1	0.02	92.39	0.34	0.36	7.34	≤22.18	PASS
				2	0.07	93.41	0.30	0.37	7.35	≤22.18	PASS
				3	0.07	93.41	0.30	0.37	7.35	≤22.18	PASS
	Ant2	5200	52+26_O FDMA	1	-1.96	93.48	0.29	-1.67	5.31	≤22.18	PASS
				2	-1.57	92.55	0.34	-1.23	5.75	≤22.18	PASS
				3	-1.86	92.55	0.34	-1.52	5.46	≤22.18	PASS
			106+26_OFDMA	1	0.59	92.39	0.34	0.93	7.91	≤22.18	PASS
				2	0.68	93.41	0.30	0.98	7.96	≤22.18	PASS
				3	0.68	93.41	0.30	0.98	7.96	≤22.18	PASS
	Ant3	5200	52+26_O FDMA	1	-1.66	93.48	0.29	-1.37	5.61	≤22.18	PASS
				2	-1.23	93.62	0.29	-0.94	6.04	≤22.18	PASS
				3	-1.79	92.55	0.34	-1.45	5.53	≤22.18	PASS
			106+26_OFDMA	1	-0.19	92.39	0.34	0.15	7.13	≤22.18	PASS
				2	0.73	92.39	0.34	1.07	8.05	≤22.18	PASS
				3	0.73	92.39	0.34	1.07	8.05	≤22.18	PASS
	total	5200	52+26_O FDMA	1	---	---	---	3.03	10.01	≤22.18	PASS
				2	---	---	---	3.47	10.45	≤22.18	PASS
				3	---	---	---	3.08	10.06	≤22.18	PASS
			106+26_OFDMA	1	---	---	---	5.26	12.24	≤22.18	PASS
				2	---	---	---	5.59	12.57	≤22.18	PASS
				3	---	---	---	5.59	12.57	≤22.18	PASS
	Ant1	5240	52+26_O FDMA	1	-1.81	92.47	0.34	-1.47	5.51	≤22.18	PASS
				2	-1.48	93.62	0.29	-1.19	5.79	≤22.18	PASS
				3	-1.77	92.55	0.34	-1.43	5.55	≤22.18	PASS
			106+26_OFDMA	1	0.63	93.41	0.30	0.93	7.91	≤22.18	PASS
				2	0.68	92.39	0.34	1.02	8.00	≤22.18	PASS
				3	0.68	92.39	0.34	1.02	8.00	≤22.18	PASS
	Ant2	5240	52+26_O FDMA	1	-1.63	93.48	0.29	-1.34	5.64	≤22.18	PASS
				2	-1.23	92.55	0.34	-0.89	6.09	≤22.18	PASS
				3	-1.58	93.62	0.29	-1.29	5.69	≤22.18	PASS
			106+26_OFDMA	1	0.93	93.41	0.30	1.23	8.21	≤22.18	PASS
				2	1.07	92.39	0.34	1.41	8.39	≤22.18	PASS
				3	1.07	92.39	0.34	1.41	8.39	≤22.18	PASS
	Ant3	5240	52+26_O FDMA	1	-1.00	92.47	0.34	-0.66	6.32	≤22.18	PASS
				2	-0.70	93.55	0.29	-0.41	6.57	≤22.18	PASS
				3	-1.02	93.55	0.29	-0.73	6.25	≤22.18	PASS
			106+26_OFDMA	1	1.75	92.39	0.34	2.09	9.07	≤22.18	PASS
				2	1.68	93.41	0.30	1.98	8.96	≤22.18	PASS
				3	1.68	93.41	0.30	1.98	8.96	≤22.18	PASS

11BE40 MIMO	total	5240	52+26_OFDMA	1	---	---	---	3.63	10.61	≤22.18	PASS
				2	---	---	---	3.95	10.93	≤22.18	PASS
				3	---	---	---	3.63	10.61	≤22.18	PASS
			106+26_OFDMA	1	---	---	---	6.22	13.20	≤22.18	PASS
				2	---	---	---	6.26	13.24	≤22.18	PASS
				3	---	---	---	6.26	13.24	≤22.18	PASS
	Ant1	5190	106+26_OFDMA	3	-0.98	92.39	0.34	-0.64	6.34	≤23.01	PASS
				4	-1.47	93.41	0.30	-1.17	5.81	≤23.01	PASS
	Ant2	5190	106+26_OFDMA	3	-0.73	93.41	0.30	-0.43	6.55	≤23.01	PASS
				4	-1.51	93.41	0.30	-1.21	5.77	≤23.01	PASS
	Ant3	5190	106+26_OFDMA	3	-0.55	93.41	0.30	-0.25	6.73	≤23.01	PASS
				4	-1.10	92.39	0.34	-0.76	6.22	≤23.01	PASS
	total	5190	106+26_OFDMA	3	---	---	---	4.33	11.31	≤23.01	PASS
				4	---	---	---	3.73	10.71	≤23.01	PASS
	Ant1	5230	106+26_OFDMA	3	-0.78	92.39	0.34	-0.44	6.54	≤23.01	PASS
				4	-1.56	92.39	0.34	-1.22	5.76	≤23.01	PASS
	Ant2	5230	106+26_OFDMA	3	-0.64	93.41	0.30	-0.34	6.64	≤23.01	PASS
				4	-1.42	92.39	0.34	-1.08	5.90	≤23.01	PASS
	Ant3	5230	106+26_OFDMA	3	-0.19	93.41	0.30	0.11	7.09	≤23.01	PASS
				4	-1.05	92.39	0.34	-0.71	6.27	≤23.01	PASS
	total	5230	106+26_OFDMA	3	---	---	---	4.55	11.53	≤23.01	PASS
				4	---	---	---	3.77	10.75	≤23.01	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11BE80 MIMO	Ant1	5210	484+242_Non-OFDMA	1	3.67	84.78	0.72	4.39	11.37	≤23.01	PASS
				2	3.69	84.78	0.72	4.41	11.39	≤23.01	PASS
				3	3.64	84.78	0.72	4.36	11.34	≤23.01	PASS
				4	3.59	84.78	0.72	4.31	11.29	≤23.01	PASS
	Ant2	5210	484+242_Non-OFDMA	1	3.78	86.67	0.62	4.40	11.38	≤23.01	PASS
				2	3.78	84.78	0.72	4.50	11.48	≤23.01	PASS
				3	3.75	86.67	0.62	4.37	11.35	≤23.01	PASS
				4	3.67	86.67	0.62	4.29	11.27	≤23.01	PASS
	Ant3	5210	484+242_Non-OFDMA	1	4.24	84.78	0.72	4.96	11.94	≤23.01	PASS
				2	4.36	84.78	0.72	5.08	12.06	≤23.01	PASS
				3	4.17	84.78	0.72	4.89	11.87	≤23.01	PASS
				4	4.21	84.78	0.72	4.93	11.91	≤23.01	PASS
	total	5210	484+242_Non-OFDMA	1	---	---	---	9.36	16.34	≤23.01	PASS
				2	---	---	---	9.44	16.42	≤23.01	PASS
				3	---	---	---	9.32	16.30	≤23.01	PASS
				4	---	---	---	9.29	16.27	≤23.01	PASS
11BE160MI MO	Ant1	5250	996+484_Non-OFDMA	1	4.74	76.67	1.15	5.89	12.87	≤23.01	PASS
				2	4.17	76.67	1.15	5.32	12.30	≤23.01	PASS
				3	4.10	76.67	1.15	5.25	12.23	≤23.01	PASS
				4	4.03	76.67	1.15	5.18	12.16	≤23.01	PASS
	Ant2	5250	996+484_Non-OFDMA	1	4.72	76.67	1.15	5.87	12.85	≤23.01	PASS
				2	4.20	76.67	1.15	5.35	12.33	≤23.01	PASS
				3	4.08	76.67	1.15	5.23	12.21	≤23.01	PASS
				4	4.01	79.31	1.01	5.02	12.00	≤23.01	PASS
	Ant3	5250	996+484_Non-OFDMA	1	5.22	76.67	1.15	6.37	13.35	≤23.01	PASS
				2	5.15	76.67	1.15	6.30	13.28	≤23.01	PASS
				3	4.98	76.67	1.15	6.13	13.11	≤23.01	PASS
				4	4.97	76.67	1.15	6.12	13.10	≤23.01	PASS
	total	5250	996+484_Non-OFDMA	1	---	---	---	10.82	17.80	≤23.01	PASS
				2	---	---	---	10.45	17.43	≤23.01	PASS
				3	---	---	---	10.33	17.31	≤23.01	PASS
				4	---	---	---	10.24	17.22	≤23.01	PASS

9. Power Spectral Density

9.1. Block diagram of test setup



9.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	For FCC: Other than Mobile and portable:17 dBm/MHz Mobile and portable client devices:11 dBm/MHz	5150-5250
	For RSS eirp: 10 dBm/MHz	
	11 dBm/MHz	5250-5350
	11 dBm/MHz	For FCC: 5470 - 5725 For ISDE: 5470 - 5600 5650 - 5725
	30 dBm/500 kHz	5725-5850
Note: If transmitting antennas of directional gain greater than 6 dBi are used, the maximum power spectral density shall be reduced by the amount in dB that the directional gain of the antenna exceeds 6 dBi, but for fixed point-to-point transmitters operating in 5150-5250MHz band that employ a directional antenna gain greater than 23 dBi, a 1 dB reduction in maximum Power Spectral Density.		

9.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

5150 MHz~5250 MHz, 5250 MHz~5350 MHz, 5470 MHz~5725 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	1MHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

5725 MHz-5850 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	500 kHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

9.4. Test result

Test Engineer:	Haofeng	Test Site:	RF Measurement System 4#
Ambient Condition:	24.6°C,43.1%RH	Test Date:	2025.07.09 - 2025.08.14
Test Power Supply:	AC120V/60Hz	Sample Number:	S25062705-003

FCC UNII-1/ UNII-2A/UNII-2C/UNII-3and IC band UNII-2A/UNII-2C/UNII-3:

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	-8.93	≤16.02	-1.95	PASS
	Ant2	5180	-8.56	≤16.02	-1.58	PASS
	Ant3	5180	-8.47	≤16.02	-1.49	PASS
	total	5180	-3.88	≤16.02	7.87	PASS
	Ant1	5200	-8.74	≤16.02	-1.76	PASS
	Ant2	5200	-8.71	≤16.02	-1.73	PASS
	Ant3	5200	-8.51	≤16.02	-1.53	PASS
	total	5200	-3.88	≤16.02	7.87	PASS
	Ant1	5240	-8.32	≤16.02	-1.34	PASS
	Ant2	5240	-8.49	≤16.02	-1.51	PASS
	Ant3	5240	-7.86	≤16.02	-0.88	PASS
	total	5240	-3.44	≤16.02	8.31	PASS
	Ant1	5260	-1.71	≤10.02	5.27	PASS
	Ant2	5260	-1.29	≤10.02	5.69	PASS
	Ant3	5260	-1.88	≤10.02	5.10	PASS
	total	5260	3.15	≤10.02	14.90	PASS
	Ant1	5280	-1.46	≤10.02	5.52	PASS
	Ant2	5280	-1.11	≤10.02	5.87	PASS
	Ant3	5280	-1.60	≤10.02	5.38	PASS
	total	5280	3.39	≤10.02	15.14	PASS
	Ant1	5320	-1.93	≤10.02	5.05	PASS
	Ant2	5320	-1.57	≤10.02	5.41	PASS
	Ant3	5320	-2.11	≤10.02	4.87	PASS
	total	5320	2.91	≤10.02	14.66	PASS
	Ant1	5500	-2.42	≤10.02	4.56	PASS
	Ant2	5500	-1.89	≤10.02	5.09	PASS
	Ant3	5500	-0.98	≤10.02	6.00	PASS
	total	5500	3.05	≤10.02	14.80	PASS
	Ant1	5580	-2.48	≤10.02	4.50	PASS
	Ant2	5580	-2.64	≤10.02	4.34	PASS
	Ant3	5580	-2.13	≤10.02	4.85	PASS
	total	5580	2.36	≤10.02	14.11	PASS
	Ant1	5700	-2.65	≤10.02	4.33	PASS
	Ant2	5700	-2.98	≤10.02	4.00	PASS
	Ant3	5700	-2.40	≤10.02	4.58	PASS
	total	5700	2.10	≤10.02	13.85	PASS
	Ant1	5720 UNII-2C	-2.07	≤10.02	4.91	PASS
	Ant2	5720 UNII-2C	-2.59	≤10.02	4.39	PASS
	Ant3	5720 UNII-2C	-1.99	≤10.02	4.99	PASS
	total	5720 UNII-2C	2.56	≤10.02	14.31	PASS
	Ant1	5720 UNII-3	-5.62	≤10.02	1.36	PASS
	Ant2	5720 UNII-3	-6.64	≤10.02	0.34	PASS
	Ant3	5720 UNII-3	-5.88	≤10.02	1.10	PASS
	total	5720 UNII-3	-1.25	≤10.02	10.50	PASS
	Ant1	5745	-1.32	≤29.02	5.66	PASS
	Ant2	5745	-0.93	≤29.02	6.05	PASS
	Ant3	5745	-2.31	≤29.02	4.67	PASS
	total	5745	3.29	≤29.02	15.04	PASS
	Ant1	5785	-2.05	≤29.02	4.93	PASS
	Ant2	5785	-1.70	≤29.02	5.28	PASS
	Ant3	5785	-2.67	≤29.02	4.31	PASS
	total	5785	2.65	≤29.02	14.40	PASS
	Ant1	5825	-3.75	≤29.02	3.23	PASS
	Ant2	5825	-3.96	≤29.02	3.02	PASS

11N20MIMO	Ant3	5825	-3.27	≤29.02	3.71	PASS
	total	5825	1.12	≤29.02	12.87	PASS
	Ant1	5180	-3.72	≤16.02	3.26	PASS
	Ant2	5180	-3.54	≤16.02	3.44	PASS
	Ant3	5180	-3.49	≤16.02	3.49	PASS
	total	5180	1.19	≤16.02	8.17	PASS
	Ant1	5200	-3.73	≤16.02	3.25	PASS
	Ant2	5200	-3.29	≤16.02	3.69	PASS
	Ant3	5200	-3.41	≤16.02	3.57	PASS
	total	5200	1.30	≤16.02	8.28	PASS
	Ant1	5240	-3.50	≤16.02	3.48	PASS
	Ant2	5240	-3.19	≤16.02	3.79	PASS
	Ant3	5240	-2.87	≤16.02	4.11	PASS
	total	5240	1.59	≤16.02	8.57	PASS
	Ant1	5260	-1.60	≤10.02	5.38	PASS
	Ant2	5260	-1.12	≤10.02	5.86	PASS
	Ant3	5260	-1.25	≤10.02	5.73	PASS
	total	5260	3.45	≤10.02	10.43	PASS
	Ant1	5280	-1.25	≤10.02	5.73	PASS
	Ant2	5280	-0.99	≤10.02	5.99	PASS
	Ant3	5280	-1.02	≤10.02	5.96	PASS
	total	5280	3.69	≤10.02	10.67	PASS
	Ant1	5320	-1.76	≤10.02	5.22	PASS
	Ant2	5320	-1.12	≤10.02	5.86	PASS
	Ant3	5320	-1.85	≤10.02	5.13	PASS
	total	5320	3.21	≤10.02	10.19	PASS
	Ant1	5500	-2.30	≤10.02	4.68	PASS
	Ant2	5500	-1.94	≤10.02	5.04	PASS
	Ant3	5500	-1.04	≤10.02	5.94	PASS
	total	5500	3.04	≤10.02	10.02	PASS
	Ant1	5580	-2.46	≤10.02	4.52	PASS
	Ant2	5580	-2.80	≤10.02	4.18	PASS
	Ant3	5580	-2.27	≤10.02	4.71	PASS
	total	5580	2.27	≤10.02	9.25	PASS
	Ant1	5700	-2.54	≤10.02	4.44	PASS
	Ant2	5700	-3.10	≤10.02	3.88	PASS
	Ant3	5700	-2.41	≤10.02	4.57	PASS
	total	5700	2.10	≤10.02	9.08	PASS
	Ant1	5720 UNII-2C	-2.04	≤10.02	4.94	PASS
	Ant2	5720 UNII-2C	-2.70	≤10.02	4.28	PASS
	Ant3	5720 UNII-2C	-2.05	≤10.02	4.93	PASS
	total	5720 UNII-2C	2.52	≤10.02	9.50	PASS
	Ant1	5720 UNII-3	-5.79	≤10.02	1.19	PASS
	Ant2	5720 UNII-3	-6.55	≤10.02	0.43	PASS
	Ant3	5720 UNII-3	-5.77	≤10.02	1.21	PASS
	total	5720 UNII-3	-1.25	≤10.02	5.73	PASS
	Ant1	5745	-3.62	≤29.02	3.36	PASS
	Ant2	5745	-3.20	≤29.02	3.78	PASS
	Ant3	5745	-4.60	≤29.02	2.38	PASS
	total	5745	1.00	≤29.02	7.98	PASS
	Ant1	5785	-4.54	≤29.02	2.44	PASS
	Ant2	5785	-3.86	≤29.02	3.12	PASS
	Ant3	5785	-5.04	≤29.02	1.94	PASS
	total	5785	0.32	≤29.02	7.30	PASS
	Ant1	5825	-6.01	≤29.02	0.97	PASS
	Ant2	5825	-6.20	≤29.02	0.78	PASS
	Ant3	5825	-5.47	≤29.02	1.51	PASS
	total	5825	-1.11	≤29.02	5.87	PASS
11N40MIMO	Ant1	5190	-4.45	≤16.02	2.53	PASS
	Ant2	5190	-4.37	≤16.02	2.61	PASS
	Ant3	5190	-4.35	≤16.02	2.63	PASS
	total	5190	0.38	≤16.02	7.36	PASS
	Ant1	5230	-4.41	≤16.02	2.57	PASS
	Ant2	5230	-4.11	≤16.02	2.87	PASS

	Ant3	5230	-3.91	≤16.02	3.07	PASS
	total	5230	0.63	≤16.02	7.61	PASS
	Ant1	5270	-1.21	≤10.02	5.77	PASS
	Ant2	5270	-0.77	≤10.02	6.21	PASS
	Ant3	5270	-0.93	≤10.02	6.05	PASS
	total	5270	3.81	≤10.02	10.79	PASS
	Ant1	5310	-1.26	≤10.02	5.72	PASS
	Ant2	5310	-1.02	≤10.02	5.96	PASS
	Ant3	5310	-1.50	≤10.02	5.48	PASS
	total	5310	3.52	≤10.02	10.50	PASS
	Ant1	5510	-1.95	≤10.02	5.03	PASS
	Ant2	5510	-1.63	≤10.02	5.35	PASS
	Ant3	5510	-0.53	≤10.02	6.45	PASS
	total	5510	3.44	≤10.02	10.42	PASS
	Ant1	5550	-2.34	≤10.02	4.64	PASS
	Ant2	5550	-1.70	≤10.02	5.28	PASS
	Ant3	5550	-1.60	≤10.02	5.38	PASS
	total	5550	2.90	≤10.02	9.88	PASS
	Ant1	5670	-3.22	≤10.02	3.76	PASS
	Ant2	5670	-2.16	≤10.02	4.82	PASS
	Ant3	5670	-2.79	≤10.02	4.19	PASS
	total	5670	2.07	≤10.02	9.05	PASS
	Ant1	5710 UNII-2C	-2.08	≤10.02	4.90	PASS
	Ant2	5710 UNII-2C	-2.63	≤10.02	4.35	PASS
	Ant3	5710 UNII-2C	-1.93	≤10.02	5.05	PASS
	total	5710 UNII-2C	2.57	≤10.02	9.55	PASS
	Ant1	5710 UNII-3	-7.85	≤29.02	-0.87	PASS
	Ant2	5710 UNII-3	-8.45	≤29.02	-1.47	PASS
	Ant3	5710 UNII-3	-7.49	≤29.02	-0.51	PASS
	total	5710 UNII-3	-3.14	≤29.02	3.84	PASS
	Ant1	5755	-5.78	≤29.02	1.20	PASS
	Ant2	5755	-5.26	≤29.02	1.72	PASS
	Ant3	5755	-6.48	≤29.02	0.50	PASS
	total	5755	-1.04	≤29.02	5.94	PASS
	Ant1	5795	-6.36	≤29.02	0.62	PASS
	Ant2	5795	-5.59	≤29.02	1.39	PASS
	Ant3	5795	-7.01	≤29.02	-0.03	PASS
	total	5795	-1.51	≤29.02	5.47	PASS
11AC20MIMO	Ant1	5180	-3.80	≤16.02	3.18	PASS
	Ant2	5180	-3.56	≤16.02	3.42	PASS
	Ant3	5180	-3.51	≤16.02	3.47	PASS
	total	5180	1.15	≤16.02	8.13	PASS
	Ant1	5200	-3.85	≤16.02	3.13	PASS
	Ant2	5200	-3.50	≤16.02	3.48	PASS
	Ant3	5200	-3.65	≤16.02	3.33	PASS
	total	5200	1.11	≤16.02	8.09	PASS
	Ant1	5240	-3.64	≤16.02	3.34	PASS
	Ant2	5240	-3.42	≤16.02	3.56	PASS
	Ant3	5240	-3.05	≤16.02	3.93	PASS
	total	5240	1.41	≤16.02	8.39	PASS
	Ant1	5260	-0.47	≤10.02	6.51	PASS
	Ant2	5260	0.01	≤10.02	6.99	PASS
	Ant3	5260	-0.12	≤10.02	6.86	PASS
	total	5260	4.58	≤10.02	11.56	PASS
	Ant1	5280	-0.18	≤10.02	6.80	PASS
	Ant2	5280	0.27	≤10.02	7.25	PASS
	Ant3	5280	-0.06	≤10.02	6.92	PASS
	total	5280	4.79	≤10.02	11.77	PASS
	Ant1	5320	-0.64	≤10.02	6.34	PASS
	Ant2	5320	-0.16	≤10.02	6.82	PASS
	Ant3	5320	-0.66	≤10.02	6.32	PASS
	total	5320	4.29	≤10.02	11.27	PASS
	Ant1	5500	-1.24	≤10.02	5.74	PASS
	Ant2	5500	-0.73	≤10.02	6.25	PASS

	Ant3	5500	0.09	≤10.02	7.07	PASS
	total	5500	4.18	≤10.02	11.16	PASS
	Ant1	5580	-1.45	≤10.02	5.53	PASS
	Ant2	5580	-1.67	≤10.02	5.31	PASS
	Ant3	5580	-1.11	≤10.02	5.87	PASS
	total	5580	3.37	≤10.02	10.35	PASS
	Ant1	5700	-1.46	≤10.02	5.52	PASS
	Ant2	5700	-1.98	≤10.02	5.00	PASS
	Ant3	5700	-1.53	≤10.02	5.45	PASS
	total	5700	3.12	≤10.02	10.10	PASS
	Ant1	5720 UNII-2C	-0.98	≤10.02	6.00	PASS
	Ant2	5720 UNII-2C	-1.62	≤10.02	5.36	PASS
	Ant3	5720 UNII-2C	-0.96	≤10.02	6.02	PASS
	total	5720 UNII-2C	3.60	≤10.02	10.58	PASS
	Ant1	5720 UNII-3	-5.01	≤29.02	1.97	PASS
	Ant2	5720 UNII-3	-5.57	≤29.02	1.41	PASS
	Ant3	5720 UNII-3	-5.00	≤29.02	1.98	PASS
	total	5720 UNII-3	-0.41	≤29.02	6.57	PASS
	Ant1	5745	-3.90	≤29.02	3.08	PASS
	Ant2	5745	-3.18	≤29.02	3.80	PASS
	Ant3	5745	-4.72	≤29.02	2.26	PASS
	total	5745	0.88	≤29.02	7.86	PASS
	Ant1	5785	-4.65	≤29.02	2.33	PASS
	Ant2	5785	-3.89	≤29.02	3.09	PASS
	Ant3	5785	-5.12	≤29.02	1.86	PASS
	total	5785	0.25	≤29.02	7.23	PASS
	Ant1	5825	-6.32	≤29.02	0.66	PASS
	Ant2	5825	-6.26	≤29.02	0.72	PASS
	Ant3	5825	-5.58	≤29.02	1.40	PASS
	total	5825	-1.27	≤29.02	5.71	PASS
11AC40MIMO	Ant1	5190	-4.76	≤16.02	2.22	PASS
	Ant2	5190	-4.34	≤16.02	2.64	PASS
	Ant3	5190	-4.47	≤16.02	2.51	PASS
	total	5190	0.25	≤16.02	7.23	PASS
	Ant1	5230	-4.53	≤16.02	2.45	PASS
	Ant2	5230	-4.25	≤16.02	2.73	PASS
	Ant3	5230	-4.04	≤16.02	2.94	PASS
	total	5230	0.50	≤16.02	7.48	PASS
	Ant1	5270	-0.47	≤10.02	6.51	PASS
	Ant2	5270	0.12	≤10.02	7.10	PASS
	Ant3	5270	-0.03	≤10.02	6.95	PASS
	total	5270	4.65	≤10.02	11.63	PASS
	Ant1	5310	-0.72	≤10.02	6.26	PASS
	Ant2	5310	-0.02	≤10.02	6.96	PASS
	Ant3	5310	-0.52	≤10.02	6.46	PASS
	total	5310	4.36	≤10.02	11.34	PASS
	Ant1	5510	-0.95	≤10.02	6.03	PASS
	Ant2	5510	-0.41	≤10.02	6.57	PASS
	Ant3	5510	0.25	≤10.02	7.23	PASS
	total	5510	4.43	≤10.02	11.41	PASS
	Ant1	5550	-1.70	≤10.02	5.28	PASS
	Ant2	5550	-0.65	≤10.02	6.33	PASS
	Ant3	5550	-0.62	≤10.02	6.36	PASS
	total	5550	3.81	≤10.02	10.79	PASS
	Ant1	5670	-2.25	≤10.02	4.73	PASS
	Ant2	5670	-1.27	≤10.02	5.71	PASS
	Ant3	5670	-1.72	≤10.02	5.26	PASS
	total	5670	3.04	≤10.02	10.02	PASS
	Ant1	5710 UNII-2C	-1.21	≤10.02	5.77	PASS
	Ant2	5710 UNII-2C	-1.64	≤10.02	5.34	PASS
	Ant3	5710 UNII-2C	-0.92	≤10.02	6.06	PASS
	total	5710 UNII-2C	3.52	≤10.02	10.50	PASS
	Ant1	5710 UNII-3	-7.07	≤29.02	-0.09	PASS
	Ant2	5710 UNII-3	-7.75	≤29.02	-0.77	PASS

	Ant3	5710_UNII-3	-6.92	≤29.02	0.06	PASS
	total	5710_UNII-3	-2.46	≤29.02	4.52	PASS
	Ant1	5755	-7.14	≤29.02	-0.16	PASS
	Ant2	5755	-6.56	≤29.02	0.42	PASS
	Ant3	5755	-8.22	≤29.02	-1.24	PASS
	total	5755	-2.48	≤29.02	4.50	PASS
	Ant1	5795	-7.43	≤29.02	-0.45	PASS
	Ant2	5795	-7.20	≤29.02	-0.22	PASS
	Ant3	5795	-8.67	≤29.02	-1.69	PASS
	total	5795	-2.95	≤29.02	4.03	PASS
11AC80MIMO	Ant1	5210	-7.74	≤16.02	-0.76	PASS
	Ant2	5210	-7.76	≤16.02	-0.78	PASS
	Ant3	5210	-7.45	≤16.02	-0.47	PASS
	total	5210	-2.88	≤16.02	4.10	PASS
	Ant1	5290	-3.86	≤10.02	3.12	PASS
	Ant2	5290	-3.19	≤10.02	3.79	PASS
	Ant3	5290	-3.63	≤10.02	3.35	PASS
	total	5290	1.22	≤10.02	8.20	PASS
	Ant1	5530	-3.93	≤10.02	3.05	PASS
	Ant2	5530	-2.99	≤10.02	3.99	PASS
	Ant3	5530	-2.64	≤10.02	4.34	PASS
	total	5530	1.62	≤10.02	8.60	PASS
	Ant1	5610	-4.15	≤10.02	2.83	PASS
	Ant2	5610	-3.96	≤10.02	3.02	PASS
	Ant3	5610	-3.69	≤10.02	3.29	PASS
	total	5610	0.84	≤10.02	7.82	PASS
	Ant1	5690_UNII-2C	-5.03	≤10.02	1.95	PASS
	Ant2	5690_UNII-2C	-4.15	≤10.02	2.83	PASS
	Ant3	5690_UNII-2C	-4.56	≤10.02	2.42	PASS
	total	5690_UNII-2C	0.21	≤10.02	7.19	PASS
	Ant1	5690_UNII-3	-11.11	≤29.02	-4.13	PASS
	Ant2	5690_UNII-3	-10.55	≤29.02	-3.57	PASS
	Ant3	5690_UNII-3	-10.98	≤29.02	-4.00	PASS
	total	5690_UNII-3	-6.10	≤29.02	0.88	PASS
	Ant1	5775	-10.45	≤29.02	-3.47	PASS
	Ant2	5775	-10.12	≤29.02	-3.14	PASS
	Ant3	5775	-11.33	≤29.02	-4.35	PASS
	total	5775	-5.83	≤29.02	1.15	PASS
11AC160MIMO	Ant1	5250_UNII-1	-8.73	≤16.02	-1.75	PASS
	Ant2	5250_UNII-1	-8.95	≤16.02	-1.97	PASS
	Ant3	5250_UNII-1	-8.24	≤16.02	-1.26	PASS
	total	5250_UNII-1	-3.86	≤16.02	3.12	PASS
	Ant1	5250_UNII-2A	-8.40	≤10.02	-1.42	PASS
	Ant2	5250_UNII-2A	-8.69	≤10.02	-1.71	PASS
	Ant3	5250_UNII-2A	-7.95	≤10.02	-0.97	PASS
	total	5250_UNII-2A	-3.56	≤10.02	3.42	PASS
	Ant1	5570	-9.26	≤10.02	-2.28	PASS
	Ant2	5570	-8.38	≤10.02	-1.40	PASS
	Ant3	5570	-8.79	≤10.02	-1.81	PASS
	total	5570	-4.02	≤10.02	2.96	PASS
11AX20MIMO	Ant1	5180	-3.53	≤16.02	3.45	PASS
	Ant2	5180	-3.35	≤16.02	3.63	PASS
	Ant3	5180	-3.32	≤16.02	3.66	PASS
	total	5180	1.37	≤16.02	8.35	PASS
	Ant1	5200	-3.50	≤16.02	3.48	PASS
	Ant2	5200	-3.25	≤16.02	3.73	PASS
	Ant3	5200	-3.21	≤16.02	3.77	PASS
	total	5200	1.45	≤16.02	8.43	PASS
	Ant1	5240	-3.45	≤16.02	3.53	PASS
	Ant2	5240	-3.18	≤16.02	3.80	PASS
	Ant3	5240	-2.76	≤16.02	4.22	PASS
	total	5240	1.65	≤16.02	8.63	PASS
	Ant1	5260	-1.23	≤10.02	5.75	PASS
	Ant2	5260	-0.58	≤10.02	6.40	PASS

	Ant3	5260	-0.83	≤10.02	6.15	PASS
	total	5260	3.90	≤10.02	10.88	PASS
	Ant1	5280	-0.95	≤10.02	6.03	PASS
	Ant2	5280	-0.46	≤10.02	6.52	PASS
	Ant3	5280	-0.87	≤10.02	6.11	PASS
	total	5280	4.02	≤10.02	11.00	PASS
	Ant1	5320	-1.33	≤10.02	5.65	PASS
	Ant2	5320	-0.74	≤10.02	6.24	PASS
	Ant3	5320	-1.42	≤10.02	5.56	PASS
	total	5320	3.62	≤10.02	10.60	PASS
	Ant1	5500	-1.84	≤10.02	5.14	PASS
	Ant2	5500	-1.64	≤10.02	5.34	PASS
	Ant3	5500	-0.69	≤10.02	6.29	PASS
	total	5500	3.41	≤10.02	10.39	PASS
	Ant1	5580	-2.13	≤10.02	4.85	PASS
	Ant2	5580	-2.46	≤10.02	4.52	PASS
	Ant3	5580	-2.00	≤10.02	4.98	PASS
	total	5580	2.58	≤10.02	9.56	PASS
	Ant1	5700	-2.05	≤10.02	4.93	PASS
	Ant2	5700	-2.75	≤10.02	4.23	PASS
	Ant3	5700	-2.01	≤10.02	4.97	PASS
	total	5700	2.51	≤10.02	9.49	PASS
	Ant1	5720 UNII-2C	-1.59	≤10.02	5.39	PASS
	Ant2	5720 UNII-2C	-2.28	≤10.02	4.70	PASS
	Ant3	5720 UNII-2C	-1.66	≤10.02	5.32	PASS
	total	5720 UNII-2C	2.94	≤10.02	9.92	PASS
	Ant1	5720 UNII-3	-5.62	≤29.02	1.36	PASS
	Ant2	5720 UNII-3	-6.17	≤29.02	0.81	PASS
	Ant3	5720 UNII-3	-5.76	≤29.02	1.22	PASS
	total	5720 UNII-3	-1.07	≤29.02	5.91	PASS
	Ant1	5745	-3.47	≤29.02	3.51	PASS
	Ant2	5745	-3.06	≤29.02	3.92	PASS
	Ant3	5745	-4.56	≤29.02	2.42	PASS
	total	5745	1.12	≤29.02	8.10	PASS
	Ant1	5785	-4.00	≤29.02	2.98	PASS
	Ant2	5785	-3.78	≤29.02	3.20	PASS
	Ant3	5785	-5.12	≤29.02	1.86	PASS
	total	5785	0.51	≤29.02	7.49	PASS
	Ant1	5825	-5.84	≤29.02	1.14	PASS
	Ant2	5825	-6.04	≤29.02	0.94	PASS
	Ant3	5825	-5.52	≤29.02	1.46	PASS
	total	5825	-1.02	≤29.02	5.96	PASS
11AX40MIMO	Ant1	5190	-4.72	≤16.02	2.26	PASS
	Ant2	5190	-4.27	≤16.02	2.71	PASS
	Ant3	5190	-4.39	≤16.02	2.59	PASS
	total	5190	0.32	≤16.02	7.30	PASS
	Ant1	5230	-4.40	≤16.02	2.58	PASS
	Ant2	5230	-3.92	≤16.02	3.06	PASS
	Ant3	5230	-3.81	≤16.02	3.17	PASS
	total	5230	0.74	≤16.02	7.72	PASS
	Ant1	5270	-1.10	≤10.02	5.88	PASS
	Ant2	5270	-0.54	≤10.02	6.44	PASS
	Ant3	5270	-0.71	≤10.02	6.27	PASS
	total	5270	3.99	≤10.02	10.97	PASS
	Ant1	5310	-1.19	≤10.02	5.79	PASS
	Ant2	5310	-0.90	≤10.02	6.08	PASS
	Ant3	5310	-1.24	≤10.02	5.74	PASS
	total	5310	3.66	≤10.02	10.64	PASS
	Ant1	5510	-1.91	≤10.02	5.07	PASS
	Ant2	5510	-1.23	≤10.02	5.75	PASS
	Ant3	5510	-0.45	≤10.02	6.53	PASS
	total	5510	3.62	≤10.02	10.60	PASS
	Ant1	5550	-2.30	≤10.02	4.68	PASS
	Ant2	5550	-1.49	≤10.02	5.49	PASS

	Ant3	5550	-1.49	≤10.02	5.49	PASS
	total	5550	3.03	≤10.02	10.01	PASS
	Ant1	5670	-2.68	≤10.02	4.30	PASS
	Ant2	5670	-2.03	≤10.02	4.95	PASS
	Ant3	5670	-2.47	≤10.02	4.51	PASS
	total	5670	2.39	≤10.02	9.37	PASS
	Ant1	5710 UNII-2C	-1.68	≤10.02	5.30	PASS
	Ant2	5710 UNII-2C	-2.18	≤10.02	4.80	PASS
	Ant3	5710 UNII-2C	-1.82	≤10.02	5.16	PASS
	total	5710 UNII-2C	2.88	≤10.02	9.86	PASS
	Ant1	5710 UNII-3	-7.77	≤29.02	-0.79	PASS
	Ant2	5710 UNII-3	-8.31	≤29.02	-1.33	PASS
	Ant3	5710 UNII-3	-7.71	≤29.02	-0.73	PASS
	total	5710 UNII-3	-3.15	≤29.02	3.83	PASS
	Ant1	5755	-5.64	≤29.02	1.34	PASS
	Ant2	5755	-5.21	≤29.02	1.77	PASS
	Ant3	5755	-7.03	≤29.02	-0.05	PASS
	total	5755	-1.12	≤29.02	5.86	PASS
	Ant1	5795	-6.33	≤29.02	0.65	PASS
	Ant2	5795	-6.07	≤29.02	0.91	PASS
	Ant3	5795	-7.34	≤29.02	-0.36	PASS
	total	5795	-1.78	≤29.02	5.20	PASS
11AX80MIMO	Ant1	5210	-7.64	≤16.02	-0.66	PASS
	Ant2	5210	-7.44	≤16.02	-0.46	PASS
	Ant3	5210	-7.29	≤16.02	-0.31	PASS
	total	5210	-2.68	≤16.02	4.30	PASS
	Ant1	5290	-3.41	≤10.02	3.57	PASS
	Ant2	5290	-2.88	≤10.02	4.10	PASS
	Ant3	5290	-3.28	≤10.02	3.70	PASS
	total	5290	1.59	≤10.02	8.57	PASS
	Ant1	5530	-3.43	≤10.02	3.55	PASS
	Ant2	5530	-2.80	≤10.02	4.18	PASS
	Ant3	5530	-2.33	≤10.02	4.65	PASS
	total	5530	1.94	≤10.02	8.92	PASS
	Ant1	5610	-3.79	≤10.02	3.19	PASS
	Ant2	5610	-3.94	≤10.02	3.04	PASS
	Ant3	5610	-3.32	≤10.02	3.66	PASS
	total	5610	1.10	≤10.02	8.08	PASS
	Ant1	5690 UNII-2C	-4.65	≤10.02	2.33	PASS
	Ant2	5690 UNII-2C	-3.85	≤10.02	3.13	PASS
	Ant3	5690 UNII-2C	-4.39	≤10.02	2.59	PASS
	total	5690 UNII-2C	0.49	≤10.02	7.47	PASS
	Ant1	5690 UNII-3	-10.83	≤29.02	-3.85	PASS
	Ant2	5690 UNII-3	-10.28	≤29.02	-3.30	PASS
	Ant3	5690 UNII-3	-10.56	≤29.02	-3.58	PASS
	total	5690 UNII-3	-5.78	≤29.02	1.20	PASS
	Ant1	5775	-10.06	≤29.02	-3.08	PASS
	Ant2	5775	-9.74	≤29.02	-2.76	PASS
	Ant3	5775	-10.93	≤29.02	-3.95	PASS
	total	5775	-5.44	≤29.02	1.54	PASS
11AX160MIMO	Ant1	5250 UNII-1	-9.16	≤16.02	-2.18	PASS
	Ant2	5250 UNII-1	-9.11	≤16.02	-2.13	PASS
	Ant3	5250 UNII-1	-8.13	≤16.02	-1.15	PASS
	total	5250 UNII-1	-4.00	≤16.02	2.98	PASS
	Ant1	5250 UNII-2A	-8.92	≤10.02	-1.94	PASS
	Ant2	5250 UNII-2A	-8.68	≤10.02	-1.70	PASS
	Ant3	5250 UNII-2A	-7.87	≤10.02	-0.89	PASS
	total	5250 UNII-2A	-3.70	≤10.02	3.28	PASS
	Ant1	5570	-8.90	≤10.02	-1.92	PASS
	Ant2	5570	-8.12	≤10.02	-1.14	PASS
	Ant3	5570	-8.35	≤10.02	-1.37	PASS
	total	5570	-3.67	≤10.02	3.31	PASS
11BE20MIMO	Ant1	5180	-3.26	≤16.02	3.72	PASS
	Ant2	5180	-3.00	≤16.02	3.98	PASS

	Ant3	5180	-3.05	≤16.02	3.93	PASS
	total	5180	1.67	≤16.02	8.65	PASS
	Ant1	5200	-3.34	≤16.02	3.64	PASS
	Ant2	5200	-3.09	≤16.02	3.89	PASS
	Ant3	5200	-3.31	≤16.02	3.67	PASS
	total	5200	1.53	≤16.02	8.51	PASS
	Ant1	5240	-3.42	≤16.02	3.56	PASS
	Ant2	5240	-3.10	≤16.02	3.88	PASS
	Ant3	5240	-2.53	≤16.02	4.45	PASS
	total	5240	1.77	≤16.02	8.75	PASS
	Ant1	5260	-1.85	≤10.02	5.13	PASS
	Ant2	5260	-1.25	≤10.02	5.73	PASS
	Ant3	5260	-1.67	≤10.02	5.31	PASS
	total	5260	3.19	≤10.02	10.17	PASS
	Ant1	5280	-1.40	≤10.02	5.58	PASS
	Ant2	5280	-1.10	≤10.02	5.88	PASS
	Ant3	5280	-1.36	≤10.02	5.62	PASS
	total	5280	3.49	≤10.02	10.47	PASS
	Ant1	5320	-1.96	≤10.02	5.02	PASS
	Ant2	5320	-1.43	≤10.02	5.55	PASS
	Ant3	5320	-1.98	≤10.02	5.00	PASS
	total	5320	2.99	≤10.02	9.97	PASS
	Ant1	5500	-2.49	≤10.02	4.49	PASS
	Ant2	5500	-2.13	≤10.02	4.85	PASS
	Ant3	5500	-1.65	≤10.02	5.33	PASS
	total	5500	2.69	≤10.02	9.67	PASS
	Ant1	5580	-2.73	≤10.02	4.25	PASS
	Ant2	5580	-3.04	≤10.02	3.94	PASS
	Ant3	5580	-2.74	≤10.02	4.24	PASS
	total	5580	1.94	≤10.02	8.92	PASS
	Ant1	5700	-2.72	≤10.02	4.26	PASS
	Ant2	5700	-3.21	≤10.02	3.77	PASS
	Ant3	5700	-2.80	≤10.02	4.18	PASS
	total	5700	1.87	≤10.02	8.85	PASS
	Ant1	5720 UNII-2C	-2.08	≤10.02	4.90	PASS
	Ant2	5720 UNII-2C	-3.07	≤10.02	3.91	PASS
	Ant3	5720 UNII-2C	-2.40	≤10.02	4.58	PASS
	total	5720 UNII-2C	2.27	≤10.02	9.25	PASS
	Ant1	5720 UNII-3	-5.69	≤29.02	1.29	PASS
	Ant2	5720 UNII-3	-6.56	≤29.02	0.42	PASS
	Ant3	5720 UNII-3	-6.10	≤29.02	0.88	PASS
	total	5720 UNII-3	-1.33	≤29.02	5.65	PASS
	Ant1	5745	-3.58	≤29.02	3.40	PASS
	Ant2	5745	-2.86	≤29.02	4.12	PASS
	Ant3	5745	-4.55	≤29.02	2.43	PASS
	total	5745	1.16	≤29.02	8.14	PASS
	Ant1	5785	-4.08	≤29.02	2.90	PASS
	Ant2	5785	-3.64	≤29.02	3.34	PASS
	Ant3	5785	-4.78	≤29.02	2.20	PASS
	total	5785	0.63	≤29.02	7.61	PASS
	Ant1	5825	-5.72	≤29.02	1.26	PASS
	Ant2	5825	-5.98	≤29.02	1.00	PASS
	Ant3	5825	-5.33	≤29.02	1.65	PASS
	total	5825	-0.90	≤29.02	6.08	PASS
11BE40MIMO	Ant1	5190	-4.57	≤16.02	2.41	PASS
	Ant2	5190	-4.12	≤16.02	2.86	PASS
	Ant3	5190	-4.10	≤16.02	2.88	PASS
	total	5190	0.51	≤16.02	7.49	PASS
	Ant1	5230	-4.41	≤16.02	2.57	PASS
	Ant2	5230	-4.05	≤16.02	2.93	PASS
	Ant3	5230	-3.78	≤16.02	3.20	PASS
	total	5230	0.70	≤16.02	7.68	PASS
	Ant1	5270	-1.33	≤10.02	5.65	PASS
	Ant2	5270	-0.85	≤10.02	6.13	PASS

	Ant3	5270	-1.11	≤10.02	5.87	PASS
	total	5270	3.68	≤10.02	10.66	PASS
	Ant1	5310	-1.63	≤10.02	5.35	PASS
	Ant2	5310	-1.14	≤10.02	5.84	PASS
	Ant3	5310	-1.75	≤10.02	5.23	PASS
	total	5310	3.27	≤10.02	10.25	PASS
	Ant1	5510	-1.93	≤10.02	5.05	PASS
	Ant2	5510	-1.71	≤10.02	5.27	PASS
	Ant3	5510	-0.90	≤10.02	6.08	PASS
	total	5510	3.28	≤10.02	10.26	PASS
	Ant1	5550	-2.66	≤10.02	4.32	PASS
	Ant2	5550	-2.09	≤10.02	4.89	PASS
	Ant3	5550	-1.84	≤10.02	5.14	PASS
	total	5550	2.59	≤10.02	9.57	PASS
	Ant1	5670	-3.15	≤10.02	3.83	PASS
	Ant2	5670	-2.49	≤10.02	4.49	PASS
	Ant3	5670	-3.16	≤10.02	3.82	PASS
	total	5670	1.85	≤10.02	8.83	PASS
	Ant1	5710 UNII-2C	-2.11	≤10.02	4.87	PASS
	Ant2	5710 UNII-2C	-2.99	≤10.02	3.99	PASS
	Ant3	5710 UNII-2C	-2.46	≤10.02	4.52	PASS
	total	5710 UNII-2C	2.27	≤10.02	9.25	PASS
	Ant1	5710 UNII-3	-8.17	≤29.02	-1.19	PASS
	Ant2	5710 UNII-3	-8.53	≤29.02	-1.55	PASS
	Ant3	5710 UNII-3	-8.26	≤29.02	-1.28	PASS
	total	5710 UNII-3	-3.55	≤29.02	3.43	PASS
	Ant1	5755	-5.72	≤29.02	1.26	PASS
	Ant2	5755	-5.18	≤29.02	1.80	PASS
	Ant3	5755	-6.83	≤29.02	0.15	PASS
	total	5755	-1.09	≤29.02	5.89	PASS
	Ant1	5795	-6.33	≤29.02	0.65	PASS
	Ant2	5795	-5.77	≤29.02	1.21	PASS
	Ant3	5795	-7.10	≤29.02	-0.12	PASS
	total	5795	-1.59	≤29.02	5.39	PASS
11BE80MIMO	Ant1	5210	-7.63	≤16.02	-0.65	PASS
	Ant2	5210	-7.37	≤16.02	-0.39	PASS
	Ant3	5210	-7.08	≤16.02	-0.10	PASS
	total	5210	-2.58	≤16.02	4.40	PASS
	Ant1	5290	-3.69	≤10.02	3.29	PASS
	Ant2	5290	-3.48	≤10.02	3.50	PASS
	Ant3	5290	-3.82	≤10.02	3.16	PASS
	total	5290	1.11	≤10.02	8.09	PASS
	Ant1	5530	-3.78	≤10.02	3.20	PASS
	Ant2	5530	-3.19	≤10.02	3.79	PASS
	Ant3	5530	-3.08	≤10.02	3.90	PASS
	total	5530	1.43	≤10.02	8.41	PASS
	Ant1	5610	-4.24	≤10.02	2.74	PASS
	Ant2	5610	-4.44	≤10.02	2.54	PASS
	Ant3	5610	-3.94	≤10.02	3.04	PASS
	total	5610	0.57	≤10.02	7.55	PASS
	Ant1	5690 UNII-2C	-4.86	≤10.02	2.12	PASS
	Ant2	5690 UNII-2C	-4.42	≤10.02	2.56	PASS
	Ant3	5690 UNII-2C	-4.88	≤10.02	2.10	PASS
	total	5690 UNII-2C	0.06	≤10.02	7.04	PASS
	Ant1	5690 UNII-3	-11.31	≤29.02	-4.33	PASS
	Ant2	5690 UNII-3	-11.17	≤29.02	-4.19	PASS
	Ant3	5690 UNII-3	-11.59	≤29.02	-4.61	PASS
	total	5690 UNII-3	-6.58	≤29.02	0.40	PASS
	Ant1	5775	-10.28	≤29.02	-3.30	PASS
	Ant2	5775	-9.63	≤29.02	-2.65	PASS
	Ant3	5775	-11.18	≤29.02	-4.20	PASS
	total	5775	-5.55	≤29.02	1.43	PASS
11BE160MIMO	Ant1	5250 UNII-1	-8.87	≤16.02	-1.89	PASS
	Ant2	5250 UNII-1	-8.94	≤16.02	-1.96	PASS

	Ant3	5250_UNII-1	-8.06	≤16.02	-1.08	PASS
	total	5250_UNII-1	-3.83	≤16.02	3.15	PASS
	Ant1	5250_UNII-2A	-8.66	≤10.02	-1.68	PASS
	Ant2	5250_UNII-2A	-8.59	≤10.02	-1.61	PASS
	Ant3	5250_UNII-2A	-7.81	≤10.02	-0.83	PASS
	total	5250_UNII-2A	-3.56	≤10.02	3.42	PASS
	Ant1	5570	-8.81	≤10.02	-1.83	PASS
	Ant2	5570	-7.89	≤10.02	-0.91	PASS
	Ant3	5570	-8.25	≤10.02	-1.27	PASS
	total	5570	-3.53	≤10.02	3.45	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5180	52+26_OFDMA	1	-4.99	≤16.02	PASS
				2	-4.49	≤16.02	PASS
				3	-4.68	≤16.02	PASS
			106+26_OFDMA	1	-3.97	≤16.02	PASS
				2	-3.92	≤16.02	PASS
				3	-4.12	≤16.02	PASS
	Ant2	5180	52+26_OFDMA	1	-4.12	≤16.02	PASS
				2	-3.68	≤16.02	PASS
				3	-4.14	≤16.02	PASS
			106+26_OFDMA	1	-3.10	≤16.02	PASS
				2	-3.47	≤16.02	PASS
				3	-3.38	≤16.02	PASS
	Ant3	5180	52+26_OFDMA	1	-3.38	≤16.02	PASS
				2	-3.45	≤16.02	PASS
				3	-3.59	≤16.02	PASS
			106+26_OFDMA	1	-2.78	≤16.02	PASS
				2	-2.84	≤16.02	PASS
				3	0.66	≤16.02	PASS
	total	5180	52+26_OFDMA	1	0.66	≤16.02	PASS
				2	0.92	≤16.02	PASS
				3	0.66	≤16.02	PASS
			106+26_OFDMA	1	1.52	≤16.02	PASS
				2	1.38	≤16.02	PASS
				3	1.38	≤16.02	PASS
	Ant1	5200	52+26_OFDMA	1	-4.84	≤16.02	PASS
				2	-4.55	≤16.02	PASS
				3	-4.82	≤16.02	PASS
			106+26_OFDMA	1	-4.10	≤16.02	PASS
				2	-4.18	≤16.02	PASS
				3	-4.18	≤16.02	PASS
	Ant2	5200	52+26_OFDMA	1	-3.93	≤16.02	PASS
				2	-3.40	≤16.02	PASS
				3	-3.92	≤16.02	PASS
			106+26_OFDMA	1	-2.96	≤16.02	PASS
				2	-3.38	≤16.02	PASS
				3	-3.38	≤16.02	PASS
	Ant3	5200	52+26_OFDMA	1	-3.84	≤16.02	PASS
				2	-3.66	≤16.02	PASS
				3	-3.77	≤16.02	PASS
			106+26_OFDMA	1	-2.93	≤16.02	PASS
				2	-2.89	≤16.02	PASS
				3	-2.89	≤16.02	PASS
	total	5200	52+26_OFDMA	1	0.59	≤16.02	PASS
				2	0.93	≤16.02	PASS
				3	0.63	≤16.02	PASS
			106+26_OFDMA	1	1.47	≤16.02	PASS
				2	1.32	≤16.02	PASS
				3	1.32	≤16.02	PASS
	Ant1	5240	52+26_OFDMA	1	-4.35	≤16.02	PASS
				2	-3.87	≤16.02	PASS
				3	-4.47	≤16.02	PASS
			106+26_OFDMA	1	-3.86	≤16.02	PASS
				2	-3.67	≤16.02	PASS
				3	-3.67	≤16.02	PASS
	Ant2	5240	52+26_OFDMA	1	-3.74	≤16.02	PASS
				2	-3.23	≤16.02	PASS
				3	-3.50	≤16.02	PASS
			106+26_OFDMA	1	-2.79	≤16.02	PASS
				2	-2.94	≤16.02	PASS
				3	-2.94	≤16.02	PASS
	Ant3	5240	52+26_OFDMA	1	-3.10	≤16.02	PASS

			106+26_OFDMA	2	-2.94	≤16.02	PASS		
				3	-3.12	≤16.02	PASS		
				1	-2.34	≤16.02	PASS		
				2	-2.53	≤16.02	PASS		
	total	5240	52+26_OFDMA	1	1.07	≤16.02	PASS		
				2	1.44	≤16.02	PASS		
				3	1.11	≤16.02	PASS		
			106+26_OFDMA	1	1.82	≤16.02	PASS		
				2	1.75	≤16.02	PASS		
				1	-2.76	≤10.02	PASS		
	Ant1	5260	52+26_OFDMA	2	-2.38	≤10.02	PASS		
				3	-2.81	≤10.02	PASS		
				106+26_OFDMA	1	-1.95	≤10.02	PASS	
			2		-1.79	≤10.02	PASS		
			Ant2		5260	52+26_OFDMA	1	-1.75	≤10.02
				2			-1.20	≤10.02	PASS
	3	-1.58		≤10.02			PASS		
	106+26_OFDMA	1		-1.11		≤10.02	PASS		
		2		-1.19		≤10.02	PASS		
		Ant3		5260		52+26_OFDMA	1	-1.99	≤10.02
	2		-1.49		≤10.02		PASS		
	3		-1.70		≤10.02		PASS		
	106+26_OFDMA		1		-1.54	≤10.02	PASS		
			2		-1.16	≤10.02	PASS		
			total		5260	52+26_OFDMA	1	2.63	≤10.02
	2	3.11		≤10.02			PASS		
	3	2.78		≤10.02			PASS		
	106+26_OFDMA	1		3.25		≤10.02	PASS		
		2		3.40		≤10.02	PASS		
		Ant1		5280		52+26_OFDMA	1	-2.85	≤10.02
	2		-2.28		≤10.02		PASS		
	3		-2.71		≤10.02		PASS		
	106+26_OFDMA		1		-1.63	≤10.02	PASS		
			2		-1.62	≤10.02	PASS		
			Ant2		5280	52+26_OFDMA	1	-1.66	≤10.02
	2	-0.96		≤10.02			PASS		
	3	-1.46		≤10.02			PASS		
	106+26_OFDMA	1		-0.92		≤10.02	PASS		
		2		-0.96		≤10.02	PASS		
		Ant3		5280		52+26_OFDMA	1	-1.66	≤10.02
2	-1.33		≤10.02		PASS				
3	-1.65		≤10.02		PASS				
106+26_OFDMA	1		-1.20		≤10.02	PASS			
	2		-1.03		≤10.02	PASS			
	total		5280		52+26_OFDMA	1	2.75	≤10.02	PASS
2		3.28		≤10.02		PASS			
3		2.87		≤10.02		PASS			
106+26_OFDMA		1		3.53	≤10.02	PASS			
		2		3.58	≤10.02	PASS			
		Ant1		5320	52+26_OFDMA	1	-3.15	≤10.02	PASS
2	-2.75		≤10.02			PASS			
3	-3.23		≤10.02			PASS			
106+26_OFDMA	1		-2.26		≤10.02	PASS			
	2		-1.83		≤10.02	PASS			
	Ant2		5320		52+26_OFDMA	1	-2.21	≤10.02	PASS
2		-1.63		≤10.02		PASS			
3		-2.05		≤10.02		PASS			
106+26_OFDMA		1		-1.56	≤10.02	PASS			
		2		-1.59	≤10.02	PASS			
		Ant3		5320	52+26_OFDMA	1	-2.76	≤10.02	PASS
2	-2.22		≤10.02			PASS			
3	-2.30		≤10.02			PASS			
106+26_OFDMA	1		-1.73		≤10.02	PASS			
	2		-1.79		≤10.02	PASS			

	total	5320	52+26_OFDMA	1	2.08	≤10.02	PASS
				2	2.60	≤10.02	PASS
				3	2.27	≤10.02	PASS
			106+26_OFDMA	1	2.93	≤10.02	PASS
				2	3.04	≤10.02	PASS
	Ant1	5500	52+26_OFDMA	1	-5.57	≤10.02	PASS
				2	-4.96	≤10.02	PASS
				3	-5.37	≤10.02	PASS
			106+26_OFDMA	1	-4.29	≤10.02	PASS
				2	-4.27	≤10.02	PASS
	Ant2	5500	52+26_OFDMA	1	-4.07	≤10.02	PASS
				2	-3.33	≤10.02	PASS
				3	-3.70	≤10.02	PASS
			106+26_OFDMA	1	-3.09	≤10.02	PASS
				2	-3.11	≤10.02	PASS
	Ant3	5500	52+26_OFDMA	1	-3.73	≤10.02	PASS
				2	-3.44	≤10.02	PASS
				3	-3.62	≤10.02	PASS
			106+26_OFDMA	1	-2.94	≤10.02	PASS
				2	-2.98	≤10.02	PASS
	total	5500	52+26_OFDMA	1	0.39	≤10.02	PASS
				2	0.92	≤10.02	PASS
				3	0.61	≤10.02	PASS
			106+26_OFDMA	1	1.37	≤10.02	PASS
				2	1.36	≤10.02	PASS
	Ant1	5580	52+26_OFDMA	1	-3.96	≤10.02	PASS
				2	-3.62	≤10.02	PASS
				3	-3.80	≤10.02	PASS
			106+26_OFDMA	1	-3.04	≤10.02	PASS
				2	-2.90	≤10.02	PASS
	Ant2	5580	52+26_OFDMA	1	-3.58	≤10.02	PASS
				2	-2.93	≤10.02	PASS
				3	-3.39	≤10.02	PASS
			106+26_OFDMA	1	-2.79	≤10.02	PASS
				2	-2.97	≤10.02	PASS
	Ant3	5580	52+26_OFDMA	1	-3.38	≤10.02	PASS
				2	-3.04	≤10.02	PASS
				3	-3.26	≤10.02	PASS
			106+26_OFDMA	1	-2.59	≤10.02	PASS
				2	-2.56	≤10.02	PASS
	total	5580	52+26_OFDMA	1	1.14	≤10.02	PASS
				2	1.58	≤10.02	PASS
				3	1.29	≤10.02	PASS
			106+26_OFDMA	1	1.97	≤10.02	PASS
				2	1.96	≤10.02	PASS
	Ant1	5700	52+26_OFDMA	1	-4.11	≤10.02	PASS
				2	-3.76	≤10.02	PASS
				3	-3.96	≤10.02	PASS
			106+26_OFDMA	1	-3.07	≤10.02	PASS
				2	-2.82	≤10.02	PASS
	Ant2	5700	52+26_OFDMA	1	-3.81	≤10.02	PASS
				2	-3.37	≤10.02	PASS
				3	-3.63	≤10.02	PASS
			106+26_OFDMA	1	-3.11	≤10.02	PASS
				2	-3.15	≤10.02	PASS
	Ant3	5700	52+26_OFDMA	1	-3.67	≤10.02	PASS
				2	-3.35	≤10.02	PASS
				3	-3.54	≤10.02	PASS
			106+26_OFDMA	1	-2.73	≤10.02	PASS
				2	-2.87	≤10.02	PASS
	total	5700	52+26_OFDMA	1	0.91	≤10.02	PASS
				2	1.28	≤10.02	PASS
				3	1.06	≤10.02	PASS
			106+26_OFDMA	1	1.80	≤10.02	PASS

Ant1	5720_UNII-2C	52+26_OFDMA	2	1.83	≤10.02	PASS
			1	-3.69	≤10.02	PASS
			2	-3.03	≤10.02	PASS
			3	-3.49	≤10.02	PASS
		106+26_OFDMA	1	-2.64	≤10.02	PASS
			2	-2.38	≤10.02	PASS
			1	-3.68	≤10.02	PASS
			2	-2.75	≤10.02	PASS
Ant2	5720_UNII-2C	52+26_OFDMA	3	-3.07	≤10.02	PASS
			1	-2.47	≤10.02	PASS
			2	-2.70	≤10.02	PASS
			2	-2.70	≤10.02	PASS
Ant3	5720_UNII-2C	52+26_OFDMA	1	-3.07	≤10.02	PASS
			2	-2.56	≤10.02	PASS
			3	-2.81	≤10.02	PASS
			1	-2.21	≤10.02	PASS
		106+26_OFDMA	2	-2.19	≤10.02	PASS
			1	1.30	≤10.02	PASS
			2	2.00	≤10.02	PASS
			3	1.66	≤10.02	PASS
total	5720_UNII-2C	52+26_OFDMA	1	2.33	≤10.02	PASS
			2	2.35	≤10.02	PASS
			1	-19.93	≤29.02	PASS
			2	-19.64	≤29.02	PASS
Ant1	5720_UNII-3	52+26_OFDMA	3	-7.16	≤29.02	PASS
			1	-17.93	≤29.02	PASS
			2	-6.06	≤29.02	PASS
			2	-6.06	≤29.02	PASS
Ant2	5720_UNII-3	52+26_OFDMA	1	-20.72	≤29.02	PASS
			2	-19.59	≤29.02	PASS
			3	-7.14	≤29.02	PASS
			1	-18.27	≤29.02	PASS
		106+26_OFDMA	2	-6.64	≤29.02	PASS
			1	-19.74	≤29.02	PASS
			2	-19.52	≤29.02	PASS
			3	-6.50	≤29.02	PASS
Ant3	5720_UNII-3	52+26_OFDMA	1	-16.57	≤29.02	PASS
			2	-6.04	≤29.02	PASS
			1	-15.34	≤29.02	PASS
			2	-14.81	≤29.02	PASS
		106+26_OFDMA	3	-2.15	≤29.02	PASS
			1	-12.75	≤29.02	PASS
			2	-1.47	≤29.02	PASS
			1	-4.37	≤29.02	PASS
Ant1	5745	52+26_OFDMA	2	-4.08	≤29.02	PASS
			3	-4.39	≤29.02	PASS
			1	-3.48	≤29.02	PASS
			2	-3.35	≤29.02	PASS
		106+26_OFDMA	1	-3.20	≤29.02	PASS
			2	-2.99	≤29.02	PASS
			3	-3.37	≤29.02	PASS
			1	-2.45	≤29.02	PASS
Ant2	5745	52+26_OFDMA	2	-2.65	≤29.02	PASS
			1	-4.76	≤29.02	PASS
			2	-4.38	≤29.02	PASS
			3	-4.74	≤29.02	PASS
Ant3	5745	52+26_OFDMA	1	-4.08	≤29.02	PASS
			2	-4.30	≤29.02	PASS
			1	0.71	≤29.02	PASS
			2	1.00	≤29.02	PASS
		106+26_OFDMA	3	0.64	≤29.02	PASS
			1	1.49	≤29.02	PASS
			2	1.39	≤29.02	PASS
			1	-4.89	≤29.02	PASS
total	5745	52+26_OFDMA	2	-4.46	≤29.02	PASS
			3	-5.00	≤29.02	PASS
			1	-4.89	≤29.02	PASS
Ant1	5785	52+26_OFDMA	2	-4.46	≤29.02	PASS
			3	-5.00	≤29.02	PASS
			1	-4.89	≤29.02	PASS

11BE40MIMO	Ant2	5785	106+26_OFDMA	1	-4.12	≤29.02	PASS
				2	-4.01	≤29.02	PASS
			52+26_OFDMA	1	-3.97	≤29.02	PASS
				2	-3.94	≤29.02	PASS
			106+26_OFDMA	3	-4.02	≤29.02	PASS
				1	-3.33	≤29.02	PASS
	Ant3	5785	52+26_OFDMA	2	-3.43	≤29.02	PASS
				1	-5.25	≤29.02	PASS
			106+26_OFDMA	2	-4.87	≤29.02	PASS
				3	-5.09	≤29.02	PASS
			52+26_OFDMA	1	-4.49	≤29.02	PASS
				2	-4.45	≤29.02	PASS
	total	5785	106+26_OFDMA	1	0.10	≤29.02	PASS
				2	0.36	≤29.02	PASS
			52+26_OFDMA	3	0.10	≤29.02	PASS
				1	0.82	≤29.02	PASS
			106+26_OFDMA	2	0.83	≤29.02	PASS
				1	-6.70	≤29.02	PASS
	Ant1	5825	52+26_OFDMA	2	-6.41	≤29.02	PASS
				3	-6.72	≤29.02	PASS
			106+26_OFDMA	1	-5.67	≤29.02	PASS
				2	-5.65	≤29.02	PASS
	Ant2	5825	52+26_OFDMA	1	-5.86	≤29.02	PASS
				2	-5.59	≤29.02	PASS
			106+26_OFDMA	3	-5.77	≤29.02	PASS
				1	-5.27	≤29.02	PASS
	Ant3	5825	52+26_OFDMA	2	-5.45	≤29.02	PASS
				1	-5.90	≤29.02	PASS
			106+26_OFDMA	2	-5.52	≤29.02	PASS
				3	-5.69	≤29.02	PASS
	total	5825	52+26_OFDMA	1	-5.11	≤29.02	PASS
				2	-5.27	≤29.02	PASS
			106+26_OFDMA	1	-1.37	≤29.02	PASS
				2	-1.05	≤29.02	PASS
	Ant1	5190	106+26_OFDMA	3	-1.26	≤29.02	PASS
				1	-0.57	≤29.02	PASS
	Ant2	5190	106+26_OFDMA	2	-0.68	≤29.02	PASS
				3	-5.81	≤16.02	PASS
			106+26_OFDMA	4	-7.07	≤16.02	PASS
				3	-4.93	≤16.02	PASS
	Ant3	5190	106+26_OFDMA	4	-5.89	≤16.02	PASS
				3	-4.80	≤16.02	PASS
	total	5190	106+26_OFDMA	4	-5.82	≤16.02	PASS
				3	-0.39	≤16.02	PASS
			106+26_OFDMA	4	-1.45	≤16.02	PASS
				3	-5.52	≤16.02	PASS
	Ant1	5230	106+26_OFDMA	4	-6.97	≤16.02	PASS
				3	-4.68	≤16.02	PASS
	Ant2	5230	106+26_OFDMA	4	-5.54	≤16.02	PASS
				3	-3.99	≤16.02	PASS
			106+26_OFDMA	4	-5.18	≤16.02	PASS
				3	0.09	≤16.02	PASS
	Ant3	5230	106+26_OFDMA	4	-1.06	≤16.02	PASS
				3	-2.19	≤10.02	PASS
	total	5270	106+26_OFDMA	4	-3.42	≤10.02	PASS
				3	-1.66	≤10.02	PASS
			106+26_OFDMA	4	-2.55	≤10.02	PASS
				3	-1.65	≤10.02	PASS
	Ant1	5270	106+26_OFDMA	4	-2.88	≤10.02	PASS
				3	2.95	≤10.02	PASS
	Ant2	5270	106+26_OFDMA	4	1.84	≤10.02	PASS
				3	-2.54	≤10.02	PASS
			106+26_OFDMA	4	-3.24	≤10.02	PASS
				3	-2.15	≤10.02	PASS

				4	-3.13	≤10.02	PASS
	Ant3	5310	106+26_OFDMA	3	-2.37	≤10.02	PASS
				4	-3.31	≤10.02	PASS
	total	5310	106+26_OFDMA	3	2.42	≤10.02	PASS
				4	1.55	≤10.02	PASS
	Ant1	5510	106+26_OFDMA	3	-4.68	≤10.02	PASS
				4	-5.48	≤10.02	PASS
	Ant2	5510	106+26_OFDMA	3	-3.58	≤10.02	PASS
				4	-4.47	≤10.02	PASS
	Ant3	5510	106+26_OFDMA	3	-3.58	≤10.02	PASS
				4	-4.67	≤10.02	PASS
	total	5510	106+26_OFDMA	3	0.85	≤10.02	PASS
				4	-0.08	≤10.02	PASS
	Ant1	5550	106+26_OFDMA	3	-3.58	≤10.02	PASS
				4	-4.33	≤10.02	PASS
	Ant2	5550	106+26_OFDMA	3	-3.12	≤10.02	PASS
				4	-3.90	≤10.02	PASS
	Ant3	5550	106+26_OFDMA	3	-2.90	≤10.02	PASS
				4	-3.88	≤10.02	PASS
	total	5550	106+26_OFDMA	3	1.58	≤10.02	PASS
				4	0.74	≤10.02	PASS
	Ant1	5670	106+26_OFDMA	3	-3.93	≤10.02	PASS
				4	-4.83	≤10.02	PASS
	Ant2	5670	106+26_OFDMA	3	-3.53	≤10.02	PASS
				4	-4.50	≤10.02	PASS
	Ant3	5670	106+26_OFDMA	3	-5.40	≤10.02	PASS
				4	-5.01	≤10.02	PASS
	total	5670	106+26_OFDMA	3	0.56	≤10.02	PASS
				4	0.00	≤10.02	PASS
	Ant1	5710_UNII-2C	106+26_OFDMA	3	-3.24	≤10.02	PASS
				4	-4.18	≤10.02	PASS
	Ant2	5710_UNII-2C	106+26_OFDMA	3	-3.36	≤10.02	PASS
				4	-4.64	≤10.02	PASS
	Ant3	5710_UNII-2C	106+26_OFDMA	3	-3.04	≤10.02	PASS
				4	-4.07	≤10.02	PASS
	total	5710_UNII-2C	106+26_OFDMA	3	1.56	≤10.02	PASS
				4	0.48	≤10.02	PASS
	Ant1	5710_UNII-3	106+26_OFDMA	3	-22.97	≤29.02	PASS
				4	-7.68	≤29.02	PASS
	Ant2	5710_UNII-3	106+26_OFDMA	3	-22.44	≤29.02	PASS
				4	-8.26	≤29.02	PASS
	Ant3	5710_UNII-3	106+26_OFDMA	3	-22.83	≤29.02	PASS
				4	-7.53	≤29.02	PASS
	total	5710_UNII-3	106+26_OFDMA	3	-17.97	≤29.02	PASS
				4	-3.04	≤29.02	PASS
	Ant1	5755	106+26_OFDMA	3	-6.02	≤29.02	PASS
				4	-7.40	≤29.02	PASS
	Ant2	5755	106+26_OFDMA	3	-5.81	≤29.02	PASS
				4	-6.94	≤29.02	PASS
	Ant3	5755	106+26_OFDMA	3	-7.22	≤29.02	PASS
				4	-8.29	≤29.02	PASS
	total	5755	106+26_OFDMA	3	-1.54	≤29.02	PASS
				4	-2.74	≤29.02	PASS
	Ant1	5795	106+26_OFDMA	3	-6.67	≤29.02	PASS
				4	-7.89	≤29.02	PASS
	Ant2	5795	106+26_OFDMA	3	-6.56	≤29.02	PASS
				4	-7.39	≤29.02	PASS
	Ant3	5795	106+26_OFDMA	3	-7.60	≤29.02	PASS
				4	-8.72	≤29.02	PASS
	total	5795	106+26_OFDMA	3	-2.15	≤29.02	PASS
				4	-3.19	≤29.02	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	484+242_Non-OFDMA	1	-7.48	≤16.02	PASS
				2	-6.44	≤16.02	PASS
				3	-6.27	≤16.02	PASS
				4	-7.17	≤16.02	PASS
	Ant2	5210	484+242_Non-OFDMA	1	-6.80	≤16.02	PASS
				2	-5.96	≤16.02	PASS
				3	-5.92	≤16.02	PASS
				4	-6.63	≤16.02	PASS
	Ant3	5210	484+242_Non-OFDMA	1	-6.43	≤16.02	PASS
				2	-5.58	≤16.02	PASS
				3	-5.62	≤16.02	PASS
				4	-6.27	≤16.02	PASS
	total	5210	484+242_Non-OFDMA	1	-2.11	≤16.02	PASS
				2	-1.21	≤16.02	PASS
				3	-1.16	≤16.02	PASS
				4	-1.90	≤16.02	PASS
	Ant1	5290	484+242_Non-OFDMA	1	-4.11	≤10.02	PASS
				2	-3.17	≤10.02	PASS
				3	-3.30	≤10.02	PASS
				4	-4.12	≤10.02	PASS
	Ant2	5290	484+242_Non-OFDMA	1	-2.77	≤10.02	PASS
				2	-1.90	≤10.02	PASS
				3	-2.02	≤10.02	PASS
				4	-2.80	≤10.02	PASS
	Ant3	5290	484+242_Non-OFDMA	1	-3.41	≤10.02	PASS
				2	-2.53	≤10.02	PASS
				3	-2.57	≤10.02	PASS
				4	-3.28	≤10.02	PASS
	total	5290	484+242_Non-OFDMA	1	1.38	≤10.02	PASS
				2	2.27	≤10.02	PASS
				3	2.17	≤10.02	PASS
				4	1.40	≤10.02	PASS
	Ant1	5530	484+242_Non-OFDMA	1	-5.47	≤10.02	PASS
				2	-4.56	≤10.02	PASS
				3	-4.68	≤10.02	PASS
				4	-5.40	≤10.02	PASS
	Ant2	5530	484+242_Non-OFDMA	1	-4.45	≤10.02	PASS
				2	-3.31	≤10.02	PASS
				3	-3.64	≤10.02	PASS
				4	-4.27	≤10.02	PASS
	Ant3	5530	484+242_Non-OFDMA	1	-4.22	≤10.02	PASS
				2	-3.43	≤10.02	PASS
				3	-3.34	≤10.02	PASS
				4	-4.14	≤10.02	PASS
	total	5530	484+242_Non-OFDMA	1	0.09	≤10.02	PASS
				2	1.04	≤10.02	PASS
				3	0.92	≤10.02	PASS
				4	0.20	≤10.02	PASS
	Ant1	5610	484+242_Non-OFDMA	1	-4.56	≤10.02	PASS
				2	-3.65	≤10.02	PASS
				3	-3.66	≤10.02	PASS
				4	-4.48	≤10.02	PASS
	Ant2	5610	484+242_Non-OFDMA	1	-3.63	≤10.02	PASS
				2	-2.92	≤10.02	PASS
				3	-2.99	≤10.02	PASS
				4	-3.65	≤10.02	PASS
	Ant3	5610	484+242_Non-OFDMA	1	-4.66	≤10.02	PASS
				2	-2.82	≤10.02	PASS
				3	-2.75	≤10.02	PASS
				4	-3.71	≤10.02	PASS
	total	5610	484+242_Non-OFDMA	1	0.51	≤10.02	PASS
				2	1.66	≤10.02	PASS

				3	1.65	≤10.02	PASS
				4	0.84	≤10.02	PASS
				1	-5.33	≤10.02	PASS
				2	-4.24	≤10.02	PASS
	Ant1	5690_UNII-2C	484+242_Non-OFDMA	3	-4.40	≤10.02	PASS
				4	-5.23	≤10.02	PASS
				1	-3.97	≤10.02	PASS
				2	-2.91	≤10.02	PASS
	Ant2	5690_UNII-2C	484+242_Non-OFDMA	3	-3.15	≤10.02	PASS
				4	-3.90	≤10.02	PASS
				1	-4.70	≤10.02	PASS
				2	-3.93	≤10.02	PASS
	Ant3	5690_UNII-2C	484+242_Non-OFDMA	3	-4.09	≤10.02	PASS
				4	-4.72	≤10.02	PASS
	total	5690_UNII-2C	484+242_Non-OFDMA	1	0.14	≤10.02	PASS
				2	1.12	≤10.02	PASS
				3	0.92	≤10.02	PASS
				4	0.19	≤10.02	PASS
	Ant1	5690_UNII-3	484+242_Non-OFDMA	1	-12.40	≤29.02	PASS
				2	-11.33	≤29.02	PASS
				3	-11.39	≤29.02	PASS
				4	-38.76	≤29.02	PASS
	Ant2	5690_UNII-3	484+242_Non-OFDMA	1	-11.22	≤29.02	PASS
				2	-10.28	≤29.02	PASS
				3	-10.31	≤29.02	PASS
				4	-38.05	≤29.02	PASS
	Ant3	5690_UNII-3	484+242_Non-OFDMA	1	-11.89	≤29.02	PASS
				2	-10.88	≤29.02	PASS
				3	-10.86	≤29.02	PASS
				4	-39.60	≤29.02	PASS
	total	5690_UNII-3	484+242_Non-OFDMA	1	-7.04	≤29.02	PASS
				2	-6.04	≤29.02	PASS
				3	-6.06	≤29.02	PASS
				4	-33.99	≤29.02	PASS
	Ant1	5775	484+242_Non-OFDMA	1	-9.72	≤29.02	PASS
				2	-9.03	≤29.02	PASS
				3	-8.79	≤29.02	PASS
				4	-9.73	≤29.02	PASS
	Ant2	5775	484+242_Non-OFDMA	1	-8.97	≤29.02	PASS
				2	-7.94	≤29.02	PASS
				3	-8.00	≤29.02	PASS
				4	-8.77	≤29.02	PASS
	Ant3	5775	484+242_Non-OFDMA	1	-10.30	≤29.02	PASS
				2	-9.40	≤29.02	PASS
				3	-9.45	≤29.02	PASS
				4	-10.30	≤29.02	PASS
	total	5775	484+242_Non-OFDMA	1	-4.86	≤29.02	PASS
				2	-3.97	≤29.02	PASS
				3	-3.93	≤29.02	PASS
				4	-4.78	≤29.02	PASS
11BE160MIMO	Ant1	5250_UNII-1	996+484_Non-OFDMA	1	-8.59	≤16.02	PASS
				2	-10.42	≤16.02	PASS
				3	-7.59	≤16.02	PASS
				4	-8.52	≤16.02	PASS
	Ant2	5250_UNII-1	996+484_Non-OFDMA	1	-7.97	≤16.02	PASS
				2	-10.14	≤16.02	PASS
				3	-6.92	≤16.02	PASS
				4	-8.11	≤16.02	PASS
	Ant3	5250_UNII-1	996+484_Non-OFDMA	1	-7.56	≤16.02	PASS
				2	-9.52	≤16.02	PASS
				3	-6.46	≤16.02	PASS
				4	-7.57	≤16.02	PASS
	total	5250_UNII-1	996+484_Non-OFDMA	1	-3.25	≤16.02	PASS
				2	-5.24	≤16.02	PASS

	Ant1	5250_UNII-2A	996+484_Non-OFDMA	3	-2.19	≤16.02	PASS
				4	-3.28	≤16.02	PASS
				1	-8.48	≤10.02	PASS
				2	-7.42	≤10.02	PASS
	Ant2	5250_UNII-2A	996+484_Non-OFDMA	3	-9.85	≤10.02	PASS
				4	-8.41	≤10.02	PASS
				1	-7.64	≤10.02	PASS
				2	-6.48	≤10.02	PASS
	Ant3	5250_UNII-2A	996+484_Non-OFDMA	3	-9.10	≤10.02	PASS
				4	-7.59	≤10.02	PASS
				1	-7.17	≤10.02	PASS
				2	-6.16	≤10.02	PASS
	total	5250_UNII-2A	996+484_Non-OFDMA	3	-8.60	≤10.02	PASS
				4	-7.39	≤10.02	PASS
				1	-2.96	≤10.02	PASS
				2	-1.88	≤10.02	PASS
	Ant1	5570	996+484_Non-OFDMA	3	-4.38	≤10.02	PASS
				4	-3.00	≤10.02	PASS
				1	-7.92	≤10.02	PASS
				2	-7.38	≤10.02	PASS
	Ant2	5570	996+484_Non-OFDMA	3	-7.07	≤10.02	PASS
				4	-7.94	≤10.02	PASS
				1	-6.54	≤10.02	PASS
				2	-5.82	≤10.02	PASS
	Ant3	5570	996+484_Non-OFDMA	3	-5.74	≤10.02	PASS
				4	-6.65	≤10.02	PASS
				1	-7.50	≤10.02	PASS
				2	-6.50	≤10.02	PASS
	total	5570	996+484_Non-OFDMA	3	-6.15	≤10.02	PASS
				4	-7.00	≤10.02	PASS
				1	-2.51	≤10.02	PASS
				2	-1.75	≤10.02	PASS
				3	-1.51	≤10.02	PASS
				4	-2.39	≤10.02	PASS

IC UNII-1:

TestMode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11A-CDD	Ant1	5180	-13.66	≤16.02	-6.68	≤10.00	PASS
	Ant2	5180	-13.07	≤16.02	-6.09	≤10.00	PASS
	Ant3	5180	-13.48	≤16.02	-6.50	≤10.00	PASS
	total	5180	-8.63	≤11.25	3.12	≤10.00	PASS
	Ant1	5200	-13.59	≤16.02	-6.61	≤10.00	PASS
	Ant2	5200	-13.16	≤16.02	-6.18	≤10.00	PASS
	Ant3	5200	-13.14	≤16.02	-6.16	≤10.00	PASS
	total	5200	-8.52	≤11.25	3.23	≤10.00	PASS
	Ant1	5240	-13.44	≤16.02	-6.46	≤10.00	PASS
	Ant2	5240	-13.18	≤16.02	-6.20	≤10.00	PASS
	Ant3	5240	-12.65	≤16.02	-5.67	≤10.00	PASS
	total	5240	-8.31	≤11.25	3.44	≤10.00	PASS
11N20MIMO	Ant1	5180	-9.17	≤16.02	-2.19	≤10.00	PASS
	Ant2	5180	-8.61	≤16.02	-1.63	≤10.00	PASS
	Ant3	5180	-8.21	≤16.02	-1.23	≤10.00	PASS
	total	5180	-3.87	≤16.02	3.11	≤10.00	PASS
	Ant1	5200	-9.13	≤16.02	-2.15	≤10.00	PASS
	Ant2	5200	-8.28	≤16.02	-1.30	≤10.00	PASS
	Ant3	5200	-8.17	≤16.02	-1.19	≤10.00	PASS
	total	5200	-3.73	≤16.02	3.25	≤10.00	PASS
	Ant1	5240	-8.76	≤16.02	-1.78	≤10.00	PASS
	Ant2	5240	-7.99	≤16.02	-1.01	≤10.00	PASS
	Ant3	5240	-7.53	≤16.02	-0.55	≤10.00	PASS
	total	5240	-3.29	≤16.02	3.69	≤10.00	PASS
11N40MIMO	Ant1	5190	-10.03	≤16.02	-3.05	≤10.00	PASS

	Ant2	5190	-9.49	≤16.02	-2.51	≤10.00	PASS
	Ant3	5190	-9.12	≤16.02	-2.14	≤10.00	PASS
	total	5190	-4.76	≤16.02	2.22	≤10.00	PASS
	Ant1	5230	-9.86	≤16.02	-2.88	≤10.00	PASS
	Ant2	5230	-9.00	≤16.02	-2.02	≤10.00	PASS
	Ant3	5230	-8.43	≤16.02	-1.45	≤10.00	PASS
	total	5230	-4.29	≤16.02	2.69	≤10.00	PASS
11AC20MIMO	Ant1	5180	-9.26	≤16.02	-2.28	≤10.00	PASS
	Ant2	5180	-8.63	≤16.02	-1.65	≤10.00	PASS
	Ant3	5180	-8.15	≤16.02	-1.17	≤10.00	PASS
	total	5180	-3.89	≤16.02	3.09	≤10.00	PASS
	Ant1	5200	-9.15	≤16.02	-2.17	≤10.00	PASS
	Ant2	5200	-8.42	≤16.02	-1.44	≤10.00	PASS
	Ant3	5200	-8.36	≤16.02	-1.38	≤10.00	PASS
	total	5200	-3.86	≤16.02	3.12	≤10.00	PASS
	Ant1	5240	-8.88	≤16.02	-1.90	≤10.00	PASS
	Ant2	5240	-8.10	≤16.02	-1.12	≤10.00	PASS
	Ant3	5240	-7.80	≤16.02	-0.82	≤10.00	PASS
	total	5240	-3.47	≤16.02	3.51	≤10.00	PASS
11AC40MIMO	Ant1	5190	-10.21	≤16.02	-3.23	≤10.00	PASS
	Ant2	5190	-9.51	≤16.02	-2.53	≤10.00	PASS
	Ant3	5190	-9.20	≤16.02	-2.22	≤10.00	PASS
	total	5190	-4.85	≤16.02	2.13	≤10.00	PASS
	Ant1	5230	-9.63	≤16.02	-2.65	≤10.00	PASS
	Ant2	5230	-9.13	≤16.02	-2.15	≤10.00	PASS
	Ant3	5230	-8.57	≤16.02	-1.59	≤10.00	PASS
11AC80MIMO	total	5230	-4.32	≤16.02	2.66	≤10.00	PASS
	Ant1	5210	-12.06	≤16.02	-5.08	≤10.00	PASS
	Ant2	5210	-11.91	≤16.02	-4.93	≤10.00	PASS
	Ant3	5210	-11.15	≤16.02	-4.17	≤10.00	PASS
11AC160MIMO	total	5210	-6.92	≤16.02	0.06	≤10.00	PASS
	Ant1	5250_UNII-1	-14.36	≤16.02	-7.38	≤10.00	PASS
	Ant2	5250_UNII-1	-13.79	≤16.02	-6.81	≤10.00	PASS
	Ant3	5250_UNII-1	-13.37	≤16.02	-6.39	≤10.00	PASS
	total	5250_UNII-1	-9.05	≤16.02	-2.07	≤10.00	PASS
	Ant1	5250_UNII-2A	-14.23	≤10.02	-7.25	---	PASS
	Ant2	5250_UNII-2A	-13.42	≤10.02	-6.44	---	PASS
11AX20MIMO	Ant3	5250_UNII-2A	-13.17	≤10.02	-6.19	---	PASS
	total	5250_UNII-2A	-8.81	≤10.02	-1.83	---	PASS
	Ant1	5180	-8.92	≤16.02	-1.94	≤10.00	PASS
	Ant2	5180	-8.57	≤16.02	-1.59	≤10.00	PASS
	Ant3	5180	-7.95	≤16.02	-0.97	≤10.00	PASS
	total	5180	-3.69	≤16.02	3.29	≤10.00	PASS
	Ant1	5200	-8.79	≤16.02	-1.81	≤10.00	PASS
	Ant2	5200	-8.22	≤16.02	-1.24	≤10.00	PASS
	Ant3	5200	-7.98	≤16.02	-1.00	≤10.00	PASS
	total	5200	-3.55	≤16.02	3.43	≤10.00	PASS
	Ant1	5240	-8.72	≤16.02	-1.74	≤10.00	PASS
11AX40MIMO	Ant2	5240	-7.91	≤16.02	-0.93	≤10.00	PASS
	Ant3	5240	-7.15	≤16.02	-0.17	≤10.00	PASS
	total	5240	-3.11	≤16.02	3.87	≤10.00	PASS
	Ant1	5190	-10.04	≤16.02	-3.06	≤10.00	PASS
11AX80MIMO	Ant2	5190	-9.48	≤16.02	-2.50	≤10.00	PASS
	Ant3	5190	-9.09	≤16.02	-2.11	≤10.00	PASS
	total	5190	-4.75	≤16.02	2.23	≤10.00	PASS
	Ant1	5210	-11.91	≤16.02	-4.93	≤10.00	PASS
11AX160MIMO	Ant2	5210	-11.39	≤16.02	-4.41	≤10.00	PASS
	Ant3	5210	-10.83	≤16.02	-3.85	≤10.00	PASS
	total	5210	-6.58	≤16.02	0.40	≤10.00	PASS
	Ant1	5250_UNII-1	-14.63	≤16.02	-7.65	≤10.00	PASS
	Ant2	5250_UNII-1	-13.83	≤16.02	-6.85	≤10.00	PASS
	Ant3	5250_UNII-1	-13.57	≤16.02	-6.59	≤10.00	PASS
	total	5250_UNII-1	-9.22	≤16.02	-2.24	≤10.00	PASS
	Ant1	5250_UNII-2A	-14.32	≤10.02	-7.34	---	PASS

	Ant2	5250_UNII-2A	-13.50	≤10.02	-6.52	---	PASS
	Ant3	5250_UNII-2A	-13.27	≤10.02	-6.29	---	PASS
	total	5250_UNII-2A	-8.90	≤10.02	-1.92	---	PASS
11BE20MIMO	Ant1	5180	-8.84	≤16.02	-1.86	≤10.00	PASS
	Ant2	5180	-8.23	≤16.02	-1.25	≤10.00	PASS
	Ant3	5180	-7.87	≤16.02	-0.89	≤10.00	PASS
	total	5180	-3.52	≤16.02	3.46	≤10.00	PASS
	Ant1	5200	-8.77	≤16.02	-1.79	≤10.00	PASS
	Ant2	5200	-8.06	≤16.02	-1.08	≤10.00	PASS
	Ant3	5200	-7.87	≤16.02	-0.89	≤10.00	PASS
	total	5200	-3.45	≤16.02	3.53	≤10.00	PASS
	Ant1	5240	-8.57	≤16.02	-1.59	≤10.00	PASS
	Ant2	5240	-7.90	≤16.02	-0.92	≤10.00	PASS
	Ant3	5240	-7.19	≤16.02	-0.21	≤10.00	PASS
	total	5240	-3.08	≤16.02	3.90	≤10.00	PASS
11BE40MIMO	Ant1	5190	-9.89	≤16.02	-2.91	≤10.00	PASS
	Ant2	5190	-9.28	≤16.02	-2.30	≤10.00	PASS
	Ant3	5190	-8.68	≤16.02	-1.70	≤10.00	PASS
	total	5190	-4.48	≤16.02	2.50	≤10.00	PASS
	Ant1	5230	-9.66	≤16.02	-2.68	≤10.00	PASS
	Ant2	5230	-8.75	≤16.02	-1.77	≤10.00	PASS
	Ant3	5230	-8.38	≤16.02	-1.40	≤10.00	PASS
	total	5230	-4.13	≤16.02	2.85	≤10.00	PASS
11BE80MIMO	Ant1	5210	-11.79	≤16.02	-4.81	≤10.00	PASS
	Ant2	5210	-11.33	≤16.02	-4.35	≤10.00	PASS
	Ant3	5210	-10.86	≤16.02	-3.88	≤10.00	PASS
	total	5210	-6.54	≤16.02	0.44	≤10.00	PASS
11BE160MIMO	Ant1	5250_UNII-1	-14.66	≤16.02	-7.68	≤10.00	PASS
	Ant2	5250_UNII-1	-13.92	≤16.02	-6.94	≤10.00	PASS
	Ant3	5250_UNII-1	-13.45	≤16.02	-6.47	≤10.00	PASS
	total	5250_UNII-1	-9.21	≤16.02	-2.23	≤10.00	PASS
	Ant1	5250_UNII-2A	-14.23	≤10.02	-7.25	---	PASS
	Ant2	5250_UNII-2A	-13.48	≤10.02	-6.50	---	PASS
	Ant3	5250_UNII-2A	-13.41	≤10.02	-6.43	---	PASS
	total	5250_UNII-2A	-8.92	≤10.02	-1.94	---	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE20MIMO	Ant1	5180	52+26_OFDMA	1	-9.37	≤10.02	PASS
				2	-9.36	≤10.02	PASS
				3	-9.48	≤10.02	PASS
			106+26_OFDMA	1	-8.84	≤10.02	PASS
				2	-9.03	≤10.02	PASS
				3	-8.70	≤10.02	PASS
	Ant2	5180	52+26_OFDMA	1	-8.70	≤10.02	PASS
				2	-8.57	≤10.02	PASS
				3	-8.65	≤10.02	PASS
			106+26_OFDMA	1	-8.19	≤10.02	PASS
				2	-8.21	≤10.02	PASS
				3	-8.65	≤10.02	PASS
	Ant3	5180	52+26_OFDMA	1	-8.65	≤10.02	PASS
				2	-8.53	≤10.02	PASS
				3	-8.49	≤10.02	PASS
			106+26_OFDMA	1	-8.06	≤10.02	PASS
				2	-7.77	≤10.02	PASS
				3	-4.12	≤10.02	PASS
	total	5180	52+26_OFDMA	1	-4.12	≤10.02	PASS
				2	-4.03	≤10.02	PASS
				3	-4.08	≤10.02	PASS
			106+26_OFDMA	1	-3.58	≤10.02	PASS
				2	-3.53	≤10.02	PASS
				3	-3.58	≤10.02	PASS
	Ant1	5200	52+26_OFDMA	1	-9.58	≤10.02	PASS
				2	-9.37	≤10.02	PASS
				3	-9.57	≤10.02	PASS
			106+26_OFDMA	1	-9.06	≤10.02	PASS
				2	-9.04	≤10.02	PASS
				3	-9.04	≤10.02	PASS
	Ant2	5200	52+26_OFDMA	1	-8.95	≤10.02	PASS

			106+26_OFDMA	2	-8.50	≤10.02	PASS
				3	-8.73	≤10.02	PASS
				1	-8.24	≤10.02	PASS
	Ant3	5200	52+26_OFDMA	2	-8.49	≤10.02	PASS
				1	-8.64	≤10.02	PASS
				2	-8.53	≤10.02	PASS
		5200	106+26_OFDMA	3	-8.81	≤10.02	PASS
				1	-8.24	≤10.02	PASS
				2	-8.03	≤10.02	PASS
	total	5200	52+26_OFDMA	1	-4.27	≤10.02	PASS
				2	-4.01	≤10.02	PASS
				3	-4.25	≤10.02	PASS
		5200	106+26_OFDMA	1	-3.73	≤10.02	PASS
				2	-3.73	≤10.02	PASS
	Ant1	5240	52+26_OFDMA	1	-8.91	≤10.02	PASS
				2	-8.88	≤10.02	PASS
				3	-8.92	≤10.02	PASS
		5240	106+26_OFDMA	1	-8.61	≤10.02	PASS
				2	-8.43	≤10.02	PASS
	Ant2	5240	52+26_OFDMA	1	-8.46	≤10.02	PASS
				2	-8.20	≤10.02	PASS
				3	-8.54	≤10.02	PASS
		5240	106+26_OFDMA	1	-8.05	≤10.02	PASS
				2	-7.95	≤10.02	PASS
	Ant3	5240	52+26_OFDMA	1	-8.02	≤10.02	PASS
				2	-7.94	≤10.02	PASS
				3	-8.00	≤10.02	PASS
		5240	106+26_OFDMA	1	-7.49	≤10.02	PASS
				2	-7.31	≤10.02	PASS
	total	5240	52+26_OFDMA	1	-3.68	≤10.02	PASS
				2	-3.55	≤10.02	PASS
				3	-3.70	≤10.02	PASS
		5240	106+26_OFDMA	1	-3.25	≤10.02	PASS
				2	-3.10	≤10.02	PASS
11BE40MIMO	Ant1	5190	106+26_OFDMA	3	-10.30	≤10.02	PASS
				4	-11.01	≤10.02	PASS
	Ant2	5190	106+26_OFDMA	3	-10.00	≤10.02	PASS
				4	-10.89	≤10.02	PASS
	Ant3	5190	106+26_OFDMA	3	-9.43	≤10.02	PASS
				4	-10.32	≤10.02	PASS
	total	5190	106+26_OFDMA	3	-5.12	≤10.02	PASS
				4	-5.96	≤10.02	PASS
	Ant1	5230	106+26_OFDMA	3	-10.08	≤10.02	PASS
				4	-11.11	≤10.02	PASS
	Ant2	5230	106+26_OFDMA	3	-9.95	≤10.02	PASS
				4	-10.84	≤10.02	PASS
	Ant3	5230	106+26_OFDMA	3	-9.32	≤10.02	PASS
				4	-10.32	≤10.02	PASS
	total	5230	106+26_OFDMA	3	-5.00	≤10.02	PASS
				4	-5.97	≤10.02	PASS

Test Mode	Antenna	Channel	Mru Type	Mru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Verdict
11BE80MIMO	Ant1	5210	484+242_Non-OFDMA	1	-11.83	≤16.02	PASS
				2	-11.14	≤16.02	PASS
				3	-11.12	≤16.02	PASS
				4	-11.91	≤16.02	PASS
	Ant2	5210	484+242_Non-OFDMA	1	-11.97	≤16.02	PASS
				2	-11.26	≤16.02	PASS
				3	-11.21	≤16.02	PASS
				4	-12.05	≤16.02	PASS
	Ant3	5210	484+242_Non-	1	-11.63	≤16.02	PASS


			OFDMA	2	-10.72	≤16.02	PASS
				3	-10.75	≤16.02	PASS
				4	-11.52	≤16.02	PASS
				1	-7.04	≤16.02	PASS
	total	5210	484+242_Non-OFDMA	2	-6.26	≤16.02	PASS
				3	-6.25	≤16.02	PASS
				4	-7.05	≤16.02	PASS
				1	-13.83	≤16.02	PASS
11BE160MIMO	Ant1	5250_UNII-1	996+484_Non-OFDMA	2	-15.90	≤16.02	PASS
				3	-12.90	≤16.02	PASS
				4	-13.87	≤16.02	PASS
				1	-13.49	≤16.02	PASS
	Ant2	5250_UNII-1	996+484_Non-OFDMA	2	-15.82	≤16.02	PASS
				3	-12.77	≤16.02	PASS
				4	-13.84	≤16.02	PASS
				1	-13.26	≤16.02	PASS
	Ant3	5250_UNII-1	996+484_Non-OFDMA	2	-15.40	≤16.02	PASS
				3	-12.34	≤16.02	PASS
				4	-13.20	≤16.02	PASS
				1	-8.75	≤16.02	PASS
	total	5250_UNII-1	996+484_Non-OFDMA	2	-10.93	≤16.02	PASS
				3	-7.89	≤16.02	PASS
				4	-8.85	≤16.02	PASS
				1	-13.73	≤10.02	PASS
	Ant1	5250_UNII-2A	996+484_Non-OFDMA	2	-12.70	≤10.02	PASS
				3	-14.90	≤10.02	PASS
				4	-13.53	≤10.02	PASS
				1	-13.53	≤10.02	PASS
	Ant2	5250_UNII-2A	996+484_Non-OFDMA	2	-12.41	≤10.02	PASS
				3	-14.77	≤10.02	PASS
				4	-13.69	≤10.02	PASS
				1	-13.02	≤10.02	PASS
	Ant3	5250_UNII-2A	996+484_Non-OFDMA	2	-12.03	≤10.02	PASS
				3	-14.56	≤10.02	PASS
				4	-13.31	≤10.02	PASS
				1	-8.65	≤10.02	PASS
	total	5250_UNII-2A	996+484_Non-OFDMA	2	-7.60	≤10.02	PASS
				3	-9.97	≤10.02	PASS
				4	-8.74	≤10.02	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.


2.The Duty Cycle Factor is compensated in the graph.


9.5. Test graphs

FCC UNII-1/ UNII-2A/UNII-2C/UNII-3and IC band UNII-2A/UNII-2C/UNII-3:












11A-CDD_Ant2_5260




11A-CDD_Ant3_5260




11A-CDD_Ant1_5280



11A-CDD_Ant2_5280





11A-CDD_Ant3_5280




11A-CDD_Ant1_5320
















11A-CDD Ant2_5720_UNII-3



11A-CDD Ant3_5720_UNII-3



11A-CDD Ant1_5745