


3-in-1 AI Translator Earbuds


TransAI Genie G01




Instruction Manual

English

Product Overview




Package Contents



Quick Start Guide


1. Watch the Quick Start Video Guide

Visit www.transai.ai/setup or scan the QR code to view the quick start video and the digital manual.




2. Download the Official App

Scan the QR code to download the app and enjoy real-time translation services. The app is updated weekly for an optimal experience.



3. Get Technical Support

For any product-related issues, please visit www.transai.ai/support



Power On & Bluetooth Pairing Guide

Take out the earbuds

Remove both earbuds from the charging case, and ensure the case and earbuds are powered on.

Open the charging case

Press and hold the button on the charging case for about 5 seconds to power on. If not yet paired, earbuds enter pairing mode automatically.

Enable Bluetooth on your phone and pair

Enable Bluetooth on your phone. Go to Settings > Bluetooth, and select "TransAI Genie G01" to connect.

Download and add the device in the app

Scan the QR code to download the app and follow the instructions to add the earbuds.

Start using the translation feature

After adding the device, enable the translation feature in the app to enjoy real-time voice translation.

Multiple Translation Modes

The app is regularly updated and optimized. Please refer to the in-app content for the most accurate features and modes.

Real-time Subtitle Translation

Voice is transcribed and translated in real time, displayed on the charging case screen, allowing listening and viewing simultaneously.

The screen supports 10 major subtitle languages; the app supports over 150 translation languages.

Speaker Mode

One person wears the earbud, the other uses the phone for real-time voice translation.

Two people wear one earbud each to engage in natural two-way conversation.

Free Talk Mode

Two people wear one earbud each to engage in natural two-way conversation.

Two people wear one earbud each and take turns tapping to translate. Ideal for meetings and business settings.

Listening Mode

Place the phone near the speaker, and the earbud plays translated content.

Suitable for foreign videos, lectures, or conference listening.

Screen Display Functions

Basic Operations

Power On

Press and hold the case button for about 5 seconds to turn on earbuds and screen.

Power Off

With the screen on, press and hold the button for 5 seconds to shut down.

Translation Screen

Press the screen power button to unlock and enter the translation screen. It guides pairing, connection, and translation start.

Volume Control

16 volume levels supported; Bluetooth music volume can be adjusted (only iOS supports sync with phone volume).

Music Playback Control

The screen shows current playback status; control play/pause/track change, and supports lyrics display (depends on music format).

Equalizer Mode

Tap to enable audio effect mode, switch between 5 standard, Rock, Pop, Jazz, and more.

Settings Menu

Lock Screen Wallpaper

Change the default wallpaper for lock screen.

Time Setting

Set year, month, day, hour, minute, second.

Auto Sleep Time

Choose auto-off time (4 levels available).

Unpair Bluetooth

Clears current Bluetooth pairing to allow reconnection.

About Device

View name, firmware, and MAC address.

Language Setting

Offers 4 language interfaces, swipe to change.

Brightness Setting

4 brightness levels, adjustable via left/right buttons.

Find Earbuds

Tap left/right to locate earbuds; they will emit sound.

Factory Reset

Restore factory default settings.

Connect to Another Device

1. Turn off Bluetooth on the currently connected device.
2. Place the earbuds in the charging case, close the lid, then reopen. The earbuds will enter pairing mode.
3. On the new device, search for "TransAI Genie G01" and connect.

Auto Reconnection

When within connection range, the earbuds will automatically reconnect to previously paired Bluetooth devices upon powering on.

Disconnection Scenarios

If Bluetooth is turned off, out of range, or earbuds are placed in the case and the lid is closed, the earbuds will disconnect automatically.

Volume Sync

After connecting, sync the volume settings of the Bluetooth device with the phone (iOS devices only).

Wearing

Take out the earbuds

Place the earbuds back into the charging case and close the lid. The earbuds will automatically disconnect, power off, and begin charging.

If the earbuds are in pairing mode and outside the charging case, they will automatically power off if not connected to a device within 5 minutes.

Connection

First-Time Connection

When powered on with no previous pairing record, the left and right earbuds will automatically enter pairing mode. Open the mobile phone Bluetooth and search for "TransAI Genie G01" to connect to the earbuds.

Tip: When not paired, the earbuds will emit a "beep" sound. If the connection fails, place the earbuds back into the charging case, close the lid, and repeat the above steps.

Charging the Earbuds:

Place the earbuds into the charging case; they will automatically begin charging.

Charging the Charging Case:

Insert a Type-C charging cable. Both the earbuds and the case will charge simultaneously.

The screen will display the charging status during charging.

Power On

Ensure the charging case has power and the earbuds are inside. Open the case and remove the earbuds — they will power on automatically.

Reset Pairing

Wake Voice Assistant

Long press either earbud for ~2 seconds to activate system assistant (e.g., Siri). Clear Pairing Info: When earbuds are on but not connected (or connected), tap either earbud 6 times quickly to erase pairing info and power off.

Product Specifications

Model: TransAI Genie G01
Wireless Version: V5.4
Communication Range: 10 meters (in open, unobstructed environments)
Wireless Frequency: 2.402-2.480 GHz
Charging Case Capacity: 500mAh

General Functions

Tips

1. In cold dry weather, touch controls may be less responsive.
2. The touch area is sensitive; accidental touches may trigger play/pause.

Call Functions

Answer a call: Double-tap the touch area on either earbud.
Hang up: During a call, double-tap either earbud.
Reject a call: Long press either earbud for about 2 seconds.

Music Control


Play/Pause Music: Double-tap either earbud.
Previous Track: Triple-tap the left earbud.
Next Track: Triple-tap the right earbud.

Volume

Volume Up: Tap the left earbud during music playback.
Volume Down: Tap the right earbud during music playback.

三合一AI翻译耳机


TransAI Genie G01



使用说明书

中文

产品介绍



配件清单



产品快速上手

1. 观看视频指南

访问 www.transai.ai/setup, 扫码查看快速上手视频和电子说明书。



2. 下载专属App

扫码下载App, 享受实时翻译服务。App每周更新, 体验始终领先。



3. 获取技术支持

如有产品相关问题, 请访问 www.transai.ai/support



开机与蓝牙配对指南

开启充电仓

长按充电仓上的按钮约5秒开机。若设备尚未配对, 左右耳机会自动进入配对状态。

取出耳机

从充电仓中取出两只耳机, 确保充电仓与耳机均处于开启状态。

手机开启蓝牙并配对

打开手机蓝牙, 在【设置】-【蓝牙】中选择 "TransAI Genie G01" 进行连接。

下载并添加设备

扫描右侧二维码, 下载App并按提示添加耳机设备。

开始使用翻译功能

添加完成后, 即可在App中启用翻译功能, 享受实时语音翻译体验。

多种翻译场景

(App 功能将定期优化, 具体模式请以应用内为准)

实时翻译字幕

将语音翻译结果实时转为文字, 并显示在充电仓的屏幕上, 支持边听边看。

说话模式

两人各佩戴一只耳机, 另一人使用手机进行实时语音翻译。

自由说话模式

两人各佩戴一只耳机, 即可进行自然双向对话翻译。

触控模式

两人各佩戴一只耳机, 通过轮流触控耳机进行交替翻译内容, 适用于会议、商务等场景。

听译模式

将手机靠近对方耳机, 通过耳机播放翻译内容, 适用于外语听力训练、课堂或会议等场合。

屏显功能

基本操作

开机

长按充电仓上的按钮约5秒, 开启耳机与显示屏。

翻译屏

按下屏幕电源键后, 解锁进入翻译屏, 可指导耳机配对、连接、开启翻译。

音量调节

共16级音量, 支持蓝牙音乐播放时调节 (仅iOS系统支持与手机音量同步)。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

语言设置

提供4种语言界面, 支持通过左右切换选择。

查找耳机

点击左右键分别查找耳机位置, 耳机会发出提示音, 方便定位。

解除蓝牙配对

进入设置后可清除当前蓝牙配对信息, 准备重新连接。

恢复出厂设置

恢复设备初始状态, 清除所有个性化设置。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

查看设备名称、固件版本及充电仓 MAC 地址等详细信息。

解锁壁纸

可切换默认壁纸, 设定为锁屏背景。

时间设置

设置年、月、日、小时、分钟和秒数, 保存后全系统同步显示。

亮度调节

共4级亮度, 可通过左右按钮调节。

息屏时间设置

可选择屏幕自动息屏的时长(共4档可选)。

关于本机

FCC Caution:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception,

which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

The device has been evaluated to meet general RF exposure requirement. The device can be used in portable exposure condition without restriction.