



Domino antenna




S11 SWR Parameters




Gain and Efficiency

Freq. (MHz)	Gain (dBi)	Efficiency (%)	Efficiency (dB)
1550.0	-3.04	30.0%	-5.23
1560.0	-2.54	30.7%	-5.12
1570.0	-1.97	31.7%	-4.99
1580.0	-1.57	31.9%	-4.96
1590.0	-1.63	34.2%	-4.65
1600.0	-1.42	34.9%	-4.57
1610.0	-1.79	31.5%	-5.02
1620.0	-1.74	32.8%	-4.84
1630.0	-1.65	32.5%	-4.88
2400.0	-6.83	15.6%	-8.07
2410.0	-6.41	17.6%	-7.55
2420.0	-6.33	18.1%	-7.43
2430.0	-5.97	18.6%	-7.30
2440.0	-5.57	18.3%	-7.37
2450.0	-5.29	17.7%	-7.52
2460.0	-5.05	17.2%	-7.66
2470.0	-5.17	15.9%	-7.98
2480.0	-4.76	18.2%	-7.40
2490.0	-4.60	19.3%	-7.15
2500.0	-4.74	17.6%	-7.55


Antenna radiation pattern GPS/1575.42MHZ




T90-P0






T90-P90







T90-P180



T90-P270




Antenna radiation pattern WIFI/BT-2400-2500MHZ



Antenna Dimensions

Unit: mm



Thank you!



**Address: 4th Floor, Building 2, Nantai Cloud Innovation
Valley, Guangming Avenue, Guangming New District,
Shenzhen City**