




Band5-4233-2-1000~10000MHz-PASS



Band5-4233-3-1000~10000MHz-PASS



Band5-4233-4-1000~10000MHz-PASS



Band5-4233-5-1000~10000MHz-PASS



6: Frequency Stability

Test Result

Voltage(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	VH	NT	5.37	0.006498	±2.5	PASS
Band5	4132	VL	NT	-2.77	-0.003352	±2.5	PASS
Band5	4132	VN	NT	0.41	0.000496	±2.5	PASS
Band5	4182	VH	NT	-1.52	-0.001817	±2.5	PASS
Band5	4182	VL	NT	0.89	0.001064	±2.5	PASS
Band5	4182	VN	NT	-0.31	-0.000371	±2.5	PASS
Band5	4233	VH	NT	0.08	0.000094	±2.5	PASS
Band5	4233	VL	NT	2.97	0.003508	±2.5	PASS
Band5	4233	VN	NT	1.82	0.002150	±2.5	PASS

Temperature(WCDMA)							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	NV	0	-1.07	-0.001295	±2.5	PASS
Band5	4132	NV	10	-0.99	-0.001198	±2.5	PASS
Band5	4132	NV	-10	-1.55	-0.001876	±2.5	PASS
Band5	4132	NV	20	-1.68	-0.002033	±2.5	PASS
Band5	4132	NV	-20	1.19	0.001440	±2.5	PASS
Band5	4132	NV	30	1.10	0.001331	±2.5	PASS
Band5	4132	NV	-30	-0.58	-0.000702	±2.5	PASS
Band5	4132	NV	40	2.07	0.002505	±2.5	PASS
Band5	4132	NV	50	1.02	0.001234	±2.5	PASS
Band5	4182	NV	0	2.40	0.002869	±2.5	PASS
Band5	4182	NV	10	-4.03	-0.004818	±2.5	PASS
Band5	4182	NV	-10	-1.93	-0.002308	±2.5	PASS
Band5	4182	NV	20	-2.14	-0.002559	±2.5	PASS
Band5	4182	NV	-20	-1.47	-0.001758	±2.5	PASS
Band5	4182	NV	30	0.43	0.000514	±2.5	PASS
Band5	4182	NV	-30	-1.24	-0.001483	±2.5	PASS
Band5	4182	NV	40	0.84	0.001004	±2.5	PASS
Band5	4182	NV	50	-0.57	-0.000681	±2.5	PASS
Band5	4233	NV	0	-0.87	-0.001028	±2.5	PASS
Band5	4233	NV	10	0.00	0.000000	±2.5	PASS
Band5	4233	NV	-10	1.07	0.001264	±2.5	PASS
Band5	4233	NV	20	0.26	0.000307	±2.5	PASS
Band5	4233	NV	-20	2.43	0.002870	±2.5	PASS
Band5	4233	NV	30	0.63	0.000744	±2.5	PASS
Band5	4233	NV	-30	2.20	0.002599	±2.5	PASS
Band5	4233	NV	40	2.83	0.003343	±2.5	PASS
Band5	4233	NV	50	2.12	0.002504	±2.5	PASS

Voltage(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VH	NT	2.71	0.003279	±2.5	PASS
Band5	4132	1	VL	NT	3.18	0.003848	±2.5	PASS
Band5	4132	1	VN	NT	1.14	0.001379	±2.5	PASS
Band5	4132	2	VH	NT	0.23	0.000278	±2.5	PASS
Band5	4132	2	VL	NT	-0.68	-0.000823	±2.5	PASS
Band5	4132	2	VN	NT	0.69	0.000835	±2.5	PASS
Band5	4132	3	VH	NT	-0.47	-0.000569	±2.5	PASS
Band5	4132	3	VL	NT	-0.59	-0.000714	±2.5	PASS
Band5	4132	3	VN	NT	0.33	0.000399	±2.5	PASS
Band5	4132	4	VH	NT	2.04	0.002469	±2.5	PASS
Band5	4132	4	VL	NT	4.03	0.004877	±2.5	PASS
Band5	4132	4	VN	NT	-0.16	-0.000194	±2.5	PASS
Band5	4182	1	VH	NT	2.22	0.002654	±2.5	PASS
Band5	4182	1	VL	NT	0.69	0.000825	±2.5	PASS
Band5	4182	1	VN	NT	1.97	0.002355	±2.5	PASS
Band5	4182	2	VH	NT	3.60	0.004304	±2.5	PASS
Band5	4182	2	VL	NT	2.27	0.002714	±2.5	PASS
Band5	4182	2	VN	NT	-0.46	-0.000550	±2.5	PASS
Band5	4182	3	VH	NT	-0.09	-0.000108	±2.5	PASS
Band5	4182	3	VL	NT	0.63	0.000753	±2.5	PASS
Band5	4182	3	VN	NT	2.60	0.003109	±2.5	PASS
Band5	4182	4	VH	NT	-0.15	-0.000179	±2.5	PASS
Band5	4182	4	VL	NT	-0.93	-0.001112	±2.5	PASS
Band5	4182	4	VN	NT	-1.82	-0.002176	±2.5	PASS
Band5	4233	1	VH	NT	1.84	0.002173	±2.5	PASS
Band5	4233	1	VL	NT	1.60	0.001890	±2.5	PASS
Band5	4233	1	VN	NT	1.75	0.002067	±2.5	PASS
Band5	4233	2	VH	NT	2.54	0.003000	±2.5	PASS
Band5	4233	2	VL	NT	0.63	0.000744	±2.5	PASS
Band5	4233	2	VN	NT	2.73	0.003225	±2.5	PASS
Band5	4233	3	VH	NT	0.34	0.000402	±2.5	PASS
Band5	4233	3	VL	NT	2.70	0.003189	±2.5	PASS
Band5	4233	3	VN	NT	0.62	0.000732	±2.5	PASS
Band5	4233	4	VH	NT	1.32	0.001559	±2.5	PASS
Band5	4233	4	VL	NT	3.29	0.003886	±2.5	PASS
Band5	4233	4	VN	NT	2.31	0.002729	±2.5	PASS

Temperature(WCDMA_HSDPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict

Band5	4132	1	NV	0	-1.52	-0.001839	±2.5	PASS
Band5	4132	1	NV	10	4.13	0.004998	±2.5	PASS
Band5	4132	1	NV	-10	-0.13	-0.000157	±2.5	PASS
Band5	4132	1	NV	20	4.25	0.005143	±2.5	PASS
Band5	4132	1	NV	-20	2.30	0.002783	±2.5	PASS
Band5	4132	1	NV	30	4.86	0.005881	±2.5	PASS
Band5	4132	1	NV	-30	-0.69	-0.000835	±2.5	PASS
Band5	4132	1	NV	40	1.39	0.001682	±2.5	PASS
Band5	4132	1	NV	50	1.30	0.001573	±2.5	PASS
Band5	4132	2	NV	0	2.27	0.002747	±2.5	PASS
Band5	4132	2	NV	10	1.22	0.001476	±2.5	PASS
Band5	4132	2	NV	-10	-1.78	-0.002154	±2.5	PASS
Band5	4132	2	NV	20	0.80	0.000968	±2.5	PASS
Band5	4132	2	NV	-20	1.96	0.002372	±2.5	PASS
Band5	4132	2	NV	30	1.01	0.001222	±2.5	PASS
Band5	4132	2	NV	-30	1.16	0.001404	±2.5	PASS
Band5	4132	2	NV	40	-0.39	-0.000472	±2.5	PASS
Band5	4132	2	NV	50	0.30	0.000363	±2.5	PASS
Band5	4132	3	NV	0	-0.03	-0.000036	±2.5	PASS
Band5	4132	3	NV	10	2.03	0.002456	±2.5	PASS
Band5	4132	3	NV	-10	2.92	0.003533	±2.5	PASS
Band5	4132	3	NV	20	2.48	0.003001	±2.5	PASS
Band5	4132	3	NV	-20	-1.33	-0.001609	±2.5	PASS
Band5	4132	3	NV	30	0.68	0.000823	±2.5	PASS
Band5	4132	3	NV	-30	-1.87	-0.002263	±2.5	PASS
Band5	4132	3	NV	40	-0.75	-0.000908	±2.5	PASS
Band5	4132	3	NV	50	-2.95	-0.003570	±2.5	PASS
Band5	4132	4	NV	0	0.89	0.001077	±2.5	PASS
Band5	4132	4	NV	10	0.29	0.000351	±2.5	PASS
Band5	4132	4	NV	-10	1.13	0.001367	±2.5	PASS
Band5	4132	4	NV	20	0.31	0.000375	±2.5	PASS
Band5	4132	4	NV	-20	2.00	0.002420	±2.5	PASS
Band5	4132	4	NV	30	-1.86	-0.002251	±2.5	PASS
Band5	4132	4	NV	-30	1.72	0.002081	±2.5	PASS
Band5	4132	4	NV	40	3.93	0.004756	±2.5	PASS
Band5	4132	4	NV	50	5.29	0.006401	±2.5	PASS
Band5	4182	1	NV	0	2.85	0.003407	±2.5	PASS
Band5	4182	1	NV	10	5.40	0.006456	±2.5	PASS
Band5	4182	1	NV	-10	-0.12	-0.000143	±2.5	PASS
Band5	4182	1	NV	20	0.51	0.000610	±2.5	PASS
Band5	4182	1	NV	-20	-0.22	-0.000263	±2.5	PASS
Band5	4182	1	NV	30	1.03	0.001231	±2.5	PASS
Band5	4182	1	NV	-30	1.23	0.001471	±2.5	PASS

Band5	4182	1	NV	40	4.74	0.005667	±2.5	PASS
Band5	4182	1	NV	50	7.47	0.008931	±2.5	PASS
Band5	4182	2	NV	0	1.29	0.001542	±2.5	PASS
Band5	4182	2	NV	10	-0.49	-0.000586	±2.5	PASS
Band5	4182	2	NV	-10	-0.34	-0.000407	±2.5	PASS
Band5	4182	2	NV	20	0.36	0.000430	±2.5	PASS
Band5	4182	2	NV	-20	-0.06	-0.000072	±2.5	PASS
Band5	4182	2	NV	30	1.07	0.001279	±2.5	PASS
Band5	4182	2	NV	-30	0.42	0.000502	±2.5	PASS
Band5	4182	2	NV	40	1.71	0.002044	±2.5	PASS
Band5	4182	2	NV	50	0.38	0.000454	±2.5	PASS
Band5	4182	3	NV	0	1.72	0.002056	±2.5	PASS
Band5	4182	3	NV	10	1.42	0.001698	±2.5	PASS
Band5	4182	3	NV	-10	1.71	0.002044	±2.5	PASS
Band5	4182	3	NV	20	-0.10	-0.000120	±2.5	PASS
Band5	4182	3	NV	-20	0.56	0.000670	±2.5	PASS
Band5	4182	3	NV	30	-1.10	-0.001315	±2.5	PASS
Band5	4182	3	NV	-30	2.56	0.003061	±2.5	PASS
Band5	4182	3	NV	40	-0.83	-0.000992	±2.5	PASS
Band5	4182	3	NV	50	2.93	0.003503	±2.5	PASS
Band5	4182	4	NV	0	0.78	0.000933	±2.5	PASS
Band5	4182	4	NV	10	1.07	0.001279	±2.5	PASS
Band5	4182	4	NV	-10	-1.30	-0.001554	±2.5	PASS
Band5	4182	4	NV	20	0.33	0.000395	±2.5	PASS
Band5	4182	4	NV	-20	0.04	0.000048	±2.5	PASS
Band5	4182	4	NV	30	2.23	0.002666	±2.5	PASS
Band5	4182	4	NV	-30	1.87	0.002236	±2.5	PASS
Band5	4182	4	NV	40	3.04	0.003635	±2.5	PASS
Band5	4182	4	NV	50	1.88	0.002248	±2.5	PASS
Band5	4233	1	NV	0	0.99	0.001169	±2.5	PASS
Band5	4233	1	NV	10	-0.30	-0.000354	±2.5	PASS
Band5	4233	1	NV	-10	0.14	0.000165	±2.5	PASS
Band5	4233	1	NV	20	0.68	0.000803	±2.5	PASS
Band5	4233	1	NV	-20	1.26	0.001488	±2.5	PASS
Band5	4233	1	NV	30	-1.12	-0.001323	±2.5	PASS
Band5	4233	1	NV	-30	-1.46	-0.001725	±2.5	PASS
Band5	4233	1	NV	40	-1.90	-0.002244	±2.5	PASS
Band5	4233	1	NV	50	-3.00	-0.003544	±2.5	PASS
Band5	4233	2	NV	0	-1.78	-0.002103	±2.5	PASS
Band5	4233	2	NV	10	-0.17	-0.000201	±2.5	PASS
Band5	4233	2	NV	-10	1.44	0.001701	±2.5	PASS
Band5	4233	2	NV	20	2.12	0.002504	±2.5	PASS
Band5	4233	2	NV	-20	1.12	0.001323	±2.5	PASS

Band5	4233	2	NV	30	1.34	0.001583	±2.5	PASS
Band5	4233	2	NV	-30	2.09	0.002469	±2.5	PASS
Band5	4233	2	NV	40	-0.61	-0.000721	±2.5	PASS
Band5	4233	2	NV	50	0.72	0.000850	±2.5	PASS
Band5	4233	3	NV	0	-0.44	-0.000520	±2.5	PASS
Band5	4233	3	NV	10	0.57	0.000673	±2.5	PASS
Band5	4233	3	NV	-10	0.08	0.000094	±2.5	PASS
Band5	4233	3	NV	20	-0.01	-0.000012	±2.5	PASS
Band5	4233	3	NV	-20	-0.40	-0.000472	±2.5	PASS
Band5	4233	3	NV	30	-0.14	-0.000165	±2.5	PASS
Band5	4233	3	NV	-30	1.46	0.001725	±2.5	PASS
Band5	4233	3	NV	40	-0.65	-0.000768	±2.5	PASS
Band5	4233	3	NV	50	-3.32	-0.003922	±2.5	PASS
Band5	4233	4	NV	0	0.71	0.000839	±2.5	PASS
Band5	4233	4	NV	10	-1.62	-0.001914	±2.5	PASS
Band5	4233	4	NV	-10	-0.64	-0.000756	±2.5	PASS
Band5	4233	4	NV	20	0.64	0.000756	±2.5	PASS
Band5	4233	4	NV	-20	1.90	0.002244	±2.5	PASS
Band5	4233	4	NV	30	0.07	0.000083	±2.5	PASS
Band5	4233	4	NV	-30	1.94	0.002292	±2.5	PASS
Band5	4233	4	NV	40	0.58	0.000685	±2.5	PASS
Band5	4233	4	NV	50	-0.06	-0.000071	±2.5	PASS

Voltage(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	VH	NT	0.67	0.000811	±2.5	PASS
Band5	4132	1	VL	NT	0.91	0.001101	±2.5	PASS
Band5	4132	1	VN	NT	-1.86	-0.002251	±2.5	PASS
Band5	4132	2	VH	NT	0.59	0.000714	±2.5	PASS
Band5	4132	2	VL	NT	1.07	0.001295	±2.5	PASS
Band5	4132	2	VN	NT	-0.93	-0.001125	±2.5	PASS
Band5	4132	3	VH	NT	-0.54	-0.000653	±2.5	PASS
Band5	4132	3	VL	NT	3.13	0.003788	±2.5	PASS
Band5	4132	3	VN	NT	-1.68	-0.002033	±2.5	PASS
Band5	4132	4	VH	NT	1.14	0.001379	±2.5	PASS
Band5	4132	4	VL	NT	-2.46	-0.002977	±2.5	PASS
Band5	4132	4	VN	NT	2.32	0.002807	±2.5	PASS
Band5	4132	5	VH	NT	1.62	0.001960	±2.5	PASS
Band5	4132	5	VL	NT	-2.86	-0.003461	±2.5	PASS
Band5	4132	5	VN	NT	-2.35	-0.002844	±2.5	PASS
Band5	4182	1	VH	NT	0.64	0.000765	±2.5	PASS
Band5	4182	1	VL	NT	1.65	0.001973	±2.5	PASS
Band5	4182	1	VN	NT	-2.40	-0.002869	±2.5	PASS
Band5	4182	2	VH	NT	-2.40	-0.002869	±2.5	PASS
Band5	4182	2	VL	NT	0.26	0.000311	±2.5	PASS
Band5	4182	2	VN	NT	-1.92	-0.002296	±2.5	PASS
Band5	4182	3	VH	NT	-2.10	-0.002511	±2.5	PASS
Band5	4182	3	VL	NT	0.61	0.000729	±2.5	PASS
Band5	4182	3	VN	NT	0.31	0.000371	±2.5	PASS
Band5	4182	4	VH	NT	0.78	0.000933	±2.5	PASS
Band5	4182	4	VL	NT	1.24	0.001483	±2.5	PASS
Band5	4182	4	VN	NT	2.45	0.002929	±2.5	PASS
Band5	4182	5	VH	NT	1.13	0.001351	±2.5	PASS
Band5	4182	5	VL	NT	3.21	0.003838	±2.5	PASS
Band5	4182	5	VN	NT	2.45	0.002929	±2.5	PASS
Band5	4233	1	VH	NT	-0.73	-0.000862	±2.5	PASS
Band5	4233	1	VL	NT	0.31	0.000366	±2.5	PASS
Band5	4233	1	VN	NT	-0.86	-0.001016	±2.5	PASS
Band5	4233	2	VH	NT	0.54	0.000638	±2.5	PASS
Band5	4233	2	VL	NT	0.79	0.000933	±2.5	PASS
Band5	4233	2	VN	NT	-1.07	-0.001264	±2.5	PASS
Band5	4233	3	VH	NT	-2.61	-0.003083	±2.5	PASS
Band5	4233	3	VL	NT	0.24	0.000283	±2.5	PASS
Band5	4233	3	VN	NT	-0.19	-0.000224	±2.5	PASS
Band5	4233	4	VH	NT	-2.16	-0.002551	±2.5	PASS

Band5	4233	4	VL	NT	1.61	0.001902	±2.5	PASS
Band5	4233	4	VN	NT	-0.72	-0.000850	±2.5	PASS
Band5	4233	5	VH	NT	0.29	0.000343	±2.5	PASS
Band5	4233	5	VL	NT	0.84	0.000992	±2.5	PASS
Band5	4233	5	VN	NT	-0.69	-0.000815	±2.5	PASS

Temperature(WCDMA_HSUPA)								
Band	Channel	SubTest	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band5	4132	1	NV	0	0.93	0.001125	±2.5	PASS
Band5	4132	1	NV	10	-0.19	-0.000230	±2.5	PASS
Band5	4132	1	NV	-10	3.40	0.004114	±2.5	PASS
Band5	4132	1	NV	20	0.46	0.000557	±2.5	PASS
Band5	4132	1	NV	-20	0.37	0.000448	±2.5	PASS
Band5	4132	1	NV	30	-1.09	-0.001319	±2.5	PASS
Band5	4132	1	NV	-30	-1.87	-0.002263	±2.5	PASS
Band5	4132	1	NV	40	-1.32	-0.001597	±2.5	PASS
Band5	4132	1	NV	50	-0.44	-0.000532	±2.5	PASS
Band5	4132	2	NV	0	-0.33	-0.000399	±2.5	PASS
Band5	4132	2	NV	10	0.43	0.000520	±2.5	PASS
Band5	4132	2	NV	-10	-2.47	-0.002989	±2.5	PASS
Band5	4132	2	NV	20	0.72	0.000871	±2.5	PASS
Band5	4132	2	NV	-20	-1.24	-0.001500	±2.5	PASS
Band5	4132	2	NV	30	2.15	0.002602	±2.5	PASS
Band5	4132	2	NV	-30	-1.09	-0.001319	±2.5	PASS
Band5	4132	2	NV	40	0.99	0.001198	±2.5	PASS
Band5	4132	2	NV	50	0.57	0.000690	±2.5	PASS
Band5	4132	3	NV	0	2.44	0.002953	±2.5	PASS
Band5	4132	3	NV	10	-1.98	-0.002396	±2.5	PASS
Band5	4132	3	NV	-10	1.30	0.001573	±2.5	PASS
Band5	4132	3	NV	20	-2.24	-0.002711	±2.5	PASS
Band5	4132	3	NV	-20	1.29	0.001561	±2.5	PASS
Band5	4132	3	NV	30	1.75	0.002118	±2.5	PASS
Band5	4132	3	NV	-30	-0.21	-0.000254	±2.5	PASS
Band5	4132	3	NV	40	-0.67	-0.000811	±2.5	PASS
Band5	4132	3	NV	50	0.41	0.000496	±2.5	PASS
Band5	4132	4	NV	0	-1.19	-0.001440	±2.5	PASS
Band5	4132	4	NV	10	3.08	0.003727	±2.5	PASS
Band5	4132	4	NV	-10	0.16	0.000194	±2.5	PASS
Band5	4132	4	NV	20	1.85	0.002239	±2.5	PASS
Band5	4132	4	NV	-20	-2.90	-0.003509	±2.5	PASS
Band5	4132	4	NV	30	-1.32	-0.001597	±2.5	PASS
Band5	4132	4	NV	-30	-1.32	-0.001597	±2.5	PASS
Band5	4132	4	NV	40	3.81	0.004610	±2.5	PASS
Band5	4132	4	NV	50	-0.97	-0.001174	±2.5	PASS
Band5	4132	5	NV	0	-3.03	-0.003667	±2.5	PASS
Band5	4132	5	NV	10	-1.11	-0.001343	±2.5	PASS
Band5	4132	5	NV	-10	-2.95	-0.003570	±2.5	PASS
Band5	4132	5	NV	20	-0.37	-0.000448	±2.5	PASS

Band5	4132	5	NV	-20	0.09	0.000109	±2.5	PASS
Band5	4132	5	NV	30	-1.34	-0.001621	±2.5	PASS
Band5	4132	5	NV	-30	-2.57	-0.003110	±2.5	PASS
Band5	4132	5	NV	40	0.36	0.000436	±2.5	PASS
Band5	4132	5	NV	50	-0.04	-0.000048	±2.5	PASS
Band5	4182	1	NV	0	-3.03	-0.003623	±2.5	PASS
Band5	4182	1	NV	10	-0.84	-0.001004	±2.5	PASS
Band5	4182	1	NV	-10	0.20	0.000239	±2.5	PASS
Band5	4182	1	NV	20	3.25	0.003886	±2.5	PASS
Band5	4182	1	NV	-20	1.79	0.002140	±2.5	PASS
Band5	4182	1	NV	30	0.94	0.001124	±2.5	PASS
Band5	4182	1	NV	-30	1.15	0.001375	±2.5	PASS
Band5	4182	1	NV	40	1.49	0.001781	±2.5	PASS
Band5	4182	1	NV	50	-1.01	-0.001208	±2.5	PASS
Band5	4182	2	NV	0	1.22	0.001459	±2.5	PASS
Band5	4182	2	NV	10	0.21	0.000251	±2.5	PASS
Band5	4182	2	NV	-10	-1.51	-0.001805	±2.5	PASS
Band5	4182	2	NV	20	0.26	0.000311	±2.5	PASS
Band5	4182	2	NV	-20	0.68	0.000813	±2.5	PASS
Band5	4182	2	NV	30	-1.55	-0.001853	±2.5	PASS
Band5	4182	2	NV	-30	-1.32	-0.001578	±2.5	PASS
Band5	4182	2	NV	40	2.81	0.003360	±2.5	PASS
Band5	4182	2	NV	50	1.95	0.002331	±2.5	PASS
Band5	4182	3	NV	0	1.09	0.001303	±2.5	PASS
Band5	4182	3	NV	10	4.33	0.005177	±2.5	PASS
Band5	4182	3	NV	-10	3.40	0.004065	±2.5	PASS
Band5	4182	3	NV	20	-1.09	-0.001303	±2.5	PASS
Band5	4182	3	NV	-20	-0.77	-0.000921	±2.5	PASS
Band5	4182	3	NV	30	0.82	0.000980	±2.5	PASS
Band5	4182	3	NV	-30	2.52	0.003013	±2.5	PASS
Band5	4182	3	NV	40	0.97	0.001160	±2.5	PASS
Band5	4182	3	NV	50	-2.25	-0.002690	±2.5	PASS
Band5	4182	4	NV	0	-0.71	-0.000849	±2.5	PASS
Band5	4182	4	NV	10	-2.57	-0.003073	±2.5	PASS
Band5	4182	4	NV	-10	0.39	0.000466	±2.5	PASS
Band5	4182	4	NV	20	1.64	0.001961	±2.5	PASS
Band5	4182	4	NV	-20	1.26	0.001506	±2.5	PASS
Band5	4182	4	NV	30	0.83	0.000992	±2.5	PASS
Band5	4182	4	NV	-30	2.22	0.002654	±2.5	PASS
Band5	4182	4	NV	40	-1.90	-0.002272	±2.5	PASS
Band5	4182	4	NV	50	0.97	0.001160	±2.5	PASS
Band5	4182	5	NV	0	-1.24	-0.001483	±2.5	PASS
Band5	4182	5	NV	10	-2.85	-0.003407	±2.5	PASS

Band5	4182	5	NV	-10	3.35	0.004005	±2.5	PASS
Band5	4182	5	NV	20	-1.27	-0.001518	±2.5	PASS
Band5	4182	5	NV	-20	0.26	0.000311	±2.5	PASS
Band5	4182	5	NV	30	-2.01	-0.002403	±2.5	PASS
Band5	4182	5	NV	-30	3.03	0.003623	±2.5	PASS
Band5	4182	5	NV	40	3.25	0.003886	±2.5	PASS
Band5	4182	5	NV	50	1.22	0.001459	±2.5	PASS
Band5	4233	1	NV	0	1.50	0.001772	±2.5	PASS
Band5	4233	1	NV	10	-1.53	-0.001807	±2.5	PASS
Band5	4233	1	NV	-10	0.58	0.000685	±2.5	PASS
Band5	4233	1	NV	20	2.95	0.003485	±2.5	PASS
Band5	4233	1	NV	-20	-2.95	-0.003485	±2.5	PASS
Band5	4233	1	NV	30	-1.51	-0.001784	±2.5	PASS
Band5	4233	1	NV	-30	0.38	0.000449	±2.5	PASS
Band5	4233	1	NV	40	-0.07	-0.000083	±2.5	PASS
Band5	4233	1	NV	50	-1.01	-0.001193	±2.5	PASS
Band5	4233	2	NV	0	1.02	0.001205	±2.5	PASS
Band5	4233	2	NV	10	-2.21	-0.002610	±2.5	PASS
Band5	4233	2	NV	-10	-1.80	-0.002126	±2.5	PASS
Band5	4233	2	NV	20	-0.36	-0.000425	±2.5	PASS
Band5	4233	2	NV	-20	-1.00	-0.001181	±2.5	PASS
Band5	4233	2	NV	30	3.32	0.003922	±2.5	PASS
Band5	4233	2	NV	-30	0.71	0.000839	±2.5	PASS
Band5	4233	2	NV	40	0.69	0.000815	±2.5	PASS
Band5	4233	2	NV	50	-1.77	-0.002091	±2.5	PASS
Band5	4233	3	NV	0	0.29	0.000343	±2.5	PASS
Band5	4233	3	NV	10	-0.23	-0.000272	±2.5	PASS
Band5	4233	3	NV	-10	-2.22	-0.002622	±2.5	PASS
Band5	4233	3	NV	20	-1.56	-0.001843	±2.5	PASS
Band5	4233	3	NV	-20	3.35	0.003957	±2.5	PASS
Band5	4233	3	NV	30	0.72	0.000850	±2.5	PASS
Band5	4233	3	NV	-30	2.52	0.002977	±2.5	PASS
Band5	4233	3	NV	40	2.52	0.002977	±2.5	PASS
Band5	4233	3	NV	50	-0.72	-0.000850	±2.5	PASS
Band5	4233	4	NV	0	1.74	0.002055	±2.5	PASS
Band5	4233	4	NV	10	2.71	0.003201	±2.5	PASS
Band5	4233	4	NV	-10	-0.35	-0.000413	±2.5	PASS
Band5	4233	4	NV	20	2.51	0.002965	±2.5	PASS
Band5	4233	4	NV	-20	0.60	0.000709	±2.5	PASS
Band5	4233	4	NV	30	3.06	0.003614	±2.5	PASS
Band5	4233	4	NV	-30	-0.02	-0.000024	±2.5	PASS
Band5	4233	4	NV	40	0.49	0.000579	±2.5	PASS
Band5	4233	4	NV	50	-0.77	-0.000910	±2.5	PASS

Band5	4233	5	NV	0	-2.46	-0.002906	±2.5	PASS
Band5	4233	5	NV	10	0.01	0.000012	±2.5	PASS
Band5	4233	5	NV	-10	0.75	0.000886	±2.5	PASS
Band5	4233	5	NV	20	1.79	0.002114	±2.5	PASS
Band5	4233	5	NV	-20	-0.72	-0.000850	±2.5	PASS
Band5	4233	5	NV	30	0.67	0.000791	±2.5	PASS
Band5	4233	5	NV	-30	1.37	0.001618	±2.5	PASS
Band5	4233	5	NV	40	-2.52	-0.002977	±2.5	PASS
Band5	4233	5	NV	50	1.97	0.002327	±2.5	PASS

-----END OF THE REPORT-----