

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 1 of 11

TEST REPORT

Application No.: SEWM2311000473RG
Applicant: Quectel Wireless Solutions Co., Ltd.
Address of Applicant: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer: Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer: Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
EUT Description: 5G Sub-6 GHz LGA Module
Model No.: RG620T-NA
Trade Mark: Quectel
FCC ID: XMR2024RG620TNA
Standards: 47 CFR Part 2.1091
FCC KDB 447498 D01 v06
Date of Receipt: 2023/11/21 (for report SEWM2311000473RG04)
Date of Issue: 2024/03/25

Test Result:**PASS***

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:

Well Wei

Well Wei
Wireless Laboratory Manager

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com


Report No.: SEWM2311000473RG04

Rev.: 01

Page: 2 of 11

1 Version

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2024/03/25		Original

Prepared By		 (Nick Hu) / Test Engineer
Checked By		 (Stone Gu) / Reviewer



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04
Rev.: 01
Page: 3 of 11

Contents

1	Version	2
2	General Information	4
2.1	Client Information	4
2.2	Test Facility	4
2.3	General Description of EUT	5
3	RF Exposure Evaluation	8
3.1	RF Exposure Compliance Requirement	8
3.1.1	Limits	8
3.1.2	Test Procedure	9
3.1.3	EUT RF Exposure Evaluation	9



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 4 of 11

2 General Information

2.1 Client Information

Applicant:	Quectel Wireless Solutions Co., Ltd.
Address of Applicant:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233
Manufacturer:	Quectel Wireless Solutions Co., Ltd.
Address of Manufacturer:	Building 5, Shanghai Business Park Phase III (Area B), No.1016 Tianlin Road, Minhang District, Shanghai, China 200233

2.2 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• **A2LA (Certificate No. 6336.01)**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 6336.01.

• **Innovation, Science and Economic Development Canada**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized by ISED as an accredited testing laboratory.

CAB identifier: CN0120.

IC#: 27594.

• **FCC –Designation Number: CN1312**

SGS-CSTC STANDARDS TECHNICAL SERVICES (SUZHOU) CO., LTD. has been recognized as an accredited testing laboratory.

Designation Number: CN1312.

Test Firm Registration Number: 717327



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 5 of 11

2.3 General Description of EUT

EUT Description:	5G Sub-6 GHz LGA Module			
Model No.:	RG620T-NA			
Trade Mark:	Quectel			
Hardware Version:	R2.0			
Software Version:	RG620TNA00AAR02A02G55_OCPU			
Feature:	UL 2*2 MIMO: NR Band n38; NR Band n41; NR Band n77; NR Band n78; NR Band n2; NR Band n5; NR Band n25; NR Band n66; NR Band n70; NR Band n71;			
HPUE Power Class:	LTE Band 38; LTE Band 41; NR Band n38; NR Band n41; NR Band n77; NR Band n78			
Antenna Type:	☒ External, ☐ Integrated			
Antenna Gain:	LTE Band 2:	0.75dBi (Ant7)	LTE Band 4:	0.33dBi (Ant7)
	LTE Band 5:	-10.68dBi (Ant7)	LTE Band 7:	1.26dBi (Ant7)
	LTE Band 12:	-8.65dBi (Ant7)	LTE Band 13:	-10.95dBi (Ant7)
	LTE Band 14:	-10.95dBi (Ant7)	LTE Band 17:	-8.65dBi (Ant7)
	LTE Band 25:	0.75dBi (Ant7)	LTE Band 26:	-10.68dBi (Ant7)
	LTE Band 30:	-3.06dBi (Ant7)	LTE Band 38:	1.69dBi (Ant7)
	LTE Band 41:	2.61dBi (Ant7)	LTE Band 42:	-4.29dBi (Ant6)
	LTE Band 43:	-4.11dBi (Ant6)	LTE Band 48:	-4.29dBi (Ant6)
	LTE Band 66:	0.02dBi (Ant7)	LTE Band 71:	-9.34dBi (Ant7)
	LTE CA_5B:	-10.68dBi (Ant7)	LTE CA_7C:	1.26dBi (Ant7)
	LTE CA_38C:	1.69dBi (Ant7)	LTE CA_41C:	2.61dBi (Ant7)
	LTE CA_42C:	-4.29dBi (Ant6)	LTE CA_48C:	-4.29dBi (Ant6)
	LTE CA_66B:	0.02dBi (Ant7)	LTE CA_66C:	0.02dBi (Ant7)
	NR Band n2:	0.73dBi (Ant1) 0.73dBi (Ant7)	NR Band n5:	0.49dBi (Ant1) 0.49dBi (Ant7)
	NR Band n7:	1.42dBi (Ant1)	NR Band n12:	-8.65dBi (Ant7)
	NR Band n13:	-10.95dBi (Ant7)	NR Band n14:	-10.95dBi (Ant7)
	NR Band n25:	0.73dBi (Ant1) 0.73dBi (Ant7)	NR Band n26:	0.49dBi (Ant1)
	NR Band n30:	-3.06dBi (Ant1)	NR Band n38:	0.77dBi (Ant1) 1.69dBi (Ant7)
	NR Band n41:	1.42dBi (Ant1) 2.61dBi (Ant7)	NR Band n48:	-4.29dBi (Ant0) -4.29dBi (Ant6)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.ssgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 6 of 11

NR Band n66:	-0.20dBi (Ant1) -0.20dBi (Ant7)	NR Band n70:	-0.80dBi (Ant1) -0.80dBi (Ant7)
NR Band n71:	-9.34dBi (Ant7) -9.34dBi (Ant7)	NR Band n77:	-3.48dBi (Ant0) -3.48dBi (Ant6)
NR Band n78:	-4.11dBi (Ant0) -4.11dBi (Ant6)	LTE Band 70:	0.33dBi (Ant7)
NR CA_n5B:	0.49dBi (Ant1)	NR CA_n7B:	1.42dBi (Ant1)
NR CA_n41C:	1.42dBi (Ant1)	NR CA_n48B:	-4.29dBi (Ant0)
LTE CA: CA_5B; CA_7C; CA_38C; CA_41C; CA_42C; CA_48C; CA_66B; CA_66C; CA_2A-4A; CA_2A-5A; CA_2A-7A; CA_2A-12A; CA_2A-13A; CA_2A-14A; CA_2A-17A; CA_2A-30A; CA_2A-38A; CA_2A-41A; CA_2A-48A; CA_2A-66A; CA_2A-71A; CA_4A-5A; CA_4A-7A; CA_4A-12A; CA_4A-13A; CA_4A-17A; CA_4A-38A; CA_4A-41A; CA_4A-48A; CA_4A-66A; CA_4A-71A; CA_5A-7A; CA_5A-12A; CA_5A-13A; CA_5A-14A; CA_5A-17A; CA_5A-30A; CA_5A-41A; CA_5A-48A; CA_5A-66A; CA_5A-71A; CA_7A-12A; CA_7A-13A; CA_7A-25A; CA_7A-26A; CA_7A-42A; CA_7A-66A; CA_7A-71A; CA_12A-25A; CA_12A-30A; CA_12A-38A; CA_12A-41A; CA_12A-48A; CA_12A-66A; CA_13A-25A; CA_13A-48A; CA_13A-66A; CA_14A-30A; CA_14A-66A; CA_25A-26A; CA_25A-41A; CA_25A-48A; CA_25A-66A; CA_25A-71A; CA_26A-38A; CA_26A-41A; CA_26A-66A; CA_30A-48A; CA_30A-66A; CA_38A-66A; CA_41A-42A; CA_41A-48A; CA_41A-66A; CA_41A-71A; NR CA: CA_n2A-n5A; CA_n2A-n7A; CA_n2A-n12A; CA_n2A-n41A; CA_n2A-n48A; CA_n2A-n66A; CA_n2A-n71A; CA_n2A-n77A; CA_n2A-n78A; CA_n5A-n5A; CA_n5A-n7A; CA_n5A-n12A; CA_n5A-n41A; CA_n5A-n48A; CA_n5A-n66A; CA_n5A-n71A; CA_n5A-n77A; CA_n5A-n78A; CA_n7A-n12A; CA_n7A-n25A; CA_n7A-n66A; CA_n7A-n71A; CA_n7A-n77A; CA_n7A-n78A; CA_n12A-n25A; CA_n12A-n41A; CA_n12A-n48A; CA_n12A-n66A; CA_n12A-n77A; CA_n25A-n41A; CA_n25A-n48A; CA_n25A-n66A; CA_n25A-n71A; CA_n25A-n77A; CA_n25A-n78A; CA_n41A-n48A; CA_n41A-n66A; CA_n41A-n71A; CA_n41A-n77A; CA_n41A-n78A; CA_n48A-n66A; CA_n48A-n71A; CA_n48A-n77A; CA_n66A-n71A; CA_n66A-n77A; CA_n66A-n78A; CA_n71A-n77A; CA_n71A-n78A; CA_n5B; CA_n7B; CA_n41C; CA_n48B; CA_n26A-n66A; CA_n26A-n70A; CA_n70A-n71A; CA_n70A-n77A;			



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 7 of 11

CA_n71A-n66A; CA_n71A-n70A; CA_n48A-n70A;
 ENDC:
 DC_2A_n2A; DC_2A_n5A; DC_2A_n7A; DC_2A_n12A; DC_2A_n25A; DC_2A_n30A;
 DC_2A_n38A; DC_2A_n41A; DC_2A_n48A; DC_2A_n66A; DC_2A_n71A;
 DC_2A_n77A; DC_2A_n78A; DC_4A_n2A; DC_4A_n7A; DC_4A_n38A;
 DC_4A_n41A; DC_4A_n66A; DC_4A_n71A; DC_4A_n78A; DC_5A_n2A;
 DC_5A_n5A; DC_5A_n7A; DC_5A_n30A; DC_5A_n38A; DC_5A_n41A;
 DC_5A_n48A; DC_5A_n66A; DC_5A_n71A; DC_5A_n77A; DC_5A_n78A;
 DC_7A_n2A; DC_7A_n5A; DC_7A_n7A; DC_7A_n12A; DC_7A_n25A; DC_7A_n66A;
 DC_7A_n71A; DC_7A_n77A; DC_7A_n78A; DC_12A_n2A; DC_12A_n5A;
 DC_12A_n7A; DC_12A_n25A; DC_12A_n30A; DC_12A_n38A; DC_12A_n41A;
 DC_12A_n66A; DC_12A_n77A; DC_12A_n78A; DC_13A_n2A; DC_13A_n5A;
 DC_13A_n7A; DC_13A_n25A; DC_13A_n48A; DC_13A_n66A; DC_13A_n77A;
 DC_13A_n78A; DC_14A_n2A; DC_14A_n30A; DC_14A_n66A; DC_14A_n77A;
 DC_25A_n41A; DC_25A_n77A; DC_25A_n78A; DC_26A_n25A; DC_26A_n41A;
 DC_26A_n78A; DC_30A_n2A; DC_30A_n5A; DC_30A_n12A; DC_30A_n66A;
 DC_30A_n77A; DC_38A_n78A; DC_41A_n41A; DC_41A_n77A; DC_41A_n78A;
 DC_42A_n77A; DC_48A_n2A; DC_48A_n5A; DC_48A_n12A; DC_48A_n25A;
 DC_48A_n48A; DC_48A_n66A; DC_48A_n71A; DC_48A_n77A; DC_66A_n2A;
 DC_66A_n5A; DC_66A_n7A; DC_66A_n12A; DC_66A_n25A; DC_66A_n30A;
 DC_66A_n38A; DC_66A_n41A; DC_66A_n48A; DC_66A_n66A; DC_66A_n71A;
 DC_66A_n77A; DC_66A_n78A; DC_71A_n2A; DC_71A_n7A; DC_71A_n25A;
 DC_71A_n38A; DC_71A_n41A; DC_71A_n66A; DC_71A_n78A; DC_14A_n5A;

Note:

The antenna gain are derived from the gain information report provided by the manufacturer.

Remark:

As above information is provided and confirmed by the applicant. SGS is not liable to the accuracy, suitability, reliability or/and integrity of the information.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgsgroup.com.cn
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04
Rev.: 01
Page: 8 of 11

3 RF Exposure Evaluation

3.1 RF Exposure Compliance Requirement

3.1.1 Limits

Frequency range (MHz)	Electric field strength (V/m)	Magnetic field strength (A/m)	Power density (mW/cm ²)	Averaging time (minutes)
(A) Limits for Occupational/Controlled Exposures				
0.3-3.0	614	1.63	*(100)	6
3.0-30	1842/f	4.89/f	*(900/f ²)	6
30-300	61.4	0.163	1.0	6
300-1500	/	/	f/300	6
1500-100,000	/	/	5	6
(B) Limits for General Population/Uncontrolled Exposure				
0.3-1.34	614	1.63	*(100)	30
1.34-30	824/f	2.19/f	*(180/f ²)	30
30-300	27.5	0.073	0.2	30
300-1500	/	/	f/1500	30
1500-100,000	/	/	1.0	30

F=frequency in MHz
*=Plane-wave equivalent power density
RF exposure compliance will need to be determined with respect to 1.1307(c) and (d) of the FCC rules. The emissions should be within the limits at 300kHz in Table 1 of 1.1310(use the 300kHz limits for 150kHz:614V/m,1.63A/m).

Friis Formula

Friis transmission formula: $P_d = (P_{out} * G) / (4 * \pi * R^2)$

Where

P_d = power density in mW/cm²

P_{out} = output power to antenna in mW

G = gain of antenna in linear scale

π = 3.1416

R = distance between observation point and center of the radiator in cm

P_d is the limit of MPE, 1 mW/cm². If we know the maximum gain of the antenna and the total power input to the antenna, through the calculation, we will know the distance r where the MPE limit is reached.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 t (86-512) 62992980 www.sgs.com.cn
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 9 of 11

3.1.2 Test Procedure

Software provided by client enabled the EUT to transmit data at lowest, middle and highest channel individually

3.1.3 EUT RF Exposure Evaluation

Output Power Into Antenna & RF Exposure Evaluation Distance:

This confirmed that the device comply with MPE limit.

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm ²)	Limit (mW/cm ²)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
LTE Band 2	1850.7	0.75	25.00	25.75	33.00	0.0748	1.0000	8.00	12.01	8.00	Pass
LTE Band 4	1710.7	0.33	25.00	25.33	30.00	0.0679	1.0000	5.00	12.01	5.00	Pass
LTE Band 5/LTE CA_5B	824.7	-10.68	25.00	12.17	38.45	0.0054	0.5498	15.60	9.41	9.41	Pass
LTE Band 7/LTE CA_7C	2502.5	1.26	25.00	26.26	33.00	0.0841	1.0000	8.00	12.01	8.00	Pass
LTE Band 12	699.7	-8.65	25.00	14.20	34.77	0.0086	0.4665	11.92	8.70	8.70	Pass
LTE Band 13	779.5	-10.95	25.00	11.90	34.77	0.0051	0.5197	11.92	9.16	9.16	Pass
LTE Band 14	790.5	-10.95	25.00	11.90	34.77	0.0051	0.5270	11.92	9.23	9.23	Pass
LTE Band 17	706.5	-8.65	25.00	14.20	34.77	0.0086	0.4710	11.92	8.74	8.74	Pass
LTE Band 25	1850.7	0.75	25.00	25.75	33.00	0.0748	1.0000	8.00	12.01	8.00	Pass
LTE Band 26(814-824)	814.7	-10.68	25.00	12.17	NA	0.0054	0.5431	NA	9.36	9.36	Pass
LTE Band 26(824-849)	824.7	-10.68	25.00	12.17	38.45	0.0054	0.5498	15.60	9.41	9.41	Pass
LTE Band 30	2307.5	-3.06	25.00	21.94	23.98	0.0311	1.0000	-1.02	12.01	-1.02	Pass
LTE Band 38/LTE CA_38C	2572.5	1.69	28.00	29.69	33.00	0.1852	1.0000	5.00	9.01	5.00	Pass
LTE Band 41/LTE CA_41C	2498.5	2.61	28.00	30.61	33.00	0.2289	1.0000	5.00	9.01	5.00	Pass
LTE Band 42(3450-3550) /LTE CA_42C	3452.5	-4.29	25.00	20.71	30.00	0.0234	1.0000	5.00	12.01	5.00	Pass
LTE Band 43(3700-3800)	3702.5	-4.11	25.00	20.89	30.00	0.0244	1.0000	5.00	12.01	5.00	Pass
LTE Band 48/LTE CA_48C	3552.5	-4.29	25.00	20.71	23.00	0.0234	1.0000	-2.00	12.01	-2.00	Pass
LTE Band 66/LTE CA_66B/LTE CA_66C	1710.7	0.02	25.00	25.02	30.00	0.0632	1.0000	5.00	12.01	5.00	Pass
LTE Band 70	1697.5	0.33	25.00	25.33	30.00	0.0679	1.0000	5.00	12.01	5.00	Pass
LTE Band 71	665.5	-9.34	25.00	13.51	34.77	0.0073	0.4437	11.92	8.48	8.48	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 10 of 11

Operating Band	Frequency (MHz)	Antenna Gain (dBi)	MIMO Directional gain	Max Conducted Power (dBm)	EIRP(ERP) (dBm)	EIRP(ERP) Limit (dBm)	Power Density at R = 20 cm (mW/cm ²)	Limit (mW/cm ²)	Gain according to EIRP(ERP) (dBi)	Gain according to Pd (dBi)	Max Gain Allowed (dBi)	conclusion
NR Band n2	1852.5	0.73	NA	25.00	25.73	33.00	0.0744	1.0000	8.00	12.01	8.00	Pass
NR Band n2 (MIMO)	1852.5	0.73	0.73	25.00	25.73	33.00	0.0744	1.0000	8.00	12.01	8.00	Pass
NR Band n5/CA_n5B	826.5	0.49	NA	25.00	23.34	38.45	0.0704	0.5510	15.60	9.42	9.42	Pass
NR Band n5 (MIMO)	826.5	0.49	0.49	25.00	23.34	38.45	0.0704	0.5510	15.60	9.42	9.42	Pass
NR Band n7/CA_n7B	2502.5	1.42	NA	25.00	26.42	33.00	0.0872	1.0000	8.00	12.01	8.00	Pass
NR Band n12	701.5	-8.65	NA	25.00	14.20	34.77	0.0086	0.4677	11.92	8.71	8.71	Pass
NR Band n13	748.5	-10.95	NA	25.00	11.90	34.77	0.0051	0.4990	11.92	8.99	8.99	Pass
NR Band n14	790.5	-10.95	NA	25.00	11.90	34.77	0.0051	0.5270	11.92	9.23	9.23	Pass
NR Band n25	1852.5	0.73	NA	25.00	25.73	33.00	0.0744	1.0000	8.00	12.01	8.00	Pass
NR Band n25 (MIMO)	1852.5	0.73	0.73	25.00	25.73	33.00	0.0744	1.0000	8.00	12.01	8.00	Pass
NR Band n26(814-824)	816.5	0.49	NA	25.00	23.34	NA	0.0704	0.5443	NA	9.37	9.37	Pass
NR Band n26(824-849)	826.5	0.49	NA	25.00	23.34	38.45	0.0704	0.5510	15.60	9.42	9.42	Pass
NR Band n30	2307.5	-3.06	NA	25.00	21.94	23.98	0.0311	1.0000	-1.02	12.01	-1.02	Pass
NR Band n38	2575.0	1.69	NA	28.00	29.69	33.00	0.1852	1.0000	5.00	9.01	5.00	Pass
NR Band n38(MIMO)	2575.0	NA	1.25	28.00	29.25	33.00	0.1674	1.0000	5.00	9.01	5.00	Pass
NR Band n41/CA_n41C	2501.0	2.61	NA	28.00	30.61	33.00	0.2289	1.0000	5.00	9.01	5.00	Pass
NR Band n41(MIMO)	2501.0	NA	2.06	30.00	32.06	33.00	0.3197	1.0000	3.00	7.01	3.00	Pass
NR Band n48/CA_n48B	3555.0	-4.29	NA	25.00	20.71	23.00	0.0234	1.0000	-2.00	12.01	-2.00	Pass
NR Band n48(MIMO)	3555.0	-4.29	-4.29	25.00	20.71	23.00	0.0234	1.0000	-2.00	12.01	-2.00	Pass
NR Band n66	1712.5	-0.20	NA	25.00	24.80	30.00	0.0601	1.0000	5.00	12.01	5.00	Pass
NR Band n66 (MIMO)	1712.5	-0.20	-0.20	25.00	24.80	30.00	0.0601	1.0000	5.00	12.01	5.00	Pass
NR Band n70	1697.5	-0.80	NA	25.00	24.20	30.00	0.0523	1.0000	5.00	12.01	5.00	Pass
NR Band n70 (MIMO)	1697.5	-0.80	-0.80	25.00	24.20	30.00	0.0523	1.0000	5.00	12.01	5.00	Pass
NR Band n71	665.5	-9.34	NA	25.00	13.51	34.77	0.0073	0.4437	11.92	8.48	8.48	Pass
NR Band n71 (MIMO)	665.5	-9.34	-9.34	25.00	13.51	34.77	0.0073	0.4437	11.92	8.48	8.48	Pass
NR Band n77 (3450-3550)	3455.0	-3.48	NA	28.00	24.52	30.00	0.0563	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3450-3550)(MIMO)	3455.0	-3.48	-3.48	30.00	26.52	30.00	0.0893	1.0000	0.00	7.01	0.00	Pass
NR Band n77 (3700-3980)	3707.5	-3.48	NA	28.00	24.52	30.00	0.0563	1.0000	2.00	9.01	2.00	Pass
NR Band n77 (3700-3980)(MIMO)	3707.5	-3.48	-3.48	30.00	26.52	30.00	0.0893	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3450-3550)	3455.0	-4.11	NA	28.00	23.89	30.00	0.0487	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3450-3550)(MIMO)	3455.0	-4.11	-4.11	30.00	25.89	30.00	0.0772	1.0000	0.00	7.01	0.00	Pass
NR Band n78 (3700-3800)	3705.0	-4.11	NA	28.00	23.89	30.00	0.0487	1.0000	2.00	9.01	2.00	Pass
NR Band n78 (3700-3800)(MIMO)	3705.0	-4.11	-4.11	30.00	25.89	30.00	0.0772	1.0000	0.00	7.01	0.00	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
 中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南楼 邮编: 215000

t (86-512) 62992980 www.sgs.com.cn
 t (86-512) 62992980 sgs.china@sgs.com

Report No.: SEWM2311000473RG04

Rev.: 01

Page: 11 of 11

Due to the EUT support NR ENDC and CA

Both LTE and NR/LTE band can transmit simultaneously, the formula of the calculated the MPE is:

$$\sum_{i=1}^n \frac{S_{E_i}(\text{duty factor})}{MPE_{E_i}} < 1$$

NOTE The corresponding MEs must be expressed in terms of power density in the above summation

Therefore, the worst-case (CA_n5A-n41A) situation is 0.1278+0.2289=0.3567, which is less than "1", this confirmed that the device comply with MPE limit.

---End of Report---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000
中国·苏州·中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南面 邮编: 215000

t (86-512) 62992980 www.sgsgroup.com.cn
t (86-512) 62992980 sgs.china@sgs.com