










Occupied channel bandwidth :

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	16.399	5171.7691	5188.1681	---	---
11A	Ant1	5200	16.390	5191.7816	5208.1716	---	---
11A	Ant1	5240	16.341	5231.8191	5248.1601	---	---
11A	Ant1	5745	16.491	5736.7372	5753.2282	---	---
11A	Ant1	5785	16.474	5776.7382	5793.2122	---	---
11A	Ant1	5825	16.496	5816.7360	5833.2320	---	---
11N20SISO	Ant1	5180	17.469	5171.2469	5188.7159	---	---
11N20SISO	Ant1	5200	17.464	5191.2509	5208.7149	---	---
11N20SISO	Ant1	5240	17.430	5231.2744	5248.7044	---	---
11N20SISO	Ant1	5745	17.466	5736.2417	5753.7077	---	---
11N20SISO	Ant1	5785	17.409	5776.2538	5793.6628	---	---
11N20SISO	Ant1	5825	17.465	5816.2318	5833.6968	---	---
11N40SISO	Ant1	5190	35.907	5172.0732	5207.9802	---	---
11N40SISO	Ant1	5230	35.790	5212.1032	5247.8932	---	---
11N40SISO	Ant1	5755	35.887	5737.0300	5772.9170	---	---
11N40SISO	Ant1	5795	35.840	5777.0505	5812.8905	---	---
11AC20SISO	Ant1	5180	17.467	5171.2571	5188.7241	---	---
11AC20SISO	Ant1	5200	17.470	5191.2539	5208.7239	---	---
11AC20SISO	Ant1	5240	17.429	5231.2836	5248.7126	---	---
11AC20SISO	Ant1	5745	17.471	5736.2513	5753.7223	---	---
11AC20SISO	Ant1	5785	17.439	5776.2642	5793.7032	---	---
11AC20SISO	Ant1	5825	17.463	5816.2401	5833.7031	---	---
11AC40SISO	Ant1	5190	35.874	5172.0641	5207.9381	---	---
11AC40SISO	Ant1	5230	35.815	5212.0922	5247.9072	---	---
11AC40SISO	Ant1	5755	35.912	5737.0760	5772.9880	---	---
11AC40SISO	Ant1	5795	35.914	5777.0646	5812.9786	---	---
11AC80SISO	Ant1	5210	75.590	5172.2873	5247.8773	---	---
11AC80SISO	Ant1	5775	75.395	5737.2687	5812.6637	---	---
















11N20SISO-Ant1-5745




11N20SISO-Ant1-5785






















Appendix C: 6dB Emission Bandwidth

TestMode	Antenna	Frequency[MHz]	6db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5745	14.640	5738.080	5752.720	0.5	PASS
11A	Ant1	5785	15.120	5777.400	5792.520	0.5	PASS
11A	Ant1	5825	15.080	5817.480	5832.560	0.5	PASS
11N20SISO	Ant1	5745	12.680	5738.640	5751.320	0.5	PASS
11N20SISO	Ant1	5785	14.080	5777.400	5791.480	0.5	PASS
11N20SISO	Ant1	5825	15.040	5817.480	5832.520	0.5	PASS
11N40SISO	Ant1	5755	35.120	5737.400	5772.520	0.5	PASS
11N40SISO	Ant1	5795	35.040	5777.400	5812.440	0.5	PASS
11AC20SISO	Ant1	5745	15.120	5737.440	5752.560	0.5	PASS
11AC20SISO	Ant1	5785	15.360	5777.200	5792.560	0.5	PASS
11AC20SISO	Ant1	5825	15.640	5816.840	5832.480	0.5	PASS
11AC40SISO	Ant1	5755	35.120	5737.400	5772.520	0.5	PASS
11AC40SISO	Ant1	5795	35.120	5777.400	5812.520	0.5	PASS
11AC80SISO	Ant1	5775	75.200	5737.400	5812.600	0.5	PASS
11AX20SISO	Ant1	5745	16.560	5736.240	5752.800	0.5	PASS
11AX20SISO	Ant1	5785	15.120	5777.400	5792.520	0.5	PASS
11AX20SISO	Ant1	5825	15.120	5817.400	5832.520	0.5	PASS
11AX40SISO	Ant1	5755	33.760	5738.680	5772.440	0.5	PASS
11AX40SISO	Ant1	5795	32.080	5778.680	5810.760	0.5	PASS
11AX80SISO	Ant1	5775	71.360	5738.680	5810.040	0.5	PASS
11BE20SISO	Ant1	5745	15.480	5737.120	5752.600	0.5	PASS
11BE20SISO	Ant1	5785	15.080	5777.480	5792.560	0.5	PASS
11BE20SISO	Ant1	5825	15.080	5817.400	5832.480	0.5	PASS
11BE40SISO	Ant1	5755	32.560	5738.680	5771.240	0.5	PASS
11BE40SISO	Ant1	5795	31.280	5778.760	5810.040	0.5	PASS
11BE80SISO	Ant1	5775	71.360	5738.680	5810.040	0.5	PASS











11N20SISO-Ant1-5825-PASS




11N40SISO-Ant1-5755-PASS







11AC40SISO-Ant1-5755-PASS



11AC40SISO-Ant1-5795-PASS




11AC80SISO-Ant1-5775-PASS



11AX20SISO-Ant1-5745-PASS














Appendix D: Duty cycle

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	Dc Factor [%]	1/T
11A	Ant1	5180	1.39	1.44	96.53	0.15	0.72
11A	Ant1	5200	1.39	1.45	95.86	0.18	0.72
11A	Ant1	5240	1.40	1.45	96.55	0.15	0.71
11A	Ant1	5745	1.40	1.45	96.55	0.15	0.71
11A	Ant1	5785	1.39	1.44	96.53	0.15	0.72
11A	Ant1	5825	1.40	1.45	96.55	0.15	0.71
11N20SISO	Ant1	5180	1.30	1.36	95.59	0.20	0.77
11N20SISO	Ant1	5200	1.31	1.36	96.32	0.16	0.76
11N20SISO	Ant1	5240	1.31	1.36	96.32	0.16	0.76
11N20SISO	Ant1	5745	1.31	1.36	96.32	0.16	0.76
11N20SISO	Ant1	5785	1.30	1.36	95.59	0.20	0.77
11N20SISO	Ant1	5825	1.30	1.36	95.59	0.20	0.77
11N40SISO	Ant1	5190	0.65	0.70	92.86	0.32	1.54
11N40SISO	Ant1	5230	0.65	0.70	92.86	0.32	1.54
11N40SISO	Ant1	5755	0.65	0.70	92.86	0.32	1.54
11N40SISO	Ant1	5795	0.65	0.70	92.86	0.32	1.54
11AC20SISO	Ant1	5180	0.68	0.74	91.89	0.37	1.47
11AC20SISO	Ant1	5200	0.68	0.73	93.15	0.31	1.47
11AC20SISO	Ant1	5240	0.68	0.74	91.89	0.37	1.47
11AC20SISO	Ant1	5745	0.68	0.73	93.15	0.31	1.47
11AC20SISO	Ant1	5785	0.68	0.73	93.15	0.31	1.47
11AC20SISO	Ant1	5825	0.68	0.73	93.15	0.31	1.47
11AC40SISO	Ant1	5190	0.35	0.41	85.37	0.69	2.86
11AC40SISO	Ant1	5230	0.35	0.40	87.50	0.58	2.86
11AC40SISO	Ant1	5755	0.35	0.40	87.50	0.58	2.86
11AC40SISO	Ant1	5795	0.35	0.40	87.50	0.58	2.86
11AC80SISO	Ant1	5210	0.19	0.24	79.17	1.01	5.26
11AC80SISO	Ant1	5775	0.19	0.24	79.17	1.01	5.26
11AX20SISO	Ant1	5180	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5200	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5240	0.21	0.26	80.77	0.93	4.76
11AX20SISO	Ant1	5260	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5280	0.20	0.26	76.92	1.14	5.00
11AX20SISO	Ant1	5320	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5500	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5580	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5700	0.20	0.25	80.00	0.97	5.00
11AX20SISO	Ant1	5745	0.21	0.26	80.77	0.93	4.76
11AX20SISO	Ant1	5785	0.20	0.26	76.92	1.14	5.00
11AX20SISO	Ant1	5825	0.20	0.25	80.00	0.97	5.00
11AX40SISO	Ant1	5190	0.15	0.20	75.00	1.25	6.67
11AX40SISO	Ant1	5230	0.14	0.20	70.00	1.55	7.14
11AX40SISO	Ant1	5270	0.14	0.20	70.00	1.55	7.14
11AX40SISO	Ant1	5310	0.14	0.19	73.68	1.33	7.14
11AX40SISO	Ant1	5510	0.15	0.20	75.00	1.25	6.67
11AX40SISO	Ant1	5550	0.14	0.20	70.00	1.55	7.14

11AX40SISO	Ant1	5670	0.14	0.31	45.16	3.45	7.14
11AX40SISO	Ant1	5755	0.15	0.20	75.00	1.25	6.67
11AX40SISO	Ant1	5795	0.14	0.19	73.68	1.33	7.14
11AX80SISO	Ant1	5210	0.19	0.24	79.17	1.01	5.26
11AX80SISO	Ant1	5290	0.20	0.25	80.00	0.97	5.00
11AX80SISO	Ant1	5530	0.20	0.25	80.00	0.97	5.00
11AX80SISO	Ant1	5610	0.19	0.24	79.17	1.01	5.26
11AX80SISO	Ant1	5775	0.19	0.24	79.17	1.01	5.26
11BE20SISO	Ant1	5180	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5200	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5240	0.22	0.27	81.48	0.89	4.55
11BE20SISO	Ant1	5260	0.21	0.27	77.78	1.09	4.76
11BE20SISO	Ant1	5280	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5320	0.21	0.49	42.86	3.68	4.76
11BE20SISO	Ant1	5500	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5580	0.22	0.27	81.48	0.89	4.55
11BE20SISO	Ant1	5700	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5745	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5785	0.21	0.26	80.77	0.93	4.76
11BE20SISO	Ant1	5825	0.21	0.26	80.77	0.93	4.76
11BE40SISO	Ant1	5190	0.15	0.21	71.43	1.46	6.67
11BE40SISO	Ant1	5230	0.15	0.20	75.00	1.25	6.67
11BE40SISO	Ant1	5270	0.15	0.20	75.00	1.25	6.67
11BE40SISO	Ant1	5310	0.15	0.20	75.00	1.25	6.67
11BE40SISO	Ant1	5510	0.16	0.21	76.19	1.18	6.25
11BE40SISO	Ant1	5550	0.16	0.21	76.19	1.18	6.25
11BE40SISO	Ant1	5670	0.15	0.20	75.00	1.25	6.67
11BE40SISO	Ant1	5755	0.15	0.20	75.00	1.25	6.67
11BE40SISO	Ant1	5795	0.15	0.40	37.50	4.26	6.67
11BE80SISO	Ant1	5210	0.12	0.17	70.59	1.51	8.33
11BE80SISO	Ant1	5290	0.12	0.18	66.67	1.76	8.33
11BE80SISO	Ant1	5530	0.12	0.17	70.59	1.51	8.33
11BE80SISO	Ant1	5610	0.12	0.17	70.59	1.51	8.33
11BE80SISO	Ant1	5775	0.12	0.18	66.67	1.76	8.33