







11AX20SISO-Ant1-5785-PASS




11AX20SISO-Ant1-5825-PASS




11AX40SISO-Ant1-5190-PASS




11AX40SISO-Ant1-5230-PASS




11AX40SISO-Ant1-5755-PASS




11AX40SISO-Ant1-5795-PASS




11AX80SISO-Ant1-5210-PASS




11AX80SISO-Ant1-5775-PASS




11BE20SISO-Ant1-5180-PASS




11BE20SISO-Ant1-5200-PASS




11BE20SISO-Ant1-5240-PASS




11BE20SISO-Ant1-5745-PASS




11BE20SISO-Ant1-5785-PASS




11BE20SISO-Ant1-5825-PASS




11BE40SiSO-Ant1-5190-PASS




11BE40SiSO-Ant1-5230-PASS



11BE40SISO-Ant1-5755-PASS




11BE40SISO-Ant1-5795-PASS




11BE80SISO-Ant1-5210-PASS




11BE80SISO-Ant1-5775-PASS

Part RU worse case:


11AX20SISO-Ant1-5180-26Tone-RU0-PASS




11AX20SISO-Ant1-5180-52Tone-RU37-PASS



11AX20SISO-Ant1-5180-106Tone-RU53-PASS




11AX20SISO-Ant1-5745-26Tone-RU0-PASS











11BE20SISO-Ant1-5745-52Tone-RU37-PASS



11BE20SISO-Ant1-5745-106Tone-RU53-PASS


Appendix G: Radiated Emission Band Edge

Transmit at 5180MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5104.70	39.6	49.45	9.830	74.00	24.55	PK	Horizo	PASS
2	5150.00	37.0	46.88	9.880	74.00	27.12	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	32.3	38.37	6.050	54.00	15.63	AV	Horizo	PASS
2	5150.00	28.0	35.90	7.880	54.00	18.10	AV	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5075.46	38.3	48.10	9.820	74.00	25.90	PK	Vertic	PASS
2	5150.00	37.7	47.53	9.880	74.00	26.47	PK	Vertic	PASS

Transmit at 5180MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.57	28.0	34.09	6.050	54.00	19.91	AV	Vertic	PASS
2	5150.00	27.6	35.51	7.880	54.00	18.49	AV	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5107.72	39.7	49.48	9.830	74.00	24.52	PK	Horizo	PASS
2	5150.00	38.1	47.94	9.880	74.00	26.06	PK	Horizo	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.48	31.2	37.28	6.050	54.00	16.72	AV	Horizo	PASS
2	4843.79	30.3	37.36	7.020	54.00	16.64	AV	Horizo	PASS
3	5150.00	30.8	38.72	7.880	54.00	15.28	AV	Horizo	PASS


Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5015.34	37.7	47.56	9.820	74.00	26.44	PK	Vertic	PASS
2	5150.00	36.6	46.50	9.880	74.00	27.50	PK	Vertic	PASS

Transmit at 5180MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	28.9	34.91	6.050	54.00	19.09	AV	Vertic	PASS
2	5150.00	28.1	35.96	7.880	54.00	18.04	AV	Vertic	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.82	39.3	49.20	9.880	74.00	24.80	PK	Horizo	PASS
2	5150.00	37.9	47.78	9.880	74.00	26.22	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	31.3	37.32	6.050	54.00	16.68	AV	Horizo	PASS
2	4843.79	31.0	38.01	7.020	54.00	15.99	AV	Horizo	PASS
3	5150.00	30.6	38.47	7.880	54.00	15.53	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5030.96	39.0	48.84	9.810	74.00	25.16	PK	Vertic	PASS
2	5150.00	36.1	45.95	9.880	74.00	28.05	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ac(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5014.22	28.3	36.09	7.820	54.00	17.91	AV	Vertic	PASS
2	5150.00	28.1	36.02	7.880	54.00	17.98	AV	Vertic	PASS


Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5079.54	38.7	48.51	9.820	74.00	25.49	PK	Horizo	PASS
2	5150.00	38.5	48.38	9.880	74.00	25.62	PK	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.15	33.2	39.27	6.050	54.00	14.73	AV	Horizo	PASS
2	4843.91	32.5	39.47	7.020	54.00	14.53	AV	Horizo	PASS
3	5150.00	36.3	44.20	7.880	54.00	9.80	AV	Horizo	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5080.78	39.6	49.45	9.820	74.00	24.55	PK	Vertic	PASS
2	5150.00	39.5	49.39	9.880	74.00	24.61	PK	Vertic	PASS

Transmit at 5190MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	28.3	35.28	7.020	54.00	18.72	AV	Vertic	PASS
2	5150.00	30.8	38.70	7.880	54.00	15.30	AV	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.96	41.5	51.37	9.890	74.00	22.63	PK	Horizo	PASS
2	5150.00	42.1	52.02	9.880	74.00	21.98	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.24	32.2	38.27	6.050	54.00	15.73	AV	Horizo	PASS
2	4843.82	31.8	38.77	7.020	54.00	15.23	AV	Horizo	PASS
3	5150.00	33.9	41.75	7.880	54.00	12.25	AV	Horizo	PASS


Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.08	38.7	48.57	9.880	74.00	25.43	PK	Vertic	PASS
2	5150.00	36.5	46.33	9.880	74.00	27.67	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4843.73	28.0	35.04	7.020	54.00	18.96	AV	Vertic	PASS
2	5150.00	28.8	36.72	7.880	54.00	17.28	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5125.50	45.6	55.44	9.850	74.00	18.56	PK	Horizo	PASS
2	5150.00	41.9	51.78	9.880	74.00	22.22	PK	Horizo	PASS


Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.13	31.5	37.50	6.050	54.00	16.50	AV	Horizo	PASS
2	4843.78	30.9	37.90	7.020	54.00	16.10	AV	Horizo	PASS
3	5146.88	37.4	45.23	7.880	54.00	8.77	AV	Horizo	PASS
4	5150.00	37.2	45.04	7.880	54.00	8.96	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5116.03	40.1	49.99	9.850	74.00	24.01	PK	Vertic	PASS
2	5150.00	38.6	48.46	9.880	74.00	25.54	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.94	32.4	40.30	7.890	54.00	13.70	AV	Vertic	PASS
2	5150.00	31.0	38.83	7.880	54.00	15.17	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant1




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.70	38.1	49.38	11.240	68.30	18.92	PK	Horizo	PASS
2	5666.11	38.5	49.82	11.370	80.26	30.44	PK	Horizo	PASS
3	5708.20	39.3	50.90	11.560	107.60	56.70	PK	Horizo	PASS
4	5723.64	41.0	52.68	11.650	119.19	66.51	PK	Horizo	PASS
5	5853.64	39.8	51.82	12.070	114.01	62.19	PK	Horizo	PASS
6	5868.43	38.9	51.00	12.070	107.14	56.14	PK	Horizo	PASS
7	5902.23	39.1	51.17	12.100	85.11	33.94	PK	Horizo	PASS
8	5942.20	38.5	50.75	12.240	68.30	17.55	PK	Horizo	PASS

Transmit at 5745MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	38.1	49.34	11.250	68.30	18.96	PK	Vertic	PASS
2	5668.39	38.0	49.42	11.380	81.94	32.52	PK	Vertic	PASS
3	5713.89	37.7	49.27	11.590	109.19	59.92	PK	Vertic	PASS
4	5721.69	37.9	49.56	11.630	114.75	65.19	PK	Vertic	PASS
5	5852.83	38.5	50.56	12.070	115.86	65.30	PK	Vertic	PASS
6	5866.96	37.6	49.64	12.070	107.55	57.91	PK	Vertic	PASS
7	5908.89	38.3	50.37	12.120	80.19	29.82	PK	Vertic	PASS
8	5937.16	38.6	50.79	12.230	68.30	17.51	PK	Vertic	PASS


Transmit at 5825MHz by 802.11a with Ant1



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	38.0	49.21	11.250	68.30	19.09	PK	Horizo	PASS
2	5672.78	38.8	50.17	11.400	85.19	35.02	PK	Horizo	PASS
3	5709.99	38.0	49.62	11.580	108.10	58.48	PK	Horizo	PASS
4	5722.18	38.4	50.06	11.640	115.86	65.80	PK	Horizo	PASS
5	5851.20	40.6	52.70	12.070	119.56	66.86	PK	Horizo	PASS
6	5865.34	39.3	51.40	12.070	108.00	56.60	PK	Horizo	PASS
7	5899.63	38.1	50.20	12.090	87.04	36.84	PK	Horizo	PASS
8	5933.91	39.1	51.32	12.220	68.30	16.98	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant1


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.35	38.0	49.24	11.240	68.30	19.06	PK	Vertic	PASS
2	5681.39	37.9	49.36	11.440	91.56	42.20	PK	Vertic	PASS
3	5708.36	38.4	49.95	11.560	107.64	57.69	PK	Vertic	PASS
4	5723.48	38.0	49.60	11.640	118.82	69.22	PK	Vertic	PASS
5	5851.20	38.5	50.58	12.070	119.56	68.98	PK	Vertic	PASS
6	5868.10	37.4	49.50	12.070	107.23	57.73	PK	Vertic	PASS
7	5893.94	37.9	50.01	12.090	91.25	41.24	PK	Vertic	PASS
8	5937.33	37.7	49.93	12.230	68.30	18.37	PK	Vertic	PASS


Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	38.7	49.92	11.250	68.30	18.38	PK	Horizo	PASS
2	5677.33	39.2	50.57	11.420	88.56	37.99	PK	Horizo	PASS
3	5707.39	39.6	51.18	11.560	107.37	56.19	PK	Horizo	PASS
4	5722.83	43.4	55.00	11.640	117.34	62.34	PK	Horizo	PASS
5	5852.50	38.8	50.91	12.070	116.60	65.69	PK	Horizo	PASS
6	5863.71	38.9	50.93	12.070	108.46	57.53	PK	Horizo	PASS
7	5907.26	39.8	51.86	12.110	81.39	29.53	PK	Horizo	PASS
8	5946.59	39.4	51.60	12.250	68.30	16.70	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.83	38.1	49.33	11.280	68.30	18.97	PK	Vertic	PASS
2	5687.08	38.0	49.41	11.460	95.77	46.36	PK	Vertic	PASS
3	5715.19	38.7	50.25	11.590	109.55	59.30	PK	Vertic	PASS
4	5721.85	39.7	51.29	11.630	115.12	63.83	PK	Vertic	PASS
5	5852.83	38.3	50.37	12.070	115.86	65.49	PK	Vertic	PASS
6	5865.83	37.7	49.73	12.070	107.87	58.14	PK	Vertic	PASS
7	5896.70	38.2	50.24	12.090	89.20	38.96	PK	Vertic	PASS
8	5937.49	38.5	50.73	12.230	68.30	17.57	PK	Vertic	PASS

Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.41	39.1	50.40	11.260	68.30	17.90	PK	Horizo	PASS
2	5677.49	39.1	50.53	11.420	88.68	38.15	PK	Horizo	PASS
3	5706.90	39.5	51.07	11.550	107.23	56.16	PK	Horizo	PASS
4	5721.36	39.8	51.42	11.630	114.01	62.59	PK	Horizo	PASS
5	5852.34	41.9	54.00	12.070	116.97	62.97	PK	Horizo	PASS
6	5870.05	39.0	51.10	12.080	106.68	55.58	PK	Horizo	PASS
7	5904.66	39.9	52.01	12.100	83.31	31.30	PK	Horizo	PASS
8	5939.44	39.2	51.45	12.230	68.30	16.85	PK	Horizo	PASS


Transmit at 5825MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.81	38.3	49.57	11.250	68.30	18.73	PK	Vertic	PASS
2	5687.24	37.9	49.35	11.460	95.89	46.54	PK	Vertic	PASS
3	5703.00	38.2	49.77	11.530	106.14	56.37	PK	Vertic	PASS
4	5724.13	37.7	49.38	11.650	120.31	70.93	PK	Vertic	PASS
5	5851.69	38.5	50.55	12.070	118.45	67.90	PK	Vertic	PASS
6	5867.61	38.3	50.39	12.070	107.37	56.98	PK	Vertic	PASS
7	5913.11	39.4	51.53	12.140	77.07	25.54	PK	Vertic	PASS
8	5945.78	38.7	50.93	12.250	68.30	17.37	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	38.6	49.87	11.250	68.30	18.43	PK	Horizo	PASS
2	5667.74	38.5	49.90	11.370	81.46	31.56	PK	Horizo	PASS
3	5711.78	39.9	51.48	11.580	108.60	57.12	PK	Horizo	PASS
4	5723.96	43.9	55.55	11.650	119.94	64.39	PK	Horizo	PASS
5	5851.85	38.7	50.73	12.070	118.08	67.35	PK	Horizo	PASS
6	5865.50	38.5	50.61	12.070	107.96	57.35	PK	Horizo	PASS
7	5904.18	38.5	50.58	12.100	83.67	33.09	PK	Horizo	PASS
8	5937.98	38.9	51.14	12.230	68.30	17.16	PK	Horizo	PASS


Transmit at 5745MHz by 802.11ac(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.73	37.8	49.04	11.240	68.30	19.26	PK	Vertic	PASS
2	5670.01	38.2	49.60	11.390	83.15	33.55	PK	Vertic	PASS
3	5707.71	38.2	49.71	11.560	107.46	57.75	PK	Vertic	PASS
4	5721.69	39.9	51.49	11.630	114.75	63.26	PK	Vertic	PASS
5	5852.34	38.3	50.36	12.070	116.97	66.61	PK	Vertic	PASS
6	5862.74	37.9	50.00	12.070	108.73	58.73	PK	Vertic	PASS
7	5906.29	38.5	50.65	12.110	82.11	31.46	PK	Vertic	PASS
8	5950.00	38.5	50.78	12.270	68.30	17.52	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	39.4	50.64	11.260	68.30	17.66	PK	Horizo	PASS
2	5675.70	39.8	51.23	11.410	87.36	36.13	PK	Horizo	PASS
3	5707.06	40.6	52.18	11.560	107.28	55.10	PK	Horizo	PASS
4	5722.01	40.1	51.73	11.640	115.49	63.76	PK	Horizo	PASS
5	5852.01	41.9	53.93	12.070	117.71	63.78	PK	Horizo	PASS
6	5864.20	41.1	53.15	12.070	108.32	55.17	PK	Horizo	PASS
7	5900.28	39.9	51.97	12.090	86.56	34.59	PK	Horizo	PASS
8	5943.83	39.2	51.44	12.250	68.30	16.86	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	38.6	49.86	11.260	68.30	18.44	PK	Vertic	PASS
2	5684.64	38.3	49.75	11.450	93.97	44.22	PK	Vertic	PASS
3	5709.50	38.2	49.74	11.570	107.96	58.22	PK	Vertic	PASS
4	5723.48	38.9	50.51	11.640	118.82	68.31	PK	Vertic	PASS
5	5850.71	38.8	50.82	12.070	120.67	69.85	PK	Vertic	PASS
6	5863.88	37.8	49.90	12.070	108.41	58.51	PK	Vertic	PASS
7	5889.88	38.1	50.18	12.080	94.26	44.08	PK	Vertic	PASS
8	5930.01	38.4	50.56	12.200	68.30	17.74	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	37.9	49.17	11.240	68.30	19.13	PK	Horizo	PASS
2	5682.04	38.3	49.77	11.450	92.05	42.28	PK	Horizo	PASS
3	5713.73	39.6	51.16	11.590	109.15	57.99	PK	Horizo	PASS
4	5723.15	43.6	55.23	11.640	118.08	62.85	PK	Horizo	PASS
5	5852.34	38.4	50.45	12.070	116.97	66.52	PK	Horizo	PASS
6	5869.08	38.6	50.66	12.070	106.96	56.30	PK	Horizo	PASS
7	5910.51	38.8	50.93	12.130	78.99	28.06	PK	Horizo	PASS
8	5949.68	38.0	50.30	12.260	68.30	18.00	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.94	38.9	50.15	11.290	68.30	18.15	PK	Vertic	PASS
2	5682.85	38.3	49.78	11.450	92.65	42.87	PK	Vertic	PASS
3	5709.34	38.6	50.17	11.560	107.92	57.75	PK	Vertic	PASS
4	5722.34	40.4	51.99	11.640	116.23	64.24	PK	Vertic	PASS
5	5852.50	37.8	49.84	12.070	116.60	66.76	PK	Vertic	PASS
6	5864.53	37.9	49.93	12.070	108.23	58.30	PK	Vertic	PASS
7	5906.61	38.2	50.28	12.110	81.87	31.59	PK	Vertic	PASS
8	5941.55	38.2	50.45	12.240	68.30	17.85	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.09	38.8	50.01	11.260	68.30	18.29	PK	Horizo	PASS
2	5675.21	38.3	49.71	11.410	87.00	37.29	PK	Horizo	PASS
3	5707.55	38.9	50.41	11.560	107.42	57.01	PK	Horizo	PASS
4	5722.66	39.9	51.53	11.640	116.97	65.44	PK	Horizo	PASS
5	5851.69	38.9	50.93	12.070	118.45	67.52	PK	Horizo	PASS
6	5868.26	39.0	51.07	12.070	107.18	56.11	PK	Horizo	PASS
7	5905.15	38.8	50.92	12.110	82.95	32.03	PK	Horizo	PASS
8	5937.33	38.9	51.09	12.230	68.30	17.21	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	38.3	49.52	11.260	68.30	18.78	PK	Vertic	PASS
2	5677.33	38.1	49.56	11.420	88.56	39.00	PK	Vertic	PASS
3	5703.33	38.6	50.12	11.540	106.23	56.11	PK	Vertic	PASS
4	5723.80	37.9	49.51	11.650	119.56	70.05	PK	Vertic	PASS
5	5851.69	38.3	50.40	12.070	118.45	68.05	PK	Vertic	PASS
6	5867.94	38.0	50.08	12.070	107.28	57.20	PK	Vertic	PASS
7	5907.75	39.3	51.38	12.110	81.03	29.65	PK	Vertic	PASS
8	5939.60	38.5	50.74	12.230	68.30	17.56	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.74	38.8	50.07	11.260	68.30	18.23	PK	Horizo	PASS
2	5669.36	38.7	50.05	11.390	82.67	32.62	PK	Horizo	PASS
3	5707.88	42.3	53.86	11.560	107.51	53.65	PK	Horizo	PASS
4	5721.53	44.3	55.91	11.630	114.38	58.47	PK	Horizo	PASS
5	5851.20	38.8	50.82	12.070	119.56	68.74	PK	Horizo	PASS
6	5878.99	38.2	50.27	12.080	102.34	52.07	PK	Horizo	PASS
7	5907.75	38.8	50.93	12.110	81.03	30.10	PK	Horizo	PASS
8	5940.74	38.5	50.72	12.240	68.30	17.58	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.34	37.9	49.13	11.280	68.30	19.17	PK	Vertic	PASS
2	5679.76	38.4	49.86	11.430	90.36	40.50	PK	Vertic	PASS
3	5709.50	39.4	51.00	11.570	107.96	56.96	PK	Vertic	PASS
4	5722.50	41.0	52.67	11.640	116.60	63.93	PK	Vertic	PASS
5	5851.04	37.9	49.93	12.070	119.93	70.00	PK	Vertic	PASS
6	5865.50	38.3	50.41	12.070	107.96	57.55	PK	Vertic	PASS
7	5901.25	37.7	49.79	12.090	85.84	36.05	PK	Vertic	PASS
8	5941.88	38.0	50.25	12.240	68.30	18.05	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.10	38.4	49.67	11.230	68.30	18.63	PK	Horizo	PASS
2	5680.58	39.0	50.38	11.430	90.96	40.58	PK	Horizo	PASS
3	5699.43	38.5	50.02	11.520	104.88	54.86	PK	Horizo	PASS
4	5720.23	38.4	50.02	11.620	111.41	61.39	PK	Horizo	PASS
5	5852.18	39.1	51.12	12.070	117.34	66.22	PK	Horizo	PASS
6	5866.31	39.8	51.87	12.070	107.73	55.86	PK	Horizo	PASS
7	5897.68	38.5	50.59	12.090	88.48	37.89	PK	Horizo	PASS
8	5935.05	39.6	51.85	12.220	68.30	16.45	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	38.4	49.66	11.250	68.30	18.64	PK	Vertic	PASS
2	5683.66	38.2	49.64	11.450	93.25	43.61	PK	Vertic	PASS
3	5708.36	38.0	49.58	11.560	107.64	58.06	PK	Vertic	PASS
4	5723.64	38.8	50.47	11.650	119.19	68.72	PK	Vertic	PASS
5	5851.20	38.2	50.26	12.070	119.56	69.30	PK	Vertic	PASS
6	5864.69	38.2	50.30	12.070	108.19	57.89	PK	Vertic	PASS
7	5898.00	37.7	49.75	12.090	88.24	38.49	PK	Vertic	PASS
8	5928.88	38.3	50.52	12.190	68.30	17.78	PK	Vertic	PASS


Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	38.7	49.98	11.250	68.30	18.32	PK	Horizo	PASS
2	5683.66	43.7	55.17	11.450	93.25	38.08	PK	Horizo	PASS
3	5707.88	43.8	55.32	11.560	107.51	52.19	PK	Horizo	PASS
4	5723.31	47.4	59.07	11.640	118.45	59.38	PK	Horizo	PASS
5	5850.88	39.9	51.99	12.070	120.30	68.31	PK	Horizo	PASS
6	5865.99	39.5	51.56	12.070	107.82	56.26	PK	Horizo	PASS
7	5901.74	38.1	50.19	12.100	85.48	35.29	PK	Horizo	PASS
8	5935.54	38.8	51.03	12.220	68.30	17.27	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.04	38.0	49.21	11.210	68.30	19.09	PK	Vertic	PASS
2	5683.66	41.5	52.96	11.450	93.25	40.29	PK	Vertic	PASS
3	5703.49	42.0	53.52	11.540	106.28	52.76	PK	Vertic	PASS
4	5724.29	44.1	55.70	11.650	120.68	64.98	PK	Vertic	PASS
5	5850.71	38.0	50.10	12.070	120.67	70.57	PK	Vertic	PASS
6	5870.05	38.4	50.49	12.080	106.68	56.19	PK	Vertic	PASS
7	5906.94	38.3	50.38	12.110	81.63	31.25	PK	Vertic	PASS
8	5935.54	38.5	50.71	12.220	68.30	17.59	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5006.72	37.3	46.67	9.410	74.00	27.33	PK	Horizo	PASS
2	5150.00	37.3	46.88	9.590	74.00	27.12	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4983.09	37.8	47.08	9.310	74.00	26.92	PK	Vertic	PASS
2	5150.00	36.8	46.35	9.590	74.00	27.65	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4843.88	28.7	37.21	8.530	54.00	16.79	AV	Horizo	PASS
2	5150.00	28.4	38.00	9.590	54.00	16.00	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.40	29.2	37.04	7.800	54.00	16.96	AV	Vertic	PASS
2	5150.00	27.1	36.66	9.590	54.00	17.34	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5085.12	38.6	48.03	9.480	74.00	25.97	PK	Horizo	PASS
2	5150.00	36.3	45.84	9.590	74.00	28.16	PK	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5029.32	39.8	49.30	9.460	74.00	24.70	PK	Vertic	PASS
2	5150.00	37.5	47.10	9.590	74.00	26.90	PK	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5028.54	27.8	37.23	9.460	54.00	16.77	AV	Horizo	PASS
2	5150.00	27.8	37.37	9.590	54.00	16.63	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	32.2	40.00	7.800	54.00	14.00	AV	Vertic	PASS
2	4843.62	31.4	39.88	8.530	54.00	14.12	AV	Vertic	PASS
3	5150.00	30.2	39.79	9.590	54.00	14.21	AV	Vertic	PASS


Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5031.79	38.2	47.66	9.460	74.00	26.34	PK	Horizo	PASS
2	5150.00	37.9	47.47	9.590	74.00	26.53	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.81	45.9	55.47	9.580	74.00	18.53	PK	Vertic	PASS
2	5150.00	42.8	52.38	9.590	74.00	21.62	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.42	29.5	37.30	7.800	54.00	16.70	AV	Horizo	PASS
2	5150.00	30.8	40.39	9.590	54.00	13.61	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.15	34.4	42.18	7.800	54.00	11.82	AV	Vertic	PASS
2	5146.46	36.2	45.75	9.580	54.00	8.25	AV	Vertic	PASS
3	5150.00	36.3	45.84	9.590	54.00	8.16	AV	Vertic	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.92	39.4	49.02	9.580	74.00	24.98	PK	Horizo	PASS
2	5150.00	37.2	46.79	9.590	74.00	27.21	PK	Horizo	PASS