



Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.54	47.9	57.52	9.580	74.00	16.48	PK	Vertic	PASS
2	5150.00	44.3	53.88	9.590	74.00	20.12	PK	Vertic	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.72	30.3	39.92	9.580	54.00	14.08	AV	Horizo	PASS
2	5150.00	30.4	39.94	9.590	54.00	14.06	AV	Horizo	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.33	34.3	42.06	7.800	54.00	11.94	AV	Vertic	PASS
2	4944.11	29.4	38.54	9.100	54.00	15.46	AV	Vertic	PASS
3	5150.00	36.6	46.23	9.590	54.00	7.77	AV	Vertic	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.31	43.2	52.77	9.560	74.00	21.23	PK	Horizo	PASS
2	5150.00	40.2	49.78	9.590	74.00	24.22	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.31	48.9	58.47	9.560	74.00	15.53	PK	Vertic	PASS
2	5150.00	47.5	57.12	9.590	74.00	16.88	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.84	34.7	44.29	9.580	54.00	9.71	AV	Horizo	PASS
2	5150.00	34.1	43.68	9.590	54.00	10.32	AV	Horizo	PASS


Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.41	32.3	40.11	7.800	54.00	13.89	AV	Vertic	PASS
2	4843.78	31.2	39.71	8.530	54.00	14.29	AV	Vertic	PASS
3	4943.91	29.9	39.03	9.100	54.00	14.97	AV	Vertic	PASS
4	5144.63	41.1	50.68	9.580	54.00	3.32	AV	Vertic	PASS
5	5150.00	40.3	49.89	9.590	54.00	4.11	AV	Vertic	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5145.09	44.1	53.69	9.580	74.00	20.31	PK	Horizo	PASS
2	5150.00	42.9	52.53	9.590	74.00	21.47	PK	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.75	50.0	59.53	9.580	74.00	14.47	PK	Vertic	PASS
2	5150.00	48.5	58.09	9.590	74.00	15.91	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5143.78	34.5	44.06	9.580	54.00	9.94	AV	Horizo	PASS
2	5150.00	32.3	41.89	9.590	54.00	12.11	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	32.0	39.80	7.800	54.00	14.20	AV	Vertic	PASS
2	4843.78	31.7	40.24	8.530	54.00	13.76	AV	Vertic	PASS
3	5145.38	41.2	50.77	9.580	54.00	3.23	AV	Vertic	PASS
4	5150.00	39.9	49.44	9.590	54.00	4.56	AV	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.36	38.9	49.83	10.900	68.30	18.47	PK	Horizo	PASS
2	5666.93	38.3	49.38	11.040	80.86	31.48	PK	Horizo	PASS
3	5712.10	38.3	49.62	11.290	108.69	59.07	PK	Horizo	PASS
4	5723.80	39.2	50.53	11.350	119.56	69.03	PK	Horizo	PASS
5	5850.88	38.7	50.33	11.660	120.30	69.97	PK	Horizo	PASS
6	5863.39	38.0	49.67	11.650	108.55	58.88	PK	Horizo	PASS
7	5894.75	38.5	50.16	11.620	90.65	40.49	PK	Horizo	PASS
8	5937.00	38.4	50.16	11.740	68.30	18.14	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	38.5	49.34	10.880	68.30	18.96	PK	Vertic	PASS
2	5673.43	38.3	49.41	11.090	85.68	36.27	PK	Vertic	PASS
3	5706.58	38.6	49.88	11.270	107.14	57.26	PK	Vertic	PASS
4	5720.23	41.9	53.27	11.330	111.41	58.14	PK	Vertic	PASS
5	5850.88	38.2	49.90	11.660	120.30	70.40	PK	Vertic	PASS
6	5869.24	38.2	49.81	11.640	106.91	57.10	PK	Vertic	PASS
7	5894.75	38.4	50.00	11.620	90.65	40.65	PK	Vertic	PASS
8	5939.60	38.7	50.48	11.750	68.30	17.82	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	38.2	49.10	10.880	68.30	19.20	PK	Horizo	PASS
2	5679.11	38.4	49.52	11.120	89.88	40.36	PK	Horizo	PASS
3	5709.99	37.9	49.23	11.290	108.10	58.87	PK	Horizo	PASS
4	5721.36	38.1	49.41	11.330	114.01	64.60	PK	Horizo	PASS
5	5851.20	38.1	49.71	11.660	119.56	69.85	PK	Horizo	PASS
6	5863.23	38.1	49.78	11.650	108.59	58.81	PK	Horizo	PASS
7	5900.93	38.2	49.81	11.620	86.08	36.27	PK	Horizo	PASS
8	5933.75	38.5	50.18	11.730	68.30	18.12	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	37.9	48.76	10.900	68.30	19.54	PK	Vertic	PASS
2	5668.71	38.5	49.58	11.050	82.19	32.61	PK	Vertic	PASS
3	5710.80	38.3	49.61	11.290	108.33	58.72	PK	Vertic	PASS
4	5723.64	38.1	49.45	11.350	119.19	69.74	PK	Vertic	PASS
5	5853.31	39.6	51.24	11.660	114.75	63.51	PK	Vertic	PASS
6	5865.18	39.0	50.69	11.650	108.05	57.36	PK	Vertic	PASS
7	5901.74	39.1	50.68	11.630	85.48	34.80	PK	Vertic	PASS
8	5938.63	38.3	50.05	11.750	68.30	18.25	PK	Vertic	PASS


Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	38.3	49.17	10.890	68.30	19.13	PK	Horizo	PASS
2	5678.95	37.5	48.64	11.110	89.76	41.12	PK	Horizo	PASS
3	5711.13	38.5	49.75	11.290	108.42	58.67	PK	Horizo	PASS
4	5721.69	38.8	50.13	11.330	114.75	64.62	PK	Horizo	PASS
5	5850.23	37.9	49.56	11.660	121.79	72.23	PK	Horizo	PASS
6	5864.69	37.3	48.97	11.650	108.19	59.22	PK	Horizo	PASS
7	5898.33	38.1	49.76	11.620	88.00	38.24	PK	Horizo	PASS
8	5939.11	38.2	49.92	11.750	68.30	18.38	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant1+2


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.63	38.4	49.31	10.880	68.30	18.99	PK	Vertic	PASS
2	5681.88	38.6	49.69	11.140	91.93	42.24	PK	Vertic	PASS
3	5711.45	39.0	50.32	11.290	108.51	58.19	PK	Vertic	PASS
4	5722.50	42.1	53.43	11.340	116.60	63.17	PK	Vertic	PASS
5	5850.55	38.0	49.70	11.660	121.05	71.35	PK	Vertic	PASS
6	5868.43	38.2	49.89	11.650	107.14	57.25	PK	Vertic	PASS
7	5897.84	38.3	49.95	11.620	88.36	38.41	PK	Vertic	PASS
8	5937.16	38.6	50.38	11.750	68.30	17.92	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	37.9	48.81	10.890	68.30	19.49	PK	Horizo	PASS
2	5673.91	38.5	49.54	11.090	86.04	36.50	PK	Horizo	PASS
3	5706.74	38.2	49.43	11.270	107.19	57.76	PK	Horizo	PASS
4	5721.36	38.4	49.73	11.330	114.01	64.28	PK	Horizo	PASS
5	5850.88	38.0	49.63	11.660	120.30	70.67	PK	Horizo	PASS
6	5871.68	38.0	49.65	11.640	106.23	56.58	PK	Horizo	PASS
7	5904.50	38.3	49.96	11.630	83.43	33.47	PK	Horizo	PASS
8	5929.69	38.2	49.92	11.720	68.30	18.38	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.11	38.2	49.11	10.890	68.30	19.19	PK	Vertic	PASS
2	5674.89	38.3	49.36	11.090	86.76	37.40	PK	Vertic	PASS
3	5707.88	38.1	49.41	11.270	107.51	58.10	PK	Vertic	PASS
4	5720.23	38.1	49.43	11.330	111.41	61.98	PK	Vertic	PASS
5	5854.78	40.0	51.70	11.660	111.41	59.71	PK	Vertic	PASS
6	5865.18	38.9	50.57	11.650	108.05	57.48	PK	Vertic	PASS
7	5896.05	38.2	49.85	11.620	89.68	39.83	PK	Vertic	PASS
8	5942.85	39.1	50.85	11.760	68.30	17.45	PK	Vertic	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.44	38.4	49.29	10.890	68.30	19.01	PK	Horizo	PASS
2	5677.16	38.0	49.15	11.110	88.44	39.29	PK	Horizo	PASS
3	5706.74	39.1	50.37	11.270	107.19	56.82	PK	Horizo	PASS
4	5723.48	40.9	52.27	11.350	118.82	66.55	PK	Horizo	PASS
5	5851.85	37.9	49.53	11.660	118.08	68.55	PK	Horizo	PASS
6	5870.54	37.9	49.54	11.640	106.55	57.01	PK	Horizo	PASS
7	5902.39	37.8	49.47	11.630	84.99	35.52	PK	Horizo	PASS
8	5946.59	38.9	50.71	11.770	68.30	17.59	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.28	39.1	50.01	10.890	68.30	18.29	PK	Vertic	PASS
2	5676.03	38.3	49.39	11.100	87.60	38.21	PK	Vertic	PASS
3	5705.11	40.5	51.80	11.260	106.73	54.93	PK	Vertic	PASS
4	5722.83	46.4	57.71	11.340	117.34	59.63	PK	Vertic	PASS
5	5853.15	38.0	49.62	11.660	115.12	65.50	PK	Vertic	PASS
6	5870.21	38.3	49.90	11.640	106.64	56.74	PK	Vertic	PASS
7	5904.18	38.5	50.11	11.630	83.67	33.56	PK	Vertic	PASS
8	5932.29	39.9	51.58	11.730	68.30	16.72	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	38.1	48.97	10.900	68.30	19.33	PK	Horizo	PASS
2	5675.38	37.7	48.84	11.100	87.12	38.28	PK	Horizo	PASS
3	5708.36	37.7	49.01	11.270	107.64	58.63	PK	Horizo	PASS
4	5723.80	38.8	50.11	11.350	119.56	69.45	PK	Horizo	PASS
5	5851.36	38.5	50.16	11.660	119.19	69.03	PK	Horizo	PASS
6	5860.63	37.8	49.40	11.650	109.32	59.92	PK	Horizo	PASS
7	5891.66	37.8	49.45	11.630	92.93	43.48	PK	Horizo	PASS
8	5928.71	38.4	50.14	11.720	68.30	18.16	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant1+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.79	38.5	49.37	10.880	68.30	18.93	PK	Vertic	PASS
2	5674.08	38.4	49.44	11.090	86.16	36.72	PK	Vertic	PASS
3	5708.36	38.3	49.61	11.270	107.64	58.03	PK	Vertic	PASS
4	5718.44	38.3	49.59	11.320	110.46	60.87	PK	Vertic	PASS
5	5852.50	38.5	50.14	11.660	116.60	66.46	PK	Vertic	PASS
6	5868.91	39.2	50.84	11.640	107.00	56.16	PK	Vertic	PASS
7	5901.09	38.3	49.87	11.620	85.96	36.09	PK	Vertic	PASS
8	5935.21	38.4	50.18	11.740	68.30	18.12	PK	Vertic	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.93	38.4	49.33	10.890	68.30	18.97	PK	Horizo	PASS
2	5683.83	37.7	48.89	11.150	93.37	44.48	PK	Horizo	PASS
3	5705.44	38.2	49.45	11.270	106.82	57.37	PK	Horizo	PASS
4	5721.04	40.3	51.59	11.330	113.27	61.68	PK	Horizo	PASS
5	5850.23	38.0	49.67	11.660	121.79	72.12	PK	Horizo	PASS
6	5871.84	38.3	49.93	11.640	106.18	56.25	PK	Horizo	PASS
7	5902.06	38.1	49.68	11.630	85.23	35.55	PK	Horizo	PASS
8	5944.96	38.8	50.53	11.770	68.30	17.77	PK	Horizo	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant1+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5625.65	38.3	49.11	10.800	68.30	19.19	PK	Vertic	PASS
2	5670.83	38.7	49.75	11.070	83.75	34.00	PK	Vertic	PASS
3	5710.48	41.2	52.45	11.290	108.24	55.79	PK	Vertic	PASS
4	5723.15	45.7	57.03	11.340	118.08	61.05	PK	Vertic	PASS
5	5853.15	39.5	51.12	11.660	115.12	64.00	PK	Vertic	PASS
6	5872.16	38.6	50.23	11.640	106.09	55.86	PK	Vertic	PASS
7	5898.65	38.7	50.28	11.620	87.76	37.48	PK	Vertic	PASS
8	5934.56	39.5	51.26	11.740	68.30	17.04	PK	Vertic	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.58	39.0	49.87	10.890	68.30	18.43	PK	Horizo	PASS
2	5671.48	38.0	49.08	11.080	84.23	35.15	PK	Horizo	PASS
3	5710.15	38.2	49.46	11.290	108.14	58.68	PK	Horizo	PASS
4	5721.20	37.6	48.92	11.330	113.64	64.72	PK	Horizo	PASS
5	5853.64	37.7	49.36	11.660	114.01	64.65	PK	Horizo	PASS
6	5865.66	38.4	50.06	11.650	107.91	57.85	PK	Horizo	PASS
7	5907.59	38.0	49.59	11.640	81.15	31.56	PK	Horizo	PASS
8	5939.11	39.0	50.72	11.750	68.30	17.58	PK	Horizo	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.84	39.0	49.82	10.870	68.30	18.48	PK	Vertic	PASS
2	5676.19	39.1	50.15	11.100	87.72	37.57	PK	Vertic	PASS
3	5712.75	38.5	49.78	11.300	108.87	59.09	PK	Vertic	PASS
4	5721.85	38.7	50.06	11.330	115.12	65.06	PK	Vertic	PASS
5	5854.13	39.3	51.00	11.660	112.89	61.89	PK	Vertic	PASS
6	5869.24	39.1	50.69	11.640	106.91	56.22	PK	Vertic	PASS
7	5913.44	39.0	50.67	11.660	76.83	26.16	PK	Vertic	PASS
8	5937.81	38.9	50.60	11.750	68.30	17.70	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	38.2	49.12	10.880	68.30	19.18	PK	Horizo	PASS
2	5669.04	37.9	48.93	11.070	82.43	33.50	PK	Horizo	PASS
3	5707.06	39.2	50.44	11.270	107.28	56.84	PK	Horizo	PASS
4	5720.23	40.5	51.83	11.330	111.41	59.58	PK	Horizo	PASS
5	5851.36	38.1	49.73	11.660	119.19	69.46	PK	Horizo	PASS
6	5865.99	38.0	49.67	11.650	107.82	58.15	PK	Horizo	PASS
7	5903.85	38.8	50.47	11.630	83.91	33.44	PK	Horizo	PASS
8	5939.11	39.1	50.80	11.750	68.30	17.50	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.14	38.5	49.34	10.880	68.30	18.96	PK	Vertic	PASS
2	5675.86	39.6	50.67	11.100	87.48	36.81	PK	Vertic	PASS
3	5708.53	44.5	55.78	11.270	107.69	51.91	PK	Vertic	PASS
4	5721.69	47.6	58.91	11.330	114.75	55.84	PK	Vertic	PASS
5	5851.85	40.6	52.23	11.660	118.08	65.85	PK	Vertic	PASS
6	5864.85	39.7	51.35	11.650	108.14	56.79	PK	Vertic	PASS
7	5894.91	38.4	50.02	11.620	90.53	40.51	PK	Vertic	PASS
8	5935.38	38.2	49.92	11.740	68.30	18.38	PK	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	37.8	48.68	10.880	68.30	19.62	PK	Horizo	PASS
2	5669.36	38.0	49.07	11.070	82.67	33.60	PK	Horizo	PASS
3	5706.58	38.8	50.11	11.270	107.14	57.03	PK	Horizo	PASS
4	5720.55	40.8	52.15	11.330	112.15	60.00	PK	Horizo	PASS
5	5854.13	37.6	49.30	11.660	112.89	63.59	PK	Horizo	PASS
6	5867.78	37.8	49.40	11.650	107.32	57.92	PK	Horizo	PASS
7	5903.53	37.9	49.55	11.630	84.15	34.60	PK	Horizo	PASS
8	5938.63	38.1	49.82	11.750	68.30	18.48	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	38.4	49.34	10.920	68.30	18.96	PK	Vertic	PASS
2	5672.61	40.0	51.12	11.080	85.07	33.95	PK	Vertic	PASS
3	5712.26	45.3	56.59	11.290	108.74	52.15	PK	Vertic	PASS
4	5719.41	47.6	58.96	11.320	110.74	51.78	PK	Vertic	PASS
5	5850.71	41.1	52.80	11.660	120.67	67.87	PK	Vertic	PASS
6	5865.34	39.6	51.20	11.650	108.00	56.80	PK	Vertic	PASS
7	5908.08	38.3	49.90	11.650	80.79	30.89	PK	Vertic	PASS
8	5940.58	38.7	50.41	11.760	68.30	17.89	PK	Vertic	PASS

Note:

1. Level = Reading + Factor


2. Margin = Limit - Level

Part RU worse case:
Transmit at 5180MHz by 802.11ax(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5003.70	37.9	47.35	9.410	74.00	26.65	PK	Horizo	PASS
2	5150.00	36.1	45.66	9.590	74.00	28.34	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	28.3	36.14	7.800	54.00	17.86	AV	Horizo	PASS
2	4843.62	28.1	36.58	8.530	54.00	17.42	AV	Horizo	PASS
3	5150.00	27.5	37.10	9.590	54.00	16.90	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 26-0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	38.6	46.37	7.800	74.00	27.63	PK	Vertic	PASS
2	5015.78	38.1	47.51	9.440	74.00	26.49	PK	Vertic	PASS
3	5150.00	36.4	46.00	9.590	74.00	28.00	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with RU 26-0



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.14	31.7	39.52	7.800	54.00	14.48	AV	Vertic	PASS
2	4843.79	29.7	38.22	8.530	54.00	15.78	AV	Vertic	PASS
3	4924.01	30.4	39.36	9.010	54.00	14.64	AV	Vertic	PASS
4	5150.00	28.0	37.55	9.590	54.00	16.45	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4971.96	37.7	46.90	9.250	74.00	27.10	PK	Horizo	PASS
2	5150.00	36.7	46.29	9.590	74.00	27.71	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.14	29.5	37.26	7.800	54.00	16.74	AV	Horizo	PASS
2	4964.54	27.1	36.29	9.220	54.00	17.71	AV	Horizo	PASS
3	5150.00	27.5	37.04	9.590	54.00	16.96	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.48	39.2	47.02	7.800	74.00	26.98	PK	Vertic	PASS
2	5021.99	38.4	47.89	9.450	74.00	26.11	PK	Vertic	PASS
3	5150.00	35.9	45.47	9.590	74.00	28.53	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.14	32.8	40.58	7.800	54.00	13.42	AV	Vertic	PASS
2	4943.93	30.6	39.73	9.100	54.00	14.27	AV	Vertic	PASS
3	5150.00	27.8	37.37	9.590	54.00	16.63	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4818.87	37.7	46.10	8.400	74.00	27.90	PK	Horizo	PASS
2	5150.00	35.7	45.27	9.590	74.00	28.73	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	29.3	37.08	7.800	54.00	16.92	AV	Horizo	PASS
2	5150.00	28.6	38.15	9.590	54.00	15.85	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with RU 106-53



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	39.9	47.74	7.800	74.00	26.26	PK	Vertic	PASS
2	5150.00	39.0	48.62	9.590	74.00	25.38	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with RU 106-53



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	33.1	40.91	7.800	54.00	13.09	AV	Vertic	PASS
2	4944.10	29.6	38.74	9.100	54.00	15.26	AV	Vertic	PASS
3	5150.00	30.2	39.78	9.590	54.00	14.22	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4856.56	38.0	46.60	8.600	74.00	27.40	PK	Horizo	PASS
2	5150.00	36.5	46.10	9.590	74.00	27.90	PK	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	29.8	37.55	7.800	54.00	16.45	AV	Horizo	PASS
2	5150.00	27.8	37.39	9.590	54.00	16.61	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.48	39.1	46.86	7.800	74.00	27.14	PK	Vertic	PASS
2	4677.33	38.4	46.71	8.270	74.00	27.29	PK	Vertic	PASS
3	5150.00	35.8	45.43	9.590	74.00	28.57	PK	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	33.0	40.75	7.800	54.00	13.25	AV	Vertic	PASS
2	4944.10	30.1	39.20	9.100	54.00	14.80	AV	Vertic	PASS
3	5150.00	27.8	37.41	9.590	54.00	16.59	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4818.78	37.3	45.74	8.400	74.00	28.26	PK	Horizo	PASS
2	5150.00	35.8	45.39	9.590	74.00	28.61	PK	Horizo	PASS


Transmit at 5180MHz by 802.11be(20MHz) with RU 52-37



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	29.3	37.10	7.800	54.00	16.90	AV	Horizo	PASS
2	5150.00	27.4	37.03	9.590	54.00	16.97	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4780.49	37.7	45.99	8.300	74.00	28.01	PK	Vertic	PASS
2	5150.00	37.2	46.78	9.590	74.00	27.22	PK	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with RU 52-37



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.31	32.5	40.34	7.800	54.00	13.66	AV	Vertic	PASS
2	4944.02	30.1	39.15	9.100	54.00	14.85	AV	Vertic	PASS
3	5150.00	28.5	38.09	9.590	54.00	15.91	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4673.79	37.5	45.73	8.250	74.00	28.27	PK	Horizo	PASS
2	5150.00	35.3	44.93	9.590	74.00	29.07	PK	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.14	29.4	37.17	7.800	54.00	16.83	AV	Horizo	PASS
2	5150.00	27.6	37.16	9.590	54.00	16.84	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 106-53



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4789.46	37.0	45.33	8.300	74.00	28.67	PK	Vertic	PASS
2	5150.00	36.5	46.13	9.590	74.00	27.87	PK	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with RU 106-53




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4531.22	33.1	40.86	7.800	54.00	13.14	AV	Vertic	PASS
2	4943.76	29.6	38.71	9.100	54.00	15.29	AV	Vertic	PASS
3	5150.00	28.5	38.12	9.590	54.00	15.88	AV	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.84	38.6	49.55	10.950	68.92	19.37	PK	Horizo	PASS
2	5671.80	38.9	49.98	11.080	84.47	34.49	PK	Horizo	PASS
3	5700.73	38.8	50.00	11.240	105.50	55.50	PK	Horizo	PASS
4	5723.15	37.9	49.27	11.340	118.08	68.81	PK	Horizo	PASS
5	5851.53	37.6	49.23	11.660	118.82	69.59	PK	Horizo	PASS
6	5862.74	37.7	49.35	11.650	108.73	59.38	PK	Horizo	PASS
7	5898.49	37.4	49.03	11.620	87.88	38.85	PK	Horizo	PASS
8	5933.91	38.0	49.73	11.740	68.30	18.57	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU 26-0


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.81	38.2	49.12	10.880	68.30	19.18	PK	Vertic	PASS
2	5675.70	38.6	49.71	11.100	87.36	37.65	PK	Vertic	PASS
3	5707.06	38.2	49.49	11.270	107.28	57.79	PK	Vertic	PASS
4	5723.31	38.3	49.61	11.350	118.45	68.84	PK	Vertic	PASS
5	5851.36	38.1	49.77	11.660	119.19	69.42	PK	Vertic	PASS
6	5869.89	37.6	49.21	11.640	106.73	57.52	PK	Vertic	PASS
7	5896.21	39.0	50.60	11.620	89.56	38.96	PK	Vertic	PASS
8	5938.95	38.4	50.15	11.750	68.30	18.15	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with RU 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.93	38.7	49.62	10.890	68.30	18.68	PK	Horizo	PASS
2	5671.15	38.1	49.15	11.080	83.99	34.84	PK	Horizo	PASS
3	5707.23	38.1	49.41	11.270	107.33	57.92	PK	Horizo	PASS
4	5721.85	38.3	49.65	11.330	115.12	65.47	PK	Horizo	PASS
5	5851.53	37.7	49.31	11.660	118.82	69.51	PK	Horizo	PASS
6	5864.20	37.3	48.98	11.650	108.32	59.34	PK	Horizo	PASS
7	5911.00	38.9	50.56	11.650	78.63	28.07	PK	Horizo	PASS
8	5935.86	38.1	49.87	11.740	68.30	18.43	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU 52-37


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	38.8	49.69	10.870	68.30	18.61	PK	Vertic	PASS
2	5660.91	39.2	50.19	11.010	76.40	26.21	PK	Vertic	PASS
3	5708.04	38.6	49.82	11.270	107.55	57.73	PK	Vertic	PASS
4	5722.66	41.1	52.48	11.340	116.97	64.49	PK	Vertic	PASS
5	5852.50	37.6	49.23	11.660	116.60	67.37	PK	Vertic	PASS
6	5867.29	37.7	49.36	11.650	107.46	58.10	PK	Vertic	PASS
7	5894.75	38.7	50.29	11.620	90.65	40.36	PK	Vertic	PASS
8	5933.91	38.4	50.11	11.740	68.30	18.19	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU 106-53




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.03	38.1	48.96	10.870	68.30	19.34	PK	Horizo	PASS
2	5673.43	37.2	48.32	11.090	85.68	37.36	PK	Horizo	PASS
3	5707.06	37.7	48.99	11.270	107.28	58.29	PK	Horizo	PASS
4	5723.15	40.0	51.31	11.340	118.08	66.77	PK	Horizo	PASS
5	5852.34	38.1	49.73	11.660	116.97	67.24	PK	Horizo	PASS
6	5864.53	37.7	49.30	11.650	108.23	58.93	PK	Horizo	PASS
7	5901.90	38.0	49.59	11.630	85.36	35.77	PK	Horizo	PASS
8	5941.71	38.1	49.87	11.760	68.30	18.43	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with RU 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.08	38.2	49.07	10.860	68.30	19.23	PK	Vertic	PASS
2	5678.30	39.0	50.08	11.110	89.28	39.20	PK	Vertic	PASS
3	5710.64	39.2	50.50	11.290	108.28	57.78	PK	Vertic	PASS
4	5720.23	43.0	54.30	11.330	111.41	57.11	PK	Vertic	PASS
5	5852.18	38.6	50.25	11.660	117.34	67.09	PK	Vertic	PASS
6	5870.38	38.2	49.79	11.640	106.59	56.80	PK	Vertic	PASS
7	5906.29	38.0	49.61	11.640	82.11	32.50	PK	Vertic	PASS
8	5938.63	38.3	50.00	11.750	68.30	18.30	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.89	38.3	49.16	10.860	68.30	19.14	PK	Horizo	PASS
2	5663.35	37.9	48.90	11.030	78.21	29.31	PK	Horizo	PASS
3	5708.85	38.9	50.21	11.270	107.78	57.57	PK	Horizo	PASS
4	5723.80	37.6	48.98	11.350	119.56	70.58	PK	Horizo	PASS
5	5853.15	37.6	49.24	11.660	115.12	65.88	PK	Horizo	PASS
6	5870.05	37.4	49.04	11.640	106.68	57.64	PK	Horizo	PASS
7	5899.46	37.9	49.54	11.620	87.16	37.62	PK	Horizo	PASS
8	5928.06	38.4	50.14	11.720	68.30	18.16	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.64	38.3	49.10	10.850	68.30	19.20	PK	Vertic	PASS
2	5682.69	37.9	49.04	11.140	92.53	43.49	PK	Vertic	PASS
3	5709.83	37.7	48.96	11.290	108.05	59.09	PK	Vertic	PASS
4	5722.83	37.5	48.80	11.340	117.34	68.54	PK	Vertic	PASS
5	5851.85	37.8	49.41	11.660	118.08	68.67	PK	Vertic	PASS
6	5871.51	37.4	49.02	11.640	106.28	57.26	PK	Vertic	PASS
7	5903.20	38.6	50.27	11.630	84.39	34.12	PK	Vertic	PASS
8	5931.31	37.9	49.59	11.730	68.30	18.71	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.38	37.9	48.72	10.870	68.30	19.58	PK	Horizo	PASS
2	5677.49	38.2	49.28	11.110	88.68	39.40	PK	Horizo	PASS
3	5709.18	38.1	49.33	11.280	107.87	58.54	PK	Horizo	PASS
4	5722.50	39.3	50.64	11.340	116.60	65.96	PK	Horizo	PASS
5	5852.83	37.9	49.55	11.660	115.86	66.31	PK	Horizo	PASS
6	5864.53	37.5	49.10	11.650	108.23	59.13	PK	Horizo	PASS
7	5894.59	37.7	49.34	11.620	90.77	41.43	PK	Horizo	PASS
8	5933.10	38.4	50.09	11.730	68.30	18.21	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.31	38.4	49.23	10.840	68.30	19.07	PK	Vertic	PASS
2	5685.13	38.2	49.32	11.160	94.33	45.01	PK	Vertic	PASS
3	5711.94	38.3	49.59	11.290	108.64	59.05	PK	Vertic	PASS
4	5722.34	40.1	51.44	11.340	116.23	64.79	PK	Vertic	PASS
5	5851.53	37.8	49.44	11.660	118.82	69.38	PK	Vertic	PASS
6	5866.96	37.5	49.11	11.650	107.55	58.44	PK	Vertic	PASS
7	5909.38	38.0	49.61	11.650	79.83	30.22	PK	Vertic	PASS
8	5938.79	38.5	50.22	11.750	68.30	18.08	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.40	37.7	48.51	10.860	68.30	19.79	PK	Horizo	PASS
2	5681.55	38.2	49.36	11.140	91.68	42.32	PK	Horizo	PASS
3	5710.31	37.6	48.91	11.290	108.19	59.28	PK	Horizo	PASS
4	5723.31	38.2	49.55	11.350	118.45	68.90	PK	Horizo	PASS
5	5852.50	38.0	49.61	11.660	116.60	66.99	PK	Horizo	PASS
6	5864.69	37.6	49.20	11.650	108.19	58.99	PK	Horizo	PASS
7	5900.60	38.7	50.27	11.620	86.32	36.05	PK	Horizo	PASS
8	5935.70	37.9	49.68	11.740	68.30	18.62	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with RU 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5646.45	38.2	49.08	10.930	68.30	19.22	PK	Vertic	PASS
2	5681.39	38.4	49.57	11.140	91.56	41.99	PK	Vertic	PASS
3	5712.75	38.1	49.35	11.300	108.87	59.52	PK	Vertic	PASS
4	5723.64	40.4	51.74	11.350	119.19	67.45	PK	Vertic	PASS
5	5851.69	37.6	49.24	11.660	118.45	69.21	PK	Vertic	PASS
6	5867.29	37.8	49.41	11.650	107.46	58.05	PK	Vertic	PASS
7	5901.41	38.1	49.75	11.620	85.72	35.97	PK	Vertic	PASS
8	5935.86	38.4	50.10	11.740	68.30	18.20	PK	Vertic	PASS


Appendix H: AC Power Line Conducted Emission

Profile: 25A0373R	Page No.: 5
Engineer: Yu Liu	
Site: TR1	Time: 2025/11/20 - 19:08
Limit: FCC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: 5G Portable CPE	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.015	53.736	43.491	-56.264	110.000	10.245	QP
2		0.023	32.148	22.071	-77.852	110.000	10.077	QP
3		0.031	43.514	33.604	-66.486	110.000	9.910	QP
4		0.038	15.951	6.187	-94.049	110.000	9.764	QP
5		0.046	22.202	12.467	-87.798	110.000	9.735	QP
6		0.063	0.096	-9.621	-87.801	87.896	9.717	QP

Profile: 25A0373R	Page No.: 6
Engineer: Yu Liu	
Site: TR1	Time: 2025/11/20 - 19:08
Limit: FCC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: 5G Portable CPE	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	




No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.188	27.400	17.743	-36.724	64.124	9.657	QP
2		0.280	22.463	12.796	-38.353	60.816	9.667	QP
3		0.375	18.802	9.119	-39.587	58.389	9.683	QP
4		0.559	16.527	6.836	-39.473	56.000	9.690	QP
5		2.690	11.751	1.964	-44.249	56.000	9.787	QP
6		11.998	10.690	0.712	-49.310	60.000	9.978	QP

Profile: 25A0373R	Page No.: 7
Engineer: Yu Liu	
Site: TR1	Time: 2025/11/20 - 19:09
Limit: FCC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: 5G Portable CPE	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.015	62.709	52.431	-47.291	110.000	10.278	QP
2		0.023	38.493	28.392	-71.507	110.000	10.101	QP
3		0.031	48.282	38.357	-61.718	110.000	9.925	QP
4		0.038	19.646	9.875	-90.354	110.000	9.771	QP
5		0.046	25.889	16.151	-84.111	110.000	9.738	QP

Profile: 25A0373R	Page No.: 8
Engineer: Yu Liu	
Site: TR1	Time: 2025/11/20 - 19:09
Limit: FCC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: 5G Portable CPE	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.186	17.611	7.952	-46.602	64.213	9.660	QP
2	*	0.299	16.265	6.638	-44.006	60.271	9.627	QP
3		0.566	11.663	2.051	-44.337	56.000	9.613	QP
4		3.523	9.148	-0.612	-46.852	56.000	9.760	QP
5		12.752	9.905	-0.105	-50.095	60.000	10.010	QP
6		22.195	11.563	0.963	-48.437	60.000	10.600	QP

The End