


Transmit at 2437MHz by 802.11n(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.00	54.25	47.21	-7.040	74.00	26.79	PK	Vertic	PASS
2	7309.00	49.18	48.99	-0.190	74.00	25.01	PK	Vertic	PASS
3	9748.00	41.60	43.94	2.340	74.00	30.06	PK	Vertic	PASS
4	4874.00	44.36	37.32	-7.040	54.00	16.68	AV	Vertic	PASS
5	7311.00	40.14	39.95	-0.190	54.00	14.05	AV	Vertic	PASS
6	9748.00	33.26	35.60	2.340	54.00	18.40	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.00	50.56	43.67	-6.890	74.00	30.33	PK	Horizo	PASS
2	7388.00	50.95	50.88	-0.070	74.00	23.12	PK	Horizo	PASS
3	10132.00	44.30	47.37	3.070	74.00	26.63	PK	Horizo	PASS
4	4924.00	41.90	35.02	-6.880	54.00	18.98	AV	Horizo	PASS
5	7388.50	41.78	41.71	-0.070	54.00	12.29	AV	Horizo	PASS
6	10155.50	35.48	38.55	3.070	54.00	15.45	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4922.00	51.70	44.81	-6.890	74.00	29.19	PK	Vertic	PASS
2	7381.50	54.18	54.09	-0.090	74.00	19.91	PK	Vertic	PASS
3	10099.00	44.19	47.25	3.060	74.00	26.75	PK	Vertic	PASS
4	4928.50	43.69	36.83	-6.860	54.00	17.17	AV	Vertic	PASS
5	7382.00	44.41	44.32	-0.090	54.00	9.68	AV	Vertic	PASS
6	10099.50	35.29	38.35	3.060	54.00	15.65	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4819.50	65.97	58.91	-7.060	74.00	15.09	PK	Horizo	PASS
2	7229.00	54.27	54.08	-0.190	74.00	19.92	PK	Horizo	PASS
3	9648.50	48.85	51.23	2.380	74.00	22.77	PK	Horizo	PASS
4	4820.50	58.13	51.07	-7.060	54.00	2.93	AV	Horizo	PASS
5	7234.00	46.05	45.86	-0.190	54.00	8.14	AV	Horizo	PASS
6	9648.50	40.66	43.04	2.380	54.00	10.96	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4822.50	64.71	57.64	-7.070	74.00	16.36	PK	Vertic	PASS
2	7230.50	57.98	57.79	-0.190	74.00	16.21	PK	Vertic	PASS
3	9642.50	47.13	49.54	2.410	74.00	24.46	PK	Vertic	PASS
4	4823.00	58.72	51.66	-7.060	54.00	2.34	AV	Vertic	PASS
5	7233.00	49.71	49.52	-0.190	54.00	4.48	AV	Vertic	PASS
6	9648.50	39.72	42.10	2.380	54.00	11.90	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4872.50	57.54	50.49	-7.050	74.00	23.51	PK	Horizo	PASS
2	7303.00	54.29	54.09	-0.200	74.00	19.91	PK	Horizo	PASS
3	9748.00	42.51	44.85	2.340	74.00	29.15	PK	Horizo	PASS
4	4874.00	46.18	39.14	-7.040	54.00	14.86	AV	Horizo	PASS
5	7311.00	42.51	42.32	-0.190	54.00	11.68	AV	Horizo	PASS
6	9748.00	34.60	36.94	2.340	54.00	17.06	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	58.24	51.20	-7.040	74.00	22.80	PK	Vertic	PASS
2	7303.00	57.48	57.28	-0.200	74.00	16.72	PK	Vertic	PASS
3	9748.00	44.60	46.94	2.340	74.00	27.06	PK	Vertic	PASS
4	4874.00	46.52	39.48	-7.040	54.00	14.52	AV	Vertic	PASS
5	7311.00	45.19	45.00	-0.190	54.00	9.00	AV	Vertic	PASS
6	9748.00	36.16	38.50	2.340	54.00	15.50	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4918.00	58.01	51.09	-6.920	74.00	22.91	PK	Horizo	PASS
2	7388.00	54.62	54.55	-0.070	74.00	19.45	PK	Horizo	PASS
3	10080.50	44.69	47.72	3.030	74.00	26.28	PK	Horizo	PASS
4	4927.50	50.93	44.07	-6.860	54.00	9.93	AV	Horizo	PASS
5	7389.00	46.84	46.77	-0.070	54.00	7.23	AV	Horizo	PASS
6	10069.50	35.87	38.88	3.010	54.00	15.12	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4919.00	55.59	48.68	-6.910	74.00	25.32	PK	Vertic	PASS
2	7398.00	60.34	60.28	-0.060	74.00	13.72	PK	Vertic	PASS
3	9557.50	45.19	47.57	2.380	74.00	26.43	PK	Vertic	PASS
4	4922.00	49.74	42.85	-6.890	54.00	11.15	AV	Vertic	PASS
5	7390.00	51.02	50.95	-0.070	54.00	3.05	AV	Vertic	PASS
6	9595.50	35.99	38.62	2.630	54.00	15.38	AV	Vertic	PASS

Transmit at 2412MHz by 802.11be(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4820.50	58.46	51.40	-7.060	74.00	22.60	PK	Horizo	PASS
2	7225.00	53.89	53.70	-0.190	74.00	20.30	PK	Horizo	PASS
3	9647.50	49.12	51.51	2.390	74.00	22.49	PK	Horizo	PASS
4	4823.00	51.16	44.10	-7.060	54.00	9.90	AV	Horizo	PASS
5	7237.00	44.66	44.48	-0.180	54.00	9.52	AV	Horizo	PASS
6	9648.50	40.45	42.83	2.380	54.00	11.17	AV	Horizo	PASS


Transmit at 2412MHz by 802.11be(20MHz) with Ant2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4818.50	61.78	54.71	-7.070	74.00	19.29	PK	Vertic	PASS
2	7230.00	57.75	57.56	-0.190	74.00	16.44	PK	Vertic	PASS
3	9648.00	47.10	49.48	2.380	74.00	24.52	PK	Vertic	PASS
4	4818.50	54.89	47.82	-7.070	54.00	6.18	AV	Vertic	PASS
5	7230.50	49.34	49.15	-0.190	54.00	4.85	AV	Vertic	PASS
6	9648.50	39.31	41.69	2.380	54.00	12.31	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(20MHz) with Ant2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4871.00	57.19	50.15	-7.040	74.00	23.85	PK	Horizo	PASS
2	7305.50	53.47	53.28	-0.190	74.00	20.72	PK	Horizo	PASS
3	9748.00	42.97	45.31	2.340	74.00	28.69	PK	Horizo	PASS
4	4874.00	46.95	39.91	-7.040	54.00	14.09	AV	Horizo	PASS
5	7311.00	41.85	41.66	-0.190	54.00	12.34	AV	Horizo	PASS
6	9748.00	35.07	37.41	2.340	54.00	16.59	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	55.94	48.90	-7.040	74.00	25.10	PK	Vertic	PASS
2	7311.00	53.80	53.61	-0.190	74.00	20.39	PK	Vertic	PASS
3	9748.00	44.16	46.50	2.340	74.00	27.50	PK	Vertic	PASS
4	4874.00	50.53	43.49	-7.040	54.00	10.51	AV	Vertic	PASS
5	7311.00	46.22	46.03	-0.190	54.00	7.97	AV	Vertic	PASS
6	9748.00	36.81	39.15	2.340	54.00	14.85	AV	Vertic	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4932.50	57.94	51.11	-6.830	74.00	22.89	PK	Horizo	PASS
2	7380.50	57.58	57.49	-0.090	74.00	16.51	PK	Horizo	PASS
3	10521.00	44.92	48.76	3.840	74.00	25.24	PK	Horizo	PASS
4	4921.50	51.80	44.91	-6.890	54.00	9.09	AV	Horizo	PASS
5	7390.50	46.98	46.91	-0.070	54.00	7.09	AV	Horizo	PASS
6	10527.50	34.64	38.47	3.830	54.00	15.53	AV	Horizo	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.00	56.21	49.32	-6.890	74.00	24.68	PK	Vertic	PASS
2	7392.50	58.58	58.51	-0.070	74.00	15.49	PK	Vertic	PASS
3	9592.00	44.99	47.60	2.610	74.00	26.40	PK	Vertic	PASS
4	4922.00	50.25	43.36	-6.890	54.00	10.64	AV	Vertic	PASS
5	7384.00	49.31	49.23	-0.080	54.00	4.77	AV	Vertic	PASS
6	9848.50	36.44	39.03	2.590	54.00	14.97	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4856.50	49.69	42.65	-7.040	74.00	31.35	PK	Horizo	PASS
2	7266.00	42.24	42.06	-0.180	74.00	31.94	PK	Horizo	PASS
3	9688.00	41.84	44.00	2.160	74.00	30.00	PK	Horizo	PASS
4	4843.50	41.47	34.41	-7.060	54.00	19.59	AV	Horizo	PASS
5	7266.00	34.59	34.41	-0.180	54.00	19.59	AV	Horizo	PASS
6	9688.00	33.79	35.95	2.160	54.00	18.05	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4844.00	51.85	44.80	-7.050	74.00	29.20	PK	Vertic	PASS
2	7266.00	44.62	44.44	-0.180	74.00	29.56	PK	Vertic	PASS
3	9688.00	40.40	42.56	2.160	74.00	31.44	PK	Vertic	PASS
4	4844.00	42.08	35.03	-7.050	54.00	18.97	AV	Vertic	PASS
5	7266.00	36.12	35.94	-0.180	54.00	18.06	AV	Vertic	PASS
6	9688.00	33.27	35.43	2.160	54.00	18.57	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4869.00	48.88	41.84	-7.040	74.00	32.16	PK	Horizo	PASS
2	7311.00	45.63	45.44	-0.190	74.00	28.56	PK	Horizo	PASS
3	9748.00	40.65	42.99	2.340	74.00	31.01	PK	Horizo	PASS
4	4874.00	38.50	31.46	-7.040	54.00	22.54	AV	Horizo	PASS
5	7311.00	35.91	35.72	-0.190	54.00	18.28	AV	Horizo	PASS
6	9748.00	32.84	35.18	2.340	54.00	18.82	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4879.50	48.57	41.53	-7.040	74.00	32.47	PK	Vertic	PASS
2	7311.00	43.62	43.43	-0.190	74.00	30.57	PK	Vertic	PASS
3	9748.00	42.68	45.02	2.340	74.00	28.98	PK	Vertic	PASS
4	4874.00	38.74	31.70	-7.040	54.00	22.30	AV	Vertic	PASS
5	7311.00	36.73	36.54	-0.190	54.00	17.46	AV	Vertic	PASS
6	9748.00	33.27	35.61	2.340	54.00	18.39	AV	Vertic	PASS


Transmit at 2452MHz by 802.11n(40MHz) with Ant2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4892.50	48.69	41.65	-7.040	74.00	32.35	PK	Horizo	PASS
2	7372.50	49.15	49.05	-0.100	74.00	24.95	PK	Horizo	PASS
3	9808.00	42.01	44.61	2.600	74.00	29.39	PK	Horizo	PASS
4	4904.00	40.11	33.11	-7.000	54.00	20.89	AV	Horizo	PASS
5	7356.00	39.80	39.69	-0.110	54.00	14.31	AV	Horizo	PASS
6	9808.00	32.88	35.48	2.600	54.00	18.52	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4897.50	48.83	41.79	-7.040	74.00	32.21	PK	Vertic	PASS
2	7356.00	51.78	51.67	-0.110	74.00	22.33	PK	Vertic	PASS
3	9808.00	42.03	44.63	2.600	74.00	29.37	PK	Vertic	PASS
4	4904.00	40.21	33.21	-7.000	54.00	20.79	AV	Vertic	PASS
5	7356.00	41.52	41.41	-0.110	54.00	12.59	AV	Vertic	PASS
6	9808.00	32.80	35.40	2.600	54.00	18.60	AV	Vertic	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4833.00	55.71	48.65	-7.060	74.00	25.35	PK	Horizo	PASS
2	7279.00	46.66	46.47	-0.190	74.00	27.53	PK	Horizo	PASS
3	9088.50	45.19	47.06	1.870	74.00	26.94	PK	Horizo	PASS
4	4843.00	47.73	40.67	-7.060	54.00	13.33	AV	Horizo	PASS
5	7260.50	38.55	38.37	-0.180	54.00	15.63	AV	Horizo	PASS
6	9083.00	35.48	37.33	1.850	54.00	16.67	AV	Horizo	PASS

Transmit at 2422MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4833.50	55.31	48.25	-7.060	74.00	25.75	PK	Vertic	PASS
2	7260.00	48.50	48.32	-0.180	74.00	25.68	PK	Vertic	PASS
3	9688.00	45.26	47.42	2.160	74.00	26.58	PK	Vertic	PASS
4	4843.00	47.79	40.73	-7.060	54.00	13.27	AV	Vertic	PASS
5	7259.00	40.92	40.73	-0.190	54.00	13.27	AV	Vertic	PASS
6	9688.50	38.96	41.12	2.160	54.00	12.88	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4861.50	50.43	43.39	-7.040	74.00	30.61	PK	Horizo	PASS
2	7311.00	43.82	43.63	-0.190	74.00	30.37	PK	Horizo	PASS
3	9748.00	41.96	44.30	2.340	74.00	29.70	PK	Horizo	PASS
4	4874.00	39.77	32.73	-7.040	54.00	21.27	AV	Horizo	PASS
5	7311.00	36.19	36.00	-0.190	54.00	18.00	AV	Horizo	PASS
6	9748.00	34.17	36.51	2.340	54.00	17.49	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4872.50	52.61	45.56	-7.050	74.00	28.44	PK	Vertic	PASS
2	7305.00	48.46	48.27	-0.190	74.00	25.73	PK	Vertic	PASS
3	9748.00	42.78	45.12	2.340	74.00	28.88	PK	Vertic	PASS
4	4872.50	45.69	38.64	-7.050	54.00	15.36	AV	Vertic	PASS
5	7304.00	40.07	39.87	-0.200	54.00	14.13	AV	Vertic	PASS
6	9748.00	35.61	37.95	2.340	54.00	16.05	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4901.50	51.58	44.56	-7.020	74.00	29.44	PK	Horizo	PASS
2	7364.50	47.37	47.26	-0.110	74.00	26.74	PK	Horizo	PASS
3	10057.00	44.63	47.62	2.990	74.00	26.38	PK	Horizo	PASS
4	4902.00	43.81	36.79	-7.020	54.00	17.21	AV	Horizo	PASS
5	7350.00	39.31	39.18	-0.130	54.00	14.82	AV	Horizo	PASS
6	10141.50	35.10	38.17	3.070	54.00	15.83	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4900.50	51.85	44.82	-7.030	74.00	29.18	PK	Vertic	PASS
2	7344.00	50.86	50.72	-0.140	74.00	23.28	PK	Vertic	PASS
3	9562.50	44.79	47.21	2.420	74.00	26.79	PK	Vertic	PASS
4	4896.00	44.93	37.90	-7.030	54.00	16.10	AV	Vertic	PASS
5	7349.50	42.51	42.38	-0.130	54.00	11.62	AV	Vertic	PASS
6	9589.00	35.77	38.36	2.590	54.00	15.64	AV	Vertic	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4828.50	58.93	51.87	-7.060	74.00	22.13	PK	Horizo	PASS
2	7256.50	54.55	54.37	-0.180	74.00	19.63	PK	Horizo	PASS
3	9688.00	45.23	47.39	2.160	74.00	26.61	PK	Horizo	PASS
4	4838.00	49.70	42.64	-7.060	54.00	11.36	AV	Horizo	PASS
5	7257.00	45.83	45.65	-0.180	54.00	8.35	AV	Horizo	PASS
6	9688.50	38.11	40.27	2.160	54.00	13.73	AV	Horizo	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4842.00	57.64	50.59	-7.050	74.00	23.41	PK	Vertic	PASS
2	7268.00	56.03	55.84	-0.190	74.00	18.16	PK	Vertic	PASS
3	9683.50	46.15	48.34	2.190	74.00	25.66	PK	Vertic	PASS
4	4847.00	50.66	43.61	-7.050	54.00	10.39	AV	Vertic	PASS
5	7257.00	47.16	46.98	-0.180	54.00	7.02	AV	Vertic	PASS
6	9688.50	39.44	41.60	2.160	54.00	12.40	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4858.50	53.71	46.66	-7.050	74.00	27.34	PK	Horizo	PASS
2	7321.50	52.35	52.19	-0.160	74.00	21.81	PK	Horizo	PASS
3	9488.00	45.46	47.39	1.930	74.00	26.61	PK	Horizo	PASS
4	4872.50	46.52	39.47	-7.050	54.00	14.53	AV	Horizo	PASS
5	7322.00	43.51	43.35	-0.160	54.00	10.65	AV	Horizo	PASS
6	9519.50	36.70	38.82	2.120	54.00	15.18	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4881.00	54.11	47.07	-7.040	74.00	26.93	PK	Vertic	PASS
2	7311.50	54.26	54.07	-0.190	74.00	19.93	PK	Vertic	PASS
3	9748.00	44.59	46.93	2.340	74.00	27.07	PK	Vertic	PASS
4	4887.00	47.08	40.05	-7.030	54.00	13.95	AV	Vertic	PASS
5	7321.50	46.06	45.90	-0.160	54.00	8.10	AV	Vertic	PASS
6	9748.50	38.55	40.89	2.340	54.00	13.11	AV	Vertic	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4905.50	53.65	46.65	-7.000	74.00	27.35	PK	Horizo	PASS
2	7365.00	51.98	51.88	-0.100	74.00	22.12	PK	Horizo	PASS
3	9537.50	44.84	47.09	2.250	74.00	26.91	PK	Horizo	PASS
4	4921.00	47.43	40.53	-6.900	54.00	13.47	AV	Horizo	PASS
5	7369.00	44.93	44.83	-0.100	54.00	9.17	AV	Horizo	PASS
6	9585.50	35.85	38.42	2.570	54.00	15.58	AV	Horizo	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4911.00	57.34	50.37	-6.970	74.00	23.63	PK	Vertic	PASS
2	7352.50	55.97	55.85	-0.120	74.00	18.15	PK	Vertic	PASS
3	10132.00	43.83	46.90	3.070	74.00	27.10	PK	Vertic	PASS
4	4911.50	47.72	40.77	-6.950	54.00	13.23	AV	Vertic	PASS
5	7355.00	48.28	48.17	-0.110	54.00	5.83	AV	Vertic	PASS
6	9808.00	36.02	38.62	2.600	54.00	15.38	AV	Vertic	PASS


Transmit at 2412MHz by 802.11b with Ant2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.37	15.99	29.91	13.920	40.00	10.09	PK	Horizo	PASS
2	60.56	15.17	29.57	14.400	40.00	10.43	PK	Horizo	PASS
3	114.63	15.45	27.86	12.410	43.50	15.64	PK	Horizo	PASS
4	198.05	17.31	29.73	12.420	43.50	13.77	PK	Horizo	PASS
5	280.75	15.47	30.92	15.450	46.00	15.08	PK	Horizo	PASS
6	535.61	15.47	37.29	21.820	46.00	8.71	PK	Horizo	PASS

Transmit at 2412MHz by 802.11b with Ant2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	45.76	14.53	29.14	14.610	40.00	10.86	PK	Vertic	PASS
2	80.68	15.22	25.73	10.510	40.00	14.27	PK	Vertic	PASS
3	181.56	16.44	30.20	13.760	43.50	13.30	PK	Vertic	PASS
4	291.90	14.87	30.74	15.870	46.00	15.26	PK	Vertic	PASS
5	447.83	15.59	36.01	20.420	46.00	9.99	PK	Vertic	PASS
6	637.95	15.00	39.42	24.420	46.00	6.58	PK	Vertic	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4823.50	61.38	54.32	-7.060	74.00	19.68	PK	Horizo	PASS
2	7231.50	57.51	57.33	-0.180	74.00	16.67	PK	Horizo	PASS
3	9649.00	47.48	49.86	2.380	74.00	24.14	PK	Horizo	PASS
4	4823.50	53.20	46.14	-7.060	54.00	7.86	AV	Horizo	PASS
5	7230.50	47.58	47.39	-0.190	54.00	6.61	AV	Horizo	PASS
6	9648.50	41.04	43.42	2.380	54.00	10.58	AV	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4825.00	58.57	51.51	-7.060	74.00	22.49	PK	Vertic	PASS
2	7241.00	60.77	60.59	-0.180	74.00	13.41	PK	Vertic	PASS
3	9639.50	50.89	53.32	2.430	74.00	20.68	PK	Vertic	PASS
4	4823.50	52.33	45.27	-7.060	54.00	8.73	AV	Vertic	PASS
5	7237.00	51.19	51.01	-0.180	54.00	2.99	AV	Vertic	PASS
6	9648.50	42.19	44.57	2.380	54.00	9.43	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4869.00	58.04	51.00	-7.040	74.00	23.00	PK	Horizo	PASS
2	7311.50	53.11	52.92	-0.190	74.00	21.08	PK	Horizo	PASS
3	9747.00	44.10	46.44	2.340	74.00	27.56	PK	Horizo	PASS
4	4877.50	50.94	43.90	-7.040	54.00	10.10	AV	Horizo	PASS
5	7310.50	44.44	44.25	-0.190	54.00	9.75	AV	Horizo	PASS
6	9748.50	36.05	38.39	2.340	54.00	15.61	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	57.30	50.26	-7.040	74.00	23.74	PK	Vertic	PASS
2	7306.50	55.66	55.47	-0.190	74.00	18.53	PK	Vertic	PASS
3	9747.50	44.11	46.45	2.340	74.00	27.55	PK	Vertic	PASS
4	4879.50	49.35	42.31	-7.040	54.00	11.69	AV	Vertic	PASS
5	7312.50	47.81	47.63	-0.180	54.00	6.37	AV	Vertic	PASS
6	9748.50	37.24	39.58	2.340	54.00	14.42	AV	Vertic	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4923.50	58.69	51.80	-6.890	74.00	22.20	PK	Horizo	PASS
2	7376.50	58.37	58.28	-0.090	74.00	15.72	PK	Horizo	PASS
3	9751.50	45.04	47.40	2.360	74.00	26.60	PK	Horizo	PASS
4	4923.00	50.56	43.67	-6.890	54.00	10.33	AV	Horizo	PASS
5	7387.00	48.68	48.61	-0.070	54.00	5.39	AV	Horizo	PASS
6	9848.50	36.21	38.80	2.590	54.00	15.20	AV	Horizo	PASS

Transmit at 2462MHz by 802.11n(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4921.00	61.17	54.27	-6.900	74.00	19.73	PK	Vertic	PASS
2	7386.50	62.38	62.31	-0.070	74.00	11.69	PK	Vertic	PASS
3	9848.00	46.82	49.41	2.590	74.00	24.59	PK	Vertic	PASS
4	4925.50	52.73	45.86	-6.870	54.00	8.14	AV	Vertic	PASS
5	7388.50	51.77	51.70	-0.070	54.00	2.30	AV	Vertic	PASS
6	9850.00	37.72	40.31	2.590	54.00	13.69	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4819.00	64.64	57.58	-7.060	74.00	16.42	PK	Horizo	PASS
2	7237.00	58.38	58.20	-0.180	74.00	15.80	PK	Horizo	PASS
3	9648.50	47.42	49.80	2.380	74.00	24.20	PK	Horizo	PASS
4	4822.00	55.60	48.54	-7.060	54.00	5.46	AV	Horizo	PASS
5	7231.00	49.64	49.45	-0.190	54.00	4.55	AV	Horizo	PASS
6	9648.00	40.60	42.98	2.380	54.00	11.02	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4833.00	61.24	54.18	-7.060	74.00	19.82	PK	Vertic	PASS
2	7228.00	59.87	59.68	-0.190	74.00	14.32	PK	Vertic	PASS
3	9647.00	50.78	53.17	2.390	74.00	20.83	PK	Vertic	PASS
4	4821.50	54.22	47.16	-7.060	54.00	6.84	AV	Vertic	PASS
5	7229.50	52.44	52.25	-0.190	54.00	1.75	AV	Vertic	PASS
6	9648.50	43.72	46.10	2.380	54.00	7.90	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.00	58.37	51.33	-7.040	74.00	22.67	PK	Horizo	PASS
2	7303.00	52.52	52.32	-0.200	74.00	21.68	PK	Horizo	PASS
3	9580.00	45.25	47.78	2.530	74.00	26.22	PK	Horizo	PASS
4	4873.50	51.09	44.05	-7.040	54.00	9.95	AV	Horizo	PASS
5	7310.50	45.39	45.20	-0.190	54.00	8.80	AV	Horizo	PASS
6	9515.00	36.71	38.80	2.090	54.00	15.20	AV	Horizo	PASS


Transmit at 2437MHz by 802.11ax(20MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4877.50	59.63	52.59	-7.040	74.00	21.41	PK	Vertic	PASS
2	7316.50	55.54	55.36	-0.180	74.00	18.64	PK	Vertic	PASS
3	9747.50	47.44	49.78	2.340	74.00	24.22	PK	Vertic	PASS
4	4871.50	52.85	45.81	-7.040	54.00	8.19	AV	Vertic	PASS
5	7312.50	47.66	47.48	-0.180	54.00	6.52	AV	Vertic	PASS
6	9748.50	39.09	41.43	2.340	54.00	12.57	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4925.50	58.43	51.56	-6.870	74.00	22.44	PK	Horizo	PASS
2	7383.00	57.24	57.15	-0.090	74.00	16.85	PK	Horizo	PASS
3	10038.50	44.77	47.73	2.960	74.00	26.27	PK	Horizo	PASS
4	4922.00	51.18	44.29	-6.890	54.00	9.71	AV	Horizo	PASS
5	7392.00	49.32	49.25	-0.070	54.00	4.75	AV	Horizo	PASS
6	10128.00	36.06	39.13	3.070	54.00	14.87	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4931.00	59.68	52.84	-6.840	74.00	21.16	PK	Vertic	PASS
2	7378.00	61.73	61.64	-0.090	74.00	12.36	PK	Vertic	PASS
3	9853.50	45.80	48.39	2.590	74.00	25.61	PK	Vertic	PASS
4	4922.00	52.80	45.91	-6.890	54.00	8.09	AV	Vertic	PASS
5	7391.50	52.71	52.64	-0.070	54.00	1.36	AV	Vertic	PASS
6	9848.50	37.42	40.01	2.590	54.00	13.99	AV	Vertic	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4818.50	63.77	56.70	-7.070	74.00	17.30	PK	Horizo	PASS
2	7237.50	56.78	56.59	-0.190	74.00	17.41	PK	Horizo	PASS
3	9641.00	47.98	50.40	2.420	74.00	23.60	PK	Horizo	PASS
4	4819.00	58.02	50.96	-7.060	54.00	3.04	AV	Horizo	PASS
5	7231.00	49.36	49.17	-0.190	54.00	4.83	AV	Horizo	PASS
6	9648.50	41.02	43.40	2.380	54.00	10.60	AV	Horizo	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4820.50	63.75	56.69	-7.060	74.00	17.31	PK	Vertic	PASS
2	7237.50	59.57	59.38	-0.190	74.00	14.62	PK	Vertic	PASS
3	9639.00	50.23	52.67	2.440	74.00	21.33	PK	Vertic	PASS
4	4818.50	56.27	49.20	-7.070	54.00	4.80	AV	Vertic	PASS
5	7238.00	51.29	51.10	-0.190	54.00	2.90	AV	Vertic	PASS
6	9648.50	41.82	44.20	2.380	54.00	9.80	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4876.00	57.46	50.42	-7.040	74.00	23.58	PK	Horizo	PASS
2	7317.00	52.98	52.81	-0.170	74.00	21.19	PK	Horizo	PASS
3	9625.50	45.13	47.64	2.510	74.00	26.36	PK	Horizo	PASS
4	4871.50	51.48	44.44	-7.040	54.00	9.56	AV	Horizo	PASS
5	7315.00	45.53	45.35	-0.180	54.00	8.65	AV	Horizo	PASS
6	9748.50	37.17	39.51	2.340	54.00	14.49	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.00	59.15	52.11	-7.040	74.00	21.89	PK	Vertic	PASS
2	7313.50	55.25	55.07	-0.180	74.00	18.93	PK	Vertic	PASS
3	9748.00	45.69	48.03	2.340	74.00	25.97	PK	Vertic	PASS
4	4873.50	52.05	45.01	-7.040	54.00	8.99	AV	Vertic	PASS
5	7319.00	47.60	47.43	-0.170	54.00	6.57	AV	Vertic	PASS
6	9748.50	38.60	40.94	2.340	54.00	13.06	AV	Vertic	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4921.00	57.98	51.08	-6.900	74.00	22.92	PK	Horizo	PASS
2	7379.00	57.00	56.91	-0.090	74.00	17.09	PK	Horizo	PASS
3	9568.00	45.57	48.02	2.450	74.00	25.98	PK	Horizo	PASS
4	4921.50	51.50	44.61	-6.890	54.00	9.39	AV	Horizo	PASS
5	7379.50	50.12	50.03	-0.090	54.00	3.97	AV	Horizo	PASS
6	9592.50	35.48	38.10	2.620	54.00	15.90	AV	Horizo	PASS

Transmit at 2462MHz by 802.11be(20MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4930.50	59.49	52.65	-6.840	74.00	21.35	PK	Vertic	PASS
2	7390.00	61.57	61.50	-0.070	74.00	12.50	PK	Vertic	PASS
3	9847.50	44.57	47.16	2.590	74.00	26.84	PK	Vertic	PASS
4	4919.00	52.93	46.02	-6.910	54.00	7.98	AV	Vertic	PASS
5	7390.50	52.91	52.84	-0.070	54.00	1.16	AV	Vertic	PASS
6	9848.00	36.91	39.50	2.590	54.00	14.50	AV	Vertic	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4851.00	58.96	51.91	-7.050	74.00	22.09	PK	Horizo	PASS
2	7259.50	54.65	54.47	-0.180	74.00	19.53	PK	Horizo	PASS
3	9688.00	45.72	47.88	2.160	74.00	26.12	PK	Horizo	PASS
4	4842.50	51.66	44.60	-7.060	54.00	9.40	AV	Horizo	PASS
5	7271.00	46.27	46.08	-0.190	54.00	7.92	AV	Horizo	PASS
6	9688.50	39.03	41.19	2.160	54.00	12.81	AV	Horizo	PASS

Transmit at 2422MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4843.50	58.19	51.13	-7.060	74.00	22.87	PK	Vertic	PASS
2	7259.50	56.97	56.79	-0.180	74.00	17.21	PK	Vertic	PASS
3	9688.00	48.01	50.17	2.160	74.00	23.83	PK	Vertic	PASS
4	4844.00	49.05	42.00	-7.050	54.00	12.00	AV	Vertic	PASS
5	7259.00	49.53	49.34	-0.190	54.00	4.66	AV	Vertic	PASS
6	9688.50	41.64	43.80	2.160	54.00	10.20	AV	Vertic	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4873.00	56.44	49.40	-7.040	74.00	24.60	PK	Horizo	PASS
2	7317.50	50.91	50.74	-0.170	74.00	23.26	PK	Horizo	PASS
3	9555.00	45.22	47.59	2.370	74.00	26.41	PK	Horizo	PASS
4	4873.50	48.65	41.61	-7.040	54.00	12.39	AV	Horizo	PASS
5	7323.00	43.08	42.92	-0.160	54.00	11.08	AV	Horizo	PASS
6	9748.50	37.29	39.63	2.340	54.00	14.37	AV	Horizo	PASS

Transmit at 2437MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4874.00	57.31	50.27	-7.040	74.00	23.73	PK	Vertic	PASS
2	7314.50	53.15	52.97	-0.180	74.00	21.03	PK	Vertic	PASS
3	9748.00	44.98	47.32	2.340	74.00	26.68	PK	Vertic	PASS
4	4882.00	49.21	42.18	-7.030	54.00	11.82	AV	Vertic	PASS
5	7317.00	45.33	45.16	-0.170	54.00	8.84	AV	Vertic	PASS
6	9748.50	38.60	40.94	2.340	54.00	13.06	AV	Vertic	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4896.00	53.75	46.72	-7.030	74.00	27.28	PK	Horizo	PASS
2	7361.00	50.79	50.68	-0.110	74.00	23.32	PK	Horizo	PASS
3	10059.00	44.68	47.67	2.990	74.00	26.33	PK	Horizo	PASS
4	4913.50	46.87	39.92	-6.950	54.00	14.08	AV	Horizo	PASS
5	7346.00	42.06	41.93	-0.130	54.00	12.07	AV	Horizo	PASS
6	10092.50	36.46	39.51	3.050	54.00	14.49	AV	Horizo	PASS

Transmit at 2452MHz by 802.11n(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4905.50	56.33	49.33	-7.000	74.00	24.67	PK	Vertic	PASS
2	7348.50	53.67	53.54	-0.130	74.00	20.46	PK	Vertic	PASS
3	9648.50	44.34	46.72	2.380	74.00	27.28	PK	Vertic	PASS
4	4897.50	47.50	40.46	-7.040	54.00	13.54	AV	Vertic	PASS
5	7349.00	47.05	46.92	-0.130	54.00	7.08	AV	Vertic	PASS
6	9808.50	37.40	40.00	2.600	54.00	14.00	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4870.50	55.75	48.71	-7.040	74.00	25.29	PK	Horizo	PASS
2	7310.50	51.48	51.29	-0.190	74.00	22.71	PK	Horizo	PASS
3	10554.00	43.25	46.99	3.740	74.00	27.01	PK	Horizo	PASS
4	4868.00	48.70	41.65	-7.050	54.00	12.35	AV	Horizo	PASS
5	7310.00	45.39	45.20	-0.190	54.00	8.80	AV	Horizo	PASS
6	10523.00	35.32	39.16	3.840	54.00	14.84	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4863.00	57.56	50.51	-7.050	74.00	23.49	PK	Vertic	PASS
2	7313.50	56.97	56.79	-0.180	74.00	17.21	PK	Vertic	PASS
3	9747.00	45.55	47.89	2.340	74.00	26.11	PK	Vertic	PASS
4	4863.50	50.42	43.37	-7.050	54.00	10.63	AV	Vertic	PASS
5	7314.00	47.53	47.35	-0.180	54.00	6.65	AV	Vertic	PASS
6	9748.50	38.55	40.89	2.340	54.00	13.11	AV	Vertic	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4910.00	55.17	48.20	-6.970	74.00	25.80	PK	Horizo	PASS
2	7355.00	53.15	53.04	-0.110	74.00	20.96	PK	Horizo	PASS
3	9618.00	44.53	47.08	2.550	74.00	26.92	PK	Horizo	PASS
4	4911.50	47.12	40.17	-6.950	54.00	13.83	AV	Horizo	PASS
5	7369.00	45.37	45.27	-0.100	54.00	8.73	AV	Horizo	PASS
6	9579.00	36.12	38.65	2.530	54.00	15.35	AV	Horizo	PASS

Transmit at 2452MHz by 802.11ax(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4900.00	56.35	49.32	-7.030	74.00	24.68	PK	Vertic	PASS
2	7358.00	59.09	58.98	-0.110	74.00	15.02	PK	Vertic	PASS
3	9806.50	44.32	46.92	2.600	74.00	27.08	PK	Vertic	PASS
4	4898.50	50.13	43.10	-7.030	54.00	10.90	AV	Vertic	PASS
5	7358.50	49.52	49.41	-0.110	54.00	4.59	AV	Vertic	PASS
6	9808.50	37.41	40.01	2.600	54.00	13.99	AV	Vertic	PASS


Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4831.00	59.64	52.58	-7.060	74.00	21.42	PK	Horizo	PASS
2	7256.50	55.94	55.76	-0.180	74.00	18.24	PK	Horizo	PASS
3	9678.00	46.79	49.00	2.210	74.00	25.00	PK	Horizo	PASS
4	4838.50	51.40	44.34	-7.060	54.00	9.66	AV	Horizo	PASS
5	7257.00	48.23	48.05	-0.180	54.00	5.95	AV	Horizo	PASS
6	9688.50	38.63	40.79	2.160	54.00	13.21	AV	Horizo	PASS

Transmit at 2422MHz by 802.11be(40MHz) with Ant1+2*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4851.50	58.53	51.48	-7.050	74.00	22.52	PK	Vertic	PASS
2	7260.50	59.33	59.15	-0.180	74.00	14.85	PK	Vertic	PASS
3	9682.50	49.12	51.31	2.190	74.00	22.69	PK	Vertic	PASS
4	4843.00	52.54	45.48	-7.060	54.00	8.52	AV	Vertic	PASS
5	7256.00	50.22	50.04	-0.180	54.00	3.96	AV	Vertic	PASS
6	9688.50	42.57	44.73	2.160	54.00	9.27	AV	Vertic	PASS

Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4881.50	55.51	48.48	-7.030	74.00	25.52	PK	Horizo	PASS
2	7314.50	53.53	53.35	-0.180	74.00	20.65	PK	Horizo	PASS
3	9528.00	45.67	47.85	2.180	74.00	26.15	PK	Horizo	PASS
4	4891.00	47.94	40.91	-7.030	54.00	13.09	AV	Horizo	PASS
5	7309.50	45.23	45.04	-0.190	54.00	8.96	AV	Horizo	PASS
6	9748.50	36.98	39.32	2.340	54.00	14.68	AV	Horizo	PASS

Transmit at 2437MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4881.50	56.02	48.99	-7.030	74.00	25.01	PK	Vertic	PASS
2	7307.50	56.05	55.86	-0.190	74.00	18.14	PK	Vertic	PASS
3	9760.00	44.47	46.87	2.400	74.00	27.13	PK	Vertic	PASS
4	4873.00	49.09	42.05	-7.040	54.00	11.95	AV	Vertic	PASS
5	7324.00	48.09	47.93	-0.160	54.00	6.07	AV	Vertic	PASS
6	9748.50	37.47	39.81	2.340	54.00	14.19	AV	Vertic	PASS

Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4903.00	54.70	47.69	-7.010	74.00	26.31	PK	Horizo	PASS
2	7361.50	52.35	52.24	-0.110	74.00	21.76	PK	Horizo	PASS
3	10084.00	44.54	47.57	3.030	74.00	26.43	PK	Horizo	PASS
4	4916.00	47.56	40.63	-6.930	54.00	13.37	AV	Horizo	PASS
5	7362.00	44.94	44.83	-0.110	54.00	9.17	AV	Horizo	PASS
6	10070.00	35.70	38.71	3.010	54.00	15.29	AV	Horizo	PASS


Transmit at 2452MHz by 802.11be(40MHz) with Ant1+2

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4902.50	56.45	49.44	-7.010	74.00	24.56	PK	Vertic	PASS
2	7361.00	57.86	57.75	-0.110	74.00	16.25	PK	Vertic	PASS
3	9796.50	44.24	46.83	2.590	74.00	27.17	PK	Vertic	PASS
4	4903.50	49.98	42.97	-7.010	54.00	11.03	AV	Vertic	PASS
5	7347.00	48.79	48.66	-0.130	54.00	5.34	AV	Vertic	PASS
6	9808.50	36.61	39.21	2.600	54.00	14.79	AV	Vertic	PASS

Worst case of partial RU:**Transmit at 2412MHz by 802.11ax(20MHz) with 26-0**

Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4808.00	65.14	58.07	-7.070	74.00	15.93	PK	Horizo	PASS
2	7211.00	57.44	57.25	-0.190	74.00	16.75	PK	Horizo	PASS
3	9612.50	49.21	51.80	2.590	74.00	22.20	PK	Horizo	PASS
4	4808.00	55.34	48.27	-7.070	54.00	5.73	AV	Horizo	PASS
5	7211.00	47.05	46.86	-0.190	54.00	7.14	AV	Horizo	PASS
6	9648.50	41.18	43.56	2.380	54.00	10.44	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4807.00	65.31	58.25	-7.060	74.00	15.75	PK	Vertic	PASS
2	7211.00	61.67	61.48	-0.190	74.00	12.52	PK	Vertic	PASS
3	9612.00	58.01	60.60	2.590	74.00	13.40	PK	Vertic	PASS
4	4807.00	54.99	47.93	-7.060	54.00	6.07	AV	Vertic	PASS
5	7210.50	50.42	50.23	-0.190	54.00	3.77	AV	Vertic	PASS
6	9648.50	43.10	45.48	2.380	54.00	8.52	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4858.00	60.61	53.56	-7.050	74.00	20.44	PK	Horizo	PASS
2	7285.50	53.45	53.26	-0.190	74.00	20.74	PK	Horizo	PASS
3	10091.50	44.65	47.70	3.050	74.00	26.30	PK	Horizo	PASS
4	4857.50	52.21	45.16	-7.050	54.00	8.84	AV	Horizo	PASS
5	7286.00	43.17	42.98	-0.190	54.00	11.02	AV	Horizo	PASS
6	9748.50	36.99	39.33	2.340	54.00	14.67	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4856.00	60.68	53.63	-7.050	74.00	20.37	PK	Vertic	PASS
2	7285.50	58.52	58.33	-0.190	74.00	15.67	PK	Vertic	PASS
3	9575.00	45.17	47.67	2.500	74.00	26.33	PK	Vertic	PASS
4	4857.50	52.10	45.05	-7.050	54.00	8.95	AV	Vertic	PASS
5	7286.00	47.46	47.27	-0.190	54.00	6.73	AV	Vertic	PASS
6	9748.50	39.16	41.50	2.340	54.00	12.50	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4907.00	61.68	54.70	-6.980	74.00	19.30	PK	Horizo	PASS
2	7361.00	63.00	62.89	-0.110	74.00	11.11	PK	Horizo	PASS
3	9384.50	46.32	47.96	1.640	74.00	26.04	PK	Horizo	PASS
4	4907.50	54.25	47.27	-6.980	54.00	6.73	AV	Horizo	PASS
5	7360.00	47.67	47.56	-0.110	54.00	6.44	AV	Horizo	PASS
6	9568.00	36.21	38.66	2.450	54.00	15.34	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4907.50	64.29	57.31	-6.980	74.00	16.69	PK	Vertic	PASS
2	7361.00	61.94	61.83	-0.110	74.00	12.17	PK	Vertic	PASS
3	9815.00	47.06	49.66	2.600	74.00	24.34	PK	Vertic	PASS
4	4907.50	55.75	48.77	-6.980	54.00	5.23	AV	Vertic	PASS
5	7361.00	49.88	49.77	-0.110	54.00	4.23	AV	Vertic	PASS
6	9589.50	36.42	39.01	2.590	54.00	14.99	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4807.00	67.36	60.30	-7.060	74.00	13.70	PK	Horizo	PASS
2	7209.00	62.24	62.04	-0.200	74.00	11.96	PK	Horizo	PASS
3	9615.50	52.42	54.99	2.570	74.00	19.01	PK	Horizo	PASS
4	4808.00	60.21	53.14	-7.070	54.00	0.86	AV	Horizo	PASS
5	7212.00	50.56	50.37	-0.190	54.00	3.63	AV	Horizo	PASS
6	9615.00	39.76	42.33	2.570	54.00	11.67	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4808.00	72.09	65.02	-7.070	74.00	8.98	PK	Vertic	PASS
2	7209.50	63.92	63.72	-0.200	74.00	10.28	PK	Vertic	PASS
3	9611.00	53.20	55.79	2.590	74.00	18.21	PK	Vertic	PASS
4	4808.00	59.68	52.61	-7.070	54.00	1.39	AV	Vertic	PASS
5	7211.00	51.73	51.54	-0.190	54.00	2.46	AV	Vertic	PASS
6	9614.50	40.97	43.55	2.580	54.00	10.45	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4856.50	62.88	55.84	-7.040	74.00	18.16	PK	Horizo	PASS
2	7284.00	55.57	55.37	-0.200	74.00	18.63	PK	Horizo	PASS
3	10180.00	44.63	47.71	3.080	74.00	26.29	PK	Horizo	PASS
4	4858.50	53.33	46.28	-7.050	54.00	7.72	AV	Horizo	PASS
5	7285.50	43.96	43.77	-0.190	54.00	10.23	AV	Horizo	PASS
6	10100.50	35.93	38.99	3.060	54.00	15.01	AV	Horizo	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4857.00	67.10	60.06	-7.040	74.00	13.94	PK	Vertic	PASS
2	7285.50	56.41	56.22	-0.190	74.00	17.78	PK	Vertic	PASS
3	9714.50	45.06	47.23	2.170	74.00	26.77	PK	Vertic	PASS
4	4857.50	55.54	48.49	-7.050	54.00	5.51	AV	Vertic	PASS
5	7285.50	45.16	44.97	-0.190	54.00	9.03	AV	Vertic	PASS
6	9748.50	36.06	38.40	2.340	54.00	15.60	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4906.00	62.34	55.34	-7.000	74.00	18.66	PK	Horizo	PASS
2	7360.50	55.42	55.31	-0.110	74.00	18.69	PK	Horizo	PASS
3	10791.50	43.62	47.73	4.110	74.00	26.27	PK	Horizo	PASS
4	4907.50	54.40	47.42	-6.980	54.00	6.58	AV	Horizo	PASS
5	7361.00	45.16	45.05	-0.110	54.00	8.95	AV	Horizo	PASS
6	10913.50	34.55	38.79	4.240	54.00	15.21	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4907.00	68.15	61.17	-6.980	74.00	12.83	PK	Vertic	PASS
2	7359.50	62.15	62.04	-0.110	74.00	11.96	PK	Vertic	PASS
3	10943.00	43.03	47.36	4.330	74.00	26.64	PK	Vertic	PASS
4	4907.50	60.14	53.16	-6.980	54.00	0.84	AV	Vertic	PASS
5	7360.50	49.63	49.52	-0.110	54.00	4.48	AV	Vertic	PASS
6	11012.50	34.08	38.64	4.560	54.00	15.36	AV	Vertic	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4807.50	64.23	57.16	-7.070	74.00	16.84	PK	Horizo	PASS
2	7210.50	51.20	51.01	-0.190	74.00	22.99	PK	Horizo	PASS
3	9503.00	44.98	46.98	2.000	74.00	27.02	PK	Horizo	PASS
4	4807.50	54.35	47.28	-7.070	54.00	6.72	AV	Horizo	PASS
5	7211.00	42.26	42.07	-0.190	54.00	11.93	AV	Horizo	PASS
6	9648.50	38.59	40.97	2.380	54.00	13.03	AV	Horizo	PASS

Transmit at 2412MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4807.00	67.41	60.35	-7.060	74.00	13.65	PK	Vertic	PASS
2	7210.00	54.18	53.98	-0.200	74.00	20.02	PK	Vertic	PASS
3	9614.50	45.83	48.41	2.580	74.00	25.59	PK	Vertic	PASS
4	4808.50	55.18	48.11	-7.070	54.00	5.89	AV	Vertic	PASS
5	7211.00	44.97	44.78	-0.190	54.00	9.22	AV	Vertic	PASS
6	9648.50	39.86	42.24	2.380	54.00	11.76	AV	Vertic	PASS

Transmit at 2437MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4857.50	57.68	50.63	-7.050	74.00	23.37	PK	Horizo	PASS
2	7284.00	48.11	47.91	-0.200	74.00	26.09	PK	Horizo	PASS
3	9677.50	43.75	45.97	2.220	74.00	28.03	PK	Horizo	PASS
4	4858.00	46.68	39.63	-7.050	54.00	14.37	AV	Horizo	PASS
5	7285.50	38.12	37.93	-0.190	54.00	16.07	AV	Horizo	PASS
6	9748.50	36.71	39.05	2.340	54.00	14.95	AV	Horizo	PASS


Transmit at 2437MHz by 802.11ax(20MHz) with 106-53

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4857.50	62.53	55.48	-7.050	74.00	18.52	PK	Vertic	PASS
2	7287.00	51.72	51.53	-0.190	74.00	22.47	PK	Vertic	PASS
3	9553.50	44.47	46.83	2.360	74.00	27.17	PK	Vertic	PASS
4	4858.00	52.05	45.00	-7.050	54.00	9.00	AV	Vertic	PASS
5	7285.50	39.71	39.52	-0.190	54.00	14.48	AV	Vertic	PASS
6	9748.50	37.14	39.48	2.340	54.00	14.52	AV	Vertic	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 106-53*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4907.00	58.22	51.24	-6.980	74.00	22.76	PK	Horizo	PASS
2	7359.50	52.08	51.97	-0.110	74.00	22.03	PK	Horizo	PASS
3	9611.00	44.56	47.15	2.590	74.00	26.85	PK	Horizo	PASS
4	4907.50	49.60	42.62	-6.980	54.00	11.38	AV	Horizo	PASS
5	7360.00	40.81	40.70	-0.110	54.00	13.30	AV	Horizo	PASS
6	9609.00	35.52	38.13	2.610	54.00	15.87	AV	Horizo	PASS

Transmit at 2462MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	4906.50	63.85	56.86	-6.990	74.00	17.14	PK	Vertic	PASS
2	7359.50	55.30	55.19	-0.110	74.00	18.81	PK	Vertic	PASS
3	10136.50	44.86	47.93	3.070	74.00	26.07	PK	Vertic	PASS
4	4907.50	54.11	47.13	-6.980	54.00	6.87	AV	Vertic	PASS
5	7360.50	44.12	44.01	-0.110	54.00	9.99	AV	Vertic	PASS
6	10130.00	35.29	38.36	3.070	54.00	15.64	AV	Vertic	PASS

Worst data of radiated spurious emission below 1GHz:


Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	40.91	15.73	30.41	14.680	40.00	9.59	PK	Horizo	PASS
2	69.77	15.64	28.93	13.290	40.00	11.07	PK	Horizo	PASS
3	138.40	15.18	29.64	14.460	43.50	13.86	PK	Horizo	PASS
4	354.71	15.23	32.76	17.530	46.00	13.24	PK	Horizo	PASS
5	543.86	15.71	37.67	21.960	46.00	8.33	PK	Horizo	PASS
6	914.88	16.33	44.91	28.580	46.00	1.09	PK	Horizo	PASS

Transmit at 2412MHz by 802.11n(20MHz) with Ant1+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	34.12	16.01	29.90	13.890	40.00	10.10	PK	Vertic	PASS
2	72.92	15.98	28.47	12.490	40.00	11.53	PK	Vertic	PASS
3	136.70	16.17	30.56	14.390	43.50	12.94	PK	Vertic	PASS
4	251.40	15.44	29.81	14.370	46.00	16.19	PK	Vertic	PASS
5	389.14	14.86	33.49	18.630	46.00	12.51	PK	Vertic	PASS
6	634.55	15.88	40.23	24.350	46.00	5.77	PK	Vertic	PASS

Note:

1. Level = Reading + Factor
2. Margin = Limit – Level