



Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11488.92	44.7	48.95	4.250	54.00	5.05	AV	Horizo	PASS
2	11497.63	53.9	58.15	4.270	74.00	15.85	PK	Horizo	PASS
3	17236.42	47.0	57.27	10.300	68.30	11.03	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11484.79	48.3	52.52	4.240	54.00	1.48	AV	Vertic	PASS
2	11489.83	56.3	60.52	4.250	74.00	13.48	PK	Vertic	PASS
3	17239.63	46.1	56.42	10.300	68.30	11.88	PK	Vertic	PASS

Transmit at 5785MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11570.96	52.8	57.30	4.480	74.00	16.70	PK	Horizo	PASS
2	11571.42	45.8	50.30	4.480	54.00	3.70	AV	Horizo	PASS
3	17355.00	37.1	47.46	10.390	68.30	20.84	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11569.13	49.4	53.84	4.480	54.00	0.16	AV	Vertic	PASS
2	11580.13	57.3	61.76	4.510	74.00	12.24	PK	Vertic	PASS
3	17355.00	36.6	46.96	10.390	68.30	21.34	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11648.42	53.0	57.41	4.440	74.00	16.59	PK	Horizo	PASS
2	11648.42	44.3	48.75	4.440	54.00	5.25	AV	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11649.33	57.1	61.53	4.440	74.00	12.47	PK	Vertic	PASS
2	11652.08	48.9	53.36	4.430	54.00	0.64	AV	Vertic	PASS
3	17356.50	38.1	48.48	10.400	68.30	19.82	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11487.54	46.6	50.86	4.250	54.00	3.14	AV	Horizo	PASS
2	11497.17	53.5	57.77	4.260	74.00	16.23	PK	Horizo	PASS
3	17225.42	44.7	55.04	10.300	68.30	13.26	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11491.67	47.7	51.99	4.260	54.00	2.01	AV	Vertic	PASS
2	11494.42	55.9	60.14	4.260	74.00	13.86	PK	Vertic	PASS
3	17236.42	46.2	56.46	10.300	68.30	11.84	PK	Vertic	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11567.29	51.9	56.34	4.480	74.00	17.66	PK	Horizo	PASS
2	11567.75	44.1	48.61	4.480	54.00	5.39	AV	Horizo	PASS
3	17243.75	38.8	49.06	10.290	68.30	19.24	PK	Horizo	PASS

Transmit at 5785MHz by 802.11ax(20MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11567.29	48.9	53.34	4.480	54.00	0.66	AV	Vertic	PASS
2	11570.04	55.5	59.96	4.480	74.00	14.04	PK	Vertic	PASS
3	16219.83	38.7	48.73	10.000	68.30	19.57	PK	Vertic	PASS


Transmit at 5825MHz by 802.11ax(20MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11647.50	46.8	51.20	4.440	54.00	2.80	AV	Horizo	PASS
2	11650.71	54.6	59.07	4.430	74.00	14.93	PK	Horizo	PASS
3	17288.67	39.7	49.98	10.290	68.30	18.32	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant0+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11647.50	48.4	52.79	4.440	54.00	1.21	AV	Vertic	PASS
2	11651.17	56.8	61.20	4.430	74.00	12.80	PK	Vertic	PASS
3	17316.63	38.8	49.13	10.320	68.30	19.17	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11496.71	53.6	57.85	4.260	74.00	16.15	PK	Horizo	PASS
2	11497.17	45.7	49.92	4.260	54.00	4.08	AV	Horizo	PASS
3	17235.04	48.2	58.48	10.290	68.30	9.82	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11488.00	56.6	60.81	4.250	74.00	13.19	PK	Vertic	PASS
2	11489.83	49.2	53.48	4.250	54.00	0.52	AV	Vertic	PASS
3	17235.96	45.6	55.88	10.300	68.30	12.42	PK	Vertic	PASS


Transmit at 5785MHz by 802.11be(20MHz) with Ant0+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11569.58	53.5	57.95	4.480	74.00	16.05	PK	Horizo	PASS
2	11570.04	45.5	49.93	4.480	54.00	4.07	AV	Horizo	PASS
3	16849.13	38.5	48.89	10.420	68.30	19.41	PK	Horizo	PASS


Transmit at 5785MHz by 802.11be(20MHz) with Ant0+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11575.08	56.0	60.48	4.500	74.00	13.52	PK	Vertic	PASS
2	11576.92	48.5	53.02	4.500	54.00	0.98	AV	Vertic	PASS
3	16795.50	38.6	48.77	10.180	68.30	19.53	PK	Vertic	PASS


Transmit at 5825MHz by 802.11be(20MHz) with Ant0+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11648.88	51.7	56.16	4.440	74.00	17.84	PK	Horizo	PASS
2	11653.92	44.1	48.53	4.430	54.00	5.47	AV	Horizo	PASS
3	17242.83	39.3	49.58	10.300	68.30	18.72	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11646.58	56.6	61.02	4.440	74.00	12.98	PK	Vertic	PASS
2	11647.50	47.5	51.91	4.440	54.00	2.09	AV	Vertic	PASS
3	17257.96	38.5	48.78	10.290	68.30	19.52	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11510.46	40.1	44.43	4.300	54.00	9.57	AV	Horizo	PASS
2	11511.38	48.6	52.91	4.300	74.00	21.09	PK	Horizo	PASS
3	17261.63	40.1	50.36	10.290	68.30	17.94	PK	Horizo	PASS


Transmit at 5755MHz by 802.11n(40MHz) with Ant0+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11504.04	51.4	55.68	4.280	74.00	18.32	PK	Vertic	PASS
2	11504.50	43.6	47.89	4.280	54.00	6.11	AV	Vertic	PASS
3	17266.67	41.5	51.80	10.300	68.30	16.50	PK	Vertic	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11590.21	43.8	48.29	4.530	54.00	5.71	AV	Horizo	PASS
2	11599.83	51.4	55.99	4.550	74.00	18.01	PK	Horizo	PASS
3	17387.21	41.3	51.78	10.480	68.30	16.52	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11581.96	43.9	48.45	4.510	54.00	5.55	AV	Vertic	PASS
2	11590.21	52.1	56.67	4.530	74.00	17.33	PK	Vertic	PASS
3	17384.92	40.3	50.81	10.480	68.30	17.49	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11508.63	52.5	56.81	4.300	74.00	17.19	PK	Horizo	PASS
2	11509.08	46.8	51.08	4.300	54.00	2.92	AV	Horizo	PASS
3	17270.79	42.6	52.85	10.290	68.30	15.45	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11517.79	56.1	60.42	4.330	74.00	13.58	PK	Vertic	PASS
2	11519.63	47.0	51.31	4.340	54.00	2.69	AV	Vertic	PASS
3	17270.33	42.4	52.72	10.290	68.30	15.58	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11588.38	55.3	59.78	4.530	74.00	14.22	PK	Horizo	PASS
2	11589.29	48.7	53.18	4.530	54.00	0.82	AV	Horizo	PASS
3	17390.88	41.6	52.11	10.490	68.30	16.19	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11589.29	59.1	63.58	4.530	74.00	10.42	PK	Vertic	PASS
2	11597.54	49.0	53.53	4.540	54.00	0.47	AV	Vertic	PASS
3	17391.79	41.9	52.43	10.490	68.30	15.87	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11504.04	45.4	49.63	4.280	54.00	4.37	AV	Horizo	PASS
2	11516.88	52.7	57.01	4.330	74.00	16.99	PK	Horizo	PASS
3	17289.13	41.9	52.18	10.290	68.30	16.12	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11526.04	55.6	59.97	4.360	74.00	14.03	PK	Vertic	PASS
2	11526.96	48.1	52.46	4.360	54.00	1.54	AV	Vertic	PASS
3	17269.42	42.9	53.21	10.290	68.30	15.09	PK	Vertic	PASS


Transmit at 5795MHz by 802.11ax(40MHz) with Ant0+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11584.25	46.9	51.44	4.510	54.00	2.56	AV	Horizo	PASS
2	11597.08	55.0	59.53	4.540	74.00	14.47	PK	Horizo	PASS
3	17380.79	40.3	50.79	10.460	68.30	17.51	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ax(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11588.83	49.0	53.57	4.530	54.00	0.43	AV	Vertic	PASS
2	11605.79	58.4	62.91	4.540	74.00	11.09	PK	Vertic	PASS
3	17385.83	40.8	51.29	10.470	68.30	17.01	PK	Vertic	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11499.00	44.6	48.85	4.270	54.00	5.15	AV	Horizo	PASS
2	11516.88	52.4	56.70	4.330	74.00	17.30	PK	Horizo	PASS
3	17258.42	41.9	52.21	10.290	68.30	16.09	PK	Horizo	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11518.25	48.4	52.74	4.330	54.00	1.26	AV	Vertic	PASS
2	11526.04	55.5	59.83	4.360	74.00	14.17	PK	Vertic	PASS
3	17265.75	41.9	52.22	10.300	68.30	16.08	PK	Vertic	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11578.75	53.4	57.94	4.510	74.00	16.06	PK	Horizo	PASS
2	11579.21	47.3	51.76	4.510	54.00	2.24	AV	Horizo	PASS
3	16762.04	39.8	49.87	10.050	68.30	18.43	PK	Horizo	PASS


Transmit at 5795MHz by 802.11be(40MHz) with Ant0+2



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11584.25	48.9	53.40	4.510	54.00	0.60	AV	Vertic	PASS
2	11585.63	57.6	62.11	4.520	74.00	11.89	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11576.92	52.2	56.68	4.500	74.00	17.32	PK	Horizo	PASS
2	11584.25	43.3	47.77	4.510	54.00	6.23	AV	Horizo	PASS
3	16901.38	38.7	49.34	10.650	68.30	18.96	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11576.92	58.2	62.66	4.500	74.00	11.34	PK	Vertic	PASS
2	11579.67	48.8	53.30	4.510	54.00	0.70	AV	Vertic	PASS
3	17308.38	39.4	49.70	10.310	68.30	18.60	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11564.54	44.9	49.33	4.470	54.00	4.67	AV	Horizo	PASS
2	11578.75	50.8	55.30	4.510	74.00	18.70	PK	Horizo	PASS
3	17320.29	39.7	50.06	10.330	68.30	18.24	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11578.75	57.3	61.83	4.510	74.00	12.17	PK	Vertic	PASS
2	11579.21	48.8	53.33	4.510	54.00	0.67	AV	Vertic	PASS
3	16865.63	39.7	50.22	10.490	68.30	18.08	PK	Vertic	PASS


Transmit at 5775MHz by 802.11be(80MHz) with Ant0+2



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11534.29	41.6	45.95	4.380	54.00	8.05	AV	Horizo	PASS
2	11578.29	49.8	54.34	4.500	74.00	19.66	PK	Horizo	PASS
3	17251.08	39.9	50.24	10.300	68.30	18.06	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11576.46	46.3	50.76	4.500	54.00	3.24	AV	Vertic	PASS
2	11578.29	54.1	58.56	4.500	74.00	15.44	PK	Vertic	PASS
3	16808.79	39.6	49.83	10.240	68.30	18.47	PK	Vertic	PASS

Worst case of partial RU:


Transmit at 5180MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10342.44	54.26	57.48	3.220	68.30	10.82	PK	Horizo	PASS
2	15515.04	47.94	60.77	12.830	74.00	13.23	PK	Horizo	PASS
3	15515.52	33.44	46.27	12.830	54.00	7.73	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 26-0*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10342.44	53.26	56.48	3.220	68.30	11.82	PK	Vertic	PASS
2	15515.52	53.94	66.77	12.830	74.00	7.23	PK	Vertic	PASS
3	15515.04	36.99	49.82	12.830	54.00	4.18	AV	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 26-0




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11473.27	46.50	52.43	5.930	74.00	21.57	PK	Horizo	PASS
2	17793.00	40.22	56.13	15.910	74.00	17.87	PK	Horizo	PASS
3	11473.27	37.07	43.00	5.930	54.00	11.00	AV	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11471.83	52.67	58.61	5.940	74.00	15.39	PK	Vertic	PASS
2	17235.00	37.26	51.03	13.770	68.30	17.27	PK	Vertic	PASS
3	11473.27	44.54	50.47	5.930	54.00	3.53	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10343.40	46.52	49.74	3.220	68.30	18.56	PK	Horizo	PASS
2	15516.96	42.42	55.25	12.830	74.00	18.75	PK	Horizo	PASS
3	15540.00	28.41	41.27	12.860	54.00	12.73	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 52-37


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10346.75	48.10	51.32	3.220	68.30	16.98	PK	Vertic	PASS
2	15514.56	43.36	56.19	12.830	74.00	17.81	PK	Vertic	PASS
3	15540.00	29.60	42.46	12.860	54.00	11.54	AV	Vertic	PASS


Transmit at 5745MHz by 802.11ax(20MHz) with 52-37



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11474.71	44.69	50.62	5.930	74.00	23.38	PK	Horizo	PASS
2	17235.00	37.09	50.86	13.770	68.30	17.44	PK	Horizo	PASS
3	11490.00	33.02	38.93	5.910	54.00	15.07	AV	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11475.67	49.38	55.31	5.930	74.00	18.69	PK	Vertic	PASS
2	17235.00	36.10	49.87	13.770	68.30	18.43	PK	Vertic	PASS
3	11475.67	40.79	46.72	5.930	54.00	7.28	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 106-53



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10348.19	46.10	49.32	3.220	68.30	18.98	PK	Horizo	PASS
2	15540.00	38.47	51.33	12.860	74.00	22.67	PK	Horizo	PASS
3	15540.00	29.17	42.03	12.860	54.00	11.97	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 106-53




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10351.54	46.29	49.50	3.210	68.30	18.80	PK	Vertic	PASS
2	15540.00	38.44	51.30	12.860	74.00	22.70	PK	Vertic	PASS
3	15540.00	29.27	42.13	12.860	54.00	11.87	AV	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11475.19	46.30	52.23	5.930	74.00	21.77	PK	Horizo	PASS
2	17235.00	36.58	50.35	13.770	68.30	17.95	PK	Horizo	PASS
3	11490.00	32.33	38.24	5.910	54.00	15.76	AV	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11479.50	48.37	54.29	5.920	74.00	19.71	PK	Vertic	PASS
2	17235.00	36.88	50.65	13.770	68.30	17.65	PK	Vertic	PASS
3	11477.58	39.78	45.71	5.930	54.00	8.29	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 26-0


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10341.96	48.65	51.87	3.220	68.30	16.43	PK	Horizo	PASS
2	15514.08	43.40	56.23	12.830	74.00	17.77	PK	Horizo	PASS
3	15514.56	32.03	44.86	12.830	54.00	9.14	AV	Horizo	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 26-0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10341.96	49.61	52.83	3.220	68.30	15.47	PK	Vertic	PASS
2	15514.08	44.96	57.79	12.830	74.00	16.21	PK	Vertic	PASS
3	15661.19	31.47	44.42	12.950	54.00	9.58	AV	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11473.27	45.31	51.24	5.930	74.00	22.76	PK	Horizo	PASS
2	17235.00	36.12	49.89	13.770	68.30	18.41	PK	Horizo	PASS
3	11473.75	37.83	43.76	5.930	54.00	10.24	AV	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11472.79	52.71	58.64	5.930	74.00	15.36	PK	Vertic	PASS
2	17235.00	36.56	50.33	13.770	68.30	17.97	PK	Vertic	PASS
3	11473.75	45.31	51.24	5.930	54.00	2.76	AV	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 52-37

Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10345.79	47.09	50.31	3.220	68.30	17.99	PK	Horizo	PASS
2	15540.00	36.49	49.35	12.860	74.00	24.65	PK	Horizo	PASS
3	15572.06	30.47	43.39	12.920	54.00	10.61	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 52-37*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10347.23	47.76	50.98	3.220	68.30	17.32	PK	Vertic	PASS
2	15540.00	38.06	50.92	12.860	74.00	23.08	PK	Vertic	PASS
3	15540.00	29.04	41.90	12.860	54.00	12.10	AV	Vertic	PASS


Transmit at 5745MHz by 802.11be(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11475.67	44.85	50.78	5.930	74.00	23.22	PK	Horizo	PASS
2	17235.00	35.82	49.59	13.770	68.30	18.71	PK	Horizo	PASS
3	11476.15	38.32	44.25	5.930	54.00	9.75	AV	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 52-37*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11476.15	50.43	56.36	5.930	74.00	17.64	PK	Vertic	PASS
2	17235.00	35.78	49.55	13.770	68.30	18.75	PK	Vertic	PASS
3	11475.67	41.17	47.10	5.930	54.00	6.90	AV	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 106-53



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10351.06	45.17	48.38	3.210	68.30	19.92	PK	Horizo	PASS
2	15540.00	37.67	50.53	12.860	74.00	23.47	PK	Horizo	PASS
3	15540.00	28.83	41.69	12.860	54.00	12.31	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106-53




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10347.71	46.10	49.32	3.220	68.30	18.98	PK	Vertic	PASS
2	15540.00	37.46	50.32	12.860	74.00	23.68	PK	Vertic	PASS
3	15540.00	30.26	43.12	12.860	54.00	10.88	AV	Vertic	PASS


Transmit at 5745MHz by 802.11be(20MHz) with 106-53*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11478.54	44.18	50.10	5.920	74.00	23.90	PK	Horizo	PASS
2	17235.00	36.63	50.40	13.770	68.30	17.90	PK	Horizo	PASS
3	11490.00	32.73	38.64	5.910	54.00	15.36	AV	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106-53*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11481.90	48.80	54.72	5.920	74.00	19.28	PK	Vertic	PASS
2	17235.00	38.46	52.23	13.770	68.30	16.07	PK	Vertic	PASS
3	11480.46	40.24	46.16	5.920	54.00	7.84	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	42.0	44.80	2.760	68.30	23.50	PK	Horizo	PASS
2	15540.00	38.4	49.18	10.800	74.00	24.82	PK	Horizo	PASS
3	15540.00	29.4	40.18	10.800	54.00	13.82	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10360.00	41.8	44.52	2.760	68.30	23.78	PK	Vertic	PASS
2	15540.00	37.4	48.21	10.800	74.00	25.79	PK	Vertic	PASS
3	15540.00	29.2	39.95	10.800	54.00	14.05	AV	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.6	45.67	5.070	74.00	28.33	PK	Horizo	PASS
2	11490.00	31.8	36.84	5.070	54.00	17.16	AV	Horizo	PASS
3	17235.00	35.9	47.03	11.180	68.30	21.27	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11490.00	40.0	45.07	5.070	74.00	28.93	PK	Vertic	PASS
2	11490.00	32.2	37.26	5.070	54.00	16.74	AV	Vertic	PASS
3	17235.00	35.9	47.11	11.180	68.30	21.19	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	39.2	44.23	5.040	74.00	29.77	PK	Horizo	PASS
2	11650.00	31.8	36.85	5.040	54.00	17.15	AV	Horizo	PASS
3	17475.00	36.2	47.36	11.180	68.30	20.94	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11650.00	39.7	44.70	5.040	74.00	29.30	PK	Vertic	PASS
2	11650.00	31.7	36.78	5.040	54.00	17.22	AV	Vertic	PASS
3	17475.00	35.8	47.01	11.180	68.30	21.29	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	43.1	45.90	2.800	68.30	22.40	PK	Horizo	PASS
2	15630.00	37.1	47.87	10.730	74.00	26.13	PK	Horizo	PASS
3	15630.00	29.5	40.21	10.730	54.00	13.79	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	41.4	44.16	2.800	68.30	24.14	PK	Vertic	PASS
2	15630.00	38.0	48.76	10.730	74.00	25.24	PK	Vertic	PASS
3	15630.00	29.0	39.74	10.730	54.00	14.26	AV	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.7	45.61	4.950	74.00	28.39	PK	Horizo	PASS
2	11550.00	31.8	36.74	4.950	54.00	17.26	AV	Horizo	PASS
3	17325.00	36.3	47.08	10.750	68.30	21.22	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	41.9	46.80	4.950	74.00	27.20	PK	Vertic	PASS
2	11550.00	32.3	37.26	4.950	54.00	16.74	AV	Vertic	PASS
3	17325.00	36.2	46.96	10.750	68.30	21.34	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.1	44.85	2.800	68.30	23.45	PK	Horizo	PASS
2	15630.00	37.6	48.30	10.730	74.00	25.70	PK	Horizo	PASS
3	15630.00	28.9	39.59	10.730	54.00	14.41	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	10420.00	42.2	44.95	2.800	68.30	23.35	PK	Vertic	PASS
2	15630.00	37.6	48.30	10.730	74.00	25.70	PK	Vertic	PASS
3	15630.00	29.4	40.12	10.730	54.00	13.88	AV	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Large RU 484+242



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	40.4	45.38	4.950	74.00	28.62	PK	Horizo	PASS
2	11550.00	32.0	36.95	4.950	54.00	17.05	AV	Horizo	PASS
3	17325.00	36.6	47.34	10.750	68.30	20.96	PK	Horizo	PASS


Transmit at 5775MHz by 802.11be(80MHz) with Large RU 484+242*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	11550.00	32.2	37.17	4.950	54.00	16.83	AV	Vertic	PASS
2	11550.00	40.5	45.45	4.950	74.00	28.55	PK	Vertic	PASS
3	17325.00	35.9	46.68	10.750	68.30	21.62	PK	Vertic	PASS

The worst data of radiated emission below 1GHz

Transmit at 5180MHz by 802.11a with Ant1

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	36.55	14.7	28.25	13.550	40.00	11.75	PK	Horizo	PASS
2	67.35	14.3	26.52	12.240	40.00	13.48	PK	Horizo	PASS
3	135.49	15.6	28.68	13.120	43.50	14.82	PK	Horizo	PASS
4	271.05	15.7	28.90	13.250	46.00	17.10	PK	Horizo	PASS
5	490.51	16.2	34.81	18.660	46.00	11.19	PK	Horizo	PASS
6	873.17	16.9	41.23	24.360	46.00	4.77	PK	Horizo	PASS

Transmit at 5180MHz by 802.11a with Ant1

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	42.13	14.2	28.17	13.940	40.00	11.83	PK	Vertic	PASS
2	67.83	13.9	26.10	12.160	40.00	13.90	PK	Vertic	PASS
3	163.13	14.4	28.23	13.800	43.50	15.27	PK	Vertic	PASS
4	259.16	15.8	28.61	12.810	46.00	17.39	PK	Vertic	PASS
5	409.27	15.8	32.57	16.820	46.00	13.43	PK	Vertic	PASS
6	731.55	20.2	43.13	22.910	46.00	2.87	PK	Vertic	PASS

Note:


1. The test frequency range, 9kHz~30MHz, worst case are at least 20dB below the limits, therefore no data appear in the report.
2. All test data above 18GHz are noise base, so no data shown in this report.
3. In the report, below 1G, only the verification test is carried out for the worst channel of 1~18G worst mode.
4. The below 1G test data was measured on the worst-case configuration selected from each transmission mode on the low and high channel.
5. We have evaluated both SISO and MIMO mode, only the worst dat shown in this report.

Appendix B: Test result of Emission bandwidth and occupied bandwidth


TestMode	Frequency[MHz]	26db EBW [MHz]	Limit[MHz]	Verdict
11A	5180	20.837	Within band	Pass
11A	5200	18.339	Within band	Pass
11A	5240	18.360	Within band	Pass
11N20	5180	18.956	Within band	Pass
11N20	5200	19.005	Within band	Pass
11N20	5240	18.939	Within band	Pass
11N40	5190	39.447	Within band	Pass
11N40	5230	39.117	Within band	Pass
11AC20	5180	19.253	Within band	Pass
11AC20	5200	19.140	Within band	Pass
11AC20	5240	18.892	Within band	Pass
11AC40	5190	40.568	Within band	Pass
11AC40	5230	38.988	Within band	Pass
11AC80	5210	79.207	Within band	Pass
11AX20	5180	19.839	Within band	Pass
11AX20	5200	19.844	Within band	Pass
11AX20	5240	19.887	Within band	Pass
11AX40	5190	40.322	Within band	Pass
11AX40	5230	40.277	Within band	Pass
11AX80	5210	80.100	Within band	Pass
11BE20	5180	19.865	Within band	Pass
11BE20	5200	20.025	Within band	Pass
11BE20	5240	19.800	Within band	Pass
11BE40	5190	40.159	Within band	Pass
11BE40	5230	40.165	Within band	Pass
11BE80	5210	80.279	Within band	Pass

Note: We have evaluated each antenna, only worst data shown in report.


802.11a_LCH_5180MHz_Ant1_NTNV



802.11a_MCH_5200MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant1_NTNV



802.11n(HT20)_LCH_5180MHz_Ant1_NTNV

