



Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5113.88	32.4	41.92	9.510	54.00	12.08	AV	Horizo	PASS
2	5150.00	35.7	45.27	9.590	54.00	8.73	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ac(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5149.74	42.9	52.46	9.590	54.00	1.54	AV	Vertic	PASS
2	5150.00	41.0	50.55	9.590	54.00	3.45	AV	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5109.89	41.9	51.41	9.510	74.00	22.59	PK	Horizo	PASS
2	5150.00	43.8	53.42	9.590	74.00	20.58	PK	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.82	52.3	61.91	9.580	74.00	12.09	PK	Vertic	PASS
2	5150.00	49.4	58.94	9.590	74.00	15.06	PK	Vertic	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5109.89	33.9	43.40	9.510	54.00	10.60	AV	Horizo	PASS
2	5150.00	36.7	46.31	9.590	54.00	7.69	AV	Horizo	PASS

Transmit at 5190MHz by 802.11ax(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5109.98	35.6	45.10	9.510	54.00	8.90	AV	Vertic	PASS
2	5150.00	42.9	52.48	9.590	54.00	1.52	AV	Vertic	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5148.85	47.8	57.34	9.590	74.00	16.66	PK	Horizo	PASS
2	5150.00	44.9	54.49	9.590	74.00	19.51	PK	Horizo	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5144.50	52.7	62.23	9.580	74.00	11.77	PK	Vertic	PASS
2	5150.00	50.8	60.42	9.590	74.00	13.58	PK	Vertic	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5109.80	33.8	43.34	9.510	54.00	10.66	AV	Horizo	PASS
2	5150.00	36.9	46.49	9.590	54.00	7.51	AV	Horizo	PASS

Transmit at 5190MHz by 802.11be(40MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5147.88	43.0	52.56	9.590	54.00	1.44	AV	Vertic	PASS
2	5150.00	43.5	53.13	9.590	54.00	0.87	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5118.09	50.4	59.92	9.520	74.00	14.08	PK	Horizo	PASS
2	5150.00	46.9	56.44	9.590	74.00	17.56	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5139.38	56.2	65.72	9.560	74.00	8.28	PK	Vertic	PASS
2	5150.00	52.3	61.90	9.590	74.00	12.10	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5118.66	39.1	48.59	9.520	54.00	5.41	AV	Horizo	PASS
2	5150.00	36.5	46.09	9.590	54.00	7.91	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ac(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.72	42.8	52.39	9.580	54.00	1.61	AV	Vertic	PASS
2	5150.00	39.9	49.53	9.590	54.00	4.47	AV	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5128.41	47.5	57.07	9.550	74.00	16.93	PK	Horizo	PASS
2	5150.00	44.6	54.23	9.590	74.00	19.77	PK	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5122.03	51.9	61.42	9.530	74.00	12.58	PK	Vertic	PASS
2	5150.00	50.4	59.97	9.590	74.00	14.03	PK	Vertic	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5118.75	38.7	48.17	9.520	54.00	5.83	AV	Horizo	PASS
2	5150.00	37.3	46.92	9.590	54.00	7.08	AV	Horizo	PASS

Transmit at 5210MHz by 802.11ax(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5146.22	43.9	53.46	9.580	54.00	0.54	AV	Vertic	PASS
2	5150.00	42.5	52.12	9.590	54.00	1.88	AV	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5127.56	49.9	59.44	9.540	74.00	14.56	PK	Horizo	PASS
2	5150.00	47.3	56.87	9.590	74.00	17.13	PK	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5121.66	51.0	60.56	9.520	74.00	13.44	PK	Vertic	PASS
2	5150.00	49.7	59.25	9.590	74.00	14.75	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5127.66	39.2	48.78	9.540	54.00	5.22	AV	Horizo	PASS
2	5150.00	38.7	48.26	9.590	54.00	5.74	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Ant1+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.53	43.2	52.80	9.560	54.00	1.20	AV	Vertic	PASS
2	5147.81	43.9	53.48	9.590	54.00	0.52	AV	Vertic	PASS

Transmit at 5745MHz by 802.11a with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.06	48.1	58.97	10.900	68.30	9.33	PK	Horizo	PASS
2	5666.76	53.0	64.06	11.040	80.74	16.68	PK	Horizo	PASS
3	5709.34	69.3	80.56	11.280	107.92	27.36	PK	Horizo	PASS
4	5721.85	77.7	89.07	11.330	115.12	26.05	PK	Horizo	PASS
5	5861.60	44.6	56.20	11.650	109.05	52.85	PK	Horizo	PASS
6	5877.04	42.5	54.15	11.640	103.79	49.64	PK	Horizo	PASS
7	5903.85	41.6	53.23	11.630	83.91	30.68	PK	Horizo	PASS
8	5938.79	40.7	52.43	11.750	68.30	15.87	PK	Horizo	PASS


Transmit at 5745MHz by 802.11a with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5632.64	45.8	56.60	10.850	68.30	11.70	PK	Vertic	PASS
2	5655.55	49.7	60.63	10.980	72.42	11.79	PK	Vertic	PASS
3	5674.40	58.2	69.29	11.090	86.40	17.11	PK	Vertic	PASS
4	5706.25	67.5	78.74	11.270	107.05	28.31	PK	Vertic	PASS
5	5721.69	78.7	89.99	11.330	114.75	24.76	PK	Vertic	PASS
6	5853.80	45.5	57.16	11.660	113.64	56.48	PK	Vertic	PASS
7	5877.69	41.5	53.18	11.640	103.30	50.12	PK	Vertic	PASS
8	5909.86	41.0	52.61	11.650	79.47	26.86	PK	Vertic	PASS
9	5934.40	39.9	51.59	11.740	68.30	16.71	PK	Vertic	PASS




Transmit at 5825MHz by 802.11a with Ant0



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.19	39.6	50.50	10.870	68.30	17.80	PK	Horizo	PASS
2	5671.96	41.1	52.21	11.080	84.59	32.38	PK	Horizo	PASS
3	5696.83	40.2	51.42	11.220	102.96	51.54	PK	Horizo	PASS
4	5721.04	43.7	55.07	11.330	113.27	58.20	PK	Horizo	PASS
5	5854.13	68.9	80.56	11.660	112.89	32.33	PK	Horizo	PASS
6	5871.35	63.0	74.63	11.640	106.32	31.69	PK	Horizo	PASS
7	5895.89	50.6	62.26	11.620	89.81	27.55	PK	Horizo	PASS
8	5927.74	41.9	53.57	11.720	68.30	14.73	PK	Horizo	PASS

Transmit at 5825MHz by 802.11a with Ant0


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5628.25	40.4	51.18	10.810	68.30	17.12	PK	Vertic	PASS
2	5657.99	40.4	51.42	11.000	74.23	22.81	PK	Vertic	PASS
3	5691.46	39.9	51.10	11.190	99.01	47.91	PK	Vertic	PASS
4	5710.80	41.9	53.23	11.290	108.33	55.10	PK	Vertic	PASS
5	5852.34	69.1	80.75	11.660	116.97	36.22	PK	Vertic	PASS
6	5871.68	64.0	75.63	11.640	106.23	30.60	PK	Vertic	PASS
7	5907.43	47.7	59.32	11.640	81.27	21.95	PK	Vertic	PASS
8	5925.14	45.0	56.68	11.710	68.30	11.62	PK	Vertic	PASS


Transmit at 5745MHz by 802.11n(20MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	51.9	62.76	10.900	68.30	5.54	PK	Horizo	PASS
2	5660.91	58.3	69.33	11.010	76.40	7.07	PK	Horizo	PASS
3	5690.33	64.6	75.75	11.180	98.17	22.42	PK	Horizo	PASS
4	5708.53	74.1	85.34	11.270	107.69	22.35	PK	Horizo	PASS
5	5854.78	49.6	61.22	11.660	111.41	50.19	PK	Horizo	PASS
6	5880.78	45.2	56.85	11.640	101.01	44.16	PK	Horizo	PASS
7	5893.78	42.5	54.12	11.620	91.37	37.25	PK	Horizo	PASS
8	5937.98	39.8	51.53	11.750	68.30	16.77	PK	Horizo	PASS

Transmit at 5745MHz by 802.11n(20MHz) with Ant0+2


Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.76	49.2	59.98	10.810	68.30	8.32	PK	Vertic	PASS
2	5657.66	54.4	65.42	11.000	73.99	8.57	PK	Vertic	PASS
3	5677.16	61.6	72.68	11.110	88.44	15.76	PK	Vertic	PASS
4	5701.86	67.7	78.96	11.250	105.82	26.86	PK	Vertic	PASS
5	5851.20	52.6	64.25	11.660	119.56	55.31	PK	Vertic	PASS
6	5872.98	45.9	57.51	11.640	105.87	48.36	PK	Vertic	PASS
7	5901.90	41.7	53.33	11.630	85.36	32.03	PK	Vertic	PASS
8	5931.96	39.8	51.49	11.730	68.30	16.81	PK	Vertic	PASS


Transmit at 5825MHz by 802.11n(20MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	39.7	50.53	10.880	68.30	17.77	PK	Horizo	PASS
2	5669.36	40.2	51.29	11.070	82.67	31.38	PK	Horizo	PASS
3	5706.58	40.0	51.31	11.270	107.14	55.83	PK	Horizo	PASS
4	5712.75	41.5	52.78	11.300	108.87	56.09	PK	Horizo	PASS
5	5852.01	67.1	78.77	11.660	117.71	38.94	PK	Horizo	PASS
6	5869.08	61.5	73.14	11.640	106.96	33.82	PK	Horizo	PASS
7	5907.10	47.2	58.79	11.640	81.51	22.72	PK	Horizo	PASS
8	5936.84	41.1	52.86	11.740	68.30	15.44	PK	Horizo	PASS


Transmit at 5825MHz by 802.11n(20MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	39.8	50.67	10.880	68.30	17.63	PK	Vertic	PASS
2	5664.00	40.6	51.62	11.030	78.69	27.07	PK	Vertic	PASS
3	5683.18	39.5	50.68	11.150	92.89	42.21	PK	Vertic	PASS
4	5709.99	42.1	53.43	11.290	108.10	54.67	PK	Vertic	PASS
5	5850.71	69.1	80.76	11.660	120.67	39.91	PK	Vertic	PASS
6	5865.99	62.2	73.84	11.650	107.82	33.98	PK	Vertic	PASS
7	5893.45	50.0	61.67	11.630	91.61	29.94	PK	Vertic	PASS
8	5921.73	43.2	54.90	11.690	70.71	15.81	PK	Vertic	PASS


Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	52.0	62.83	10.880	68.30	5.47	PK	Horizo	PASS
2	5655.23	57.0	67.93	10.980	72.18	4.25	PK	Horizo	PASS
3	5673.43	60.4	71.48	11.090	85.68	14.20	PK	Horizo	PASS
4	5702.19	69.3	80.50	11.250	105.91	25.41	PK	Horizo	PASS
5	5855.10	52.0	63.63	11.660	110.87	47.24	PK	Horizo	PASS
6	5869.24	48.3	59.89	11.640	106.91	47.02	PK	Horizo	PASS
7	5916.20	39.9	51.57	11.670	74.79	23.22	PK	Horizo	PASS
8	5938.63	40.3	52.08	11.750	68.30	16.22	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ac(20MHz) with Ant0+2*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	53.7	64.57	10.900	68.30	3.73	PK	Vertic	PASS
2	5665.14	61.0	72.03	11.040	79.54	7.51	PK	Vertic	PASS
3	5692.44	68.2	79.43	11.190	99.72	20.29	PK	Vertic	PASS
4	5712.43	78.5	89.83	11.290	108.78	18.95	PK	Vertic	PASS
5	5854.78	52.7	64.36	11.660	111.41	47.05	PK	Vertic	PASS
6	5875.74	47.5	59.10	11.640	104.75	45.65	PK	Vertic	PASS
7	5907.59	43.9	55.53	11.640	81.15	25.62	PK	Vertic	PASS
8	5930.18	43.9	55.57	11.720	68.30	12.73	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+2




Data List

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5649.05	40.0	50.92	10.940	68.30	17.38	PK	Horizo	PASS
2	5682.85	40.7	51.80	11.140	92.65	40.85	PK	Horizo	PASS
3	5705.44	41.3	52.56	11.270	106.82	54.26	PK	Horizo	PASS
4	5710.15	41.3	52.55	11.290	108.14	55.59	PK	Horizo	PASS
5	5855.91	46.1	57.76	11.660	110.64	52.88	PK	Horizo	PASS
6	5872.49	40.8	52.44	11.640	106.00	53.56	PK	Horizo	PASS
7	5897.35	41.4	52.97	11.620	88.72	35.75	PK	Horizo	PASS
8	5936.35	40.5	52.21	11.740	68.30	16.09	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ac(20MHz) with Ant0+2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.23	41.2	52.05	10.900	68.30	16.25	PK	Vertic	PASS
2	5666.28	42.1	53.09	11.040	80.38	27.29	PK	Vertic	PASS
3	5696.50	42.6	53.78	11.220	102.72	48.94	PK	Vertic	PASS
4	5715.84	41.7	53.01	11.310	109.74	56.73	PK	Vertic	PASS
5	5857.86	48.0	59.69	11.650	110.10	50.41	PK	Vertic	PASS
6	5877.69	43.1	54.71	11.640	103.30	48.59	PK	Vertic	PASS
7	5899.30	43.1	54.74	11.620	87.28	32.54	PK	Vertic	PASS
8	5937.16	41.8	53.50	11.750	68.30	14.80	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant0+2



Data List


NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5631.99	49.8	60.62	10.840	68.30	7.68	PK	Horizo	PASS
2	5652.79	54.8	65.79	10.960	70.37	4.58	PK	Horizo	PASS
3	5680.25	59.5	70.64	11.120	90.72	20.08	PK	Horizo	PASS
4	5699.10	67.0	78.26	11.240	104.64	26.38	PK	Horizo	PASS
5	5858.19	49.4	61.09	11.650	110.01	48.92	PK	Horizo	PASS
6	5876.71	42.6	54.28	11.640	104.03	49.75	PK	Horizo	PASS
7	5905.15	41.5	53.09	11.640	82.95	29.86	PK	Horizo	PASS
8	5934.73	40.4	52.15	11.740	68.30	16.15	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.53	53.3	64.18	10.910	68.30	4.12	PK	Vertic	PASS
2	5667.09	57.7	68.73	11.050	80.98	12.25	PK	Vertic	PASS
3	5691.63	65.9	77.09	11.190	99.13	22.04	PK	Vertic	PASS
4	5708.36	74.9	86.16	11.270	107.64	21.48	PK	Vertic	PASS
5	5856.73	52.8	64.48	11.650	110.42	45.94	PK	Vertic	PASS
6	5872.81	52.5	64.14	11.640	105.91	41.77	PK	Vertic	PASS
7	5892.80	45.2	56.81	11.630	92.09	35.28	PK	Vertic	PASS
8	5942.53	42.4	54.18	11.760	68.30	14.12	PK	Vertic	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant0+2


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.38	40.0	50.82	10.870	68.30	17.48	PK	Horizo	PASS
2	5668.23	41.0	52.01	11.050	81.82	29.81	PK	Horizo	PASS
3	5700.89	39.5	50.77	11.240	105.55	54.78	PK	Horizo	PASS
4	5720.55	40.5	51.82	11.330	112.15	60.33	PK	Horizo	PASS
5	5852.99	46.8	58.47	11.660	115.49	57.02	PK	Horizo	PASS
6	5877.36	39.9	51.54	11.640	103.54	52.00	PK	Horizo	PASS
7	5890.85	39.7	51.32	11.630	93.54	42.22	PK	Horizo	PASS
8	5926.93	39.8	51.46	11.710	68.30	16.84	PK	Horizo	PASS

Transmit at 5825MHz by 802.11ax(20MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.19	41.0	51.90	10.870	68.30	16.40	PK	Vertic	PASS
2	5674.40	41.3	52.41	11.090	86.40	33.99	PK	Vertic	PASS
3	5696.18	40.8	51.97	11.220	102.48	50.51	PK	Vertic	PASS
4	5717.95	41.9	53.19	11.320	110.33	57.14	PK	Vertic	PASS
5	5858.68	47.0	58.64	11.650	109.87	51.23	PK	Vertic	PASS
6	5866.80	42.8	54.44	11.650	107.59	53.15	PK	Vertic	PASS
7	5905.15	44.2	55.87	11.640	82.95	27.08	PK	Vertic	PASS
8	5944.80	43.8	55.58	11.770	68.30	12.72	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5634.59	51.0	61.85	10.860	68.30	6.45	PK	Horizo	PASS
2	5655.39	54.9	65.89	10.980	72.30	6.41	PK	Horizo	PASS
3	5695.53	69.8	80.98	11.220	102.00	21.02	PK	Horizo	PASS
4	5714.38	78.9	90.16	11.300	109.33	19.17	PK	Horizo	PASS
5	5861.93	52.6	64.29	11.650	108.96	44.67	PK	Horizo	PASS
6	5875.41	50.6	62.28	11.640	104.99	42.71	PK	Horizo	PASS
7	5885.49	49.1	60.74	11.630	97.51	36.77	PK	Horizo	PASS
8	5927.74	41.3	52.97	11.720	68.30	15.33	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.21	52.3	63.19	10.870	68.30	5.11	PK	Vertic	PASS
2	5649.38	55.0	65.97	10.950	68.30	2.33	PK	Vertic	PASS
3	5680.74	62.8	73.90	11.120	91.08	17.18	PK	Vertic	PASS
4	5716.00	80.1	91.43	11.310	109.78	18.35	PK	Vertic	PASS
5	5855.10	54.2	65.83	11.660	110.87	45.04	PK	Vertic	PASS
6	5875.58	50.0	61.67	11.640	104.87	43.20	PK	Vertic	PASS
7	5912.79	45.0	56.67	11.660	77.31	20.64	PK	Vertic	PASS
8	5932.78	42.6	54.37	11.730	68.30	13.93	PK	Vertic	PASS


Transmit at 5825MHz by 802.11be(20MHz) with Ant0+2

Test Graph




Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5635.56	39.9	50.78	10.860	68.30	17.52	PK	Horizo	PASS
2	5664.00	40.3	51.36	11.030	78.69	27.33	PK	Horizo	PASS
3	5699.75	40.2	51.44	11.240	105.12	53.68	PK	Horizo	PASS
4	5719.74	40.4	51.72	11.330	110.83	59.11	PK	Horizo	PASS
5	5856.89	46.1	57.78	11.650	110.37	52.59	PK	Horizo	PASS
6	5873.79	40.8	52.47	11.640	105.64	53.17	PK	Horizo	PASS
7	5907.75	41.4	53.01	11.640	81.03	28.02	PK	Horizo	PASS
8	5939.11	40.1	51.88	11.750	68.30	16.42	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.84	41.7	52.52	10.870	68.30	15.78	PK	Vertic	PASS
2	5667.09	42.1	53.11	11.050	80.98	27.87	PK	Vertic	PASS
3	5702.84	41.0	52.26	11.250	106.10	53.84	PK	Vertic	PASS
4	5718.11	41.2	52.51	11.320	110.37	57.86	PK	Vertic	PASS
5	5855.26	46.4	58.06	11.660	110.83	52.77	PK	Vertic	PASS
6	5872.33	42.2	53.83	11.640	106.05	52.22	PK	Vertic	PASS
7	5898.81	42.5	54.15	11.620	87.64	33.49	PK	Vertic	PASS
8	5944.96	43.4	55.20	11.770	68.30	13.10	PK	Vertic	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant0+2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.01	52.9	63.78	10.920	68.30	4.52	PK	Horizo	PASS
2	5668.39	56.5	67.58	11.050	81.94	14.36	PK	Horizo	PASS
3	5707.88	71.7	82.92	11.270	107.51	24.59	PK	Horizo	PASS
4	5719.58	74.0	85.29	11.320	110.78	25.49	PK	Horizo	PASS
5	5853.48	54.5	66.15	11.660	114.38	48.23	PK	Horizo	PASS
6	5878.83	49.2	60.87	11.640	102.46	41.59	PK	Horizo	PASS
7	5905.15	43.5	55.17	11.640	82.95	27.78	PK	Horizo	PASS
8	5942.85	40.0	51.78	11.760	68.30	16.52	PK	Horizo	PASS

Transmit at 5755MHz by 802.11n(40MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5637.35	50.3	61.21	10.870	68.30	7.09	PK	Vertic	PASS
2	5667.90	55.3	66.37	11.050	81.58	15.21	PK	Vertic	PASS
3	5694.55	61.6	72.83	11.210	101.28	28.45	PK	Vertic	PASS
4	5719.58	73.3	84.61	11.320	110.78	26.17	PK	Vertic	PASS
5	5852.34	53.5	65.17	11.660	116.97	51.80	PK	Vertic	PASS
6	5880.13	49.3	60.98	11.640	101.49	40.51	PK	Vertic	PASS
7	5906.78	43.8	55.40	11.640	81.75	26.35	PK	Vertic	PASS
8	5932.13	40.0	51.74	11.730	68.30	16.56	PK	Vertic	PASS


Transmit at 5795MHz by 802.11n(40MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.95	44.7	55.58	10.890	68.30	12.72	PK	Horizo	PASS
2	5673.75	52.0	63.07	11.090	85.92	22.85	PK	Horizo	PASS
3	5694.55	55.4	66.63	11.210	101.28	34.65	PK	Horizo	PASS
4	5714.70	57.8	69.13	11.300	109.42	40.29	PK	Horizo	PASS
5	5854.45	61.9	73.53	11.660	112.15	38.62	PK	Horizo	PASS
6	5865.83	61.0	72.65	11.650	107.87	35.22	PK	Horizo	PASS
7	5897.03	55.6	67.21	11.620	88.96	21.75	PK	Horizo	PASS
8	5929.69	51.0	62.75	11.720	68.30	5.55	PK	Horizo	PASS

Transmit at 5795MHz by 802.11n(40MHz) with Ant0+2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.96	46.2	57.17	10.930	68.30	11.13	PK	Vertic	PASS
2	5668.23	49.5	60.56	11.050	81.82	21.26	PK	Vertic	PASS
3	5699.91	56.8	68.04	11.240	105.24	37.20	PK	Vertic	PASS
4	5718.93	58.7	70.06	11.320	110.60	40.54	PK	Vertic	PASS
5	5856.08	62.6	74.21	11.660	110.60	36.39	PK	Vertic	PASS
6	5881.26	58.2	69.83	11.630	100.65	30.82	PK	Vertic	PASS
7	5905.64	52.2	63.85	11.640	82.59	18.74	PK	Vertic	PASS
8	5939.11	45.8	57.56	11.750	68.30	10.74	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.76	52.4	63.31	10.890	68.30	4.99	PK	Horizo	PASS
2	5659.29	56.8	67.81	11.010	75.20	7.39	PK	Horizo	PASS
3	5690.81	64.6	75.74	11.180	98.53	22.79	PK	Horizo	PASS
4	5721.04	77.1	88.47	11.330	113.27	24.80	PK	Horizo	PASS
5	5853.31	55.6	67.26	11.660	114.75	47.49	PK	Horizo	PASS
6	5870.05	52.7	64.36	11.640	106.68	42.32	PK	Horizo	PASS
7	5894.75	47.7	59.35	11.620	90.65	31.30	PK	Horizo	PASS
8	5931.15	43.5	55.25	11.730	68.30	13.05	PK	Horizo	PASS

Transmit at 5755MHz by 802.11ac(40MHz) with Ant0+2




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.34	53.9	64.84	10.920	68.30	3.46	PK	Vertic	PASS
2	5664.81	57.1	68.12	11.030	79.30	11.18	PK	Vertic	PASS
3	5690.81	67.0	78.15	11.180	98.53	20.38	PK	Vertic	PASS
4	5717.63	78.9	90.22	11.320	110.24	20.02	PK	Vertic	PASS
5	5852.50	55.6	67.23	11.660	116.60	49.37	PK	Vertic	PASS
6	5870.05	52.4	64.00	11.640	106.68	42.68	PK	Vertic	PASS
7	5892.15	48.7	60.37	11.630	92.57	32.20	PK	Vertic	PASS
8	5924.33	45.6	57.25	11.700	68.80	11.55	PK	Vertic	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.34	48.0	58.89	10.920	68.30	9.41	PK	Horizo	PASS
2	5678.30	52.7	63.84	11.110	89.28	25.44	PK	Horizo	PASS
3	5703.98	57.4	68.67	11.260	106.41	37.74	PK	Horizo	PASS
4	5719.58	60.1	71.45	11.320	110.78	39.33	PK	Horizo	PASS
5	5854.29	63.8	75.43	11.660	112.52	37.09	PK	Horizo	PASS
6	5870.86	60.5	72.13	11.640	106.46	34.33	PK	Horizo	PASS
7	5905.64	54.1	65.69	11.640	82.59	16.90	PK	Horizo	PASS
8	5929.36	53.1	64.82	11.720	68.30	3.48	PK	Horizo	PASS

Transmit at 5795MHz by 802.11ac(40MHz) with Ant0+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.23	48.6	59.47	10.900	68.30	8.83	PK	Vertic	PASS
2	5665.63	51.5	62.56	11.040	79.90	17.34	PK	Vertic	PASS
3	5697.96	57.4	68.65	11.230	103.80	35.15	PK	Vertic	PASS
4	5717.95	61.7	72.98	11.320	110.33	37.35	PK	Vertic	PASS
5	5857.54	68.9	80.50	11.650	110.19	29.69	PK	Vertic	PASS
6	5877.69	63.5	75.10	11.640	103.30	28.20	PK	Vertic	PASS
7	5910.19	54.5	66.15	11.650	79.23	13.08	PK	Vertic	PASS
8	5934.73	51.7	63.40	11.740	68.30	4.90	PK	Vertic	PASS

Transmit at 5755MHz by 802.11ax(40MHz) with Ant0+2


Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.66	54.2	65.13	10.920	68.30	3.17	PK	Horizo	PASS
2	5664.00	59.3	70.29	11.030	78.69	8.40	PK	Horizo	PASS
3	5704.46	67.7	78.92	11.260	106.55	27.63	PK	Horizo	PASS
4	5720.71	81.3	92.62	11.330	112.53	19.91	PK	Horizo	PASS
5	5852.01	57.4	69.01	11.660	117.71	48.70	PK	Horizo	PASS
6	5876.23	52.7	64.32	11.640	104.39	40.07	PK	Horizo	PASS
7	5900.76	48.0	59.62	11.620	86.20	26.58	PK	Horizo	PASS
8	5931.80	43.2	54.91	11.730	68.30	13.39	PK	Horizo	PASS


Transmit at 5755MHz by 802.11ax(40MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.39	54.9	65.76	10.900	68.30	2.54	PK	Vertic	PASS
2	5667.58	59.3	70.31	11.050	81.34	11.03	PK	Vertic	PASS
3	5700.89	67.4	78.67	11.240	105.55	26.88	PK	Vertic	PASS
4	5720.71	82.4	93.77	11.330	112.53	18.76	PK	Vertic	PASS
5	5853.80	56.1	67.76	11.660	113.64	45.88	PK	Vertic	PASS
6	5876.55	54.7	66.36	11.640	104.15	37.79	PK	Vertic	PASS
7	5899.79	50.2	61.79	11.620	86.92	25.13	PK	Vertic	PASS
8	5938.30	44.4	56.16	11.750	68.30	12.14	PK	Vertic	PASS


Transmit at 5755MHz by 802.11be(40MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.55	54.6	65.45	10.900	68.30	2.85	PK	Horizo	PASS
2	5673.75	58.4	69.53	11.090	85.92	16.39	PK	Horizo	PASS
3	5700.24	64.9	76.11	11.240	105.37	29.26	PK	Horizo	PASS
4	5720.23	79.8	91.08	11.330	111.41	20.33	PK	Horizo	PASS
5	5855.43	56.6	68.24	11.660	110.78	42.54	PK	Horizo	PASS
6	5891.34	50.3	61.92	11.630	93.18	31.26	PK	Horizo	PASS
7	5916.20	45.4	57.09	11.670	74.79	17.70	PK	Horizo	PASS
8	5946.59	41.2	53.01	11.770	68.30	15.29	PK	Horizo	PASS

Transmit at 5755MHz by 802.11be(40MHz) with Ant0+2**Test Graph****Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.80	55.3	66.25	10.930	68.30	2.05	PK	Vertic	PASS
2	5664.33	59.3	70.36	11.030	78.93	8.57	PK	Vertic	PASS
3	5680.58	62.4	73.55	11.120	90.96	17.41	PK	Vertic	PASS
4	5718.60	77.3	88.61	11.320	110.51	21.90	PK	Vertic	PASS
5	5854.13	55.7	67.31	11.660	112.89	45.58	PK	Vertic	PASS
6	5870.70	53.9	65.55	11.640	106.50	40.95	PK	Vertic	PASS
7	5883.21	54.5	66.11	11.630	99.20	33.09	PK	Vertic	PASS
8	5928.55	46.2	57.92	11.720	68.30	10.38	PK	Vertic	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant0+2




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.31	40.3	51.25	10.920	68.30	17.05	PK	Horizo	PASS
2	5670.99	41.1	52.15	11.070	83.87	31.72	PK	Horizo	PASS
3	5701.38	41.4	52.65	11.240	105.69	53.04	PK	Horizo	PASS
4	5719.74	45.2	56.54	11.330	110.83	54.29	PK	Horizo	PASS
5	5855.75	48.1	59.77	11.660	110.69	50.92	PK	Horizo	PASS
6	5875.25	42.2	53.87	11.640	105.11	51.24	PK	Horizo	PASS
7	5914.58	41.4	53.06	11.670	75.99	22.93	PK	Horizo	PASS
8	5937.81	40.9	52.67	11.750	68.30	15.63	PK	Horizo	PASS

Transmit at 5795MHz by 802.11be(40MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5644.99	42.3	53.26	10.920	68.30	15.04	PK	Vertic	PASS
2	5675.05	43.2	54.33	11.100	86.88	32.55	PK	Vertic	PASS
3	5699.75	45.4	56.64	11.240	105.12	48.48	PK	Vertic	PASS
4	5719.58	46.8	58.11	11.320	110.78	52.67	PK	Vertic	PASS
5	5856.24	51.1	62.77	11.660	110.55	47.78	PK	Vertic	PASS
6	5876.06	46.0	57.59	11.640	104.51	46.92	PK	Vertic	PASS
7	5904.50	42.8	54.40	11.630	83.43	29.03	PK	Vertic	PASS
8	5936.68	42.6	54.33	11.740	68.30	13.97	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.18	52.3	63.15	10.830	68.30	5.15	PK	Horizo	PASS
2	5651.33	56.1	67.03	10.960	69.28	2.25	PK	Horizo	PASS
3	5672.45	60.0	71.12	11.080	84.95	13.83	PK	Horizo	PASS
4	5697.80	65.6	76.82	11.230	103.68	26.86	PK	Horizo	PASS
5	5858.84	66.7	78.38	11.650	109.82	31.44	PK	Horizo	PASS
6	5871.19	64.7	76.35	11.640	106.37	30.02	PK	Horizo	PASS
7	5919.78	53.5	65.14	11.680	72.15	7.01	PK	Horizo	PASS
8	5941.55	51.5	63.22	11.760	68.30	5.08	PK	Horizo	PASS

Transmit at 5775MHz by 802.11ac(80MHz) with Ant0+2


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.23	56.6	67.45	10.900	68.30	0.85	PK	Vertic	PASS
2	5652.46	58.4	69.37	10.960	70.13	0.76	PK	Vertic	PASS
3	5666.44	62.0	73.02	11.040	80.50	7.48	PK	Vertic	PASS
4	5686.91	65.6	76.80	11.160	95.65	18.85	PK	Vertic	PASS
5	5864.53	67.1	78.74	11.650	108.23	29.49	PK	Vertic	PASS
6	5876.88	63.9	75.49	11.640	103.91	28.42	PK	Vertic	PASS
7	5896.38	55.1	66.71	11.620	89.44	22.73	PK	Vertic	PASS
8	5937.49	49.9	61.66	11.750	68.30	6.64	PK	Vertic	PASS

Transmit at 5775MHz by 802.11ax(80MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5631.18	54.5	65.28	10.830	68.30	3.02	PK	Horizo	PASS
2	5652.95	57.2	68.16	10.960	70.49	2.33	PK	Horizo	PASS
3	5676.19	64.9	76.04	11.100	87.72	11.68	PK	Horizo	PASS
4	5710.80	69.1	80.43	11.290	108.33	27.90	PK	Horizo	PASS
5	5857.86	69.8	81.43	11.650	110.10	28.67	PK	Horizo	PASS
6	5885.65	61.7	73.33	11.630	97.39	24.06	PK	Horizo	PASS
7	5917.18	54.9	66.57	11.670	74.07	7.50	PK	Horizo	PASS
8	5949.68	51.4	63.21	11.780	68.30	5.09	PK	Horizo	PASS


Transmit at 5775MHz by 802.11ax(80MHz) with Ant0+2



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.44	53.2	64.01	10.810	68.30	4.29	PK	Vertic	PASS
2	5643.20	56.1	67.00	10.900	68.30	1.30	PK	Vertic	PASS
3	5657.34	58.8	69.84	11.000	73.75	3.91	PK	Vertic	PASS
4	5676.19	65.0	76.07	11.100	87.72	11.65	PK	Vertic	PASS
5	5862.74	67.9	79.55	11.650	108.73	29.18	PK	Vertic	PASS
6	5873.14	65.4	76.99	11.640	105.82	28.83	PK	Vertic	PASS
7	5891.34	55.8	67.42	11.630	93.18	25.76	PK	Vertic	PASS
8	5937.16	49.7	61.46	11.750	68.30	6.84	PK	Vertic	PASS


Transmit at 5775MHz by 802.11be(80MHz) with Ant0+2

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.51	51.4	62.39	10.950	68.68	6.29	PK	Horizo	PASS
2	5678.14	57.9	69.01	11.110	89.16	20.15	PK	Horizo	PASS
3	5701.70	59.2	70.46	11.240	105.78	35.32	PK	Horizo	PASS
4	5717.79	63.3	74.61	11.320	110.28	35.67	PK	Horizo	PASS
5	5854.78	60.5	72.11	11.660	111.41	39.30	PK	Horizo	PASS
6	5880.13	58.2	69.84	11.640	101.49	31.65	PK	Horizo	PASS
7	5906.29	48.4	60.06	11.640	82.11	22.05	PK	Horizo	PASS
8	5931.96	45.9	57.66	11.730	68.30	10.64	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Ant0+2**Test Graph****Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5626.14	53.1	63.90	10.800	68.30	4.40	PK	Vertic	PASS
2	5657.34	58.5	69.47	11.000	73.75	4.28	PK	Vertic	PASS
3	5677.16	63.8	74.92	11.110	88.44	13.52	PK	Vertic	PASS
4	5707.71	62.6	73.85	11.270	107.46	33.61	PK	Vertic	PASS
5	5863.71	63.3	74.99	11.650	108.46	33.47	PK	Vertic	PASS
6	5883.38	59.8	71.44	11.630	99.08	27.64	PK	Vertic	PASS
7	5919.13	52.2	63.85	11.680	72.63	8.78	PK	Vertic	PASS
8	5943.66	48.3	60.08	11.770	68.30	8.22	PK	Vertic	PASS

Worst case of partial RU:**Transmit at 5180MHz by 802.11ax(20MHz) with 26-0***Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.73	59.78	70.77	10.990	74.00	3.23	PK	Horizo	PASS
2	5150.00	37.48	48.48	11.000	74.00	25.52	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 26-0


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.92	53.52	64.50	10.980	74.00	9.50	PK	Vertic	PASS
2	5150.00	41.59	52.59	11.000	74.00	21.41	PK	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5137.65	34.64	45.63	10.990	54.00	8.37	AV	Horizo	PASS
2	5150.00	28.70	39.70	11.000	54.00	14.30	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 26-0




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5138.16	38.59	49.58	10.990	54.00	4.42	AV	Vertic	PASS
2	5150.00	31.28	42.28	11.000	54.00	11.72	AV	Vertic	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 52-37




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5120.91	38.00	48.98	10.980	74.00	25.02	PK	Horizo	PASS
2	5150.00	36.99	47.99	11.000	74.00	26.01	PK	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 52-37*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5093.66	42.20	53.11	10.910	74.00	20.89	PK	Vertic	PASS
2	5150.00	37.34	48.34	11.000	74.00	25.66	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with 52-37



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5091.50	31.04	41.95	10.910	54.00	12.05	AV	Horizo	PASS
2	5150.00	28.40	39.40	11.000	54.00	14.60	AV	Horizo	PASS

Transmit at 5180MHz by 802.11ax(20MHz) with 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.96	34.29	45.24	10.950	54.00	8.76	AV	Vertic	PASS
2	5150.00	31.67	42.67	11.000	54.00	11.33	AV	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5096.94	38.42	49.35	10.930	74.00	24.65	PK	Horizo	PASS
2	5150.00	35.03	46.03	11.000	74.00	27.97	PK	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5092.28	40.77	51.68	10.910	74.00	22.32	PK	Vertic	PASS
2	5150.00	36.32	47.32	11.000	74.00	26.68	PK	Vertic	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5059.85	31.08	41.81	10.730	54.00	12.19	AV	Horizo	PASS
2	5150.00	28.33	39.33	11.000	54.00	14.67	AV	Horizo	PASS


Transmit at 5180MHz by 802.11ax(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.96	35.00	45.95	10.950	54.00	8.05	AV	Vertic	PASS
2	5150.00	31.61	42.61	11.000	54.00	11.39	AV	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 26-0



Data List

NO	Frequency [MHz]	Reading [dBµV]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Det	Pol	Verdict
1	5091.76	40.57	51.48	10.910	74.00	22.52	PK	Horizo	PASS
2	5150.00	35.59	46.59	11.000	74.00	27.41	PK	Horizo	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 26-0



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5091.42	43.99	54.90	10.910	74.00	19.10	PK	Vertic	PASS
2	5150.00	38.28	49.28	11.000	74.00	24.72	PK	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 26-0



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5091.42	32.54	43.45	10.910	54.00	10.55	AV	Horizo	PASS
2	5150.00	29.34	40.34	11.000	54.00	13.66	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 26-0




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5090.90	36.12	47.02	10.900	54.00	6.98	AV	Vertic	PASS
2	5150.00	31.67	42.67	11.000	54.00	11.33	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 52-37*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5092.62	38.10	49.01	10.910	74.00	24.99	PK	Horizo	PASS
2	5150.00	35.71	46.71	11.000	74.00	27.29	PK	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 52-37



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5093.31	40.30	51.21	10.910	74.00	22.79	PK	Vertic	PASS
2	5150.00	37.84	48.84	11.000	74.00	25.16	PK	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 52-37




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.87	31.18	42.13	10.950	54.00	11.87	AV	Horizo	PASS
2	5150.00	28.92	39.92	11.000	54.00	14.08	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 52-37




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5100.13	33.89	44.84	10.950	54.00	9.16	AV	Vertic	PASS
2	5150.00	31.85	42.85	11.000	54.00	11.15	AV	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106-53*Test Graph***Data List**

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5110.13	38.33	49.29	10.960	74.00	24.71	PK	Horizo	PASS
2	5150.00	35.41	46.41	11.000	74.00	27.59	PK	Horizo	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5097.37	41.10	52.03	10.930	74.00	21.97	PK	Vertic	PASS
2	5150.00	36.87	47.87	11.000	74.00	26.13	PK	Vertic	PASS


Transmit at 5180MHz by 802.11be(20MHz) with 106-53



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.78	30.93	41.88	10.950	54.00	12.12	AV	Horizo	PASS
2	5150.00	29.18	40.18	11.000	54.00	13.82	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106-53




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5099.87	34.28	45.23	10.950	54.00	8.77	AV	Vertic	PASS
2	5150.00	31.73	42.73	11.000	54.00	11.27	AV	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5641.25	37.41	50.07	12.660	68.30	18.23	PK	Horizo	PASS
2	5672.78	36.57	49.49	12.920	85.19	35.70	PK	Horizo	PASS
3	5701.70	36.58	49.76	13.180	105.78	56.02	PK	Horizo	PASS
4	5723.64	38.02	51.35	13.330	119.19	67.84	PK	Horizo	PASS
5	5854.61	37.12	50.81	13.690	111.78	60.97	PK	Horizo	PASS
6	5874.44	36.81	50.48	13.670	105.46	54.98	PK	Horizo	PASS
7	5911.98	37.13	50.75	13.620	77.91	27.16	PK	Horizo	PASS
8	5939.11	36.69	50.30	13.610	68.30	18.00	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.16	36.77	49.40	12.630	68.30	18.90	PK	Vertic	PASS
2	5662.70	37.72	50.56	12.840	77.73	27.17	PK	Vertic	PASS
3	5700.89	37.36	50.52	13.160	105.55	55.03	PK	Vertic	PASS
4	5719.90	38.17	51.47	13.300	110.87	59.40	PK	Vertic	PASS
5	5852.83	37.13	50.83	13.700	115.86	65.03	PK	Vertic	PASS
6	5876.39	37.26	50.92	13.660	104.27	53.35	PK	Vertic	PASS
7	5908.56	37.40	51.02	13.620	80.43	29.41	PK	Vertic	PASS
8	5934.40	37.57	51.18	13.610	68.30	17.12	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5650.84	36.81	49.54	12.730	68.92	19.38	PK	Horizo	PASS
2	5673.10	37.03	49.95	12.920	85.43	35.48	PK	Horizo	PASS
3	5702.35	36.93	50.11	13.180	105.96	55.85	PK	Horizo	PASS
4	5718.93	37.25	50.55	13.300	110.60	60.05	PK	Horizo	PASS
5	5852.50	37.56	51.26	13.700	116.60	65.34	PK	Horizo	PASS
6	5872.49	36.76	50.43	13.670	106.00	55.57	PK	Horizo	PASS
7	5907.75	36.74	50.36	13.620	81.03	30.67	PK	Horizo	PASS
8	5939.44	37.29	50.90	13.610	68.30	17.40	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.49	37.46	50.09	12.630	68.30	18.21	PK	Vertic	PASS
2	5663.51	37.24	50.08	12.840	78.33	28.25	PK	Vertic	PASS
3	5694.06	38.11	51.22	13.110	100.92	49.70	PK	Vertic	PASS
4	5715.51	38.88	52.16	13.280	109.65	57.49	PK	Vertic	PASS
5	5854.78	37.75	51.44	13.690	111.41	59.97	PK	Vertic	PASS
6	5877.85	37.72	51.38	13.660	103.18	51.80	PK	Vertic	PASS
7	5904.34	37.72	51.35	13.630	83.55	32.20	PK	Vertic	PASS
8	5944.15	36.84	50.45	13.610	68.30	17.85	PK	Vertic	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.00	36.14	48.77	12.630	68.30	19.53	PK	Horizo	PASS
2	5676.84	36.12	49.08	12.960	88.20	39.12	PK	Horizo	PASS
3	5700.73	36.98	50.14	13.160	105.50	55.36	PK	Horizo	PASS
4	5721.85	37.62	50.94	13.320	115.12	64.18	PK	Horizo	PASS
5	5853.80	37.02	50.72	13.700	113.64	62.92	PK	Horizo	PASS
6	5879.96	37.33	50.98	13.650	101.61	50.63	PK	Horizo	PASS
7	5905.31	37.37	51.00	13.630	82.83	31.83	PK	Horizo	PASS
8	5933.59	36.36	49.98	13.620	68.30	18.32	PK	Horizo	PASS

Transmit at 5745MHz by 802.11ax(20MHz) with 106-53

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.15	37.04	49.73	12.690	68.30	18.57	PK	Vertic	PASS
2	5670.83	37.95	50.86	12.910	83.75	32.89	PK	Vertic	PASS
3	5692.76	37.40	50.50	13.100	99.96	49.46	PK	Vertic	PASS
4	5720.55	38.02	51.33	13.310	112.15	60.82	PK	Vertic	PASS
5	5853.31	37.28	50.98	13.700	114.75	63.77	PK	Vertic	PASS
6	5867.45	37.23	50.91	13.680	107.41	56.50	PK	Vertic	PASS
7	5904.01	36.96	50.59	13.630	83.79	33.20	PK	Vertic	PASS
8	5933.59	37.91	51.53	13.620	68.30	16.77	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5630.53	35.85	48.42	12.570	68.30	19.88	PK	Horizo	PASS
2	5671.31	36.58	49.50	12.920	84.11	34.61	PK	Horizo	PASS
3	5688.86	36.68	49.74	13.060	97.09	47.35	PK	Horizo	PASS
4	5716.49	36.84	50.12	13.280	109.92	59.80	PK	Horizo	PASS
5	5858.35	36.81	50.50	13.690	109.96	59.46	PK	Horizo	PASS
6	5885.00	37.15	50.80	13.650	97.87	47.07	PK	Horizo	PASS
7	5906.45	37.25	50.88	13.630	81.99	31.11	PK	Horizo	PASS
8	5937.65	37.10	50.71	13.610	68.30	17.59	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 26-0

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.98	37.12	49.75	12.630	68.30	18.55	PK	Vertic	PASS
2	5656.69	39.59	52.38	12.790	73.27	20.89	PK	Vertic	PASS
3	5692.44	37.59	50.69	13.100	99.72	49.03	PK	Vertic	PASS
4	5716.49	37.84	51.12	13.280	109.92	58.80	PK	Vertic	PASS
5	5857.05	38.12	51.81	13.690	110.33	58.52	PK	Vertic	PASS
6	5885.98	37.71	51.36	13.650	97.15	45.79	PK	Vertic	PASS
7	5912.46	38.14	51.77	13.630	77.55	25.78	PK	Vertic	PASS
8	5937.33	37.53	51.14	13.610	68.30	17.16	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 52-37

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.39	35.89	48.56	12.670	68.30	19.74	PK	Horizo	PASS
2	5677.81	37.10	50.07	12.970	88.92	38.85	PK	Horizo	PASS
3	5697.15	36.68	49.81	13.130	103.20	53.39	PK	Horizo	PASS
4	5717.63	37.01	50.29	13.280	110.24	59.95	PK	Horizo	PASS
5	5856.89	37.99	51.68	13.690	110.37	58.69	PK	Horizo	PASS
6	5877.53	37.18	50.84	13.660	103.42	52.58	PK	Horizo	PASS
7	5899.79	37.59	51.22	13.630	86.92	35.70	PK	Horizo	PASS
8	5932.29	37.02	50.63	13.610	68.30	17.67	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 52-37


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5627.60	37.49	50.04	12.550	68.30	18.26	PK	Vertic	PASS
2	5671.31	37.62	50.54	12.920	84.11	33.57	PK	Vertic	PASS
3	5703.65	37.42	50.61	13.190	106.32	55.71	PK	Vertic	PASS
4	5723.64	40.06	53.39	13.330	119.19	65.80	PK	Vertic	PASS
5	5856.56	37.72	51.41	13.690	110.46	59.05	PK	Vertic	PASS
6	5878.18	37.88	51.54	13.660	102.94	51.40	PK	Vertic	PASS
7	5910.03	37.84	51.47	13.630	79.35	27.88	PK	Vertic	PASS
8	5939.93	37.10	50.71	13.610	68.30	17.59	PK	Vertic	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5643.04	36.54	49.22	12.680	68.30	19.08	PK	Horizo	PASS
2	5667.58	37.87	50.75	12.880	81.34	30.59	PK	Horizo	PASS
3	5697.64	37.12	50.26	13.140	103.56	53.30	PK	Horizo	PASS
4	5719.41	37.65	50.95	13.300	110.74	59.79	PK	Horizo	PASS
5	5856.40	37.13	50.82	13.690	110.51	59.69	PK	Horizo	PASS
6	5882.24	37.04	50.69	13.650	99.92	49.23	PK	Horizo	PASS
7	5915.39	36.90	50.52	13.620	75.39	24.87	PK	Horizo	PASS
8	5937.98	37.32	50.93	13.610	68.30	17.37	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106-53




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5640.60	36.96	49.61	12.650	68.30	18.69	PK	Vertic	PASS
2	5670.34	37.08	49.99	12.910	83.39	33.40	PK	Vertic	PASS
3	5705.44	39.09	52.29	13.200	106.82	54.53	PK	Vertic	PASS
4	5720.55	38.67	51.98	13.310	112.15	60.17	PK	Vertic	PASS
5	5856.89	37.67	51.36	13.690	110.37	59.01	PK	Vertic	PASS
6	5883.05	37.16	50.81	13.650	99.32	48.51	PK	Vertic	PASS
7	5910.03	37.44	51.07	13.630	79.35	28.28	PK	Vertic	PASS
8	5934.08	37.44	51.05	13.610	68.30	17.25	PK	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5039.58	39.8	49.72	9.910	74.00	24.28	PK	Horizo	PASS
2	5150.00	47.8	57.83	10.020	74.00	16.17	PK	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5037.17	39.3	49.23	9.900	74.00	24.77	PK	Vertic	PASS
2	5150.00	42.4	52.45	10.020	74.00	21.55	PK	Vertic	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5076.93	30.2	40.22	9.980	54.00	13.78	AV	Horizo	PASS
2	5150.00	37.3	47.31	10.020	54.00	6.69	AV	Horizo	PASS

Transmit at 5180MHz by 802.11be(20MHz) with 106RU+26RU



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5078.57	29.3	39.32	9.980	54.00	14.68	AV	Vertic	PASS
2	5150.00	31.7	41.69	10.020	54.00	12.31	AV	Vertic	PASS