




Transmit at 5745MHz by 802.11be(20MHz) with 106RU+26RU*Test Graph***Data List**

NO	Frequenc y [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdi ct
1	5642.23	39.3	50.54	11.220	68.30	17.76	PK	Horizo	PASS
2	5660.91	39.7	51.06	11.390	76.40	25.34	PK	Horizo	PASS
3	5696.18	39.7	51.41	11.710	102.48	51.07	PK	Horizo	PASS
4	5720.39	44.7	56.50	11.820	111.78	55.28	PK	Horizo	PASS
5	5859.16	39.2	51.33	12.170	109.73	58.40	PK	Horizo	PASS
6	5864.69	38.7	50.87	12.180	108.19	57.32	PK	Horizo	PASS
7	5891.66	39.0	51.19	12.200	92.93	41.74	PK	Horizo	PASS
8	5939.60	39.1	51.30	12.250	68.30	17.00	PK	Horizo	PASS

Transmit at 5745MHz by 802.11be(20MHz) with 106RU+26RU*Test Graph***Data List**


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5638.33	38.9	50.07	11.190	68.30	18.23	PK	Vertic	PASS
2	5656.85	39.6	50.94	11.350	73.39	22.45	PK	Vertic	PASS
3	5697.15	39.3	51.07	11.730	103.20	52.13	PK	Vertic	PASS
4	5721.04	46.6	58.37	11.820	113.27	54.90	PK	Vertic	PASS
5	5853.15	39.3	51.42	12.170	115.12	63.70	PK	Vertic	PASS
6	5878.18	38.6	50.80	12.190	102.94	52.14	PK	Vertic	PASS
7	5904.18	39.1	51.29	12.210	83.67	32.38	PK	Vertic	PASS
8	5929.69	38.6	50.86	12.240	68.30	17.44	PK	Vertic	PASS

Transmit at 5825MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5639.46	40.0	51.22	11.190	68.30	17.08	PK	Horizo	PASS
2	5672.45	38.5	49.96	11.500	84.95	34.99	PK	Horizo	PASS
3	5698.61	38.6	50.31	11.730	104.28	53.97	PK	Horizo	PASS
4	5715.68	39.2	51.04	11.800	109.69	58.65	PK	Horizo	PASS
5	5854.13	39.2	51.37	12.170	112.89	61.52	PK	Horizo	PASS
6	5872.33	39.0	51.18	12.180	106.05	54.87	PK	Horizo	PASS
7	5910.03	39.2	51.37	12.220	79.35	27.98	PK	Horizo	PASS
8	5937.49	39.4	51.61	12.250	68.30	16.69	PK	Horizo	PASS

Transmit at 5825MHz by 802.11be(20MHz) with 106RU+26RU




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5642.71	38.3	49.55	11.230	68.30	18.75	PK	Vertic	PASS
2	5672.29	38.8	50.33	11.500	84.83	34.50	PK	Vertic	PASS
3	5706.90	39.3	51.06	11.770	107.23	56.17	PK	Vertic	PASS
4	5721.53	39.2	50.98	11.820	114.38	63.40	PK	Vertic	PASS
5	5858.68	39.7	51.91	12.170	109.87	57.96	PK	Vertic	PASS
6	5863.39	38.8	50.99	12.170	108.55	57.56	PK	Vertic	PASS
7	5887.76	38.6	50.82	12.200	95.83	45.01	PK	Vertic	PASS
8	5930.18	39.6	51.82	12.240	68.30	16.48	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5135.06	43.2	53.22	10.010	74.00	20.78	PK	Horizo	PASS
2	5150.00	43.2	53.22	10.020	74.00	20.78	PK	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5030.34	38.0	47.90	9.880	74.00	26.10	PK	Vertic	PASS
2	5150.00	38.6	48.65	10.020	74.00	25.35	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5061.28	30.3	40.29	9.960	54.00	13.71	AV	Horizo	PASS
2	5150.00	33.7	43.70	10.020	54.00	10.30	AV	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Puncturing 20M



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5011.88	28.1	37.94	9.810	54.00	16.06	AV	Vertic	PASS
2	5150.00	28.6	38.63	10.020	54.00	15.37	AV	Vertic	PASS


Transmit at 5775MHz by 802.11be(80MHz) with Puncturing 20M



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5649.38	41.0	52.26	11.290	68.30	16.04	PK	Horizo	PASS
2	5681.71	38.7	50.28	11.590	91.81	41.53	PK	Horizo	PASS
3	5700.89	39.7	51.41	11.750	105.55	54.14	PK	Horizo	PASS
4	5718.76	42.7	54.52	11.810	110.55	56.03	PK	Horizo	PASS
5	5854.29	44.0	56.16	12.170	112.52	56.36	PK	Horizo	PASS
6	5872.65	39.6	51.82	12.180	105.96	54.14	PK	Horizo	PASS
7	5895.56	39.5	51.70	12.200	90.05	38.35	PK	Horizo	PASS
8	5939.76	39.9	52.16	12.250	68.30	16.14	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Puncturing 20M


Test Graph



Data List


NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.48	39.3	50.57	11.260	68.30	17.73	PK	Vertic	PASS
2	5675.05	38.9	50.44	11.530	86.88	36.44	PK	Vertic	PASS
3	5705.11	41.3	53.07	11.760	106.73	53.66	PK	Vertic	PASS
4	5721.04	46.4	58.20	11.820	113.27	55.07	PK	Vertic	PASS
5	5852.34	40.6	52.79	12.160	116.97	64.18	PK	Vertic	PASS
6	5863.88	40.3	52.42	12.170	108.41	55.99	PK	Vertic	PASS
7	5889.23	39.2	51.42	12.200	94.74	43.32	PK	Vertic	PASS
8	5938.14	39.6	51.80	12.250	68.30	16.50	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5142.09	54.2	64.25	10.020	74.00	9.75	PK	Horizo	PASS
2	5150.00	51.3	61.31	10.020	74.00	12.69	PK	Horizo	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242




Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5132.34	45.1	55.07	10.010	74.00	18.93	PK	Vertic	PASS
2	5150.00	45.2	55.18	10.020	74.00	18.82	PK	Vertic	PASS

Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.34	40.2	50.22	10.010	54.00	3.78	AV	Horizo	PASS
2	5150.00	40.1	50.14	10.020	54.00	3.86	AV	Horizo	PASS


Transmit at 5210MHz by 802.11be(80MHz) with Large RU 484+242



Data List									
NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5141.91	34.1	44.12	10.020	54.00	9.88	AV	Vertic	PASS
2	5150.00	32.6	42.63	10.020	54.00	11.37	AV	Vertic	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Large RU 484+242

Test Graph




Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5636.05	39.2	50.36	11.160	68.30	17.94	PK	Horizo	PASS
2	5697.48	42.9	54.59	11.730	103.44	48.85	PK	Horizo	PASS
3	5714.70	43.5	55.25	11.800	109.42	54.17	PK	Horizo	PASS
4	5722.34	49.9	61.76	11.820	116.23	54.47	PK	Horizo	PASS
5	5857.38	46.8	58.94	12.160	110.23	51.29	PK	Horizo	PASS
6	5871.19	41.2	53.39	12.180	106.37	52.98	PK	Horizo	PASS
7	5896.70	41.3	53.51	12.200	89.20	35.69	PK	Horizo	PASS
8	5934.08	40.0	52.27	12.250	68.30	16.03	PK	Horizo	PASS

Transmit at 5775MHz by 802.11be(80MHz) with Large RU 484+242

Test Graph



Data List

NO	Frequency [MHz]	Reading [dBμV]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Det	Pol	Verdict
1	5645.64	39.1	50.33	11.260	68.30	17.97	PK	Vertic	PASS
2	5681.39	41.8	53.38	11.580	91.56	38.18	PK	Vertic	PASS
3	5701.05	44.4	56.18	11.750	105.59	49.41	PK	Vertic	PASS
4	5721.36	49.7	61.51	11.820	114.01	52.50	PK	Vertic	PASS
5	5858.84	46.5	58.70	12.170	109.82	51.12	PK	Vertic	PASS
6	5865.66	42.8	54.95	12.180	107.91	52.96	PK	Vertic	PASS
7	5893.61	40.5	52.70	12.210	91.49	38.79	PK	Vertic	PASS
8	5929.53	40.8	53.01	12.240	68.30	15.29	PK	Vertic	PASS

Note :

1. Level = Reading + Factor(Probe+Cable-Amp)
2. Margin = Limit – Level
3. We have evaluated both SISO and MIMO mode, only the worst case shown in this report.

Appendix H: Test result of Frequency Stability

Mode	Frequency (MHz)	Temperature (°C)	Voltage	Measured Frequency (MHz)	Limit (MHz)	Verdict
802.11a	5180	20	LV	5179.960	5150 to 5250	Pass
			NV	5180.000	5150 to 5250	Pass
			HV	5180.000	5150 to 5250	Pass
		-30	NV	5179.960	5150 to 5250	Pass
		-20	NV	5180.020	5150 to 5250	Pass
		-10	NV	5179.960	5150 to 5250	Pass
		0	NV	5179.980	5150 to 5250	Pass
		10	NV	5179.960	5150 to 5250	Pass
		30	NV	5180.020	5150 to 5250	Pass
		40	NV	5180.020	5150 to 5250	Pass
		50	NV	5179.940	5150 to 5250	Pass
	5200	20	LV	5199.960	5150 to 5250	Pass
			NV	5200.000	5150 to 5250	Pass
			HV	5200.000	5150 to 5250	Pass
		-30	NV	5199.960	5150 to 5250	Pass
		-20	NV	5199.940	5150 to 5250	Pass
		-10	NV	5200.020	5150 to 5250	Pass
		0	NV	5199.960	5150 to 5250	Pass
		10	NV	5200.020	5150 to 5250	Pass
		30	NV	5199.980	5150 to 5250	Pass
		40	NV	5199.980	5150 to 5250	Pass
		50	NV	5200.040	5150 to 5250	Pass
	5240	20	LV	5239.960	5150 to 5250	Pass
			NV	5240.000	5150 to 5250	Pass
			HV	5240.020	5150 to 5250	Pass
		-30	NV	5239.960	5150 to 5250	Pass
		-20	NV	5239.960	5150 to 5250	Pass
		-10	NV	5240.020	5150 to 5250	Pass
		0	NV	5240.040	5150 to 5250	Pass
		10	NV	5239.960	5150 to 5250	Pass
		30	NV	5239.980	5150 to 5250	Pass
		40	NV	5239.940	5150 to 5250	Pass
		50	NV	5239.960	5150 to 5250	Pass
	5745	20	LV	5744.960	5725 to 5850	Pass
			NV	5744.960	5725 to 5850	Pass
			HV	5745.000	5725 to 5850	Pass
		-30	NV	5744.980	5725 to 5850	Pass
		-20	NV	5744.940	5725 to 5850	Pass
		-10	NV	5744.980	5725 to 5850	Pass

		0	NV	5745.000	5725 to 5850	Pass
		10	NV	5745.000	5725 to 5850	Pass
		30	NV	5744.980	5725 to 5850	Pass
		40	NV	5744.980	5725 to 5850	Pass
		50	NV	5744.980	5725 to 5850	Pass
	5785	20	LV	5784.960	5725 to 5850	Pass
			NV	5784.960	5725 to 5850	Pass
			HV	5784.920	5725 to 5850	Pass
		-30	NV	5784.960	5725 to 5850	Pass
		-20	NV	5785.000	5725 to 5850	Pass
		-10	NV	5784.960	5725 to 5850	Pass
		0	NV	5785.020	5725 to 5850	Pass
		10	NV	5784.980	5725 to 5850	Pass
		30	NV	5784.980	5725 to 5850	Pass
		40	NV	5785.040	5725 to 5850	Pass
		50	NV	5784.960	5725 to 5850	Pass
	5825	20	LV	5824.980	5725 to 5850	Pass
			NV	5825.000	5725 to 5850	Pass
			HV	5824.980	5725 to 5850	Pass
		-30	NV	5824.960	5725 to 5850	Pass
		-20	NV	5824.960	5725 to 5850	Pass
		-10	NV	5824.980	5725 to 5850	Pass
		0	NV	5825.020	5725 to 5850	Pass
		10	NV	5824.960	5725 to 5850	Pass
		30	NV	5825.020	5725 to 5850	Pass
		40	NV	5825.000	5725 to 5850	Pass
		50	NV	5825.000	5725 to 5850	Pass
802.11n (HT20)	5180	20	LV	5180.000	5150 to 5250	Pass
			NV	5180.020	5150 to 5250	Pass
			HV	5180.000	5150 to 5250	Pass
		-30	NV	5180.000	5150 to 5250	Pass
		-20	NV	5179.980	5150 to 5250	Pass
		-10	NV	5180.000	5150 to 5250	Pass
		0	NV	5180.000	5150 to 5250	Pass
		10	NV	5179.980	5150 to 5250	Pass
		30	NV	5179.980	5150 to 5250	Pass
		40	NV	5180.000	5150 to 5250	Pass
		50	NV	5180.000	5150 to 5250	Pass
	5200	20	LV	5199.980	5150 to 5250	Pass
			NV	5199.980	5150 to 5250	Pass
			HV	5200.000	5150 to 5250	Pass
		-30	NV	5200.000	5150 to 5250	Pass

		-20	NV	5200.000	5150 to 5250	Pass
		-10	NV	5200.000	5150 to 5250	Pass
		0	NV	5199.980	5150 to 5250	Pass
		10	NV	5199.980	5150 to 5250	Pass
		30	NV	5199.980	5150 to 5250	Pass
		40	NV	5199.960	5150 to 5250	Pass
		50	NV	5199.980	5150 to 5250	Pass
	5240	20	LV	5240.000	5150 to 5250	Pass
			NV	5240.020	5150 to 5250	Pass
			HV	5239.980	5150 to 5250	Pass
		-30	NV	5240.000	5150 to 5250	Pass
		-20	NV	5240.000	5150 to 5250	Pass
		-10	NV	5240.000	5150 to 5250	Pass
		0	NV	5239.980	5150 to 5250	Pass
		10	NV	5240.000	5150 to 5250	Pass
		30	NV	5239.980	5150 to 5250	Pass
		40	NV	5239.980	5150 to 5250	Pass
		50	NV	5239.980	5150 to 5250	Pass
	5745	20	LV	5745.000	5725 to 5850	Pass
			NV	5744.980	5725 to 5850	Pass
			HV	5744.980	5725 to 5850	Pass
		-30	NV	5744.960	5725 to 5850	Pass
		-20	NV	5745.000	5725 to 5850	Pass
		-10	NV	5745.000	5725 to 5850	Pass
		0	NV	5744.980	5725 to 5850	Pass
		10	NV	5745.000	5725 to 5850	Pass
		30	NV	5744.940	5725 to 5850	Pass
		40	NV	5745.000	5725 to 5850	Pass
		50	NV	5744.980	5725 to 5850	Pass
	5785	20	LV	5785.000	5725 to 5850	Pass
			NV	5784.960	5725 to 5850	Pass
			HV	5784.980	5725 to 5850	Pass
		-30	NV	5784.980	5725 to 5850	Pass
		-20	NV	5784.980	5725 to 5850	Pass
		-10	NV	5784.980	5725 to 5850	Pass
		0	NV	5785.020	5725 to 5850	Pass
		10	NV	5784.980	5725 to 5850	Pass
		30	NV	5785.000	5725 to 5850	Pass
		40	NV	5784.960	5725 to 5850	Pass
		50	NV	5784.980	5725 to 5850	Pass
	5825	20	LV	5824.980	5725 to 5850	Pass
			NV	5825.000	5725 to 5850	Pass

			HV	5824.980	5725 to 5850	Pass
		-30	NV	5824.960	5725 to 5850	Pass
		-20	NV	5824.980	5725 to 5850	Pass
		-10	NV	5824.980	5725 to 5850	Pass
		0	NV	5824.980	5725 to 5850	Pass
		10	NV	5824.980	5725 to 5850	Pass
		30	NV	5824.980	5725 to 5850	Pass
		40	NV	5825.000	5725 to 5850	Pass
		50	NV	5824.980	5725 to 5850	Pass
802.11n (HT40)	5190	20	LV	5200.040	5150 to 5250	Pass
			NV	5200.040	5150 to 5250	Pass
			HV	5200.040	5150 to 5250	Pass
		-30	NV	5200.040	5150 to 5250	Pass
		-20	NV	5200.000	5150 to 5250	Pass
		-10	NV	5200.000	5150 to 5250	Pass
		0	NV	5200.040	5150 to 5250	Pass
		10	NV	5200.040	5150 to 5250	Pass
		30	NV	5200.040	5150 to 5250	Pass
		40	NV	5200.040	5150 to 5250	Pass
		50	NV	5200.040	5150 to 5250	Pass
	5230	20	LV	5230.040	5150 to 5250	Pass
			NV	5230.000	5150 to 5250	Pass
			HV	5230.040	5150 to 5250	Pass
		-30	NV	5230.040	5150 to 5250	Pass
		-20	NV	5230.040	5150 to 5250	Pass
		-10	NV	5230.040	5150 to 5250	Pass
		0	NV	5230.000	5150 to 5250	Pass
		10	NV	5230.040	5150 to 5250	Pass
		30	NV	5230.000	5150 to 5250	Pass
		40	NV	5230.040	5150 to 5250	Pass
		50	NV	5230.000	5150 to 5250	Pass
	5755	20	LV	5755.000	5725 to 5850	Pass
			NV	5755.000	5725 to 5850	Pass
			HV	5754.960	5725 to 5850	Pass
		-30	NV	5755.040	5725 to 5850	Pass
		-20	NV	5755.000	5725 to 5850	Pass
		-10	NV	5755.040	5725 to 5850	Pass
		0	NV	5755.000	5725 to 5850	Pass
		10	NV	5755.000	5725 to 5850	Pass
		30	NV	5755.000	5725 to 5850	Pass
		40	NV	5755.040	5725 to 5850	Pass
		50	NV	5755.000	5725 to 5850	Pass

	5795	20	LV	5795.040	5725 to 5850	Pass
			NV	5795.000	5725 to 5850	Pass
			HV	5795.000	5725 to 5850	Pass
		-30	NV	5795.000	5725 to 5850	Pass
		-20	NV	5795.000	5725 to 5850	Pass
		-10	NV	5795.000	5725 to 5850	Pass
		0	NV	5795.040	5725 to 5850	Pass
		10	NV	5795.000	5725 to 5850	Pass
		30	NV	5795.000	5725 to 5850	Pass
		40	NV	5795.040	5725 to 5850	Pass
		50	NV	5795.000	5725 to 5850	Pass
802.11ac (VHT20)	5180	20	LV	5180.000	5150 to 5250	Pass
			NV	5179.980	5150 to 5250	Pass
			HV	5179.980	5150 to 5250	Pass
		-30	NV	5179.980	5150 to 5250	Pass
		-20	NV	5179.980	5150 to 5250	Pass
		-10	NV	5180.000	5150 to 5250	Pass
		0	NV	5179.980	5150 to 5250	Pass
		10	NV	5180.000	5150 to 5250	Pass
		30	NV	5180.000	5150 to 5250	Pass
		40	NV	5180.000	5150 to 5250	Pass
		50	NV	5180.000	5150 to 5250	Pass
	5200	20	LV	5199.980	5150 to 5250	Pass
			NV	5199.980	5150 to 5250	Pass
			HV	5199.980	5150 to 5250	Pass
		-30	NV	5200.000	5150 to 5250	Pass
		-20	NV	5200.020	5150 to 5250	Pass
		-10	NV	5200.000	5150 to 5250	Pass
		0	NV	5199.980	5150 to 5250	Pass
		10	NV	5200.000	5150 to 5250	Pass
		30	NV	5200.000	5150 to 5250	Pass
		40	NV	5199.980	5150 to 5250	Pass
		50	NV	5200.000	5150 to 5250	Pass
	5240	20	LV	5240.000	5150 to 5250	Pass
			NV	5239.980	5150 to 5250	Pass
			HV	5240.000	5150 to 5250	Pass
		-30	NV	5239.980	5150 to 5250	Pass
		-20	NV	5240.000	5150 to 5250	Pass
		-10	NV	5239.980	5150 to 5250	Pass
		0	NV	5240.000	5150 to 5250	Pass
		10	NV	5239.980	5150 to 5250	Pass
		30	NV	5239.980	5150 to 5250	Pass

		40	NV	5239.980	5150 to 5250	Pass
		50	NV	5240.000	5150 to 5250	Pass
	5745	20	LV	5744.960	5725 to 5850	Pass
			NV	5744.980	5725 to 5850	Pass
			HV	5745.000	5725 to 5850	Pass
		-30	NV	5745.020	5725 to 5850	Pass
		-20	NV	5744.940	5725 to 5850	Pass
		-10	NV	5744.980	5725 to 5850	Pass
		0	NV	5744.980	5725 to 5850	Pass
		10	NV	5744.980	5725 to 5850	Pass
		30	NV	5745.000	5725 to 5850	Pass
		40	NV	5745.020	5725 to 5850	Pass
		50	NV	5744.980	5725 to 5850	Pass
	5785	20	LV	5784.980	5725 to 5850	Pass
			NV	5784.980	5725 to 5850	Pass
			HV	5785.000	5725 to 5850	Pass
		-30	NV	5784.980	5725 to 5850	Pass
		-20	NV	5785.000	5725 to 5850	Pass
		-10	NV	5785.000	5725 to 5850	Pass
		0	NV	5785.000	5725 to 5850	Pass
		10	NV	5785.000	5725 to 5850	Pass
		30	NV	5785.000	5725 to 5850	Pass
		40	NV	5785.000	5725 to 5850	Pass
		50	NV	5785.000	5725 to 5850	Pass
	5825	20	LV	5825.020	5725 to 5850	Pass
			NV	5825.000	5725 to 5850	Pass
			HV	5824.980	5725 to 5850	Pass
		-30	NV	5825.020	5725 to 5850	Pass
		-20	NV	5825.000	5725 to 5850	Pass
		-10	NV	5825.000	5725 to 5850	Pass
		0	NV	5825.000	5725 to 5850	Pass
		10	NV	5825.000	5725 to 5850	Pass
		30	NV	5825.000	5725 to 5850	Pass
		40	NV	5825.000	5725 to 5850	Pass
		50	NV	5825.000	5725 to 5850	Pass
802.11ac (VHT40)	5190	20	LV	5190.040	5150 to 5250	Pass
			NV	5190.000	5150 to 5250	Pass
			HV	5190.040	5150 to 5250	Pass
		-30	NV	5190.040	5150 to 5250	Pass
		-20	NV	5190.000	5150 to 5250	Pass
		-10	NV	5190.000	5150 to 5250	Pass
		0	NV	5190.000	5150 to 5250	Pass

		10	NV	5190.000	5150 to 5250	Pass
		30	NV	5190.000	5150 to 5250	Pass
		40	NV	5190.000	5150 to 5250	Pass
		50	NV	5190.000	5150 to 5250	Pass
	5230	20	LV	5230.000	5150 to 5250	Pass
			NV	5230.040	5150 to 5250	Pass
			HV	5230.000	5150 to 5250	Pass
		-30	NV	5230.000	5150 to 5250	Pass
		-20	NV	5230.000	5150 to 5250	Pass
		-10	NV	5230.040	5150 to 5250	Pass
		0	NV	5230.000	5150 to 5250	Pass
		10	NV	5230.040	5150 to 5250	Pass
		30	NV	5230.000	5150 to 5250	Pass
		40	NV	5230.040	5150 to 5250	Pass
		50	NV	5230.000	5150 to 5250	Pass
	5755	20	LV	5755.040	5725 to 5850	Pass
			NV	5755.040	5725 to 5850	Pass
			HV	5755.000	5725 to 5850	Pass
		-30	NV	5755.000	5725 to 5850	Pass
		-20	NV	5755.080	5725 to 5850	Pass
		-10	NV	5755.040	5725 to 5850	Pass
		0	NV	5755.040	5725 to 5850	Pass
		10	NV	5755.040	5725 to 5850	Pass
		30	NV	5755.040	5725 to 5850	Pass
		40	NV	5755.040	5725 to 5850	Pass
		50	NV	5755.040	5725 to 5850	Pass
	5795	20	LV	5795.040	5725 to 5850	Pass
			NV	5795.080	5725 to 5850	Pass
			HV	5795.080	5725 to 5850	Pass
		-30	NV	5795.080	5725 to 5850	Pass
		-20	NV	5795.040	5725 to 5850	Pass
		-10	NV	5795.040	5725 to 5850	Pass
		0	NV	5795.080	5725 to 5850	Pass
		10	NV	5795.080	5725 to 5850	Pass
		30	NV	5795.080	5725 to 5850	Pass
		40	NV	5795.040	5725 to 5850	Pass
		50	NV	5795.080	5725 to 5850	Pass
802.11ac (VHT80)	5210	20	LV	5210.000	5150 to 5250	Pass
			NV	5210.075	5150 to 5250	Pass
			HV	5210.000	5150 to 5250	Pass
		-30	NV	5210.075	5150 to 5250	Pass
		-20	NV	5210.075	5150 to 5250	Pass

		-10	NV	5210.075	5150 to 5250	Pass
		0	NV	5210.075	5150 to 5250	Pass
		10	NV	5210.075	5150 to 5250	Pass
		30	NV	5210.075	5150 to 5250	Pass
		40	NV	5210.075	5150 to 5250	Pass
		50	NV	5210.075	5150 to 5250	Pass
	5775	20	LV	5775.075	5725 to 5850	Pass
			NV	5775.075	5725 to 5850	Pass
			HV	5775.000	5725 to 5850	Pass
		-30	NV	5775.150	5725 to 5850	Pass
		-20	NV	5775.075	5725 to 5850	Pass
		-10	NV	5775.075	5725 to 5850	Pass
		0	NV	5775.075	5725 to 5850	Pass
		10	NV	5775.075	5725 to 5850	Pass
		30	NV	5775.075	5725 to 5850	Pass
		40	NV	5775.075	5725 to 5850	Pass
		50	NV	5775.075	5725 to 5850	Pass
	5180	20	LV	5180.000	5150 to 5250	Pass
			NV	5180.000	5150 to 5250	Pass
			HV	5180.020	5150 to 5250	Pass
		-30	NV	5180.000	5150 to 5250	Pass
		-20	NV	5180.000	5150 to 5250	Pass
		-10	NV	5180.020	5150 to 5250	Pass
		0	NV	5180.000	5150 to 5250	Pass
		10	NV	5180.020	5150 to 5250	Pass
		30	NV	5180.020	5150 to 5250	Pass
		40	NV	5180.000	5150 to 5250	Pass
		50	NV	5180.020	5150 to 5250	Pass
	5200	20	LV	5200.020	5150 to 5250	Pass
			NV	5200.020	5150 to 5250	Pass
			HV	5200.020	5150 to 5250	Pass
		-30	NV	5200.020	5150 to 5250	Pass
		-20	NV	5200.020	5150 to 5250	Pass
		-10	NV	5200.000	5150 to 5250	Pass
		0	NV	5200.040	5150 to 5250	Pass
		10	NV	5200.020	5150 to 5250	Pass
		30	NV	5200.040	5150 to 5250	Pass
		40	NV	5200.000	5150 to 5250	Pass
		50	NV	5200.000	5150 to 5250	Pass
	5240	20	LV	5240.000	5150 to 5250	Pass
			NV	5240.020	5150 to 5250	Pass
			HV	5240.000	5150 to 5250	Pass

		-30	NV	5240.020	5150 to 5250	Pass
		-20	NV	5240.020	5150 to 5250	Pass
		-10	NV	5240.020	5150 to 5250	Pass
		0	NV	5240.000	5150 to 5250	Pass
		10	NV	5240.000	5150 to 5250	Pass
		30	NV	5240.020	5150 to 5250	Pass
		40	NV	5240.020	5150 to 5250	Pass
		50	NV	5240.020	5150 to 5250	Pass
	5745	20	LV	5744.980	5725 to 5850	Pass
			NV	5745.000	5725 to 5850	Pass
			HV	5744.980	5725 to 5850	Pass
		-30	NV	5744.980	5725 to 5850	Pass
		-20	NV	5745.160	5725 to 5850	Pass
		-10	NV	5744.980	5725 to 5850	Pass
		0	NV	5744.980	5725 to 5850	Pass
		10	NV	5745.000	5725 to 5850	Pass
		30	NV	5744.980	5725 to 5850	Pass
		40	NV	5745.000	5725 to 5850	Pass
		50	NV	5745.000	5725 to 5850	Pass
	5785	20	LV	5784.980	5725 to 5850	Pass
			NV	5785.000	5725 to 5850	Pass
			HV	5785.020	5725 to 5850	Pass
		-30	NV	5784.980	5725 to 5850	Pass
		-20	NV	5784.980	5725 to 5850	Pass
		-10	NV	5785.020	5725 to 5850	Pass
		0	NV	5784.980	5725 to 5850	Pass
		10	NV	5784.980	5725 to 5850	Pass
		30	NV	5784.980	5725 to 5850	Pass
		40	NV	5785.000	5725 to 5850	Pass
		50	NV	5785.000	5725 to 5850	Pass
	5825	20	LV	5825.020	5725 to 5850	Pass
			NV	5824.980	5725 to 5850	Pass
			HV	5825.000	5725 to 5850	Pass
		-30	NV	5825.000	5725 to 5850	Pass
		-20	NV	5824.980	5725 to 5850	Pass
		-10	NV	5825.000	5725 to 5850	Pass
		0	NV	5825.000	5725 to 5850	Pass
		10	NV	5824.980	5725 to 5850	Pass
		30	NV	5824.980	5725 to 5850	Pass
		40	NV	5825.000	5725 to 5850	Pass
		50	NV	5825.020	5725 to 5850	Pass
802.11ax	5190	20	LV	5190.120	5150 to 5250	Pass

(HEW40)			NV	5190.080	5150 to 5250	Pass
			HV	5190.040	5150 to 5250	Pass
		-30	NV	5190.040	5150 to 5250	Pass
		-20	NV	5190.080	5150 to 5250	Pass
		-10	NV	5190.040	5150 to 5250	Pass
		0	NV	5190.080	5150 to 5250	Pass
		10	NV	5190.040	5150 to 5250	Pass
		30	NV	5190.000	5150 to 5250	Pass
		40	NV	5190.000	5150 to 5250	Pass
		50	NV	5190.080	5150 to 5250	Pass
	5230	20	LV	5230.040	5150 to 5250	Pass
			NV	5230.080	5150 to 5250	Pass
			HV	5229.960	5150 to 5250	Pass
		-30	NV	5229.960	5150 to 5250	Pass
		-20	NV	5230.000	5150 to 5250	Pass
		-10	NV	5230.000	5150 to 5250	Pass
		0	NV	5230.040	5150 to 5250	Pass
		10	NV	5230.040	5150 to 5250	Pass
		30	NV	5230.040	5150 to 5250	Pass
		40	NV	5230.080	5150 to 5250	Pass
		50	NV	5230.000	5150 to 5250	Pass
	5755	20	LV	5755.080	5725 to 5850	Pass
			NV	5755.000	5725 to 5850	Pass
			HV	5755.000	5725 to 5850	Pass
		-30	NV	5755.000	5725 to 5850	Pass
		-20	NV	5755.040	5725 to 5850	Pass
		-10	NV	5755.040	5725 to 5850	Pass
		0	NV	5755.040	5725 to 5850	Pass
		10	NV	5755.040	5725 to 5850	Pass
		30	NV	5755.040	5725 to 5850	Pass
		40	NV	5755.040	5725 to 5850	Pass
		50	NV	5755.080	5725 to 5850	Pass
	5795	20	LV	5795.080	5725 to 5850	Pass
			NV	5795.080	5725 to 5850	Pass
			HV	5795.080	5725 to 5850	Pass
		-30	NV	5795.080	5725 to 5850	Pass
		-20	NV	5795.120	5725 to 5850	Pass
		-10	NV	5795.080	5725 to 5850	Pass
		0	NV	5795.040	5725 to 5850	Pass
		10	NV	5795.040	5725 to 5850	Pass
		30	NV	5795.120	5725 to 5850	Pass
		40	NV	5795.080	5725 to 5850	Pass

		50	NV	5795.000	5725 to 5850	Pass
802.11ax (HEW80)	5210	20	LV	5210.075	5150 to 5250	Pass
			NV	5210.075	5150 to 5250	Pass
			HV	5210.075	5150 to 5250	Pass
		-30	NV	5210.075	5150 to 5250	Pass
		-20	NV	5210.075	5150 to 5250	Pass
		-10	NV	5210.150	5150 to 5250	Pass
		0	NV	5210.075	5150 to 5250	Pass
		10	NV	5210.075	5150 to 5250	Pass
		30	NV	5210.075	5150 to 5250	Pass
		40	NV	5210.150	5150 to 5250	Pass
		50	NV	5210.150	5150 to 5250	Pass
	5775	20	LV	5775.075	5725 to 5850	Pass
			NV	5775.075	5725 to 5850	Pass
			HV	5775.150	5725 to 5850	Pass
		-30	NV	5775.000	5725 to 5850	Pass
		-20	NV	5775.150	5725 to 5850	Pass
		-10	NV	5775.150	5725 to 5850	Pass
		0	NV	5775.075	5725 to 5850	Pass
		10	NV	5775.075	5725 to 5850	Pass
		30	NV	5775.150	5725 to 5850	Pass
		40	NV	5775.075	5725 to 5850	Pass
		50	NV	5775.075	5725 to 5850	Pass
802.11be (EHT20)	5180	20	LV	5180.000	5150 to 5250	Pass
			NV	5180.020	5150 to 5250	Pass
			HV	5180.020	5150 to 5250	Pass
		-30	NV	5180.040	5150 to 5250	Pass
		-20	NV	5180.020	5150 to 5250	Pass
		-10	NV	5180.020	5150 to 5250	Pass
		0	NV	5180.020	5150 to 5250	Pass
		10	NV	5180.020	5150 to 5250	Pass
		30	NV	5180.000	5150 to 5250	Pass
		40	NV	5180.000	5150 to 5250	Pass
		50	NV	5180.040	5150 to 5250	Pass
	5200	20	LV	5200.000	5150 to 5250	Pass
			NV	5200.020	5150 to 5250	Pass
			HV	5200.000	5150 to 5250	Pass
		-30	NV	5200.020	5150 to 5250	Pass
		-20	NV	5200.020	5150 to 5250	Pass
		-10	NV	5200.000	5150 to 5250	Pass
		0	NV	5200.020	5150 to 5250	Pass
		10	NV	5200.040	5150 to 5250	Pass


		30	NV	5200.000	5150 to 5250	Pass
		40	NV	5200.020	5150 to 5250	Pass
		50	NV	5200.000	5150 to 5250	Pass
	5240	20	LV	5240.000	5150 to 5250	Pass
			NV	5240.020	5150 to 5250	Pass
			HV	5239.980	5150 to 5250	Pass
		-30	NV	5240.000	5150 to 5250	Pass
		-20	NV	5240.020	5150 to 5250	Pass
		-10	NV	5240.000	5150 to 5250	Pass
		0	NV	5240.020	5150 to 5250	Pass
		10	NV	5240.020	5150 to 5250	Pass
		30	NV	5239.980	5150 to 5250	Pass
		40	NV	5240.000	5150 to 5250	Pass
		50	NV	5240.000	5150 to 5250	Pass
	5745	20	LV	5744.980	5725 to 5850	Pass
			NV	5745.000	5725 to 5850	Pass
			HV	5745.000	5725 to 5850	Pass
		-30	NV	5744.980	5725 to 5850	Pass
		-20	NV	5744.980	5725 to 5850	Pass
		-10	NV	5744.960	5725 to 5850	Pass
		0	NV	5745.020	5725 to 5850	Pass
		10	NV	5745.000	5725 to 5850	Pass
		30	NV	5745.000	5725 to 5850	Pass
		40	NV	5744.980	5725 to 5850	Pass
		50	NV	5745.000	5725 to 5850	Pass
	5785	20	LV	5784.980	5725 to 5850	Pass
			NV	5785.000	5725 to 5850	Pass
			HV	5785.000	5725 to 5850	Pass
		-30	NV	5785.000	5725 to 5850	Pass
		-20	NV	5785.020	5725 to 5850	Pass
		-10	NV	5785.000	5725 to 5850	Pass
		0	NV	5785.020	5725 to 5850	Pass
		10	NV	5785.000	5725 to 5850	Pass
		30	NV	5785.000	5725 to 5850	Pass
		40	NV	5785.020	5725 to 5850	Pass
		50	NV	5784.980	5725 to 5850	Pass
	5825	20	LV	5824.980	5725 to 5850	Pass
			NV	5825.000	5725 to 5850	Pass
			HV	5825.000	5725 to 5850	Pass
		-30	NV	5824.980	5725 to 5850	Pass
		-20	NV	5825.000	5725 to 5850	Pass
		-10	NV	5824.980	5725 to 5850	Pass

802.11be (EHT40)		0	NV	5825.000	5725 to 5850	Pass
		10	NV	5824.980	5725 to 5850	Pass
		30	NV	5825.000	5725 to 5850	Pass
		40	NV	5824.980	5725 to 5850	Pass
		50	NV	5825.000	5725 to 5850	Pass
	5190	20	LV	5190.080	5150 to 5250	Pass
			NV	5190.000	5150 to 5250	Pass
			HV	5189.960	5150 to 5250	Pass
		-30	NV	5190.040	5150 to 5250	Pass
		-20	NV	5190.040	5150 to 5250	Pass
		-10	NV	5190.080	5150 to 5250	Pass
		0	NV	5190.040	5150 to 5250	Pass
		10	NV	5190.000	5150 to 5250	Pass
		30	NV	5190.080	5150 to 5250	Pass
		40	NV	5190.080	5150 to 5250	Pass
		50	NV	5190.040	5150 to 5250	Pass
	5230	20	LV	5230.080	5150 to 5250	Pass
			NV	5230.040	5150 to 5250	Pass
			HV	5230.040	5150 to 5250	Pass
		-30	NV	5230.040	5150 to 5250	Pass
		-20	NV	5230.080	5150 to 5250	Pass
		-10	NV	5230.040	5150 to 5250	Pass
		0	NV	5230.040	5150 to 5250	Pass
		10	NV	5230.000	5150 to 5250	Pass
		30	NV	5230.000	5150 to 5250	Pass
		40	NV	5230.040	5150 to 5250	Pass
		50	NV	5230.000	5150 to 5250	Pass
	5755	20	LV	5755.000	5725 to 5850	Pass
			NV	5755.040	5725 to 5850	Pass
			HV	5755.040	5725 to 5850	Pass
		-30	NV	5755.040	5725 to 5850	Pass
		-20	NV	5755.000	5725 to 5850	Pass
		-10	NV	5755.080	5725 to 5850	Pass
		0	NV	5755.000	5725 to 5850	Pass
		10	NV	5755.080	5725 to 5850	Pass
		30	NV	5755.080	5725 to 5850	Pass
		40	NV	5755.040	5725 to 5850	Pass
		50	NV	5755.040	5725 to 5850	Pass
	5795	20	LV	5795.080	5725 to 5850	Pass
			NV	5795.080	5725 to 5850	Pass
			HV	5795.040	5725 to 5850	Pass
		-30	NV	5795.080	5725 to 5850	Pass

		-20	NV	5795.080	5725 to 5850	Pass
		-10	NV	5795.040	5725 to 5850	Pass
		0	NV	5795.040	5725 to 5850	Pass
		10	NV	5795.040	5725 to 5850	Pass
		30	NV	5795.080	5725 to 5850	Pass
		40	NV	5795.080	5725 to 5850	Pass
		50	NV	5795.040	5725 to 5850	Pass
802.11be (EHT80)	5210	20	LV	5210.075	5150 to 5250	Pass
			NV	5210.075	5150 to 5250	Pass
			HV	5210.150	5150 to 5250	Pass
		-30	NV	5210.075	5150 to 5250	Pass
		-20	NV	5210.075	5150 to 5250	Pass
		-10	NV	5210.075	5150 to 5250	Pass
		0	NV	5210.075	5150 to 5250	Pass
		10	NV	5210.000	5150 to 5250	Pass
		30	NV	5210.075	5150 to 5250	Pass
		40	NV	5210.075	5150 to 5250	Pass
		50	NV	5210.075	5150 to 5250	Pass
	5775	20	LV	5775.075	5725 to 5850	Pass
			NV	5775.075	5725 to 5850	Pass
			HV	5775.075	5725 to 5850	Pass
		-30	NV	5775.075	5725 to 5850	Pass
		-20	NV	5775.075	5725 to 5850	Pass
		-10	NV	5775.075	5725 to 5850	Pass
		0	NV	5775.075	5725 to 5850	Pass
		10	NV	5775.075	5725 to 5850	Pass
		30	NV	5775.075	5725 to 5850	Pass
		40	NV	5775.075	5725 to 5850	Pass
		50	NV	5775.075	5725 to 5850	Pass

Appendix I: AC Power Line Conducted Emissions


Profile: 2650364R	Page No.: 5
Engineer: Yu Liu	
Site: TR1	Time: 2025/12/23 - 20:18
Limit: IC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: ODU12	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.011	56.674	46.346	-53.326	110.000	10.328	QP
2		0.027	62.281	52.287	-47.719	110.000	9.994	QP
3		0.046	68.137	58.402	-41.863	110.000	9.735	QP
4	*	0.065	56.604	46.890	-31.007	87.612	9.714	QP
5		0.095	48.400	38.706	-35.758	84.158	9.694	QP
6		0.132	40.162	30.484	-41.002	81.164	9.678	QP




Profile: 2650364R	Page No.: 6
Engineer: Yu Liu	
Site: TR1	Time: 2025/12/23 - 20:18
Limit: IC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Line
EUT: ODU12	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.338	59.186	49.509	-0.066	59.252	9.677	QP
2		0.942	49.886	40.194	-6.114	56.000	9.692	QP
3		3.718	50.668	40.867	-5.332	56.000	9.801	QP
4		6.122	47.404	37.562	-12.596	60.000	9.842	QP
5		16.226	46.769	36.537	-13.231	60.000	10.232	QP
6		26.486	53.705	42.976	-6.295	60.000	10.729	QP




Profile: 2650364R	Page No.: 7
Engineer: Yu Liu	
Site: TR1	Time: 2025/12/23 - 20:18
Limit: IC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: ODU12	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1		0.011	56.203	45.837	-53.797	110.000	10.366	QP
2		0.020	55.127	44.959	-54.873	110.000	10.168	QP
3		0.025	64.579	54.522	-45.421	110.000	10.057	QP
4		0.045	69.640	59.901	-40.360	110.000	9.739	QP
5	*	0.062	59.189	49.477	-28.853	88.042	9.712	QP
6		0.103	47.779	38.123	-35.643	83.422	9.656	QP

Profile: 2650364R	Page No.: 8
Engineer: Yu Liu	
Site: TR1	Time: 2025/12/23 - 20:18
Limit: IC_CE_AC Power-1	Margin: 0
Probe: ENV216_101189(0.009-30MHz)	Polarity: Neutral
EUT: ODU12	Power: AC 120V/60Hz
Note: Transmit at 5180MHz by 802.11a	



No	Mark	Frequency (MHz)	Measure Level (dBuV)	Reading Level (dBuV)	Over Limit (dB)	Limit (dBuV)	Factor (dB)	Type
1	*	0.334	58.785	49.164	-0.566	59.351	9.621	QP
2		0.454	51.114	41.513	-5.688	56.802	9.601	QP
3		0.926	50.176	40.503	-5.824	56.000	9.673	QP
4		2.238	48.475	38.768	-7.525	56.000	9.707	QP
5		10.242	48.505	38.495	-11.495	60.000	10.010	QP
6		26.610	53.168	42.328	-6.832	60.000	10.840	QP

Note:

1. " * ", means this data is the worst emission level.
2. Measurement Level = Reading Level + Factor(Probe+Cable-Amp)

_____ The End _____