

Spurious Emission at Antenna Terminals

2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	984.39	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-49.61	-13	36.61	Pass	701
1700	1765	1	RMS	1736.075	17.38	60	42.62	Pass	401
1765	3000	1	RMS	1772	-32.62	-13	19.62	Pass	1236
3000	12000	1	RMS	3472	-39.93	-13	26.93	Pass	9002
12000	20000	1	RMS	19380	-34.96	-13	21.96	Pass	8001



3. LTE_Band12


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.18	-78.99	-13	65.99	Pass	2986
30	689	0.1	RMS	688.5	-70.92	-13	57.92	Pass	6591
689	726	0.1	RMS	699.268	13.53	60	46.47	Pass	401
726	1000	0.1	RMS	968.2	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1398	-43.72	-13	30.72	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.91	-13	64.91	Pass	401
0.15	30	0.01	RMS	0.18	-77.76	-13	64.76	Pass	2986
30	689	0.1	RMS	650.8	-71.05	-13	58.05	Pass	6591
689	726	0.1	RMS	699.268	12.63	60	47.37	Pass	401
726	1000	0.1	RMS	943.6	-69.7	-13	56.7	Pass	2741
1000	3000	1	RMS	1398	-44.44	-13	31.44	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-79.01	-13	66.01	Pass	401
0.15	30	0.01	RMS	0.17	-77.81	-13	64.81	Pass	2986
30	689	0.1	RMS	607.3	-70.9	-13	57.9	Pass	6591
689	726	0.1	RMS	707.038	13.84	60	46.16	Pass	401
726	1000	0.1	RMS	927.9	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1414	-43.45	-13	30.45	Pass	2001
3000	10000	1	RMS	9710	-45.57	-13	32.57	Pass	7001




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.27	-78.25	-13	65.25	Pass	2986
30	689	0.1	RMS	614.4	-70.83	-13	57.83	Pass	6591
689	726	0.1	RMS	707.038	12.92	60	47.08	Pass	401
726	1000	0.1	RMS	947.8	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1414	-44.25	-13	31.25	Pass	2001
3000	10000	1	RMS	9701	-45.51	-13	32.51	Pass	7001




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.59	-13	65.59	Pass	401
0.15	30	0.01	RMS	0.19	-78.39	-13	65.39	Pass	2986
30	689	0.1	RMS	681.1	-70.99	-13	57.99	Pass	6591
689	726	0.1	RMS	714.808	12.89	60	47.11	Pass	401
726	1000	0.1	RMS	959.4	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1429	-44.24	-13	31.24	Pass	2001
3000	10000	1	RMS	9702	-45.54	-13	32.54	Pass	7001




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.35	-13	65.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.76	-13	64.76	Pass	2986
30	689	0.1	RMS	606.1	-70.92	-13	57.92	Pass	6591
689	726	0.1	RMS	714.808	12.11	60	47.89	Pass	401
726	1000	0.1	RMS	960.4	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1429	-44.91	-13	31.91	Pass	2001
3000	10000	1	RMS	9698	-45.55	-13	32.55	Pass	7001




3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.64	-13	65.64	Pass	401
0.15	30	0.01	RMS	0.17	-78.42	-13	65.42	Pass	2986
30	689	0.1	RMS	688.5	-70.9	-13	57.9	Pass	6591
689	726	0.1	RMS	699.268	13.36	60	46.64	Pass	401
726	1000	0.1	RMS	979.8	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1398	-43.75	-13	30.75	Pass	2001
3000	10000	1	RMS	9701	-45.55	-13	32.55	Pass	7001




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.29	-13	65.29	Pass	401
0.15	30	0.01	RMS	0.17	-77.94	-13	64.94	Pass	2986
30	689	0.1	RMS	641.6	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	699.268	12.61	60	47.39	Pass	401
726	1000	0.1	RMS	939.9	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1398	-44.42	-13	31.42	Pass	2001
3000	10000	1	RMS	9697	-45.54	-13	32.54	Pass	7001




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.38	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	611.5	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	706.205	13.06	60	46.94	Pass	401
726	1000	0.1	RMS	943.3	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1412	-42.25	-13	29.25	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.22	-13	65.22	Pass	401
0.15	30	0.01	RMS	0.18	-78.17	-13	65.17	Pass	2986
30	689	0.1	RMS	605.8	-71.01	-13	58.01	Pass	6591
689	726	0.1	RMS	706.205	12.38	60	47.62	Pass	401
726	1000	0.1	RMS	991.4	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1412	-42.82	-13	29.82	Pass	2001
3000	10000	1	RMS	9694	-45.51	-13	32.51	Pass	7001




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.92	-13	65.92	Pass	401
0.15	30	0.01	RMS	0.18	-78.15	-13	65.15	Pass	2986
30	689	0.1	RMS	689	-70.88	-13	57.88	Pass	6591
689	726	0.1	RMS	713.235	14.1	60	45.9	Pass	401
726	1000	0.1	RMS	989.3	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1426	-46.13	-13	33.13	Pass	2001
3000	10000	1	RMS	9698	-45.49	-13	32.49	Pass	7001




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	689	0.1	RMS	607.3	-70.93	-13	57.93	Pass	6591
689	726	0.1	RMS	713.235	13.33	60	46.67	Pass	401
726	1000	0.1	RMS	936.8	-69.74	-13	56.74	Pass	2741
1000	3000	1	RMS	1426	-46.74	-13	33.74	Pass	2001
3000	10000	1	RMS	9700	-45.42	-13	32.42	Pass	7001




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.98	-13	65.98	Pass	401
0.15	30	0.01	RMS	0.15	-78.2	-13	65.2	Pass	2986
30	689	0.1	RMS	688.7	-70.91	-13	57.91	Pass	6591
689	726	0.1	RMS	699.36	13.42	60	46.58	Pass	401
726	1000	0.1	RMS	935.7	-69.75	-13	56.75	Pass	2741
1000	3000	1	RMS	1398	-43.99	-13	30.99	Pass	2001
3000	10000	1	RMS	9706	-45.46	-13	32.46	Pass	7001




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.18	-78.53	-13	65.53	Pass	2986
30	689	0.1	RMS	609.6	-70.99	-13	57.99	Pass	6591
689	726	0.1	RMS	699.36	12.88	60	47.12	Pass	401
726	1000	0.1	RMS	962.4	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1398	-44.59	-13	31.59	Pass	2001
3000	10000	1	RMS	9712	-45.49	-13	32.49	Pass	7001




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.97	-13	65.97	Pass	401
0.15	30	0.01	RMS	0.15	-78.67	-13	65.67	Pass	2986
30	689	0.1	RMS	623.3	-70.94	-13	57.94	Pass	6591
689	726	0.1	RMS	705.373	13.25	60	46.75	Pass	401
726	1000	0.1	RMS	969.1	-69.64	-13	56.64	Pass	2741
1000	3000	1	RMS	1410	-42.18	-13	29.18	Pass	2001
3000	10000	1	RMS	9700	-45.48	-13	32.48	Pass	7001




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.55	-13	64.55	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	689	0.1	RMS	591.9	-71.03	-13	58.03	Pass	6591
689	726	0.1	RMS	705.373	12.59	60	47.41	Pass	401
726	1000	0.1	RMS	935.1	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1410	-42.81	-13	29.81	Pass	2001
3000	10000	1	RMS	9705	-45.5	-13	32.5	Pass	7001




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.58	-13	64.58	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	689	0.1	RMS	508.8	-70.95	-13	57.95	Pass	6591
689	726	0.1	RMS	711.293	14.1	60	45.9	Pass	401
726	1000	0.1	RMS	930.2	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1422	-47.3	-13	34.3	Pass	2001
3000	10000	1	RMS	9702	-45.49	-13	32.49	Pass	7001




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.99	-13	65.99	Pass	401
0.15	30	0.01	RMS	0.21	-77.92	-13	64.92	Pass	2986
30	689	0.1	RMS	648.4	-70.96	-13	57.96	Pass	6591
689	726	0.1	RMS	711.293	13.46	60	46.54	Pass	401
726	1000	0.1	RMS	984.6	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1422	-47.57	-13	34.57	Pass	2001
3000	10000	1	RMS	9702	-45.51	-13	32.51	Pass	7001




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	689	0.1	RMS	681.8	-64.28	-13	51.28	Pass	6591
689	726	0.1	RMS	699.545	12.98	60	47.02	Pass	401
726	1000	0.1	RMS	865.7	-69.61	-13	56.61	Pass	2741
1000	3000	1	RMS	1399	-44.36	-13	31.36	Pass	2001
3000	10000	1	RMS	9699	-45.49	-13	32.49	Pass	7001




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.16	-77.79	-13	64.79	Pass	2986
30	689	0.1	RMS	681.8	-64.02	-13	51.02	Pass	6591
689	726	0.1	RMS	699.545	12.17	60	47.83	Pass	401
726	1000	0.1	RMS	992.6	-69.49	-13	56.49	Pass	2741
1000	3000	1	RMS	1399	-45.04	-13	32.04	Pass	2001
3000	10000	1	RMS	9699	-45.51	-13	32.51	Pass	7001




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-79.16	-13	66.16	Pass	401
0.15	30	0.01	RMS	0.15	-77.83	-13	64.83	Pass	2986
30	689	0.1	RMS	685.5	-70.71	-13	57.71	Pass	6591
689	726	0.1	RMS	703.06	12.85	60	47.15	Pass	401
726	1000	0.1	RMS	991.7	-69.69	-13	56.69	Pass	2741
1000	3000	1	RMS	1406	-43.1	-13	30.1	Pass	2001
3000	10000	1	RMS	9699	-45.53	-13	32.53	Pass	7001




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	689	0.1	RMS	685.4	-70.66	-13	57.66	Pass	6591
689	726	0.1	RMS	703.06	12.19	60	47.81	Pass	401
726	1000	0.1	RMS	836.5	-69.79	-13	56.79	Pass	2741
1000	3000	1	RMS	1406	-43.75	-13	30.75	Pass	2001
3000	10000	1	RMS	9701	-45.47	-13	32.47	Pass	7001




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.88	-13	64.88	Pass	401
0.15	30	0.01	RMS	0.17	-78.42	-13	65.42	Pass	2986
30	689	0.1	RMS	689	-56.94	-13	43.94	Pass	6591
689	726	0.1	RMS	706.575	13.56	60	46.44	Pass	401
726	1000	0.1	RMS	983	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1413	-42.99	-13	29.99	Pass	2001
3000	10000	1	RMS	9701	-45.33	-13	32.33	Pass	7001



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.17	-78.06	-13	65.06	Pass	2986
30	689	0.1	RMS	689	-59.12	-13	46.12	Pass	6591
689	726	0.1	RMS	706.575	12.71	60	47.29	Pass	401
726	1000	0.1	RMS	991	-69.6	-13	56.6	Pass	2741
1000	3000	1	RMS	1413	-43.74	-13	30.74	Pass	2001
3000	10000	1	RMS	9702	-45.41	-13	32.41	Pass	7001



4. LTE_Band13


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.37	-13	65.37	Pass	401
0.15	30	0.01	RMS	0.16	-77.9	-13	64.9	Pass	2986
30	767	0.1	RMS	766.7	-69.93	-13	56.93	Pass	7371
767	797	0.1	RMS	777.35	15.89	60	44.11	Pass	401
797	1000	0.1	RMS	819.2	-66.9	-13	53.9	Pass	2031
1000	3000	1	RMS	1554	-52.09	-13	39.09	Pass	2001
3000	10000	1	RMS	9700	-45.46	-13	32.46	Pass	7001




4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.23	-13	65.23	Pass	401
0.15	30	0.01	RMS	0.16	-78.16	-13	65.16	Pass	2986
30	767	0.1	RMS	766.6	-70.1	-13	57.1	Pass	7371
767	797	0.1	RMS	777.35	15.02	60	44.98	Pass	401
797	1000	0.1	RMS	819.2	-66.39	-13	53.39	Pass	2031
1000	3000	1	RMS	1554	-53.25	-13	40.25	Pass	2001
3000	10000	1	RMS	9699	-45.52	-13	32.52	Pass	7001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.93	-13	65.93	Pass	401
0.15	30	0.01	RMS	0.15	-78.63	-13	65.63	Pass	2986
30	767	0.1	RMS	753	-70.35	-13	57.35	Pass	7371
767	797	0.1	RMS	779.825	16.07	60	43.93	Pass	401
797	1000	0.1	RMS	797.1	-65.29	-13	52.29	Pass	2031
1000	3000	1	RMS	1559	-51.82	-13	38.82	Pass	2001
3000	10000	1	RMS	9692	-45.52	-13	32.52	Pass	7001




4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	767	0.1	RMS	750.1	-70.25	-13	57.25	Pass	7371
767	797	0.1	RMS	779.825	15.43	60	44.57	Pass	401
797	1000	0.1	RMS	819.2	-65.56	-13	52.56	Pass	2031
1000	3000	1	RMS	1559	-52.67	-13	39.67	Pass	2001
3000	10000	1	RMS	9697	-45.51	-13	32.51	Pass	7001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-78.43	-13	65.43	Pass	2986
30	767	0.1	RMS	752.7	-70.5	-13	57.5	Pass	7371
767	797	0.1	RMS	782.3	15.72	60	44.28	Pass	401
797	1000	0.1	RMS	819.2	-65.43	-13	52.43	Pass	2031
1000	3000	1	RMS	1564	-51.75	-13	38.75	Pass	2001
3000	10000	1	RMS	9700	-45.33	-13	32.33	Pass	7001




4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.57	-13	65.57	Pass	401
0.15	30	0.01	RMS	0.21	-77.94	-13	64.94	Pass	2986
30	767	0.1	RMS	752.3	-70.46	-13	57.46	Pass	7371
767	797	0.1	RMS	782.375	15.14	60	44.86	Pass	401
797	1000	0.1	RMS	819.2	-65.83	-13	52.83	Pass	2031
1000	3000	1	RMS	1564	-52.49	-13	39.49	Pass	2001
3000	10000	1	RMS	9698	-45.52	-13	32.52	Pass	7001




4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	767	0.1	RMS	766.9	-69.8	-13	56.8	Pass	7371
767	797	0.1	RMS	777.575	15.8	60	44.2	Pass	401
797	1000	0.1	RMS	819.2	-66.12	-13	53.12	Pass	2031
1000	3000	1	RMS	1555	-52.99	-13	39.99	Pass	2001
3000	10000	1	RMS	9701	-45.46	-13	32.46	Pass	7001



4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.62	-13	65.62	Pass	401
0.15	30	0.01	RMS	0.15	-78.1	-13	65.1	Pass	2986
30	767	0.1	RMS	766.9	-69.93	-13	56.93	Pass	7371
767	797	0.1	RMS	777.575	15.04	60	44.96	Pass	401
797	1000	0.1	RMS	819.2	-65.91	-13	52.91	Pass	2031
1000	3000	1	RMS	1555	-53.75	-13	40.75	Pass	2001
3000	10000	1	RMS	9700	-45.47	-13	32.47	Pass	7001



5. LTE_Band17


5.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	694	0.1	RMS	693.6	-69.16	-13	56.16	Pass	6641
694	726	0.1	RMS	704.32	14.3	60	45.7	Pass	401
726	1000	0.1	RMS	972.8	-69.65	-13	56.65	Pass	2741
1000	3000	1	RMS	1408	-41.24	-13	28.24	Pass	2001
3000	10000	1	RMS	9700	-45.51	-13	32.51	Pass	7001




5.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.16	-78.71	-13	65.71	Pass	2986
30	694	0.1	RMS	693.6	-69.96	-13	56.96	Pass	6641
694	726	0.1	RMS	704.32	13.7	60	46.3	Pass	401
726	1000	0.1	RMS	850	-69.56	-13	56.56	Pass	2741
1000	3000	1	RMS	1408	-41.79	-13	28.79	Pass	2001
3000	10000	1	RMS	9701	-45.47	-13	32.47	Pass	7001




5.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.09	-13	66.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.72	-13	64.72	Pass	2986
30	694	0.1	RMS	692.7	-70.6	-13	57.6	Pass	6641
694	726	0.1	RMS	707.84	14.69	60	45.31	Pass	401
726	1000	0.1	RMS	857.9	-69.62	-13	56.62	Pass	2741
1000	3000	1	RMS	1415	-42.48	-13	29.48	Pass	2001
3000	10000	1	RMS	9702	-45.43	-13	32.43	Pass	7001




5.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.15	-77.47	-13	64.47	Pass	2986
30	694	0.1	RMS	690.7	-70.86	-13	57.86	Pass	6641
694	726	0.1	RMS	707.84	14.01	60	45.99	Pass	401
726	1000	0.1	RMS	939.7	-69.7	-13	56.7	Pass	2741
1000	3000	1	RMS	1415	-43.06	-13	30.06	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001




5.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.57	-13	64.57	Pass	401
0.15	30	0.01	RMS	0.15	-77.46	-13	64.46	Pass	2986
30	694	0.1	RMS	694	-69.94	-13	56.94	Pass	6641
694	726	0.1	RMS	711.36	14.64	60	45.36	Pass	401
726	1000	0.1	RMS	945.9	-69.57	-13	56.57	Pass	2741
1000	3000	1	RMS	1422	-47.28	-13	34.28	Pass	2001
3000	10000	1	RMS	9699	-45.43	-13	32.43	Pass	7001




5.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.34	-13	65.34	Pass	401
0.15	30	0.01	RMS	0.19	-78.44	-13	65.44	Pass	2986
30	694	0.1	RMS	694	-70.13	-13	57.13	Pass	6641
694	726	0.1	RMS	711.36	14	60	46	Pass	401
726	1000	0.1	RMS	835.5	-69.76	-13	56.76	Pass	2741
1000	3000	1	RMS	1422	-47.58	-13	34.58	Pass	2001
3000	10000	1	RMS	9697	-45.49	-13	32.49	Pass	7001




5.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.86	-13	64.86	Pass	2986
30	694	0.1	RMS	687	-62.6	-13	49.6	Pass	6641
694	726	0.1	RMS	704.56	14.14	60	45.86	Pass	401
726	1000	0.1	RMS	896.4	-69.45	-13	56.45	Pass	2741
1000	3000	1	RMS	1409	-41.85	-13	28.85	Pass	2001
3000	10000	1	RMS	9702	-45.51	-13	32.51	Pass	7001




5.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.98	-13	65.98	Pass	401
0.15	30	0.01	RMS	0.15	-78.41	-13	65.41	Pass	2986
30	694	0.1	RMS	687	-63.99	-13	50.99	Pass	6641
694	726	0.1	RMS	704.56	13.35	60	46.65	Pass	401
726	1000	0.1	RMS	848.5	-69.67	-13	56.67	Pass	2741
1000	3000	1	RMS	1409	-42.58	-13	29.58	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001




5.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.49	-13	65.49	Pass	401
0.15	30	0.01	RMS	0.2	-77.47	-13	64.47	Pass	2986
30	694	0.1	RMS	688	-58.53	-13	45.53	Pass	6641
694	726	0.1	RMS	705.6	14.26	60	45.74	Pass	401
726	1000	0.1	RMS	989.5	-69.42	-13	56.42	Pass	2741
1000	3000	1	RMS	1411	-42.24	-13	29.24	Pass	2001
3000	10000	1	RMS	9698	-45.45	-13	32.45	Pass	7001




5.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.21	-78.02	-13	65.02	Pass	2986
30	694	0.1	RMS	688	-60.68	-13	47.68	Pass	6641
694	726	0.1	RMS	705.6	13.35	60	46.65	Pass	401
726	1000	0.1	RMS	959.5	-69.73	-13	56.73	Pass	2741
1000	3000	1	RMS	1411	-42.95	-13	29.95	Pass	2001
3000	10000	1	RMS	9702	-45.46	-13	32.46	Pass	7001




5.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.75	-13	64.75	Pass	2986
30	694	0.1	RMS	689	-55.93	-13	42.93	Pass	6641
694	726	0.1	RMS	706.56	14.16	60	45.84	Pass	401
726	1000	0.1	RMS	864.5	-69.68	-13	56.68	Pass	2741
1000	3000	1	RMS	1413	-42.44	-13	29.44	Pass	2001
3000	10000	1	RMS	9701	-45.45	-13	32.45	Pass	7001



5.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-78.13	-13	65.13	Pass	2986
30	694	0.1	RMS	689	-57.87	-13	44.87	Pass	6641
694	726	0.1	RMS	706.56	13.4	60	46.6	Pass	401
726	1000	0.1	RMS	950.9	-69.71	-13	56.71	Pass	2741
1000	3000	1	RMS	1413	-43.11	-13	30.11	Pass	2001
3000	10000	1	RMS	9700	-45.49	-13	32.49	Pass	7001



6. LTE_Band25


6.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-77.17	-13	64.17	Pass	2986
30	1000	0.1	RMS	970.48	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-56.23	-13	43.23	Pass	841
1840	1925	1	RMS	1850.2	19.08	60	40.92	Pass	401
1925	3000	1	RMS	2994	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11999	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19327	-34.95	-13	21.95	Pass	8001




6.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.16	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	983.289	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1840	-56.43	-13	43.43	Pass	841
1840	1925	1	RMS	1850.2	18.34	60	41.66	Pass	401
1925	3000	1	RMS	3000	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	11893	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19353	-34.94	-13	21.94	Pass	8001




6.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	948.166	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1881.863	18.91	60	41.09	Pass	401
1925	3000	1	RMS	3000	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11998	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19322	-34.91	-13	21.91	Pass	8001




6.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26365, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.6	-13	65.6	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	970.581	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1881.863	18.2	60	41.8	Pass	401
1925	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11900	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19398	-34.85	-13	21.85	Pass	8001




6.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.15	-77.37	-13	64.37	Pass	2986
30	1000	0.1	RMS	958.272	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1834	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1913.738	18.69	60	41.31	Pass	401
1925	3000	1	RMS	2978	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11997	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19306	-34.91	-13	21.91	Pass	8001




6.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:26683, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.36	-13	64.36	Pass	401
0.15	30	0.01	RMS	0.16	-78.05	-13	65.05	Pass	2986
30	1000	0.1	RMS	920.547	-69.95	-13	56.95	Pass	9701
1000	1840	1	RMS	1838	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1913.738	18.03	60	41.97	Pass	401
1925	3000	1	RMS	2998	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11895	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19310	-34.84	-13	21.84	Pass	8001




6.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.33	-13	64.33	Pass	401
0.15	30	0.01	RMS	0.18	-77.72	-13	64.72	Pass	2986
30	1000	0.1	RMS	933.156	-69.88	-13	56.88	Pass	9701
1000	1840	1	RMS	1840	-55.86	-13	42.86	Pass	841
1840	1925	1	RMS	1850.2	18.94	60	41.06	Pass	401
1925	3000	1	RMS	2973	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	11994	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19419	-34.93	-13	21.93	Pass	8001




6.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26055, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.55	-13	64.55	Pass	401
0.15	30	0.01	RMS	0.18	-78.34	-13	65.34	Pass	2986
30	1000	0.1	RMS	991.594	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-56.15	-13	43.15	Pass	841
1840	1925	1	RMS	1850.2	18.37	60	41.63	Pass	401
1925	3000	1	RMS	3000	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19358	-34.91	-13	21.91	Pass	8001




6.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.76	-13	65.76	Pass	401
0.15	30	0.01	RMS	0.15	-76.64	-13	63.64	Pass	2986
30	1000	0.1	RMS	947.065	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1836	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1881.225	18.85	60	41.15	Pass	401
1925	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11998	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19300	-34.93	-13	21.93	Pass	8001




6.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26365, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.77	-13	64.77	Pass	401
0.15	30	0.01	RMS	0.21	-77.97	-13	64.97	Pass	2986
30	1000	0.1	RMS	958.973	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1881.225	18.08	60	41.92	Pass	401
1925	3000	1	RMS	3000	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11894	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19296	-34.97	-13	21.97	Pass	8001




6.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.78	-13	64.78	Pass	2986
30	1000	0.1	RMS	964.877	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1835	-57.63	-13	44.63	Pass	841
1840	1925	1	RMS	1912.038	18.76	60	41.24	Pass	401
1925	3000	1	RMS	2995	-54.27	-13	41.27	Pass	1076
3000	12000	1	RMS	12000	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19382	-34.94	-13	21.94	Pass	8001




6.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:26675, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.47	-13	65.47	Pass	401
0.15	30	0.01	RMS	0.16	-78.14	-13	65.14	Pass	2986
30	1000	0.1	RMS	842.7	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1839	-57.64	-13	44.64	Pass	841
1840	1925	1	RMS	1912.038	18.09	60	41.91	Pass	401
1925	3000	1	RMS	2999	-54.36	-13	41.36	Pass	1076
3000	12000	1	RMS	11995	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19281	-34.96	-13	21.96	Pass	8001




6.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.25	-13	64.25	Pass	401
0.15	30	0.01	RMS	0.15	-76.96	-13	63.96	Pass	2986
30	1000	0.1	RMS	926.952	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-55.74	-13	42.74	Pass	841
1840	1925	1	RMS	1850.2	19.11	60	40.89	Pass	401
1925	3000	1	RMS	2997	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11997	-43.2	-13	30.2	Pass	9002
12000	20000	1	RMS	19355	-34.97	-13	21.97	Pass	8001



6.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26065, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.17	-78.04	-13	65.04	Pass	2986
30	1000	0.1	RMS	865.111	-70.01	-13	57.01	Pass	9701
1000	1840	1	RMS	1840	-55.85	-13	42.85	Pass	841
1840	1925	1	RMS	1850.2	18.37	60	41.63	Pass	401
1925	3000	1	RMS	2998	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	11999	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19409	-34.94	-13	21.94	Pass	8001



6.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	945.664	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1880.163	19.03	60	40.97	Pass	401
1925	3000	1	RMS	2986	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19389	-34.98	-13	21.98	Pass	8001

