

Spurious Emission at Antenna Terminals


6.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26365, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	967.579	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1839	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1880.163	18.4	60	41.6	Pass	401
1925	3000	1	RMS	2959	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11902	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19326	-34.9	-13	21.9	Pass	8001




6.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.7	-13	64.7	Pass	401
0.15	30	0.01	RMS	0.15	-76.94	-13	63.94	Pass	2986
30	1000	0.1	RMS	991.194	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1910.338	18.88	60	41.12	Pass	401
1925	3000	1	RMS	2998	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11900	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19414	-34.92	-13	21.92	Pass	8001




6.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:26665, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.18	-13	65.18	Pass	401
0.15	30	0.01	RMS	0.17	-77.46	-13	64.46	Pass	2986
30	1000	0.1	RMS	872.916	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1837	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1910.338	18.35	60	41.65	Pass	401
1925	3000	1	RMS	2997	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11998	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19432	-34.89	-13	21.89	Pass	8001




6.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	967.178	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1833	-53.51	-13	40.51	Pass	841
1840	1925	1	RMS	1850.413	18.85	60	41.15	Pass	401
1925	3000	1	RMS	2996	-54.26	-13	41.26	Pass	1076
3000	12000	1	RMS	11996	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19426	-34.94	-13	21.94	Pass	8001




6.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	992.295	-69.92	-13	56.92	Pass	9701
1000	1840	1	RMS	1833	-52.23	-13	39.23	Pass	841
1840	1925	1	RMS	1850.413	18.3	60	41.7	Pass	401
1925	3000	1	RMS	2996	-54.29	-13	41.29	Pass	1076
3000	12000	1	RMS	12000	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19300	-34.91	-13	21.91	Pass	8001




6.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.8	-13	64.8	Pass	2986
30	1000	0.1	RMS	942.662	-69.84	-13	56.84	Pass	9701
1000	1840	1	RMS	1840	-57.66	-13	44.66	Pass	841
1840	1925	1	RMS	1878.038	18.93	60	41.07	Pass	401
1925	3000	1	RMS	2994	-54.28	-13	41.28	Pass	1076
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19325	-34.94	-13	21.94	Pass	8001




6.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26365, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.22	-13	64.22	Pass	2986
30	1000	0.1	RMS	945.064	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1838	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1878.038	18.12	60	41.88	Pass	401
1925	3000	1	RMS	2996	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11995	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19371	-34.91	-13	21.91	Pass	8001




6.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.27	-13	65.27	Pass	401
0.15	30	0.01	RMS	0.18	-77.96	-13	64.96	Pass	2986
30	1000	0.1	RMS	941.161	-69.76	-13	56.76	Pass	9701
1000	1840	1	RMS	1837	-57.54	-13	44.54	Pass	841
1840	1925	1	RMS	1905.45	18.73	60	41.27	Pass	401
1925	3000	1	RMS	2984	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11997	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19360	-34.88	-13	21.88	Pass	8001




6.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.1	-13	65.1	Pass	401
0.15	30	0.01	RMS	0.15	-78.23	-13	65.23	Pass	2986
30	1000	0.1	RMS	912.342	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1832	-57.65	-13	44.65	Pass	841
1840	1925	1	RMS	1905.45	18.08	60	41.92	Pass	401
1925	3000	1	RMS	2986	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11994	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19308	-34.93	-13	21.93	Pass	8001




6.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.15	-77.46	-13	64.46	Pass	2986
30	1000	0.1	RMS	961.675	-69.89	-13	56.89	Pass	9701
1000	1840	1	RMS	1838	-44.93	-13	31.93	Pass	841
1840	1925	1	RMS	1850.838	18.76	60	41.24	Pass	401
1925	3000	1	RMS	2995	-54.37	-13	41.37	Pass	1076
3000	12000	1	RMS	11898	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19427	-34.95	-13	21.95	Pass	8001




6.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26115, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.09	-13	65.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.62	-13	64.62	Pass	2986
30	1000	0.1	RMS	905.237	-69.96	-13	56.96	Pass	9701
1000	1840	1	RMS	1838	-46.17	-13	33.17	Pass	841
1840	1925	1	RMS	1850.625	18.23	60	41.77	Pass	401
1925	3000	1	RMS	2994	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	12000	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19380	-34.99	-13	21.99	Pass	8001




6.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.89	-13	64.89	Pass	401
0.15	30	0.01	RMS	0.19	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	952.969	-69.98	-13	56.98	Pass	9701
1000	1840	1	RMS	1836	-57.61	-13	44.61	Pass	841
1840	1925	1	RMS	1875.7	18.96	60	41.04	Pass	401
1925	3000	1	RMS	2999	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11900	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19358	-34.97	-13	21.97	Pass	8001




6.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26365, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-13	64.93	Pass	2986
30	1000	0.1	RMS	944.363	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1836	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1875.7	18.16	60	41.84	Pass	401
1925	3000	1	RMS	2996	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11992	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19385	-34.91	-13	21.91	Pass	8001




6.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.32	-13	64.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.08	-13	64.08	Pass	2986
30	1000	0.1	RMS	965.777	-69.85	-13	56.85	Pass	9701
1000	1840	1	RMS	1838	-57.6	-13	44.6	Pass	841
1840	1925	1	RMS	1900.775	19.04	60	40.96	Pass	401
1925	3000	1	RMS	2998	-54.35	-13	41.35	Pass	1076
3000	12000	1	RMS	11992	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19307	-34.94	-13	21.94	Pass	8001




6.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26615, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	943.463	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.57	-13	44.57	Pass	841
1840	1925	1	RMS	1900.775	18.43	60	41.57	Pass	401
1925	3000	1	RMS	2999	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	11999	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19349	-34.93	-13	21.93	Pass	8001




6.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.15	-77.73	-13	64.73	Pass	2986
30	1000	0.1	RMS	925.551	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1833	-46.84	-13	33.84	Pass	841
1840	1925	1	RMS	1851.05	18.74	60	41.26	Pass	401
1925	3000	1	RMS	2997	-54.31	-13	41.31	Pass	1076
3000	12000	1	RMS	11999	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19316	-34.95	-13	21.95	Pass	8001




6.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:26140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.32	-13	64.32	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	931.855	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1833	-48.58	-13	35.58	Pass	841
1840	1925	1	RMS	1851.05	18.15	60	41.85	Pass	401
1925	3000	1	RMS	2996	-54.34	-13	41.34	Pass	1076
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19305	-34.92	-13	21.92	Pass	8001




6.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.97	-13	65.97	Pass	401
0.15	30	0.01	RMS	0.15	-76.99	-13	63.99	Pass	2986
30	1000	0.1	RMS	996.598	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1838	-53.86	-13	40.86	Pass	841
1840	1925	1	RMS	1873.575	18.8	60	41.2	Pass	401
1925	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1076
3000	12000	1	RMS	11999	-43.15	-13	30.15	Pass	9002
12000	20000	1	RMS	19395	-34.85	-13	21.85	Pass	8001




6.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:26365, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.13	-13	65.13	Pass	401
0.15	30	0.01	RMS	0.16	-78.23	-13	65.23	Pass	2986
30	1000	0.1	RMS	988.993	-69.71	-13	56.71	Pass	9701
1000	1840	1	RMS	1838	-53.47	-13	40.47	Pass	841
1840	1925	1	RMS	1873.575	18.04	60	41.96	Pass	401
1925	3000	1	RMS	2996	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	12000	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19469	-34.87	-13	21.87	Pass	8001




6.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.15	-77.94	-13	64.94	Pass	2986
30	1000	0.1	RMS	931.755	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1838	-57.55	-13	44.55	Pass	841
1840	1925	1	RMS	1895.888	18.97	60	41.03	Pass	401
1925	3000	1	RMS	2997	-54.32	-13	41.32	Pass	1076
3000	12000	1	RMS	11986	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19383	-34.93	-13	21.93	Pass	8001



6.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:26590, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.37	-13	64.37	Pass	401
0.15	30	0.01	RMS	0.15	-78.2	-13	65.2	Pass	2986
30	1000	0.1	RMS	917.645	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1840	-57.58	-13	44.58	Pass	841
1840	1925	1	RMS	1895.888	18.29	60	41.71	Pass	401
1925	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1076
3000	12000	1	RMS	11988	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19361	-34.93	-13	21.93	Pass	8001



7. LTE_Band66


7.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.21	-13	65.21	Pass	401
0.15	30	0.01	RMS	0.15	-77.82	-13	64.82	Pass	2986
30	1000	0.1	RMS	855.804	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-56.09	-13	43.09	Pass	701
1700	1790	1	RMS	1710.125	18.71	60	41.29	Pass	401
1790	3000	1	RMS	2996	-54.28	-13	41.28	Pass	1211
3000	12000	1	RMS	3421	-40.24	-13	27.24	Pass	9002
12000	20000	1	RMS	19330	-34.91	-13	21.91	Pass	8001




7.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-79.02	-13	66.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.61	-13	64.61	Pass	2986
30	1000	0.1	RMS	987.792	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1700	-56.42	-13	43.42	Pass	701
1700	1790	1	RMS	1710.125	17.9	60	42.1	Pass	401
1790	3000	1	RMS	2998	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3421	-40.77	-13	27.77	Pass	9002
12000	20000	1	RMS	19395	-34.92	-13	21.92	Pass	8001




7.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.6	-13	65.6	Pass	401
0.15	30	0.01	RMS	0.15	-75.94	-13	62.94	Pass	2986
30	1000	0.1	RMS	856.805	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1678	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1744.55	18.2	60	41.8	Pass	401
1790	3000	1	RMS	3000	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	3489	-39.54	-13	26.54	Pass	9002
12000	20000	1	RMS	19429	-34.94	-13	21.94	Pass	8001




7.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.24	-13	65.24	Pass	401
0.15	30	0.01	RMS	0.17	-78.55	-13	65.55	Pass	2986
30	1000	0.1	RMS	953.669	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1678	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1744.325	17.42	60	42.58	Pass	401
1790	3000	1	RMS	2980	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3489	-40.3	-13	27.3	Pass	9002
12000	20000	1	RMS	19397	-34.9	-13	21.9	Pass	8001




7.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.39	-13	65.39	Pass	401
0.15	30	0.01	RMS	0.25	-78.87	-13	65.87	Pass	2986
30	1000	0.1	RMS	947.065	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1687	-58.1	-13	45.1	Pass	701
1700	1790	1	RMS	1778.75	18.88	60	41.12	Pass	401
1790	3000	1	RMS	2996	-54.34	-13	41.34	Pass	1211
3000	12000	1	RMS	3558	-42.89	-13	29.89	Pass	9002
12000	20000	1	RMS	19340	-34.96	-13	21.96	Pass	8001




7.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.15	-76.9	-13	63.9	Pass	2986
30	1000	0.1	RMS	954.17	-69.58	-13	56.58	Pass	9701
1000	1700	1	RMS	1683	-58.08	-13	45.08	Pass	701
1700	1790	1	RMS	1778.75	18.18	60	41.82	Pass	401
1790	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	11901	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19346	-35	-13	22	Pass	8001




7.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.15	-78.27	-13	65.27	Pass	2986
30	1000	0.1	RMS	998.499	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1700	-56.15	-13	43.15	Pass	701
1700	1790	1	RMS	1710.125	18.73	60	41.27	Pass	401
1790	3000	1	RMS	2995	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3420	-40.23	-13	27.23	Pass	9002
12000	20000	1	RMS	19306	-34.96	-13	21.96	Pass	8001




7.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.84	-13	65.84	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-13	64.65	Pass	2986
30	1000	0.1	RMS	990.294	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1700	-56.49	-13	43.49	Pass	701
1700	1790	1	RMS	1710.125	17.91	60	42.09	Pass	401
1790	3000	1	RMS	2987	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3420	-40.9	-13	27.9	Pass	9002
12000	20000	1	RMS	19306	-34.96	-13	21.96	Pass	8001




7.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.05	-13	65.05	Pass	401
0.15	30	0.01	RMS	0.15	-77.64	-13	64.64	Pass	2986
30	1000	0.1	RMS	937.959	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1677	-58.07	-13	45.07	Pass	701
1700	1790	1	RMS	1743.65	18.24	60	41.76	Pass	401
1790	3000	1	RMS	2989	-54.35	-13	41.35	Pass	1211
3000	12000	1	RMS	3487	-41.29	-13	28.29	Pass	9002
12000	20000	1	RMS	19307	-34.95	-13	21.95	Pass	8001




7.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.15	-78	-13	65	Pass	2986
30	1000	0.1	RMS	938.359	-69.84	-13	56.84	Pass	9701
1000	1700	1	RMS	1681	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1743.65	17.38	60	42.62	Pass	401
1790	3000	1	RMS	2987	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	3487	-41.82	-13	28.82	Pass	9002
12000	20000	1	RMS	19375	-34.92	-13	21.92	Pass	8001




7.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.15	-76.93	-13	63.93	Pass	2986
30	1000	0.1	RMS	947.565	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1688	-58.07	-13	45.07	Pass	701
1700	1790	1	RMS	1777.175	18.91	60	41.09	Pass	401
1790	3000	1	RMS	2998	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	11891	-43.17	-13	30.17	Pass	9002
12000	20000	1	RMS	19365	-34.93	-13	21.93	Pass	8001




7.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.99	-13	63.99	Pass	401
0.15	30	0.01	RMS	0.16	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	985.791	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1682	-58.05	-13	45.05	Pass	701
1700	1790	1	RMS	1777.175	18.17	60	41.83	Pass	401
1790	3000	1	RMS	2997	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	11994	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19330	-34.87	-13	21.87	Pass	8001




7.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.17	-13	65.17	Pass	401
0.15	30	0.01	RMS	0.16	-77.39	-13	64.39	Pass	2986
30	1000	0.1	RMS	972.682	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-55.9	-13	42.9	Pass	701
1700	1790	1	RMS	1710.125	18.74	60	41.26	Pass	401
1790	3000	1	RMS	2990	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3421	-39.22	-13	26.22	Pass	9002
12000	20000	1	RMS	19326	-34.91	-13	21.91	Pass	8001




7.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.28	-13	65.28	Pass	401
0.15	30	0.01	RMS	0.15	-77.98	-13	64.98	Pass	2986
30	1000	0.1	RMS	896.732	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1700	-56.2	-13	43.2	Pass	701
1700	1790	1	RMS	1710.125	17.86	60	42.14	Pass	401
1790	3000	1	RMS	2992	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	3421	-39.82	-13	26.82	Pass	9002
12000	20000	1	RMS	19307	-34.93	-13	21.93	Pass	8001




7.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.18	-78.44	-13	65.44	Pass	2986
30	1000	0.1	RMS	943.563	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1688	-58.05	-13	45.05	Pass	701
1700	1790	1	RMS	1742.75	18.25	60	41.75	Pass	401
1790	3000	1	RMS	2979	-54.32	-13	41.32	Pass	1211
3000	12000	1	RMS	3486	-40.29	-13	27.29	Pass	9002
12000	20000	1	RMS	19334	-34.87	-13	21.87	Pass	8001




7.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.16	-78.57	-13	65.57	Pass	2986
30	1000	0.1	RMS	902.035	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1684	-58.05	-13	45.05	Pass	701
1700	1790	1	RMS	1742.75	17.58	60	42.42	Pass	401
1790	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	3486	-40.77	-13	27.77	Pass	9002
12000	20000	1	RMS	19432	-34.94	-13	21.94	Pass	8001




7.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.15	-77.56	-13	64.56	Pass	2986
30	1000	0.1	RMS	959.773	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1688	-58.01	-13	45.01	Pass	701
1700	1790	1	RMS	1775.15	19.02	60	40.98	Pass	401
1790	3000	1	RMS	2954	-54.36	-13	41.36	Pass	1211
3000	12000	1	RMS	11997	-43.18	-13	30.18	Pass	9002
12000	20000	1	RMS	19396	-34.93	-13	21.93	Pass	8001




7.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.42	-13	65.42	Pass	401
0.15	30	0.01	RMS	0.15	-77.63	-13	64.63	Pass	2986
30	1000	0.1	RMS	866.612	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1678	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1775.15	18.48	60	41.52	Pass	401
1790	3000	1	RMS	2987	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	11901	-43.21	-13	30.21	Pass	9002
12000	20000	1	RMS	19320	-34.87	-13	21.87	Pass	8001




7.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.82	-13	65.82	Pass	401
0.15	30	0.01	RMS	0.16	-77.46	-13	64.46	Pass	2986
30	1000	0.1	RMS	987.592	-69.92	-13	56.92	Pass	9701
1000	1700	1	RMS	1693	-54.05	-13	41.05	Pass	701
1700	1790	1	RMS	1710.575	18.5	60	41.5	Pass	401
1790	3000	1	RMS	2999	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3421	-38.96	-13	25.96	Pass	9002
12000	20000	1	RMS	19405	-34.97	-13	21.97	Pass	8001




7.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.17	-76.96	-13	63.96	Pass	2986
30	1000	0.1	RMS	946.264	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1693	-53.6	-13	40.6	Pass	701
1700	1790	1	RMS	1710.575	17.77	60	42.23	Pass	401
1790	3000	1	RMS	3000	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3421	-39.4	-13	26.4	Pass	9002
12000	20000	1	RMS	19421	-34.98	-13	21.98	Pass	8001




7.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.72	-13	64.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.44	-13	64.44	Pass	2986
30	1000	0.1	RMS	848.9	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1696	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1740.5	18.1	60	41.9	Pass	401
1790	3000	1	RMS	2989	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3481	-39.72	-13	26.72	Pass	9002
12000	20000	1	RMS	19304	-34.93	-13	21.93	Pass	8001




7.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.22	-78.55	-13	65.55	Pass	2986
30	1000	0.1	RMS	960.474	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1694	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1740.5	17.26	60	42.74	Pass	401
1790	3000	1	RMS	2998	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3481	-40.3	-13	27.3	Pass	9002
12000	20000	1	RMS	19365	-34.93	-13	21.93	Pass	8001




7.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.3	-13	65.3	Pass	401
0.15	30	0.01	RMS	0.17	-78.21	-13	65.21	Pass	2986
30	1000	0.1	RMS	964.777	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1686	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1770.425	18.94	60	41.06	Pass	401
1790	3000	1	RMS	2979	-54.29	-13	41.29	Pass	1211
3000	12000	1	RMS	3541	-42.59	-13	29.59	Pass	9002
12000	20000	1	RMS	19351	-34.9	-13	21.9	Pass	8001




7.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.14	-13	65.14	Pass	401
0.15	30	0.01	RMS	0.15	-77.09	-13	64.09	Pass	2986
30	1000	0.1	RMS	941.461	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1683	-58.06	-13	45.06	Pass	701
1700	1790	1	RMS	1770.425	18.14	60	41.86	Pass	401
1790	3000	1	RMS	2999	-54.25	-13	41.25	Pass	1211
3000	12000	1	RMS	3541	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19412	-34.9	-13	21.9	Pass	8001




7.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.94	-13	64.94	Pass	401
0.15	30	0.01	RMS	0.15	-78.08	-13	65.08	Pass	2986
30	1000	0.1	RMS	988.092	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1697	-45.1	-13	32.1	Pass	701
1700	1790	1	RMS	1710.8	18.68	60	41.32	Pass	401
1790	3000	1	RMS	3000	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	3422	-39.29	-13	26.29	Pass	9002
12000	20000	1	RMS	19315	-34.89	-13	21.89	Pass	8001




7.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.78	-13	64.78	Pass	401
0.15	30	0.01	RMS	0.15	-77.88	-13	64.88	Pass	2986
30	1000	0.1	RMS	903.936	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1698	-45.72	-13	32.72	Pass	701
1700	1790	1	RMS	1710.8	17.96	60	42.04	Pass	401
1790	3000	1	RMS	2985	-54.27	-13	41.27	Pass	1211
3000	12000	1	RMS	3422	-40.02	-13	27.02	Pass	9002
12000	20000	1	RMS	19473	-34.92	-13	21.92	Pass	8001




7.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.16	-78.15	-13	65.15	Pass	2986
30	1000	0.1	RMS	966.578	-69.86	-13	56.86	Pass	9701
1000	1700	1	RMS	1698	-57.83	-13	44.83	Pass	701
1700	1790	1	RMS	1738.25	18.09	60	41.91	Pass	401
1790	3000	1	RMS	2986	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3477	-39.98	-13	26.98	Pass	9002
12000	20000	1	RMS	19315	-34.92	-13	21.92	Pass	8001




7.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.92	-13	64.92	Pass	2986
30	1000	0.1	RMS	926.651	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1698	-57.79	-13	44.79	Pass	701
1700	1790	1	RMS	1738.25	17.26	60	42.74	Pass	401
1790	3000	1	RMS	2992	-54.31	-13	41.31	Pass	1211
3000	12000	1	RMS	3477	-40.48	-13	27.48	Pass	9002
12000	20000	1	RMS	19336	-34.92	-13	21.92	Pass	8001




7.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.32	-13	64.32	Pass	401
0.15	30	0.01	RMS	0.16	-77.58	-13	64.58	Pass	2986
30	1000	0.1	RMS	965.577	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1690	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1765.7	18.94	60	41.06	Pass	401
1790	3000	1	RMS	1792	-37.81	-13	24.81	Pass	1211
3000	12000	1	RMS	3532	-42.14	-13	29.14	Pass	9002
12000	20000	1	RMS	19409	-34.96	-13	21.96	Pass	8001




7.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.39	-13	64.39	Pass	401
0.15	30	0.01	RMS	0.16	-77.37	-13	64.37	Pass	2986
30	1000	0.1	RMS	994.196	-69.76	-13	56.76	Pass	9701
1000	1700	1	RMS	1692	-58.04	-13	45.04	Pass	701
1700	1790	1	RMS	1765.7	18.35	60	41.65	Pass	401
1790	3000	1	RMS	1792	-37.56	-13	24.56	Pass	1211
3000	12000	1	RMS	3532	-42.57	-13	29.57	Pass	9002
12000	20000	1	RMS	19328	-34.96	-13	21.96	Pass	8001




7.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-79.39	-13	66.39	Pass	401
0.15	30	0.01	RMS	0.15	-77.52	-13	64.52	Pass	2986
30	1000	0.1	RMS	848.3	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1693	-47.49	-13	34.49	Pass	701
1700	1790	1	RMS	1711.025	18.6	60	41.4	Pass	401
1790	3000	1	RMS	2997	-54.26	-13	41.26	Pass	1211
3000	12000	1	RMS	3422	-38.97	-13	25.97	Pass	9002
12000	20000	1	RMS	17828	-34.92	-13	21.92	Pass	8001




7.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-77.43	-13	64.43	Pass	2986
30	1000	0.1	RMS	962.075	-69.95	-13	56.95	Pass	9701
1000	1700	1	RMS	1693	-49.92	-13	36.92	Pass	701
1700	1790	1	RMS	1711.025	17.9	60	42.1	Pass	401
1790	3000	1	RMS	2961	-54.33	-13	41.33	Pass	1211
3000	12000	1	RMS	3422	-39.37	-13	26.37	Pass	9002
12000	20000	1	RMS	19423	-34.91	-13	21.91	Pass	8001




7.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.58	-13	65.58	Pass	401
0.15	30	0.01	RMS	0.15	-78.18	-13	65.18	Pass	2986
30	1000	0.1	RMS	967.078	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1700	-50.77	-13	37.77	Pass	701
1700	1790	1	RMS	1736	17.89	60	42.11	Pass	401
1790	3000	1	RMS	2998	-54.22	-13	41.22	Pass	1211
3000	12000	1	RMS	3472	-39.5	-13	26.5	Pass	9002
12000	20000	1	RMS	19337	-34.94	-13	21.94	Pass	8001




7.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.51	-13	65.51	Pass	401
0.15	30	0.01	RMS	0.15	-77.19	-13	64.19	Pass	2986
30	1000	0.1	RMS	868.913	-69.91	-13	56.91	Pass	9701
1000	1700	1	RMS	1700	-50.47	-13	37.47	Pass	701
1700	1790	1	RMS	1736	17.1	60	42.9	Pass	401
1790	3000	1	RMS	2989	-54.3	-13	41.3	Pass	1211
3000	12000	1	RMS	3472	-40.02	-13	27.02	Pass	9002
12000	20000	1	RMS	19366	-34.84	-13	21.84	Pass	8001




7.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.53	-13	65.53	Pass	401
0.15	30	0.01	RMS	0.15	-77.37	-13	64.37	Pass	2986
30	1000	0.1	RMS	942.462	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1699	-58	-13	45	Pass	701
1700	1790	1	RMS	1760.975	18.77	60	41.23	Pass	401
1790	3000	1	RMS	1797	-37.55	-13	24.55	Pass	1211
3000	12000	1	RMS	3522	-40.99	-13	27.99	Pass	9002
12000	20000	1	RMS	19305	-34.93	-13	21.93	Pass	8001



7.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.32	-13	65.32	Pass	401
0.15	30	0.01	RMS	0.15	-76.71	-13	63.71	Pass	2986
30	1000	0.1	RMS	969.58	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1682	-58.03	-13	45.03	Pass	701
1700	1790	1	RMS	1760.975	17.88	60	42.12	Pass	401
1790	3000	1	RMS	1797	-37.44	-13	24.44	Pass	1211
3000	12000	1	RMS	3522	-41.69	-13	28.69	Pass	9002
12000	20000	1	RMS	19331	-34.97	-13	21.97	Pass	8001



1. LTE_Band14(part90R)


1.1 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:23355, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-71.05	-13	58.05	Pass	401
0.15	30	0.01	Peak	0.15	-70.86	-13	57.86	Pass	2986
30	788	0.1	Peak	784.7	-27.34	-13	14.34	Pass	7581
788	803	0.1	Peak	793.363	21.33	60	38.67	Pass	401
803	1000	0.1	Peak	804.1	-56.47	-13	43.47	Pass	1971
1000	3000	1	Peak	1587	-41.29	-13	28.29	Pass	2001
3000	10000	1	Peak	7811	-33.81	-13	20.81	Pass	7001



1.2 LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:23355, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.015	-70.94	-13	57.94	Pass	401
0.15	30	0.01	Peak	0.16	-71.12	-13	58.12	Pass	2986
30	788	0.1	Peak	784.7	-28.37	-13	15.37	Pass	7581
788	803	0.1	Peak	793.288	21.71	60	38.29	Pass	401
803	1000	0.1	Peak	804.1	-56.27	-13	43.27	Pass	1971
1000	3000	1	Peak	1587	-41.93	-13	28.93	Pass	2001
3000	10000	1	Peak	7617	-33.55	-13	20.55	Pass	7001



--BLANK BELOW--