

FCC ID: 2BQ4O-B1ULTRA

Applicant: VAAL TRADING S A S

Address: CR 19 12 51 OF C 13, BOGOTA, COLOMBIA

Manufacturer: Shenzhen Feiyufei Digital Technology Co., Ltd

Address: 3A18, Building A2, Fuhai Technology Industrial Park, Fuyong Community, Baoan, Shenzhen, Guangdong, China

Product Name: smart watch

Trade Mark: MYM

Model Number: B1 Ultra

Date of Receipt: Apr. 14, 2026

Test Date: Apr. 14, 2026 - May. 27, 2026

Date of Report: May. 27, 2026

Prepared By: Shenzhen DL Testing Technology Co., Ltd.

Address: 101-201, Comprehensive Building, Tongzhou Electronics Longgang Factory Area, No.1 Baolong Fifth Road, Baolong Community, Baolong Street, Longgang District, Shenzhen, China


Applicable Standards: FCC CFR Title 47 Part22 Subpart H
FCC CFR Title 47 Part24 Subpart E
FCC CFR Title 47 Part27 Subpart E
ANSI/ TIA/ EIA-603-D-2010
FCC KDB 971168 D01 Power Meas. License Digital Systems v02v02
ANSI C63.26:2015

Test Result: Pass


Report Number: DLE-260414042R

03 Peak-to-Average Ratio


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
NVNT	GSM850	128	824.2	2.67	13	PASS
NVNT	GSM850	190	836.6	2.68	13	PASS
NVNT	GSM850	251	848.8	2.68	13	PASS
NVNT	GSM1900	512	1850.2	2.67	13	PASS
NVNT	GSM1900	661	1880	2.68	13	PASS
NVNT	GSM1900	810	1909.8	2.67	13	PASS




GSM850 Channel=128 NVNT




GSM850 Channel=190 NVNT




GSM850 Channel=251 NVNT



GSM1900 Channel=512 NVNT




GSM1900 Channel=661 NVNT




GSM1900 Channel=810 NVNT

04 Occupied bandwidth


Condition	Band	Channel	Frequency (MHz)	99% OBW (kHz)	-26dB EBW (kHz)	Verdict
NVNT	GSM850	128	824.2	247.064	316.008	PASS
NVNT	GSM850	190	836.6	245.105	314.012	PASS
NVNT	GSM850	251	848.8	243.803	314.751	PASS
NVNT	GSM1900	512	1850.2	250.476	312.744	PASS
NVNT	GSM1900	661	1880	242.428	304.594	PASS
NVNT	GSM1900	810	1909.8	242.322	319.300	PASS




GSM850 Channel=128 NVNT




GSM850 Channel=190 NVNT




GSM850 Channel=251 NVNT



GSM1900 Channel=512 NVNT




GSM1900 Channel=661 NVNT




GSM1900 Channel=810 NVNT

05 Band edge


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	GSM850	128	824.2	823.98	-27.57	-13	PASS
NVNT	GSM850	251	848.8	849.02	-24.95	-13	PASS
NVNT	GSM1900	512	1850.2	1849.99	-29.23	-13	PASS
NVNT	GSM1900	810	1909.8	1910.02	-30.16	-13	PASS




GSM850 Channel=128 NVNT



GSM850 Channel=251 NVNT




GSM1900 Channel=512 NVNT



GSM1900 Channel=810 NVNT


06 Out-of-band emissions

Condition	Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	GSM850	128	824.2	6753.25	-29.19	-13	PASS
NVNT	GSM850	190	836.6	6775.75	-29.28	-13	PASS
NVNT	GSM850	251	848.8	7805.35	-28.86	-13	PASS
NVNT	GSM1900	512	1850.2	18977.33	-23.51	-13	PASS
NVNT	GSM1900	661	1880	18731.28	-23.88	-13	PASS
NVNT	GSM1900	810	1909.8	19634.73	-23.12	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	914.664	-33.97	-13
2	1000	10000	1000	6753.250	-29.19	-13

GSM850 Channel=128 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	895.822	-33.66	-13
2	1000	10000	1000	6775.750	-29.28	-13

GSM850 Channel=190 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	809.759	-33.97	-13
2	1000	10000	1000	7805.350	-28.86	-13

GSM850 Channel=251 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	929.045	-32.17	-13
2	1000	20000	1000	18977.325	-23.51	-13

GSM1900 Channel=512 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	810.414	-32.23	-13
2	1000	20000	1000	18731.275	-23.88	-13

GSM1900 Channel=661 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	801.368	-31.61	-13
2	1000	20000	1000	19634.725	-23.12	-13


GSM1900 Channel=810 NVNT

09 Peak-to-Average Ratio


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	2.716337413	13.00	PASS
NVNT	GPRS850	190	836.6	2.713975904	13.00	PASS
NVNT	GPRS850	251	848.8	2.710515873	13.00	PASS
NVNT	GPRS1900	512	1850.2	2.719571173	13.00	PASS
NVNT	GPRS1900	661	1880	2.703442623	13.00	PASS
NVNT	GPRS1900	810	1909.8	2.712387097	13.00	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

10 Occupied bandwidth


Condition	Band	Channel	Frequency (MHz)	99% OBW (kHz)	-26dB EBW (kHz)	Verdict
NVNT	GPRS850	128	824.2	249.848	317.379	PASS
NVNT	GPRS850	190	836.6	248.799	315.738	PASS
NVNT	GPRS850	251	848.8	244.492	314.735	PASS
NVNT	GPRS1900	512	1850.2	244.513	316.510	PASS
NVNT	GPRS1900	661	1880	245.971	315.017	PASS
NVNT	GPRS1900	810	1909.8	247.501	317.019	PASS




GPRS850 Channel=128 NVNT




GPRS850 Channel=190 NVNT




GPRS850 Channel=251 NVNT



GPRS1900 Channel=512 NVNT




GPRS1900 Channel=661 NVNT




GPRS1900 Channel=810 NVNT

11 Band edge


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	GPRS850	128	824.2	823.98	-25.97	-13	PASS
NVNT	GPRS850	251	848.8	849.03	-27.78	-13	PASS
NVNT	GPRS1900	512	1850.2	1849.99	-30.18	-13	PASS
NVNT	GPRS1900	810	1909.8	1910.00	-30.62	-13	PASS




GPRS850 Channel=128 NVNT



GPRS850 Channel=251 NVNT




GPRS1900 Channel=512 NVNT



GPRS1900 Channel=810 NVNT


12 Out-of-band emissions

Condition	Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	GPRS850	128	824.2	7759.45	-29.31	-13	PASS
NVNT	GPRS850	190	836.6	7852.60	-28.18	-13	PASS
NVNT	GPRS850	251	848.8	7826.73	-28.23	-13	PASS
NVNT	GPRS1900	512	1850.2	19547.80	-23.21	-13	PASS
NVNT	GPRS1900	661	1880	19493.65	-23.07	-13	PASS
NVNT	GPRS1900	810	1909.8	19482.73	-22.81	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	410.580	-33.47	-13
2	1000	10000	1000	7759.450	-29.31	-13

GPRS850 Channel=128 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	911.342	-34.32	-13
2	1000	10000	1000	7852.600	-28.18	-13

GPRS850 Channel=190 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	815.506	-33.86	-13
2	1000	10000	1000	7282.225	-29.1	-13

GPRS850 Channel=251 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	729.273	-32.17	-13
2	1000	20000	1000	19547.800	-23.21	-13

GPRS1900 Channel=512 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	935.180	-31.79	-13
2	1000	20000	1000	19493.650	-23.07	-13

GPRS1900 Channel=661 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	777.143	-31.87	-13
2	1000	20000	1000	19482.725	-22.81	-13


GPRS1900 Channel=810 NVNT

15 Peak-to-Average Ratio


Condition	Band	Channel	Frequency (MHz)	Result (dB)	high Limit (dB)	Verdict
NVNT	EGPRS850	128	824.2	8.741702128	13.00	PASS
NVNT	EGPRS850	190	836.6	8.967685512	13.00	PASS
NVNT	EGPRS850	251	848.8	9.051767338	13.00	PASS
NVNT	EGPRS1900	512	1850.2	6.507865672	13.00	PASS
NVNT	EGPRS1900	661	1880	6.68844086	13.00	PASS
NVNT	EGPRS1900	810	1909.8	6.689878049	13.00	PASS




EGPRS850 Channel=128 NVNT




EGPRS850 Channel=190 NVNT




EGPRS850 Channel=251 NVNT



EGPRS1900 Channel=512 NVNT




EGPRS1900 Channel=661 NVNT




EGPRS1900 Channel=810 NVNT

16 Occupied bandwidth


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>99% OBW (kHz)</i>	<i>-26dB EBW (kHz)</i>	<i>Verdict</i>
NVNT	EGPRS850	128	824.2	252.331	317.251	PASS
NVNT	EGPRS850	190	836.6	239.183	303.312	PASS
NVNT	EGPRS850	251	848.8	259.357	323.191	PASS
NVNT	EGPRS1900	512	1850.2	246.614	307.948	PASS
NVNT	EGPRS1900	661	1880	252.855	310.643	PASS
NVNT	EGPRS1900	810	1909.8	252.299	306.598	PASS




EGPRS850 Channel=128 NVNT




EGPRS850 Channel=190 NVNT




EGPRS850 Channel=251 NVNT



EGPRS1900 Channel=512 NVNT




EGPRS1900 Channel=661 NVNT




EGPRS1900 Channel=810 NVNT

17 Band edge


<i>Condition</i>	<i>Band</i>	<i>Channel</i>	<i>Frequency (MHz)</i>	<i>Spur Freq (MHz)</i>	<i>Spur Level (dBm)</i>	<i>Limit (dBm)</i>	<i>Verdict</i>
NVNT	EGPRS850	128	824.2	823.98	-36.13	-13	PASS
NVNT	EGPRS850	251	848.8	849.01	-36.55	-13	PASS
NVNT	EGPRS1900	512	1850.2	1849.97	-37.63	-13	PASS
NVNT	EGPRS1900	810	1909.8	1910.01	-38.28	-13	PASS




EGPRS850 Channel=128 NVNT



EGPRS850 Channel=251 NVNT




EGPRS1900 Channel=512 NVNT



EGPRS1900 Channel=810 NVNT


18 Out-of-band emissions

Condition	Band	Channel	Frequency (MHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)	Verdict
NVNT	EGPRS850	128	824.2	6978.48	-29.05	-13	PASS
NVNT	EGPRS850	190	836.6	7261.75	-28.93	-13	PASS
NVNT	EGPRS850	251	848.8	6098.28	-29.07	-13	PASS
NVNT	EGPRS1900	512	1850.2	19637.10	-23.55	-13	PASS
NVNT	EGPRS1900	661	1880	19938.73	-23.95	-13	PASS
NVNT	EGPRS1900	810	1909.8	18112.35	-23.81	-13	PASS




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	774.524	-33.03	-13
2	1000	10000	1000	6978.475	-29.05	-13

EGPRS850 Channel=128 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	890.511	-33.74	-13
2	1000	10000	1000	5656.825	-29.37	-13

EGPRS850 Channel=190 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	533.988	-33.38	-13
2	1000	10000	1000	6098.275	-29.07	-13

EGPRS850 Channel=251 NVNT




Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	881.515	-32.38	-13
2	1000	20000	1000	19637.100	-23.55	-13

EGPRS1900 Channel=512 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	872.833	-31.01	-13
2	1000	20000	1000	19745.875	-22.9	-13

EGPRS1900 Channel=661 NVNT



Range	Start (MHz)	Stop (MHz)	RBW (kHz)	Spur Freq (MHz)	Spur Level (dBm)	Limit (dBm)
1	30	1000	1000	974.416	-31.46	-13
2	1000	20000	1000	18112.350	-23.81	-13

EGPRS1900 Channel=810 NVNT