




80M_LCH_5765.5MHz_Ant0_NTNV




80M_LCH_5765.5MHz_Ant1_NTNV




80M_LCH_5765.5MHz_MIMO_NTNV




80M_MCH_5787.5MHz_Ant0_NTNV



80M_MCH_5787.5MHz_Ant1_NTNV



80M_MCH_5787.5MHz_MIMO_NTNV




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com


SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Testing & Calibration Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com


80M_HCH_5809.5MHz_Ant0_NTNV



80M_HCH_5809.5MHz_Ant1_NTNV



80M_HCH_5809.5MHz_MIMO_NTNV



5. Frequency Stability

5.1 Test Result

5.1.1 Ant0

Ant0							
Mode	TX Type	Frequency (MHz)	Temperature (°C)	Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	Verdict
10M	MIMO	5730.5	20	44.863	5730.500	5725 to 5850	Pass
				52.78	5730.480	5725 to 5850	Pass
				60.697	5730.490	5725 to 5850	Pass
			-30	52.78	5730.480	5725 to 5850	Pass
			-20	52.78	5730.490	5725 to 5850	Pass
			-10	52.78	5730.480	5725 to 5850	Pass
			0	52.78	5730.500	5725 to 5850	Pass
			10	52.78	5730.470	5725 to 5850	Pass
			30	52.78	5730.470	5725 to 5850	Pass
			40	52.78	5730.510	5725 to 5850	Pass
			50	52.78	5730.520	5725 to 5850	Pass
		5787.5	20	44.863	5787.500	5725 to 5850	Pass
				52.78	5787.500	5725 to 5850	Pass
				60.697	5787.490	5725 to 5850	Pass
			-30	52.78	5787.500	5725 to 5850	Pass
			-20	52.78	5787.500	5725 to 5850	Pass
			-10	52.78	5787.500	5725 to 5850	Pass
			0	52.78	5787.500	5725 to 5850	Pass
			10	52.78	5787.500	5725 to 5850	Pass
			30	52.78	5787.480	5725 to 5850	Pass
			40	52.78	5787.500	5725 to 5850	Pass
			50	52.78	5787.520	5725 to 5850	Pass
		5844.5	20	44.863	5844.480	5725 to 5850	Pass
				52.78	5844.510	5725 to 5850	Pass
				60.697	5844.490	5725 to 5850	Pass
			-30	52.78	5844.500	5725 to 5850	Pass
			-20	52.78	5844.520	5725 to 5850	Pass
			-10	52.78	5844.490	5725 to 5850	Pass
			0	52.78	5844.510	5725 to 5850	Pass
			10	52.78	5844.510	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgsgroup.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800349704

Page: 116 of 119

			30	52.78	5844.510	5725 to 5850	Pass
			40	52.78	5844.500	5725 to 5850	Pass
			50	52.78	5844.500	5725 to 5850	Pass
20M	MIMO	5735.5	20	44.863	5735.520	5725 to 5850	Pass
				52.78	5735.520	5725 to 5850	Pass
				60.697	5735.500	5725 to 5850	Pass
			-30	52.78	5735.520	5725 to 5850	Pass
			-20	52.78	5735.500	5725 to 5850	Pass
			-10	52.78	5735.500	5725 to 5850	Pass
			0	52.78	5735.500	5725 to 5850	Pass
			10	52.78	5735.500	5725 to 5850	Pass
			30	52.78	5735.500	5725 to 5850	Pass
			40	52.78	5735.520	5725 to 5850	Pass
			50	52.78	5735.520	5725 to 5850	Pass
		5787.5	20	44.863	5787.500	5725 to 5850	Pass
				52.78	5787.480	5725 to 5850	Pass
				60.697	5787.520	5725 to 5850	Pass
			-30	52.78	5787.520	5725 to 5850	Pass
			-20	52.78	5787.480	5725 to 5850	Pass
			-10	52.78	5787.520	5725 to 5850	Pass
			0	52.78	5787.500	5725 to 5850	Pass
			10	52.78	5787.480	5725 to 5850	Pass
			30	52.78	5787.500	5725 to 5850	Pass
			40	52.78	5787.500	5725 to 5850	Pass
			50	52.78	5787.480	5725 to 5850	Pass
		5839.5	20	44.863	5839.480	5725 to 5850	Pass
				52.78	5839.520	5725 to 5850	Pass
				60.697	5839.520	5725 to 5850	Pass
			-30	52.78	5839.500	5725 to 5850	Pass
			-20	52.78	5839.460	5725 to 5850	Pass
			-10	52.78	5839.520	5725 to 5850	Pass
			0	52.78	5839.500	5725 to 5850	Pass
			10	52.78	5839.500	5725 to 5850	Pass
			30	52.78	5839.500	5725 to 5850	Pass
			40	52.78	5839.500	5725 to 5850	Pass
			50	52.78	5839.480	5725 to 5850	Pass
40M	MIMO	5745.5	20	44.863	5746.100	5725 to 5850	Pass
				52.78	5745.220	5725 to 5850	Pass
				60.697	5745.780	5725 to 5850	Pass
			-30	52.78	5746.100	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800349704

Page: 117 of 119

			-20	52.78	5745.180	5725 to 5850	Pass
			-10	52.78	5745.540	5725 to 5850	Pass
			0	52.78	5745.940	5725 to 5850	Pass
			10	52.78	5745.780	5725 to 5850	Pass
			30	52.78	5745.700	5725 to 5850	Pass
			40	52.78	5745.140	5725 to 5850	Pass
			50	52.78	5745.220	5725 to 5850	Pass
		5787.5	20	44.863	5787.900	5725 to 5850	Pass
				52.78	5787.260	5725 to 5850	Pass
				60.697	5786.860	5725 to 5850	Pass
			-30	52.78	5786.900	5725 to 5850	Pass
			-20	52.78	5787.460	5725 to 5850	Pass
			-10	52.78	5787.220	5725 to 5850	Pass
			0	52.78	5787.060	5725 to 5850	Pass
			10	52.78	5787.700	5725 to 5850	Pass
			30	52.78	5787.740	5725 to 5850	Pass
			40	52.78	5788.140	5725 to 5850	Pass
			50	52.78	5787.380	5725 to 5850	Pass
		5829.5	20	44.863	5829.860	5725 to 5850	Pass
				52.78	5830.060	5725 to 5850	Pass
				60.697	5829.020	5725 to 5850	Pass
			-30	52.78	5829.340	5725 to 5850	Pass
			-20	52.78	5829.660	5725 to 5850	Pass
			-10	52.78	5829.500	5725 to 5850	Pass
			0	52.78	5829.220	5725 to 5850	Pass
			10	52.78	5829.020	5725 to 5850	Pass
			30	52.78	5829.380	5725 to 5850	Pass
			40	52.78	5829.380	5725 to 5850	Pass
			50	52.78	5829.980	5725 to 5850	Pass
60M	MIMO	5755.5	20	44.863	5755.200	5725 to 5850	Pass
				52.78	5754.780	5725 to 5850	Pass
				60.697	5755.140	5725 to 5850	Pass
			-30	52.78	5756.220	5725 to 5850	Pass
			-20	52.78	5755.500	5725 to 5850	Pass
			-10	52.78	5755.200	5725 to 5850	Pass
			0	52.78	5755.620	5725 to 5850	Pass
			10	52.78	5755.560	5725 to 5850	Pass
			30	52.78	5755.920	5725 to 5850	Pass
			40	52.78	5755.440	5725 to 5850	Pass
			50	52.78	5754.240	5725 to 5850	Pass



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (Shenzhen) Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800349704

Page: 118 of 119

		5787.5	20	44.863	5787.260	5725 to 5850	Pass
				52.78	5787.560	5725 to 5850	Pass
				60.697	5787.140	5725 to 5850	Pass
			-30	52.78	5787.740	5725 to 5850	Pass
			-20	52.78	5787.260	5725 to 5850	Pass
			-10	52.78	5785.940	5725 to 5850	Pass
			0	52.78	5786.360	5725 to 5850	Pass
			10	52.78	5787.380	5725 to 5850	Pass
			30	52.78	5786.300	5725 to 5850	Pass
			40	52.78	5787.080	5725 to 5850	Pass
			50	52.78	5787.680	5725 to 5850	Pass
		5819.5	20	44.863	5819.740	5725 to 5850	Pass
				52.78	5820.100	5725 to 5850	Pass
				60.697	5819.260	5725 to 5850	Pass
			-30	52.78	5819.500	5725 to 5850	Pass
			-20	52.78	5819.560	5725 to 5850	Pass
			-10	52.78	5818.960	5725 to 5850	Pass
			0	52.78	5820.040	5725 to 5850	Pass
			10	52.78	5819.200	5725 to 5850	Pass
			30	52.78	5818.960	5725 to 5850	Pass
			40	52.78	5819.500	5725 to 5850	Pass
			50	52.78	5819.320	5725 to 5850	Pass
80M	MIMO	5765.5	20	44.863	5764.750	5725 to 5850	Pass
				52.78	5764.975	5725 to 5850	Pass
				60.697	5764.224	5725 to 5850	Pass
			-30	52.78	5765.275	5725 to 5850	Pass
			-20	52.78	5765.200	5725 to 5850	Pass
			-10	52.78	5764.374	5725 to 5850	Pass
			0	52.78	5765.500	5725 to 5850	Pass
			10	52.78	5765.950	5725 to 5850	Pass
			30	52.78	5765.800	5725 to 5850	Pass
			40	52.78	5764.674	5725 to 5850	Pass
			50	52.78	5763.549	5725 to 5850	Pass
		5787.5	20	44.863	5786.224	5725 to 5850	Pass
				52.78	5787.725	5725 to 5850	Pass
				60.697	5787.575	5725 to 5850	Pass
			-30	52.78	5787.725	5725 to 5850	Pass
			-20	52.78	5787.575	5725 to 5850	Pass
			-10	52.78	5786.750	5725 to 5850	Pass
			0	52.78	5786.900	5725 to 5850	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch
 No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZEMC-TRF-01 Rev. A/1

Report No.: SZCR250800349704

Page: 119 of 119

			10	52.78	5787.200	5725 to 5850	Pass
			30	52.78	5786.074	5725 to 5850	Pass
			40	52.78	5785.999	5725 to 5850	Pass
			50	52.78	5787.650	5725 to 5850	Pass
		5809.5	20	44.863	5809.275	5725 to 5850	Pass
				52.78	5809.725	5725 to 5850	Pass
				60.697	5807.774	5725 to 5850	Pass
			-30	52.78	5808.900	5725 to 5850	Pass
			-20	52.78	5808.900	5725 to 5850	Pass
			-10	52.78	5807.399	5725 to 5850	Pass
			0	52.78	5807.624	5725 to 5850	Pass
			10	52.78	5809.650	5725 to 5850	Pass
			30	52.78	5809.425	5725 to 5850	Pass
			40	52.78	5809.125	5725 to 5850	Pass
			50	52.78	5809.350	5725 to 5850	Pass

- End of the Report -



SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch Inspection & Testing Laboratory

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com