

SPECIFICATION FOR APPROVAL

: Shenzhen Longtengge Electronic Technology Co., Ltd.

•

:

•

本承认书请在首批下单生产此机种前回签，否则视为贵方默认此承认书内所有内容


SPECIFICATION FOR APPROVAL

[illegible]

东莞市博红科技有限公司
DONGGUAN BOHONG TECHNOLOGY CO., LTD
SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2025年9月13日	PRODUCT SPEC	Y. A11.002

2.DIMENSION:



Note:

1. The coil is centered and attached to the flat magnetic piece, and cannot be tilted;
2. The coil surface is clean and free of dirt;
3. Double-sided tape on the back, with handle;

ISSUE BY	李蓓	CHECK BY	程杰	APPROVAL BY	李博文
----------	----	----------	----	-------------	-----


东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2025年9月13日	PRODUCT SPEC	Y.A11.002

4.CIRCUIT DIAGRAM



" ● ": POLARITY/极性

5.WINDING

NO	WINDING	WIRE	TURNS	TAPE	WINDING CONDITION
N1	S-F	Ø0.08*105	10	/	CCW

6.CHARACTERISTIC

ITEM	MEASURED POINT	TECHNICAL DATA	TESTING CONDITION & INSTRUMENT
LS	S-F	6.3uH±5%	LCR1062 100KHz/1V AT 25℃±2℃
Q	S-F	55 Min	LCR1062 100KHz/1V AT 25℃±2℃
DCR	S-F	70mΩ Max	LCR1062 1KHz/0.3V AT 25℃±2℃

东莞市博红科技有限公司

DONGGUAN BOHONG TECHNOLOGY CO., LTD

SPECIFICATION FOR APPROVAL

CUSTOMER	0	CUSTOMER'S P/N	0
ISSUE DATE	2025年9月13日	PRODUCT SPEC	Y.A11.002

Memorandum

NO	WINDING	Treatment method	Sign	DATA
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				