





Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.8179	-32.05	-37.24	-5.2	-	-	Horizontal	PK	19	NA
2	893.7797	-57.83	-62.50	-4.7	-	-	Horizontal	PK	103	NA
3	1272.8546	-45.97	-46.46	-0.5	-13.0	33.5	Horizontal	PK	191	PASS
4	1697.7395	-45.09	-42.16	2.9	-13.0	29.2	Horizontal	PK	5	PASS
5	2546.3093	-52.47	-41.45	11.0	-13.0	28.5	Horizontal	PK	336	PASS
6	3394.8947	-55.66	-55.53	0.1	-13.0	42.5	Horizontal	PK	60	PASS
7	5092.4546	-55.40	-49.33	6.1	-13.0	36.3	Horizontal	PK	103	PASS
8	5941.7221	-55.01	-47.16	7.9	-13.0	34.2	Horizontal	PK	81	PASS
9	9335.8668	-60.41	-44.76	15.7	-13.0	31.8	Horizontal	PK	249	PASS

H_EDGE_850_HIGH_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.8179	-41.33	-46.86	-5.5	-	-	Vertical	PK	81	NA
2	893.8767	-48.86	-53.29	-4.4	-	-	Vertical	PK	333	NA
3	1264.4529	-51.09	-51.90	-0.8	-13.0	38.9	Vertical	PK	46	PASS
4	1697.3395	-47.82	-44.73	3.1	-13.0	31.7	Vertical	PK	67	PASS
5	2546.3093	-52.00	-40.55	11.5	-13.0	27.6	Vertical	PK	315	PASS
6	5941.7221	-58.93	-51.91	7.0	-13.0	38.9	Vertical	PK	144	PASS
7	6661.3081	-61.49	-51.32	10.2	-13.0	38.3	Vertical	PK	355	PASS
8	9337.3294	-56.83	-40.61	16.2	-13.0	27.6	Vertical	PK	228	PASS

V_EDGE_850_HIGH_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	33.1527	-51.10	-66.32	-15.2	-13.0	53.3	Horizontal	PK	355	PASS
2	62.0601	-50.86	-68.76	-17.9	-13.0	55.8	Horizontal	PK	355	PASS
3	1848.9698	-53.12	-48.84	4.3	-	-	Horizontal	PK	326	NA
4	3729.5328	-56.08	-54.60	1.5	-13.0	41.6	Horizontal	PK	213	PASS
5	5550.3643	-42.15	-35.49	6.7	-13.0	22.5	Horizontal	PK	191	PASS
6	12550.822	-68.19	-45.09	23.1	-13.0	32.1	Horizontal	PK	197	PASS

H_EDGE_1900_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.4736	-37.75	-62.15	-24.4	-13.0	49.2	Vertical	PK	355	PASS
2	52.8931	-46.48	-64.13	-17.7	-13.0	51.1	Vertical	PK	355	PASS
3	1971.7944	-58.66	-54.08	4.6	-13.0	41.1	Vertical	PK	261	PASS
4	5550.793	-43.64	-37.29	6.4	-13.0	24.3	Vertical	PK	148	PASS
5	9010.2004	-64.72	-48.98	15.7	-13.0	36.0	Vertical	PK	304	PASS
6	17285.2514	-68.42	-43.90	24.5	-13.0	30.9	Vertical	PK	26	PASS

V_EDGE_1900_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.3053	-49.59	-64.84	-15.3	-13.0	51.8	Horizontal	PK	273	PASS
2	62.3996	-50.34	-68.36	-18.0	-13.0	55.4	Horizontal	PK	355	PASS
3	1880.176	-43.00	-37.72	5.3	-	-	Horizontal	PK	327	NA
4	3759.9657	-41.38	-40.20	1.2	-13.0	27.2	Horizontal	PK	68	PASS
5	9135.4854	-64.55	-48.68	15.9	-13.0	35.7	Horizontal	PK	327	PASS
6	17331.3333	-68.82	-44.56	24.3	-13.0	31.6	Horizontal	PK	133	PASS

H_EDGE_1900_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.0371	-37.71	-62.25	-24.5	-13.0	49.3	Vertical	PK	293	PASS
2	62.2056	-44.77	-63.56	-18.8	-13.0	50.6	Vertical	PK	293	PASS
3	1960.192	-56.43	-52.22	4.2	-	-	Vertical	PK	347	NA
4	3758.6798	-54.13	-53.03	1.1	-13.0	40.0	Vertical	PK	188	PASS
5	7272.5309	-62.40	-50.66	11.7	-13.0	37.7	Vertical	PK	26	PASS
6	12496.0998	-68.48	-45.06	23.4	-13.0	32.1	Vertical	PK	326	PASS

V_EDGE_1900_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.8616	-51.12	-66.34	-15.2	-13.0	53.3	Horizontal	PK	355	PASS
2	56.0458	-54.00	-69.88	-15.9	-13.0	56.9	Horizontal	PK	24	PASS
3	1889.778	-59.32	-54.42	4.9	-13.0	41.4	Horizontal	PK	133	PASS
4	3819.5456	-50.83	-49.95	0.9	-13.0	37.0	Horizontal	PK	24	PASS
5	6312.9725	-61.40	-52.15	9.3	-13.0	39.2	Horizontal	PK	133	PASS
6	12514.8206	-68.87	-45.60	23.3	-13.0	32.6	Horizontal	PK	154	PASS

H_EDGE_1900_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.0371	-37.91	-62.45	-24.5	-13.0	49.5	Vertical	PK	355	PASS
2	53.3782	-46.63	-64.12	-17.5	-13.0	51.1	Vertical	PK	355	PASS
3	1909.782	-35.43	-30.58	4.9	-	-	Vertical	PK	349	NA
4	3819.9743	-53.35	-52.65	0.7	-13.0	39.7	Vertical	PK	170	PASS
5	5492.4989	-56.52	-50.62	5.9	-13.0	37.6	Vertical	PK	150	PASS
6	11129.0052	-67.49	-45.69	21.8	-13.0	32.7	Vertical	PK	199	PASS

V_EDGE_1900_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.5221	-49.20	-64.41	-15.2	-13.0	51.4	Horizontal	PK	355	PASS
2	1851.3703	-39.63	-35.33	4.3	-	-	Horizontal	PK	90	NA
3	1933.7868	-55.34	-51.35	4.0	-	-	Horizontal	PK	69	NA
4	3706.3866	-52.12	-50.41	1.7	-13.0	37.4	Horizontal	PK	87	PASS
5	5553.3648	-51.10	-44.43	6.7	-13.0	31.4	Horizontal	PK	127	PASS
6	12176.8871	-67.46	-45.62	21.8	-13.0	32.6	Horizontal	PK	69	PASS

H_WCDMA_B2_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	30.1455	-38.14	-63.32	-25.2	-13.0	50.3	Vertical	PK	355	PASS
2	1852.1704	-53.34	-49.06	4.3	-	-	Vertical	PK	69	NA
3	1933.3867	-44.32	-40.44	3.9	-	-	Vertical	PK	347	NA
4	3702.9576	-52.01	-50.28	1.7	-13.0	37.3	Vertical	PK	315	PASS
5	5553.3648	-50.80	-44.43	6.4	-13.0	31.4	Vertical	PK	355	PASS
6	11068.0427	-67.15	-45.30	21.9	-13.0	32.3	Vertical	PK	283	PASS

V_WCDMA_B2_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	33.2012	-49.23	-64.45	-15.2	-13.0	51.5	Horizontal	PK	355	PASS
2	1878.9758	-47.05	-41.80	5.3	-	-	Horizontal	PK	155	NA
3	1958.9918	-54.81	-50.32	4.5	-	-	Horizontal	PK	69	NA
4	3757.8225	-52.75	-51.55	1.2	-13.0	38.6	Horizontal	PK	292	PASS
5	5638.234	-49.40	-42.32	7.1	-13.0	29.3	Horizontal	PK	90	PASS
6	12549.382	-68.63	-45.52	23.1	-13.0	32.5	Horizontal	PK	112	PASS

H_WCDMA_B2_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-41.27	-65.62	-24.4	-13.0	52.6	Vertical	PK	333	PASS
2	47.7519	-49.03	-68.35	-19.3	-13.0	55.4	Vertical	PK	210	PASS
3	1960.9922	-45.50	-41.27	4.2	-	-	Vertical	PK	26	NA
4	3762.5375	-54.09	-53.03	1.1	-13.0	40.0	Vertical	PK	313	PASS
5	5643.3776	-47.96	-41.27	6.7	-13.0	28.3	Vertical	PK	170	PASS
6	13650.546	-69.14	-45.07	24.1	-13.0	32.1	Vertical	PK	283	PASS

V_WCDMA_B2_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-51.99	-67.20	-15.2	-13.0	54.2	Horizontal	PK	335	PASS
2	221.5361	-54.34	-70.18	-15.8	-13.0	57.2	Horizontal	PK	272	PASS
3	1906.5813	-34.26	-29.98	4.3	-	-	Horizontal	PK	280	NA
4	3813.1162	-54.61	-53.76	0.9	-13.0	40.8	Horizontal	PK	130	PASS
5	5726.1037	-48.34	-40.91	7.4	-13.0	27.9	Horizontal	PK	68	PASS
6	10522.2609	-65.78	-46.43	19.4	-13.0	33.4	Horizontal	PK	216	PASS

H_WCDMA_B2_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.5706	-41.54	-65.91	-24.4	-13.0	52.9	Vertical	PK	335	PASS
2	47.3639	-48.46	-67.92	-19.5	-13.0	54.9	Vertical	PK	212	PASS
3	1906.5813	-47.90	-42.89	5.0	-	-	Vertical	PK	323	NA
4	1986.5973	-47.14	-42.59	4.6	-	-	Vertical	PK	281	NA
5	5719.2456	-45.72	-39.16	6.6	-13.0	26.2	Vertical	PK	90	PASS
6	13695.6678	-69.85	-45.01	24.8	-13.0	32.0	Vertical	PK	281	PASS

V_WCDMA_B2_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-49.86	-65.09	-15.2	-13.0	52.1	Horizontal	PK	315	PASS
2	1710.9422	-38.93	-35.60	3.3	-	-	Horizontal	PK	69	NA
3	2113.4227	-57.09	-51.28	5.8	-	-	Horizontal	PK	176	NA
4	3422.6318	-55.17	-54.77	0.4	-13.0	41.8	Horizontal	PK	0	PASS
5	5140.1629	-51.39	-45.70	5.7	-13.0	32.7	Horizontal	PK	66	PASS
6	10937.4775	-67.42	-46.51	20.9	-13.0	33.5	Horizontal	PK	198	PASS

H_WCDMA_B4_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-42.80	-67.17	-24.4	-13.0	54.2	Vertical	PK	26	PASS
2	1711.3423	-47.00	-43.52	3.5	-	-	Vertical	PK	69	NA
3	2111.8224	-45.67	-40.09	5.6	-	-	Vertical	PK	156	NA
4	3426.4895	-53.48	-52.89	0.6	-13.0	39.9	Vertical	PK	295	PASS
5	5140.1629	-53.93	-48.69	5.2	-13.0	35.7	Vertical	PK	315	PASS
6	11098.764	-67.20	-45.25	22.0	-13.0	32.3	Vertical	PK	360	PASS

V_WCDMA_B4_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	33.1527	-50.92	-66.15	-15.2	-13.0	53.2	Horizontal	PK	355	PASS
2	1741.3483	-44.79	-41.81	3.0	-	-	Horizontal	PK	150	NA
3	2141.0282	-55.09	-49.07	6.0	-	-	Horizontal	PK	109	NA
4	3481.3545	-53.56	-52.66	0.9	-13.0	39.7	Horizontal	PK	255	PASS
5	5217.7454	-49.34	-44.17	5.2	-13.0	31.2	Horizontal	PK	68	PASS
6	12891.1556	-68.09	-45.13	23.0	-13.0	32.1	Horizontal	PK	67	PASS

H_WCDMA_B4_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	47.3154	-48.61	-68.05	-19.4	-13.0	55.1	Vertical	PK	210	PASS
2	1740.9482	-55.21	-51.78	3.4	-	-	Vertical	PK	69	NA
3	2141.0282	-47.81	-41.93	5.9	-	-	Vertical	PK	133	NA
4	3478.3541	-53.35	-52.26	1.1	-13.0	39.3	Vertical	PK	293	PASS
5	5217.3168	-52.50	-47.55	5.0	-13.0	34.6	Vertical	PK	66	PASS
6	11089.6436	-67.06	-45.14	21.9	-13.0	32.1	Vertical	PK	304	PASS

V_WCDMA_B4_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.3538	-52.04	-67.29	-15.3	-13.0	54.3	Horizontal	PK	168	PASS
2	1750.9502	-49.67	-46.75	2.9	-	-	Horizontal	PK	218	NA
3	2152.2304	-53.00	-46.97	6.0	-	-	Horizontal	PK	326	NA
4	3503.2147	-51.53	-50.46	1.1	-13.0	37.5	Horizontal	PK	252	PASS
5	5261.4659	-44.85	-39.54	5.3	-13.0	26.5	Horizontal	PK	68	PASS
6	10537.6215	-64.71	-45.36	19.4	-13.0	32.4	Horizontal	PK	304	PASS

H_WCDMA_B4_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.8788	-47.31	-66.90	-19.6	-13.0	53.9	Vertical	PK	255	PASS
2	89.464	-49.02	-71.36	-22.3	-13.0	58.4	Vertical	PK	355	PASS
3	2153.0306	-46.80	-41.10	5.7	-	-	Vertical	PK	26	NA
4	3506.6438	-50.21	-48.89	1.3	-13.0	35.9	Vertical	PK	295	PASS
5	5254.6078	-51.03	-45.96	5.1	-13.0	33.0	Vertical	PK	335	PASS
6	11142.4457	-66.88	-45.16	21.7	-13.0	32.2	Vertical	PK	215	PASS

V_WCDMA_B4_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	824.9547	-49.74	-55.53	-5.8	-	-	Horizontal	PK	16	NA
2	870.3045	-58.23	-63.08	-4.9	-	-	Horizontal	PK	100	NA
3	1654.931	-54.96	-52.45	2.5	-13.0	39.5	Horizontal	PK	5	PASS
4	3670.8335	-57.34	-55.60	1.7	-13.0	42.6	Horizontal	PK	249	PASS
5	7074.2412	-62.64	-50.63	12.0	-13.0	37.6	Horizontal	PK	0	PASS
6	12637.8694	-68.58	-45.69	22.9	-13.0	32.7	Horizontal	PK	16	PASS

H_WCDMA_B5_LOW_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	824.6152	-60.14	-66.03	-5.9	-	-	Vertical	PK	15	NA
2	873.1177	-49.17	-53.89	-4.7	-	-	Vertical	PK	121	NA
3	1902.1804	-58.62	-52.73	5.9	-13.0	39.7	Vertical	PK	128	PASS
4	3673.7587	-57.24	-55.55	1.7	-13.0	42.6	Vertical	PK	355	PASS
5	6707.1354	-62.47	-52.18	10.3	-13.0	39.2	Vertical	PK	355	PASS
6	11037.8144	-67.35	-45.20	22.2	-13.0	32.2	Vertical	PK	335	PASS

V_WCDMA_B5_LOW_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	835.5768	-48.78	-54.34	-5.6	-	-	Horizontal	PK	186	NA
2	881.1691	-56.51	-61.25	-4.7	-	-	Horizontal	PK	100	NA
3	1672.1344	-50.43	-47.93	2.5	-13.0	34.9	Horizontal	PK	107	PASS
4	3679.1215	-57.36	-55.60	1.8	-13.0	42.6	Horizontal	PK	14	PASS
5	6597.4424	-62.89	-51.68	11.2	-13.0	38.7	Horizontal	PK	229	PASS
6	11033.4267	-66.64	-46.00	20.6	-13.0	33.0	Horizontal	PK	120	PASS

H_WCDMA_B5_MID_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	835.4798	-60.29	-66.14	-5.9	-	-	Vertical	PK	34	NA
2	881.3146	-45.82	-50.29	-4.5	-	-	Vertical	PK	250	NA
3	1672.1344	-53.40	-50.67	2.7	-13.0	37.7	Vertical	PK	87	PASS
4	3694.7222	-57.48	-55.72	1.8	-13.0	42.7	Vertical	PK	100	PASS
5	6226.4363	-61.77	-52.57	9.2	-13.0	39.6	Vertical	PK	355	PASS
6	10546.8773	-65.70	-45.54	20.2	-13.0	32.5	Vertical	PK	34	PASS

V_WCDMA_B5_MID_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.2844	-47.50	-52.70	-5.2	-	-	Horizontal	PK	165	NA
2	892.5186	-54.56	-59.24	-4.7	-	-	Horizontal	PK	101	NA
3	1690.9382	-49.11	-46.34	2.8	-13.0	33.3	Horizontal	PK	5	PASS
4	3671.8086	-56.73	-54.99	1.7	-13.0	42.0	Horizontal	PK	36	PASS
5	6783.1892	-62.52	-50.80	11.7	-13.0	37.8	Horizontal	PK	355	PASS
6	10535.6643	-65.68	-45.93	19.8	-13.0	32.9	Horizontal	PK	101	PASS

H_WCDMA_B5_HIGH_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.0904	-56.28	-61.82	-5.5	-	-	Vertical	PK	14	NA
2	892.6641	-46.62	-51.05	-4.4	-	-	Vertical	PK	121	NA
3	1690.5381	-54.14	-51.12	3.0	-13.0	38.1	Vertical	PK	107	PASS
4	3697.6474	-57.01	-55.25	1.8	-13.0	42.3	Vertical	PK	335	PASS
5	6991.3621	-62.54	-51.36	11.2	-13.0	38.4	Vertical	PK	121	PASS
6	11092.4171	-66.97	-44.59	22.4	-13.0	31.6	Vertical	PK	14	PASS

V_WCDMA_B5_HIGH_30M-12.75G




2. Bottom Antenna



Data List										
No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.3281	-53.12	-68.33	-15.2	-13.0	55.3	Horizontal	PK	355	PASS
2	1851.7704	-39.20	-34.90	4.3	-	-	Horizontal	PK	176	NA
3	1932.5865	-49.52	-45.55	4.0	-	-	Horizontal	PK	133	NA
4	3706.3866	-50.77	-49.06	1.7	-13.0	36.1	Horizontal	PK	270	PASS
5	5553.7934	-51.36	-44.69	6.7	-13.0	31.7	Horizontal	PK	355	PASS
6	13056.7623	-68.60	-45.10	23.5	-13.0	32.1	Horizontal	PK	69	PASS

H_WCDMA_B2_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.1028	-45.06	-64.93	-19.9	-13.0	51.9	Vertical	PK	40	PASS
2	1851.7704	-54.33	-50.04	4.3	-	-	Vertical	PK	360	NA
3	1933.3867	-37.59	-33.71	3.9	-	-	Vertical	PK	90	NA
4	3702.9576	-52.86	-51.13	1.7	-13.0	38.1	Vertical	PK	230	PASS
5	5553.3648	-49.04	-42.67	6.4	-13.0	29.7	Vertical	PK	230	PASS
6	11093.0037	-67.18	-45.26	21.9	-13.0	32.3	Vertical	PK	90	PASS

V_WCDMA_B2_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	223.7672	-56.28	-71.97	-15.7	-13.0	59.0	Horizontal	PK	273	PASS
2	1878.9758	-46.43	-41.18	5.3	-	-	Horizontal	PK	130	NA
3	1961.3923	-53.66	-49.15	4.5	-	-	Horizontal	PK	130	NA
4	3757.3939	-54.00	-52.79	1.2	-13.0	39.8	Horizontal	PK	211	PASS
5	5636.0909	-50.26	-43.20	7.1	-13.0	30.2	Horizontal	PK	355	PASS
6	12657.8663	-67.39	-44.90	22.5	-13.0	31.9	Horizontal	PK	323	PASS

H_WCDMA_B2_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.7333	-45.11	-64.77	-19.7	-13.0	51.8	Vertical	PK	230	PASS
2	1878.1756	-56.35	-51.31	5.0	-	-	Vertical	PK	5	NA
3	1958.5917	-39.92	-35.77	4.2	-	-	Vertical	PK	241	NA
4	3762.1089	-54.28	-53.22	1.1	-13.0	40.2	Vertical	PK	124	PASS
5	5643.3776	-52.68	-45.99	6.7	-13.0	33.0	Vertical	PK	230	PASS
6	13710.5484	-69.12	-44.35	24.8	-13.0	31.4	Vertical	PK	26	PASS

V_WCDMA_B2_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7633	-55.45	-70.82	-15.4	-13.0	57.8	Horizontal	PK	293	PASS
2	223.9612	-56.42	-72.09	-15.7	-13.0	59.1	Horizontal	PK	273	PASS
3	1906.9814	-34.28	-30.00	4.3	-	-	Horizontal	PK	176	NA
4	1986.9974	-54.42	-50.01	4.4	-	-	Horizontal	PK	133	NA
5	5726.1037	-51.69	-44.26	7.4	-13.0	31.3	Horizontal	PK	355	PASS
6	12168.2467	-67.28	-45.51	21.8	-13.0	32.5	Horizontal	PK	176	PASS

H_WCDMA_B2_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7633	-45.20	-65.19	-20.0	-13.0	52.2	Vertical	PK	355	PASS
2	63.6607	-50.07	-69.23	-19.2	-13.0	56.2	Vertical	PK	210	PASS
3	1906.5813	-48.62	-43.61	5.0	-	-	Vertical	PK	69	NA
4	1986.5973	-41.69	-37.14	4.6	-	-	Vertical	PK	90	NA
5	5718.817	-53.42	-46.86	6.6	-13.0	33.9	Vertical	PK	230	PASS
6	13668.7868	-68.84	-44.47	24.4	-13.0	31.5	Vertical	PK	360	PASS

V_WCDMA_B2_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	35.6263	-52.70	-67.95	-15.3	-13.0	55.0	Horizontal	PK	355	PASS
2	1711.3423	-38.39	-35.06	3.3	-	-	Horizontal	PK	69	NA
3	2113.0226	-54.31	-48.52	5.8	-	-	Horizontal	PK	133	NA
4	3426.9181	-54.43	-53.99	0.4	-13.0	41.0	Horizontal	PK	333	PASS
5	5141.0201	-50.98	-45.31	5.7	-13.0	32.3	Horizontal	PK	355	PASS
6	13107.6443	-68.38	-44.37	24.0	-13.0	31.4	Horizontal	PK	69	PASS

H_WCDMA_B4_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.5878	-44.90	-64.58	-19.7	-13.0	51.6	Vertical	PK	213	PASS
2	1710.9422	-48.22	-44.74	3.5	-	-	Vertical	PK	323	NA
3	2113.4227	-43.23	-37.61	5.6	-	-	Vertical	PK	152	NA
4	3426.9181	-55.45	-54.86	0.6	-13.0	41.9	Vertical	PK	213	PASS
5	5135.0193	-55.84	-50.57	5.3	-13.0	37.6	Vertical	PK	213	PASS
6	11142.9257	-66.64	-44.92	21.7	-13.0	31.9	Vertical	PK	27	PASS

V_WCDMA_B4_LOW_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1741.3483	-43.68	-40.70	3.0	-	-	Horizontal	PK	69	NA
2	2141.0282	-52.58	-46.56	6.0	-	-	Horizontal	PK	130	NA
3	3481.3545	-52.45	-51.55	0.9	-13.0	38.6	Horizontal	PK	170	PASS
4	5223.7462	-51.15	-45.95	5.2	-13.0	33.0	Horizontal	PK	333	PASS
5	12568.1027	-68.45	-45.43	23.0	-13.0	32.4	Horizontal	PK	151	PASS

H_WCDMA_B4_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.6848	-44.65	-64.30	-19.7	-13.0	51.3	Vertical	PK	230	PASS
2	1741.7484	-51.53	-48.10	3.4	-	-	Vertical	PK	344	NA
3	2140.228	-44.55	-38.67	5.9	-	-	Vertical	PK	90	NA
4	3482.6404	-52.87	-51.74	1.1	-13.0	38.7	Vertical	PK	150	PASS
5	5216.4595	-54.65	-49.69	5.0	-13.0	36.7	Vertical	PK	355	PASS
6	10593.3037	-65.17	-45.11	20.1	-13.0	32.1	Vertical	PK	47	PASS

V_WCDMA_B4_MID_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1750.9502	-50.18	-47.26	2.9	-	-	Horizontal	PK	69	NA
2	2151.8304	-47.20	-41.18	6.0	-	-	Horizontal	PK	241	NA
3	3502.3575	-51.84	-50.77	1.1	-13.0	37.8	Horizontal	PK	253	PASS
4	5261.4659	-46.40	-41.09	5.3	-13.0	28.1	Horizontal	PK	355	PASS
5	9052.4421	-62.86	-47.29	15.6	-13.0	34.3	Horizontal	PK	155	PASS

H_WCDMA_B4_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1751.3503	-57.15	-53.68	3.5	-	-	Vertical	PK	347	NA
2	2151.4303	-40.09	-34.37	5.7	-	-	Vertical	PK	27	NA
3	3503.6434	-53.38	-52.07	1.3	-13.0	39.1	Vertical	PK	210	PASS
4	5254.1792	-54.40	-49.33	5.1	-13.0	36.3	Vertical	PK	0	PASS
5	11105.4842	-66.92	-45.00	21.9	-13.0	32.0	Vertical	PK	304	PASS

V_WCDMA_B4_HIGH_30M-18G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.8118	-53.13	-68.42	-15.3	-13.0	55.4	Horizontal	PK	271	PASS
2	824.7607	-48.42	-54.21	-5.8	-	-	Horizontal	PK	103	NA
3	869.48	-54.27	-59.13	-4.9	-	-	Horizontal	PK	144	NA
4	1730.146	-57.99	-55.16	2.8	-13.0	42.2	Horizontal	PK	46	PASS
5	5186.0593	-57.42	-52.17	5.3	-13.0	39.2	Horizontal	PK	103	PASS
6	10609.2805	-64.78	-45.36	19.4	-13.0	32.4	Horizontal	PK	355	PASS

H_WCDMA_B5_LOW_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	824.7607	-55.57	-61.47	-5.9	-	-	Vertical	PK	35	NA
2	870.0135	-39.45	-44.29	-4.8	-	-	Vertical	PK	247	NA
3	1702.9406	-57.58	-54.43	3.2	-13.0	41.4	Vertical	PK	192	PASS
4	3685.9468	-57.17	-55.44	1.7	-13.0	42.4	Vertical	PK	98	PASS
5	6569.166	-62.97	-53.16	9.8	-13.0	40.2	Vertical	PK	0	PASS
6	11093.8797	-67.11	-44.73	22.4	-13.0	31.7	Vertical	PK	269	PASS

V_WCDMA_B5_LOW_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	835.5768	-49.95	-55.51	-5.6	-	-	Horizontal	PK	104	NA
2	881.2176	-52.11	-56.85	-4.7	-	-	Horizontal	PK	272	NA
3	1856.5713	-58.46	-53.37	5.1	-13.0	40.4	Horizontal	PK	46	PASS
4	3644.9948	-57.07	-55.36	1.7	-13.0	42.4	Horizontal	PK	207	PASS
5	6765.1508	-61.57	-49.91	11.7	-13.0	36.9	Horizontal	PK	125	PASS
6	12573.0287	-67.86	-44.58	23.3	-13.0	31.6	Horizontal	PK	250	PASS

H_WCDMA_B5_MID_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.8118	-42.70	-62.59	-19.9	-13.0	49.6	Vertical	PK	230	PASS
2	835.5768	-58.51	-64.36	-5.9	-	-	Vertical	PK	104	NA
3	881.2661	-37.52	-41.99	-4.5	-	-	Vertical	PK	187	NA
4	1494.4989	-57.19	-55.69	1.5	-13.0	42.7	Vertical	PK	108	PASS
5	5124.1437	-60.19	-54.86	5.3	-13.0	41.9	Vertical	PK	0	PASS
6	10590.267	-65.15	-44.95	20.2	-13.0	32.0	Vertical	PK	0	PASS

V_WCDMA_B5_MID_30M-12.75G






Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.1874	-46.47	-51.68	-5.2	-	-	Horizontal	PK	81	NA
2	890.7725	-51.66	-56.35	-4.7	-	-	Horizontal	PK	144	NA
3	1888.1776	-58.95	-53.19	5.8	-13.0	40.2	Horizontal	PK	212	PASS
4	3382.2191	-55.26	-55.33	-0.1	-13.0	42.3	Horizontal	PK	19	PASS
5	6768.0759	-62.59	-50.92	11.7	-13.0	37.9	Horizontal	PK	312	PASS
6	12528.1764	-68.46	-45.09	23.4	-13.0	32.1	Horizontal	PK	40	PASS

H_WCDMA_B5_HIGH_30M-12.75G





Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	848.0419	-54.73	-60.28	-5.6	-	-	Vertical	PK	355	NA
2	891.7911	-37.93	-42.37	-4.4	-	-	Vertical	PK	252	NA
3	1886.1772	-58.23	-52.34	5.9	-13.0	39.3	Vertical	PK	170	PASS
4	3738.1119	-56.86	-55.53	1.3	-13.0	42.5	Vertical	PK	103	PASS
5	6854.3677	-62.69	-51.92	10.8	-13.0	38.9	Vertical	PK	231	PASS
6	11089.9795	-66.76	-44.39	22.4	-13.0	31.4	Vertical	PK	333	PASS

V_WCDMA_B5_HIGH_30M-12.75G





Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test Items	Uncertainty
Output Power	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	$\pm 2.77\text{dB}$
Radiated Emission	$\pm 2.95\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.





Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	ShenzhenMorlab Communications Technology Co., Ltd.
Laboratory Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	ShenzhenMorlab Communications Technology Co., Ltd.
Address:	FL.1-3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.1-3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.





REPORT No.: SZ26060442Y01

4. Test Equipment Utilized

4.1 Conducted Test Equipment

Equipment	Serial No.	Type	Manufacturer	Cal. Date	Due Date
EXA Signal Analyzer	MY51511149	N9020A	Agilent	2026.04.28	2027.04.27
Communication Test Station	6200995016	MT8820C	Anritsu	2025.09.02	2026.09.01
Temperature Chamber	S022177101 00089002	KMT-36LF 1A0	KOMEG	2025.09.03	2026.09.02

4.2 List of Software Used

Description	Manufacturer	Software Version
MOR-2023E Test System	MORLAB	V7.99
JS36-RSE	Tonscend	5.0.0

