





Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1562.9545	-69.49	-67.00	2.5	-50.0	17.0	Horizontal	PK	355	PASS
2	1568.2101	-69.88	-67.38	2.5	-50.0	17.4	Horizontal	PK	200	PASS
3	1577.7774	-68.90	-66.37	2.5	-50.0	16.4	Horizontal	PK	0	PASS
4	1581.2726	-69.21	-66.68	2.5	-50.0	16.7	Horizontal	PK	97	PASS
5	1589.7939	-69.05	-66.53	2.5	-50.0	16.5	Horizontal	PK	223	PASS
6	1596.6823	-69.05	-66.54	2.5	-50.0	16.5	Horizontal	PK	0	PASS


H_LTE_1559-1610_-50



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1560.3777	-69.19	-66.53	2.7	-50.0	16.5	Vertical	PK	212	PASS
2	1565.6843	-68.98	-66.41	2.6	-50.0	16.4	Vertical	PK	66	PASS
3	1572.6748	-69.24	-66.79	2.5	-50.0	16.8	Vertical	PK	66	PASS
4	1578.5938	-68.98	-66.62	2.4	-50.0	16.6	Vertical	PK	335	PASS
5	1586.6558	-68.94	-66.52	2.4	-50.0	16.5	Vertical	PK	360	PASS
6	1596.2996	-68.55	-66.00	2.6	-50.0	16.0	Vertical	PK	129	PASS


V_LTE_1559-1610_-50



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.8118	-55.25	-70.59	-15.3	-40.0	30.6	Horizontal	PK	315	PASS
2	104.2572	-49.63	-72.34	-22.7	-40.0	32.3	Horizontal	PK	252	PASS
3	2352.2705	-46.01	-37.90	8.1	-	-	Horizontal	PK	198	NA
4	3736.3909	-56.55	-55.13	1.4	-40.0	15.1	Horizontal	PK	355	PASS
5	7056.5223	-58.93	-47.18	11.8	-40.0	7.2	Horizontal	PK	198	PASS
6	16399.616	-70.26	-44.50	25.8	-40.0	4.5	Horizontal	PK	262	PASS


H_LTE_B40-2_LOW_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.0543	-45.04	-64.91	-19.9	-40.0	24.9	Vertical	PK	250	PASS
2	63.3212	-50.79	-69.82	-19.0	-40.0	29.8	Vertical	PK	210	PASS
3	2417.0834	-57.85	-48.13	9.7	-40.0	8.1	Vertical	PK	5	PASS
4	3578.6541	-56.85	-55.39	1.5	-40.0	15.4	Vertical	PK	270	PASS
5	7058.4423	-57.17	-46.24	10.9	-40.0	6.2	Vertical	PK	360	PASS
6	17285.7314	-67.66	-43.15	24.5	-40.0	3.2	Vertical	PK	47	PASS


V_LTE_B40-2_LOW_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.2311	-52.89	-68.11	-15.2	-40.0	28.1	Horizontal	PK	171	PASS
2	104.2572	-48.17	-70.88	-22.7	-40.0	30.9	Horizontal	PK	293	PASS
3	2353.0706	-48.11	-39.96	8.2	-	-	Horizontal	PK	198	NA
4	3657.5225	-57.01	-55.29	1.7	-40.0	15.3	Horizontal	PK	171	PASS
5	7064.6826	-56.94	-45.16	11.8	-40.0	5.2	Horizontal	PK	360	PASS
6	16395.2958	-68.96	-43.26	25.7	-40.0	3.3	Horizontal	PK	241	PASS


H_LTE_B40-2_MID_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7633	-45.04	-65.00	-20.0	-40.0	25.0	Vertical	PK	233	PASS
2	63.6607	-50.57	-69.69	-19.1	-40.0	29.7	Vertical	PK	213	PASS
3	2564.7129	-58.10	-47.13	11.0	-40.0	7.1	Vertical	PK	5	PASS
4	3497.6425	-56.54	-55.27	1.3	-40.0	15.3	Vertical	PK	106	PASS
5	7069.0028	-54.89	-43.99	10.9	-40.0	4.0	Vertical	PK	347	PASS
6	11075.723	-66.11	-44.23	21.9	-40.0	4.2	Vertical	PK	325	PASS


V_LTE_B40-2_MID_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	226.2893	-56.32	-71.81	-15.5	-40.0	31.8	Horizontal	PK	271	PASS
2	2357.4715	-54.40	-46.12	8.3	-	-	Horizontal	PK	194	NA
3	4716.6738	-56.22	-52.56	3.7	-40.0	12.6	Horizontal	PK	151	PASS
4	7073.3229	-57.74	-45.92	11.8	-40.0	5.9	Horizontal	PK	236	PASS
5	9429.7372	-62.06	-45.66	16.4	-40.0	5.7	Horizontal	PK	236	PASS
6	17975.999	-68.36	-44.39	24.0	-40.0	4.4	Horizontal	PK	344	PASS


H_LTE_B40-2_HIGH_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.3938	-45.38	-65.13	-19.8	-40.0	25.1	Vertical	PK	210	PASS
2	63.7092	-49.39	-68.51	-19.1	-40.0	28.5	Vertical	PK	230	PASS
3	1890.5781	-57.89	-51.31	6.6	-40.0	11.3	Vertical	PK	259	PASS
4	7070.9228	-53.90	-43.00	10.9	-40.0	3.0	Vertical	PK	360	PASS
5	9430.2172	-62.58	-45.92	16.7	-40.0	5.9	Vertical	PK	26	PASS
6	17267.4907	-68.02	-43.58	24.4	-40.0	3.6	Vertical	PK	302	PASS


V_LTE_B40-2_HIGH_5M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1562.7504	-58.99	-56.50	2.5	-40.0	16.5	Horizontal	PK	231	PASS
2	1572.4452	-58.74	-56.23	2.5	-40.0	16.2	Horizontal	PK	231	PASS
3	1577.012	-58.37	-55.84	2.5	-40.0	15.8	Horizontal	PK	65	PASS
4	1583.9004	-58.53	-56.00	2.5	-40.0	16.0	Horizontal	PK	274	PASS
5	1592.8554	-58.26	-55.74	2.5	-40.0	15.7	Horizontal	PK	148	PASS
6	1606.4537	-58.36	-55.82	2.5	-40.0	15.8	Horizontal	PK	171	PASS


H_LTE_1559-1610_-40



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1561.3982	-59.11	-56.46	2.7	-40.0	16.5	Vertical	PK	5	PASS
2	1567.8019	-59.10	-56.56	2.5	-40.0	16.6	Vertical	PK	129	PASS
3	1574.078	-58.58	-56.15	2.4	-40.0	16.2	Vertical	PK	66	PASS
4	1587.3957	-57.70	-55.27	2.4	-40.0	15.3	Vertical	PK	338	PASS
5	1596.8609	-57.92	-55.37	2.6	-40.0	15.4	Vertical	PK	169	PASS
6	1609.0815	-58.24	-55.55	2.7	-40.0	15.6	Vertical	PK	278	PASS


V_LTE_1559-1610_-40



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1566.2966	-69.83	-67.33	2.5	-50.0	17.3	Horizontal	PK	334	PASS
2	1573.2361	-69.59	-67.07	2.5	-50.0	17.1	Horizontal	PK	228	PASS
3	1583.926	-68.66	-66.14	2.5	-50.0	16.1	Horizontal	PK	0	PASS
4	1590.1766	-69.17	-66.65	2.5	-50.0	16.7	Horizontal	PK	87	PASS
5	1593.9015	-69.17	-66.66	2.5	-50.0	16.7	Horizontal	PK	64	PASS
6	1606.3772	-69.25	-66.71	2.5	-50.0	16.7	Horizontal	PK	274	PASS


H_LTE_1559-1610_-50



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	1566.0925	-69.39	-66.82	2.6	-50.0	16.8	Vertical	PK	196	PASS
2	1577.3182	-69.12	-66.74	2.4	-50.0	16.7	Vertical	PK	322	PASS
3	1586.0435	-69.65	-67.24	2.4	-50.0	17.2	Vertical	PK	133	PASS
4	1593.4422	-69.24	-66.73	2.5	-50.0	16.7	Vertical	PK	342	PASS
5	1602.1676	-68.98	-66.35	2.6	-50.0	16.4	Vertical	PK	302	PASS
6	1608.5458	-69.21	-66.52	2.7	-50.0	16.5	Vertical	PK	133	PASS

V_LTE_1559-1610_-50




Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.3053	-50.23	-65.43	-15.2	-25.0	40.4	Horizontal	PK	233	PASS
2	220.9055	-54.40	-70.20	-15.8	-25.0	45.2	Horizontal	PK	295	PASS
3	2485.4971	-33.66	-23.68	10.0	-25.0	-1.3	Horizontal	PK	187	NA
4	5012.4303	-58.15	-52.05	6.1	-25.0	27.1	Horizontal	PK	275	PASS
5	10024.001	-61.51	-44.13	17.4	-25.0	19.1	Horizontal	PK	229	PASS
6	17981.7593	-68.02	-44.09	23.9	-25.0	19.1	Horizontal	PK	229	PASS

Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	2486.7584	-54.27	-44.29	10.0	-25.00	19.29	Horizontal	RMS	179.2	PASS


H_LTE_B41_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.6363	-45.03	-64.68	-19.7	-25.0	39.7	Vertical	PK	272	PASS
2	62.6906	-50.98	-69.82	-18.8	-25.0	44.8	Vertical	PK	294	PASS
3	2486.6973	-39.92	-29.81	10.1	-25.0	4.8	Vertical	PK	313	PASS
4	5006.4295	-58.86	-53.34	5.5	-25.0	28.3	Vertical	PK	251	PASS
5	10024.481	-59.66	-41.68	18.0	-25.0	16.7	Vertical	PK	77	PASS
6	12530.6612	-66.02	-42.83	23.2	-25.0	17.8	Vertical	PK	291	PASS


V_LTE_B41_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-52.15	-67.30	-15.2	-25.0	42.3	Horizontal	PK	5	PASS
2	224.7857	-55.59	-71.12	-15.5	-25.0	46.1	Horizontal	PK	274	PASS
3	2598.7197	-51.81	-39.27	12.5	-	-	Horizontal	PK	334	NA
4	3684.955	-55.96	-54.20	1.8	-25.0	29.2	Horizontal	PK	169	PASS
5	8094.8038	-62.35	-48.80	13.6	-25.0	23.8	Horizontal	PK	271	PASS
6	15616.2246	-69.94	-44.99	25.0	-25.0	20.0	Horizontal	PK	0	PASS


H_LTE_B41_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.6178	-43.06	-63.05	-20.0	-25.0	38.1	Vertical	PK	5	PASS
2	104.4512	-50.32	-71.31	-21.0	-25.0	46.3	Vertical	PK	25	PASS
3	2598.3197	-54.89	-43.34	11.6	-	-	Vertical	PK	312	NA
4	5177.0253	-57.58	-52.55	5.0	-25.0	27.6	Vertical	PK	170	PASS
5	10372.0149	-61.42	-42.30	19.1	-25.0	17.3	Vertical	PK	12	PASS
6	14974.439	-68.28	-44.06	24.2	-25.0	19.1	Vertical	PK	119	PASS

V_LTE_B41_MID_20M_30M-18G




Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.2083	-48.89	-64.09	-15.2	-25.0	39.1	Horizontal	PK	5	PASS
2	384.0192	-52.30	-67.18	-14.9	-25.0	42.2	Horizontal	PK	271	PASS
3	2702.3405	-32.78	-19.24	13.5	-25.0	-5.8	Horizontal	PK	334	NA
4	3723.9606	-56.64	-55.10	1.5	-25.0	30.1	Horizontal	PK	27	PASS
5	8043.4417	-62.66	-49.22	13.4	-25.0	24.2	Horizontal	PK	229	PASS
6	17308.2923	-68.61	-44.53	24.1	-25.0	19.5	Horizontal	PK	15	PASS

Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	2699.4776	-47.14	-33.60	13.5	-25.00	8.60	Horizontal	RMS	327.6	PASS

H_LTE_B41_HIGH_20M_30M-18G




Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	47.0244	-43.40	-62.92	-19.5	-25.0	37.9	Vertical	PK	232	PASS
2	98.5339	-48.60	-70.10	-21.5	-25.0	45.1	Vertical	PK	5	PASS
3	2699.5399	-35.24	-22.05	13.2	-25.0	-3.0	Vertical	PK	205	NA
4	3656.2366	-56.24	-54.59	1.7	-25.0	29.6	Vertical	PK	254	PASS
5	6895.2358	-62.00	-51.17	10.8	-25.0	26.2	Vertical	PK	248	PASS
6	10719.5488	-60.96	-41.38	19.6	-25.0	16.4	Vertical	PK	291	PASS

Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	2699.9203	-54.16	-40.97	13.2	-25.00	15.97	Vertical	RMS	224.3	PASS


V_LTE_B41_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.6191	-51.78	-67.01	-15.2	-13.0	54.0	Horizontal	PK	214	PASS
2	104.2572	-47.93	-70.64	-22.7	-13.0	57.6	Horizontal	PK	317	PASS
3	1722.9446	-44.37	-41.21	3.2	-	-	Horizontal	PK	55	NA
4	2121.0242	-52.99	-47.09	5.9	-	-	Horizontal	PK	119	NA
5	5171.8817	-52.76	-47.37	5.4	-13.0	34.4	Horizontal	PK	359	PASS
6	12843.6337	-67.82	-45.24	22.6	-13.0	32.2	Horizontal	PK	248	PASS


H_LTE_B66_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.8303	-45.46	-65.06	-19.6	-13.0	52.1	Vertical	PK	249	PASS
2	123.8522	-49.27	-68.85	-19.6	-13.0	55.9	Vertical	PK	333	PASS
3	1722.9446	-53.56	-50.12	3.4	-	-	Vertical	PK	291	NA
4	2119.0238	-40.74	-34.98	5.8	-	-	Vertical	PK	16	NA
5	5179.1685	-56.73	-51.72	5.0	-13.0	38.7	Vertical	PK	249	PASS
6	11084.8434	-66.88	-44.97	21.9	-13.0	32.0	Vertical	PK	334	PASS


V_LTE_B66_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.1598	-51.54	-66.80	-15.3	-13.0	53.8	Horizontal	PK	5	PASS
2	1701.7403	-46.76	-43.40	3.4	-13.0	30.4	Horizontal	PK	56	PASS
3	1744.949	-44.77	-41.81	3.0	-	-	Horizontal	PK	98	NA
4	1802.1604	-48.27	-44.08	4.2	-13.0	31.1	Horizontal	PK	184	PASS
5	2145.029	-52.95	-46.93	6.0	-	-	Horizontal	PK	355	NA
6	3489.9271	-54.30	-53.33	1.0	-13.0	40.3	Horizontal	PK	272	PASS
7	5249.4642	-53.80	-48.53	5.3	-13.0	35.5	Horizontal	PK	360	PASS
8	12597.3839	-68.48	-45.60	22.9	-13.0	32.6	Horizontal	PK	119	PASS


H_LTE_B66_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.7333	-45.33	-64.96	-19.6	-13.0	52.0	Vertical	PK	256	PASS
2	1701.7403	-56.41	-52.93	3.5	-13.0	39.9	Vertical	PK	248	PASS
3	1744.949	-54.77	-51.32	3.5	-	-	Vertical	PK	334	NA
4	2145.4291	-44.76	-38.95	5.8	-	-	Vertical	PK	184	NA
5	5235.748	-55.86	-50.84	5.0	-13.0	37.8	Vertical	PK	172	PASS
6	14053.7622	-69.71	-44.87	24.8	-13.0	31.9	Vertical	PK	184	PASS


V_LTE_B66_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	104.2572	-47.83	-70.54	-22.7	-13.0	57.5	Horizontal	PK	338	PASS
2	1769.3539	-49.90	-46.36	3.5	-	-	Horizontal	PK	162	NA
3	2175.8352	-52.97	-45.99	7.0	-	-	Horizontal	PK	227	NA
4	3531.5045	-55.89	-54.65	1.2	-13.0	41.7	Horizontal	PK	254	PASS
5	5299.1856	-52.68	-47.25	5.4	-13.0	34.3	Horizontal	PK	360	PASS
6	13107.6443	-69.63	-45.62	24.0	-13.0	32.6	Horizontal	PK	227	PASS

H_LTE_B66_HIGH_20M_30M-18G




Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.7333	-44.91	-64.54	-19.6	-13.0	51.5	Vertical	PK	231	PASS
2	1766.5533	-55.21	-51.76	3.5	-	-	Vertical	PK	163	NA
3	2170.234	-48.30	-42.01	6.3	-	-	Vertical	PK	56	NA
4	3540.0772	-53.60	-52.22	1.4	-13.0	39.2	Vertical	PK	171	PASS
5	5311.1873	-56.34	-51.02	5.3	-13.0	38.0	Vertical	PK	360	PASS
6	11092.0437	-66.31	-44.38	21.9	-13.0	31.4	Vertical	PK	313	PASS


V_LTE_B66_HIGH_20M_30M-18G

2. Bottom Antenna



Data List										
No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	221.4391	-55.94	-71.79	-15.9	-13.0	58.8	Horizontal	PK	255	PASS
2	1857.7716	-46.70	-42.27	4.4	-	-	Horizontal	PK	349	NA
3	1940.9882	-49.91	-45.76	4.2	-	-	Horizontal	PK	133	NA
4	3733.8191	-55.61	-54.17	1.4	-13.0	41.2	Horizontal	PK	295	PASS
5	7492.8597	-61.96	-49.62	12.3	-13.0	36.6	Horizontal	PK	241	PASS
6	17382.2153	-68.34	-43.67	24.7	-13.0	30.7	Horizontal	PK	219	PASS


H_LTE_B2_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	47.1699	-46.10	-65.62	-19.5	-13.0	52.6	Vertical	PK	253	PASS
2	1858.5717	-50.62	-46.28	4.3	-	-	Vertical	PK	5	NA
3	1940.5881	-39.73	-35.80	3.9	-	-	Vertical	PK	69	NA
4	3704.2435	-56.25	-54.53	1.7	-13.0	41.5	Vertical	PK	0	PASS
5	7993.9998	-63.77	-50.83	12.9	-13.0	37.8	Vertical	PK	198	PASS
6	16727.9491	-69.37	-43.84	25.5	-13.0	30.8	Vertical	PK	69	PASS


V_LTE_B2_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.0371	-53.20	-68.40	-15.2	-13.0	55.4	Horizontal	PK	334	PASS
2	228.4719	-56.49	-71.83	-15.3	-13.0	58.8	Horizontal	PK	272	PASS
3	1883.3767	-54.37	-49.21	5.2	-	-	Horizontal	PK	47	NA
4	1959.792	-55.08	-50.58	4.5	-	-	Horizontal	PK	131	NA
5	5187.7411	-58.35	-53.11	5.2	-13.0	40.1	Horizontal	PK	0	PASS
6	10603.3841	-65.35	-46.02	19.3	-13.0	33.0	Horizontal	PK	302	PASS


H_LTE_B2_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.8303	-45.12	-64.75	-19.6	-13.0	51.8	Vertical	PK	227	PASS
2	1883.3767	-57.64	-52.53	5.1	-	-	Vertical	PK	360	NA
3	1959.792	-41.36	-37.17	4.2	-	-	Vertical	PK	69	NA
4	3633.9477	-56.84	-55.25	1.6	-13.0	42.3	Vertical	PK	313	PASS
5	7067.5627	-62.06	-51.16	10.9	-13.0	38.2	Vertical	PK	260	PASS
6	14057.6023	-69.48	-44.61	24.9	-13.0	31.6	Vertical	PK	326	PASS


V_LTE_B2_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.3453	-55.57	-70.95	-15.4	-13.0	58.0	Horizontal	PK	273	PASS
2	1904.1808	-47.53	-43.19	4.3	-	-	Horizontal	PK	346	NA
3	1981.3963	-54.92	-50.32	4.6	-	-	Horizontal	PK	133	NA
4	3624.9464	-57.34	-55.66	1.7	-13.0	42.7	Horizontal	PK	213	PASS
5	7399.736	-62.32	-50.04	12.3	-13.0	37.0	Horizontal	PK	69	PASS
6	17254.0502	-67.90	-44.35	23.6	-13.0	31.4	Horizontal	PK	154	PASS


H_LTE_B2_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.5878	-45.07	-64.78	-19.7	-13.0	51.8	Vertical	PK	231	PASS
2	1904.981	-48.68	-43.59	5.1	-	-	Vertical	PK	360	NA
3	1980.5961	-39.25	-34.44	4.8	-	-	Vertical	PK	173	NA
4	3656.6652	-56.25	-54.60	1.7	-13.0	41.6	Vertical	PK	273	PASS
5	7245.6498	-63.19	-51.62	11.6	-13.0	38.6	Vertical	PK	238	PASS
6	16546.0218	-68.96	-43.92	25.0	-13.0	30.9	Vertical	PK	238	PASS


V_LTE_B2_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.8118	-55.76	-71.10	-15.3	-13.0	58.1	Horizontal	PK	355	PASS
2	1721.3443	-46.05	-42.86	3.2	-	-	Horizontal	PK	27	NA
3	2119.824	-53.05	-47.16	5.9	-	-	Horizontal	PK	113	NA
4	3633.9477	-57.15	-55.45	1.7	-13.0	42.5	Horizontal	PK	355	PASS
5	7966.1586	-62.28	-49.06	13.2	-13.0	36.1	Horizontal	PK	27	PASS
6	16399.616	-70.34	-44.58	25.8	-13.0	31.6	Horizontal	PK	284	PASS


H_LTE_B4_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.3938	-44.99	-64.74	-19.8	-13.0	51.7	Vertical	PK	22	PASS
2	1717.7435	-50.43	-46.98	3.5	-	-	Vertical	PK	5	NA
3	2120.6241	-41.34	-35.54	5.8	-	-	Vertical	PK	284	NA
4	3659.237	-57.14	-55.48	1.7	-13.0	42.5	Vertical	PK	230	PASS
5	8034.3214	-64.20	-51.21	13.0	-13.0	38.2	Vertical	PK	348	PASS
6	12472.0989	-67.32	-44.23	23.1	-13.0	31.2	Vertical	PK	26	PASS


V_LTE_B4_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.6663	-55.17	-70.51	-15.3	-13.0	57.5	Horizontal	PK	270	PASS
2	1731.3463	-45.99	-42.94	3.1	-	-	Horizontal	PK	27	NA
3	2133.0266	-55.11	-49.09	6.0	-	-	Horizontal	PK	70	NA
4	5210.03	-57.40	-52.25	5.2	-13.0	39.3	Horizontal	PK	2	PASS
5	9012.6005	-62.20	-46.73	15.5	-13.0	33.7	Horizontal	PK	48	PASS
6	13106.2042	-68.45	-44.40	24.1	-13.0	31.4	Horizontal	PK	113	PASS


H_LTE_B4_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.7818	-44.71	-64.33	-19.6	-13.0	51.3	Vertical	PK	230	PASS
2	1731.3463	-52.77	-49.36	3.4	-	-	Vertical	PK	5	NA
3	2132.6265	-46.15	-40.15	6.0	-	-	Vertical	PK	109	NA
4	3595.7994	-56.92	-55.43	1.5	-13.0	42.4	Vertical	PK	28	PASS
5	6914.9166	-62.10	-51.22	10.9	-13.0	38.2	Vertical	PK	238	PASS
6	16622.8249	-69.14	-43.31	25.8	-13.0	30.3	Vertical	PK	152	PASS


V_LTE_B4_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	32.0371	-52.39	-67.61	-15.2	-13.0	54.6	Horizontal	PK	253	PASS
2	1744.949	-46.52	-43.56	3.0	-	-	Horizontal	PK	48	NA
3	2145.4291	-52.80	-46.78	6.0	-	-	Horizontal	PK	133	NA
4	5228.8898	-56.00	-50.79	5.2	-13.0	37.8	Horizontal	PK	4	PASS
5	9694.2278	-65.01	-47.86	17.2	-13.0	34.9	Horizontal	PK	112	PASS
6	17311.1724	-68.73	-44.63	24.1	-13.0	31.6	Horizontal	PK	281	PASS


H_LTE_B4_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.6848	-44.86	-64.51	-19.7	-13.0	51.5	Vertical	PK	233	PASS
2	1745.7492	-53.49	-50.04	3.5	-	-	Vertical	PK	5	NA
3	2144.6289	-44.65	-38.83	5.8	-	-	Vertical	PK	69	NA
4	5241.3202	-57.35	-52.32	5.0	-13.0	39.3	Vertical	PK	253	PASS
5	9093.2437	-64.83	-48.45	16.4	-13.0	35.5	Vertical	PK	260	PASS
6	16678.9872	-68.39	-42.85	25.5	-13.0	29.9	Vertical	PK	239	PASS


V_LTE_B4_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	829.5625	-55.79	-61.51	-5.7	-	-	Horizontal	PK	124	NA
2	874.1847	-60.40	-65.21	-4.8	-	-	Horizontal	PK	249	NA
3	1880.176	-59.00	-52.93	6.1	-13.0	39.9	Horizontal	PK	234	PASS
4	3315.9158	-54.64	-55.72	-1.1	-13.0	42.7	Horizontal	PK	333	PASS
5	6790.0145	-61.84	-50.09	11.8	-13.0	37.1	Horizontal	PK	271	PASS
6	12543.7772	-69.16	-45.83	23.3	-13.0	32.8	Horizontal	PK	167	PASS


H_LTE_B5_LOW_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	829.4655	-65.06	-71.03	-6.0	-	-	Vertical	PK	355	NA
2	874.4272	-47.92	-52.60	-4.7	-	-	Vertical	PK	147	NA
3	1898.1796	-58.88	-52.99	5.9	-13.0	40.0	Vertical	PK	26	PASS
4	3690.3345	-57.22	-55.47	1.8	-13.0	42.5	Vertical	PK	2	PASS
5	6844.1297	-62.72	-51.91	10.8	-13.0	38.9	Vertical	PK	22	PASS
6	11130.444	-66.37	-44.39	22.0	-13.0	31.4	Vertical	PK	168	PASS


V_LTE_B5_LOW_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	836.8378	-59.35	-64.87	-5.5	-	-	Horizontal	PK	124	NA
2	881.4116	-55.62	-60.36	-4.7	-	-	Horizontal	PK	249	NA
3	1876.1752	-59.06	-53.14	5.9	-13.0	40.1	Horizontal	PK	171	PASS
4	3699.11	-57.13	-55.35	1.8	-13.0	42.4	Horizontal	PK	144	PASS
5	7309.228	-62.51	-49.79	12.7	-13.0	36.8	Horizontal	PK	185	PASS
6	12549.14	-69.04	-45.72	23.3	-13.0	32.7	Horizontal	PK	312	PASS


H_LTE_B5_MID_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.9573	-43.13	-62.98	-19.9	-13.0	50.0	Vertical	PK	355	PASS
2	65.6493	-48.71	-68.27	-19.6	-13.0	55.3	Vertical	PK	251	PASS
3	881.3631	-41.27	-45.74	-4.5	-	-	Vertical	PK	251	NA
4	1831.3663	-59.10	-53.70	5.4	-13.0	40.7	Vertical	PK	234	PASS
5	5410.3205	-60.64	-54.62	6.0	-13.0	41.6	Vertical	PK	0	PASS
6	11154.8202	-65.98	-44.34	21.6	-13.0	31.3	Vertical	PK	312	PASS


V_LTE_B5_MID_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	845.2773	-56.21	-61.49	-5.3	-	-	Horizontal	PK	80	NA
2	889.2205	-49.52	-54.22	-4.7	-	-	Horizontal	PK	146	NA
3	1695.7391	-54.32	-51.43	2.9	-13.0	38.4	Horizontal	PK	336	PASS
4	3671.3211	-57.10	-55.36	1.7	-13.0	42.4	Horizontal	PK	251	PASS
5	6961.6231	-62.26	-50.75	11.5	-13.0	37.8	Horizontal	PK	230	PASS
6	12589.6045	-69.02	-45.78	23.2	-13.0	32.8	Horizontal	PK	39	PASS


H_LTE_B5_HIGH_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	845.2773	-61.78	-67.39	-5.6	-	-	Vertical	PK	355	NA
2	889.2205	-31.40	-35.85	-4.5	-	-	Vertical	PK	103	NA
3	1888.1776	-58.91	-53.02	5.9	-13.0	40.0	Vertical	PK	46	PASS
4	3663.5207	-57.41	-55.74	1.7	-13.0	42.7	Vertical	PK	37	PASS
5	6779.7765	-63.19	-52.35	10.8	-13.0	39.4	Vertical	PK	252	PASS
6	11138.7319	-66.62	-44.75	21.9	-13.0	31.8	Vertical	PK	293	PASS


V_LTE_B5_HIGH_10M_30M-12.75G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	45.7633	-55.09	-70.41	-15.3	-25.0	45.4	Horizontal	PK	355	PASS
2	104.2572	-48.95	-71.63	-22.7	-25.0	46.6	Horizontal	PK	250	PASS
3	2486.2973	-40.06	-30.09	10.0	-25.0	5.1	Horizontal	PK	219	PASS
4	3504.5006	-56.28	-55.21	1.1	-25.0	30.2	Horizontal	PK	24	PASS
5	7286.9315	-61.95	-49.49	12.5	-25.0	24.5	Horizontal	PK	348	PASS
6	16400.096	-70.26	-44.49	25.8	-25.0	19.5	Horizontal	PK	48	PASS


H_LTE_B7_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	47.3639	-46.13	-65.55	-19.4	-25.0	40.6	Vertical	PK	231	PASS
2	64.9702	-51.72	-71.12	-19.4	-25.0	46.1	Vertical	PK	253	PASS
3	2484.6969	-47.56	-37.42	10.1	-25.0	12.4	Vertical	PK	344	PASS
4	5160.3086	-59.33	-54.21	5.1	-25.0	29.2	Vertical	PK	0	PASS
5	10039.3616	-61.38	-43.34	18.0	-25.0	18.3	Vertical	PK	360	PASS
6	12546.0218	-66.71	-43.66	23.1	-25.0	18.7	Vertical	PK	323	PASS


V_LTE_B7_LOW_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	36.3053	-54.56	-69.76	-15.2	-25.0	44.8	Horizontal	PK	82	PASS
2	104.3057	-48.23	-70.91	-22.7	-25.0	45.9	Horizontal	PK	270	PASS
3	2537.5075	-54.47	-43.13	11.3	-	-	Horizontal	PK	216	NA
4	3597.5139	-52.89	-51.26	1.6	-25.0	26.3	Horizontal	PK	206	PASS
5	7505.3402	-62.38	-50.08	12.3	-25.0	25.1	Horizontal	PK	176	PASS
6	17311.1724	-68.48	-44.38	24.1	-25.0	19.4	Horizontal	PK	155	PASS


H_LTE_B7_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.2968	-45.96	-65.72	-19.8	-25.0	40.7	Vertical	PK	230	PASS
2	64.7762	-50.48	-69.83	-19.4	-25.0	44.8	Vertical	PK	292	PASS
3	2703.9408	-58.38	-45.11	13.3	-25.0	20.1	Vertical	PK	5	PASS
4	3680.6687	-57.02	-55.30	1.7	-25.0	30.3	Vertical	PK	292	PASS
5	6936.0374	-62.49	-51.56	10.9	-25.0	26.6	Vertical	PK	47	PASS
6	10157.9263	-63.37	-44.23	19.1	-25.0	19.2	Vertical	PK	112	PASS


V_LTE_B7_MID_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	33.1042	-50.67	-65.83	-15.2	-25.0	40.8	Horizontal	PK	355	PASS
2	47.4124	-56.58	-71.92	-15.3	-25.0	46.9	Horizontal	PK	293	PASS
3	2564.3129	-52.86	-41.40	11.5	-	-	Horizontal	PK	219	NA
4	5117.874	-58.47	-52.58	5.9	-25.0	27.6	Horizontal	PK	210	PASS
5	8919.4768	-64.03	-49.31	14.7	-25.0	24.3	Horizontal	PK	261	PASS
6	17303.4921	-69.05	-45.01	24.0	-25.0	20.0	Horizontal	PK	324	PASS

H_LTE_B7_HIGH_20M_30M-18G



Data List

No.	Frequency [MHz]	Reading [dBm]	Level [dBm]	Factor [dB]	Limit [dBm]	Margin [dB]	Polarity	Detector	Angle [°]	Verdict
1	46.3938	-46.28	-66.01	-19.7	-25.0	41.0	Vertical	PK	254	PASS
2	65.2128	-52.39	-71.85	-19.5	-25.0	46.9	Vertical	PK	254	PASS
3	2557.9116	-57.00	-44.45	12.6	-	-	Vertical	PK	91	NA
4	3669.5242	-56.75	-55.07	1.7	-25.0	30.1	Vertical	PK	30	PASS
5	6933.6373	-61.94	-51.02	10.9	-25.0	26.0	Vertical	PK	326	PASS
6	10240.0096	-63.40	-44.04	19.4	-25.0	19.0	Vertical	PK	156	PASS

V_LTE_B7_HIGH_20M_30M-18G