


KS2504
使用说明书
User Manual



香熏机 **Aromatherapy diffuser**

感谢您购买本产品，使用前请详细阅读说明书。


**Thank you very much for buying this product, please read
instruction book carefully before using it.**

产品简介 **Product Introduction**

本产品是用于室内空气香熏，并增加室内空气湿度的设备，改善室内环境，提供更加舒适的生活环境。

This product is used to spread fragrance in indoor air, increase indoor moisture rate, improve indoor environment and provide more comfortable living environment.

概况 **Overview**



使用方式 Usage Method

- 取下上盖。
➤ Take down top lid
- 取下水箱盖。
➤ Take down water tank lid.
- 将水加入水箱直至最高水位指示线。
➤ Add mater into water tank till reaching maximum water level indicator.
- 可以添加精油滴入水箱，或者不添加。
➤ Add drops of essential oil into water tank or not add.
- 盖好水箱盖。
➤ Cover up lid of water tank
- 盖好上盖。
➤ Cover up top lid
- 使用配套的线将香熏机连接 DC5V 适配器，电流需大于 1A，小于 2A。
➤ Use matching cord to connect aroma diffuser and DC5V adaptor, current value should be above 1A, but under 2A.
- 按下电源开关按钮启动香熏机。
➤ Press power button to switch on aroma diffuser
- 打开手机 APP 智能生活可远程遥控香熏机。
➤ Open Smart Life application in your smart phone to remote control the aroma diffuser.

产品参数 Product Parameters

产品名称：香熏机 Product name: Aromatherapy diffuser	水箱容量：125ml Water tank capacity: 125ml
型 号：KS2504 Product No: KS2504	额定功率：10W Rated power: 10W
额定电压：5V Rated Voltage: 5V	出雾量：15ml/h Mist volume: 15ml/h
产品尺寸：117X102X251mm Product size: 117x102x251mm	额定电流：2A Rated current: 2A
适用水质：纯净水或过滤水 Suitable water: purified or filter water is recommended	产品净量：410g Product N.W.: 410g
适用环境：室内 25 m ² 以内 Applicable environment: 25 m ² indoors	产品毛量：/

使用方法与功能介绍 Usage method and Function introduction

电源按钮 Power Button

- 按下电源按钮启动香熏机，喷雾跟灯光同时开启，启动已设定灯光颜色为彩灯。
● Press power button to turn on aroma diffuser, mist and light will simultaneously be on. The Default light color is colorful.
- 再次按下此按钮，香熏机将停止工作。
● Press the power button again, aroma diffuser will be switched off.
- 在香熏机开启模式下，双击此按钮开启本地音乐。
● As aroma diffuser is on, double click the power button to broadcast local music.

连接手机 APP **Connect App in your smart phone**

1. 手机应用商店下载智能生活 APP，打开手机蓝牙。
 - **Download Smart life App from Google or IOS App Store, open blue tooth in your smart phone.**
2. 按下电源按钮启动香熏机。
 - **Press power button to turn on aroma diffuser**
3. 点击 APP 右上角+号，增加设置。
 - **Click “+” on the upper right corner of home page, click“add device”.**
4. 选择 KS25TY，配对成功。
 - **Select KS25TY, pair successfully**
5. 按照 APP 界面遥控香熏机。
 - **Remote control Aroma diffuser according to interface of App.**
6. APP 可以遥控产品开关机，喷雾大小档，灯光颜色，灯光强弱，定时，播放本地音乐功能。
 - **App can remote control switch on/off, mist volume, light color, light brightness or darkness, timing and local music broadcast.**

播放手机音乐 **Broadcast Phone Music**

需要关闭 APP 设置里声音才能连接手机蓝牙

Connecting blue tooth in your smart phone is available prior to closing voice setting in your App.

1. 连接智能生活 APP 后。Firstly connecting smart life app.
2. 打开手机设置蓝牙配对界面选择 KS25LY 配对。Then open bluetooth pairing in the setting of your phone to select KS25LY to pair.
3. 配对成功后，可以播放手机音乐。
After successful pairing, broadcasting music in your smart phone is available.

本产品内置不可拆卸电池 **Non-detachable battery built in this product.**

1. 电池电压 3.7V,容量 5200mah，充满电后可以使用 4.5H，充电时间为 3.5H。
 - Voltage of battery is 3.7V, battery capacity is 5200mah. One fully charge can sustain aroma diffuser run for 4.5 hours, the charging time is 3.5 hours.
 2. 产品电池电量快用完时，电源/电池指示灯亮红色，请及时充电。
 - When the battery power is low, power/battery indicator light will turn red, please recharge timely.
 3. 禁止拆卸产品，改装，撞击或抛掷电池，禁止将产品投入火中或靠近热源。
 - Dismantling, modifying, bumping and throwing battery is prohibited.
- Forbidden to throw product into fire and place it close to heat source.

注意事项 **Cautions**

- 本产品请勿进行使用说明书列举外的用途。
- This product should not be used for purposes other than those listed in the user manual.
- 本产品只适用于 DC5V 适配器，电流需大于或等于 2A。
- This product is only applicable to DC5V adaptor, the current must be over 2A.
- 当水位低于水位感应位置时，产品会自动关机，自动关机后有剩水，属于正常现象，加水后可正常开机。

- When water level is under water level sensing indicator, the product will automatically turn off. It is normal that there is water remain in the product after automatic turnoff. This product can normally turn on after adding water.
- 请勿从出风口倒水，以免发生漏水损坏设备。
- Don't pour water from wind outlet to prevent equipment damage from water leaking.
- 请勿将水加满超过最高水位指示线。
- Don't add water over the maximum water level indicator.
- 请使用纯净水或者过滤水，水温接近室内温度。
- Please use purified or filtered water and water temperature should be close to room temperature.
- 当接通电源后出现异响，或者有烟雾，燃烧的气味，请立即关闭电源，拔掉插头，停止使用。
- As buzz come up after connecting power supply, or smell of smog and burning, please immediately turn off aroma diffuser, plug off adaptor and not use.
- 请将设备放置在平坦坚固而干净的表面上使用，不可放置在地毯或地垫等不平坦或不稳定的表面，表面不能有积水，灰尘，纸屑，毛发等异物。避免异物进入设备内部，造成内部零件损坏，工作异常。
- Please use this product on the solid, flat and clean surface. Placing it on uneven and unsteady surfaces such as carpet or cushion is prohibited. Surfaces must be clean without seeper, dust, paper scrap, hair and so on. Avoid foreign matter into the equipment inside to protect inside components and functionality.
- 存储或移动设备时，请关闭设备，拔掉电源，清空水箱。
- Please switch off aroma diffuser, plug power supply off and empty water tank before Storing or moving aroma diffuser.
- 请勿将本产品放置于阳光直射的地方，或靠近高温环境，以免影响使用和造成危险。
- Please don't place the product in direct sunshine or near a high temperature environment so as not to affect the use and cause danger.
- 不能撞击或跌摔设备，这会导致香熏机损坏。
- Please don't impact and fall off product to damage aroma diffuser.
- 本产品不用于医疗用途，须在监护人的监督或指导下使用本机器。
- This product isn't applicable for medical purpose. This product used by minors should be under guardian's direction and supervision.
- 室内使用面积小于 25 m²。
- Applicable indoor area should be less than 25 m².

常见故障排除 Common Troubleshooting

如果您的香薰机不能正常工作，请进行以下检查：

If your aroma diffusers can't work normally, please do following checks.

故障现象 Defects	原因分析 Cause Analysis	排除方法 Solution
启动失败 自动关机	电源未接通 Power supply disconnected.	接好电源，检查充电头好坏，接头松动 Connect power, check charger and plug in good condition or

Failed Start and Automatic shutoff.		not.
	水量不足 insufficient water	加水至最高水位指示线 Add water till reaching maximum water level indicator
	产品放置不平整，有歪斜 Product placed on uneven and slant surface	将产品放置平坦坚固的表面，不可堵塞底部入气口 Place product on flat and solid surface, and not choke air inlet at the bottom.
	是否往排气倒水 Pour water off from air outlet	确保不往出风口倒水，造成设备损坏 Ensure not to pour water from wind outlet to damage equipment.
雾化失败，灯光正常 Failed atomization but normal lighting	出雾口堵塞 Mist outlet choked	检查出雾口是否被异物堵塞 Check mist outlet choked by foreign matter or not.
	入气口堵塞 Air inlet choked	检查入气口是否被异物堵塞 Check air inlet choked by foreign matter or not.
	室内温度过低 Lower room temperature	室内温度不要低于 10 度以下 Room temperature should be over 10°C。
	水量不足或超过最高水位指示线 Less water or over maximum water level indicator.	检查水量是否过低或者过高 Check water capacity is small or large.
喷雾量小 Small mist volume	加水过多 Too much water added	调整水位至最高水位指示线 Add water to maximum water level indicator
	室内温度过低 Lower room temperature	调节室内温度 Adjust room temperature
	雾化片有脏污 Dirt and dust on atomization plate	清理雾化片脏污 Clean dirt on the atomization plate
	水脏或水存放时间长 Dirty water or water storage too long	更换清洁的水 Change clean water
	上盖没有合到位 Top cover not fit well	检查上盖是否合到位 Check top cover fitted well or not.
异常噪音 Abnormal noise	与放置台面发生共振 Syntony with placing table surface	放置在平坦坚固的表面 Place on flat and solid surface

蓝牙无法配对产品，蓝牙未连接 Bluetooth can't match product, Bluetooth disconnected.	产品未进入配对模式，蓝牙未开启 Product didn't enter into pairing mode, Bluetooth not started.	长按产品按键 3 秒钟激活蓝牙配对模式，并确保蓝牙开启 Push button 3s to activate Bluetooth matching mode and ensure Bluetooth is on.
	蓝牙连接距离太远 The distance of Bluetooth connection is too long.	将需要连接蓝牙的设备与香熏距离缩短至 10 米内，避开金属墙体等干扰源 Shorten this distance between aroma diffuser and Bluetooth facility to 10meters and avoid metallic wall.
	蓝牙断连 Bluetooth disconnected	关闭设备蓝牙并重启音响，删除配对记录后重新连接 Close Bluetooth of equipment and reboot speaker, delete pairing records to reconnect
	蓝牙配对列表已满 Bluetooth pairing list is full	清除音响配对记录并重新配对 Delete speaker pairing records and pair again.
产品播放音乐出现杂音，失真 Noise and distortion come about as Product broadcast music.	蓝牙信号受 Wi-Fi 路由器、微波炉等频段设备干扰 Bluetooth signal disturb by VGF like Wi-Fi router and microwave	关闭周边无线设备，或将香熏机移至干扰较少区域 Close down peripheral wireless facilities or move aroma diffusers to less disturbing area.
	音频文件质量低 Low quality audio files	优先选择无损音源 优先选择无损音源 Undamaged sound source is preferred.
	音响长时间高音量运行导致功放过载 Speaker work long time at high volume to incur function overload	降低音量至 50%，避免长时间满负荷使用 Low voice volume by 50% to avoid long period overloaded operation.

产品认证 Product Certification

FCC CE ROHS2.0 CNAS

包装配件 Product Accessory

1.USB 电源线 USB cord	2.产品说明书 Product instructions	3.产品包装盒 Product Package Box
--------------------	------------------------------	-----------------------------

说明书以中文版为准

USER MANUAL IS SUBJECT TO CHINESE VERSION.

制造商：景星塑胶模具深圳有限公司

Manufacturer: K-Star Plastic Mold (Shenzhen) Co., Ltd.

地址：深圳市宝安区航城街道黄田社区东望洋工业区 2 号厂房 1 层、2 层、3 层

Add: Floor 1-4, Building No.2, Dongwangyang Industrial Zone, Huangtian Community, Hangcheng Subdistrict, Baoan District, Shenzhen, P.R. CHINA

电话：0755-27512820

Telephone: 0755-27512820

FCC Statement

Note: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:(1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with minimum distance 20cm between the radiator & your body.