


Band Edge NVNT n40 5510MHz Low Ant1

Spectrum

Ref Level 20.00 dBm Offset 9.14 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 500/500

1Pk Max



Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.51194 GHz	9.70 dBm		
M2		1	5.47 GHz	-36.65 dBm		
M3		1	5.4684 GHz	-33.39 dBm		

Band Edge NVNT n40 5670MHz High Ant1

Spectrum


Ref Level 20.00 dBm Offset 9.26 dB RBW 1 MHz
Att 30 dB SWT 1 ms VBW 3 MHz Mode Auto Sweep
SGL Count 100/100


1Pk Max





Marker


Type	Ref	Trc	X-value	Y-value	Function	Function Result
M1		1	5.66826 GHz	11.33 dBm		
M2		1	5.725 GHz	-37.67 dBm		
M3		1	5.7738 GHz	-35.46 dBm		


















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5500	Ant1	-27.7	-27	Pass
NVNT	a	5600	Ant1	-29.17	-27	Pass
NVNT	a	5700	Ant1	-28.71	-27	Pass
NVNT	a	5500	Ant2	-29.18	-27	Pass
NVNT	a	5600	Ant2	-28.71	-27	Pass
NVNT	a	5700	Ant2	-29.07	-27	Pass
NVNT	n20	5500	Ant1	-29.18	-27	Pass
NVNT	n20	5600	Ant1	-28.85	-27	Pass
NVNT	n20	5700	Ant1	-28.78	-27	Pass
NVNT	n20	5500	Ant2	-29.06	-27	Pass
NVNT	n20	5600	Ant2	-37.39	-27	Pass
NVNT	n20	5700	Ant2	-28.79	-27	Pass
NVNT	n40	5510	Ant1	-29.62	-27	Pass
NVNT	n40	5590	Ant1	-27.99	-27	Pass
NVNT	n40	5670	Ant1	-29.58	-27	Pass
NVNT	n40	5510	Ant2	-27.93	-27	Pass
NVNT	n40	5590	Ant2	-37.01	-27	Pass
NVNT	n40	5670	Ant2	-29.31	-27	Pass
NVNT	ac20	5500	Ant1	-27.9	-27	Pass
NVNT	ac20	5600	Ant1	-28.46	-27	Pass
NVNT	ac20	5700	Ant1	-28.16	-27	Pass
NVNT	ac20	5500	Ant2	-29.13	-27	Pass
NVNT	ac20	5600	Ant2	-37.08	-27	Pass
NVNT	ac20	5700	Ant2	-28.55	-27	Pass
NVNT	ac40	5510	Ant1	-28.66	-27	Pass
NVNT	ac40	5590	Ant1	-28.65	-27	Pass
NVNT	ac40	5670	Ant1	-29.4	-27	Pass
NVNT	ac40	5510	Ant2	-28.77	-27	Pass
NVNT	ac40	5590	Ant2	-37.77	-27	Pass
NVNT	ac40	5670	Ant2	-29	-27	Pass
NVNT	ac80	5530	Ant1	-28.98	-27	Pass
NVNT	ac80	5610	Ant1	-28.55	-27	Pass
NVNT	ac80	5530	Ant2	-28	-27	Pass
NVNT	ac80	5610	Ant2	-28.76	-27	Pass

Test Graphs


Tx. Spurious NVNT a 5500MHz Ant1 Emission




Tx. Spurious NVNT a 5600MHz Ant1 Emission




Tx. Spurious NVNT a 5700MHz Ant1 Emission




Tx. Spurious NVNT a 5500MHz Ant2 Emission




Tx. Spurious NVNT a 5600MHz Ant2 Emission




Tx. Spurious NVNT a 5700MHz Ant2 Emission




Tx. Spurious NVNT n20 5500MHz Ant1 Emission




Tx. Spurious NVNT n20 5600MHz Ant1 Emission





Tx. Spurious NVNT n20 5700MHz Ant1 Emission




Tx. Spurious NVNT n20 5500MHz Ant2 Emission












Tx. Spurious NVNT n40 5590MHz Ant2 Emission




Tx. Spurious NVNT n40 5670MHz Ant2 Emission




Tx. Spurious NVNT ac20 5500MHz Ant1 Emission




Tx. Spurious NVNT ac20 5600MHz Ant1 Emission




Tx. Spurious NVNT ac20 5700MHz Ant1 Emission




Tx. Spurious NVNT ac20 5500MHz Ant2 Emission







Tx. Spurious NVNT ac40 5510MHz Ant1 Emission




Tx. Spurious NVNT ac40 5590MHz Ant1 Emission




Tx. Spurious NVNT ac40 5670MHz Ant1 Emission




Tx. Spurious NVNT ac40 5510MHz Ant2 Emission




Tx. Spurious NVNT ac40 5590MHz Ant2 Emission




Tx. Spurious NVNT ac40 5670MHz Ant2 Emission




Tx. Spurious NVNT ac80 5530MHz Ant1 Emission




Tx. Spurious NVNT ac80 5610MHz Ant1 Emission



Tx. Spurious NVNT ac80 5530MHz Ant2 Emission



Tx. Spurious NVNT ac80 5610MHz Ant2 Emission



5.6G WIFI MIMO

Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5500	Ant1	11.52	24	Pass
NVNT	ac20	5500	Ant2	11.67	24	Pass
NVNT	ac20	5500	Sum	14.61	24	Pass
NVNT	ac20	5600	Ant1	12.54	24	Pass
NVNT	ac20	5600	Ant2	12.71	24	Pass
NVNT	ac20	5600	Sum	15.64	24	Pass
NVNT	ac20	5700	Ant1	12.32	24	Pass
NVNT	ac20	5700	Ant2	12.21	24	Pass
NVNT	ac20	5700	Sum	15.28	24	Pass
NVNT	ac40	5510	Ant1	11.13	24	Pass
NVNT	ac40	5510	Ant2	11.17	24	Pass
NVNT	ac40	5510	Sum	14.16	24	Pass
NVNT	ac40	5590	Ant1	12.06	24	Pass
NVNT	ac40	5590	Ant2	11.55	24	Pass
NVNT	ac40	5590	Sum	14.82	24	Pass
NVNT	ac40	5670	Ant1	12.55	24	Pass
NVNT	ac40	5670	Ant2	12.52	24	Pass
NVNT	ac40	5670	Sum	15.55	24	Pass
NVNT	ac80	5530	Ant1	11.08	24	Pass
NVNT	ac80	5530	Ant2	11.04	24	Pass
NVNT	ac80	5530	Sum	14.07	24	Pass
NVNT	ac80	5610	Ant1	12.22	24	Pass
NVNT	ac80	5610	Ant2	12.47	24	Pass
NVNT	ac80	5610	Sum	15.36	24	Pass
NVNT	n20	5500	Ant1	11.22	24	Pass
NVNT	n20	5500	Ant2	11.44	24	Pass
NVNT	n20	5500	Sum	14.34	24	Pass
NVNT	n20	5600	Ant1	12.31	24	Pass
NVNT	n20	5600	Ant2	12.5	24	Pass
NVNT	n20	5600	Sum	15.42	24	Pass
NVNT	n20	5700	Ant1	12.08	24	Pass
NVNT	n20	5700	Ant2	12.08	24	Pass
NVNT	n20	5700	Sum	15.09	24	Pass

NVNT	n40	5510	Ant1	10.94	24	Pass
NVNT	n40	5510	Ant2	10.88	24	Pass
NVNT	n40	5510	Sum	13.92	24	Pass
NVNT	n40	5590	Ant1	12.4	24	Pass
NVNT	n40	5590	Ant2	11.73	24	Pass
NVNT	n40	5590	Sum	15.09	24	Pass
NVNT	n40	5670	Ant1	12.83	24	Pass
NVNT	n40	5670	Ant2	12.74	24	Pass
NVNT	n40	5670	Sum	15.8	24	Pass


Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	ac20	5500	Ant1	-5.28	0.38	-4.9	11	Pass
NVNT	ac20	5500	Ant2	-5.01	0.38	-4.63	11	Pass
NVNT	ac20	5500	Sum	-2.13	0.38	-1.75	11	Pass
NVNT	ac20	5600	Ant1	-1.29	0.02	-1.27	11	Pass
NVNT	ac20	5600	Ant2	-2.14	0.02	-2.12	11	Pass
NVNT	ac20	5600	Sum	1.32	0.02	1.34	11	Pass
NVNT	ac20	5700	Ant1	-2.21	0.21	-2	11	Pass
NVNT	ac20	5700	Ant2	-2.7	0.21	-2.49	11	Pass
NVNT	ac20	5700	Sum	0.56	0.21	0.77	11	Pass
NVNT	ac40	5510	Ant1	-11.71	0.68	-11.03	11	Pass
NVNT	ac40	5510	Ant2	-11.64	0.68	-10.96	11	Pass
NVNT	ac40	5510	Sum	-8.66	0.68	-7.98	11	Pass
NVNT	ac40	5590	Ant1	-10.89	0.67	-10.22	11	Pass
NVNT	ac40	5590	Ant2	-12	0.67	-11.33	11	Pass
NVNT	ac40	5590	Sum	-8.4	0.67	-7.73	11	Pass
NVNT	ac40	5670	Ant1	-6.51	0.47	-6.04	11	Pass
NVNT	ac40	5670	Ant2	-8.59	0.47	-8.12	11	Pass
NVNT	ac40	5670	Sum	-4.42	0.47	-3.95	11	Pass
NVNT	ac80	5530	Ant1	-15.86	1.37	-14.49	11	Pass
NVNT	ac80	5530	Ant2	-17.82	1.37	-16.45	11	Pass
NVNT	ac80	5530	Sum	-13.72	1.37	-12.35	11	Pass
NVNT	ac80	5610	Ant1	-18.93	1.37	-17.56	11	Pass
NVNT	ac80	5610	Ant2	-18.72	1.37	-17.35	11	Pass
NVNT	ac80	5610	Sum	-15.81	1.37	-14.44	11	Pass
NVNT	n20	5500	Ant1	-2.38	0.31	-2.07	11	Pass
NVNT	n20	5500	Ant2	-4.06	0.31	-3.75	11	Pass
NVNT	n20	5500	Sum	-0.13	0.31	0.18	11	Pass
NVNT	n20	5600	Ant1	-1.8	0.33	-1.47	11	Pass
NVNT	n20	5600	Ant2	-2.15	0.33	-1.82	11	Pass
NVNT	n20	5600	Sum	1.04	0.33	1.37	11	Pass
NVNT	n20	5700	Ant1	-3.94	0.31	-3.63	11	Pass
NVNT	n20	5700	Ant2	-4.54	0.31	-4.23	11	Pass
NVNT	n20	5700	Sum	-1.22	0.31	-0.91	11	Pass
NVNT	n40	5510	Ant1	-11.06	0.66	-10.4	11	Pass
NVNT	n40	5510	Ant2	-11.35	0.66	-10.69	11	Pass
NVNT	n40	5510	Sum	-8.19	0.66	-7.53	11	Pass
NVNT	n40	5590	Ant1	-9.5	0.68	-8.82	11	Pass
NVNT	n40	5590	Ant2	-10.94	0.68	-10.26	11	Pass
NVNT	n40	5590	Sum	-7.15	0.68	-6.47	11	Pass
NVNT	n40	5670	Ant1	-7.37	0.66	-6.71	11	Pass
NVNT	n40	5670	Ant2	-8.22	0.66	-7.56	11	Pass

358/ 531

Test Graphs

PSD NVNT ac20 5500MHz Ant1



PSD NVNT ac20 5500MHz Ant2

