



Antenna Specification


Product name	Wireless TENS & EMS Unit
Mode Name	TX6224
Company Name	Changsha Anxiang Medical Technology Co., LTD
Company Address	9th Floor, R&D Center And Supporting Projects 101, No. 18 Shaoshan Middle Road, Dongtang Street Yuhua District Changsha Hunan, CN 410000
Antenna Model	XLK-TX6224-BT-V1.0
Maximum Gain	0.09dBi
Antenna Type	monopole
Antenna Dimensions (mm)	 Technical drawing of the antenna showing dimensions: 32.82 mm (main body length), 8.07 mm (base width), and 2.19 mm (mounting bracket height). The model number XLK-TX6224-BT-V1.0 is also indicated on the drawing.

Passive Test For WIFI2.4												
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHS (%)	Max (dB)	Min (dB)	Directivity (dBi)	Beam width (3dB)	AttH (dB)	AttV (dB)
2400	24	-6.2	-1.82	-3.97	15.682	8.322	-1.82	-21.1	4.38	90	46.08	46.39
2410	24.63	-6.09	-1.57	-3.72	16.045	8.582	-1.57	-20.44	4.51	90	46.1	46.51
2420	25.04	-6.01	-1.37	-3.52	16.302	8.734	-1.37	-19	4.65	90	45.96	46.45
2430	25.96	-5.86	-1.1	-3.25	16.904	9.059	-1.1	-17.44	4.76	90	45.92	46.37
2440	30.65	-5.14	-0.32	-2.47	19.983	10.669	-0.32	-16.11	4.82	90	46.48	46.88
2450	33.82	-4.71	0.09	-2.06	21.973	11.844	0.09	-15.33	4.79	90	46.82	47.29
2460	32.55	-4.87	-0.13	-2.28	21.005	11.547	-0.13	-15.12	4.75	90	46.64	46.97
2470	28.93	-5.39	-0.74	-2.89	18.428	10.5	-0.74	-16.02	4.64	90	46.54	46.81
2480	33.52	-4.75	-0.24	-2.39	21.014	12.507	-0.24	-15.58	4.5	90	46.55	46.85
2490	31.9	-4.96	-0.57	-2.72	19.686	12.216	-0.57	-16.02	4.4	120	46.17	46.44
2500	28.25	-5.49	-1.28	-3.43	17.063	11.185	-1.28	-16.69	4.21	150	45.75	46.05


2400.00MHz - 2500.00MHz Gain




2400.00MHz - 2500.00MHz Efficiency




2400.000MHz




2400.000MHz H




2400.000MHz E1




2400.000MHz E2




2410.000MHz




2410.000MHz H




2410.000MHz E1




2410.000MHz E2




2420.000MHz




2420.000MHz H




2420.000MHz E1




2420.000MHz E2




2430.000MHz




2430.000MHz H




2430.000MHz E1




2430.000MHz E2




2440.000MHz




2440.000MHz H




2440.000MHz E1




2440.000MHz E2




2450.000MHz




2450.000MHz H




2450.000MHz E1




2450.000MHz E2




2460.000MHz




2460.000MHz H




2460.000MHz E1




2460.000MHz E2




2470.000MHz




2470.000MHz H




2470.000MHz E1




2470.000MHz E2




2480.000MHz




2480.000MHz H




2480.000MHz E1




2480.000MHz E2




2490.000MHz




2490.000MHz H




2490.000MHz E1




2490.000MHz E2




2500.000MHz



2500.000MHz H



2500.000MHz E1



2500.000MHz E2

