


Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5310Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	35.48	59.85	68.20	8.35	PASS	Horizontal	PK
2	5350	24.37	26.47	50.84	54.00	3.16	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5310Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.91	56.28	68.20	11.92	PASS	Vertical	PK
2	5350	24.37	21.85	46.22	54.00	7.78	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5290Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	37.09	61.46	68.20	6.74	PASS	Horizontal	PK
2	5350	24.37	23.78	48.15	54.00	5.85	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5290Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	34.20	58.57	68.20	9.63	PASS	Vertical	PK
2	5350	24.37	22.35	46.72	54.00	7.28	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti	Test_Frequency	5320Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	35.11	59.48	68.20	8.72	PASS	Horizontal	PK
2	5350	24.37	25.25	49.62	54.00	4.38	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT20)Transmitti	Test_Frequency	5320Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	31.86	56.23	68.20	11.97	PASS	Vertical	PK
2	5350	24.37	20.32	44.69	54.00	9.31	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti	Test_Frequency	5310Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	36.15	60.52	68.20	7.68	PASS	Horizontal	PK
2	5350	24.37	26.24	50.61	54.00	3.39	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti	Test_Frequency	5310Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	32.61	56.98	68.20	11.22	PASS	Vertical	PK
2	5350	24.37	21.54	45.91	54.00	8.09	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti	Test_Frequency	5290Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	35.37	59.74	68.20	8.46	PASS	Horizontal	PK
2	5350	24.37	22.76	47.13	54.00	6.87	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti	Test_Frequency	5290Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5350	24.37	34.67	59.04	68.20	9.16	PASS	Vertical	PK
2	5350	24.37	22.05	46.42	54.00	7.58	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	35.64	60.41	68.20	7.79	PASS	Horizontal	PK
2	5460	24.77	23.70	48.47	54.00	5.53	PASS	Horizontal	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.28	57.05	68.20	11.15	PASS	Vertical	PK
2	5460	24.77	20.10	44.87	54.00	9.13	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	22.48	40.85	63.33	68.26	4.93	PASS	Horizontal	PK
2	5470	22.48	27.47	49.95	54.00	4.05	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5470	22.48	40.63	63.11	68.26	5.15	PASS	Vertical	PK
2	5470	22.48	26.44	48.92	54.00	5.08	PASS	Vertical	AV

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.11	60.88	68.20	7.32	PASS	Horizontal	PK
2	5460	24.77	24.08	48.85	54.00	5.15	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.34	61.11	68.20	7.09	PASS	Horizontal	PK
2	5460	24.77	26.20	50.97	54.00	3.03	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.07	57.84	68.20	10.36	PASS	Vertical	PK
2	5460	24.77	22.56	47.33	54.00	6.67	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	37.49	62.26	68.20	5.94	PASS	Horizontal	PK
2	5460	24.77	25.50	50.27	54.00	3.73	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.24	58.01	68.20	10.19	PASS	Vertical	PK
2	5460	24.77	23.05	47.82	54.00	6.18	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.08	60.85	68.20	7.35	PASS	Horizontal	PK
2	5460	24.77	25.90	50.67	54.00	3.33	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT80) Transmitting	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.56	57.33	68.20	10.87	PASS	Vertical	PK
2	5460	24.77	22.34	47.11	54.00	6.89	PASS	Vertical	AV

Test_Mode	802.11 ac(VHT160) Transmitting	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.62	61.39	68.20	6.81	PASS	Horizontal	PK
2	5460	24.77	25.05	49.82	54.00	4.18	PASS	Horizontal	AV

Test_Mode	802.11 ac(VHT160) Transmitting	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.89	58.66	68.20	9.54	PASS	Vertical	PK
2	5460	24.77	22.27	47.04	54.00	6.96	PASS	Vertical	AV

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	35.03	59.80	68.20	8.40	PASS	Horizontal	PK
2	5460	24.77	25.53	50.30	54.00	3.70	PASS	Horizontal	AV

Test_Mode	802.11ax(HE20)Transmittin	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.95	57.72	68.20	10.48	PASS	Vertical	PK
2	5460	24.77	22.67	47.44	54.00	6.56	PASS	Vertical	AV

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	36.98	61.75	68.20	6.45	PASS	Horizontal	PK
2	5460	24.77	25.72	50.49	54.00	3.51	PASS	Horizontal	AV

Test_Mode	802.11ax(HE40)Transmittin	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	34.37	59.14	68.20	9.06	PASS	Vertical	PK
2	5460	24.77	23.34	48.11	54.00	5.89	PASS	Vertical	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	34.99	59.76	68.20	8.44	PASS	Horizontal	PK
2	5460	24.77	25.66	50.43	54.00	3.57	PASS	Horizontal	AV

Test_Mode	802.11ax(HE80)Transmittin	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.58	57.35	68.20	10.85	PASS	Vertical	PK
2	5460	24.77	21.33	46.10	54.00	7.90	PASS	Vertical	AV

Test_Mode	802.11ax(HE160)Transmitti	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	39.27	64.04	68.20	4.16	PASS	Horizontal	PK
2	5460	24.77	23.78	48.55	54.00	5.45	PASS	Horizontal	AV

Test_Mode	802.11ax(HE160)Transmitti	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.39	57.16	68.20	11.04	PASS	Vertical	PK
2	5460	24.77	22.09	46.86	54.00	7.14	PASS	Vertical	AV

Test_Mode	802.11 be(EHT20)Transmitti	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	34.51	59.28	68.20	8.92	PASS	Horizontal	PK
2	5460	24.77	25.09	49.86	54.00	4.14	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT20)Transmitti	Test_Frequency	5500Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.30	58.07	68.20	10.13	PASS	Vertical	PK
2	5460	24.77	22.66	47.43	54.00	6.57	PASS	Vertical	AV

Test_Mode	802.11 be(EHT40)Transmitti	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	34.82	59.59	68.20	8.61	PASS	Horizontal	PK
2	5460	24.77	25.52	50.29	54.00	3.71	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT40)Transmitti	Test_Frequency	5510Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.40	58.17	68.20	10.03	PASS	Vertical	PK
2	5460	24.77	22.59	47.36	54.00	6.64	PASS	Vertical	AV

Test_Mode	802.11 be(EHT80)Transmitti	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	33.78	58.55	68.20	9.65	PASS	Horizontal	PK
2	5460	24.77	25.27	50.04	54.00	3.96	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT80)Transmitti	Test_Frequency	5530Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	31.94	56.71	68.20	11.49	PASS	Vertical	PK
2	5460	24.77	20.14	44.91	54.00	9.09	PASS	Vertical	AV

Test_Mode	802.11 be(EHT160)Transmit	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	35.35	60.12	68.20	8.08	PASS	Horizontal	PK
2	5460	24.77	25.65	50.42	54.00	3.58	PASS	Horizontal	AV

Test_Mode	802.11 be(EHT160)Transmit	Test_Frequency	5570Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5460	24.77	32.23	57.00	68.20	11.20	PASS	Vertical	PK
2	5460	24.77	19.27	44.04	54.00	9.96	PASS	Vertical	AV

Test_Mode	802.11 a Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5745.647	-5.40	104.34	98.94	122.20	23.26	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5751.916	-5.25	103.99	98.74	122.20	23.46	PASS	Vertical	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5824.4472	-5.27	104.68	99.41	122.20	22.79	PASS	Horizontal	PK

Test_Mode	802.11 a Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5824.4472	-5.27	104.23	98.96	122.20	23.24	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5743.8569	-5.47	105.25	99.78	122.20	22.42	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5746.5433	-5.37	105.26	99.89	122.20	22.31	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5825.3427	-5.26	104.60	99.34	122.20	22.86	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5826.2381	-5.26	105.02	99.76	122.20	22.44	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5757.2886	-5.27	102.66	97.39	122.20	24.81	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5755Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5752.8114	-5.26	102.37	97.11	122.20	25.09	PASS	Vertical	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5791.3157	-5.43	102.76	97.33	122.20	24.87	PASS	Horizontal	PK

Test_Mode	802.11 n(HT40) Transmitting	Test_Frequency	5795Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5796.6883	-5.45	101.88	96.43	122.20	25.77	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5747.4387	-5.34	104.83	99.49	122.20	22.71	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5745Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5743.8569	-5.47	105.14	99.67	122.20	22.53	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5823.5518	-5.28	104.37	99.09	122.20	23.11	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT20) Transmitting	Test_Frequency	5825Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5824.4472	-5.27	104.33	99.06	122.20	23.14	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5759.0795	-5.28	102.16	96.88	122.20	25.32	PASS	Horizontal	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5755Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	5759.0795	-5.28	101.94	96.66	122.20	25.54	PASS	Vertical	PK

Test_Mode	802.11 ac(VHT40) Transmitting	Test_Frequency	5795Mhz
Tset_Engineer	chenjun	Test_Date	2025/09/22
Remark	22.1°C50.8%\		

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBµV]	Level [dBµV/m]	Limit [dBµV/m]	Margin [dB]	Result	Polarity	Remark
1	5796.6883	-5.45	102.39	96.94	122.20	25.26	PASS	Horizontal	PK