

Appendix A: DTS Bandwidth

Test Result

TestMode	Antenna	Frequency[MHz]	DTS BW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	0.684	2401.656	2402.340	0.5	PASS
BLE_1M	Ant1	2440	0.696	2439.652	2440.348	0.5	PASS
BLE_1M	Ant1	2480	0.688	2479.656	2480.344	0.5	PASS
BLE_2M	Ant1	2402	1.108	2401.448	2402.556	0.5	PASS
BLE_2M	Ant1	2440	1.128	2439.452	2440.580	0.5	PASS
BLE_2M	Ant1	2480	1.144	2479.432	2480.576	0.5	PASS


Test Graphs




BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2440-PASS



BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2440-PASS




BLE_2M-Ant1-2480-PASS

Appendix B: Occupied Channel Bandwidth


Test Result

TestMode	Antenna	Frequency[MHz]	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
BLE_1M	Ant1	2402	1.0592	2401.4732	2402.5324	---	---
BLE_1M	Ant1	2440	1.0461	2439.4763	2440.5224	---	---
BLE_1M	Ant1	2480	1.0560	2479.4713	2480.5273	---	---
BLE_2M	Ant1	2402	2.0503	2400.9947	2403.0450	---	---
BLE_2M	Ant1	2440	2.0521	2438.9920	2441.0441	---	---
BLE_2M	Ant1	2480	2.0692	2478.9771	2481.0463	---	---


Test Graphs



BLE_1M-Ant1-2402



BLE_1M-Ant1-2440



BLE_1M-Ant1-2480



BLE_2M-Ant1-2402



BLE_2M-Ant1-2440




BLE_2M-Ant1-2480

Appendix C: Maximum conducted output power


Test Result Peak

TestMode	Antenna	Frequency [MHz]	Conducted Peak Power[dBm]	Conducted Limit[dBm]	Verdict
BLE_1M	Ant1	2402	-0.80	≤30	PASS
BLE_1M	Ant1	2440	0.79	≤30	PASS
BLE_1M	Ant1	2480	0.59	≤30	PASS
BLE_2M	Ant1	2402	-0.73	≤30	PASS
BLE_2M	Ant1	2440	0.76	≤30	PASS
BLE_2M	Ant1	2480	0.57	≤30	PASS


Test Graphs Peak




BLE_1M-Ant1-2402-PASS



BLE_1M-Ant1-2440-PASS




BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2440-PASS



BLE_2M-Ant1-2480-PASS

Appendix D: Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Result[dBm/3kHz]	Limit[dBm/3kHz]	Verdict
BLE_1M	Ant1	2402	-17.28	≤8.00	PASS
BLE_1M	Ant1	2440	-15.70	≤8.00	PASS
BLE_1M	Ant1	2480	-15.97	≤8.00	PASS
BLE_2M	Ant1	2402	-18.86	≤8.00	PASS
BLE_2M	Ant1	2440	-17.29	≤8.00	PASS
BLE_2M	Ant1	2480	-17.71	≤8.00	PASS


Test Graphs



BLE_1M-Ant1-2402-PASS




BLE_1M-Ant1-2440-PASS



BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2440-PASS




BLE_2M-Ant1-2480-PASS

Appendix E: Band edge measurements


Test Result

TestMode	Antenna	ChName	Frequency [MHz]	RefLevel[dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	Low	2402	-1.09	-50.53	≤-21.09	PASS
BLE_1M	Ant1	High	2480	-0.44	-49.6	≤-20.44	PASS
BLE_2M	Ant1	Low	2402	-4.19	-36.12	≤-24.19	PASS
BLE_2M	Ant1	High	2480	-0.15	-50.56	≤-20.15	PASS


Test Graphs




BLE_1M-Ant1-2402-PASS



BLE_1M-Ant1-2480-PASS



BLE_2M-Ant1-2402-PASS



BLE_2M-Ant1-2480-PASS

Appendix F: Conducted Spurious Emission


Test Result

TestMode	Antenna	Frequency [MHz]	FreqRange [MHz]	RefLevel [dBm]	Result[dBm]	Limit[dBm]	Verdict
BLE_1M	Ant1	2402	0~Reference	-2.46	-2.46	---	PASS
BLE_1M	Ant1	2402	30~1000	-2.46	-62.31	≤-22.46	PASS
BLE_1M	Ant1	2402	1000~26500	-2.46	-50.62	≤-22.46	PASS
BLE_1M	Ant1	2440	0~Reference	-1.13	-1.13	---	PASS
BLE_1M	Ant1	2440	30~1000	-1.13	-62.9	≤-21.13	PASS
BLE_1M	Ant1	2440	1000~26500	-1.13	-51.28	≤-21.13	PASS
BLE_1M	Ant1	2480	0~Reference	0.02	0.02	---	PASS
BLE_1M	Ant1	2480	30~1000	0.02	-62.58	≤-19.98	PASS
BLE_1M	Ant1	2480	1000~26500	0.02	-49.49	≤-19.98	PASS
BLE_2M	Ant1	2402	0~Reference	-1.52	-1.52	---	PASS
BLE_2M	Ant1	2402	30~1000	-1.52	-63.96	≤-21.52	PASS
BLE_2M	Ant1	2402	1000~26500	-1.52	-52.02	≤-21.52	PASS
BLE_2M	Ant1	2440	0~Reference	-0.57	-0.57	---	PASS
BLE_2M	Ant1	2440	30~1000	-0.57	-63.36	≤-20.57	PASS
BLE_2M	Ant1	2440	1000~26500	-0.57	-51.28	≤-20.57	PASS
BLE_2M	Ant1	2480	0~Reference	0.20	0.20	---	PASS
BLE_2M	Ant1	2480	30~1000	0.20	-63.15	≤-19.8	PASS
BLE_2M	Ant1	2480	1000~26500	0.20	-53.19	≤-19.8	PASS


Test Graphs



BLE_1M-Ant1-2402-0~Reference-PASS




BLE_1M-Ant1-2402-30~1000-PASS




BLE_1M-Ant1-2402-1000~26500-PASS



BLE_1M-Ant1-2440-0~Reference-PASS




BLE_1M-Ant1-2440-30~1000-PASS




BLE_1M-Ant1-2440-1000~26500-PASS




BLE_1M-Ant1-2480-0~Reference-PASS




BLE_1M-Ant1-2480-30~1000-PASS




BLE_1M-Ant1-2480-1000~26500-PASS




BLE_2M-Ant1-2402-0~Reference-PASS




BLE_2M-Ant1-2402-30~1000-PASS




BLE_2M-Ant1-2402-1000~26500-PASS




BLE_2M-Ant1-2440-0~Reference-PASS




BLE_2M-Ant1-2440-30~1000-PASS




BLE_2M-Ant1-2440-1000~26500-PASS



BLE_2M-Ant1-2480-0~Reference-PASS



BLE_2M-Ant1-2480-30~1000-PASS




BLE_2M-Ant1-2480-1000~26500-PASS

Appendix G: Duty Cycle


Test Result

TestMode	Antenna	Frequency[MHz]	ON Time [ms]	Period [ms]	Duty Cycle [%]
BLE_1M	Ant1	2402	2.14	2.50	85.60
BLE_1M	Ant1	2440	2.14	2.50	85.60
BLE_1M	Ant1	2480	2.14	2.50	85.60
BLE_2M	Ant1	2402	1.08	1.87	57.75
BLE_2M	Ant1	2440	1.08	1.88	57.45
BLE_2M	Ant1	2480	1.08	1.87	57.75


Test Graphs




NTNV-BLE_1M-Ant1-2402




NTNV-BLE_1M-Ant1-2440




NTNV-BLE_1M-Ant1-2480



NTNV-BLE_2M-Ant1-2402



NTNV-BLE_2M-Ant1-2440



NTNV-BLE_2M-Ant1-2480

Appendix H: Emissions in Restricted Bands

Test Result

Mode:	1M-2402
-------	---------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.96	45.52	74.00	28.48	44.06	54.00	9.94	150	180	Horizontal	PASS
2	2318.4	7.15	47.39	74.00	26.61	45.56	54.00	8.44	150	278	Horizontal	PASS
3	2334.08	7.10	46.11	74.00	27.89	43.17	54.00	10.83	150	90	Horizontal	PASS
4	2348.64	7.35	46.36	74.00	27.64	43.00	54.00	11.00	150	71	Horizontal	PASS
5	2366.16	7.50	46.86	74.00	27.14	42.77	54.00	11.23	150	115	Horizontal	PASS
6	2390	8.28	46.91	74.00	27.09	42.82	54.00	11.18	150	232	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310	6.96	44.75	74.00	29.25	41.72	54.00	12.28	150	115	Vertical	PASS
2	2318.96	7.16	45.39	74.00	28.61	42.60	54.00	11.40	150	141	Vertical	PASS
3	2336.32	7.09	45.61	74.00	28.39	43.78	54.00	10.22	150	235	Vertical	PASS
4	2352.8	7.32	46.41	74.00	27.59	43.63	54.00	10.37	150	218	Vertical	PASS
5	2369.6	7.54	46.14	74.00	27.86	41.94	54.00	12.06	150	122	Vertical	PASS
6	2390	8.28	44.98	74.00	29.02	42.28	54.00	11.72	150	90	Vertical	PASS

Mode:	1M-2480
-------	---------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	53.91	74.00	20.09	39.69	54.00	14.31	150	245	Horizontal	PASS
2	2483.7145	7.53	57.39	74.00	16.61	47.70	54.00	6.30	150	192	Horizontal	PASS
3	2484.094	7.54	56.55	74.00	17.45	49.90	54.00	4.10	150	212	Horizontal	PASS
4	2486.008	7.54	53.85	74.00	20.15	50.17	54.00	3.83	150	202	Horizontal	PASS
5	2487.922	7.55	53.86	74.00	20.14	47.25	54.00	6.75	150	107	Horizontal	PASS
6	2500	7.60	51.84	74.00	22.16	48.99	54.00	5.01	150	212	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	52.88	74.00	21.12	39.79	54.00	14.21	150	114	Vertical	PASS
2	2485.249	7.59	53.57	74.00	20.43	49.07	54.00	4.93	150	147	Vertical	PASS
3	2486.3875	7.58	54.04	74.00	19.96	49.04	54.00	4.96	150	147	Vertical	PASS
4	2488.6645	7.60	55.05	74.00	18.95	48.38	54.00	5.62	150	318	Vertical	PASS
5	2491.9975	7.65	53.63	74.00	20.37	48.45	54.00	5.55	150	247	Vertical	PASS
6	2500	7.60	52.23	74.00	21.77	40.34	54.00	13.66	150	335	Vertical	PASS

Mode:	2M-2402
-------	---------

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	6.96	46.60	74.00	27.40	42.89	54.00	11.11	150	234	Horizontal	PASS
2	2326.08	7.15	45.86	74.00	28.14	42.00	54.00	12.00	150	112	Horizontal	PASS
3	2355.12	7.37	46.38	74.00	27.62	42.20	54.00	11.80	150	198	Horizontal	PASS
4	2364.48	7.53	46.23	74.00	27.77	43.38	54.00	10.62	150	349	Horizontal	PASS
5	2383.12	8.10	46.64	74.00	27.36	43.20	54.00	10.80	150	314	Horizontal	PASS
6	2390.0000	8.28	46.22	74.00	27.78	42.84	54.00	11.16	150	224	Horizontal	PASS


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	6.96	45.07	74.00	28.93	41.47	54.00	12.53	150	93	Vertical	PASS
2	2321.44	7.16	45.46	74.00	28.54	41.12	54.00	12.88	150	286	Vertical	PASS
3	2344.48	7.30	45.48	74.00	28.52	43.22	54.00	10.78	150	352	Vertical	PASS
4	2354.4	7.36	46.25	74.00	27.75	42.30	54.00	11.70	150	118	Vertical	PASS
5	2377.6	7.91	46.37	74.00	27.63	44.02	54.00	9.98	150	254	Vertical	PASS
6	2390.0000	8.28	46.33	74.00	27.67	43.83	54.00	10.17	150	52	Vertical	PASS

Mode:	2M-2480
-------	---------


Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	54.43	74.00	19.57	40.13	54.00	13.87	150	222	Horizontal	PASS
2	2483.5495	7.53	57.64	74.00	16.36	48.15	54.00	5.85	150	192	Horizontal	PASS
3	2483.863	7.53	57.55	74.00	16.45	48.05	54.00	5.95	150	200	Horizontal	PASS
4	2484.655	7.58	55.77	74.00	18.23	47.47	54.00	6.53	150	217	Horizontal	PASS
5	2485.4965	7.58	54.58	74.00	19.42	46.37	54.00	7.63	150	236	Horizontal	PASS
6	2500	7.60	53.45	74.00	20.55	40.08	54.00	13.92	150	351	Horizontal	PASS

Final Data List												
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5	7.53	52.36	74.00	21.64	40.04	54.00	13.96	150	102	Vertical	PASS
2	2484.127	7.54	53.94	74.00	20.06	48.23	54.00	5.77	150	26	Vertical	PASS
3	2487.9715	7.54	53.84	74.00	20.16	49.79	54.00	4.21	150	298	Vertical	PASS
4	2491.3705	7.64	53.83	74.00	20.17	48.05	54.00	5.95	150	322	Vertical	PASS
5	2494.753	7.66	53.80	74.00	20.20	48.14	54.00	5.86	150	14	Vertical	PASS
6	2500	7.60	52.12	74.00	21.88	39.46	54.00	14.54	150	134	Vertical	PASS

Appendix I: Spurious emissions



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	33.5162	-16.30	22.28	40.00	17.72	100	100	Vertical	PASS
2	118.1488	-17.86	25.80	43.50	17.70	100	239	Vertical	PASS
3	175.7425	-17.10	24.78	43.50	18.72	100	217	Vertical	PASS
4	242.3088	-18.19	33.47	46.00	12.53	200	124	Vertical	PASS
5	480.0800	-11.77	23.03	46.00	22.97	100	248	Vertical	PASS
6	572.3513	-9.39	24.07	46.00	21.93	100	293	Vertical	PASS



QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	110.1462	-18.68	17.15	43.50	26.35	200	335	Horizontal	PASS
2	169.6800	-16.51	23.81	43.50	19.69	200	265	Horizontal	PASS
3	211.8750	-19.13	22.22	43.50	21.28	100	345	Horizontal	PASS
4	240.7325	-18.29	33.50	46.00	12.50	100	333	Horizontal	PASS
5	375.8050	-14.11	22.49	46.00	23.51	100	201	Horizontal	PASS
6	585.4462	-9.01	23.26	46.00	22.74	100	0	Horizontal	PASS

Mode:	1M-2402
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1304	43.17	2.69	74.00	30.83	150	17	Horizontal
2	1752	43.88	4.37	74.00	30.12	150	22	Horizontal
3	4803	45.61	-14.04	74.00	28.39	150	132	Horizontal
4	6150	45.30	-10.57	74.00	28.70	150	173	Horizontal
5	8181	45.36	-9.76	74.00	28.64	150	88	Horizontal
6	11646	48.98	-3.08	74.00	25.02	150	145	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1222	42.45	2.47	74.00	31.55	150	171	Vertical
2	1484	42.05	2.27	74.00	31.95	150	31	Vertical
3	3951	48.18	-15.46	74.00	25.82	150	134	Vertical
4	4728	46.62	-14.47	74.00	27.38	150	181	Vertical
5	6351	44.87	-10.53	74.00	29.13	150	288	Vertical
6	9954	47.03	-6.12	74.00	26.97	150	125	Vertical

Mode:	1M-2440
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1248	42.88	2.49	74.00	31.12	150	147	Horizontal
2	1762	44.17	4.61	74.00	29.83	150	98	Horizontal
3	4284	42.95	-14.86	74.00	31.05	150	126	Horizontal
4	5658	44.82	-12.16	74.00	29.18	150	342	Horizontal
5	10119	46.70	-6.23	74.00	27.30	150	129	Horizontal
6	11532	49.53	-3.28	74.00	24.47	150	265	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1210	42.70	2.56	74.00	31.30	150	157	Vertical
2	1822	44.87	5.73	74.00	29.13	150	319	Vertical
3	4488	42.76	-14.46	74.00	31.24	150	240	Vertical
4	7008	44.97	-10.18	74.00	29.03	150	261	Vertical
5	9525	46.78	-6.93	74.00	27.22	150	176	Vertical
6	11826	50.09	-2.47	74.00	23.91	150	209	Vertical

Mode:	1M-2480
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1246	42.31	2.50	74.00	31.69	150	79	Horizontal
2	1598	42.64	2.73	74.00	31.36	150	202	Horizontal
3	3828	44.44	-16.09	74.00	29.56	150	269	Horizontal
4	4959	45.38	-14.61	74.00	28.62	150	142	Horizontal
5	7779	45.45	-9.74	74.00	28.55	150	212	Horizontal
6	11211	48.29	-3.58	74.00	25.71	150	348	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1256	43.32	2.57	74.00	30.68	150	51	Vertical
2	1842	45.13	5.96	74.00	28.87	150	163	Vertical
3	3945	44.15	-15.72	74.00	29.85	150	131	Vertical
4	5271	44.51	-13.12	74.00	29.49	150	58	Vertical
5	7473	45.09	-10.16	74.00	28.91	150	61	Vertical
6	12735	49.08	-2.01	74.00	24.92	150	134	Vertical

Mode:	2M-2402
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1314	43.26	2.62	74.00	30.74	150	341	Horizontal
2	1712	47.26	3.87	74.00	26.74	150	300	Horizontal
3	4287	43.80	-14.78	74.00	30.20	150	360	Horizontal
4	7416	44.83	-10.23	74.00	29.17	150	199	Horizontal
5	9261	46.54	-6.69	74.00	27.46	150	208	Horizontal
6	15321	50.39	1.86	74.00	23.61	150	101	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1326	42.71	2.49	74.00	31.29	150	139	Vertical
2	1864	45.14	5.94	74.00	28.86	150	344	Vertical
3	3948	43.32	-15.52	74.00	30.68	150	129	Vertical
4	5622	44.91	-12.27	74.00	29.09	150	46	Vertical
5	9249	45.52	-6.88	74.00	28.48	150	343	Vertical
6	12099	48.70	-2.99	74.00	25.30	150	304	Vertical

Mode:	2M-2440
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1166	42.80	2.28	74.00	31.20	150	258	Horizontal
2	1820	44.56	5.72	74.00	29.44	150	184	Horizontal
3	4224	42.63	-15.75	74.00	31.37	150	61	Horizontal
4	6579	44.46	-10.87	74.00	29.54	150	67	Horizontal
5	9273	45.78	-7.44	74.00	28.22	150	14	Horizontal
6	11421	48.68	-3.62	74.00	25.32	150	143	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1394	42.20	2.44	74.00	31.80	150	88	Vertical
2	1854	44.89	5.96	74.00	29.11	150	279	Vertical
3	3597	42.44	-16.69	74.00	31.56	150	289	Vertical
4	5271	44.52	-13.12	74.00	29.48	150	127	Vertical
5	6570	45.80	-10.97	74.00	28.20	150	130	Vertical
6	10929	48.32	-4.87	74.00	25.68	150	94	Vertical

Mode:	2M-2480
-------	---------

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1586	43.01	2.66	74.00	30.99	150	95	Horizontal
2	3468	42.53	-17.37	74.00	31.47	150	229	Horizontal
3	5922	43.96	-11.99	74.00	30.04	150	214	Horizontal
4	7755	45.13	-9.86	74.00	28.87	150	11	Horizontal
5	11886	49.09	-2.41	74.00	24.91	150	38	Horizontal
6	15126	50.52	1.28	74.00	23.48	150	88	Horizontal

Suspected Data List								
NO.	Freq. [MHz]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1436	42.58	2.32	74.00	31.42	150	317	Vertical
2	1764	44.59	4.65	74.00	29.41	150	194	Vertical
3	3237	43.29	-17.23	74.00	30.71	150	138	Vertical
4	3939	45.85	-16.05	74.00	28.15	150	62	Vertical
5	5970	44.91	-11.39	74.00	29.09	150	294	Vertical
6	9444	46.93	-7.39	74.00	27.07	150	211	Vertical