



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#9


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 07:50:21

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 07:47:55

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Horizontal

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#10


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 07:50:31

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : TX 2480MHz

Note :

Polarization: Vertical

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:50:12

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2281.000	34.32	peak	-4.05	30.27	74.00	150	88	-43.73	
*	3849.000	34.25	peak	1.44	35.69	74.00	150	245	-38.31	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement


Operator: Gino
Temperature:27.1 °C
Humidity:53.8 %

File :3

Data :#5

Date: 2025/6/9
Time: 下午 06:50:54

90.0 dBuV/m



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: Vertical
Power : 5 Vd.c.(USB)
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2295.000	34.41	peak	-4.00	30.41	74.00	150	151	-43.59	
*	3856.000	34.01	peak	1.48	35.49	74.00	150	1	-38.51	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:50:22

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:04

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: Vertical

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:50:33

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:15

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

Polarization: **Vertical**

EUT : W6M22504-24342

Power : 5 Vd.c.(USB)

M/N:

Distance: 3m

Test Mode : RX 2402MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:50:44

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2402MHz

Note :

Polarization: Horizontal

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:26

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

Polarization: Vertical

EUT : W6M22504-24342

Power : 5 Vd.c.(USB)

M/N:

Distance: 3m

Test Mode : RX 2402MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#1


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:36

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2169.000	34.95	peak	-4.47	30.48	74.00	150	99	-43.52	
*	3793.000	34.23	peak	1.10	35.33	74.00	150	269	-38.67	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#5


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:52:18

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2225.000	34.30	peak	-4.21	30.09	74.00	150	10	-43.91	
*	3870.000	33.72	peak	1.57	35.29	74.00	150	222	-38.71	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:46

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:52:28

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:51:57

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: Horizontal

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:52:39

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

Polarization: **Vertical**

EUT : W6M22504-24342

Power : 5 Vd.c.(USB)

M/N:

Distance: 3m

Test Mode : RX 2440MHz

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#4


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:52:08

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: Horizontal

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:52:50

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2440MHz

Note :

Polarization: Vertical

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #1


Date: 2025/6/9

Temperature: 27.1 °C

90.0 dBuV/m

Time: 下午 06:53:00

Humidity: 53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2239.000	34.19	peak	-4.17	30.02	74.00	150	315	-43.98	
*	3975.000	33.76	peak	1.69	35.45	74.00	150	289	-38.55	

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #5


Date: 2025/6/9

Temperature: 27.1 °C

90.0 dBuV/m

Time: 下午 06:53:42

Humidity: 53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2274.000	34.41	peak	-4.07	30.34	74.00	150	12	-43.66	
*	3821.000	33.97	peak	1.28	35.25	74.00	150	258	-38.75	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#2


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:53:09

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#6


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:53:51

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#3


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:53:21

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#7


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:54:03

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei City
Tel: +886-2-6606-8877
Fax: +886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File : 3

Data : #4


Date: 2025/6/9

Temperature: 27.1 °C

90.0 dBuV/m

Time: 下午 06:53:32

Humidity: 53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Horizontal**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei City
Tel:+886-2-6606-8877
Fax:+886-2-6606-8879

Radiated Emission Measurement

Operator: Gino

File :3

Data :#8


Date: 2025/6/9

Temperature:27.1 °C

90.0 dBuV/m

Time: 下午 06:54:14

Humidity:53.8 %



Site : Chamber_01

Condition : LP0002 4.10節 RE (2.4GHz)

EUT : W6M22504-24342

M/N:

Test Mode : RX 2480MHz

Note :

Polarization: **Vertical**

Power : 5 Vd.c.(USB)

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin