

Transmitter Radiated Power (EIRP/ERP)

GSM Mode Test Data

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
GSM850	LCH	31.99	-2.79	-4.94	27.05	0.507	7.000	Pass
	MCH	32.12	-2.79	-4.94	27.18	0.522	7.000	Pass
	HCH	32.09	-2.79	-4.94	27.15	0.519	7.000	Pass
GPRS850	LCH	31.97	-2.79	-4.94	27.03	0.505	7.000	Pass
	MCH	32.08	-2.79	-4.94	27.14	0.518	7.000	Pass
	HCH	32.04	-2.79	-4.94	27.10	0.513	7.000	Pass
EGPRS850	LCH	26.10	-2.79	-4.94	21.16	0.131	7.000	Pass
	MCH	26.12	-2.79	-4.94	21.18	0.131	7.000	Pass
	HCH	26.14	-2.79	-4.94	21.20	0.132	7.000	Pass

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
GSM1900	LCH	28.55	-0.76	27.79	0.601	2.000	Pass
	MCH	28.29	-0.76	27.53	0.566	2.000	Pass
	HCH	28.38	-0.76	27.62	0.578	2.000	Pass
GPRS1900	LCH	28.51	-0.76	27.75	0.596	2.000	Pass
	MCH	28.25	-0.76	27.49	0.561	2.000	Pass
	HCH	28.38	-0.76	27.62	0.578	2.000	Pass
EGPRS1900	LCH	24.44	-0.76	23.68	0.233	2.000	Pass
	MCH	24.45	-0.76	23.69	0.234	2.000	Pass
	HCH	24.53	-0.76	23.77	0.238	2.000	Pass

GPRS Conducted Output Power

Test Band	Test CH	GPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
GPRS850	LCH	31.97	1.57	28.87	0.77	26.98	0.50	26.10	0.41	Pass
	MCH	32.08	1.61	29.13	0.82	27.16	0.52	25.87	0.39	Pass
	HCH	32.04	1.60	29.09	0.81	27.34	0.54	26.06	0.40	Pass
GPRS1900	LCH	28.51	0.71	25.57	0.36	24.01	0.25	23.47	0.22	Pass
	MCH	28.25	0.67	25.47	0.35	23.54	0.23	22.76	0.19	Pass
	HCH	28.38	0.69	25.51	0.36	24.05	0.25	23.15	0.21	Pass

EGPRS Conducted Output Power

Test Band	Test CH	EGPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
EGPRS850	LCH	26.10	0.41	23.46	0.22	21.89	0.15	21.40	0.14	Pass
	MCH	26.12	0.41	23.65	0.23	21.97	0.16	21.64	0.15	Pass
	HCH	26.14	0.41	23.52	0.22	22.27	0.17	21.23	0.13	Pass
EGPRS1900	LCH	24.44	0.28	22.37	0.17	20.42	0.11	19.91	0.10	Pass
	MCH	24.45	0.28	21.86	0.15	20.17	0.10	19.51	0.09	Pass
	HCH	24.53	0.28	21.89	0.15	20.22	0.11	19.57	0.09	Pass

WCDMA Mode Test Data

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B2	LCH	24.19	-0.76	23.43	0.220	2.000	Pass
	MCH	23.89	-0.76	23.13	0.206	2.000	Pass
	HCH	23.4	-0.76	22.64	0.184	2.000	Pass
HSDPA B2	LCH	23.20	-0.76	22.44	0.175	2.000	Pass
	MCH	22.92	-0.76	22.16	0.164	2.000	Pass
	HCH	22.41	-0.76	21.65	0.146	2.000	Pass
HSUPA B2	LCH	23.17	-0.76	22.41	0.174	2.000	Pass
	MCH	22.92	-0.76	22.16	0.164	2.000	Pass
	HCH	22.47	-0.76	21.71	0.148	2.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B4	LCH	23.98	-0.23	23.75	0.237	1.000	Pass
	MCH	24.09	-0.23	23.86	0.243	1.000	Pass
	HCH	24.2	-0.23	23.97	0.249	1.000	Pass
HSDPA B4	LCH	22.94	-0.23	22.71	0.187	1.000	Pass
	MCH	23.05	-0.23	22.82	0.191	1.000	Pass
	HCH	23.18	-0.23	22.95	0.197	1.000	Pass
HSUPA B4	LCH	22.96	-0.23	22.73	0.187	1.000	Pass
	MCH	23.09	-0.23	22.86	0.193	1.000	Pass
	HCH	23.22	-0.23	22.99	0.199	1.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA B5	LCH	23.79	-2.79	-4.94	18.85	0.077	7.000	Pass
	MCH	23.77	-2.79	-4.94	18.83	0.076	7.000	Pass
	HCH	23.69	-2.79	-4.94	18.75	0.075	7.000	Pass
HSDPA B5	LCH	22.80	-2.79	-4.94	17.86	0.061	7.000	Pass
	MCH	22.78	-2.79	-4.94	17.84	0.061	7.000	Pass
	HCH	22.69	-2.79	-4.94	17.75	0.060	7.000	Pass
HSUPA B5	LCH	22.84	-2.79	-4.94	17.90	0.062	7.000	Pass
	MCH	22.80	-2.79	-4.94	17.86	0.061	7.000	Pass
	HCH	22.82	-2.79	-4.94	17.88	0.061	7.000	Pass

HSDPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B2	Subtest 1	23.2	22.92	22.4	0.192	0.191	0.193	Pass
	Subtest 2	23.19	22.9	22.41	0.193	0.192	0.192	Pass
	Subtest 3	22.67	22.38	21.91	0.170	0.170	0.172	Pass
	Subtest 4	22.64	22.39	21.88	0.170	0.170	0.171	Pass
HSDPA B4	Subtest 1	22.93	23.05	23.18	0.195	0.198	0.200	Pass
	Subtest 2	22.94	23.05	23.16	0.195	0.199	0.200	Pass
	Subtest 3	22.46	22.56	22.68	0.173	0.177	0.179	Pass
	Subtest 4	22.42	22.56	22.66	0.173	0.177	0.179	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B5	Subtest 1	22.8	22.58	22.5	0.187	0.187	0.191	Pass
	Subtest 2	22.79	22.78	22.69	0.188	0.189	0.191	Pass
	Subtest 3	22.31	22.28	22.2	0.166	0.167	0.169	Pass
	Subtest 4	22.25	22.25	22.21	0.167	0.169	0.169	Pass

HSUPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B2	Subtest 1	23.17	22.89	22.47	0.188	0.191	0.191	Pass
	Subtest 2	21.11	20.89	20.5	0.121	0.119	0.122	Pass
	Subtest 3	22.09	21.97	21.39	0.152	0.153	0.152	Pass
	Subtest 4	21.17	20.85	20.41	0.120	0.120	0.121	Pass
	Subtest 5	23.14	22.92	22.37	0.192	0.191	0.195	Pass
HSUPA B4	Subtest 1	22.96	23.09	23.21	0.192	0.199	0.200	Pass
	Subtest 2	20.95	21.14	21.2	0.122	0.125	0.123	Pass
	Subtest 3	21.88	22.08	22.24	0.158	0.159	0.159	Pass
	Subtest 4	20.92	21.05	21.2	0.122	0.126	0.129	Pass
	Subtest 5	22.91	23.06	23.22	0.194	0.200	0.203	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B5	Subtest 1	22.69	22.8	22.75	0.186	0.189	0.191	Pass
	Subtest 2	20.77	20.79	20.69	0.117	0.119	0.119	Pass
	Subtest 3	21.86	21.83	21.67	0.149	0.151	0.151	Pass
	Subtest 4	20.78	20.77	20.75	0.118	0.122	0.121	Pass
	Subtest 5	22.84	22.79	22.82	0.189	0.191	0.192	Pass

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	23.33	-0.76	22.57	0.181	2.000	Pass
			1	Mid	23.44	-0.76	22.68	0.185	2.000	Pass
			1	High	23.54	-0.76	22.78	0.190	2.000	Pass
			3	Low	23.47	-0.76	22.71	0.187	2.000	Pass
			3	Mid	23.47	-0.76	22.71	0.187	2.000	Pass
			3	High	23.49	-0.76	22.73	0.187	2.000	Pass
		Q16	6	Low	22.54	-0.76	21.78	0.151	2.000	Pass
			1	Low	22.67	-0.76	21.91	0.155	2.000	Pass
			1	Mid	22.82	-0.76	22.06	0.161	2.000	Pass
			1	High	22.73	-0.76	21.97	0.157	2.000	Pass
			3	Low	22.52	-0.76	21.76	0.150	2.000	Pass
			3	Mid	22.55	-0.76	21.79	0.151	2.000	Pass
			3	High	22.53	-0.76	21.77	0.150	2.000	Pass
			6	Low	21.57	-0.76	20.81	0.121	2.000	Pass
		Q64	1	Low	21.55	-0.76	20.79	0.120	2.000	Pass
			1	Mid	21.79	-0.76	21.03	0.127	2.000	Pass
			1	High	21.56	-0.76	20.80	0.120	2.000	Pass
			3	Low	21.58	-0.76	20.82	0.121	2.000	Pass
			3	Mid	21.59	-0.76	20.83	0.121	2.000	Pass
			3	High	21.56	-0.76	20.80	0.120	2.000	Pass
			6	Low	20.55	-0.76	19.79	0.095	2.000	Pass
	MCH	QPSK	1	Low	23.3	-0.76	22.54	0.179	2.000	Pass
			1	Mid	23.38	-0.76	22.62	0.183	2.000	Pass
			1	High	23.26	-0.76	22.50	0.178	2.000	Pass
			3	Low	23.33	-0.76	22.57	0.181	2.000	Pass
			3	Mid	23.34	-0.76	22.58	0.181	2.000	Pass
			3	High	23.35	-0.76	22.59	0.182	2.000	Pass
			6	Low	22.42	-0.76	21.66	0.147	2.000	Pass
		Q16	1	Low	22.62	-0.76	21.86	0.153	2.000	Pass
			1	Mid	22.65	-0.76	21.89	0.155	2.000	Pass
			1	High	22.66	-0.76	21.90	0.155	2.000	Pass
			3	Low	22.47	-0.76	21.71	0.148	2.000	Pass
			3	Mid	22.52	-0.76	21.76	0.150	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			3	High	22.37	-0.76	21.61	0.145	2.000	Pass
			6	Low	21.56	-0.76	20.80	0.120	2.000	Pass
		Q64	1	Low	21.51	-0.76	20.75	0.119	2.000	Pass
			1	Mid	21.5	-0.76	20.74	0.119	2.000	Pass
			1	High	21.5	-0.76	20.74	0.119	2.000	Pass
			3	Low	21.47	-0.76	20.71	0.118	2.000	Pass
			3	Mid	21.53	-0.76	20.77	0.119	2.000	Pass
			3	High	21.39	-0.76	20.63	0.116	2.000	Pass
			6	Low	20.51	-0.76	19.75	0.094	2.000	Pass
	HCH	QPSK	1	Low	23.16	-0.76	22.40	0.174	2.000	Pass
			1	Mid	23.19	-0.76	22.43	0.175	2.000	Pass
			1	High	23.11	-0.76	22.35	0.172	2.000	Pass
			3	Low	23.23	-0.76	22.47	0.177	2.000	Pass
			3	Mid	23.26	-0.76	22.50	0.178	2.000	Pass
			3	High	23.21	-0.76	22.45	0.176	2.000	Pass
			6	Low	22.25	-0.76	21.49	0.141	2.000	Pass
		Q16	1	Low	22.5	-0.76	21.74	0.149	2.000	Pass
			1	Mid	22.6	-0.76	21.84	0.153	2.000	Pass
			1	High	22.52	-0.76	21.76	0.150	2.000	Pass
			3	Low	22.29	-0.76	21.53	0.142	2.000	Pass
			3	Mid	22.29	-0.76	21.53	0.142	2.000	Pass
			3	High	22.38	-0.76	21.62	0.145	2.000	Pass
			6	Low	21.4	-0.76	20.64	0.116	2.000	Pass
		Q64	1	Low	21.49	-0.76	20.73	0.118	2.000	Pass
			1	Mid	21.57	-0.76	20.81	0.121	2.000	Pass
			1	High	21.35	-0.76	20.59	0.115	2.000	Pass
			3	Low	21.29	-0.76	20.53	0.113	2.000	Pass
			3	Mid	21.28	-0.76	20.52	0.113	2.000	Pass
			3	High	21.19	-0.76	20.43	0.110	2.000	Pass
			6	Low	20.27	-0.76	19.51	0.089	2.000	Pass
3	LCH	QPSK	1	Low	23.44	-0.76	22.68	0.185	2.000	Pass
			1	Mid	23.4	-0.76	22.64	0.184	2.000	Pass
			1	High	23.44	-0.76	22.68	0.185	2.000	Pass
			8	Low	22.6	-0.76	21.84	0.153	2.000	Pass
			8	Mid	22.59	-0.76	21.83	0.152	2.000	Pass
			8	High	22.52	-0.76	21.76	0.150	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	15	Low	22.55	-0.76	21.79	0.151	2.000	Pass
			1	Low	22.71	-0.76	21.95	0.157	2.000	Pass
			1	Mid	22.94	-0.76	22.18	0.165	2.000	Pass
			1	High	22.81	-0.76	22.05	0.160	2.000	Pass
			8	Low	21.74	-0.76	20.98	0.125	2.000	Pass
			8	Mid	21.7	-0.76	20.94	0.124	2.000	Pass
			8	High	21.64	-0.76	20.88	0.122	2.000	Pass
			15	Low	21.61	-0.76	20.85	0.122	2.000	Pass
		Q64	1	Low	21.7	-0.76	20.94	0.124	2.000	Pass
			1	Mid	21.79	-0.76	21.03	0.127	2.000	Pass
			1	High	21.55	-0.76	20.79	0.120	2.000	Pass
			8	Low	20.62	-0.76	19.86	0.097	2.000	Pass
			8	Mid	20.64	-0.76	19.88	0.097	2.000	Pass
			8	High	20.62	-0.76	19.86	0.097	2.000	Pass
			15	Low	20.62	-0.76	19.86	0.097	2.000	Pass
	MCH	QPSK	1	Low	23.29	-0.76	22.53	0.179	2.000	Pass
			1	Mid	23.37	-0.76	22.61	0.182	2.000	Pass
			1	High	23.3	-0.76	22.54	0.179	2.000	Pass
			8	Low	22.48	-0.76	21.72	0.149	2.000	Pass
			8	Mid	22.52	-0.76	21.76	0.150	2.000	Pass
			8	High	22.52	-0.76	21.76	0.150	2.000	Pass
			15	Low	22.5	-0.76	21.74	0.149	2.000	Pass
		Q16	1	Low	22.65	-0.76	21.89	0.155	2.000	Pass
			1	Mid	22.69	-0.76	21.93	0.156	2.000	Pass
			1	High	22.51	-0.76	21.75	0.150	2.000	Pass
			8	Low	21.63	-0.76	20.87	0.122	2.000	Pass
			8	Mid	21.5	-0.76	20.74	0.119	2.000	Pass
			8	High	21.57	-0.76	20.81	0.121	2.000	Pass
			15	Low	21.46	-0.76	20.70	0.117	2.000	Pass
		Q64	1	Low	21.55	-0.76	20.79	0.120	2.000	Pass
			1	Mid	21.79	-0.76	21.03	0.127	2.000	Pass
			1	High	21.57	-0.76	20.81	0.121	2.000	Pass
			8	Low	20.54	-0.76	19.78	0.095	2.000	Pass
			8	Mid	20.56	-0.76	19.80	0.095	2.000	Pass
			8	High	20.57	-0.76	19.81	0.096	2.000	Pass
			15	Low	20.55	-0.76	19.79	0.095	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	HCH	QPSK	1	Low	23.19	-0.76	22.43	0.175	2.000	Pass
			1	Mid	23.32	-0.76	22.56	0.180	2.000	Pass
			1	High	23.14	-0.76	22.38	0.173	2.000	Pass
			8	Low	22.37	-0.76	21.61	0.145	2.000	Pass
			8	Mid	22.31	-0.76	21.55	0.143	2.000	Pass
			8	High	22.38	-0.76	21.62	0.145	2.000	Pass
			15	Low	22.36	-0.76	21.60	0.145	2.000	Pass
		Q16	1	Low	22.61	-0.76	21.85	0.153	2.000	Pass
			1	Mid	22.58	-0.76	21.82	0.152	2.000	Pass
			1	High	22.49	-0.76	21.73	0.149	2.000	Pass
			8	Low	21.44	-0.76	20.68	0.117	2.000	Pass
			8	Mid	21.44	-0.76	20.68	0.117	2.000	Pass
			8	High	21.42	-0.76	20.66	0.116	2.000	Pass
			15	Low	21.37	-0.76	20.61	0.115	2.000	Pass
		Q64	1	Low	21.54	-0.76	20.78	0.120	2.000	Pass
			1	Mid	21.49	-0.76	20.73	0.118	2.000	Pass
			1	High	21.41	-0.76	20.65	0.116	2.000	Pass
			8	Low	20.44	-0.76	19.68	0.093	2.000	Pass
			8	Mid	20.42	-0.76	19.66	0.092	2.000	Pass
			8	High	20.35	-0.76	19.59	0.091	2.000	Pass
			15	Low	20.31	-0.76	19.55	0.090	2.000	Pass
5	LCH	QPSK	1	Low	23.43	-0.76	22.67	0.185	2.000	Pass
			1	Mid	23.39	-0.76	22.63	0.183	2.000	Pass
			1	High	23.46	-0.76	22.70	0.186	2.000	Pass
			12	Low	22.52	-0.76	21.76	0.150	2.000	Pass
			12	Mid	22.54	-0.76	21.78	0.151	2.000	Pass
			12	High	22.6	-0.76	21.84	0.153	2.000	Pass
			25	Low	22.55	-0.76	21.79	0.151	2.000	Pass
		Q16	1	Low	22.77	-0.76	22.01	0.159	2.000	Pass
			1	Mid	22.75	-0.76	21.99	0.158	2.000	Pass
			1	High	22.72	-0.76	21.96	0.157	2.000	Pass
			12	Low	21.56	-0.76	20.80	0.120	2.000	Pass
			12	Mid	21.71	-0.76	20.95	0.124	2.000	Pass
			12	High	21.57	-0.76	20.81	0.121	2.000	Pass
			25	Low	21.56	-0.76	20.80	0.120	2.000	Pass
		Q64	1	Low	21.79	-0.76	21.03	0.127	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	21.72	-0.76	20.96	0.125	2.000	Pass
			1	High	21.81	-0.76	21.05	0.127	2.000	Pass
			12	Low	20.57	-0.76	19.81	0.096	2.000	Pass
			12	Mid	20.65	-0.76	19.89	0.097	2.000	Pass
			12	High	20.64	-0.76	19.88	0.097	2.000	Pass
			25	Low	20.6	-0.76	19.84	0.096	2.000	Pass
	MCH	QPSK	1	Low	23.45	-0.76	22.69	0.186	2.000	Pass
			1	Mid	23.47	-0.76	22.71	0.187	2.000	Pass
			1	High	23.31	-0.76	22.55	0.180	2.000	Pass
			12	Low	22.55	-0.76	21.79	0.151	2.000	Pass
			12	Mid	22.51	-0.76	21.75	0.150	2.000	Pass
			12	High	22.5	-0.76	21.74	0.149	2.000	Pass
			25	Low	22.58	-0.76	21.82	0.152	2.000	Pass
		Q16	1	Low	22.76	-0.76	22.00	0.158	2.000	Pass
			1	Mid	22.78	-0.76	22.02	0.159	2.000	Pass
			1	High	22.53	-0.76	21.77	0.150	2.000	Pass
			12	Low	21.57	-0.76	20.81	0.121	2.000	Pass
			12	Mid	21.6	-0.76	20.84	0.121	2.000	Pass
			12	High	21.63	-0.76	20.87	0.122	2.000	Pass
			25	Low	21.47	-0.76	20.71	0.118	2.000	Pass
		Q64	1	Low	21.55	-0.76	20.79	0.120	2.000	Pass
			1	Mid	21.77	-0.76	21.01	0.126	2.000	Pass
			1	High	21.61	-0.76	20.85	0.122	2.000	Pass
			12	Low	20.57	-0.76	19.81	0.096	2.000	Pass
			12	Mid	20.64	-0.76	19.88	0.097	2.000	Pass
			12	High	20.49	-0.76	19.73	0.094	2.000	Pass
			25	Low	20.48	-0.76	19.72	0.094	2.000	Pass
	HCH	QPSK	1	Low	23.2	-0.76	22.44	0.175	2.000	Pass
			1	Mid	23.21	-0.76	22.45	0.176	2.000	Pass
			1	High	23.08	-0.76	22.32	0.171	2.000	Pass
			12	Low	22.43	-0.76	21.67	0.147	2.000	Pass
			12	Mid	22.42	-0.76	21.66	0.147	2.000	Pass
			12	High	22.33	-0.76	21.57	0.144	2.000	Pass
			25	Low	22.35	-0.76	21.59	0.144	2.000	Pass
		Q16	1	Low	22.49	-0.76	21.73	0.149	2.000	Pass
			1	Mid	22.59	-0.76	21.83	0.152	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	22.59	-0.76	21.83	0.152	2.000	Pass
			12	Low	21.42	-0.76	20.66	0.116	2.000	Pass
			12	Mid	21.5	-0.76	20.74	0.119	2.000	Pass
			12	High	21.43	-0.76	20.67	0.117	2.000	Pass
			25	Low	21.36	-0.76	20.60	0.115	2.000	Pass
		Q64	1	Low	21.2	-0.76	20.44	0.111	2.000	Pass
			1	Mid	21.6	-0.76	20.84	0.121	2.000	Pass
			1	High	21.54	-0.76	20.78	0.120	2.000	Pass
			12	Low	20.46	-0.76	19.70	0.093	2.000	Pass
			12	Mid	20.39	-0.76	19.63	0.092	2.000	Pass
			12	High	20.3	-0.76	19.54	0.090	2.000	Pass
			25	Low	20.39	-0.76	19.63	0.092	2.000	Pass
		QPSK	1	Low	23.51	-0.76	22.75	0.188	2.000	Pass
			1	Mid	23.47	-0.76	22.71	0.187	2.000	Pass
			1	High	23.43	-0.76	22.67	0.185	2.000	Pass
			25	Low	22.58	-0.76	21.82	0.152	2.000	Pass
			25	Mid	22.65	-0.76	21.89	0.155	2.000	Pass
			25	High	22.6	-0.76	21.84	0.153	2.000	Pass
			50	Low	22.67	-0.76	21.91	0.155	2.000	Pass
10	LCH	Q16	1	Low	22.71	-0.76	21.95	0.157	2.000	Pass
			1	Mid	22.7	-0.76	21.94	0.156	2.000	Pass
			1	High	22.87	-0.76	22.11	0.163	2.000	Pass
			25	Low	21.6	-0.76	20.84	0.121	2.000	Pass
			25	Mid	21.64	-0.76	20.88	0.122	2.000	Pass
			25	High	21.66	-0.76	20.90	0.123	2.000	Pass
			50	Low	21.63	-0.76	20.87	0.122	2.000	Pass
		Q64	1	Low	21.81	-0.76	21.05	0.127	2.000	Pass
			1	Mid	21.6	-0.76	20.84	0.121	2.000	Pass
			1	High	21.62	-0.76	20.86	0.122	2.000	Pass
			25	Low	20.63	-0.76	19.87	0.097	2.000	Pass
			25	Mid	20.67	-0.76	19.91	0.098	2.000	Pass
			25	High	20.63	-0.76	19.87	0.097	2.000	Pass
			50	Low	20.6	-0.76	19.84	0.096	2.000	Pass
	MCH	QPSK	1	Low	23.34	-0.76	22.58	0.181	2.000	Pass
			1	Mid	23.45	-0.76	22.69	0.186	2.000	Pass
			1	High	23.33	-0.76	22.57	0.181	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			25	Low	22.42	-0.76	21.66	0.147	2.000	Pass
			25	Mid	22.61	-0.76	21.85	0.153	2.000	Pass
			25	High	22.52	-0.76	21.76	0.150	2.000	Pass
			50	Low	22.53	-0.76	21.77	0.150	2.000	Pass
		Q16	1	Low	22.43	-0.76	21.67	0.147	2.000	Pass
			1	Mid	22.65	-0.76	21.89	0.155	2.000	Pass
			1	High	22.6	-0.76	21.84	0.153	2.000	Pass
			25	Low	21.49	-0.76	20.73	0.118	2.000	Pass
			25	Mid	21.57	-0.76	20.81	0.121	2.000	Pass
			25	High	21.51	-0.76	20.75	0.119	2.000	Pass
			50	Low	21.48	-0.76	20.72	0.118	2.000	Pass
		Q64	1	Low	21.72	-0.76	20.96	0.125	2.000	Pass
			1	Mid	21.77	-0.76	21.01	0.126	2.000	Pass
			1	High	21.57	-0.76	20.81	0.121	2.000	Pass
			25	Low	20.48	-0.76	19.72	0.094	2.000	Pass
			25	Mid	20.53	-0.76	19.77	0.095	2.000	Pass
			25	High	20.45	-0.76	19.69	0.093	2.000	Pass
			50	Low	20.54	-0.76	19.78	0.095	2.000	Pass
	HCH	QPSK	1	Low	23.24	-0.76	22.48	0.177	2.000	Pass
			1	Mid	23.31	-0.76	22.55	0.180	2.000	Pass
			1	High	23.32	-0.76	22.56	0.180	2.000	Pass
			25	Low	22.36	-0.76	21.60	0.145	2.000	Pass
			25	Mid	22.34	-0.76	21.58	0.144	2.000	Pass
			25	High	22.37	-0.76	21.61	0.145	2.000	Pass
			50	Low	22.34	-0.76	21.58	0.144	2.000	Pass
		Q16	1	Low	22.52	-0.76	21.76	0.150	2.000	Pass
			1	Mid	22.55	-0.76	21.79	0.151	2.000	Pass
			1	High	22.39	-0.76	21.63	0.146	2.000	Pass
			25	Low	21.37	-0.76	20.61	0.115	2.000	Pass
			25	Mid	21.38	-0.76	20.62	0.115	2.000	Pass
			25	High	21.48	-0.76	20.72	0.118	2.000	Pass
			50	Low	21.43	-0.76	20.67	0.117	2.000	Pass
		Q64	1	Low	21.57	-0.76	20.81	0.121	2.000	Pass
			1	Mid	21.57	-0.76	20.81	0.121	2.000	Pass
			1	High	21.52	-0.76	20.76	0.119	2.000	Pass
			25	Low	20.34	-0.76	19.58	0.091	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
15	LCH		25	Mid	20.35	-0.76	19.59	0.091	2.000	Pass
			25	High	20.5	-0.76	19.74	0.094	2.000	Pass
			50	Low	20.31	-0.76	19.55	0.090	2.000	Pass
		QPSK	1	Low	23.23	-0.76	22.47	0.177	2.000	Pass
			1	Mid	23.32	-0.76	22.56	0.180	2.000	Pass
			1	High	23.26	-0.76	22.50	0.178	2.000	Pass
			36	Low	22.42	-0.76	21.66	0.147	2.000	Pass
			36	Mid	22.36	-0.76	21.60	0.145	2.000	Pass
			36	High	22.41	-0.76	21.65	0.146	2.000	Pass
			75	Low	22.39	-0.76	21.63	0.146	2.000	Pass
		Q16	1	Low	22.52	-0.76	21.76	0.150	2.000	Pass
			1	Mid	22.61	-0.76	21.85	0.153	2.000	Pass
			1	High	22.4	-0.76	21.64	0.146	2.000	Pass
			36	Low	21.46	-0.76	20.70	0.117	2.000	Pass
			36	Mid	21.52	-0.76	20.76	0.119	2.000	Pass
			36	High	21.49	-0.76	20.73	0.118	2.000	Pass
			75	Low	21.5	-0.76	20.74	0.119	2.000	Pass
		Q64	1	Low	21.43	-0.76	20.67	0.117	2.000	Pass
			1	Mid	21.56	-0.76	20.80	0.120	2.000	Pass
			1	High	21.62	-0.76	20.86	0.122	2.000	Pass
			36	Low	20.51	-0.76	19.75	0.094	2.000	Pass
			36	Mid	20.47	-0.76	19.71	0.094	2.000	Pass
			36	High	20.44	-0.76	19.68	0.093	2.000	Pass
			75	Low	20.39	-0.76	19.63	0.092	2.000	Pass
	MCH	QPSK	1	Low	23.18	-0.76	22.42	0.175	2.000	Pass
			1	Mid	23.12	-0.76	22.36	0.172	2.000	Pass
			1	High	23.13	-0.76	22.37	0.173	2.000	Pass
			36	Low	22.36	-0.76	21.60	0.145	2.000	Pass
			36	Mid	22.36	-0.76	21.60	0.145	2.000	Pass
			36	High	22.32	-0.76	21.56	0.143	2.000	Pass
			75	Low	22.36	-0.76	21.60	0.145	2.000	Pass
		Q16	1	Low	22.44	-0.76	21.68	0.147	2.000	Pass
			1	Mid	22.42	-0.76	21.66	0.147	2.000	Pass
			1	High	22.33	-0.76	21.57	0.144	2.000	Pass
			36	Low	21.43	-0.76	20.67	0.117	2.000	Pass
			36	Mid	21.39	-0.76	20.63	0.116	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			36	High	21.39	-0.76	20.63	0.116	2.000	Pass
			75	Low	21.41	-0.76	20.65	0.116	2.000	Pass
		Q64	1	Low	21.38	-0.76	20.62	0.115	2.000	Pass
			1	Mid	21.1	-0.76	20.34	0.108	2.000	Pass
			1	High	21.1	-0.76	20.34	0.108	2.000	Pass
			36	Low	20.45	-0.76	19.69	0.093	2.000	Pass
			36	Mid	20.41	-0.76	19.65	0.092	2.000	Pass
			36	High	20.41	-0.76	19.65	0.092	2.000	Pass
			75	Low	20.46	-0.76	19.70	0.093	2.000	Pass
	HCH	QPSK	1	Low	23.05	-0.76	22.29	0.169	2.000	Pass
			1	Mid	23.05	-0.76	22.29	0.169	2.000	Pass
			1	High	22.92	-0.76	22.16	0.164	2.000	Pass
			36	Low	22.14	-0.76	21.38	0.137	2.000	Pass
			36	Mid	22.3	-0.76	21.54	0.143	2.000	Pass
			36	High	22.25	-0.76	21.49	0.141	2.000	Pass
			75	Low	22.29	-0.76	21.53	0.142	2.000	Pass
		Q16	1	Low	22.31	-0.76	21.55	0.143	2.000	Pass
			1	Mid	22.53	-0.76	21.77	0.150	2.000	Pass
			1	High	22.25	-0.76	21.49	0.141	2.000	Pass
			36	Low	21.22	-0.76	20.46	0.111	2.000	Pass
			36	Mid	21.34	-0.76	20.58	0.114	2.000	Pass
			36	High	21.32	-0.76	20.56	0.114	2.000	Pass
			75	Low	21.36	-0.76	20.60	0.115	2.000	Pass
		Q64	1	Low	21.15	-0.76	20.39	0.109	2.000	Pass
			1	Mid	21.3	-0.76	20.54	0.113	2.000	Pass
			1	High	21.13	-0.76	20.37	0.109	2.000	Pass
			36	Low	20.28	-0.76	19.52	0.090	2.000	Pass
			36	Mid	20.28	-0.76	19.52	0.090	2.000	Pass
			36	High	20.2	-0.76	19.44	0.088	2.000	Pass
			75	Low	20.34	-0.76	19.58	0.091	2.000	Pass
20	LCH	QPSK	1	Low	23.34	-0.76	22.58	0.181	2.000	Pass
			1	Mid	23.23	-0.76	22.47	0.177	2.000	Pass
			1	High	23.15	-0.76	22.39	0.173	2.000	Pass
			50	Low	22.46	-0.76	21.70	0.148	2.000	Pass
			50	Mid	22.53	-0.76	21.77	0.150	2.000	Pass
			50	High	22.49	-0.76	21.73	0.149	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	100	Low	22.46	-0.76	21.70	0.148	2.000	Pass
			1	Low	22.91	-0.76	22.15	0.164	2.000	Pass
			1	Mid	22.55	-0.76	21.79	0.151	2.000	Pass
			1	High	22.55	-0.76	21.79	0.151	2.000	Pass
			50	Low	21.53	-0.76	20.77	0.119	2.000	Pass
			50	Mid	21.5	-0.76	20.74	0.119	2.000	Pass
			50	High	21.45	-0.76	20.69	0.117	2.000	Pass
			100	Low	21.42	-0.76	20.66	0.116	2.000	Pass
		Q64	1	Low	21.52	-0.76	20.76	0.119	2.000	Pass
			1	Mid	21.31	-0.76	20.55	0.114	2.000	Pass
			1	High	21.3	-0.76	20.54	0.113	2.000	Pass
			50	Low	20.45	-0.76	19.69	0.093	2.000	Pass
			50	Mid	20.52	-0.76	19.76	0.095	2.000	Pass
			50	High	20.49	-0.76	19.73	0.094	2.000	Pass
			100	Low	20.58	-0.76	19.82	0.096	2.000	Pass
	MCH	QPSK	1	Low	23.46	-0.76	22.70	0.186	2.000	Pass
			1	Mid	23.24	-0.76	22.48	0.177	2.000	Pass
			1	High	23	-0.76	22.24	0.167	2.000	Pass
			50	Low	22.37	-0.76	21.61	0.145	2.000	Pass
			50	Mid	22.45	-0.76	21.69	0.148	2.000	Pass
			50	High	22.32	-0.76	21.56	0.143	2.000	Pass
			100	Low	22.37	-0.76	21.61	0.145	2.000	Pass
		Q16	1	Low	22.47	-0.76	21.71	0.148	2.000	Pass
			1	Mid	22.58	-0.76	21.82	0.152	2.000	Pass
			1	High	22.36	-0.76	21.60	0.145	2.000	Pass
			50	Low	21.29	-0.76	20.53	0.113	2.000	Pass
			50	Mid	21.41	-0.76	20.65	0.116	2.000	Pass
			50	High	21.38	-0.76	20.62	0.115	2.000	Pass
			100	Low	21.44	-0.76	20.68	0.117	2.000	Pass
		Q64	1	Low	21.29	-0.76	20.53	0.113	2.000	Pass
			1	Mid	21.4	-0.76	20.64	0.116	2.000	Pass
			1	High	21.3	-0.76	20.54	0.113	2.000	Pass
			50	Low	20.43	-0.76	19.67	0.093	2.000	Pass
			50	Mid	20.47	-0.76	19.71	0.094	2.000	Pass
			50	High	20.41	-0.76	19.65	0.092	2.000	Pass
			100	Low	20.37	-0.76	19.61	0.091	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	HCH	QPSK	1	Low	23.2	-0.76	22.44	0.175	2.000	Pass
			1	Mid	23.08	-0.76	22.32	0.171	2.000	Pass
			1	High	22.94	-0.76	22.18	0.165	2.000	Pass
			50	Low	22.14	-0.76	21.38	0.137	2.000	Pass
			50	Mid	22.33	-0.76	21.57	0.144	2.000	Pass
			50	High	22.29	-0.76	21.53	0.142	2.000	Pass
			100	Low	22.15	-0.76	21.39	0.138	2.000	Pass
		Q16	1	Low	22.54	-0.76	21.78	0.151	2.000	Pass
			1	Mid	22.33	-0.76	21.57	0.144	2.000	Pass
			1	High	22.29	-0.76	21.53	0.142	2.000	Pass
			50	Low	21.3	-0.76	20.54	0.113	2.000	Pass
			50	Mid	21.24	-0.76	20.48	0.112	2.000	Pass
			50	High	21.32	-0.76	20.56	0.114	2.000	Pass
			100	Low	21.17	-0.76	20.41	0.110	2.000	Pass
		Q64	1	Low	21.23	-0.76	20.47	0.111	2.000	Pass
			1	Mid	21.45	-0.76	20.69	0.117	2.000	Pass
			1	High	21.34	-0.76	20.58	0.114	2.000	Pass
			50	Low	20.28	-0.76	19.52	0.090	2.000	Pass
			50	Mid	20.27	-0.76	19.51	0.089	2.000	Pass
			50	High	20.32	-0.76	19.56	0.090	2.000	Pass
			100	Low	20.29	-0.76	19.53	0.090	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	22.96	-0.23	22.73	0.187	1.000	Pass
			1	Mid	23.06	-0.23	22.83	0.192	1.000	Pass
			1	High	22.93	-0.23	22.70	0.186	1.000	Pass
			3	Low	23.02	-0.23	22.79	0.190	1.000	Pass
			3	Mid	22.94	-0.23	22.71	0.187	1.000	Pass
			3	High	23.03	-0.23	22.80	0.191	1.000	Pass
			6	Low	22.07	-0.23	21.84	0.153	1.000	Pass
		Q16	1	Low	22.48	-0.23	22.25	0.168	1.000	Pass
			1	Mid	22.48	-0.23	22.25	0.168	1.000	Pass
			1	High	22.28	-0.23	22.05	0.160	1.000	Pass
			3	Low	22.23	-0.23	22.00	0.158	1.000	Pass
			3	Mid	22.11	-0.23	21.88	0.154	1.000	Pass
			3	High	22.19	-0.23	21.96	0.157	1.000	Pass
			6	Low	21.12	-0.23	20.89	0.123	1.000	Pass
		Q64	1	Low	21.3	-0.23	21.07	0.128	1.000	Pass
			1	Mid	21.32	-0.23	21.09	0.129	1.000	Pass
			1	High	20.96	-0.23	20.73	0.118	1.000	Pass
			3	Low	21.26	-0.23	21.03	0.127	1.000	Pass
			3	Mid	21.14	-0.23	20.91	0.123	1.000	Pass
			3	High	21.23	-0.23	21.00	0.126	1.000	Pass
			6	Low	20.14	-0.23	19.91	0.098	1.000	Pass
	MCH	QPSK	1	Low	23.31	-0.23	23.08	0.203	1.000	Pass
			1	Mid	23.31	-0.23	23.08	0.203	1.000	Pass
			1	High	23.45	-0.23	23.22	0.210	1.000	Pass
			3	Low	23.22	-0.23	22.99	0.199	1.000	Pass
			3	Mid	23.29	-0.23	23.06	0.202	1.000	Pass
			3	High	23.34	-0.23	23.11	0.205	1.000	Pass
			6	Low	22.25	-0.23	22.02	0.159	1.000	Pass
		Q16	1	Low	22.72	-0.23	22.49	0.177	1.000	Pass
			1	Mid	22.7	-0.23	22.47	0.177	1.000	Pass
			1	High	22.62	-0.23	22.39	0.173	1.000	Pass
			3	Low	22.36	-0.23	22.13	0.163	1.000	Pass
			3	Mid	22.4	-0.23	22.17	0.165	1.000	Pass
			3	High	22.55	-0.23	22.32	0.171	1.000	Pass
			6	Low	21.35	-0.23	21.12	0.129	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	1	Low	21.22	-0.23	20.99	0.126	1.000	Pass
			1	Mid	21.52	-0.23	21.29	0.135	1.000	Pass
			1	High	21.45	-0.23	21.22	0.132	1.000	Pass
			3	Low	21.5	-0.23	21.27	0.134	1.000	Pass
			3	Mid	21.59	-0.23	21.36	0.137	1.000	Pass
			3	High	21.49	-0.23	21.26	0.134	1.000	Pass
			6	Low	20.38	-0.23	20.15	0.104	1.000	Pass
	HCH	QPSK	1	Low	23.63	-0.23	23.40	0.219	1.000	Pass
			1	Mid	23.59	-0.23	23.36	0.217	1.000	Pass
			1	High	23.57	-0.23	23.34	0.216	1.000	Pass
			3	Low	23.55	-0.23	23.32	0.215	1.000	Pass
			3	Mid	23.58	-0.23	23.35	0.216	1.000	Pass
			3	High	23.54	-0.23	23.31	0.214	1.000	Pass
			6	Low	22.51	-0.23	22.28	0.169	1.000	Pass
		Q16	1	Low	22.8	-0.23	22.57	0.181	1.000	Pass
			1	Mid	22.85	-0.23	22.62	0.183	1.000	Pass
			1	High	22.82	-0.23	22.59	0.182	1.000	Pass
			3	Low	22.65	-0.23	22.42	0.175	1.000	Pass
			3	Mid	22.76	-0.23	22.53	0.179	1.000	Pass
			3	High	22.62	-0.23	22.39	0.173	1.000	Pass
			6	Low	21.67	-0.23	21.44	0.139	1.000	Pass
		Q64	1	Low	21.64	-0.23	21.41	0.138	1.000	Pass
			1	Mid	21.58	-0.23	21.35	0.136	1.000	Pass
			1	High	21.67	-0.23	21.44	0.139	1.000	Pass
			3	Low	21.76	-0.23	21.53	0.142	1.000	Pass
			3	Mid	21.61	-0.23	21.38	0.137	1.000	Pass
			3	High	21.8	-0.23	21.57	0.144	1.000	Pass
			6	Low	20.59	-0.23	20.36	0.109	1.000	Pass
3	LCH	QPSK	1	Low	23.04	-0.23	22.81	0.191	1.000	Pass
			1	Mid	23.13	-0.23	22.90	0.195	1.000	Pass
			1	High	22.97	-0.23	22.74	0.188	1.000	Pass
			8	Low	22.14	-0.23	21.91	0.155	1.000	Pass
			8	Mid	22.09	-0.23	21.86	0.153	1.000	Pass
			8	High	22.09	-0.23	21.86	0.153	1.000	Pass
			15	Low	22.09	-0.23	21.86	0.153	1.000	Pass
		Q16	1	Low	22.3	-0.23	22.07	0.161	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	22.59	-0.23	22.36	0.172	1.000	Pass
			1	High	22.36	-0.23	22.13	0.163	1.000	Pass
			8	Low	21.17	-0.23	20.94	0.124	1.000	Pass
			8	Mid	21.25	-0.23	21.02	0.126	1.000	Pass
			8	High	21.27	-0.23	21.04	0.127	1.000	Pass
			15	Low	21.17	-0.23	20.94	0.124	1.000	Pass
		Q64	1	Low	21.23	-0.23	21.00	0.126	1.000	Pass
			1	Mid	21.35	-0.23	21.12	0.129	1.000	Pass
			1	High	21.07	-0.23	20.84	0.121	1.000	Pass
			8	Low	20.18	-0.23	19.95	0.099	1.000	Pass
			8	Mid	20.21	-0.23	19.98	0.100	1.000	Pass
			8	High	20.12	-0.23	19.89	0.097	1.000	Pass
			15	Low	20.11	-0.23	19.88	0.097	1.000	Pass
	MCH	QPSK	1	Low	23.26	-0.23	23.03	0.201	1.000	Pass
			1	Mid	23.4	-0.23	23.17	0.207	1.000	Pass
			1	High	23.29	-0.23	23.06	0.202	1.000	Pass
			8	Low	22.3	-0.23	22.07	0.161	1.000	Pass
			8	Mid	22.27	-0.23	22.04	0.160	1.000	Pass
			8	High	22.36	-0.23	22.13	0.163	1.000	Pass
			15	Low	22.32	-0.23	22.09	0.162	1.000	Pass
		Q16	1	Low	22.69	-0.23	22.46	0.176	1.000	Pass
			1	Mid	22.77	-0.23	22.54	0.179	1.000	Pass
			1	High	22.63	-0.23	22.40	0.174	1.000	Pass
			8	Low	21.45	-0.23	21.22	0.132	1.000	Pass
			8	Mid	21.41	-0.23	21.18	0.131	1.000	Pass
			8	High	21.5	-0.23	21.27	0.134	1.000	Pass
			15	Low	21.44	-0.23	21.21	0.132	1.000	Pass
		Q64	1	Low	21.35	-0.23	21.12	0.129	1.000	Pass
			1	Mid	21.64	-0.23	21.41	0.138	1.000	Pass
			1	High	21.48	-0.23	21.25	0.133	1.000	Pass
			8	Low	20.46	-0.23	20.23	0.105	1.000	Pass
			8	Mid	20.48	-0.23	20.25	0.106	1.000	Pass
			8	High	20.42	-0.23	20.19	0.104	1.000	Pass
			15	Low	20.41	-0.23	20.18	0.104	1.000	Pass
	HCH	QPSK	1	Low	23.42	-0.23	23.19	0.208	1.000	Pass
			1	Mid	23.57	-0.23	23.34	0.216	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	High	23.46	-0.23	23.23	0.210	1.000	Pass
			8	Low	22.53	-0.23	22.30	0.170	1.000	Pass
			8	Mid	22.63	-0.23	22.40	0.174	1.000	Pass
			8	High	22.55	-0.23	22.32	0.171	1.000	Pass
			15	Low	22.59	-0.23	22.36	0.172	1.000	Pass
		Q16	1	Low	22.85	-0.23	22.62	0.183	1.000	Pass
			1	Mid	22.73	-0.23	22.50	0.178	1.000	Pass
			1	High	22.96	-0.23	22.73	0.187	1.000	Pass
			8	Low	21.67	-0.23	21.44	0.139	1.000	Pass
			8	Mid	21.62	-0.23	21.39	0.138	1.000	Pass
			8	High	21.72	-0.23	21.49	0.141	1.000	Pass
			15	Low	21.6	-0.23	21.37	0.137	1.000	Pass
		Q64	1	Low	21.69	-0.23	21.46	0.140	1.000	Pass
			1	Mid	21.72	-0.23	21.49	0.141	1.000	Pass
			1	High	21.8	-0.23	21.57	0.144	1.000	Pass
			8	Low	20.69	-0.23	20.46	0.111	1.000	Pass
			8	Mid	20.72	-0.23	20.49	0.112	1.000	Pass
			8	High	20.64	-0.23	20.41	0.110	1.000	Pass
			15	Low	20.57	-0.23	20.34	0.108	1.000	Pass
5	LCH	QPSK	1	Low	22.97	-0.23	22.74	0.188	1.000	Pass
			1	Mid	23.01	-0.23	22.78	0.190	1.000	Pass
			1	High	22.95	-0.23	22.72	0.187	1.000	Pass
			12	Low	22.04	-0.23	21.81	0.152	1.000	Pass
			12	Mid	22.12	-0.23	21.89	0.155	1.000	Pass
			12	High	22.1	-0.23	21.87	0.154	1.000	Pass
			25	Low	22.06	-0.23	21.83	0.152	1.000	Pass
		Q16	1	Low	22.4	-0.23	22.17	0.165	1.000	Pass
			1	Mid	22.41	-0.23	22.18	0.165	1.000	Pass
			1	High	22.24	-0.23	22.01	0.159	1.000	Pass
			12	Low	21.11	-0.23	20.88	0.122	1.000	Pass
			12	Mid	21.24	-0.23	21.01	0.126	1.000	Pass
			12	High	21.15	-0.23	20.92	0.124	1.000	Pass
			25	Low	21.17	-0.23	20.94	0.124	1.000	Pass
		Q64	1	Low	21.25	-0.23	21.02	0.126	1.000	Pass
			1	Mid	21.19	-0.23	20.96	0.125	1.000	Pass
			1	High	21.22	-0.23	20.99	0.126	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		12	Low	20.2	-0.23	19.97	0.099	1.000	Pass
			12	Mid	20.19	-0.23	19.96	0.099	1.000	Pass
			12	High	20.1	-0.23	19.87	0.097	1.000	Pass
			25	Low	20.03	-0.23	19.80	0.095	1.000	Pass
		QPSK	1	Low	23.4	-0.23	23.17	0.207	1.000	Pass
			1	Mid	23.38	-0.23	23.15	0.207	1.000	Pass
			1	High	23.26	-0.23	23.03	0.201	1.000	Pass
			12	Low	22.34	-0.23	22.11	0.163	1.000	Pass
			12	Mid	22.33	-0.23	22.10	0.162	1.000	Pass
			12	High	22.45	-0.23	22.22	0.167	1.000	Pass
			25	Low	22.34	-0.23	22.11	0.163	1.000	Pass
		Q16	1	Low	22.46	-0.23	22.23	0.167	1.000	Pass
			1	Mid	22.71	-0.23	22.48	0.177	1.000	Pass
			1	High	22.65	-0.23	22.42	0.175	1.000	Pass
			12	Low	21.27	-0.23	21.04	0.127	1.000	Pass
			12	Mid	21.38	-0.23	21.15	0.130	1.000	Pass
			12	High	21.44	-0.23	21.21	0.132	1.000	Pass
			25	Low	21.3	-0.23	21.07	0.128	1.000	Pass
		Q64	1	Low	21.44	-0.23	21.21	0.132	1.000	Pass
			1	Mid	21.63	-0.23	21.40	0.138	1.000	Pass
			1	High	21.49	-0.23	21.26	0.134	1.000	Pass
			12	Low	20.33	-0.23	20.10	0.102	1.000	Pass
			12	Mid	20.3	-0.23	20.07	0.102	1.000	Pass
			12	High	20.4	-0.23	20.17	0.104	1.000	Pass
			25	Low	20.34	-0.23	20.11	0.103	1.000	Pass
	HCH	QPSK	1	Low	23.44	-0.23	23.21	0.209	1.000	Pass
			1	Mid	23.67	-0.23	23.44	0.221	1.000	Pass
			1	High	23.46	-0.23	23.23	0.210	1.000	Pass
			12	Low	22.52	-0.23	22.29	0.169	1.000	Pass
			12	Mid	22.56	-0.23	22.33	0.171	1.000	Pass
			12	High	22.6	-0.23	22.37	0.173	1.000	Pass
			25	Low	22.5	-0.23	22.27	0.169	1.000	Pass
		Q16	1	Low	22.71	-0.23	22.48	0.177	1.000	Pass
			1	Mid	22.96	-0.23	22.73	0.187	1.000	Pass
			1	High	22.9	-0.23	22.67	0.185	1.000	Pass
			12	Low	21.62	-0.23	21.39	0.138	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	Mid	21.61	-0.23	21.38	0.137	1.000	Pass
			12	High	21.59	-0.23	21.36	0.137	1.000	Pass
			25	Low	21.53	-0.23	21.30	0.135	1.000	Pass
		Q64	1	Low	21.78	-0.23	21.55	0.143	1.000	Pass
			1	Mid	21.67	-0.23	21.44	0.139	1.000	Pass
			1	High	21.91	-0.23	21.68	0.147	1.000	Pass
			12	Low	20.65	-0.23	20.42	0.110	1.000	Pass
			12	Mid	20.63	-0.23	20.40	0.110	1.000	Pass
			12	High	20.55	-0.23	20.32	0.108	1.000	Pass
			25	Low	20.54	-0.23	20.31	0.107	1.000	Pass
10	LCH	QPSK	1	Low	23.15	-0.23	22.92	0.196	1.000	Pass
			1	Mid	23.15	-0.23	22.92	0.196	1.000	Pass
			1	High	23.12	-0.23	22.89	0.195	1.000	Pass
			25	Low	22.12	-0.23	21.89	0.155	1.000	Pass
			25	Mid	22.21	-0.23	21.98	0.158	1.000	Pass
			25	High	22.07	-0.23	21.84	0.153	1.000	Pass
			50	Low	22.12	-0.23	21.89	0.155	1.000	Pass
		Q16	1	Low	22.46	-0.23	22.23	0.167	1.000	Pass
			1	Mid	22.3	-0.23	22.07	0.161	1.000	Pass
			1	High	22.55	-0.23	22.32	0.171	1.000	Pass
			25	Low	21.1	-0.23	20.87	0.122	1.000	Pass
			25	Mid	21.15	-0.23	20.92	0.124	1.000	Pass
			25	High	21.1	-0.23	20.87	0.122	1.000	Pass
			50	Low	21.09	-0.23	20.86	0.122	1.000	Pass
		Q64	1	Low	21.13	-0.23	20.90	0.123	1.000	Pass
			1	Mid	21.32	-0.23	21.09	0.129	1.000	Pass
			1	High	21.39	-0.23	21.16	0.131	1.000	Pass
			25	Low	20.09	-0.23	19.86	0.097	1.000	Pass
			25	Mid	20.13	-0.23	19.90	0.098	1.000	Pass
			25	High	20.2	-0.23	19.97	0.099	1.000	Pass
			50	Low	20.21	-0.23	19.98	0.100	1.000	Pass
	MCH	QPSK	1	Low	23.28	-0.23	23.05	0.202	1.000	Pass
			1	Mid	23.46	-0.23	23.23	0.210	1.000	Pass
			1	High	23.4	-0.23	23.17	0.207	1.000	Pass
			25	Low	22.24	-0.23	22.01	0.159	1.000	Pass
			25	Mid	22.35	-0.23	22.12	0.163	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			25	High	22.38	-0.23	22.15	0.164	1.000	Pass
			50	Low	22.32	-0.23	22.09	0.162	1.000	Pass
		Q16	1	Low	22.34	-0.23	22.11	0.163	1.000	Pass
			1	Mid	22.74	-0.23	22.51	0.178	1.000	Pass
			1	High	22.48	-0.23	22.25	0.168	1.000	Pass
			25	Low	21.3	-0.23	21.07	0.128	1.000	Pass
			25	Mid	21.34	-0.23	21.11	0.129	1.000	Pass
			25	High	21.36	-0.23	21.13	0.130	1.000	Pass
			50	Low	21.32	-0.23	21.09	0.129	1.000	Pass
		Q64	1	Low	21.36	-0.23	21.13	0.130	1.000	Pass
			1	Mid	21.7	-0.23	21.47	0.140	1.000	Pass
			1	High	21.61	-0.23	21.38	0.137	1.000	Pass
			25	Low	20.36	-0.23	20.13	0.103	1.000	Pass
			25	Mid	20.35	-0.23	20.12	0.103	1.000	Pass
			25	High	20.51	-0.23	20.28	0.107	1.000	Pass
			50	Low	20.39	-0.23	20.16	0.104	1.000	Pass
	HCH	QPSK	1	Low	23.39	-0.23	23.16	0.207	1.000	Pass
			1	Mid	23.56	-0.23	23.33	0.215	1.000	Pass
			1	High	23.48	-0.23	23.25	0.211	1.000	Pass
			25	Low	22.49	-0.23	22.26	0.168	1.000	Pass
			25	Mid	22.54	-0.23	22.31	0.170	1.000	Pass
			25	High	22.52	-0.23	22.29	0.169	1.000	Pass
			50	Low	22.46	-0.23	22.23	0.167	1.000	Pass
		Q16	1	Low	22.71	-0.23	22.48	0.177	1.000	Pass
			1	Mid	22.76	-0.23	22.53	0.179	1.000	Pass
			1	High	22.87	-0.23	22.64	0.184	1.000	Pass
			25	Low	21.55	-0.23	21.32	0.136	1.000	Pass
			25	Mid	21.64	-0.23	21.41	0.138	1.000	Pass
			25	High	21.57	-0.23	21.34	0.136	1.000	Pass
			50	Low	21.48	-0.23	21.25	0.133	1.000	Pass
		Q64	1	Low	21.64	-0.23	21.41	0.138	1.000	Pass
			1	Mid	21.87	-0.23	21.64	0.146	1.000	Pass
			1	High	21.66	-0.23	21.43	0.139	1.000	Pass
			25	Low	20.48	-0.23	20.25	0.106	1.000	Pass
			25	Mid	20.45	-0.23	20.22	0.105	1.000	Pass
			25	High	20.62	-0.23	20.39	0.109	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
15	LCH	QPSK	50	Low	20.44	-0.23	20.21	0.105	1.000	Pass
			1	Low	22.93	-0.23	22.70	0.186	1.000	Pass
			1	Mid	22.9	-0.23	22.67	0.185	1.000	Pass
			1	High	23.01	-0.23	22.78	0.190	1.000	Pass
			36	Low	21.85	-0.23	21.62	0.145	1.000	Pass
			36	Mid	22.02	-0.23	21.79	0.151	1.000	Pass
			36	High	21.99	-0.23	21.76	0.150	1.000	Pass
			75	Low	21.97	-0.23	21.74	0.149	1.000	Pass
		Q16	1	Low	22.06	-0.23	21.83	0.152	1.000	Pass
			1	Mid	22.06	-0.23	21.83	0.152	1.000	Pass
			1	High	22.46	-0.23	22.23	0.167	1.000	Pass
			36	Low	20.94	-0.23	20.71	0.118	1.000	Pass
			36	Mid	20.92	-0.23	20.69	0.117	1.000	Pass
			36	High	21.1	-0.23	20.87	0.122	1.000	Pass
			75	Low	21.08	-0.23	20.85	0.122	1.000	Pass
		Q64	1	Low	20.8	-0.23	20.57	0.114	1.000	Pass
			1	Mid	21.23	-0.23	21.00	0.126	1.000	Pass
			1	High	21.2	-0.23	20.97	0.125	1.000	Pass
			36	Low	19.93	-0.23	19.70	0.093	1.000	Pass
			36	Mid	19.97	-0.23	19.74	0.094	1.000	Pass
			36	High	20.09	-0.23	19.86	0.097	1.000	Pass
			75	Low	19.98	-0.23	19.75	0.094	1.000	Pass
	MCH	QPSK	1	Low	23.08	-0.23	22.85	0.193	1.000	Pass
			1	Mid	23.12	-0.23	22.89	0.195	1.000	Pass
			1	High	23.27	-0.23	23.04	0.201	1.000	Pass
			36	Low	22.14	-0.23	21.91	0.155	1.000	Pass
			36	Mid	22.15	-0.23	21.92	0.156	1.000	Pass
			36	High	22.22	-0.23	21.99	0.158	1.000	Pass
			75	Low	22.14	-0.23	21.91	0.155	1.000	Pass
		Q16	1	Low	22.33	-0.23	22.10	0.162	1.000	Pass
			1	Mid	22.58	-0.23	22.35	0.172	1.000	Pass
			1	High	22.42	-0.23	22.19	0.166	1.000	Pass
			36	Low	21.16	-0.23	20.93	0.124	1.000	Pass
			36	Mid	21.21	-0.23	20.98	0.125	1.000	Pass
			36	High	21.2	-0.23	20.97	0.125	1.000	Pass
			75	Low	21.13	-0.23	20.90	0.123	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q64	1	Low	21.42	-0.23	21.19	0.132	1.000	Pass
			1	Mid	21.17	-0.23	20.94	0.124	1.000	Pass
			1	High	21.21	-0.23	20.98	0.125	1.000	Pass
			36	Low	20.21	-0.23	19.98	0.100	1.000	Pass
			36	Mid	20.28	-0.23	20.05	0.101	1.000	Pass
			36	High	20.29	-0.23	20.06	0.101	1.000	Pass
			75	Low	20.18	-0.23	19.95	0.099	1.000	Pass
	HCH	QPSK	1	Low	23.11	-0.23	22.88	0.194	1.000	Pass
			1	Mid	23.29	-0.23	23.06	0.202	1.000	Pass
			1	High	23.32	-0.23	23.09	0.204	1.000	Pass
			36	Low	22.31	-0.23	22.08	0.161	1.000	Pass
			36	Mid	22.39	-0.23	22.16	0.164	1.000	Pass
			36	High	22.33	-0.23	22.10	0.162	1.000	Pass
			75	Low	22.25	-0.23	22.02	0.159	1.000	Pass
		Q16	1	Low	22.61	-0.23	22.38	0.173	1.000	Pass
			1	Mid	22.53	-0.23	22.30	0.170	1.000	Pass
			1	High	22.47	-0.23	22.24	0.167	1.000	Pass
			36	Low	21.35	-0.23	21.12	0.129	1.000	Pass
			36	Mid	21.38	-0.23	21.15	0.130	1.000	Pass
			36	High	21.38	-0.23	21.15	0.130	1.000	Pass
			75	Low	21.31	-0.23	21.08	0.128	1.000	Pass
		Q64	1	Low	21.26	-0.23	21.03	0.127	1.000	Pass
			1	Mid	21.53	-0.23	21.30	0.135	1.000	Pass
			1	High	21.72	-0.23	21.49	0.141	1.000	Pass
			36	Low	20.31	-0.23	20.08	0.102	1.000	Pass
			36	Mid	20.42	-0.23	20.19	0.104	1.000	Pass
			36	High	20.5	-0.23	20.27	0.106	1.000	Pass
			75	Low	20.36	-0.23	20.13	0.103	1.000	Pass
20	LCH	QPSK	1	Low	22.78	-0.23	22.55	0.180	1.000	Pass
			1	Mid	22.88	-0.23	22.65	0.184	1.000	Pass
			1	High	23.08	-0.23	22.85	0.193	1.000	Pass
			50	Low	21.97	-0.23	21.74	0.149	1.000	Pass
			50	Mid	22.09	-0.23	21.86	0.153	1.000	Pass
			50	High	21.99	-0.23	21.76	0.150	1.000	Pass
			100	Low	22.03	-0.23	21.80	0.151	1.000	Pass
		Q16	1	Low	22.11	-0.23	21.88	0.154	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	22.65	-0.23	22.42	0.175	1.000	Pass
			1	High	22.28	-0.23	22.05	0.160	1.000	Pass
			50	Low	20.96	-0.23	20.73	0.118	1.000	Pass
			50	Mid	21.09	-0.23	20.86	0.122	1.000	Pass
			50	High	21.12	-0.23	20.89	0.123	1.000	Pass
			100	Low	20.98	-0.23	20.75	0.119	1.000	Pass
		Q64	1	Low	21.04	-0.23	20.81	0.121	1.000	Pass
			1	Mid	21.25	-0.23	21.02	0.126	1.000	Pass
			1	High	20.99	-0.23	20.76	0.119	1.000	Pass
			50	Low	19.94	-0.23	19.71	0.094	1.000	Pass
			50	Mid	20.07	-0.23	19.84	0.096	1.000	Pass
			50	High	20.08	-0.23	19.85	0.097	1.000	Pass
			100	Low	20.07	-0.23	19.84	0.096	1.000	Pass
	MCH	QPSK	1	Low	23.09	-0.23	22.86	0.193	1.000	Pass
			1	Mid	23.19	-0.23	22.96	0.198	1.000	Pass
			1	High	23.2	-0.23	22.97	0.198	1.000	Pass
			50	Low	22.17	-0.23	21.94	0.156	1.000	Pass
			50	Mid	22.27	-0.23	22.04	0.160	1.000	Pass
			50	High	22.22	-0.23	21.99	0.158	1.000	Pass
			100	Low	22.18	-0.23	21.95	0.157	1.000	Pass
		Q16	1	Low	22.4	-0.23	22.17	0.165	1.000	Pass
			1	Mid	22.54	-0.23	22.31	0.170	1.000	Pass
			1	High	22.47	-0.23	22.24	0.167	1.000	Pass
			50	Low	21.1	-0.23	20.87	0.122	1.000	Pass
			50	Mid	21.14	-0.23	20.91	0.123	1.000	Pass
			50	High	21.25	-0.23	21.02	0.126	1.000	Pass
			100	Low	21.17	-0.23	20.94	0.124	1.000	Pass
		Q64	1	Low	21.41	-0.23	21.18	0.131	1.000	Pass
			1	Mid	21.36	-0.23	21.13	0.130	1.000	Pass
			1	High	21.23	-0.23	21.00	0.126	1.000	Pass
			50	Low	20.15	-0.23	19.92	0.098	1.000	Pass
			50	Mid	20.25	-0.23	20.02	0.100	1.000	Pass
			50	High	20.33	-0.23	20.10	0.102	1.000	Pass
			100	Low	20.2	-0.23	19.97	0.099	1.000	Pass
	HCH	QPSK	1	Low	23.14	-0.23	22.91	0.195	1.000	Pass
			1	Mid	23.14	-0.23	22.91	0.195	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	High	23.27	-0.23	23.04	0.201	1.000	Pass
			50	Low	22.3	-0.23	22.07	0.161	1.000	Pass
			50	Mid	22.25	-0.23	22.02	0.159	1.000	Pass
			50	High	22.43	-0.23	22.20	0.166	1.000	Pass
			100	Low	22.36	-0.23	22.13	0.163	1.000	Pass
		Q16	1	Low	22.58	-0.23	22.35	0.172	1.000	Pass
			1	Mid	22.41	-0.23	22.18	0.165	1.000	Pass
			1	High	22.55	-0.23	22.32	0.171	1.000	Pass
			50	Low	21.37	-0.23	21.14	0.130	1.000	Pass
			50	Mid	21.41	-0.23	21.18	0.131	1.000	Pass
			50	High	21.4	-0.23	21.17	0.131	1.000	Pass
			100	Low	21.31	-0.23	21.08	0.128	1.000	Pass
		Q64	1	Low	21.37	-0.23	21.14	0.130	1.000	Pass
			1	Mid	21.43	-0.23	21.20	0.132	1.000	Pass
			1	High	21.58	-0.23	21.35	0.136	1.000	Pass
			50	Low	20.29	-0.23	20.06	0.101	1.000	Pass
			50	Mid	20.23	-0.23	20.00	0.100	1.000	Pass
			50	High	20.41	-0.23	20.18	0.104	1.000	Pass
			100	Low	20.31	-0.23	20.08	0.102	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	23.88	-2.79	-4.94	18.94	0.078	7.000	Pass
			1	Mid	24	-2.79	-4.94	19.06	0.081	7.000	Pass
			1	High	23.84	-2.79	-4.94	18.90	0.078	7.000	Pass
			3	Low	24	-2.79	-4.94	19.06	0.081	7.000	Pass
			3	Mid	23.97	-2.79	-4.94	19.03	0.080	7.000	Pass
			3	High	23.96	-2.79	-4.94	19.02	0.080	7.000	Pass
		Q16	6	Low	23.01	-2.79	-4.94	18.07	0.064	7.000	Pass
			1	Low	23.3	-2.79	-4.94	18.36	0.069	7.000	Pass
			1	Mid	23.29	-2.79	-4.94	18.35	0.068	7.000	Pass
			1	High	23.14	-2.79	-4.94	18.20	0.066	7.000	Pass
			3	Low	23.03	-2.79	-4.94	18.09	0.064	7.000	Pass
			3	Mid	23.07	-2.79	-4.94	18.13	0.065	7.000	Pass
			3	High	23.02	-2.79	-4.94	18.08	0.064	7.000	Pass
			6	Low	22.12	-2.79	-4.94	17.18	0.052	7.000	Pass
		Q64	1	Low	22.15	-2.79	-4.94	17.21	0.053	7.000	Pass
			1	Mid	22.23	-2.79	-4.94	17.29	0.054	7.000	Pass
			1	High	22.07	-2.79	-4.94	17.13	0.052	7.000	Pass
			3	Low	22.19	-2.79	-4.94	17.25	0.053	7.000	Pass
			3	Mid	22.11	-2.79	-4.94	17.17	0.052	7.000	Pass
			3	High	22.07	-2.79	-4.94	17.13	0.052	7.000	Pass
			6	Low	21.1	-2.79	-4.94	16.16	0.041	7.000	Pass
	MCH	QPSK	1	Low	23.89	-2.79	-4.94	18.95	0.000	7.000	Pass
			1	Mid	23.93	-2.79	-4.94	18.99	0.079	7.000	Pass
			1	High	23.93	-2.79	-4.94	18.99	0.079	7.000	Pass
			3	Low	23.98	-2.79	-4.94	19.04	0.080	7.000	Pass
			3	Mid	23.88	-2.79	-4.94	18.94	0.078	7.000	Pass
			3	High	24.01	-2.79	-4.94	19.07	0.081	7.000	Pass
			6	Low	22.91	-2.79	-4.94	17.97	0.063	7.000	Pass
		Q16	1	Low	23.3	-2.79	-4.94	18.36	0.069	7.000	Pass
			1	Mid	23.17	-2.79	-4.94	18.23	0.067	7.000	Pass
			1	High	23.28	-2.79	-4.94	18.34	0.068	7.000	Pass
			3	Low	22.99	-2.79	-4.94	18.05	0.064	7.000	Pass
			3	Mid	23.11	-2.79	-4.94	18.17	0.066	7.000	Pass
			3	High	23	-2.79	-4.94	18.06	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	6	Low	22.02	-2.79	-4.94	17.08	0.051	7.000	Pass
			1	Low	22.23	-2.79	-4.94	17.29	0.054	7.000	Pass
			1	Mid	22.28	-2.79	-4.94	17.34	0.054	7.000	Pass
			1	High	22.04	-2.79	-4.94	17.10	0.051	7.000	Pass
			3	Low	22	-2.79	-4.94	17.06	0.051	7.000	Pass
			3	Mid	22.03	-2.79	-4.94	17.09	0.051	7.000	Pass
			3	High	22.04	-2.79	-4.94	17.10	0.051	7.000	Pass
			6	Low	20.96	-2.79	-4.94	16.02	0.040	7.000	Pass
	HCH	QPSK	1	Low	23.89	-2.79	-4.94	18.95	0.079	7.000	Pass
			1	Mid	23.89	-2.79	-4.94	18.95	0.079	7.000	Pass
			1	High	23.83	-2.79	-4.94	18.89	0.077	7.000	Pass
			3	Low	23.93	-2.79	-4.94	18.99	0.079	7.000	Pass
			3	Mid	23.97	-2.79	-4.94	19.03	0.080	7.000	Pass
			3	High	23.95	-2.79	-4.94	19.01	0.080	7.000	Pass
			6	Low	22.87	-2.79	-4.94	17.93	0.062	7.000	Pass
		Q16	1	Low	23.37	-2.79	-4.94	18.43	0.070	7.000	Pass
			1	Mid	23.34	-2.79	-4.94	18.40	0.069	7.000	Pass
			1	High	23.17	-2.79	-4.94	18.23	0.067	7.000	Pass
			3	Low	22.94	-2.79	-4.94	18.00	0.063	7.000	Pass
			3	Mid	22.95	-2.79	-4.94	18.01	0.063	7.000	Pass
			3	High	22.97	-2.79	-4.94	18.03	0.064	7.000	Pass
			6	Low	21.91	-2.79	-4.94	16.97	0.050	7.000	Pass
		Q64	1	Low	22.06	-2.79	-4.94	17.12	0.052	7.000	Pass
			1	Mid	22.18	-2.79	-4.94	17.24	0.053	7.000	Pass
			1	High	21.99	-2.79	-4.94	17.05	0.051	7.000	Pass
			3	Low	21.94	-2.79	-4.94	17.00	0.050	7.000	Pass
			3	Mid	22.01	-2.79	-4.94	17.07	0.051	7.000	Pass
			3	High	21.95	-2.79	-4.94	17.01	0.050	7.000	Pass
			6	Low	21	-2.79	-4.94	16.06	0.040	7.000	Pass
3	LCH	QPSK	1	Low	23.85	-2.79	-4.94	18.91	0.078	7.000	Pass
			1	Mid	23.95	-2.79	-4.94	19.01	0.080	7.000	Pass
			1	High	23.85	-2.79	-4.94	18.91	0.078	7.000	Pass
			8	Low	23	-2.79	-4.94	18.06	0.064	7.000	Pass
			8	Mid	22.98	-2.79	-4.94	18.04	0.064	7.000	Pass
			8	High	23	-2.79	-4.94	18.06	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	15	Low	23.01	-2.79	-4.94	18.07	0.064	7.000	Pass
			1	Low	23.26	-2.79	-4.94	18.32	0.068	7.000	Pass
			1	Mid	23.56	-2.79	-4.94	18.62	0.073	7.000	Pass
			1	High	23.18	-2.79	-4.94	18.24	0.067	7.000	Pass
			8	Low	22.07	-2.79	-4.94	17.13	0.052	7.000	Pass
			8	Mid	22.11	-2.79	-4.94	17.17	0.052	7.000	Pass
			8	High	22.12	-2.79	-4.94	17.18	0.052	7.000	Pass
			15	Low	22.04	-2.79	-4.94	17.10	0.051	7.000	Pass
		Q64	1	Low	22.37	-2.79	-4.94	17.43	0.055	7.000	Pass
			1	Mid	22.17	-2.79	-4.94	17.23	0.053	7.000	Pass
			1	High	22.28	-2.79	-4.94	17.34	0.054	7.000	Pass
			8	Low	21.06	-2.79	-4.94	16.12	0.041	7.000	Pass
			8	Mid	20.99	-2.79	-4.94	16.05	0.040	7.000	Pass
			8	High	21.07	-2.79	-4.94	16.13	0.041	7.000	Pass
			15	Low	21.01	-2.79	-4.94	16.07	0.040	7.000	Pass
	MCH	QPSK	1	Low	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			1	Mid	23.91	-2.79	-4.94	18.97	0.079	7.000	Pass
			1	High	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			8	Low	22.88	-2.79	-4.94	17.94	0.062	7.000	Pass
			8	Mid	22.93	-2.79	-4.94	17.99	0.063	7.000	Pass
			8	High	22.94	-2.79	-4.94	18.00	0.063	7.000	Pass
			15	Low	22.92	-2.79	-4.94	17.98	0.063	7.000	Pass
		Q16	1	Low	23.13	-2.79	-4.94	18.19	0.066	7.000	Pass
			1	Mid	23.35	-2.79	-4.94	18.41	0.069	7.000	Pass
			1	High	23.18	-2.79	-4.94	18.24	0.067	7.000	Pass
			8	Low	22.02	-2.79	-4.94	17.08	0.051	7.000	Pass
			8	Mid	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			8	High	22.06	-2.79	-4.94	17.12	0.052	7.000	Pass
			15	Low	21.94	-2.79	-4.94	17.00	0.050	7.000	Pass
		Q64	1	Low	21.96	-2.79	-4.94	17.02	0.050	7.000	Pass
			1	Mid	22.17	-2.79	-4.94	17.23	0.053	7.000	Pass
			1	High	22.15	-2.79	-4.94	17.21	0.053	7.000	Pass
			8	Low	20.88	-2.79	-4.94	15.94	0.039	7.000	Pass
			8	Mid	20.96	-2.79	-4.94	16.02	0.040	7.000	Pass
			8	High	20.97	-2.79	-4.94	16.03	0.040	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
	HCH	QPSK	15	Low	20.89	-2.79	-4.94	15.95	0.039	7.000	Pass
			1	Low	23.85	-2.79	-4.94	18.91	0.078	7.000	Pass
			1	Mid	23.92	-2.79	-4.94	18.98	0.079	7.000	Pass
			1	High	23.81	-2.79	-4.94	18.87	0.077	7.000	Pass
			8	Low	22.88	-2.79	-4.94	17.94	0.062	7.000	Pass
			8	Mid	22.96	-2.79	-4.94	18.02	0.063	7.000	Pass
			8	High	22.87	-2.79	-4.94	17.93	0.062	7.000	Pass
		Q16	15	Low	22.92	-2.79	-4.94	17.98	0.063	7.000	Pass
			1	Low	23.27	-2.79	-4.94	18.33	0.068	7.000	Pass
			1	Mid	23.32	-2.79	-4.94	18.38	0.069	7.000	Pass
			1	High	23.11	-2.79	-4.94	18.17	0.066	7.000	Pass
			8	Low	21.95	-2.79	-4.94	17.01	0.050	7.000	Pass
			8	Mid	22.01	-2.79	-4.94	17.07	0.051	7.000	Pass
			8	High	21.89	-2.79	-4.94	16.95	0.050	7.000	Pass
		Q64	15	Low	21.87	-2.79	-4.94	16.93	0.049	7.000	Pass
			1	Low	22.17	-2.79	-4.94	17.23	0.053	7.000	Pass
			1	Mid	22.52	-2.79	-4.94	17.58	0.057	7.000	Pass
			1	High	22.03	-2.79	-4.94	17.09	0.051	7.000	Pass
			8	Low	20.91	-2.79	-4.94	15.97	0.040	7.000	Pass
			8	Mid	20.96	-2.79	-4.94	16.02	0.040	7.000	Pass
			8	High	20.98	-2.79	-4.94	16.04	0.040	7.000	Pass
			15	Low	21.08	-2.79	-4.94	16.14	0.041	7.000	Pass
5	LCH	QPSK	1	Low	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			1	Mid	23.85	-2.79	-4.94	18.91	0.078	7.000	Pass
			1	High	23.84	-2.79	-4.94	18.90	0.078	7.000	Pass
			12	Low	22.99	-2.79	-4.94	18.05	0.064	7.000	Pass
			12	Mid	22.95	-2.79	-4.94	18.01	0.063	7.000	Pass
			12	High	22.98	-2.79	-4.94	18.04	0.064	7.000	Pass
			25	Low	22.99	-2.79	-4.94	18.05	0.064	7.000	Pass
		Q16	1	Low	23.32	-2.79	-4.94	18.38	0.069	7.000	Pass
			1	Mid	23.21	-2.79	-4.94	18.27	0.067	7.000	Pass
			1	High	23.19	-2.79	-4.94	18.25	0.067	7.000	Pass
			12	Low	22.05	-2.79	-4.94	17.11	0.051	7.000	Pass
			12	Mid	22.02	-2.79	-4.94	17.08	0.051	7.000	Pass
			12	High	21.97	-2.79	-4.94	17.03	0.050	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	25	Low	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			1	Low	22.2	-2.79	-4.94	17.26	0.053	7.000	Pass
			1	Mid	22.1	-2.79	-4.94	17.16	0.052	7.000	Pass
			1	High	22.09	-2.79	-4.94	17.15	0.052	7.000	Pass
			12	Low	21.04	-2.79	-4.94	16.10	0.041	7.000	Pass
			12	Mid	21	-2.79	-4.94	16.06	0.040	7.000	Pass
			12	High	21.02	-2.79	-4.94	16.08	0.041	7.000	Pass
			25	Low	21.07	-2.79	-4.94	16.13	0.041	7.000	Pass
	MCH	QPSK	1	Low	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			1	Mid	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			1	High	23.78	-2.79	-4.94	18.84	0.077	7.000	Pass
			12	Low	22.89	-2.79	-4.94	17.95	0.062	7.000	Pass
			12	Mid	22.92	-2.79	-4.94	17.98	0.063	7.000	Pass
			12	High	23	-2.79	-4.94	18.06	0.064	7.000	Pass
			25	Low	22.85	-2.79	-4.94	17.91	0.062	7.000	Pass
		Q16	1	Low	23.1	-2.79	-4.94	18.16	0.065	7.000	Pass
			1	Mid	23.42	-2.79	-4.94	18.48	0.070	7.000	Pass
			1	High	23.24	-2.79	-4.94	18.30	0.068	7.000	Pass
			12	Low	21.9	-2.79	-4.94	16.96	0.050	7.000	Pass
			12	Mid	22	-2.79	-4.94	17.06	0.051	7.000	Pass
			12	High	22.02	-2.79	-4.94	17.08	0.051	7.000	Pass
			25	Low	21.95	-2.79	-4.94	17.01	0.050	7.000	Pass
		Q64	1	Low	22.02	-2.79	-4.94	17.08	0.051	7.000	Pass
			1	Mid	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			1	High	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			12	Low	20.92	-2.79	-4.94	15.98	0.040	7.000	Pass
			12	Mid	20.97	-2.79	-4.94	16.03	0.040	7.000	Pass
			12	High	20.95	-2.79	-4.94	16.01	0.040	7.000	Pass
			25	Low	20.91	-2.79	-4.94	15.97	0.040	7.000	Pass
	HCH	QPSK	1	Low	23.83	-2.79	-4.94	18.89	0.077	7.000	Pass
			1	Mid	23.86	-2.79	-4.94	18.92	0.078	7.000	Pass
			1	High	23.89	-2.79	-4.94	18.95	0.079	7.000	Pass
			12	Low	22.92	-2.79	-4.94	17.98	0.063	7.000	Pass
			12	Mid	22.96	-2.79	-4.94	18.02	0.063	7.000	Pass
			12	High	22.97	-2.79	-4.94	18.03	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	25	Low	22.91	-2.79	-4.94	17.97	0.063	7.000	Pass
			1	Low	23.29	-2.79	-4.94	18.35	0.068	7.000	Pass
			1	Mid	23.17	-2.79	-4.94	18.23	0.067	7.000	Pass
			1	High	23.17	-2.79	-4.94	18.23	0.067	7.000	Pass
			12	Low	21.92	-2.79	-4.94	16.98	0.050	7.000	Pass
			12	Mid	21.94	-2.79	-4.94	17.00	0.050	7.000	Pass
			12	High	21.9	-2.79	-4.94	16.96	0.050	7.000	Pass
			25	Low	21.96	-2.79	-4.94	17.02	0.050	7.000	Pass
		Q64	1	Low	22.06	-2.79	-4.94	17.12	0.052	7.000	Pass
			1	Mid	22.22	-2.79	-4.94	17.28	0.053	7.000	Pass
			1	High	21.99	-2.79	-4.94	17.05	0.051	7.000	Pass
			12	Low	20.93	-2.79	-4.94	15.99	0.040	7.000	Pass
			12	Mid	20.98	-2.79	-4.94	16.04	0.040	7.000	Pass
			12	High	20.94	-2.79	-4.94	16.00	0.040	7.000	Pass
			25	Low	20.93	-2.79	-4.94	15.99	0.040	7.000	Pass
			25	Low	20.93	-2.79	-4.94	15.99	0.040	7.000	Pass
10	LCH	QPSK	1	Low	23.89	-2.79	-4.94	18.95	0.079	7.000	Pass
			1	Mid	23.89	-2.79	-4.94	18.95	0.079	7.000	Pass
			1	High	23.91	-2.79	-4.94	18.97	0.079	7.000	Pass
			25	Low	22.97	-2.79	-4.94	18.03	0.064	7.000	Pass
			25	Mid	22.96	-2.79	-4.94	18.02	0.063	7.000	Pass
			25	High	22.91	-2.79	-4.94	17.97	0.063	7.000	Pass
			50	Low	22.86	-2.79	-4.94	17.92	0.062	7.000	Pass
		Q16	1	Low	23.1	-2.79	-4.94	18.16	0.065	7.000	Pass
			1	Mid	23.07	-2.79	-4.94	18.13	0.065	7.000	Pass
			1	High	23.06	-2.79	-4.94	18.12	0.065	7.000	Pass
			25	Low	21.94	-2.79	-4.94	17.00	0.050	7.000	Pass
			25	Mid	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			25	High	21.9	-2.79	-4.94	16.96	0.050	7.000	Pass
			50	Low	21.96	-2.79	-4.94	17.02	0.050	7.000	Pass
		Q64	1	Low	22.09	-2.79	-4.94	17.15	0.052	7.000	Pass
			1	Mid	22.22	-2.79	-4.94	17.28	0.053	7.000	Pass
			1	High	22.11	-2.79	-4.94	17.17	0.052	7.000	Pass
			25	Low	20.99	-2.79	-4.94	16.05	0.040	7.000	Pass
			25	Mid	20.94	-2.79	-4.94	16.00	0.040	7.000	Pass
			25	High	20.91	-2.79	-4.94	15.97	0.040	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Anten na Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict	
LTE BAND 5												
			50	Low	20.83	-2.79	-4.94	15.89	0.039	7.000	Pass	
	MCH	QPSK	1	Low	23.93	-2.79	-4.94	18.99	0.079	7.000	Pass	
			1	Mid	23.93	-2.79	-4.94	18.99	0.079	7.000	Pass	
			1	High	23.82	-2.79	-4.94	18.88	0.077	7.000	Pass	
			25	Low	22.9	-2.79	-4.94	17.96	0.063	7.000	Pass	
			25	Mid	22.86	-2.79	-4.94	17.92	0.062	7.000	Pass	
			25	High	22.92	-2.79	-4.94	17.98	0.063	7.000	Pass	
			50	Low	22.91	-2.79	-4.94	17.97	0.063	7.000	Pass	
		Q16	1	Low	23.23	-2.79	-4.94	18.29	0.067	7.000	Pass	
			1	Mid	23.23	-2.79	-4.94	18.29	0.067	7.000	Pass	
			1	High	23.01	-2.79	-4.94	18.07	0.064	7.000	Pass	
			25	Low	21.97	-2.79	-4.94	17.03	0.050	7.000	Pass	
			25	Mid	21.96	-2.79	-4.94	17.02	0.050	7.000	Pass	
			25	High	21.92	-2.79	-4.94	16.98	0.050	7.000	Pass	
			50	Low	21.91	-2.79	-4.94	16.97	0.050	7.000	Pass	
		Q64	1	Low	22.05	-2.79	-4.94	17.11	0.051	7.000	Pass	
			1	Mid	22.05	-2.79	-4.94	17.11	0.051	7.000	Pass	
			1	High	21.88	-2.79	-4.94	16.94	0.049	7.000	Pass	
			25	Low	20.98	-2.79	-4.94	16.04	0.040	7.000	Pass	
			25	Mid	20.94	-2.79	-4.94	16.00	0.040	7.000	Pass	
			25	High	20.93	-2.79	-4.94	15.99	0.040	7.000	Pass	
			50	Low	20.91	-2.79	-4.94	15.97	0.040	7.000	Pass	
		HCH	QPSK	1	Low	23.87	-2.79	-4.94	18.93	0.078	7.000	Pass
				1	Mid	23.81	-2.79	-4.94	18.87	0.077	7.000	Pass
				1	High	23.78	-2.79	-4.94	18.84	0.077	7.000	Pass
				25	Low	22.81	-2.79	-4.94	17.87	0.061	7.000	Pass
				25	Mid	22.96	-2.79	-4.94	18.02	0.063	7.000	Pass
				25	High	22.88	-2.79	-4.94	17.94	0.062	7.000	Pass
				50	Low	22.85	-2.79	-4.94	17.91	0.062	7.000	Pass
	Q16		1	Low	23.23	-2.79	-4.94	18.29	0.067	7.000	Pass	
			1	Mid	23.12	-2.79	-4.94	18.18	0.066	7.000	Pass	
			1	High	22.97	-2.79	-4.94	18.03	0.064	7.000	Pass	
			25	Low	21.9	-2.79	-4.94	16.96	0.050	7.000	Pass	
			25	Mid	21.89	-2.79	-4.94	16.95	0.050	7.000	Pass	
			25	High	21.89	-2.79	-4.94	16.95	0.050	7.000	Pass	

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q64	50	Low	21.78	-2.79	-4.94	16.84	0.048	7.000	Pass
			1	Low	22	-2.79	-4.94	17.06	0.051	7.000	Pass
			1	Mid	22.05	-2.79	-4.94	17.11	0.051	7.000	Pass
			1	High	21.98	-2.79	-4.94	17.04	0.051	7.000	Pass
			25	Low	20.99	-2.79	-4.94	16.05	0.040	7.000	Pass
			25	Mid	20.78	-2.79	-4.94	15.84	0.038	7.000	Pass
			25	High	20.93	-2.79	-4.94	15.99	0.040	7.000	Pass
			50	Low	20.82	-2.79	-4.94	15.88	0.039	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	23.77	0.28	24.05	0.254	2.000	Pass
			1	Mid	23.88	0.28	24.16	0.261	2.000	Pass
			1	High	23.73	0.28	24.01	0.252	2.000	Pass
			12	Low	22.89	0.28	23.17	0.207	2.000	Pass
			12	Mid	22.87	0.28	23.15	0.207	2.000	Pass
			12	High	22.84	0.28	23.12	0.205	2.000	Pass
			25	Low	22.84	0.28	23.12	0.205	2.000	Pass
		Q16	1	Low	23.3	0.28	23.58	0.228	2.000	Pass
			1	Mid	23.02	0.28	23.30	0.214	2.000	Pass
			1	High	23.04	0.28	23.32	0.215	2.000	Pass
			12	Low	21.87	0.28	22.15	0.164	2.000	Pass
			12	Mid	21.88	0.28	22.16	0.164	2.000	Pass
			12	High	21.85	0.28	22.13	0.163	2.000	Pass
			25	Low	21.88	0.28	22.16	0.164	2.000	Pass
		Q64	1	Low	22.14	0.28	22.42	0.175	2.000	Pass
			1	Mid	22.15	0.28	22.43	0.175	2.000	Pass
			1	High	22	0.28	22.28	0.169	2.000	Pass
			12	Low	20.9	0.28	21.18	0.131	2.000	Pass
			12	Mid	20.94	0.28	21.22	0.132	2.000	Pass
			12	High	20.98	0.28	21.26	0.134	2.000	Pass
			25	Low	20.76	0.28	21.04	0.127	2.000	Pass
	MCH	QPSK	1	Low	23.29	0.28	23.57	0.228	2.000	Pass
			1	Mid	23.42	0.28	23.70	0.234	2.000	Pass
			1	High	23.29	0.28	23.57	0.228	2.000	Pass
			12	Low	22.42	0.28	22.70	0.186	2.000	Pass
			12	Mid	22.4	0.28	22.68	0.185	2.000	Pass
			12	High	22.31	0.28	22.59	0.182	2.000	Pass
			25	Low	22.36	0.28	22.64	0.184	2.000	Pass
		Q16	1	Low	22.77	0.28	23.05	0.202	2.000	Pass
			1	Mid	22.68	0.28	22.96	0.198	2.000	Pass
			1	High	22.57	0.28	22.85	0.193	2.000	Pass
			12	Low	21.51	0.28	21.79	0.151	2.000	Pass
			12	Mid	21.48	0.28	21.76	0.150	2.000	Pass
			12	High	21.29	0.28	21.57	0.144	2.000	Pass
			25	Low	21.34	0.28	21.62	0.145	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q64	1	Low	21.36	0.28	21.64	0.146	2.000	Pass
			1	Mid	21.52	0.28	21.80	0.151	2.000	Pass
			1	High	21.53	0.28	21.81	0.152	2.000	Pass
			12	Low	20.43	0.28	20.71	0.118	2.000	Pass
			12	Mid	20.54	0.28	20.82	0.121	2.000	Pass
			12	High	20.45	0.28	20.73	0.118	2.000	Pass
			25	Low	20.36	0.28	20.64	0.116	2.000	Pass
	HCH	QPSK	1	Low	23.38	0.28	23.66	0.232	2.000	Pass
			1	Mid	23.41	0.28	23.69	0.234	2.000	Pass
			1	High	23.38	0.28	23.66	0.232	2.000	Pass
			12	Low	22.48	0.28	22.76	0.189	2.000	Pass
			12	Mid	22.51	0.28	22.79	0.190	2.000	Pass
			12	High	22.49	0.28	22.77	0.189	2.000	Pass
			25	Low	22.52	0.28	22.80	0.191	2.000	Pass
		Q16	1	Low	22.95	0.28	23.23	0.210	2.000	Pass
			1	Mid	22.71	0.28	22.99	0.199	2.000	Pass
			1	High	22.71	0.28	22.99	0.199	2.000	Pass
			12	Low	21.54	0.28	21.82	0.152	2.000	Pass
			12	Mid	21.5	0.28	21.78	0.151	2.000	Pass
			12	High	21.57	0.28	21.85	0.153	2.000	Pass
			25	Low	21.51	0.28	21.79	0.151	2.000	Pass
		Q64	1	Low	21.48	0.28	21.76	0.150	2.000	Pass
			1	Mid	21.93	0.28	22.21	0.166	2.000	Pass
			1	High	21.68	0.28	21.96	0.157	2.000	Pass
			12	Low	20.56	0.28	20.84	0.121	2.000	Pass
			12	Mid	20.55	0.28	20.83	0.121	2.000	Pass
			12	High	20.52	0.28	20.80	0.120	2.000	Pass
			25	Low	20.58	0.28	20.86	0.122	2.000	Pass
10	LCH	QPSK	1	Low	23.82	0.28	24.10	0.257	2.000	Pass
			1	Mid	23.78	0.28	24.06	0.255	2.000	Pass
			1	High	23.62	0.28	23.90	0.245	2.000	Pass
			25	Low	22.9	0.28	23.18	0.208	2.000	Pass
			25	Mid	22.89	0.28	23.17	0.207	2.000	Pass
			25	High	22.81	0.28	23.09	0.204	2.000	Pass
			50	Low	22.79	0.28	23.07	0.203	2.000	Pass
		Q16	1	Low	23.2	0.28	23.48	0.223	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	23.01	0.28	23.29	0.213	2.000	Pass
			1	High	22.94	0.28	23.22	0.210	2.000	Pass
			25	Low	21.88	0.28	22.16	0.164	2.000	Pass
			25	Mid	21.83	0.28	22.11	0.163	2.000	Pass
			25	High	21.81	0.28	22.09	0.162	2.000	Pass
			50	Low	21.87	0.28	22.15	0.164	2.000	Pass
		Q64	1	Low	21.91	0.28	22.19	0.166	2.000	Pass
			1	Mid	21.94	0.28	22.22	0.167	2.000	Pass
			1	High	21.85	0.28	22.13	0.163	2.000	Pass
			25	Low	20.94	0.28	21.22	0.132	2.000	Pass
			25	Mid	20.87	0.28	21.15	0.130	2.000	Pass
			25	High	20.83	0.28	21.11	0.129	2.000	Pass
			50	Low	20.81	0.28	21.09	0.129	2.000	Pass
	MCH	QPSK	1	Low	23.39	0.28	23.67	0.233	2.000	Pass
			1	Mid	23.39	0.28	23.67	0.233	2.000	Pass
			1	High	23.28	0.28	23.56	0.227	2.000	Pass
			25	Low	22.46	0.28	22.74	0.188	2.000	Pass
			25	Mid	22.32	0.28	22.60	0.182	2.000	Pass
			25	High	22.33	0.28	22.61	0.182	2.000	Pass
			50	Low	22.33	0.28	22.61	0.182	2.000	Pass
		Q16	1	Low	22.45	0.28	22.73	0.187	2.000	Pass
			1	Mid	22.64	0.28	22.92	0.196	2.000	Pass
			1	High	22.45	0.28	22.73	0.187	2.000	Pass
			25	Low	21.39	0.28	21.67	0.147	2.000	Pass
			25	Mid	21.4	0.28	21.68	0.147	2.000	Pass
			25	High	21.4	0.28	21.68	0.147	2.000	Pass
			50	Low	21.27	0.28	21.55	0.143	2.000	Pass
		Q64	1	Low	21.56	0.28	21.84	0.153	2.000	Pass
			1	Mid	21.55	0.28	21.83	0.152	2.000	Pass
			1	High	21.33	0.28	21.61	0.145	2.000	Pass
			25	Low	20.54	0.28	20.82	0.121	2.000	Pass
			25	Mid	20.39	0.28	20.67	0.117	2.000	Pass
			25	High	20.45	0.28	20.73	0.118	2.000	Pass
			50	Low	20.41	0.28	20.69	0.117	2.000	Pass
	HCH	QPSK	1	Low	23.32	0.28	23.60	0.229	2.000	Pass
			1	Mid	23.39	0.28	23.67	0.233	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	High	23.35	0.28	23.63	0.231	2.000	Pass
			25	Low	22.44	0.28	22.72	0.187	2.000	Pass
			25	Mid	22.48	0.28	22.76	0.189	2.000	Pass
			25	High	22.38	0.28	22.66	0.185	2.000	Pass
			50	Low	22.47	0.28	22.75	0.188	2.000	Pass
		Q16	1	Low	22.81	0.28	23.09	0.204	2.000	Pass
			1	Mid	22.74	0.28	23.02	0.200	2.000	Pass
			1	High	22.72	0.28	23.00	0.200	2.000	Pass
			25	Low	21.41	0.28	21.69	0.148	2.000	Pass
			25	Mid	21.49	0.28	21.77	0.150	2.000	Pass
			25	High	21.46	0.28	21.74	0.149	2.000	Pass
			50	Low	21.48	0.28	21.76	0.150	2.000	Pass
		Q64	1	Low	21.61	0.28	21.89	0.155	2.000	Pass
			1	Mid	21.6	0.28	21.88	0.154	2.000	Pass
			1	High	21.54	0.28	21.82	0.152	2.000	Pass
			25	Low	20.46	0.28	20.74	0.119	2.000	Pass
			25	Mid	20.43	0.28	20.71	0.118	2.000	Pass
			25	High	20.5	0.28	20.78	0.120	2.000	Pass
			50	Low	20.48	0.28	20.76	0.119	2.000	Pass
15	LCH	QPSK	1	Low	24.01	0.28	24.29	0.269	2.000	Pass
			1	Mid	23.52	0.28	23.80	0.240	2.000	Pass
			1	High	23.3	0.28	23.58	0.228	2.000	Pass
			36	Low	22.64	0.28	22.92	0.196	2.000	Pass
			36	Mid	22.69	0.28	22.97	0.198	2.000	Pass
			36	High	22.56	0.28	22.84	0.192	2.000	Pass
			75	Low	22.65	0.28	22.93	0.196	2.000	Pass
		Q16	1	Low	22.86	0.28	23.14	0.206	2.000	Pass
			1	Mid	22.86	0.28	23.14	0.206	2.000	Pass
			1	High	22.53	0.28	22.81	0.191	2.000	Pass
			36	Low	21.63	0.28	21.91	0.155	2.000	Pass
			36	Mid	21.62	0.28	21.90	0.155	2.000	Pass
			36	High	21.59	0.28	21.87	0.154	2.000	Pass
			75	Low	21.68	0.28	21.96	0.157	2.000	Pass
		Q64	1	Low	21.74	0.28	22.02	0.159	2.000	Pass
			1	Mid	21.42	0.28	21.70	0.148	2.000	Pass
			1	High	21.51	0.28	21.79	0.151	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	MCH		36	Low	20.72	0.28	21.00	0.126	2.000	Pass
			36	Mid	20.6	0.28	20.88	0.122	2.000	Pass
			36	High	20.62	0.28	20.90	0.123	2.000	Pass
			75	Low	20.7	0.28	20.98	0.125	2.000	Pass
		QPSK	1	Low	23.21	0.28	23.49	0.223	2.000	Pass
			1	Mid	23.22	0.28	23.50	0.224	2.000	Pass
			1	High	22.94	0.28	23.22	0.210	2.000	Pass
			36	Low	22.28	0.28	22.56	0.180	2.000	Pass
			36	Mid	22.15	0.28	22.43	0.175	2.000	Pass
			36	High	22.07	0.28	22.35	0.172	2.000	Pass
			75	Low	22.18	0.28	22.46	0.176	2.000	Pass
		Q16	1	Low	22.8	0.28	23.08	0.203	2.000	Pass
			1	Mid	22.58	0.28	22.86	0.193	2.000	Pass
			1	High	22.17	0.28	22.45	0.176	2.000	Pass
			36	Low	21.33	0.28	21.61	0.145	2.000	Pass
			36	Mid	21.23	0.28	21.51	0.142	2.000	Pass
			36	High	21.26	0.28	21.54	0.143	2.000	Pass
			75	Low	21.25	0.28	21.53	0.142	2.000	Pass
		Q64	1	Low	21.31	0.28	21.59	0.144	2.000	Pass
			1	Mid	21.2	0.28	21.48	0.141	2.000	Pass
			1	High	21.05	0.28	21.33	0.136	2.000	Pass
			36	Low	20.24	0.28	20.52	0.113	2.000	Pass
			36	Mid	20.27	0.28	20.55	0.114	2.000	Pass
			36	High	20.24	0.28	20.52	0.113	2.000	Pass
			75	Low	20.16	0.28	20.44	0.111	2.000	Pass
	HCH	QPSK	1	Low	23.22	0.28	23.50	0.224	2.000	Pass
			1	Mid	23.34	0.28	23.62	0.230	2.000	Pass
			1	High	23.22	0.28	23.50	0.224	2.000	Pass
			36	Low	22.26	0.28	22.54	0.179	2.000	Pass
			36	Mid	22.26	0.28	22.54	0.179	2.000	Pass
			36	High	22.26	0.28	22.54	0.179	2.000	Pass
			75	Low	22.3	0.28	22.58	0.181	2.000	Pass
		Q16	1	Low	22.68	0.28	22.96	0.198	2.000	Pass
			1	Mid	22.38	0.28	22.66	0.185	2.000	Pass
			1	High	22.44	0.28	22.72	0.187	2.000	Pass
			36	Low	21.27	0.28	21.55	0.143	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	Mid	21.34	0.28	21.62	0.145	2.000	Pass
			36	High	21.32	0.28	21.60	0.145	2.000	Pass
			75	Low	21.38	0.28	21.66	0.147	2.000	Pass
		Q64	1	Low	21.43	0.28	21.71	0.148	2.000	Pass
			1	Mid	21.58	0.28	21.86	0.153	2.000	Pass
			1	High	20.99	0.28	21.27	0.134	2.000	Pass
			36	Low	20.4	0.28	20.68	0.117	2.000	Pass
			36	Mid	20.36	0.28	20.64	0.116	2.000	Pass
			36	High	20.41	0.28	20.69	0.117	2.000	Pass
			75	Low	20.29	0.28	20.57	0.114	2.000	Pass
20	LCH	QPSK	1	Low	23.63	0.28	23.91	0.246	2.000	Pass
			1	Mid	23.53	0.28	23.81	0.240	2.000	Pass
			1	High	23.2	0.28	23.48	0.223	2.000	Pass
			50	Low	22.74	0.28	23.02	0.200	2.000	Pass
			50	Mid	22.7	0.28	22.98	0.199	2.000	Pass
			50	High	22.55	0.28	22.83	0.192	2.000	Pass
			100	Low	22.65	0.28	22.93	0.196	2.000	Pass
		Q16	1	Low	22.86	0.28	23.14	0.206	2.000	Pass
			1	Mid	22.89	0.28	23.17	0.207	2.000	Pass
			1	High	22.5	0.28	22.78	0.190	2.000	Pass
			50	Low	21.7	0.28	21.98	0.158	2.000	Pass
			50	Mid	21.71	0.28	21.99	0.158	2.000	Pass
			50	High	21.65	0.28	21.93	0.156	2.000	Pass
			100	Low	21.65	0.28	21.93	0.156	2.000	Pass
		Q64	1	Low	21.62	0.28	21.90	0.155	2.000	Pass
			1	Mid	21.57	0.28	21.85	0.153	2.000	Pass
			1	High	21.3	0.28	21.58	0.144	2.000	Pass
			50	Low	20.81	0.28	21.09	0.129	2.000	Pass
			50	Mid	20.64	0.28	20.92	0.124	2.000	Pass
			50	High	20.51	0.28	20.79	0.120	2.000	Pass
			100	Low	20.61	0.28	20.89	0.123	2.000	Pass
	MCH	QPSK	1	Low	23.13	0.28	23.41	0.219	2.000	Pass
			1	Mid	23.12	0.28	23.40	0.219	2.000	Pass
			1	High	22.92	0.28	23.20	0.209	2.000	Pass
			50	Low	22.41	0.28	22.69	0.186	2.000	Pass
			50	Mid	22.21	0.28	22.49	0.177	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			50	High	22.19	0.28	22.47	0.177	2.000	Pass
			100	Low	22.21	0.28	22.49	0.177	2.000	Pass
		Q16	1	Low	22.53	0.28	22.81	0.191	2.000	Pass
			1	Mid	22.36	0.28	22.64	0.184	2.000	Pass
			1	High	22.26	0.28	22.54	0.179	2.000	Pass
			50	Low	21.37	0.28	21.65	0.146	2.000	Pass
			50	Mid	21.25	0.28	21.53	0.142	2.000	Pass
			50	High	21.16	0.28	21.44	0.139	2.000	Pass
			100	Low	21.26	0.28	21.54	0.143	2.000	Pass
		Q64	1	Low	21.41	0.28	21.69	0.148	2.000	Pass
			1	Mid	21.34	0.28	21.62	0.145	2.000	Pass
			1	High	21.27	0.28	21.55	0.143	2.000	Pass
			50	Low	20.37	0.28	20.65	0.116	2.000	Pass
			50	Mid	20.29	0.28	20.57	0.114	2.000	Pass
			50	High	20.27	0.28	20.55	0.114	2.000	Pass
			100	Low	20.21	0.28	20.49	0.112	2.000	Pass
	HCH	QPSK	1	Low	23.2	0.28	23.48	0.223	2.000	Pass
			1	Mid	23.15	0.28	23.43	0.220	2.000	Pass
			1	High	23.14	0.28	23.42	0.220	2.000	Pass
			50	Low	22.32	0.28	22.60	0.182	2.000	Pass
			50	Mid	22.35	0.28	22.63	0.183	2.000	Pass
			50	High	22.33	0.28	22.61	0.182	2.000	Pass
			100	Low	22.29	0.28	22.57	0.181	2.000	Pass
		Q16	1	Low	22.61	0.28	22.89	0.195	2.000	Pass
			1	Mid	22.96	0.28	23.24	0.211	2.000	Pass
			1	High	22.21	0.28	22.49	0.177	2.000	Pass
			50	Low	21.34	0.28	21.62	0.145	2.000	Pass
			50	Mid	21.33	0.28	21.61	0.145	2.000	Pass
			50	High	21.35	0.28	21.63	0.146	2.000	Pass
			100	Low	21.36	0.28	21.64	0.146	2.000	Pass
		Q64	1	Low	21.28	0.28	21.56	0.143	2.000	Pass
			1	Mid	21.5	0.28	21.78	0.151	2.000	Pass
			1	High	21.33	0.28	21.61	0.145	2.000	Pass
			50	Low	20.2	0.28	20.48	0.112	2.000	Pass
			50	Mid	20.4	0.28	20.68	0.117	2.000	Pass
			50	High	20.38	0.28	20.66	0.116	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			100	Low	20.4	0.28	20.68	0.117	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	23.76	-3.53	-5.68	18.08	0.064	3.000	Pass
			1	Mid	23.84	-3.53	-5.68	18.16	0.065	3.000	Pass
			1	High	23.77	-3.53	-5.68	18.09	0.064	3.000	Pass
			3	Low	23.78	-3.53	-5.68	18.10	0.065	3.000	Pass
			3	Mid	23.81	-3.53	-5.68	18.13	0.065	3.000	Pass
			3	High	23.82	-3.53	-5.68	18.14	0.065	3.000	Pass
		Q16	6	Low	22.82	-3.53	-5.68	17.14	0.052	3.000	Pass
			1	Low	23.32	-3.53	-5.68	17.64	0.058	3.000	Pass
			1	Mid	23.29	-3.53	-5.68	17.61	0.058	3.000	Pass
			1	High	23.12	-3.53	-5.68	17.44	0.055	3.000	Pass
			3	Low	22.96	-3.53	-5.68	17.28	0.053	3.000	Pass
			3	Mid	22.91	-3.53	-5.68	17.23	0.053	3.000	Pass
			3	High	22.97	-3.53	-5.68	17.29	0.054	3.000	Pass
			6	Low	21.99	-3.53	-5.68	16.31	0.043	3.000	Pass
		Q64	1	Low	22.1	-3.53	-5.68	16.42	0.044	3.000	Pass
			1	Mid	22.07	-3.53	-5.68	16.39	0.044	3.000	Pass
			1	High	22.07	-3.53	-5.68	16.39	0.044	3.000	Pass
			3	Low	21.98	-3.53	-5.68	16.30	0.043	3.000	Pass
			3	Mid	21.93	-3.53	-5.68	16.25	0.042	3.000	Pass
			3	High	22.02	-3.53	-5.68	16.34	0.043	3.000	Pass
			6	Low	20.9	-3.53	-5.68	15.22	0.033	3.000	Pass
	MCH	QPSK	1	Low	23.7	-3.53	-5.68	18.02	0.063	3.000	Pass
			1	Mid	23.86	-3.53	-5.68	18.18	0.066	3.000	Pass
			1	High	23.82	-3.53	-5.68	18.14	0.065	3.000	Pass
			3	Low	23.78	-3.53	-5.68	18.10	0.065	3.000	Pass
			3	Mid	23.72	-3.53	-5.68	18.04	0.064	3.000	Pass
			3	High	23.72	-3.53	-5.68	18.04	0.064	3.000	Pass
			6	Low	22.71	-3.53	-5.68	17.03	0.050	3.000	Pass
		Q16	1	Low	23.07	-3.53	-5.68	17.39	0.055	3.000	Pass
			1	Mid	23.23	-3.53	-5.68	17.55	0.057	3.000	Pass
			1	High	23.41	-3.53	-5.68	17.73	0.059	3.000	Pass
			3	Low	22.91	-3.53	-5.68	17.23	0.053	3.000	Pass
			3	Mid	22.79	-3.53	-5.68	17.11	0.051	3.000	Pass
			3	High	22.92	-3.53	-5.68	17.24	0.053	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	6	Low	21.82	-3.53	-5.68	16.14	0.041	3.000	Pass
			1	Low	21.98	-3.53	-5.68	16.30	0.043	3.000	Pass
			1	Mid	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			1	High	22.21	-3.53	-5.68	16.53	0.045	3.000	Pass
			3	Low	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			3	Mid	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			3	High	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			6	Low	20.85	-3.53	-5.68	15.17	0.033	3.000	Pass
	HCH	QPSK	1	Low	23.62	-3.53	-5.68	17.94	0.062	3.000	Pass
			1	Mid	23.65	-3.53	-5.68	17.97	0.063	3.000	Pass
			1	High	23.59	-3.53	-5.68	17.91	0.062	3.000	Pass
			3	Low	23.73	-3.53	-5.68	18.05	0.064	3.000	Pass
			3	Mid	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass
			3	High	23.6	-3.53	-5.68	17.92	0.062	3.000	Pass
			6	Low	22.64	-3.53	-5.68	16.96	0.050	3.000	Pass
		Q16	1	Low	22.91	-3.53	-5.68	17.23	0.053	3.000	Pass
			1	Mid	23.02	-3.53	-5.68	17.34	0.054	3.000	Pass
			1	High	22.92	-3.53	-5.68	17.24	0.053	3.000	Pass
			3	Low	22.75	-3.53	-5.68	17.07	0.051	3.000	Pass
			3	Mid	22.73	-3.53	-5.68	17.05	0.051	3.000	Pass
			3	High	22.72	-3.53	-5.68	17.04	0.051	3.000	Pass
			6	Low	21.78	-3.53	-5.68	16.10	0.041	3.000	Pass
		Q64	1	Low	21.88	-3.53	-5.68	16.20	0.042	3.000	Pass
			1	Mid	22.08	-3.53	-5.68	16.40	0.044	3.000	Pass
			1	High	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
			3	Low	21.79	-3.53	-5.68	16.11	0.041	3.000	Pass
			3	Mid	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
			3	High	21.65	-3.53	-5.68	15.97	0.040	3.000	Pass
			6	Low	20.72	-3.53	-5.68	15.04	0.032	3.000	Pass
3	LCH	QPSK	1	Low	23.86	-3.53	-5.68	18.18	0.066	3.000	Pass
			1	Mid	23.87	-3.53	-5.68	18.19	0.066	3.000	Pass
			1	High	23.75	-3.53	-5.68	18.07	0.064	3.000	Pass
			8	Low	22.96	-3.53	-5.68	17.28	0.053	3.000	Pass
			8	Mid	22.95	-3.53	-5.68	17.27	0.053	3.000	Pass
			8	High	22.88	-3.53	-5.68	17.20	0.052	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	15	Low	22.93	-3.53	-5.68	17.25	0.053	3.000	Pass
			1	Low	23.23	-3.53	-5.68	17.55	0.057	3.000	Pass
			1	Mid	23.18	-3.53	-5.68	17.50	0.056	3.000	Pass
			1	High	23.1	-3.53	-5.68	17.42	0.055	3.000	Pass
			8	Low	21.98	-3.53	-5.68	16.30	0.043	3.000	Pass
			8	Mid	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			8	High	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
			15	Low	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
		Q64	1	Low	22.06	-3.53	-5.68	16.38	0.043	3.000	Pass
			1	Mid	22.08	-3.53	-5.68	16.40	0.044	3.000	Pass
			1	High	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			8	Low	20.93	-3.53	-5.68	15.25	0.033	3.000	Pass
			8	Mid	21.05	-3.53	-5.68	15.37	0.034	3.000	Pass
			8	High	20.91	-3.53	-5.68	15.23	0.033	3.000	Pass
			15	Low	20.85	-3.53	-5.68	15.17	0.033	3.000	Pass
	MCH	QPSK	1	Low	24.03	-3.53	-5.68	18.35	0.068	3.000	Pass
			1	Mid	23.89	-3.53	-5.68	18.21	0.066	3.000	Pass
			1	High	23.7	-3.53	-5.68	18.02	0.063	3.000	Pass
			8	Low	22.76	-3.53	-5.68	17.08	0.051	3.000	Pass
			8	Mid	22.78	-3.53	-5.68	17.10	0.051	3.000	Pass
			8	High	22.83	-3.53	-5.68	17.15	0.052	3.000	Pass
			15	Low	22.83	-3.53	-5.68	17.15	0.052	3.000	Pass
		Q16	1	Low	23.11	-3.53	-5.68	17.43	0.055	3.000	Pass
			1	Mid	23.35	-3.53	-5.68	17.67	0.058	3.000	Pass
			1	High	23.14	-3.53	-5.68	17.46	0.056	3.000	Pass
			8	Low	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			8	Mid	21.88	-3.53	-5.68	16.20	0.042	3.000	Pass
			8	High	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			15	Low	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
		Q64	1	Low	21.86	-3.53	-5.68	16.18	0.041	3.000	Pass
			1	Mid	22.06	-3.53	-5.68	16.38	0.043	3.000	Pass
			1	High	21.88	-3.53	-5.68	16.20	0.042	3.000	Pass
			8	Low	20.86	-3.53	-5.68	15.18	0.033	3.000	Pass
			8	Mid	20.77	-3.53	-5.68	15.09	0.032	3.000	Pass
			8	High	20.83	-3.53	-5.68	15.15	0.033	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
	HCH	QPSK	15	Low	20.79	-3.53	-5.68	15.11	0.032	3.000	Pass
			1	Low	23.59	-3.53	-5.68	17.91	0.062	3.000	Pass
			1	Mid	23.69	-3.53	-5.68	18.01	0.063	3.000	Pass
			1	High	23.52	-3.53	-5.68	17.84	0.061	3.000	Pass
			8	Low	22.7	-3.53	-5.68	17.02	0.050	3.000	Pass
			8	Mid	22.71	-3.53	-5.68	17.03	0.050	3.000	Pass
			8	High	22.73	-3.53	-5.68	17.05	0.051	3.000	Pass
		Q16	15	Low	22.77	-3.53	-5.68	17.09	0.051	3.000	Pass
			1	Low	23.11	-3.53	-5.68	17.43	0.055	3.000	Pass
			1	Mid	23	-3.53	-5.68	17.32	0.054	3.000	Pass
			1	High	22.99	-3.53	-5.68	17.31	0.054	3.000	Pass
			8	Low	21.76	-3.53	-5.68	16.08	0.041	3.000	Pass
			8	Mid	21.77	-3.53	-5.68	16.09	0.041	3.000	Pass
			8	High	21.81	-3.53	-5.68	16.13	0.041	3.000	Pass
		Q64	15	Low	21.7	-3.53	-5.68	16.02	0.040	3.000	Pass
			1	Low	21.98	-3.53	-5.68	16.30	0.043	3.000	Pass
			1	Mid	21.81	-3.53	-5.68	16.13	0.041	3.000	Pass
			1	High	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
			8	Low	20.78	-3.53	-5.68	15.10	0.032	3.000	Pass
			8	Mid	20.89	-3.53	-5.68	15.21	0.033	3.000	Pass
			8	High	20.66	-3.53	-5.68	14.98	0.031	3.000	Pass
			15	Low	20.78	-3.53	-5.68	15.10	0.032	3.000	Pass
5	LCH	QPSK	1	Low	23.81	-3.53	-5.68	18.13	0.065	3.000	Pass
			1	Mid	23.86	-3.53	-5.68	18.18	0.066	3.000	Pass
			1	High	23.73	-3.53	-5.68	18.05	0.064	3.000	Pass
			12	Low	22.87	-3.53	-5.68	17.19	0.052	3.000	Pass
			12	Mid	22.89	-3.53	-5.68	17.21	0.053	3.000	Pass
			12	High	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
			25	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
		Q16	1	Low	23.21	-3.53	-5.68	17.53	0.057	3.000	Pass
			1	Mid	23.25	-3.53	-5.68	17.57	0.057	3.000	Pass
			1	High	22.94	-3.53	-5.68	17.26	0.053	3.000	Pass
			12	Low	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
			12	Mid	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			12	High	21.87	-3.53	-5.68	16.19	0.042	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	25	Low	21.89	-3.53	-5.68	16.21	0.042	3.000	Pass
			1	Low	22.07	-3.53	-5.68	16.39	0.044	3.000	Pass
			1	Mid	22.21	-3.53	-5.68	16.53	0.045	3.000	Pass
			1	High	21.97	-3.53	-5.68	16.29	0.043	3.000	Pass
			12	Low	20.9	-3.53	-5.68	15.22	0.033	3.000	Pass
			12	Mid	20.92	-3.53	-5.68	15.24	0.033	3.000	Pass
			12	High	20.84	-3.53	-5.68	15.16	0.033	3.000	Pass
			25	Low	21	-3.53	-5.68	15.32	0.034	3.000	Pass
	MCH	QPSK	1	Low	23.71	-3.53	-5.68	18.03	0.064	3.000	Pass
			1	Mid	23.75	-3.53	-5.68	18.07	0.064	3.000	Pass
			1	High	23.74	-3.53	-5.68	18.06	0.064	3.000	Pass
			12	Low	22.84	-3.53	-5.68	17.16	0.052	3.000	Pass
			12	Mid	22.79	-3.53	-5.68	17.11	0.051	3.000	Pass
			12	High	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			25	Low	22.74	-3.53	-5.68	17.06	0.051	3.000	Pass
		Q16	1	Low	23.34	-3.53	-5.68	17.66	0.058	3.000	Pass
			1	Mid	23.18	-3.53	-5.68	17.50	0.056	3.000	Pass
			1	High	23	-3.53	-5.68	17.32	0.054	3.000	Pass
			12	Low	21.89	-3.53	-5.68	16.21	0.042	3.000	Pass
			12	Mid	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
			12	High	21.76	-3.53	-5.68	16.08	0.041	3.000	Pass
			25	Low	21.73	-3.53	-5.68	16.05	0.040	3.000	Pass
		Q64	1	Low	22.01	-3.53	-5.68	16.33	0.043	3.000	Pass
			1	Mid	22.29	-3.53	-5.68	16.61	0.046	3.000	Pass
			1	High	21.89	-3.53	-5.68	16.21	0.042	3.000	Pass
			12	Low	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
			12	Mid	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
			12	High	20.91	-3.53	-5.68	15.23	0.033	3.000	Pass
			25	Low	20.78	-3.53	-5.68	15.10	0.032	3.000	Pass
	HCH	QPSK	1	Low	23.65	-3.53	-5.68	17.97	0.063	3.000	Pass
			1	Mid	23.66	-3.53	-5.68	17.98	0.063	3.000	Pass
			1	High	23.62	-3.53	-5.68	17.94	0.062	3.000	Pass
			12	Low	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			12	Mid	22.71	-3.53	-5.68	17.03	0.050	3.000	Pass
			12	High	22.75	-3.53	-5.68	17.07	0.051	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	25	Low	22.73	-3.53	-5.68	17.05	0.051	3.000	Pass
			1	Low	23.19	-3.53	-5.68	17.51	0.056	3.000	Pass
			1	Mid	23.07	-3.53	-5.68	17.39	0.055	3.000	Pass
			1	High	23	-3.53	-5.68	17.32	0.054	3.000	Pass
			12	Low	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			12	Mid	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
			12	High	21.78	-3.53	-5.68	16.10	0.041	3.000	Pass
			25	Low	21.77	-3.53	-5.68	16.09	0.041	3.000	Pass
		Q64	1	Low	22.01	-3.53	-5.68	16.33	0.043	3.000	Pass
			1	Mid	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			1	High	21.79	-3.53	-5.68	16.11	0.041	3.000	Pass
			12	Low	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
			12	Mid	20.86	-3.53	-5.68	15.18	0.033	3.000	Pass
			12	High	20.83	-3.53	-5.68	15.15	0.033	3.000	Pass
			25	Low	20.74	-3.53	-5.68	15.06	0.032	3.000	Pass
			25	Low	20.74	-3.53	-5.68	15.06	0.032	3.000	Pass
10	LCH	QPSK	1	Low	23.86	-3.53	-5.68	18.18	0.066	3.000	Pass
			1	Mid	23.78	-3.53	-5.68	18.10	0.065	3.000	Pass
			1	High	23.71	-3.53	-5.68	18.03	0.064	3.000	Pass
			25	Low	22.9	-3.53	-5.68	17.22	0.053	3.000	Pass
			25	Mid	22.91	-3.53	-5.68	17.23	0.053	3.000	Pass
			25	High	22.84	-3.53	-5.68	17.16	0.052	3.000	Pass
			50	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
		Q16	1	Low	23.05	-3.53	-5.68	17.37	0.055	3.000	Pass
			1	Mid	23.07	-3.53	-5.68	17.39	0.055	3.000	Pass
			1	High	23.02	-3.53	-5.68	17.34	0.054	3.000	Pass
			25	Low	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			25	Mid	21.9	-3.53	-5.68	16.22	0.042	3.000	Pass
			25	High	21.87	-3.53	-5.68	16.19	0.042	3.000	Pass
			50	Low	21.92	-3.53	-5.68	16.24	0.042	3.000	Pass
		Q64	1	Low	22.06	-3.53	-5.68	16.38	0.043	3.000	Pass
			1	Mid	21.99	-3.53	-5.68	16.31	0.043	3.000	Pass
			1	High	21.93	-3.53	-5.68	16.25	0.042	3.000	Pass
			25	Low	20.95	-3.53	-5.68	15.27	0.034	3.000	Pass
			25	Mid	20.9	-3.53	-5.68	15.22	0.033	3.000	Pass
			25	High	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
	MCH	QPSK	50	Low	20.92	-3.53	-5.68	15.24	0.033	3.000	Pass
			1	Low	23.91	-3.53	-5.68	18.23	0.067	3.000	Pass
			1	Mid	23.85	-3.53	-5.68	18.17	0.066	3.000	Pass
			1	High	23.71	-3.53	-5.68	18.03	0.064	3.000	Pass
			25	Low	22.84	-3.53	-5.68	17.16	0.052	3.000	Pass
			25	Mid	22.87	-3.53	-5.68	17.19	0.052	3.000	Pass
			25	High	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			50	Low	22.78	-3.53	-5.68	17.10	0.051	3.000	Pass
		Q16	1	Low	23.04	-3.53	-5.68	17.36	0.054	3.000	Pass
			1	Mid	23.08	-3.53	-5.68	17.40	0.055	3.000	Pass
			1	High	23.06	-3.53	-5.68	17.38	0.055	3.000	Pass
			25	Low	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			25	Mid	21.75	-3.53	-5.68	16.07	0.040	3.000	Pass
			25	High	21.76	-3.53	-5.68	16.08	0.041	3.000	Pass
			50	Low	21.78	-3.53	-5.68	16.10	0.041	3.000	Pass
		Q64	1	Low	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			1	Mid	22.08	-3.53	-5.68	16.40	0.044	3.000	Pass
			1	High	21.77	-3.53	-5.68	16.09	0.041	3.000	Pass
			25	Low	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
			25	Mid	20.93	-3.53	-5.68	15.25	0.033	3.000	Pass
			25	High	20.78	-3.53	-5.68	15.10	0.032	3.000	Pass
			50	Low	20.83	-3.53	-5.68	15.15	0.033	3.000	Pass
	HCH	QPSK	1	Low	23.7	-3.53	-5.68	18.02	0.063	3.000	Pass
			1	Mid	23.76	-3.53	-5.68	18.08	0.064	3.000	Pass
			1	High	23.53	-3.53	-5.68	17.85	0.061	3.000	Pass
			25	Low	22.89	-3.53	-5.68	17.21	0.053	3.000	Pass
			25	Mid	22.82	-3.53	-5.68	17.14	0.052	3.000	Pass
			25	High	22.77	-3.53	-5.68	17.09	0.051	3.000	Pass
			50	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
		Q16	1	Low	23.02	-3.53	-5.68	17.34	0.054	3.000	Pass
			1	Mid	23.15	-3.53	-5.68	17.47	0.056	3.000	Pass
			1	High	22.96	-3.53	-5.68	17.28	0.053	3.000	Pass
			25	Low	21.88	-3.53	-5.68	16.20	0.042	3.000	Pass
			25	Mid	21.83	-3.53	-5.68	16.15	0.041	3.000	Pass
			25	High	21.77	-3.53	-5.68	16.09	0.041	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q64	50	Low	21.76	-3.53	-5.68	16.08	0.041	3.000	Pass
			1	Low	21.82	-3.53	-5.68	16.14	0.041	3.000	Pass
			1	Mid	22.04	-3.53	-5.68	16.36	0.043	3.000	Pass
			1	High	21.83	-3.53	-5.68	16.15	0.041	3.000	Pass
			25	Low	20.93	-3.53	-5.68	15.25	0.033	3.000	Pass
			25	Mid	20.8	-3.53	-5.68	15.12	0.033	3.000	Pass
			25	High	20.75	-3.53	-5.68	15.07	0.032	3.000	Pass
			50	Low	20.84	-3.53	-5.68	15.16	0.033	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
5	LCH	QPSK	1	Low	23.84	-3.53	-5.68	18.16	0.065	3.000	Pass
			1	Mid	23.8	-3.53	-5.68	18.12	0.065	3.000	Pass
			1	High	23.71	-3.53	-5.68	18.03	0.064	3.000	Pass
			12	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
			12	Mid	22.81	-3.53	-5.68	17.13	0.052	3.000	Pass
			12	High	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			25	Low	22.82	-3.53	-5.68	17.14	0.052	3.000	Pass
		Q16	1	Low	22.93	-3.53	-5.68	17.25	0.053	3.000	Pass
			1	Mid	23.41	-3.53	-5.68	17.73	0.059	3.000	Pass
			1	High	23.12	-3.53	-5.68	17.44	0.055	3.000	Pass
			12	Low	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
			12	Mid	21.93	-3.53	-5.68	16.25	0.042	3.000	Pass
			12	High	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			25	Low	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
		Q64	1	Low	22.12	-3.53	-5.68	16.44	0.044	3.000	Pass
			1	Mid	22.08	-3.53	-5.68	16.40	0.044	3.000	Pass
			1	High	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
			12	Low	20.84	-3.53	-5.68	15.16	0.033	3.000	Pass
			12	Mid	20.93	-3.53	-5.68	15.25	0.033	3.000	Pass
			12	High	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
			25	Low	20.82	-3.53	-5.68	15.14	0.033	3.000	Pass
	MCH	QPSK	1	Low	23.71	-3.53	-5.68	18.03	0.064	3.000	Pass
			1	Mid	23.75	-3.53	-5.68	18.07	0.064	3.000	Pass
			1	High	23.59	-3.53	-5.68	17.91	0.062	3.000	Pass
			12	Low	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			12	Mid	22.79	-3.53	-5.68	17.11	0.051	3.000	Pass
			12	High	22.7	-3.53	-5.68	17.02	0.050	3.000	Pass
			25	Low	22.81	-3.53	-5.68	17.13	0.052	3.000	Pass
		Q16	1	Low	23.08	-3.53	-5.68	17.40	0.055	3.000	Pass
			1	Mid	23.2	-3.53	-5.68	17.52	0.056	3.000	Pass
			1	High	22.89	-3.53	-5.68	17.21	0.053	3.000	Pass
			12	Low	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
			12	Mid	21.9	-3.53	-5.68	16.22	0.042	3.000	Pass
			12	High	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q64	25	Low	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
			1	Low	22.02	-3.53	-5.68	16.34	0.043	3.000	Pass
			1	Mid	21.96	-3.53	-5.68	16.28	0.042	3.000	Pass
			1	High	21.93	-3.53	-5.68	16.25	0.042	3.000	Pass
			12	Low	20.78	-3.53	-5.68	15.10	0.032	3.000	Pass
			12	Mid	20.85	-3.53	-5.68	15.17	0.033	3.000	Pass
			12	High	20.7	-3.53	-5.68	15.02	0.032	3.000	Pass
			25	Low	20.76	-3.53	-5.68	15.08	0.032	3.000	Pass
	HCH	QPSK	1	Low	23.63	-3.53	-5.68	17.95	0.062	3.000	Pass
			1	Mid	23.81	-3.53	-5.68	18.13	0.065	3.000	Pass
			1	High	23.48	-3.53	-5.68	17.80	0.060	3.000	Pass
			12	Low	22.79	-3.53	-5.68	17.11	0.051	3.000	Pass
			12	Mid	22.69	-3.53	-5.68	17.01	0.050	3.000	Pass
			12	High	22.82	-3.53	-5.68	17.14	0.052	3.000	Pass
			25	Low	22.73	-3.53	-5.68	17.05	0.051	3.000	Pass
		Q16	1	Low	23.04	-3.53	-5.68	17.36	0.054	3.000	Pass
			1	Mid	23	-3.53	-5.68	17.32	0.054	3.000	Pass
			1	High	23.02	-3.53	-5.68	17.34	0.054	3.000	Pass
			12	Low	21.83	-3.53	-5.68	16.15	0.041	3.000	Pass
			12	Mid	21.73	-3.53	-5.68	16.05	0.040	3.000	Pass
			12	High	21.78	-3.53	-5.68	16.10	0.041	3.000	Pass
			25	Low	21.73	-3.53	-5.68	16.05	0.040	3.000	Pass
		Q64	1	Low	21.88	-3.53	-5.68	16.20	0.042	3.000	Pass
			1	Mid	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
			1	High	21.71	-3.53	-5.68	16.03	0.040	3.000	Pass
			12	Low	20.81	-3.53	-5.68	15.13	0.033	3.000	Pass
			12	Mid	20.8	-3.53	-5.68	15.12	0.033	3.000	Pass
			12	High	20.64	-3.53	-5.68	14.96	0.031	3.000	Pass
			25	Low	20.72	-3.53	-5.68	15.04	0.032	3.000	Pass
10	LCH	QPSK	1	Low	23.97	-3.53	-5.68	18.29	0.067	3.000	Pass
			1	Mid	23.82	-3.53	-5.68	18.14	0.065	3.000	Pass
			1	High	23.7	-3.53	-5.68	18.02	0.063	3.000	Pass
			25	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
			25	Mid	22.88	-3.53	-5.68	17.20	0.052	3.000	Pass
			25	High	22.81	-3.53	-5.68	17.13	0.052	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q16	50	Low	22.86	-3.53	-5.68	17.18	0.052	3.000	Pass
			1	Low	23.07	-3.53	-5.68	17.39	0.055	3.000	Pass
			1	Mid	23.14	-3.53	-5.68	17.46	0.056	3.000	Pass
			1	High	23.05	-3.53	-5.68	17.37	0.055	3.000	Pass
			25	Low	21.85	-3.53	-5.68	16.17	0.041	3.000	Pass
			25	Mid	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
			25	High	21.8	-3.53	-5.68	16.12	0.041	3.000	Pass
			50	Low	21.84	-3.53	-5.68	16.16	0.041	3.000	Pass
		Q64	1	Low	22.03	-3.53	-5.68	16.35	0.043	3.000	Pass
			1	Mid	21.95	-3.53	-5.68	16.27	0.042	3.000	Pass
			1	High	21.81	-3.53	-5.68	16.13	0.041	3.000	Pass
			25	Low	20.88	-3.53	-5.68	15.20	0.033	3.000	Pass
			25	Mid	20.91	-3.53	-5.68	15.23	0.033	3.000	Pass
			25	High	20.77	-3.53	-5.68	15.09	0.032	3.000	Pass
			50	Low	20.8	-3.53	-5.68	15.12	0.033	3.000	Pass
	MCH	QPSK	1	Low	23.83	-3.53	-5.68	18.15	0.065	3.000	Pass
			1	Mid	23.73	-3.53	-5.68	18.05	0.064	3.000	Pass
			1	High	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
			25	Low	22.85	-3.53	-5.68	17.17	0.052	3.000	Pass
			25	Mid	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			25	High	22.71	-3.53	-5.68	17.03	0.050	3.000	Pass
			50	Low	22.78	-3.53	-5.68	17.10	0.051	3.000	Pass
		Q16	1	Low	22.99	-3.53	-5.68	17.31	0.054	3.000	Pass
			1	Mid	23.04	-3.53	-5.68	17.36	0.054	3.000	Pass
			1	High	22.75	-3.53	-5.68	17.07	0.051	3.000	Pass
			25	Low	21.86	-3.53	-5.68	16.18	0.041	3.000	Pass
			25	Mid	21.82	-3.53	-5.68	16.14	0.041	3.000	Pass
			25	High	21.73	-3.53	-5.68	16.05	0.040	3.000	Pass
			50	Low	21.79	-3.53	-5.68	16.11	0.041	3.000	Pass
		Q64	1	Low	21.94	-3.53	-5.68	16.26	0.042	3.000	Pass
			1	Mid	21.89	-3.53	-5.68	16.21	0.042	3.000	Pass
			1	High	22.15	-3.53	-5.68	16.47	0.044	3.000	Pass
			25	Low	20.85	-3.53	-5.68	15.17	0.033	3.000	Pass
			25	Mid	20.8	-3.53	-5.68	15.12	0.033	3.000	Pass
			25	High	20.72	-3.53	-5.68	15.04	0.032	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
	HCH	QPSK	50	Low	20.76	-3.53	-5.68	15.08	0.032	3.000	Pass
			1	Low	23.75	-3.53	-5.68	18.07	0.064	3.000	Pass
			1	Mid	23.74	-3.53	-5.68	18.06	0.064	3.000	Pass
			1	High	23.51	-3.53	-5.68	17.83	0.061	3.000	Pass
			25	Low	22.85	-3.53	-5.68	17.17	0.052	3.000	Pass
			25	Mid	22.8	-3.53	-5.68	17.12	0.052	3.000	Pass
			25	High	22.72	-3.53	-5.68	17.04	0.051	3.000	Pass
		Q16	50	Low	22.74	-3.53	-5.68	17.06	0.051	3.000	Pass
			1	Low	23.3	-3.53	-5.68	17.62	0.058	3.000	Pass
			1	Mid	23.08	-3.53	-5.68	17.40	0.055	3.000	Pass
			1	High	23.03	-3.53	-5.68	17.35	0.054	3.000	Pass
			25	Low	21.83	-3.53	-5.68	16.15	0.041	3.000	Pass
			25	Mid	21.91	-3.53	-5.68	16.23	0.042	3.000	Pass
			25	High	21.73	-3.53	-5.68	16.05	0.040	3.000	Pass
		Q64	50	Low	21.72	-3.53	-5.68	16.04	0.040	3.000	Pass
			1	Low	22.02	-3.53	-5.68	16.34	0.043	3.000	Pass
			1	Mid	22.02	-3.53	-5.68	16.34	0.043	3.000	Pass
			1	High	21.82	-3.53	-5.68	16.14	0.041	3.000	Pass
			25	Low	20.89	-3.53	-5.68	15.21	0.033	3.000	Pass
			25	Mid	20.84	-3.53	-5.68	15.16	0.033	3.000	Pass
			25	High	20.73	-3.53	-5.68	15.05	0.032	3.000	Pass
			50	Low	20.83	-3.53	-5.68	15.15	0.033	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
1.4	LCH	QPSK	1	Low	23.86	-2.81	-4.96	18.90	0.078	7.000	Pass
			1	Mid	23.96	-2.81	-4.96	19.00	0.079	7.000	Pass
			1	High	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			3	Low	23.9	-2.81	-4.96	18.94	0.078	7.000	Pass
			3	Mid	23.94	-2.81	-4.96	18.98	0.079	7.000	Pass
			3	High	23.85	-2.81	-4.96	18.89	0.077	7.000	Pass
			6	Low	22.89	-2.81	-4.96	17.93	0.062	7.000	Pass
		Q16	1	Low	23.21	-2.81	-4.96	18.25	0.067	7.000	Pass
			1	Mid	23.14	-2.81	-4.96	18.18	0.066	7.000	Pass
			1	High	23.19	-2.81	-4.96	18.23	0.067	7.000	Pass
			3	Low	23.07	-2.81	-4.96	18.11	0.065	7.000	Pass
			3	Mid	23.09	-2.81	-4.96	18.13	0.065	7.000	Pass
			3	High	23.01	-2.81	-4.96	18.05	0.064	7.000	Pass
			6	Low	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
		Q64	1	Low	22.2	-2.81	-4.96	17.24	0.053	7.000	Pass
			1	Mid	22.07	-2.81	-4.96	17.11	0.051	7.000	Pass
			1	High	22.25	-2.81	-4.96	17.29	0.054	7.000	Pass
			3	Low	22.07	-2.81	-4.96	17.11	0.051	7.000	Pass
			3	Mid	22.1	-2.81	-4.96	17.14	0.052	7.000	Pass
			3	High	21.95	-2.81	-4.96	16.99	0.050	7.000	Pass
			6	Low	20.94	-2.81	-4.96	15.98	0.040	7.000	Pass
	MCH	QPSK	1	Low	23.8	-2.81	-4.96	18.84	0.077	7.000	Pass
			1	Mid	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			1	High	23.91	-2.81	-4.96	18.95	0.079	7.000	Pass
			3	Low	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			3	Mid	23.88	-2.81	-4.96	18.92	0.078	7.000	Pass
			3	High	23.88	-2.81	-4.96	18.92	0.078	7.000	Pass
			6	Low	22.88	-2.81	-4.96	17.92	0.062	7.000	Pass
		Q16	1	Low	23.15	-2.81	-4.96	18.19	0.066	7.000	Pass
			1	Mid	23.36	-2.81	-4.96	18.40	0.069	7.000	Pass
			1	High	23.33	-2.81	-4.96	18.37	0.069	7.000	Pass
			3	Low	23.08	-2.81	-4.96	18.12	0.065	7.000	Pass
			3	Mid	23.03	-2.81	-4.96	18.07	0.064	7.000	Pass
			3	High	23.11	-2.81	-4.96	18.15	0.065	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	6	Low	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
			1	Low	22.13	-2.81	-4.96	17.17	0.052	7.000	Pass
			1	Mid	22.13	-2.81	-4.96	17.17	0.052	7.000	Pass
			1	High	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
			3	Low	21.95	-2.81	-4.96	16.99	0.050	7.000	Pass
			3	Mid	22.03	-2.81	-4.96	17.07	0.051	7.000	Pass
			3	High	22.04	-2.81	-4.96	17.08	0.051	7.000	Pass
			6	Low	21	-2.81	-4.96	16.04	0.040	7.000	Pass
	HCH	QPSK	1	Low	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			1	Mid	23.88	-2.81	-4.96	18.92	0.078	7.000	Pass
			1	High	23.87	-2.81	-4.96	18.91	0.078	7.000	Pass
			3	Low	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			3	Mid	23.92	-2.81	-4.96	18.96	0.079	7.000	Pass
			3	High	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			6	Low	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
		Q16	1	Low	23.27	-2.81	-4.96	18.31	0.068	7.000	Pass
			1	Mid	23.35	-2.81	-4.96	18.39	0.069	7.000	Pass
			1	High	23.21	-2.81	-4.96	18.25	0.067	7.000	Pass
			3	Low	23.08	-2.81	-4.96	18.12	0.065	7.000	Pass
			3	Mid	23	-2.81	-4.96	18.04	0.064	7.000	Pass
			3	High	23.01	-2.81	-4.96	18.05	0.064	7.000	Pass
			6	Low	21.98	-2.81	-4.96	17.02	0.050	7.000	Pass
		Q64	1	Low	22.1	-2.81	-4.96	17.14	0.052	7.000	Pass
			1	Mid	22.25	-2.81	-4.96	17.29	0.054	7.000	Pass
			1	High	22.28	-2.81	-4.96	17.32	0.054	7.000	Pass
			3	Low	21.99	-2.81	-4.96	17.03	0.050	7.000	Pass
			3	Mid	22	-2.81	-4.96	17.04	0.051	7.000	Pass
			3	High	22.09	-2.81	-4.96	17.13	0.052	7.000	Pass
			6	Low	20.99	-2.81	-4.96	16.03	0.040	7.000	Pass
3	LCH	QPSK	1	Low	23.82	-2.81	-4.96	18.86	0.077	7.000	Pass
			1	Mid	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			1	High	23.81	-2.81	-4.96	18.85	0.077	7.000	Pass
			8	Low	22.93	-2.81	-4.96	17.97	0.063	7.000	Pass
			8	Mid	22.97	-2.81	-4.96	18.01	0.063	7.000	Pass
			8	High	22.99	-2.81	-4.96	18.03	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	15	Low	22.94	-2.81	-4.96	17.98	0.063	7.000	Pass
			1	Low	23.2	-2.81	-4.96	18.24	0.067	7.000	Pass
			1	Mid	23.3	-2.81	-4.96	18.34	0.068	7.000	Pass
			1	High	23.16	-2.81	-4.96	18.20	0.066	7.000	Pass
			8	Low	21.96	-2.81	-4.96	17.00	0.050	7.000	Pass
			8	Mid	22.08	-2.81	-4.96	17.12	0.052	7.000	Pass
			8	High	22.08	-2.81	-4.96	17.12	0.052	7.000	Pass
			15	Low	22	-2.81	-4.96	17.04	0.051	7.000	Pass
		Q64	1	Low	22.12	-2.81	-4.96	17.16	0.052	7.000	Pass
			1	Mid	22.16	-2.81	-4.96	17.20	0.052	7.000	Pass
			1	High	22.07	-2.81	-4.96	17.11	0.051	7.000	Pass
			8	Low	20.97	-2.81	-4.96	16.01	0.040	7.000	Pass
			8	Mid	21.06	-2.81	-4.96	16.10	0.041	7.000	Pass
			8	High	20.99	-2.81	-4.96	16.03	0.040	7.000	Pass
			15	Low	21.02	-2.81	-4.96	16.06	0.040	7.000	Pass
	MCH	QPSK	1	Low	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			1	Mid	24	-2.81	-4.96	19.04	0.080	7.000	Pass
			1	High	23.91	-2.81	-4.96	18.95	0.079	7.000	Pass
			8	Low	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
			8	Mid	22.9	-2.81	-4.96	17.94	0.062	7.000	Pass
			8	High	22.9	-2.81	-4.96	17.94	0.062	7.000	Pass
			15	Low	22.88	-2.81	-4.96	17.92	0.062	7.000	Pass
		Q16	1	Low	23.21	-2.81	-4.96	18.25	0.067	7.000	Pass
			1	Mid	23.15	-2.81	-4.96	18.19	0.066	7.000	Pass
			1	High	23.12	-2.81	-4.96	18.16	0.065	7.000	Pass
			8	Low	22.01	-2.81	-4.96	17.05	0.051	7.000	Pass
			8	Mid	22	-2.81	-4.96	17.04	0.051	7.000	Pass
			8	High	22.04	-2.81	-4.96	17.08	0.051	7.000	Pass
			15	Low	21.98	-2.81	-4.96	17.02	0.050	7.000	Pass
		Q64	1	Low	22.17	-2.81	-4.96	17.21	0.053	7.000	Pass
			1	Mid	22.02	-2.81	-4.96	17.06	0.051	7.000	Pass
			1	High	22.11	-2.81	-4.96	17.15	0.052	7.000	Pass
			8	Low	21.04	-2.81	-4.96	16.08	0.041	7.000	Pass
			8	Mid	21.05	-2.81	-4.96	16.09	0.041	7.000	Pass
			8	High	20.99	-2.81	-4.96	16.03	0.040	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
	HCH	QPSK	15	Low	20.9	-2.81	-4.96	15.94	0.039	7.000	Pass
			1	Low	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			1	Mid	23.87	-2.81	-4.96	18.91	0.078	7.000	Pass
			1	High	23.83	-2.81	-4.96	18.87	0.077	7.000	Pass
			8	Low	23.07	-2.81	-4.96	18.11	0.065	7.000	Pass
			8	Mid	22.94	-2.81	-4.96	17.98	0.063	7.000	Pass
			8	High	22.93	-2.81	-4.96	17.97	0.063	7.000	Pass
		Q16	15	Low	23	-2.81	-4.96	18.04	0.064	7.000	Pass
			1	Low	23.14	-2.81	-4.96	18.18	0.066	7.000	Pass
			1	Mid	23.37	-2.81	-4.96	18.41	0.069	7.000	Pass
			1	High	23.2	-2.81	-4.96	18.24	0.067	7.000	Pass
			8	Low	21.98	-2.81	-4.96	17.02	0.050	7.000	Pass
			8	Mid	22.05	-2.81	-4.96	17.09	0.051	7.000	Pass
			8	High	21.96	-2.81	-4.96	17.00	0.050	7.000	Pass
		Q64	15	Low	22.01	-2.81	-4.96	17.05	0.051	7.000	Pass
			1	Low	22.15	-2.81	-4.96	17.19	0.052	7.000	Pass
			1	Mid	22.18	-2.81	-4.96	17.22	0.053	7.000	Pass
			1	High	22.12	-2.81	-4.96	17.16	0.052	7.000	Pass
			8	Low	20.91	-2.81	-4.96	15.95	0.039	7.000	Pass
			8	Mid	21.03	-2.81	-4.96	16.07	0.040	7.000	Pass
			8	High	21	-2.81	-4.96	16.04	0.040	7.000	Pass
			15	Low	20.99	-2.81	-4.96	16.03	0.040	7.000	Pass
5	LCH	QPSK	1	Low	23.82	-2.81	-4.96	18.86	0.077	7.000	Pass
			1	Mid	23.99	-2.81	-4.96	19.03	0.080	7.000	Pass
			1	High	23.83	-2.81	-4.96	18.87	0.077	7.000	Pass
			12	Low	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
			12	Mid	23.03	-2.81	-4.96	18.07	0.064	7.000	Pass
			12	High	22.96	-2.81	-4.96	18.00	0.063	7.000	Pass
			25	Low	22.96	-2.81	-4.96	18.00	0.063	7.000	Pass
		Q16	1	Low	23.23	-2.81	-4.96	18.27	0.067	7.000	Pass
			1	Mid	23.29	-2.81	-4.96	18.33	0.068	7.000	Pass
			1	High	23.35	-2.81	-4.96	18.39	0.069	7.000	Pass
			12	Low	21.94	-2.81	-4.96	16.98	0.050	7.000	Pass
			12	Mid	22.01	-2.81	-4.96	17.05	0.051	7.000	Pass
			12	High	21.94	-2.81	-4.96	16.98	0.050	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	25	Low	21.89	-2.81	-4.96	16.93	0.049	7.000	Pass
			1	Low	22.2	-2.81	-4.96	17.24	0.053	7.000	Pass
			1	Mid	22.19	-2.81	-4.96	17.23	0.053	7.000	Pass
			1	High	22.13	-2.81	-4.96	17.17	0.052	7.000	Pass
			12	Low	20.92	-2.81	-4.96	15.96	0.039	7.000	Pass
			12	Mid	21.05	-2.81	-4.96	16.09	0.041	7.000	Pass
			12	High	20.97	-2.81	-4.96	16.01	0.040	7.000	Pass
			25	Low	21	-2.81	-4.96	16.04	0.040	7.000	Pass
	MCH	QPSK	1	Low	23.83	-2.81	-4.96	18.87	0.077	7.000	Pass
			1	Mid	24.1	-2.81	-4.96	19.14	0.082	7.000	Pass
			1	High	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			12	Low	22.9	-2.81	-4.96	17.94	0.062	7.000	Pass
			12	Mid	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
			12	High	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
			25	Low	22.92	-2.81	-4.96	17.96	0.063	7.000	Pass
		Q16	1	Low	23.21	-2.81	-4.96	18.25	0.067	7.000	Pass
			1	Mid	23.34	-2.81	-4.96	18.38	0.069	7.000	Pass
			1	High	23.29	-2.81	-4.96	18.33	0.068	7.000	Pass
			12	Low	21.85	-2.81	-4.96	16.89	0.049	7.000	Pass
			12	Mid	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
			12	High	22	-2.81	-4.96	17.04	0.051	7.000	Pass
			25	Low	21.91	-2.81	-4.96	16.95	0.050	7.000	Pass
		Q64	1	Low	22.22	-2.81	-4.96	17.26	0.053	7.000	Pass
			1	Mid	22.26	-2.81	-4.96	17.30	0.054	7.000	Pass
			1	High	22.04	-2.81	-4.96	17.08	0.051	7.000	Pass
			12	Low	21.02	-2.81	-4.96	16.06	0.040	7.000	Pass
			12	Mid	20.94	-2.81	-4.96	15.98	0.040	7.000	Pass
			12	High	21	-2.81	-4.96	16.04	0.040	7.000	Pass
			25	Low	20.91	-2.81	-4.96	15.95	0.039	7.000	Pass
	HCH	QPSK	1	Low	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			1	Mid	23.94	-2.81	-4.96	18.98	0.079	7.000	Pass
			1	High	23.94	-2.81	-4.96	18.98	0.079	7.000	Pass
			12	Low	22.97	-2.81	-4.96	18.01	0.063	7.000	Pass
			12	Mid	23.01	-2.81	-4.96	18.05	0.064	7.000	Pass
			12	High	23	-2.81	-4.96	18.04	0.064	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	25	Low	22.93	-2.81	-4.96	17.97	0.063	7.000	Pass
			1	Low	23.32	-2.81	-4.96	18.36	0.069	7.000	Pass
			1	Mid	23.37	-2.81	-4.96	18.41	0.069	7.000	Pass
			1	High	23.13	-2.81	-4.96	18.17	0.066	7.000	Pass
			12	Low	21.98	-2.81	-4.96	17.02	0.050	7.000	Pass
			12	Mid	22.03	-2.81	-4.96	17.07	0.051	7.000	Pass
			12	High	22	-2.81	-4.96	17.04	0.051	7.000	Pass
			25	Low	21.93	-2.81	-4.96	16.97	0.050	7.000	Pass
		Q64	1	Low	22.14	-2.81	-4.96	17.18	0.052	7.000	Pass
			1	Mid	22.29	-2.81	-4.96	17.33	0.054	7.000	Pass
			1	High	22.16	-2.81	-4.96	17.20	0.052	7.000	Pass
			12	Low	20.87	-2.81	-4.96	15.91	0.039	7.000	Pass
			12	Mid	21.09	-2.81	-4.96	16.13	0.041	7.000	Pass
			12	High	21.01	-2.81	-4.96	16.05	0.040	7.000	Pass
			25	Low	20.88	-2.81	-4.96	15.92	0.039	7.000	Pass
10	LCH	QPSK	1	Low	23.88	-2.81	-4.96	18.92	0.078	7.000	Pass
			1	Mid	23.86	-2.81	-4.96	18.90	0.078	7.000	Pass
			1	High	23.91	-2.81	-4.96	18.95	0.079	7.000	Pass
			25	Low	23.02	-2.81	-4.96	18.06	0.064	7.000	Pass
			25	Mid	23.06	-2.81	-4.96	18.10	0.065	7.000	Pass
			25	High	22.89	-2.81	-4.96	17.93	0.062	7.000	Pass
			50	Low	22.96	-2.81	-4.96	18.00	0.063	7.000	Pass
		Q16	1	Low	23.37	-2.81	-4.96	18.41	0.069	7.000	Pass
			1	Mid	23.33	-2.81	-4.96	18.37	0.069	7.000	Pass
			1	High	23.23	-2.81	-4.96	18.27	0.067	7.000	Pass
			25	Low	21.9	-2.81	-4.96	16.94	0.049	7.000	Pass
			25	Mid	22.04	-2.81	-4.96	17.08	0.051	7.000	Pass
			25	High	22.02	-2.81	-4.96	17.06	0.051	7.000	Pass
			50	Low	21.96	-2.81	-4.96	17.00	0.050	7.000	Pass
		Q64	1	Low	22.2	-2.81	-4.96	17.24	0.053	7.000	Pass
			1	Mid	22.24	-2.81	-4.96	17.28	0.053	7.000	Pass
			1	High	22.04	-2.81	-4.96	17.08	0.051	7.000	Pass
			25	Low	20.99	-2.81	-4.96	16.03	0.040	7.000	Pass
			25	Mid	21.05	-2.81	-4.96	16.09	0.041	7.000	Pass
			25	High	20.94	-2.81	-4.96	15.98	0.040	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
	MCH	QPSK	50	Low	21.01	-2.81	-4.96	16.05	0.040	7.000	Pass
			1	Low	23.95	-2.81	-4.96	18.99	0.079	7.000	Pass
			1	Mid	23.93	-2.81	-4.96	18.97	0.079	7.000	Pass
			1	High	24.04	-2.81	-4.96	19.08	0.081	7.000	Pass
			25	Low	23.02	-2.81	-4.96	18.06	0.064	7.000	Pass
			25	Mid	22.97	-2.81	-4.96	18.01	0.063	7.000	Pass
			25	High	22.91	-2.81	-4.96	17.95	0.062	7.000	Pass
			50	Low	22.93	-2.81	-4.96	17.97	0.063	7.000	Pass
		Q16	1	Low	23.16	-2.81	-4.96	18.20	0.066	7.000	Pass
			1	Mid	23.18	-2.81	-4.96	18.22	0.066	7.000	Pass
			1	High	23.31	-2.81	-4.96	18.35	0.068	7.000	Pass
			25	Low	21.95	-2.81	-4.96	16.99	0.050	7.000	Pass
			25	Mid	21.99	-2.81	-4.96	17.03	0.050	7.000	Pass
			25	High	22.03	-2.81	-4.96	17.07	0.051	7.000	Pass
			50	Low	21.95	-2.81	-4.96	16.99	0.050	7.000	Pass
		Q64	1	Low	22.17	-2.81	-4.96	17.21	0.053	7.000	Pass
			1	Mid	22.01	-2.81	-4.96	17.05	0.051	7.000	Pass
			1	High	22.09	-2.81	-4.96	17.13	0.052	7.000	Pass
			25	Low	20.97	-2.81	-4.96	16.01	0.040	7.000	Pass
			25	Mid	21.04	-2.81	-4.96	16.08	0.041	7.000	Pass
			25	High	21.07	-2.81	-4.96	16.11	0.041	7.000	Pass
			50	Low	21.02	-2.81	-4.96	16.06	0.040	7.000	Pass
	HCH	QPSK	1	Low	24	-2.81	-4.96	19.04	0.080	7.000	Pass
			1	Mid	24.05	-2.81	-4.96	19.09	0.081	7.000	Pass
			1	High	23.86	-2.81	-4.96	18.90	0.078	7.000	Pass
			25	Low	22.97	-2.81	-4.96	18.01	0.063	7.000	Pass
			25	Mid	22.97	-2.81	-4.96	18.01	0.063	7.000	Pass
			25	High	23.02	-2.81	-4.96	18.06	0.064	7.000	Pass
			50	Low	22.95	-2.81	-4.96	17.99	0.063	7.000	Pass
		Q16	1	Low	23.24	-2.81	-4.96	18.28	0.067	7.000	Pass
			1	Mid	23.26	-2.81	-4.96	18.30	0.068	7.000	Pass
			1	High	23.02	-2.81	-4.96	18.06	0.064	7.000	Pass
			25	Low	21.95	-2.81	-4.96	16.99	0.050	7.000	Pass
			25	Mid	22	-2.81	-4.96	17.04	0.051	7.000	Pass
			25	High	22.03	-2.81	-4.96	17.07	0.051	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q64	50	Low	21.98	-2.81	-4.96	17.02	0.050	7.000	Pass
			1	Low	22.24	-2.81	-4.96	17.28	0.053	7.000	Pass
			1	Mid	22.19	-2.81	-4.96	17.23	0.053	7.000	Pass
			1	High	22.23	-2.81	-4.96	17.27	0.053	7.000	Pass
			25	Low	20.94	-2.81	-4.96	15.98	0.040	7.000	Pass
			25	Mid	20.98	-2.81	-4.96	16.02	0.040	7.000	Pass
			25	High	20.94	-2.81	-4.96	15.98	0.040	7.000	Pass
			50	Low	20.93	-2.81	-4.96	15.97	0.040	7.000	Pass
	LCH	QPSK	1	Low	23.73	-2.81	-4.96	18.77	0.075	7.000	Pass
			1	Mid	23.68	-2.81	-4.96	18.72	0.074	7.000	Pass
			1	High	23.56	-2.81	-4.96	18.60	0.072	7.000	Pass
			36	Low	22.88	-2.81	-4.96	17.92	0.062	7.000	Pass
			36	Mid	22.79	-2.81	-4.96	17.83	0.061	7.000	Pass
			36	High	22.89	-2.81	-4.96	17.93	0.062	7.000	Pass
			75	Low	22.73	-2.81	-4.96	17.77	0.060	7.000	Pass
		Q16	1	Low	23.03	-2.81	-4.96	18.07	0.064	7.000	Pass
			1	Mid	23.09	-2.81	-4.96	18.13	0.065	7.000	Pass
			1	High	22.85	-2.81	-4.96	17.89	0.062	7.000	Pass
			36	Low	21.83	-2.81	-4.96	16.87	0.049	7.000	Pass
			36	Mid	21.82	-2.81	-4.96	16.86	0.049	7.000	Pass
			36	High	21.85	-2.81	-4.96	16.89	0.049	7.000	Pass
			75	Low	21.78	-2.81	-4.96	16.82	0.048	7.000	Pass
		Q64	1	Low	22.02	-2.81	-4.96	17.06	0.051	7.000	Pass
			1	Mid	21.83	-2.81	-4.96	16.87	0.049	7.000	Pass
			1	High	21.74	-2.81	-4.96	16.78	0.048	7.000	Pass
			36	Low	20.89	-2.81	-4.96	15.93	0.039	7.000	Pass
			36	Mid	20.8	-2.81	-4.96	15.84	0.038	7.000	Pass
			36	High	20.81	-2.81	-4.96	15.85	0.038	7.000	Pass
			75	Low	20.86	-2.81	-4.96	15.90	0.039	7.000	Pass
15	MCH	QPSK	1	Low	23.89	-2.81	-4.96	18.93	0.078	7.000	Pass
			1	Mid	23.76	-2.81	-4.96	18.80	0.076	7.000	Pass
			1	High	23.85	-2.81	-4.96	18.89	0.077	7.000	Pass
			36	Low	22.77	-2.81	-4.96	17.81	0.060	7.000	Pass
			36	Mid	22.85	-2.81	-4.96	17.89	0.062	7.000	Pass
			36	High	22.88	-2.81	-4.96	17.92	0.062	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
		Q16	75	Low	22.76	-2.81	-4.96	17.80	0.060	7.000	Pass
			1	Low	23.29	-2.81	-4.96	18.33	0.068	7.000	Pass
			1	Mid	23.63	-2.81	-4.96	18.67	0.074	7.000	Pass
			1	High	23.04	-2.81	-4.96	18.08	0.064	7.000	Pass
			36	Low	21.84	-2.81	-4.96	16.88	0.049	7.000	Pass
			36	Mid	21.81	-2.81	-4.96	16.85	0.048	7.000	Pass
			36	High	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
			75	Low	21.86	-2.81	-4.96	16.90	0.049	7.000	Pass
		Q64	1	Low	21.92	-2.81	-4.96	16.96	0.050	7.000	Pass
			1	Mid	22.22	-2.81	-4.96	17.26	0.053	7.000	Pass
			1	High	22.02	-2.81	-4.96	17.06	0.051	7.000	Pass
			36	Low	20.87	-2.81	-4.96	15.91	0.039	7.000	Pass
			36	Mid	20.81	-2.81	-4.96	15.85	0.038	7.000	Pass
			36	High	20.75	-2.81	-4.96	15.79	0.038	7.000	Pass
			75	Low	20.75	-2.81	-4.96	15.79	0.038	7.000	Pass
	HCH	QPSK	1	Low	23.67	-2.81	-4.96	18.71	0.074	7.000	Pass
			1	Mid	23.74	-2.81	-4.96	18.78	0.076	7.000	Pass
			1	High	23.6	-2.81	-4.96	18.64	0.073	7.000	Pass
			36	Low	22.83	-2.81	-4.96	17.87	0.061	7.000	Pass
			36	Mid	22.88	-2.81	-4.96	17.92	0.062	7.000	Pass
			36	High	22.87	-2.81	-4.96	17.91	0.062	7.000	Pass
			75	Low	22.72	-2.81	-4.96	17.76	0.060	7.000	Pass
		Q16	1	Low	23.11	-2.81	-4.96	18.15	0.065	7.000	Pass
			1	Mid	23.11	-2.81	-4.96	18.15	0.065	7.000	Pass
			1	High	23.18	-2.81	-4.96	18.22	0.066	7.000	Pass
			36	Low	21.88	-2.81	-4.96	16.92	0.049	7.000	Pass
			36	Mid	21.89	-2.81	-4.96	16.93	0.049	7.000	Pass
			36	High	21.87	-2.81	-4.96	16.91	0.049	7.000	Pass
			75	Low	21.77	-2.81	-4.96	16.81	0.048	7.000	Pass
		Q64	1	Low	22.16	-2.81	-4.96	17.20	0.052	7.000	Pass
			1	Mid	22.17	-2.81	-4.96	17.21	0.053	7.000	Pass
			1	High	21.76	-2.81	-4.96	16.80	0.048	7.000	Pass
			36	Low	20.88	-2.81	-4.96	15.92	0.039	7.000	Pass
			36	Mid	20.92	-2.81	-4.96	15.96	0.039	7.000	Pass
			36	High	20.87	-2.81	-4.96	15.91	0.039	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Anten na Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part22)											
			75	Low	20.92	-2.81	-4.96	15.96	0.039	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
1.4	LCH	QPSK	1	Low	24.04	-2.81	-4.96	19.08	0.081	100.000	Pass
			1	Mid	24.07	-2.81	-4.96	19.11	0.081	100.000	Pass
			1	High	23.94	-2.81	-4.96	18.98	0.079	100.000	Pass
			3	Low	23.96	-2.81	-4.96	19.00	0.079	100.000	Pass
			3	Mid	24.01	-2.81	-4.96	19.05	0.080	100.000	Pass
			3	High	23.99	-2.81	-4.96	19.03	0.080	100.000	Pass
			6	Low	23.03	-2.81	-4.96	18.07	0.064	100.000	Pass
		Q16	1	Low	23.49	-2.81	-4.96	18.53	0.071	100.000	Pass
			1	Mid	23.36	-2.81	-4.96	18.40	0.069	100.000	Pass
			1	High	23.32	-2.81	-4.96	18.36	0.069	100.000	Pass
			3	Low	23.11	-2.81	-4.96	18.15	0.065	100.000	Pass
			3	Mid	22.96	-2.81	-4.96	18.00	0.063	100.000	Pass
			3	High	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass
			6	Low	22.12	-2.81	-4.96	17.16	0.052	100.000	Pass
		Q64	1	Low	22.2	-2.81	-4.96	17.24	0.053	100.000	Pass
			1	Mid	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			1	High	22.33	-2.81	-4.96	17.37	0.055	100.000	Pass
			3	Low	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
			3	Mid	22.04	-2.81	-4.96	17.08	0.051	100.000	Pass
			3	High	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			6	Low	21.03	-2.81	-4.96	16.07	0.040	100.000	Pass
	MCH	QPSK	1	Low	23.95	-2.81	-4.96	18.99	0.079	100.000	Pass
			1	Mid	23.93	-2.81	-4.96	18.97	0.079	100.000	Pass
			1	High	23.89	-2.81	-4.96	18.93	0.078	100.000	Pass
			3	Low	23.92	-2.81	-4.96	18.96	0.079	100.000	Pass
			3	Mid	23.98	-2.81	-4.96	19.02	0.080	100.000	Pass
			3	High	23.94	-2.81	-4.96	18.98	0.079	100.000	Pass
			6	Low	22.97	-2.81	-4.96	18.01	0.063	100.000	Pass
		Q16	1	Low	23.37	-2.81	-4.96	18.41	0.069	100.000	Pass
			1	Mid	23.18	-2.81	-4.96	18.22	0.066	100.000	Pass
			1	High	23.31	-2.81	-4.96	18.35	0.068	100.000	Pass
			3	Low	23.15	-2.81	-4.96	18.19	0.066	100.000	Pass
			3	Mid	23.11	-2.81	-4.96	18.15	0.065	100.000	Pass
			3	High	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q64	6	Low	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			1	Low	22.21	-2.81	-4.96	17.25	0.053	100.000	Pass
			1	Mid	22.2	-2.81	-4.96	17.24	0.053	100.000	Pass
			1	High	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
			3	Low	22.1	-2.81	-4.96	17.14	0.052	100.000	Pass
			3	Mid	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			3	High	22.09	-2.81	-4.96	17.13	0.052	100.000	Pass
			6	Low	21	-2.81	-4.96	16.04	0.040	100.000	Pass
	HCH	QPSK	1	Low	23.91	-2.81	-4.96	18.95	0.079	100.000	Pass
			1	Mid	23.94	-2.81	-4.96	18.98	0.079	100.000	Pass
			1	High	23.9	-2.81	-4.96	18.94	0.078	100.000	Pass
			3	Low	24.02	-2.81	-4.96	19.06	0.081	100.000	Pass
			3	Mid	23.98	-2.81	-4.96	19.02	0.080	100.000	Pass
			3	High	23.99	-2.81	-4.96	19.03	0.080	100.000	Pass
			6	Low	22.96	-2.81	-4.96	18.00	0.063	100.000	Pass
		Q16	1	Low	23.47	-2.81	-4.96	18.51	0.071	100.000	Pass
			1	Mid	23.19	-2.81	-4.96	18.23	0.067	100.000	Pass
			1	High	23.34	-2.81	-4.96	18.38	0.069	100.000	Pass
			3	Low	23.02	-2.81	-4.96	18.06	0.064	100.000	Pass
			3	Mid	23.1	-2.81	-4.96	18.14	0.065	100.000	Pass
			3	High	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass
			6	Low	21.99	-2.81	-4.96	17.03	0.050	100.000	Pass
		Q64	1	Low	22.25	-2.81	-4.96	17.29	0.054	100.000	Pass
			1	Mid	22.09	-2.81	-4.96	17.13	0.052	100.000	Pass
			1	High	21.96	-2.81	-4.96	17.00	0.050	100.000	Pass
			3	Low	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
			3	Mid	22.1	-2.81	-4.96	17.14	0.052	100.000	Pass
			3	High	22.11	-2.81	-4.96	17.15	0.052	100.000	Pass
			6	Low	21.09	-2.81	-4.96	16.13	0.041	100.000	Pass
3	LCH	QPSK	1	Low	23.93	-2.81	-4.96	18.97	0.079	100.000	Pass
			1	Mid	24.01	-2.81	-4.96	19.05	0.080	100.000	Pass
			1	High	23.94	-2.81	-4.96	18.98	0.079	100.000	Pass
			8	Low	23.06	-2.81	-4.96	18.10	0.065	100.000	Pass
			8	Mid	23.1	-2.81	-4.96	18.14	0.065	100.000	Pass
			8	High	23.01	-2.81	-4.96	18.05	0.064	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q16	15	Low	23.14	-2.81	-4.96	18.18	0.066	100.000	Pass
			1	Low	23.25	-2.81	-4.96	18.29	0.067	100.000	Pass
			1	Mid	23.44	-2.81	-4.96	18.48	0.070	100.000	Pass
			1	High	23.19	-2.81	-4.96	18.23	0.067	100.000	Pass
			8	Low	22.07	-2.81	-4.96	17.11	0.051	100.000	Pass
			8	Mid	22.07	-2.81	-4.96	17.11	0.051	100.000	Pass
			8	High	22.04	-2.81	-4.96	17.08	0.051	100.000	Pass
			15	Low	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
		Q64	1	Low	22.48	-2.81	-4.96	17.52	0.056	100.000	Pass
			1	Mid	22.29	-2.81	-4.96	17.33	0.054	100.000	Pass
			1	High	22.28	-2.81	-4.96	17.32	0.054	100.000	Pass
			8	Low	21.06	-2.81	-4.96	16.10	0.041	100.000	Pass
			8	Mid	21.13	-2.81	-4.96	16.17	0.041	100.000	Pass
			8	High	21.03	-2.81	-4.96	16.07	0.040	100.000	Pass
			15	Low	21.08	-2.81	-4.96	16.12	0.041	100.000	Pass
	MCH	QPSK	1	Low	23.91	-2.81	-4.96	18.95	0.079	100.000	Pass
			1	Mid	23.97	-2.81	-4.96	19.01	0.080	100.000	Pass
			1	High	23.88	-2.81	-4.96	18.92	0.078	100.000	Pass
			8	Low	22.99	-2.81	-4.96	18.03	0.064	100.000	Pass
			8	Mid	23.01	-2.81	-4.96	18.05	0.064	100.000	Pass
			8	High	22.99	-2.81	-4.96	18.03	0.064	100.000	Pass
			15	Low	23.09	-2.81	-4.96	18.13	0.065	100.000	Pass
		Q16	1	Low	23.29	-2.81	-4.96	18.33	0.068	100.000	Pass
			1	Mid	23.42	-2.81	-4.96	18.46	0.070	100.000	Pass
			1	High	23.26	-2.81	-4.96	18.30	0.068	100.000	Pass
			8	Low	22.04	-2.81	-4.96	17.08	0.051	100.000	Pass
			8	Mid	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			8	High	22.01	-2.81	-4.96	17.05	0.051	100.000	Pass
			15	Low	22	-2.81	-4.96	17.04	0.051	100.000	Pass
		Q64	1	Low	22.16	-2.81	-4.96	17.20	0.052	100.000	Pass
			1	Mid	22.22	-2.81	-4.96	17.26	0.053	100.000	Pass
			1	High	22.19	-2.81	-4.96	17.23	0.053	100.000	Pass
			8	Low	21.04	-2.81	-4.96	16.08	0.041	100.000	Pass
			8	Mid	21.01	-2.81	-4.96	16.05	0.040	100.000	Pass
			8	High	21.01	-2.81	-4.96	16.05	0.040	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
	HCH	QPSK	15	Low	21	-2.81	-4.96	16.04	0.040	100.000	Pass
			1	Low	23.96	-2.81	-4.96	19.00	0.079	100.000	Pass
			1	Mid	23.99	-2.81	-4.96	19.03	0.080	100.000	Pass
			1	High	23.87	-2.81	-4.96	18.91	0.078	100.000	Pass
			8	Low	22.97	-2.81	-4.96	18.01	0.063	100.000	Pass
			8	Mid	23.01	-2.81	-4.96	18.05	0.064	100.000	Pass
			8	High	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass
		Q16	15	Low	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass
			1	Low	23.09	-2.81	-4.96	18.13	0.065	100.000	Pass
			1	Mid	23.42	-2.81	-4.96	18.46	0.070	100.000	Pass
			1	High	23.12	-2.81	-4.96	18.16	0.065	100.000	Pass
			8	Low	22.14	-2.81	-4.96	17.18	0.052	100.000	Pass
			8	Mid	22	-2.81	-4.96	17.04	0.051	100.000	Pass
			8	High	22.05	-2.81	-4.96	17.09	0.051	100.000	Pass
		Q64	15	Low	22.09	-2.81	-4.96	17.13	0.052	100.000	Pass
			1	Low	22.28	-2.81	-4.96	17.32	0.054	100.000	Pass
			1	Mid	22.24	-2.81	-4.96	17.28	0.053	100.000	Pass
			1	High	22.02	-2.81	-4.96	17.06	0.051	100.000	Pass
			8	Low	21.04	-2.81	-4.96	16.08	0.041	100.000	Pass
			8	Mid	21.08	-2.81	-4.96	16.12	0.041	100.000	Pass
			8	High	20.99	-2.81	-4.96	16.03	0.040	100.000	Pass
			15	Low	21	-2.81	-4.96	16.04	0.040	100.000	Pass
5	LCH	QPSK	1	Low	23.98	-2.81	-4.96	19.02	0.080	100.000	Pass
			1	Mid	24.01	-2.81	-4.96	19.05	0.080	100.000	Pass
			1	High	23.88	-2.81	-4.96	18.92	0.078	100.000	Pass
			12	Low	23.08	-2.81	-4.96	18.12	0.065	100.000	Pass
			12	Mid	23.04	-2.81	-4.96	18.08	0.064	100.000	Pass
			12	High	23.02	-2.81	-4.96	18.06	0.064	100.000	Pass
			25	Low	23	-2.81	-4.96	18.04	0.064	100.000	Pass
		Q16	1	Low	23.36	-2.81	-4.96	18.40	0.069	100.000	Pass
			1	Mid	23.44	-2.81	-4.96	18.48	0.070	100.000	Pass
			1	High	23.27	-2.81	-4.96	18.31	0.068	100.000	Pass
			12	Low	22.1	-2.81	-4.96	17.14	0.052	100.000	Pass
			12	Mid	22.13	-2.81	-4.96	17.17	0.052	100.000	Pass
			12	High	22.04	-2.81	-4.96	17.08	0.051	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q64	25	Low	22.05	-2.81	-4.96	17.09	0.051	100.000	Pass
			1	Low	22.12	-2.81	-4.96	17.16	0.052	100.000	Pass
			1	Mid	22.14	-2.81	-4.96	17.18	0.052	100.000	Pass
			1	High	22.35	-2.81	-4.96	17.39	0.055	100.000	Pass
			12	Low	21.09	-2.81	-4.96	16.13	0.041	100.000	Pass
			12	Mid	21.13	-2.81	-4.96	16.17	0.041	100.000	Pass
			12	High	21.06	-2.81	-4.96	16.10	0.041	100.000	Pass
			25	Low	21.09	-2.81	-4.96	16.13	0.041	100.000	Pass
	MCH	QPSK	1	Low	24.02	-2.81	-4.96	19.06	0.081	100.000	Pass
			1	Mid	24.07	-2.81	-4.96	19.11	0.081	100.000	Pass
			1	High	23.94	-2.81	-4.96	18.98	0.079	100.000	Pass
			12	Low	22.99	-2.81	-4.96	18.03	0.064	100.000	Pass
			12	Mid	23.03	-2.81	-4.96	18.07	0.064	100.000	Pass
			12	High	23.05	-2.81	-4.96	18.09	0.064	100.000	Pass
			25	Low	22.99	-2.81	-4.96	18.03	0.064	100.000	Pass
		Q16	1	Low	23.44	-2.81	-4.96	18.48	0.070	100.000	Pass
			1	Mid	23.33	-2.81	-4.96	18.37	0.069	100.000	Pass
			1	High	23.38	-2.81	-4.96	18.42	0.070	100.000	Pass
			12	Low	22.04	-2.81	-4.96	17.08	0.051	100.000	Pass
			12	Mid	22.03	-2.81	-4.96	17.07	0.051	100.000	Pass
			12	High	22.03	-2.81	-4.96	17.07	0.051	100.000	Pass
			25	Low	21.98	-2.81	-4.96	17.02	0.050	100.000	Pass
		Q64	1	Low	22.37	-2.81	-4.96	17.41	0.055	100.000	Pass
			1	Mid	22.32	-2.81	-4.96	17.36	0.054	100.000	Pass
			1	High	22.25	-2.81	-4.96	17.29	0.054	100.000	Pass
			12	Low	21.03	-2.81	-4.96	16.07	0.040	100.000	Pass
			12	Mid	21.1	-2.81	-4.96	16.14	0.041	100.000	Pass
			12	High	21.02	-2.81	-4.96	16.06	0.040	100.000	Pass
			25	Low	20.99	-2.81	-4.96	16.03	0.040	100.000	Pass
	HCH	QPSK	1	Low	23.86	-2.81	-4.96	18.90	0.078	100.000	Pass
			1	Mid	24.07	-2.81	-4.96	19.11	0.081	100.000	Pass
			1	High	23.92	-2.81	-4.96	18.96	0.079	100.000	Pass
			12	Low	22.99	-2.81	-4.96	18.03	0.064	100.000	Pass
			12	Mid	23.06	-2.81	-4.96	18.10	0.065	100.000	Pass
			12	High	22.96	-2.81	-4.96	18.00	0.063	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
		Q16	25	Low	22.98	-2.81	-4.96	18.02	0.063	100.000	Pass
			1	Low	23.22	-2.81	-4.96	18.26	0.067	100.000	Pass
			1	Mid	23.44	-2.81	-4.96	18.48	0.070	100.000	Pass
			1	High	23.23	-2.81	-4.96	18.27	0.067	100.000	Pass
			12	Low	22	-2.81	-4.96	17.04	0.051	100.000	Pass
			12	Mid	22.06	-2.81	-4.96	17.10	0.051	100.000	Pass
			12	High	22.12	-2.81	-4.96	17.16	0.052	100.000	Pass
			25	Low	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
		Q64	1	Low	22.16	-2.81	-4.96	17.20	0.052	100.000	Pass
			1	Mid	22.16	-2.81	-4.96	17.20	0.052	100.000	Pass
			1	High	22.11	-2.81	-4.96	17.15	0.052	100.000	Pass
			12	Low	20.97	-2.81	-4.96	16.01	0.040	100.000	Pass
			12	Mid	21.06	-2.81	-4.96	16.10	0.041	100.000	Pass
			12	High	21.04	-2.81	-4.96	16.08	0.041	100.000	Pass
			25	Low	21.06	-2.81	-4.96	16.10	0.041	100.000	Pass
10	LCH	QPSK	1	Low	24.04	-2.81	-4.96	19.08	0.081	100.000	Pass
			1	Mid	24.02	-2.81	-4.96	19.06	0.081	100.000	Pass
			1	High	23.85	-2.81	-4.96	18.89	0.077	100.000	Pass
			25	Low	23.04	-2.81	-4.96	18.08	0.064	100.000	Pass
			25	Mid	23.12	-2.81	-4.96	18.16	0.065	100.000	Pass
			25	High	23.02	-2.81	-4.96	18.06	0.064	100.000	Pass
			50	Low	23.09	-2.81	-4.96	18.13	0.065	100.000	Pass
		Q16	1	Low	23.41	-2.81	-4.96	18.45	0.070	100.000	Pass
			1	Mid	23.38	-2.81	-4.96	18.42	0.070	100.000	Pass
			1	High	23.35	-2.81	-4.96	18.39	0.069	100.000	Pass
			25	Low	22.08	-2.81	-4.96	17.12	0.052	100.000	Pass
			25	Mid	22.01	-2.81	-4.96	17.05	0.051	100.000	Pass
			25	High	22.01	-2.81	-4.96	17.05	0.051	100.000	Pass
			50	Low	22.12	-2.81	-4.96	17.16	0.052	100.000	Pass
		Q64	1	Low	22.35	-2.81	-4.96	17.39	0.055	100.000	Pass
			1	Mid	22.35	-2.81	-4.96	17.39	0.055	100.000	Pass
			1	High	22.27	-2.81	-4.96	17.31	0.054	100.000	Pass
			25	Low	21.08	-2.81	-4.96	16.12	0.041	100.000	Pass
			25	Mid	21.13	-2.81	-4.96	16.17	0.041	100.000	Pass
			25	High	21	-2.81	-4.96	16.04	0.040	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Anten na Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 26(Part90)											
			50	Low	21.01	-2.81	-4.96	16.05	0.040	100.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	23.52	-0.15	23.37	0.217	2.000	Pass
			1	Mid	23.56	-0.15	23.41	0.219	2.000	Pass
			1	High	23.56	-0.15	23.41	0.219	2.000	Pass
			12	Low	22.64	-0.15	22.49	0.177	2.000	Pass
			12	Mid	22.68	-0.15	22.53	0.179	2.000	Pass
			12	High	22.64	-0.15	22.49	0.177	2.000	Pass
			25	Low	22.63	-0.15	22.48	0.177	2.000	Pass
		Q16	1	Low	22.89	-0.15	22.74	0.188	2.000	Pass
			1	Mid	23.01	-0.15	22.86	0.193	2.000	Pass
			1	High	22.8	-0.15	22.65	0.184	2.000	Pass
			12	Low	21.64	-0.15	21.49	0.141	2.000	Pass
			12	Mid	21.69	-0.15	21.54	0.143	2.000	Pass
			12	High	21.7	-0.15	21.55	0.143	2.000	Pass
			25	Low	21.62	-0.15	21.47	0.140	2.000	Pass
		Q64	1	Low	21.83	-0.15	21.68	0.147	2.000	Pass
			1	Mid	21.89	-0.15	21.74	0.149	2.000	Pass
			1	High	21.85	-0.15	21.70	0.148	2.000	Pass
			12	Low	20.66	-0.15	20.51	0.112	2.000	Pass
			12	Mid	20.67	-0.15	20.52	0.113	2.000	Pass
			12	High	20.62	-0.15	20.47	0.111	2.000	Pass
			25	Low	20.62	-0.15	20.47	0.111	2.000	Pass
	MCH	QPSK	1	Low	23.63	-0.15	23.48	0.223	2.000	Pass
			1	Mid	23.71	-0.15	23.56	0.227	2.000	Pass
			1	High	23.59	-0.15	23.44	0.221	2.000	Pass
			12	Low	22.69	-0.15	22.54	0.179	2.000	Pass
			12	Mid	22.76	-0.15	22.61	0.182	2.000	Pass
			12	High	22.64	-0.15	22.49	0.177	2.000	Pass
			25	Low	22.66	-0.15	22.51	0.178	2.000	Pass
		Q16	1	Low	22.94	-0.15	22.79	0.190	2.000	Pass
			1	Mid	23.05	-0.15	22.90	0.195	2.000	Pass
			1	High	22.94	-0.15	22.79	0.190	2.000	Pass
			12	Low	21.68	-0.15	21.53	0.142	2.000	Pass
			12	Mid	21.94	-0.15	21.79	0.151	2.000	Pass
			12	High	21.69	-0.15	21.54	0.143	2.000	Pass
			25	Low	21.67	-0.15	21.52	0.142	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q64	1	Low	21.85	-0.15	21.70	0.148	2.000	Pass
			1	Mid	21.93	-0.15	21.78	0.151	2.000	Pass
			1	High	21.91	-0.15	21.76	0.150	2.000	Pass
			12	Low	20.7	-0.15	20.55	0.114	2.000	Pass
			12	Mid	20.77	-0.15	20.62	0.115	2.000	Pass
			12	High	20.69	-0.15	20.54	0.113	2.000	Pass
			25	Low	20.7	-0.15	20.55	0.114	2.000	Pass
	HCH	QPSK	1	Low	23.67	-0.15	23.52	0.225	2.000	Pass
			1	Mid	23.67	-0.15	23.52	0.225	2.000	Pass
			1	High	23.63	-0.15	23.48	0.223	2.000	Pass
			12	Low	22.67	-0.15	22.52	0.179	2.000	Pass
			12	Mid	22.7	-0.15	22.55	0.180	2.000	Pass
			12	High	22.64	-0.15	22.49	0.177	2.000	Pass
			25	Low	22.63	-0.15	22.48	0.177	2.000	Pass
		Q16	1	Low	22.89	-0.15	22.74	0.188	2.000	Pass
			1	Mid	22.93	-0.15	22.78	0.190	2.000	Pass
			1	High	22.92	-0.15	22.77	0.189	2.000	Pass
			12	Low	21.66	-0.15	21.51	0.142	2.000	Pass
			12	Mid	21.87	-0.15	21.72	0.149	2.000	Pass
			12	High	21.72	-0.15	21.57	0.144	2.000	Pass
			25	Low	21.64	-0.15	21.49	0.141	2.000	Pass
		Q64	1	Low	21.84	-0.15	21.69	0.148	2.000	Pass
			1	Mid	21.92	-0.15	21.77	0.150	2.000	Pass
			1	High	21.8	-0.15	21.65	0.146	2.000	Pass
			12	Low	20.68	-0.15	20.53	0.113	2.000	Pass
			12	Mid	20.72	-0.15	20.57	0.114	2.000	Pass
			12	High	20.7	-0.15	20.55	0.114	2.000	Pass
			25	Low	20.63	-0.15	20.48	0.112	2.000	Pass
10	LCH	QPSK	1	Low	23.62	-0.15	23.47	0.222	2.000	Pass
			1	Mid	23.7	-0.15	23.55	0.226	2.000	Pass
			1	High	23.63	-0.15	23.48	0.223	2.000	Pass
			25	Low	22.65	-0.15	22.50	0.178	2.000	Pass
			25	Mid	22.7	-0.15	22.55	0.180	2.000	Pass
			25	High	22.69	-0.15	22.54	0.179	2.000	Pass
			50	Low	22.7	-0.15	22.55	0.180	2.000	Pass
		Q16	1	Low	22.71	-0.15	22.56	0.180	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	22.95	-0.15	22.80	0.191	2.000	Pass
			1	High	22.91	-0.15	22.76	0.189	2.000	Pass
			25	Low	21.64	-0.15	21.49	0.141	2.000	Pass
			25	Mid	21.71	-0.15	21.56	0.143	2.000	Pass
			25	High	21.73	-0.15	21.58	0.144	2.000	Pass
			50	Low	21.71	-0.15	21.56	0.143	2.000	Pass
		Q64	1	Low	21.76	-0.15	21.61	0.145	2.000	Pass
			1	Mid	21.89	-0.15	21.74	0.149	2.000	Pass
			1	High	21.82	-0.15	21.67	0.147	2.000	Pass
			25	Low	20.67	-0.15	20.52	0.113	2.000	Pass
			25	Mid	20.71	-0.15	20.56	0.114	2.000	Pass
			25	High	20.69	-0.15	20.54	0.113	2.000	Pass
			50	Low	20.7	-0.15	20.55	0.114	2.000	Pass
	MCH	QPSK	1	Low	23.69	-0.15	23.54	0.226	2.000	Pass
			1	Mid	23.7	-0.15	23.55	0.226	2.000	Pass
			1	High	23.57	-0.15	23.42	0.220	2.000	Pass
			25	Low	22.71	-0.15	22.56	0.180	2.000	Pass
			25	Mid	22.75	-0.15	22.60	0.182	2.000	Pass
			25	High	22.69	-0.15	22.54	0.179	2.000	Pass
			50	Low	22.68	-0.15	22.53	0.179	2.000	Pass
		Q16	1	Low	22.98	-0.15	22.83	0.192	2.000	Pass
			1	Mid	23.08	-0.15	22.93	0.196	2.000	Pass
			1	High	22.94	-0.15	22.79	0.190	2.000	Pass
			25	Low	21.73	-0.15	21.58	0.144	2.000	Pass
			25	Mid	21.75	-0.15	21.60	0.145	2.000	Pass
			25	High	21.69	-0.15	21.54	0.143	2.000	Pass
			50	Low	21.67	-0.15	21.52	0.142	2.000	Pass
		Q64	1	Low	21.99	-0.15	21.84	0.153	2.000	Pass
			1	Mid	21.99	-0.15	21.84	0.153	2.000	Pass
			1	High	21.91	-0.15	21.76	0.150	2.000	Pass
			25	Low	20.69	-0.15	20.54	0.113	2.000	Pass
			25	Mid	20.73	-0.15	20.58	0.114	2.000	Pass
			25	High	20.67	-0.15	20.52	0.113	2.000	Pass
			50	Low	20.66	-0.15	20.51	0.112	2.000	Pass
	HCH	QPSK	1	Low	23.72	-0.15	23.57	0.228	2.000	Pass
			1	Mid	23.69	-0.15	23.54	0.226	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	High	23.57	-0.15	23.42	0.220	2.000	Pass
			25	Low	22.71	-0.15	22.56	0.180	2.000	Pass
			25	Mid	22.74	-0.15	22.59	0.182	2.000	Pass
			25	High	22.67	-0.15	22.52	0.179	2.000	Pass
			50	Low	22.69	-0.15	22.54	0.179	2.000	Pass
		Q16	1	Low	22.93	-0.15	22.78	0.190	2.000	Pass
			1	Mid	22.81	-0.15	22.66	0.185	2.000	Pass
			1	High	22.87	-0.15	22.72	0.187	2.000	Pass
			25	Low	21.74	-0.15	21.59	0.144	2.000	Pass
			25	Mid	21.7	-0.15	21.55	0.143	2.000	Pass
			25	High	21.68	-0.15	21.53	0.142	2.000	Pass
			50	Low	21.68	-0.15	21.53	0.142	2.000	Pass
		Q64	1	Low	21.9	-0.15	21.75	0.150	2.000	Pass
			1	Mid	21.89	-0.15	21.74	0.149	2.000	Pass
			1	High	21.86	-0.15	21.71	0.148	2.000	Pass
			25	Low	20.69	-0.15	20.54	0.113	2.000	Pass
			25	Mid	20.74	-0.15	20.59	0.115	2.000	Pass
			25	High	20.69	-0.15	20.54	0.113	2.000	Pass
			50	Low	20.68	-0.15	20.53	0.113	2.000	Pass
15	LCH	QPSK	1	Low	23.41	-0.15	23.26	0.212	2.000	Pass
			1	Mid	23.5	-0.15	23.35	0.216	2.000	Pass
			1	High	23.42	-0.15	23.27	0.212	2.000	Pass
			36	Low	22.51	-0.15	22.36	0.172	2.000	Pass
			36	Mid	22.58	-0.15	22.43	0.175	2.000	Pass
			36	High	22.6	-0.15	22.45	0.176	2.000	Pass
			75	Low	22.56	-0.15	22.41	0.174	2.000	Pass
		Q16	1	Low	22.55	-0.15	22.40	0.174	2.000	Pass
			1	Mid	22.77	-0.15	22.62	0.183	2.000	Pass
			1	High	22.69	-0.15	22.54	0.179	2.000	Pass
			36	Low	21.54	-0.15	21.39	0.138	2.000	Pass
			36	Mid	21.58	-0.15	21.43	0.139	2.000	Pass
			36	High	21.57	-0.15	21.42	0.139	2.000	Pass
			75	Low	21.56	-0.15	21.41	0.138	2.000	Pass
		Q64	1	Low	21.65	-0.15	21.50	0.141	2.000	Pass
			1	Mid	21.69	-0.15	21.54	0.143	2.000	Pass
			1	High	21.72	-0.15	21.57	0.144	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	MCH		36	Low	20.54	-0.15	20.39	0.109	2.000	Pass
			36	Mid	20.56	-0.15	20.41	0.110	2.000	Pass
			36	High	20.54	-0.15	20.39	0.109	2.000	Pass
			75	Low	20.54	-0.15	20.39	0.109	2.000	Pass
		QPSK	1	Low	23.59	-0.15	23.44	0.221	2.000	Pass
			1	Mid	23.59	-0.15	23.44	0.221	2.000	Pass
			1	High	23.4	-0.15	23.25	0.211	2.000	Pass
			36	Low	22.58	-0.15	22.43	0.175	2.000	Pass
			36	Mid	22.58	-0.15	22.43	0.175	2.000	Pass
			36	High	22.54	-0.15	22.39	0.173	2.000	Pass
			75	Low	22.55	-0.15	22.40	0.174	2.000	Pass
		Q16	1	Low	22.87	-0.15	22.72	0.187	2.000	Pass
			1	Mid	22.83	-0.15	22.68	0.185	2.000	Pass
			1	High	22.65	-0.15	22.50	0.178	2.000	Pass
			36	Low	21.58	-0.15	21.43	0.139	2.000	Pass
			36	Mid	21.5	-0.15	21.35	0.136	2.000	Pass
			36	High	21.53	-0.15	21.38	0.137	2.000	Pass
			75	Low	21.54	-0.15	21.39	0.138	2.000	Pass
		Q64	1	Low	21.83	-0.15	21.68	0.147	2.000	Pass
			1	Mid	21.82	-0.15	21.67	0.147	2.000	Pass
			1	High	21.63	-0.15	21.48	0.141	2.000	Pass
			36	Low	20.58	-0.15	20.43	0.110	2.000	Pass
			36	Mid	20.51	-0.15	20.36	0.109	2.000	Pass
			36	High	20.51	-0.15	20.36	0.109	2.000	Pass
			75	Low	20.55	-0.15	20.40	0.110	2.000	Pass
	HCH	QPSK	1	Low	23.5	-0.15	23.35	0.216	2.000	Pass
			1	Mid	23.44	-0.15	23.29	0.213	2.000	Pass
			1	High	23.32	-0.15	23.17	0.207	2.000	Pass
			36	Low	22.59	-0.15	22.44	0.175	2.000	Pass
			36	Mid	22.6	-0.15	22.45	0.176	2.000	Pass
			36	High	22.53	-0.15	22.38	0.173	2.000	Pass
			75	Low	22.56	-0.15	22.41	0.174	2.000	Pass
		Q16	1	Low	22.69	-0.15	22.54	0.179	2.000	Pass
			1	Mid	22.67	-0.15	22.52	0.179	2.000	Pass
			1	High	23.02	-0.15	22.87	0.194	2.000	Pass
			36	Low	21.61	-0.15	21.46	0.140	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	Mid	21.6	-0.15	21.45	0.140	2.000	Pass
			36	High	21.57	-0.15	21.42	0.139	2.000	Pass
			75	Low	21.55	-0.15	21.40	0.138	2.000	Pass
		Q64	1	Low	21.69	-0.15	21.54	0.143	2.000	Pass
			1	Mid	21.93	-0.15	21.78	0.151	2.000	Pass
			1	High	21.58	-0.15	21.43	0.139	2.000	Pass
			36	Low	20.54	-0.15	20.39	0.109	2.000	Pass
			36	Mid	20.57	-0.15	20.42	0.110	2.000	Pass
			36	High	20.6	-0.15	20.45	0.111	2.000	Pass
			75	Low	20.56	-0.15	20.41	0.110	2.000	Pass
20	LCH	QPSK	1	Low	23.47	-0.15	23.32	0.215	2.000	Pass
			1	Mid	23.52	-0.15	23.37	0.217	2.000	Pass
			1	High	23.51	-0.15	23.36	0.217	2.000	Pass
			50	Low	22.49	-0.15	22.34	0.171	2.000	Pass
			50	Mid	22.64	-0.15	22.49	0.177	2.000	Pass
			50	High	22.62	-0.15	22.47	0.177	2.000	Pass
			100	Low	22.6	-0.15	22.45	0.176	2.000	Pass
		Q16	1	Low	22.74	-0.15	22.59	0.182	2.000	Pass
			1	Mid	22.8	-0.15	22.65	0.184	2.000	Pass
			1	High	22.84	-0.15	22.69	0.186	2.000	Pass
			50	Low	21.5	-0.15	21.35	0.136	2.000	Pass
			50	Mid	21.64	-0.15	21.49	0.141	2.000	Pass
			50	High	21.6	-0.15	21.45	0.140	2.000	Pass
			100	Low	21.61	-0.15	21.46	0.140	2.000	Pass
		Q64	1	Low	21.68	-0.15	21.53	0.142	2.000	Pass
			1	Mid	21.72	-0.15	21.57	0.144	2.000	Pass
			1	High	21.62	-0.15	21.47	0.140	2.000	Pass
			50	Low	20.48	-0.15	20.33	0.108	2.000	Pass
			50	Mid	20.62	-0.15	20.47	0.111	2.000	Pass
			50	High	20.59	-0.15	20.44	0.111	2.000	Pass
			100	Low	20.6	-0.15	20.45	0.111	2.000	Pass
	MCH	QPSK	1	Low	23.58	-0.15	23.43	0.220	2.000	Pass
			1	Mid	23.65	-0.15	23.50	0.224	2.000	Pass
			1	High	23.41	-0.15	23.26	0.212	2.000	Pass
			50	Low	22.64	-0.15	22.49	0.177	2.000	Pass
			50	Mid	22.61	-0.15	22.46	0.176	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			50	High	22.59	-0.15	22.44	0.175	2.000	Pass
			100	Low	22.57	-0.15	22.42	0.175	2.000	Pass
		Q16	1	Low	22.96	-0.15	22.81	0.191	2.000	Pass
			1	Mid	22.69	-0.15	22.54	0.179	2.000	Pass
			1	High	22.68	-0.15	22.53	0.179	2.000	Pass
			50	Low	21.6	-0.15	21.45	0.140	2.000	Pass
			50	Mid	21.58	-0.15	21.43	0.139	2.000	Pass
			50	High	21.53	-0.15	21.38	0.137	2.000	Pass
			100	Low	21.55	-0.15	21.40	0.138	2.000	Pass
		Q64	1	Low	21.71	-0.15	21.56	0.143	2.000	Pass
			1	Mid	21.73	-0.15	21.58	0.144	2.000	Pass
			1	High	21.59	-0.15	21.44	0.139	2.000	Pass
			50	Low	20.56	-0.15	20.41	0.110	2.000	Pass
			50	Mid	20.6	-0.15	20.45	0.111	2.000	Pass
			50	High	20.54	-0.15	20.39	0.109	2.000	Pass
			100	Low	20.57	-0.15	20.42	0.110	2.000	Pass
	HCH	QPSK	1	Low	23.55	-0.15	23.40	0.219	2.000	Pass
			1	Mid	23.51	-0.15	23.36	0.217	2.000	Pass
			1	High	23.3	-0.15	23.15	0.207	2.000	Pass
			50	Low	22.67	-0.15	22.52	0.179	2.000	Pass
			50	Mid	22.66	-0.15	22.51	0.178	2.000	Pass
			50	High	22.55	-0.15	22.40	0.174	2.000	Pass
			100	Low	22.61	-0.15	22.46	0.176	2.000	Pass
		Q16	1	Low	22.86	-0.15	22.71	0.187	2.000	Pass
			1	Mid	22.8	-0.15	22.65	0.184	2.000	Pass
			1	High	22.54	-0.15	22.39	0.173	2.000	Pass
			50	Low	21.63	-0.15	21.48	0.141	2.000	Pass
			50	Mid	21.66	-0.15	21.51	0.142	2.000	Pass
			50	High	21.56	-0.15	21.41	0.138	2.000	Pass
			100	Low	21.58	-0.15	21.43	0.139	2.000	Pass
		Q64	1	Low	21.85	-0.15	21.70	0.148	2.000	Pass
			1	Mid	21.82	-0.15	21.67	0.147	2.000	Pass
			1	High	21.63	-0.15	21.48	0.141	2.000	Pass
			50	Low	20.63	-0.15	20.48	0.112	2.000	Pass
			50	Mid	20.66	-0.15	20.51	0.112	2.000	Pass
			50	High	20.59	-0.15	20.44	0.111	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			100	Low	20.64	-0.15	20.49	0.112	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
5	LCH	QPSK	1	Low	23.89	0.08	23.97	0.249	2.000	Pass
			1	Mid	23.9	0.08	23.98	0.250	2.000	Pass
			1	High	23.91	0.08	23.99	0.251	2.000	Pass
			12	Low	22.95	0.08	23.03	0.201	2.000	Pass
			12	Mid	22.95	0.08	23.03	0.201	2.000	Pass
			12	High	22.94	0.08	23.02	0.200	2.000	Pass
			25	Low	22.93	0.08	23.01	0.200	2.000	Pass
		Q16	1	Low	23.33	0.08	23.41	0.219	2.000	Pass
			1	Mid	23.25	0.08	23.33	0.215	2.000	Pass
			1	High	23.2	0.08	23.28	0.213	2.000	Pass
			12	Low	21.96	0.08	22.04	0.160	2.000	Pass
			12	Mid	22.03	0.08	22.11	0.163	2.000	Pass
			12	High	21.96	0.08	22.04	0.160	2.000	Pass
			25	Low	21.96	0.08	22.04	0.160	2.000	Pass
		Q64	1	Low	22.18	0.08	22.26	0.168	2.000	Pass
			1	Mid	22.17	0.08	22.25	0.168	2.000	Pass
			1	High	22.21	0.08	22.29	0.169	2.000	Pass
			12	Low	20.94	0.08	21.02	0.126	2.000	Pass
			12	Mid	20.99	0.08	21.07	0.128	2.000	Pass
			12	High	20.97	0.08	21.05	0.127	2.000	Pass
			25	Low	20.88	0.08	20.96	0.125	2.000	Pass
	MCH	QPSK	1	Low	23.62	0.08	23.70	0.234	2.000	Pass
			1	Mid	23.71	0.08	23.79	0.239	2.000	Pass
			1	High	23.58	0.08	23.66	0.232	2.000	Pass
			12	Low	22.66	0.08	22.74	0.188	2.000	Pass
			12	Mid	22.69	0.08	22.77	0.189	2.000	Pass
			12	High	22.66	0.08	22.74	0.188	2.000	Pass
			25	Low	22.64	0.08	22.72	0.187	2.000	Pass
		Q16	1	Low	22.92	0.08	23.00	0.200	2.000	Pass
			1	Mid	22.98	0.08	23.06	0.202	2.000	Pass
			1	High	22.9	0.08	22.98	0.199	2.000	Pass
			12	Low	21.68	0.08	21.76	0.150	2.000	Pass
			12	Mid	21.79	0.08	21.87	0.154	2.000	Pass
			12	High	21.69	0.08	21.77	0.150	2.000	Pass
			25	Low	21.67	0.08	21.75	0.150	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
		Q64	1	Low	21.83	0.08	21.91	0.155	2.000	Pass
			1	Mid	21.87	0.08	21.95	0.157	2.000	Pass
			1	High	21.79	0.08	21.87	0.154	2.000	Pass
			12	Low	20.68	0.08	20.76	0.119	2.000	Pass
			12	Mid	20.69	0.08	20.77	0.119	2.000	Pass
			12	High	20.58	0.08	20.66	0.116	2.000	Pass
			25	Low	20.64	0.08	20.72	0.118	2.000	Pass
	HCH	QPSK	1	Low	23.56	0.08	23.64	0.231	2.000	Pass
			1	Mid	23.62	0.08	23.70	0.234	2.000	Pass
			1	High	23.49	0.08	23.57	0.228	2.000	Pass
			12	Low	22.6	0.08	22.68	0.185	2.000	Pass
			12	Mid	22.63	0.08	22.71	0.187	2.000	Pass
			12	High	22.55	0.08	22.63	0.183	2.000	Pass
			25	Low	22.59	0.08	22.67	0.185	2.000	Pass
		Q16	1	Low	22.85	0.08	22.93	0.196	2.000	Pass
			1	Mid	22.86	0.08	22.94	0.197	2.000	Pass
			1	High	22.77	0.08	22.85	0.193	2.000	Pass
			12	Low	21.52	0.08	21.60	0.145	2.000	Pass
			12	Mid	21.61	0.08	21.69	0.148	2.000	Pass
			12	High	21.58	0.08	21.66	0.147	2.000	Pass
			25	Low	21.57	0.08	21.65	0.146	2.000	Pass
		Q64	1	Low	21.74	0.08	21.82	0.152	2.000	Pass
			1	Mid	22.01	0.08	22.09	0.162	2.000	Pass
			1	High	21.73	0.08	21.81	0.152	2.000	Pass
			12	Low	20.54	0.08	20.62	0.115	2.000	Pass
			12	Mid	20.68	0.08	20.76	0.119	2.000	Pass
			12	High	20.5	0.08	20.58	0.114	2.000	Pass
			25	Low	20.59	0.08	20.67	0.117	2.000	Pass
10	LCH	QPSK	1	Low	23.99	0.08	24.07	0.255	2.000	Pass
			1	Mid	23.92	0.08	24.00	0.251	2.000	Pass
			1	High	23.81	0.08	23.89	0.245	2.000	Pass
			25	Low	22.95	0.08	23.03	0.201	2.000	Pass
			25	Mid	22.95	0.08	23.03	0.201	2.000	Pass
			25	High	22.81	0.08	22.89	0.195	2.000	Pass
			50	Low	22.85	0.08	22.93	0.196	2.000	Pass
		Q16	1	Low	23.15	0.08	23.23	0.210	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
			1	Mid	23.19	0.08	23.27	0.212	2.000	Pass
			1	High	23.04	0.08	23.12	0.205	2.000	Pass
			25	Low	21.93	0.08	22.01	0.159	2.000	Pass
			25	Mid	21.93	0.08	22.01	0.159	2.000	Pass
			25	High	21.85	0.08	21.93	0.156	2.000	Pass
			50	Low	21.84	0.08	21.92	0.156	2.000	Pass
		Q64	1	Low	22.12	0.08	22.20	0.166	2.000	Pass
			1	Mid	22.06	0.08	22.14	0.164	2.000	Pass
			1	High	22.06	0.08	22.14	0.164	2.000	Pass
			25	Low	20.97	0.08	21.05	0.127	2.000	Pass
			25	Mid	20.91	0.08	20.99	0.126	2.000	Pass
			25	High	20.78	0.08	20.86	0.122	2.000	Pass
			50	Low	20.8	0.08	20.88	0.122	2.000	Pass
	MCH	QPSK	1	Low	23.6	0.08	23.68	0.233	2.000	Pass
			1	Mid	23.66	0.08	23.74	0.237	2.000	Pass
			1	High	23.56	0.08	23.64	0.231	2.000	Pass
			25	Low	22.7	0.08	22.78	0.190	2.000	Pass
			25	Mid	22.71	0.08	22.79	0.190	2.000	Pass
			25	High	22.68	0.08	22.76	0.189	2.000	Pass
			50	Low	22.67	0.08	22.75	0.188	2.000	Pass
		Q16	1	Low	22.86	0.08	22.94	0.197	2.000	Pass
			1	Mid	22.99	0.08	23.07	0.203	2.000	Pass
			1	High	22.81	0.08	22.89	0.195	2.000	Pass
			25	Low	21.69	0.08	21.77	0.150	2.000	Pass
			25	Mid	21.73	0.08	21.81	0.152	2.000	Pass
			25	High	21.65	0.08	21.73	0.149	2.000	Pass
			50	Low	21.67	0.08	21.75	0.150	2.000	Pass
		Q64	1	Low	21.93	0.08	22.01	0.159	2.000	Pass
			1	Mid	21.97	0.08	22.05	0.160	2.000	Pass
			1	High	21.77	0.08	21.85	0.153	2.000	Pass
			25	Low	20.66	0.08	20.74	0.119	2.000	Pass
			25	Mid	20.65	0.08	20.73	0.118	2.000	Pass
			25	High	20.66	0.08	20.74	0.119	2.000	Pass
			50	Low	20.68	0.08	20.76	0.119	2.000	Pass
	HCH	QPSK	1	Low	23.51	0.08	23.59	0.229	2.000	Pass
			1	Mid	23.51	0.08	23.59	0.229	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
			1	High	23.42	0.08	23.50	0.224	2.000	Pass
			25	Low	22.58	0.08	22.66	0.185	2.000	Pass
			25	Mid	22.62	0.08	22.70	0.186	2.000	Pass
			25	High	22.55	0.08	22.63	0.183	2.000	Pass
			50	Low	22.6	0.08	22.68	0.185	2.000	Pass
		Q16	1	Low	22.83	0.08	22.91	0.195	2.000	Pass
			1	Mid	22.72	0.08	22.80	0.191	2.000	Pass
			1	High	22.77	0.08	22.85	0.193	2.000	Pass
			25	Low	21.61	0.08	21.69	0.148	2.000	Pass
			25	Mid	21.62	0.08	21.70	0.148	2.000	Pass
			25	High	21.55	0.08	21.63	0.146	2.000	Pass
			50	Low	21.62	0.08	21.70	0.148	2.000	Pass
		Q64	1	Low	21.82	0.08	21.90	0.155	2.000	Pass
			1	Mid	21.88	0.08	21.96	0.157	2.000	Pass
			1	High	21.64	0.08	21.72	0.149	2.000	Pass
			25	Low	20.6	0.08	20.68	0.117	2.000	Pass
			25	Mid	20.59	0.08	20.67	0.117	2.000	Pass
			25	High	20.56	0.08	20.64	0.116	2.000	Pass
			50	Low	20.57	0.08	20.65	0.116	2.000	Pass
15	LCH	QPSK	1	Low	23.78	0.08	23.86	0.243	2.000	Pass
			1	Mid	23.72	0.08	23.80	0.240	2.000	Pass
			1	High	23.54	0.08	23.62	0.230	2.000	Pass
			36	Low	22.77	0.08	22.85	0.193	2.000	Pass
			36	Mid	22.66	0.08	22.74	0.188	2.000	Pass
			36	High	22.58	0.08	22.66	0.185	2.000	Pass
			75	Low	22.67	0.08	22.75	0.188	2.000	Pass
		Q16	1	Low	22.95	0.08	23.03	0.201	2.000	Pass
			1	Mid	22.86	0.08	22.94	0.197	2.000	Pass
			1	High	22.8	0.08	22.88	0.194	2.000	Pass
			36	Low	21.78	0.08	21.86	0.153	2.000	Pass
			36	Mid	21.66	0.08	21.74	0.149	2.000	Pass
			36	High	21.53	0.08	21.61	0.145	2.000	Pass
			75	Low	21.64	0.08	21.72	0.149	2.000	Pass
		Q64	1	Low	21.97	0.08	22.05	0.160	2.000	Pass
			1	Mid	21.81	0.08	21.89	0.155	2.000	Pass
			1	High	21.79	0.08	21.87	0.154	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
	MCH		36	Low	20.74	0.08	20.82	0.121	2.000	Pass
			36	Mid	20.66	0.08	20.74	0.119	2.000	Pass
			36	High	20.6	0.08	20.68	0.117	2.000	Pass
			75	Low	20.64	0.08	20.72	0.118	2.000	Pass
		QPSK	1	Low	23.48	0.08	23.56	0.227	2.000	Pass
			1	Mid	23.64	0.08	23.72	0.236	2.000	Pass
			1	High	23.49	0.08	23.57	0.228	2.000	Pass
			36	Low	22.56	0.08	22.64	0.184	2.000	Pass
			36	Mid	22.54	0.08	22.62	0.183	2.000	Pass
			36	High	22.53	0.08	22.61	0.182	2.000	Pass
			75	Low	22.53	0.08	22.61	0.182	2.000	Pass
		Q16	1	Low	22.8	0.08	22.88	0.194	2.000	Pass
			1	Mid	22.74	0.08	22.82	0.191	2.000	Pass
			1	High	22.81	0.08	22.89	0.195	2.000	Pass
			36	Low	21.55	0.08	21.63	0.146	2.000	Pass
			36	Mid	21.53	0.08	21.61	0.145	2.000	Pass
			36	High	21.49	0.08	21.57	0.144	2.000	Pass
			75	Low	21.52	0.08	21.60	0.145	2.000	Pass
		Q64	1	Low	21.69	0.08	21.77	0.150	2.000	Pass
			1	Mid	21.6	0.08	21.68	0.147	2.000	Pass
			1	High	21.75	0.08	21.83	0.152	2.000	Pass
			36	Low	20.5	0.08	20.58	0.114	2.000	Pass
			36	Mid	20.48	0.08	20.56	0.114	2.000	Pass
			36	High	20.5	0.08	20.58	0.114	2.000	Pass
			75	Low	20.54	0.08	20.62	0.115	2.000	Pass
	HCH	QPSK	1	Low	23.58	0.08	23.66	0.232	2.000	Pass
			1	Mid	23.47	0.08	23.55	0.226	2.000	Pass
			1	High	23.4	0.08	23.48	0.223	2.000	Pass
			36	Low	22.48	0.08	22.56	0.180	2.000	Pass
			36	Mid	22.44	0.08	22.52	0.179	2.000	Pass
			36	High	22.4	0.08	22.48	0.177	2.000	Pass
			75	Low	22.47	0.08	22.55	0.180	2.000	Pass
		Q16	1	Low	22.69	0.08	22.77	0.189	2.000	Pass
			1	Mid	22.54	0.08	22.62	0.183	2.000	Pass
			1	High	22.81	0.08	22.89	0.195	2.000	Pass
			36	Low	21.45	0.08	21.53	0.142	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
			36	Mid	21.42	0.08	21.50	0.141	2.000	Pass
			36	High	21.43	0.08	21.51	0.142	2.000	Pass
			75	Low	21.44	0.08	21.52	0.142	2.000	Pass
		Q64	1	Low	21.67	0.08	21.75	0.150	2.000	Pass
			1	Mid	21.68	0.08	21.76	0.150	2.000	Pass
			1	High	21.74	0.08	21.82	0.152	2.000	Pass
			36	Low	20.46	0.08	20.54	0.113	2.000	Pass
			36	Mid	20.42	0.08	20.50	0.112	2.000	Pass
			36	High	20.39	0.08	20.47	0.111	2.000	Pass
			75	Low	20.41	0.08	20.49	0.112	2.000	Pass
20	LCH	QPSK	1	Low	23.91	0.08	23.99	0.251	2.000	Pass
			1	Mid	23.73	0.08	23.81	0.240	2.000	Pass
			1	High	23.63	0.08	23.71	0.235	2.000	Pass
			50	Low	22.76	0.08	22.84	0.192	2.000	Pass
			50	Mid	22.74	0.08	22.82	0.191	2.000	Pass
			50	High	22.64	0.08	22.72	0.187	2.000	Pass
			100	Low	21.24	0.08	21.32	0.136	2.000	Pass
		Q16	1	Low	22.97	0.08	23.05	0.202	2.000	Pass
			1	Mid	22.9	0.08	22.98	0.199	2.000	Pass
			1	High	22.71	0.08	22.79	0.190	2.000	Pass
			50	Low	21.74	0.08	21.82	0.152	2.000	Pass
			50	Mid	21.73	0.08	21.81	0.152	2.000	Pass
			50	High	21.65	0.08	21.73	0.149	2.000	Pass
			100	Low	21.7	0.08	21.78	0.151	2.000	Pass
		Q64	1	Low	22	0.08	22.08	0.161	2.000	Pass
			1	Mid	22.14	0.08	22.22	0.167	2.000	Pass
			1	High	21.76	0.08	21.84	0.153	2.000	Pass
			50	Low	20.75	0.08	20.83	0.121	2.000	Pass
			50	Mid	20.71	0.08	20.79	0.120	2.000	Pass
			50	High	20.67	0.08	20.75	0.119	2.000	Pass
			100	Low	20.72	0.08	20.80	0.120	2.000	Pass
	MCH	QPSK	1	Low	23.54	0.08	23.62	0.230	2.000	Pass
			1	Mid	23.45	0.08	23.53	0.225	2.000	Pass
			1	High	23.51	0.08	23.59	0.229	2.000	Pass
			50	Low	22.54	0.08	22.62	0.183	2.000	Pass
			50	Mid	22.55	0.08	22.63	0.183	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
			50	High	22.51	0.08	22.59	0.182	2.000	Pass
			100	Low	21.07	0.08	21.15	0.130	2.000	Pass
		Q16	1	Low	22.7	0.08	22.78	0.190	2.000	Pass
			1	Mid	22.79	0.08	22.87	0.194	2.000	Pass
			1	High	22.75	0.08	22.83	0.192	2.000	Pass
			50	Low	21.58	0.08	21.66	0.147	2.000	Pass
			50	Mid	21.55	0.08	21.63	0.146	2.000	Pass
			50	High	21.51	0.08	21.59	0.144	2.000	Pass
			100	Low	21.55	0.08	21.63	0.146	2.000	Pass
		Q64	1	Low	21.85	0.08	21.93	0.156	2.000	Pass
			1	Mid	21.74	0.08	21.82	0.152	2.000	Pass
			1	High	21.68	0.08	21.76	0.150	2.000	Pass
			50	Low	20.54	0.08	20.62	0.115	2.000	Pass
			50	Mid	20.55	0.08	20.63	0.116	2.000	Pass
			50	High	20.51	0.08	20.59	0.115	2.000	Pass
			100	Low	20.52	0.08	20.60	0.115	2.000	Pass
	HCH	QPSK	1	Low	23.65	0.08	23.73	0.236	2.000	Pass
			1	Mid	23.44	0.08	23.52	0.225	2.000	Pass
			1	High	23.32	0.08	23.40	0.219	2.000	Pass
			50	Low	22.52	0.08	22.60	0.182	2.000	Pass
			50	Mid	22.52	0.08	22.60	0.182	2.000	Pass
			50	High	22.44	0.08	22.52	0.179	2.000	Pass
			100	Low	20.98	0.08	21.06	0.128	2.000	Pass
		Q16	1	Low	22.75	0.08	22.83	0.192	2.000	Pass
			1	Mid	22.63	0.08	22.71	0.187	2.000	Pass
			1	High	22.62	0.08	22.70	0.186	2.000	Pass
			50	Low	21.5	0.08	21.58	0.144	2.000	Pass
			50	Mid	21.51	0.08	21.59	0.144	2.000	Pass
			50	High	21.45	0.08	21.53	0.142	2.000	Pass
			100	Low	21.49	0.08	21.57	0.144	2.000	Pass
		Q64	1	Low	21.72	0.08	21.80	0.151	2.000	Pass
			1	Mid	21.63	0.08	21.71	0.148	2.000	Pass
			1	High	21.54	0.08	21.62	0.145	2.000	Pass
			50	Low	20.44	0.08	20.52	0.113	2.000	Pass
			50	Mid	20.48	0.08	20.56	0.114	2.000	Pass
			50	High	20.47	0.08	20.55	0.114	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41(FULL)										
			100	Low	20.48	0.08	20.56	0.114	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
5	LCH	QPSK	1	Low	23.44	-0.66	22.78	0.190	1.000	Pass
			1	Mid	23.48	-0.66	22.82	0.191	1.000	Pass
			1	High	23.5	-0.66	22.84	0.192	1.000	Pass
			12	Low	22.51	-0.66	21.85	0.153	1.000	Pass
			12	Mid	22.56	-0.66	21.90	0.155	1.000	Pass
			12	High	22.51	-0.66	21.85	0.153	1.000	Pass
			25	Low	22.56	-0.66	21.90	0.155	1.000	Pass
		Q16	1	Low	22.67	-0.66	22.01	0.159	1.000	Pass
			1	Mid	22.98	-0.66	22.32	0.171	1.000	Pass
			1	High	22.75	-0.66	22.09	0.162	1.000	Pass
			12	Low	21.66	-0.66	21.00	0.126	1.000	Pass
			12	Mid	21.58	-0.66	20.92	0.124	1.000	Pass
			12	High	21.61	-0.66	20.95	0.124	1.000	Pass
			25	Low	21.52	-0.66	20.86	0.122	1.000	Pass
		Q64	1	Low	21.79	-0.66	21.13	0.130	1.000	Pass
			1	Mid	21.81	-0.66	21.15	0.130	1.000	Pass
			1	High	21.66	-0.66	21.00	0.126	1.000	Pass
			12	Low	20.55	-0.66	19.89	0.097	1.000	Pass
			12	Mid	20.59	-0.66	19.93	0.098	1.000	Pass
			12	High	20.52	-0.66	19.86	0.097	1.000	Pass
			25	Low	20.51	-0.66	19.85	0.097	1.000	Pass
	MCH	QPSK	1	Low	23.65	-0.66	22.99	0.199	1.000	Pass
			1	Mid	23.69	-0.66	23.03	0.201	1.000	Pass
			1	High	23.67	-0.66	23.01	0.200	1.000	Pass
			12	Low	22.64	-0.66	21.98	0.158	1.000	Pass
			12	Mid	22.73	-0.66	22.07	0.161	1.000	Pass
			12	High	22.67	-0.66	22.01	0.159	1.000	Pass
			25	Low	22.6	-0.66	21.94	0.156	1.000	Pass
		Q16	1	Low	22.88	-0.66	22.22	0.167	1.000	Pass
			1	Mid	23.07	-0.66	22.41	0.174	1.000	Pass
			1	High	23	-0.66	22.34	0.171	1.000	Pass
			12	Low	21.64	-0.66	20.98	0.125	1.000	Pass
			12	Mid	21.76	-0.66	21.10	0.129	1.000	Pass
			12	High	21.74	-0.66	21.08	0.128	1.000	Pass
			25	Low	21.71	-0.66	21.05	0.127	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q64	1	Low	21.91	-0.66	21.25	0.133	1.000	Pass
			1	Mid	22	-0.66	21.34	0.136	1.000	Pass
			1	High	21.87	-0.66	21.21	0.132	1.000	Pass
			12	Low	20.64	-0.66	19.98	0.100	1.000	Pass
			12	Mid	20.77	-0.66	20.11	0.103	1.000	Pass
			12	High	20.72	-0.66	20.06	0.101	1.000	Pass
			25	Low	20.64	-0.66	19.98	0.100	1.000	Pass
	HCH	QPSK	1	Low	23.63	-0.66	22.97	0.198	1.000	Pass
			1	Mid	23.64	-0.66	22.98	0.199	1.000	Pass
			1	High	23.6	-0.66	22.94	0.197	1.000	Pass
			12	Low	22.66	-0.66	22.00	0.158	1.000	Pass
			12	Mid	22.66	-0.66	22.00	0.158	1.000	Pass
			12	High	22.6	-0.66	21.94	0.156	1.000	Pass
			25	Low	22.64	-0.66	21.98	0.158	1.000	Pass
		Q16	1	Low	22.81	-0.66	22.15	0.164	1.000	Pass
			1	Mid	23.01	-0.66	22.35	0.172	1.000	Pass
			1	High	22.92	-0.66	22.26	0.168	1.000	Pass
			12	Low	21.7	-0.66	21.04	0.127	1.000	Pass
			12	Mid	21.62	-0.66	20.96	0.125	1.000	Pass
			12	High	21.66	-0.66	21.00	0.126	1.000	Pass
			25	Low	21.64	-0.66	20.98	0.125	1.000	Pass
		Q64	1	Low	21.91	-0.66	21.25	0.133	1.000	Pass
			1	Mid	22.06	-0.66	21.40	0.138	1.000	Pass
			1	High	21.77	-0.66	21.11	0.129	1.000	Pass
			12	Low	20.67	-0.66	20.01	0.100	1.000	Pass
			12	Mid	20.69	-0.66	20.03	0.101	1.000	Pass
			12	High	20.64	-0.66	19.98	0.100	1.000	Pass
			25	Low	20.64	-0.66	19.98	0.100	1.000	Pass
10	LCH	QPSK	1	Low	23.54	-0.66	22.88	0.194	1.000	Pass
			1	Mid	23.61	-0.66	22.95	0.197	1.000	Pass
			1	High	23.53	-0.66	22.87	0.194	1.000	Pass
			25	Low	22.55	-0.66	21.89	0.155	1.000	Pass
			25	Mid	22.55	-0.66	21.89	0.155	1.000	Pass
			25	High	22.56	-0.66	21.90	0.155	1.000	Pass
			50	Low	22.54	-0.66	21.88	0.154	1.000	Pass
		Q16	1	Low	22.76	-0.66	22.10	0.162	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	22.74	-0.66	22.08	0.161	1.000	Pass
			1	High	22.75	-0.66	22.09	0.162	1.000	Pass
			25	Low	21.54	-0.66	20.88	0.122	1.000	Pass
			25	Mid	21.59	-0.66	20.93	0.124	1.000	Pass
			25	High	21.59	-0.66	20.93	0.124	1.000	Pass
			50	Low	21.57	-0.66	20.91	0.123	1.000	Pass
		Q64	1	Low	21.74	-0.66	21.08	0.128	1.000	Pass
			1	Mid	21.8	-0.66	21.14	0.130	1.000	Pass
			1	High	21.65	-0.66	20.99	0.126	1.000	Pass
			25	Low	20.49	-0.66	19.83	0.096	1.000	Pass
			25	Mid	20.56	-0.66	19.90	0.098	1.000	Pass
			25	High	20.56	-0.66	19.90	0.098	1.000	Pass
			50	Low	20.53	-0.66	19.87	0.097	1.000	Pass
	MCH	QPSK	1	Low	23.69	-0.66	23.03	0.201	1.000	Pass
			1	Mid	23.75	-0.66	23.09	0.204	1.000	Pass
			1	High	23.7	-0.66	23.04	0.201	1.000	Pass
			25	Low	22.65	-0.66	21.99	0.158	1.000	Pass
			25	Mid	22.7	-0.66	22.04	0.160	1.000	Pass
			25	High	22.73	-0.66	22.07	0.161	1.000	Pass
			50	Low	22.64	-0.66	21.98	0.158	1.000	Pass
		Q16	1	Low	22.99	-0.66	22.33	0.171	1.000	Pass
			1	Mid	23.01	-0.66	22.35	0.172	1.000	Pass
			1	High	22.91	-0.66	22.25	0.168	1.000	Pass
			25	Low	21.69	-0.66	21.03	0.127	1.000	Pass
			25	Mid	21.7	-0.66	21.04	0.127	1.000	Pass
			25	High	21.78	-0.66	21.12	0.129	1.000	Pass
			50	Low	21.62	-0.66	20.96	0.125	1.000	Pass
		Q64	1	Low	21.92	-0.66	21.26	0.134	1.000	Pass
			1	Mid	21.98	-0.66	21.32	0.136	1.000	Pass
			1	High	21.89	-0.66	21.23	0.133	1.000	Pass
			25	Low	20.6	-0.66	19.94	0.099	1.000	Pass
			25	Mid	20.71	-0.66	20.05	0.101	1.000	Pass
			25	High	20.76	-0.66	20.10	0.102	1.000	Pass
			50	Low	20.65	-0.66	19.99	0.100	1.000	Pass
	HCH	QPSK	1	Low	23.7	-0.66	23.04	0.201	1.000	Pass
			1	Mid	23.72	-0.66	23.06	0.202	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	High	23.63	-0.66	22.97	0.198	1.000	Pass
			25	Low	22.68	-0.66	22.02	0.159	1.000	Pass
			25	Mid	22.68	-0.66	22.02	0.159	1.000	Pass
			25	High	22.66	-0.66	22.00	0.158	1.000	Pass
			50	Low	22.65	-0.66	21.99	0.158	1.000	Pass
		Q16	1	Low	22.95	-0.66	22.29	0.169	1.000	Pass
			1	Mid	22.96	-0.66	22.30	0.170	1.000	Pass
			1	High	22.83	-0.66	22.17	0.165	1.000	Pass
			25	Low	21.73	-0.66	21.07	0.128	1.000	Pass
			25	Mid	21.72	-0.66	21.06	0.128	1.000	Pass
			25	High	21.68	-0.66	21.02	0.126	1.000	Pass
			50	Low	21.65	-0.66	20.99	0.126	1.000	Pass
		Q64	1	Low	21.86	-0.66	21.20	0.132	1.000	Pass
			1	Mid	21.84	-0.66	21.18	0.131	1.000	Pass
			1	High	21.83	-0.66	21.17	0.131	1.000	Pass
			25	Low	20.72	-0.66	20.06	0.101	1.000	Pass
			25	Mid	20.71	-0.66	20.05	0.101	1.000	Pass
			25	High	20.72	-0.66	20.06	0.101	1.000	Pass
			50	Low	20.64	-0.66	19.98	0.100	1.000	Pass
15	LCH	QPSK	1	Low	23.29	-0.66	22.63	0.183	1.000	Pass
			1	Mid	23.31	-0.66	22.65	0.184	1.000	Pass
			1	High	23.24	-0.66	22.58	0.181	1.000	Pass
			36	Low	22.41	-0.66	21.75	0.150	1.000	Pass
			36	Mid	22.35	-0.66	21.69	0.148	1.000	Pass
			36	High	22.39	-0.66	21.73	0.149	1.000	Pass
			75	Low	22.39	-0.66	21.73	0.149	1.000	Pass
		Q16	1	Low	22.53	-0.66	21.87	0.154	1.000	Pass
			1	Mid	22.52	-0.66	21.86	0.153	1.000	Pass
			1	High	22.51	-0.66	21.85	0.153	1.000	Pass
			36	Low	21.4	-0.66	20.74	0.119	1.000	Pass
			36	Mid	21.4	-0.66	20.74	0.119	1.000	Pass
			36	High	21.4	-0.66	20.74	0.119	1.000	Pass
			75	Low	21.41	-0.66	20.75	0.119	1.000	Pass
		Q64	1	Low	21.44	-0.66	20.78	0.120	1.000	Pass
			1	Mid	21.58	-0.66	20.92	0.124	1.000	Pass
			1	High	21.53	-0.66	20.87	0.122	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
	MCH		36	Low	20.39	-0.66	19.73	0.094	1.000	Pass
			36	Mid	20.38	-0.66	19.72	0.094	1.000	Pass
			36	High	20.4	-0.66	19.74	0.094	1.000	Pass
			75	Low	20.41	-0.66	19.75	0.094	1.000	Pass
		QPSK	1	Low	23.52	-0.66	22.86	0.193	1.000	Pass
			1	Mid	23.77	-0.66	23.11	0.205	1.000	Pass
			1	High	23.58	-0.66	22.92	0.196	1.000	Pass
			36	Low	22.5	-0.66	21.84	0.153	1.000	Pass
			36	Mid	22.48	-0.66	21.82	0.152	1.000	Pass
			36	High	22.54	-0.66	21.88	0.154	1.000	Pass
			75	Low	22.52	-0.66	21.86	0.153	1.000	Pass
		Q16	1	Low	22.63	-0.66	21.97	0.157	1.000	Pass
			1	Mid	22.81	-0.66	22.15	0.164	1.000	Pass
			1	High	22.69	-0.66	22.03	0.160	1.000	Pass
			36	Low	21.51	-0.66	20.85	0.122	1.000	Pass
			36	Mid	21.52	-0.66	20.86	0.122	1.000	Pass
			36	High	21.54	-0.66	20.88	0.122	1.000	Pass
			75	Low	21.49	-0.66	20.83	0.121	1.000	Pass
		Q64	1	Low	21.58	-0.66	20.92	0.124	1.000	Pass
			1	Mid	21.82	-0.66	21.16	0.131	1.000	Pass
			1	High	21.73	-0.66	21.07	0.128	1.000	Pass
			36	Low	20.47	-0.66	19.81	0.096	1.000	Pass
			36	Mid	20.49	-0.66	19.83	0.096	1.000	Pass
			36	High	20.58	-0.66	19.92	0.098	1.000	Pass
			75	Low	20.49	-0.66	19.83	0.096	1.000	Pass
	HCH	QPSK	1	Low	23.47	-0.66	22.81	0.191	1.000	Pass
			1	Mid	23.49	-0.66	22.83	0.192	1.000	Pass
			1	High	23.38	-0.66	22.72	0.187	1.000	Pass
			36	Low	22.55	-0.66	21.89	0.155	1.000	Pass
			36	Mid	22.52	-0.66	21.86	0.153	1.000	Pass
			36	High	22.52	-0.66	21.86	0.153	1.000	Pass
			75	Low	22.55	-0.66	21.89	0.155	1.000	Pass
		Q16	1	Low	22.74	-0.66	22.08	0.161	1.000	Pass
			1	Mid	22.91	-0.66	22.25	0.168	1.000	Pass
			1	High	22.63	-0.66	21.97	0.157	1.000	Pass
			36	Low	21.57	-0.66	20.91	0.123	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	Mid	21.55	-0.66	20.89	0.123	1.000	Pass
			36	High	21.55	-0.66	20.89	0.123	1.000	Pass
			75	Low	21.49	-0.66	20.83	0.121	1.000	Pass
		Q64	1	Low	21.61	-0.66	20.95	0.124	1.000	Pass
			1	Mid	21.58	-0.66	20.92	0.124	1.000	Pass
			1	High	21.57	-0.66	20.91	0.123	1.000	Pass
			36	Low	20.56	-0.66	19.90	0.098	1.000	Pass
			36	Mid	20.54	-0.66	19.88	0.097	1.000	Pass
			36	High	20.54	-0.66	19.88	0.097	1.000	Pass
			75	Low	20.52	-0.66	19.86	0.097	1.000	Pass
		QPSK	1	Low	23.32	-0.66	22.66	0.185	1.000	Pass
			1	Mid	23.32	-0.66	22.66	0.185	1.000	Pass
			1	High	23.3	-0.66	22.64	0.184	1.000	Pass
			50	Low	22.38	-0.66	21.72	0.149	1.000	Pass
			50	Mid	22.45	-0.66	21.79	0.151	1.000	Pass
			50	High	22.45	-0.66	21.79	0.151	1.000	Pass
			100	Low	22.4	-0.66	21.74	0.149	1.000	Pass
		Q16	1	Low	22.69	-0.66	22.03	0.160	1.000	Pass
			1	Mid	22.59	-0.66	21.93	0.156	1.000	Pass
			1	High	22.5	-0.66	21.84	0.153	1.000	Pass
			50	Low	21.39	-0.66	20.73	0.118	1.000	Pass
			50	Mid	21.42	-0.66	20.76	0.119	1.000	Pass
			50	High	21.44	-0.66	20.78	0.120	1.000	Pass
			100	Low	21.4	-0.66	20.74	0.119	1.000	Pass
		Q64	1	Low	21.62	-0.66	20.96	0.125	1.000	Pass
			1	Mid	21.61	-0.66	20.95	0.124	1.000	Pass
			1	High	21.55	-0.66	20.89	0.123	1.000	Pass
			50	Low	20.35	-0.66	19.69	0.093	1.000	Pass
			50	Mid	20.46	-0.66	19.80	0.095	1.000	Pass
			50	High	20.44	-0.66	19.78	0.095	1.000	Pass
			100	Low	20.43	-0.66	19.77	0.095	1.000	Pass
		QPSK	1	Low	23.55	-0.66	22.89	0.195	1.000	Pass
			1	Mid	23.62	-0.66	22.96	0.198	1.000	Pass
			1	High	23.55	-0.66	22.89	0.195	1.000	Pass
			50	Low	22.5	-0.66	21.84	0.153	1.000	Pass
			50	Mid	22.55	-0.66	21.89	0.155	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			50	High	22.56	-0.66	21.90	0.155	1.000	Pass
			100	Low	22.54	-0.66	21.88	0.154	1.000	Pass
		Q16	1	Low	22.8	-0.66	22.14	0.164	1.000	Pass
			1	Mid	22.78	-0.66	22.12	0.163	1.000	Pass
			1	High	22.75	-0.66	22.09	0.162	1.000	Pass
			50	Low	21.5	-0.66	20.84	0.121	1.000	Pass
			50	Mid	21.55	-0.66	20.89	0.123	1.000	Pass
			50	High	21.63	-0.66	20.97	0.125	1.000	Pass
			100	Low	21.47	-0.66	20.81	0.121	1.000	Pass
		Q64	1	Low	21.66	-0.66	21.00	0.126	1.000	Pass
			1	Mid	21.91	-0.66	21.25	0.133	1.000	Pass
			1	High	21.71	-0.66	21.05	0.127	1.000	Pass
			50	Low	20.51	-0.66	19.85	0.097	1.000	Pass
			50	Mid	20.46	-0.66	19.80	0.095	1.000	Pass
			50	High	20.55	-0.66	19.89	0.097	1.000	Pass
			100	Low	20.49	-0.66	19.83	0.096	1.000	Pass
	HCH	QPSK	1	Low	23.51	-0.66	22.85	0.193	1.000	Pass
			1	Mid	23.52	-0.66	22.86	0.193	1.000	Pass
			1	High	23.35	-0.66	22.69	0.186	1.000	Pass
			50	Low	22.45	-0.66	21.79	0.151	1.000	Pass
			50	Mid	22.51	-0.66	21.85	0.153	1.000	Pass
			50	High	22.5	-0.66	21.84	0.153	1.000	Pass
			100	Low	22.47	-0.66	21.81	0.152	1.000	Pass
		Q16	1	Low	22.69	-0.66	22.03	0.160	1.000	Pass
			1	Mid	22.62	-0.66	21.96	0.157	1.000	Pass
			1	High	22.68	-0.66	22.02	0.159	1.000	Pass
			50	Low	21.49	-0.66	20.83	0.121	1.000	Pass
			50	Mid	21.47	-0.66	20.81	0.121	1.000	Pass
			50	High	21.55	-0.66	20.89	0.123	1.000	Pass
			100	Low	21.44	-0.66	20.78	0.120	1.000	Pass
		Q64	1	Low	21.7	-0.66	21.04	0.127	1.000	Pass
			1	Mid	21.71	-0.66	21.05	0.127	1.000	Pass
			1	High	21.56	-0.66	20.90	0.123	1.000	Pass
			50	Low	20.51	-0.66	19.85	0.097	1.000	Pass
			50	Mid	20.48	-0.66	19.82	0.096	1.000	Pass
			50	High	20.56	-0.66	19.90	0.098	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			100	Low	20.49	-0.66	19.83	0.096	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	23.05	-0.14	22.91	0.195	1.000	Pass
			1	Mid	23.06	-0.14	22.92	0.196	1.000	Pass
			1	High	23.03	-0.14	22.89	0.195	1.000	Pass
			3	Low	23.08	-0.14	22.94	0.197	1.000	Pass
			3	Mid	22.99	-0.14	22.85	0.193	1.000	Pass
			3	High	23	-0.14	22.86	0.193	1.000	Pass
			6	Low	22.12	-0.14	21.98	0.158	1.000	Pass
		Q16	1	Low	22.45	-0.14	22.31	0.170	1.000	Pass
			1	Mid	22.49	-0.14	22.35	0.172	1.000	Pass
			1	High	22.23	-0.14	22.09	0.162	1.000	Pass
			3	Low	22.13	-0.14	21.99	0.158	1.000	Pass
			3	Mid	22.29	-0.14	22.15	0.164	1.000	Pass
			3	High	22.09	-0.14	21.95	0.157	1.000	Pass
			6	Low	21.42	-0.14	21.28	0.134	1.000	Pass
		Q64	1	Low	21.23	-0.14	21.09	0.129	1.000	Pass
			1	Mid	21.32	-0.14	21.18	0.131	1.000	Pass
			1	High	21.27	-0.14	21.13	0.130	1.000	Pass
			3	Low	21.22	-0.14	21.08	0.128	1.000	Pass
			3	Mid	21.12	-0.14	20.98	0.125	1.000	Pass
			3	High	21.21	-0.14	21.07	0.128	1.000	Pass
			6	Low	20.16	-0.14	20.02	0.100	1.000	Pass
	MCH	QPSK	1	Low	23.47	-0.14	23.33	0.215	1.000	Pass
			1	Mid	23.61	-0.14	23.47	0.222	1.000	Pass
			1	High	23.48	-0.14	23.34	0.216	1.000	Pass
			3	Low	23.5	-0.14	23.36	0.217	1.000	Pass
			3	Mid	23.45	-0.14	23.31	0.214	1.000	Pass
			3	High	23.56	-0.14	23.42	0.220	1.000	Pass
			6	Low	22.49	-0.14	22.35	0.172	1.000	Pass
		Q16	1	Low	22.74	-0.14	22.60	0.182	1.000	Pass
			1	Mid	22.91	-0.14	22.77	0.189	1.000	Pass
			1	High	22.91	-0.14	22.77	0.189	1.000	Pass
			3	Low	22.66	-0.14	22.52	0.179	1.000	Pass
			3	Mid	22.6	-0.14	22.46	0.176	1.000	Pass
			3	High	22.62	-0.14	22.48	0.177	1.000	Pass
			6	Low	21.51	-0.14	21.37	0.137	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q64	1	Low	21.79	-0.14	21.65	0.146	1.000	Pass
			1	Mid	21.67	-0.14	21.53	0.142	1.000	Pass
			1	High	21.84	-0.14	21.70	0.148	1.000	Pass
			3	Low	21.66	-0.14	21.52	0.142	1.000	Pass
			3	Mid	21.78	-0.14	21.64	0.146	1.000	Pass
			3	High	21.76	-0.14	21.62	0.145	1.000	Pass
			6	Low	20.48	-0.14	20.34	0.108	1.000	Pass
	HCH	QPSK	1	Low	23.39	-0.14	23.25	0.211	1.000	Pass
			1	Mid	23.53	-0.14	23.39	0.218	1.000	Pass
			1	High	23.41	-0.14	23.27	0.212	1.000	Pass
			3	Low	23.38	-0.14	23.24	0.211	1.000	Pass
			3	Mid	23.49	-0.14	23.35	0.216	1.000	Pass
			3	High	23.51	-0.14	23.37	0.217	1.000	Pass
			6	Low	22.57	-0.14	22.43	0.175	1.000	Pass
		Q16	1	Low	22.94	-0.14	22.80	0.191	1.000	Pass
			1	Mid	22.9	-0.14	22.76	0.189	1.000	Pass
			1	High	22.69	-0.14	22.55	0.180	1.000	Pass
			3	Low	22.63	-0.14	22.49	0.177	1.000	Pass
			3	Mid	22.62	-0.14	22.48	0.177	1.000	Pass
			3	High	22.57	-0.14	22.43	0.175	1.000	Pass
			6	Low	21.6	-0.14	21.46	0.140	1.000	Pass
		Q64	1	Low	21.74	-0.14	21.60	0.145	1.000	Pass
			1	Mid	21.77	-0.14	21.63	0.146	1.000	Pass
			1	High	21.75	-0.14	21.61	0.145	1.000	Pass
			3	Low	21.68	-0.14	21.54	0.143	1.000	Pass
			3	Mid	21.68	-0.14	21.54	0.143	1.000	Pass
			3	High	21.65	-0.14	21.51	0.142	1.000	Pass
			6	Low	20.55	-0.14	20.41	0.110	1.000	Pass
3	LCH	QPSK	1	Low	22.98	-0.14	22.84	0.192	1.000	Pass
			1	Mid	23.15	-0.14	23.01	0.200	1.000	Pass
			1	High	23.01	-0.14	22.87	0.194	1.000	Pass
			8	Low	22.09	-0.14	21.95	0.157	1.000	Pass
			8	Mid	22.15	-0.14	22.01	0.159	1.000	Pass
			8	High	22.15	-0.14	22.01	0.159	1.000	Pass
			15	Low	22.12	-0.14	21.98	0.158	1.000	Pass
		Q16	1	Low	22.26	-0.14	22.12	0.163	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	22.59	-0.14	22.45	0.176	1.000	Pass
			1	High	22.26	-0.14	22.12	0.163	1.000	Pass
			8	Low	21.24	-0.14	21.10	0.129	1.000	Pass
			8	Mid	21.27	-0.14	21.13	0.130	1.000	Pass
			8	High	21.2	-0.14	21.06	0.128	1.000	Pass
			15	Low	21.21	-0.14	21.07	0.128	1.000	Pass
		Q64	1	Low	21.16	-0.14	21.02	0.126	1.000	Pass
			1	Mid	21.29	-0.14	21.15	0.130	1.000	Pass
			1	High	21.1	-0.14	20.96	0.125	1.000	Pass
			8	Low	20.11	-0.14	19.97	0.099	1.000	Pass
			8	Mid	20.22	-0.14	20.08	0.102	1.000	Pass
			8	High	20.24	-0.14	20.10	0.102	1.000	Pass
			15	Low	20.21	-0.14	20.07	0.102	1.000	Pass
	MCH	QPSK	1	Low	23.63	-0.14	23.49	0.223	1.000	Pass
			1	Mid	23.54	-0.14	23.40	0.219	1.000	Pass
			1	High	23.55	-0.14	23.41	0.219	1.000	Pass
			8	Low	22.53	-0.14	22.39	0.173	1.000	Pass
			8	Mid	22.47	-0.14	22.33	0.171	1.000	Pass
			8	High	22.59	-0.14	22.45	0.176	1.000	Pass
			15	Low	22.48	-0.14	22.34	0.171	1.000	Pass
		Q16	1	Low	22.83	-0.14	22.69	0.186	1.000	Pass
			1	Mid	22.85	-0.14	22.71	0.187	1.000	Pass
			1	High	22.74	-0.14	22.60	0.182	1.000	Pass
			8	Low	21.53	-0.14	21.39	0.138	1.000	Pass
			8	Mid	21.61	-0.14	21.47	0.140	1.000	Pass
			8	High	21.71	-0.14	21.57	0.144	1.000	Pass
			15	Low	21.47	-0.14	21.33	0.136	1.000	Pass
		Q64	1	Low	21.6	-0.14	21.46	0.140	1.000	Pass
			1	Mid	21.89	-0.14	21.75	0.150	1.000	Pass
			1	High	21.61	-0.14	21.47	0.140	1.000	Pass
			8	Low	20.58	-0.14	20.44	0.111	1.000	Pass
			8	Mid	20.61	-0.14	20.47	0.111	1.000	Pass
			8	High	20.62	-0.14	20.48	0.112	1.000	Pass
			15	Low	20.54	-0.14	20.40	0.110	1.000	Pass
	HCH	QPSK	1	Low	23.44	-0.14	23.30	0.214	1.000	Pass
			1	Mid	23.47	-0.14	23.33	0.215	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	23.38	-0.14	23.24	0.211	1.000	Pass
			8	Low	22.58	-0.14	22.44	0.175	1.000	Pass
			8	Mid	22.56	-0.14	22.42	0.175	1.000	Pass
			8	High	22.49	-0.14	22.35	0.172	1.000	Pass
			15	Low	22.53	-0.14	22.39	0.173	1.000	Pass
		Q16	1	Low	22.83	-0.14	22.69	0.186	1.000	Pass
			1	Mid	22.78	-0.14	22.64	0.184	1.000	Pass
			1	High	22.75	-0.14	22.61	0.182	1.000	Pass
			8	Low	21.68	-0.14	21.54	0.143	1.000	Pass
			8	Mid	21.67	-0.14	21.53	0.142	1.000	Pass
			8	High	21.59	-0.14	21.45	0.140	1.000	Pass
			15	Low	21.56	-0.14	21.42	0.139	1.000	Pass
		Q64	1	Low	21.56	-0.14	21.42	0.139	1.000	Pass
			1	Mid	21.78	-0.14	21.64	0.146	1.000	Pass
			1	High	21.67	-0.14	21.53	0.142	1.000	Pass
			8	Low	20.67	-0.14	20.53	0.113	1.000	Pass
			8	Mid	20.62	-0.14	20.48	0.112	1.000	Pass
			8	High	20.55	-0.14	20.41	0.110	1.000	Pass
			15	Low	20.57	-0.14	20.43	0.110	1.000	Pass
5	LCH	QPSK	1	Low	22.94	-0.14	22.80	0.191	1.000	Pass
			1	Mid	23.12	-0.14	22.98	0.199	1.000	Pass
			1	High	22.92	-0.14	22.78	0.190	1.000	Pass
			12	Low	22.11	-0.14	21.97	0.157	1.000	Pass
			12	Mid	22.1	-0.14	21.96	0.157	1.000	Pass
			12	High	22.15	-0.14	22.01	0.159	1.000	Pass
			25	Low	22.07	-0.14	21.93	0.156	1.000	Pass
		Q16	1	Low	22.41	-0.14	22.27	0.169	1.000	Pass
			1	Mid	22.75	-0.14	22.61	0.182	1.000	Pass
			1	High	22.44	-0.14	22.30	0.170	1.000	Pass
			12	Low	21.26	-0.14	21.12	0.129	1.000	Pass
			12	Mid	21.23	-0.14	21.09	0.129	1.000	Pass
			12	High	21.1	-0.14	20.96	0.125	1.000	Pass
			25	Low	21.12	-0.14	20.98	0.125	1.000	Pass
		Q64	1	Low	21.35	-0.14	21.21	0.132	1.000	Pass
			1	Mid	21.31	-0.14	21.17	0.131	1.000	Pass
			1	High	21.05	-0.14	20.91	0.123	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	Low	20.19	-0.14	20.05	0.101	1.000	Pass
			12	Mid	20.28	-0.14	20.14	0.103	1.000	Pass
			12	High	20.13	-0.14	19.99	0.100	1.000	Pass
			25	Low	20.13	-0.14	19.99	0.100	1.000	Pass
	MCH	QPSK	1	Low	23.39	-0.14	23.25	0.211	1.000	Pass
			1	Mid	23.64	-0.14	23.50	0.224	1.000	Pass
			1	High	23.5	-0.14	23.36	0.217	1.000	Pass
			12	Low	22.54	-0.14	22.40	0.174	1.000	Pass
			12	Mid	22.61	-0.14	22.47	0.177	1.000	Pass
			12	High	22.56	-0.14	22.42	0.175	1.000	Pass
			25	Low	22.49	-0.14	22.35	0.172	1.000	Pass
		Q16	1	Low	22.94	-0.14	22.80	0.191	1.000	Pass
			1	Mid	22.93	-0.14	22.79	0.190	1.000	Pass
			1	High	22.91	-0.14	22.77	0.189	1.000	Pass
			12	Low	21.63	-0.14	21.49	0.141	1.000	Pass
			12	Mid	21.59	-0.14	21.45	0.140	1.000	Pass
			12	High	21.64	-0.14	21.50	0.141	1.000	Pass
			25	Low	21.45	-0.14	21.31	0.135	1.000	Pass
		Q64	1	Low	21.48	-0.14	21.34	0.136	1.000	Pass
			1	Mid	21.83	-0.14	21.69	0.148	1.000	Pass
			1	High	21.82	-0.14	21.68	0.147	1.000	Pass
			12	Low	20.65	-0.14	20.51	0.112	1.000	Pass
			12	Mid	20.52	-0.14	20.38	0.109	1.000	Pass
			12	High	20.65	-0.14	20.51	0.112	1.000	Pass
			25	Low	20.48	-0.14	20.34	0.108	1.000	Pass
	HCH	QPSK	1	Low	23.42	-0.14	23.28	0.213	1.000	Pass
			1	Mid	23.5	-0.14	23.36	0.217	1.000	Pass
			1	High	23.39	-0.14	23.25	0.211	1.000	Pass
			12	Low	22.53	-0.14	22.39	0.173	1.000	Pass
			12	Mid	22.55	-0.14	22.41	0.174	1.000	Pass
			12	High	22.54	-0.14	22.40	0.174	1.000	Pass
			25	Low	22.53	-0.14	22.39	0.173	1.000	Pass
		Q16	1	Low	22.88	-0.14	22.74	0.188	1.000	Pass
			1	Mid	22.79	-0.14	22.65	0.184	1.000	Pass
			1	High	22.84	-0.14	22.70	0.186	1.000	Pass
			12	Low	21.64	-0.14	21.50	0.141	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
10			12	Mid	21.67	-0.14	21.53	0.142	1.000	Pass
			12	High	21.58	-0.14	21.44	0.139	1.000	Pass
			25	Low	21.56	-0.14	21.42	0.139	1.000	Pass
		Q64	1	Low	21.91	-0.14	21.77	0.150	1.000	Pass
			1	Mid	21.78	-0.14	21.64	0.146	1.000	Pass
			1	High	21.75	-0.14	21.61	0.145	1.000	Pass
			12	Low	20.66	-0.14	20.52	0.113	1.000	Pass
			12	Mid	20.62	-0.14	20.48	0.112	1.000	Pass
			12	High	20.55	-0.14	20.41	0.110	1.000	Pass
			25	Low	20.57	-0.14	20.43	0.110	1.000	Pass
		QPSK	1	Low	23.2	-0.14	23.06	0.202	1.000	Pass
			1	Mid	23.11	-0.14	22.97	0.198	1.000	Pass
			1	High	23.11	-0.14	22.97	0.198	1.000	Pass
			25	Low	22.18	-0.14	22.04	0.160	1.000	Pass
			25	Mid	22.21	-0.14	22.07	0.161	1.000	Pass
			25	High	22.21	-0.14	22.07	0.161	1.000	Pass
			50	Low	22.26	-0.14	22.12	0.163	1.000	Pass
	LCH	Q16	1	Low	22.31	-0.14	22.17	0.165	1.000	Pass
			1	Mid	22.47	-0.14	22.33	0.171	1.000	Pass
			1	High	22.31	-0.14	22.17	0.165	1.000	Pass
			25	Low	21.17	-0.14	21.03	0.127	1.000	Pass
			25	Mid	21.18	-0.14	21.04	0.127	1.000	Pass
			25	High	21.26	-0.14	21.12	0.129	1.000	Pass
			50	Low	21.17	-0.14	21.03	0.127	1.000	Pass
		Q64	1	Low	21.2	-0.14	21.06	0.128	1.000	Pass
			1	Mid	21.34	-0.14	21.20	0.132	1.000	Pass
			1	High	21.38	-0.14	21.24	0.133	1.000	Pass
			25	Low	20.15	-0.14	20.01	0.100	1.000	Pass
			25	Mid	20.2	-0.14	20.06	0.101	1.000	Pass
			25	High	20.17	-0.14	20.03	0.101	1.000	Pass
			50	Low	20.16	-0.14	20.02	0.100	1.000	Pass
	MCH	QPSK	1	Low	23.54	-0.14	23.40	0.219	1.000	Pass
			1	Mid	23.59	-0.14	23.45	0.221	1.000	Pass
			1	High	23.56	-0.14	23.42	0.220	1.000	Pass
			25	Low	22.54	-0.14	22.40	0.174	1.000	Pass
			25	Mid	22.59	-0.14	22.45	0.176	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			25	High	22.59	-0.14	22.45	0.176	1.000	Pass
			50	Low	22.53	-0.14	22.39	0.173	1.000	Pass
		Q16	1	Low	22.74	-0.14	22.60	0.182	1.000	Pass
			1	Mid	22.86	-0.14	22.72	0.187	1.000	Pass
			1	High	22.7	-0.14	22.56	0.180	1.000	Pass
			25	Low	21.54	-0.14	21.40	0.138	1.000	Pass
			25	Mid	21.62	-0.14	21.48	0.141	1.000	Pass
			25	High	21.62	-0.14	21.48	0.141	1.000	Pass
			50	Low	21.51	-0.14	21.37	0.137	1.000	Pass
		Q64	1	Low	21.64	-0.14	21.50	0.141	1.000	Pass
			1	Mid	21.79	-0.14	21.65	0.146	1.000	Pass
			1	High	21.7	-0.14	21.56	0.143	1.000	Pass
			25	Low	20.51	-0.14	20.37	0.109	1.000	Pass
			25	Mid	20.67	-0.14	20.53	0.113	1.000	Pass
			25	High	20.62	-0.14	20.48	0.112	1.000	Pass
			50	Low	20.51	-0.14	20.37	0.109	1.000	Pass
	HCH	QPSK	1	Low	23.5	-0.14	23.36	0.217	1.000	Pass
			1	Mid	23.71	-0.14	23.57	0.228	1.000	Pass
			1	High	23.43	-0.14	23.29	0.213	1.000	Pass
			25	Low	22.49	-0.14	22.35	0.172	1.000	Pass
			25	Mid	22.59	-0.14	22.45	0.176	1.000	Pass
			25	High	22.57	-0.14	22.43	0.175	1.000	Pass
			50	Low	22.59	-0.14	22.45	0.176	1.000	Pass
		Q16	1	Low	22.77	-0.14	22.63	0.183	1.000	Pass
			1	Mid	23	-0.14	22.86	0.193	1.000	Pass
			1	High	22.64	-0.14	22.50	0.178	1.000	Pass
			25	Low	21.56	-0.14	21.42	0.139	1.000	Pass
			25	Mid	21.69	-0.14	21.55	0.143	1.000	Pass
			25	High	21.67	-0.14	21.53	0.142	1.000	Pass
			50	Low	21.59	-0.14	21.45	0.140	1.000	Pass
		Q64	1	Low	21.69	-0.14	21.55	0.143	1.000	Pass
			1	Mid	21.73	-0.14	21.59	0.144	1.000	Pass
			1	High	21.83	-0.14	21.69	0.148	1.000	Pass
			25	Low	20.59	-0.14	20.45	0.111	1.000	Pass
			25	Mid	20.69	-0.14	20.55	0.114	1.000	Pass
			25	High	20.6	-0.14	20.46	0.111	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
15	LCH	QPSK	50	Low	20.59	-0.14	20.45	0.111	1.000	Pass
			1	Low	22.96	-0.14	22.82	0.191	1.000	Pass
			1	Mid	22.91	-0.14	22.77	0.189	1.000	Pass
			1	High	22.97	-0.14	22.83	0.192	1.000	Pass
			36	Low	21.97	-0.14	21.83	0.152	1.000	Pass
			36	Mid	21.99	-0.14	21.85	0.153	1.000	Pass
			36	High	22.01	-0.14	21.87	0.154	1.000	Pass
		Q16	75	Low	21.99	-0.14	21.85	0.153	1.000	Pass
			1	Low	22.07	-0.14	21.93	0.156	1.000	Pass
			1	Mid	22.19	-0.14	22.05	0.160	1.000	Pass
			1	High	22.31	-0.14	22.17	0.165	1.000	Pass
			36	Low	20.93	-0.14	20.79	0.120	1.000	Pass
			36	Mid	21.03	-0.14	20.89	0.123	1.000	Pass
			36	High	21.07	-0.14	20.93	0.124	1.000	Pass
			75	Low	21.16	-0.14	21.02	0.126	1.000	Pass
		Q64	1	Low	20.94	-0.14	20.80	0.120	1.000	Pass
			1	Mid	21.25	-0.14	21.11	0.129	1.000	Pass
			1	High	21.24	-0.14	21.10	0.129	1.000	Pass
			36	Low	20.03	-0.14	19.89	0.097	1.000	Pass
			36	Mid	20.04	-0.14	19.90	0.098	1.000	Pass
			36	High	20	-0.14	19.86	0.097	1.000	Pass
			75	Low	20.2	-0.14	20.06	0.101	1.000	Pass
	MCH	QPSK	1	Low	23.08	-0.14	22.94	0.197	1.000	Pass
			1	Mid	23.41	-0.14	23.27	0.212	1.000	Pass
			1	High	23.38	-0.14	23.24	0.211	1.000	Pass
			36	Low	22.38	-0.14	22.24	0.167	1.000	Pass
			36	Mid	22.38	-0.14	22.24	0.167	1.000	Pass
			36	High	22.44	-0.14	22.30	0.170	1.000	Pass
			75	Low	22.4	-0.14	22.26	0.168	1.000	Pass
		Q16	1	Low	22.71	-0.14	22.57	0.181	1.000	Pass
			1	Mid	22.72	-0.14	22.58	0.181	1.000	Pass
			1	High	23	-0.14	22.86	0.193	1.000	Pass
			36	Low	21.46	-0.14	21.32	0.136	1.000	Pass
			36	Mid	21.36	-0.14	21.22	0.132	1.000	Pass
			36	High	21.49	-0.14	21.35	0.136	1.000	Pass
			75	Low	21.45	-0.14	21.31	0.135	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q64	1	Low	21.4	-0.14	21.26	0.134	1.000	Pass
			1	Mid	21.3	-0.14	21.16	0.131	1.000	Pass
			1	High	21.64	-0.14	21.50	0.141	1.000	Pass
			36	Low	20.41	-0.14	20.27	0.106	1.000	Pass
			36	Mid	20.39	-0.14	20.25	0.106	1.000	Pass
			36	High	20.48	-0.14	20.34	0.108	1.000	Pass
			75	Low	20.44	-0.14	20.30	0.107	1.000	Pass
	HCH	QPSK	1	Low	23.18	-0.14	23.04	0.201	1.000	Pass
			1	Mid	23.35	-0.14	23.21	0.209	1.000	Pass
			1	High	23.17	-0.14	23.03	0.201	1.000	Pass
			36	Low	22.33	-0.14	22.19	0.166	1.000	Pass
			36	Mid	22.36	-0.14	22.22	0.167	1.000	Pass
			36	High	22.36	-0.14	22.22	0.167	1.000	Pass
			75	Low	22.43	-0.14	22.29	0.169	1.000	Pass
		Q16	1	Low	22.58	-0.14	22.44	0.175	1.000	Pass
			1	Mid	22.57	-0.14	22.43	0.175	1.000	Pass
			1	High	22.56	-0.14	22.42	0.175	1.000	Pass
			36	Low	21.46	-0.14	21.32	0.136	1.000	Pass
			36	Mid	21.34	-0.14	21.20	0.132	1.000	Pass
			36	High	21.43	-0.14	21.29	0.135	1.000	Pass
			75	Low	21.31	-0.14	21.17	0.131	1.000	Pass
		Q64	1	Low	21.38	-0.14	21.24	0.133	1.000	Pass
			1	Mid	21.44	-0.14	21.30	0.135	1.000	Pass
			1	High	21.41	-0.14	21.27	0.134	1.000	Pass
			36	Low	20.41	-0.14	20.27	0.106	1.000	Pass
			36	Mid	20.35	-0.14	20.21	0.105	1.000	Pass
			36	High	20.46	-0.14	20.32	0.108	1.000	Pass
			75	Low	20.33	-0.14	20.19	0.104	1.000	Pass
20	LCH	QPSK	1	Low	23.12	-0.14	22.98	0.199	1.000	Pass
			1	Mid	22.95	-0.14	22.81	0.191	1.000	Pass
			1	High	23.15	-0.14	23.01	0.200	1.000	Pass
			50	Low	22.04	-0.14	21.90	0.155	1.000	Pass
			50	Mid	22.11	-0.14	21.97	0.157	1.000	Pass
			50	High	22.13	-0.14	21.99	0.158	1.000	Pass
			100	Low	22.11	-0.14	21.97	0.157	1.000	Pass
		Q16	1	Low	22.49	-0.14	22.35	0.172	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	22.55	-0.14	22.41	0.174	1.000	Pass
			1	High	22.46	-0.14	22.32	0.171	1.000	Pass
			50	Low	21.02	-0.14	20.88	0.122	1.000	Pass
			50	Mid	21.08	-0.14	20.94	0.124	1.000	Pass
			50	High	21.05	-0.14	20.91	0.123	1.000	Pass
			100	Low	21.15	-0.14	21.01	0.126	1.000	Pass
		Q64	1	Low	21.34	-0.14	21.20	0.132	1.000	Pass
			1	Mid	21.14	-0.14	21.00	0.126	1.000	Pass
			1	High	21.16	-0.14	21.02	0.126	1.000	Pass
			50	Low	20.02	-0.14	19.88	0.097	1.000	Pass
			50	Mid	20.09	-0.14	19.95	0.099	1.000	Pass
			50	High	20.11	-0.14	19.97	0.099	1.000	Pass
			100	Low	20.05	-0.14	19.91	0.098	1.000	Pass
	MCH	QPSK	1	Low	23.23	-0.14	23.09	0.204	1.000	Pass
			1	Mid	23.46	-0.14	23.32	0.215	1.000	Pass
			1	High	23.33	-0.14	23.19	0.208	1.000	Pass
			50	Low	22.28	-0.14	22.14	0.164	1.000	Pass
			50	Mid	22.43	-0.14	22.29	0.169	1.000	Pass
			50	High	22.48	-0.14	22.34	0.171	1.000	Pass
			100	Low	22.34	-0.14	22.20	0.166	1.000	Pass
		Q16	1	Low	22.56	-0.14	22.42	0.175	1.000	Pass
			1	Mid	22.69	-0.14	22.55	0.180	1.000	Pass
			1	High	22.62	-0.14	22.48	0.177	1.000	Pass
			50	Low	21.34	-0.14	21.20	0.132	1.000	Pass
			50	Mid	21.38	-0.14	21.24	0.133	1.000	Pass
			50	High	21.48	-0.14	21.34	0.136	1.000	Pass
			100	Low	21.4	-0.14	21.26	0.134	1.000	Pass
		Q64	1	Low	21.7	-0.14	21.56	0.143	1.000	Pass
			1	Mid	21.47	-0.14	21.33	0.136	1.000	Pass
			1	High	21.44	-0.14	21.30	0.135	1.000	Pass
			50	Low	20.33	-0.14	20.19	0.104	1.000	Pass
			50	Mid	20.32	-0.14	20.18	0.104	1.000	Pass
			50	High	20.39	-0.14	20.25	0.106	1.000	Pass
			100	Low	20.44	-0.14	20.30	0.107	1.000	Pass
	HCH	QPSK	1	Low	23.41	-0.14	23.27	0.212	1.000	Pass
			1	Mid	23.3	-0.14	23.16	0.207	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	High	23.17	-0.14	23.03	0.201	1.000	Pass
			50	Low	22.35	-0.14	22.21	0.166	1.000	Pass
			50	Mid	22.48	-0.14	22.34	0.171	1.000	Pass
			50	High	22.43	-0.14	22.29	0.169	1.000	Pass
			100	Low	22.41	-0.14	22.27	0.169	1.000	Pass
		Q16	1	Low	22.65	-0.14	22.51	0.178	1.000	Pass
			1	Mid	22.85	-0.14	22.71	0.187	1.000	Pass
			1	High	22.51	-0.14	22.37	0.173	1.000	Pass
			50	Low	21.55	-0.14	21.41	0.138	1.000	Pass
			50	Mid	21.53	-0.14	21.39	0.138	1.000	Pass
			50	High	21.4	-0.14	21.26	0.134	1.000	Pass
			100	Low	21.48	-0.14	21.34	0.136	1.000	Pass
		Q64	1	Low	21.52	-0.14	21.38	0.137	1.000	Pass
			1	Mid	21.61	-0.14	21.47	0.140	1.000	Pass
			1	High	21.31	-0.14	21.17	0.131	1.000	Pass
			50	Low	20.43	-0.14	20.29	0.107	1.000	Pass
			50	Mid	20.48	-0.14	20.34	0.108	1.000	Pass
			50	High	20.44	-0.14	20.30	0.107	1.000	Pass
			100	Low	20.5	-0.14	20.36	0.109	1.000	Pass

CA_38C Test Data

Mode	PCC RB No.	PCC RB offset	SCC RB No.	SCC RB offset	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
					Low	Mid	High		LCH	MCH	HCH	(W)	
CA_38C													
15MHz+15MHz													
QPSK	1	0	0	0	22.86	22.9	23	-0.15	0.187	0.188	0.193	2.000	Pass
	36	0	0	0	21.86	22.01	22.02	-0.15	0.148	0.153	0.154	2.000	Pass
	75	0	0	0	21.87	21.96	22.01	-0.15	0.149	0.152	0.153	2.000	Pass
	1	74	1	0	26.54	26.51	26.48	-0.15	0.436	0.433	0.430	2.000	Pass
	75	0	75	0	23.46	23.48	23.44	-0.15	0.214	0.215	0.213	2.000	Pass
16QAM	1	0	0	0	21.83	21.63	22.07	-0.15	0.147	0.141	0.156	2.000	Pass
	36	0	0	0	20.96	20.97	21.02	-0.15	0.121	0.121	0.122	2.000	Pass
	75	0	0	0	20.9	20.96	21	-0.15	0.119	0.121	0.122	2.000	Pass
	1	74	1	0	25.51	25.49	25.52	-0.15	0.344	0.342	0.344	2.000	Pass
	75	0	75	0	22.5	22.48	22.49	-0.15	0.172	0.171	0.171	2.000	Pass
20MHz+20MHz													
QPSK	1	0	0	0	22.79	22.83	22.78	-0.15	0.184	0.185	0.183	2.000	Pass
	50	0	0	0	21.9	21.96	22.01	-0.15	0.150	0.152	0.153	2.000	Pass
	100	0	0	0	21.94	21.99	22	-0.15	0.151	0.153	0.153	2.000	Pass
	1	99	1	0	26.57	26.59	26.59	-0.15	0.439	0.441	0.441	2.000	Pass
	100	0	100	0	23.51	23.53	23.48	-0.15	0.217	0.218	0.215	2.000	Pass
16QAM	1	0	0	0	21.84	21.71	21.97	-0.15	0.148	0.143	0.152	2.000	Pass
	50	0	0	0	20.92	20.95	20.94	-0.15	0.119	0.120	0.120	2.000	Pass
	100	0	0	0	20.96	21.01	21.03	-0.15	0.121	0.122	0.122	2.000	Pass
	1	99	1	0	25.67	25.6	25.57	-0.15	0.356	0.351	0.348	2.000	Pass
	100	0	100	0	22.53	22.54	22.51	-0.15	0.173	0.173	0.172	2.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
5	LCH	PI/2 BPSK	12	6	23.59	-0.76	22.83	0.192	2.000	Pass
			1	1	23.67	-0.76	22.91	0.195	2.000	Pass
			1	23	23.55	-0.76	22.79	0.190	2.000	Pass
		QPSK	12	6	23.64	-0.76	22.88	0.194	2.000	Pass
			1	1	23.68	-0.76	22.92	0.196	2.000	Pass
			1	23	23.58	-0.76	22.82	0.191	2.000	Pass
		16QAM	12	6	22.75	-0.76	21.99	0.158	2.000	Pass
			1	1	22.66	-0.76	21.90	0.155	2.000	Pass
			1	23	22.64	-0.76	21.88	0.154	2.000	Pass
		64QAM	12	6	21.24	-0.76	20.48	0.112	2.000	Pass
			1	1	21.47	-0.76	20.71	0.118	2.000	Pass
			1	23	21.33	-0.76	20.57	0.114	2.000	Pass
		256QAM	12	6	19.19	-0.76	18.43	0.070	2.000	Pass
			1	1	18.7	-0.76	17.94	0.062	2.000	Pass
			1	23	18.55	-0.76	17.79	0.060	2.000	Pass
	MCH	PI/2 BPSK	12	6	23.5	-0.76	22.74	0.188	2.000	Pass
			1	1	23.53	-0.76	22.77	0.189	2.000	Pass
			1	23	23.43	-0.76	22.67	0.185	2.000	Pass
		QPSK	12	6	23.46	-0.76	22.70	0.186	2.000	Pass
			1	1	23.49	-0.76	22.73	0.187	2.000	Pass
			1	23	23.42	-0.76	22.66	0.185	2.000	Pass
		16QAM	12	6	22.55	-0.76	21.79	0.151	2.000	Pass
			1	1	22.59	-0.76	21.83	0.152	2.000	Pass
			1	23	22.42	-0.76	21.66	0.147	2.000	Pass
		64QAM	12	6	21.13	-0.76	20.37	0.109	2.000	Pass
			1	1	21.25	-0.76	20.49	0.112	2.000	Pass
			1	23	21.08	-0.76	20.32	0.108	2.000	Pass
		256QAM	12	6	19.03	-0.76	18.27	0.067	2.000	Pass
			1	1	18.48	-0.76	17.72	0.059	2.000	Pass
			1	23	18.43	-0.76	17.67	0.058	2.000	Pass
	HCH	PI/2 BPSK	12	6	23.16	-0.76	22.40	0.174	2.000	Pass
			1	1	23.24	-0.76	22.48	0.177	2.000	Pass
			1	23	23.07	-0.76	22.31	0.170	2.000	Pass
		QPSK	12	6	23.21	-0.76	22.45	0.176	2.000	Pass
			1	1	23.27	-0.76	22.51	0.178	2.000	Pass
			1	23	23.13	-0.76	22.37	0.173	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
		16QAM	12	6	22.31	-0.76	21.55	0.143	2.000	Pass
			1	1	22.31	-0.76	21.55	0.143	2.000	Pass
			1	23	22.1	-0.76	21.34	0.136	2.000	Pass
		64QAM	12	6	20.88	-0.76	20.12	0.103	2.000	Pass
			1	1	20.96	-0.76	20.20	0.105	2.000	Pass
			1	23	20.86	-0.76	20.10	0.102	2.000	Pass
		256QAM	12	6	18.73	-0.76	17.97	0.063	2.000	Pass
			1	1	18.32	-0.76	17.56	0.057	2.000	Pass
			1	23	18.15	-0.76	17.39	0.055	2.000	Pass
15	LCH	PI/2 BPSK	36	18	23.69	-0.76	22.93	0.196	2.000	Pass
			1	1	23.77	-0.76	23.01	0.200	2.000	Pass
			1	77	23.58	-0.76	22.82	0.191	2.000	Pass
		QPSK	36	18	23.73	-0.76	22.97	0.198	2.000	Pass
			1	1	23.79	-0.76	23.03	0.201	2.000	Pass
			1	77	23.57	-0.76	22.81	0.191	2.000	Pass
		16QAM	36	18	22.76	-0.76	22.00	0.158	2.000	Pass
			1	1	22.83	-0.76	22.07	0.161	2.000	Pass
			1	77	22.64	-0.76	21.88	0.154	2.000	Pass
		64QAM	36	18	21.27	-0.76	20.51	0.112	2.000	Pass
			1	1	21.51	-0.76	20.75	0.119	2.000	Pass
			1	77	21.29	-0.76	20.53	0.113	2.000	Pass
		256QAM	36	18	19.18	-0.76	18.42	0.070	2.000	Pass
			1	1	18.78	-0.76	18.02	0.063	2.000	Pass
			1	77	18.58	-0.76	17.82	0.061	2.000	Pass
	MCH	PI/2 BPSK	36	18	23.47	-0.76	22.71	0.187	2.000	Pass
			1	1	23.52	-0.76	22.76	0.189	2.000	Pass
			1	77	23.32	-0.76	22.56	0.180	2.000	Pass
		QPSK	36	18	23.53	-0.76	22.77	0.189	2.000	Pass
			1	1	23.52	-0.76	22.76	0.189	2.000	Pass
			1	77	23.36	-0.76	22.60	0.182	2.000	Pass
		16QAM	36	18	22.43	-0.76	21.67	0.147	2.000	Pass
			1	1	22.53	-0.76	21.77	0.150	2.000	Pass
			1	77	22.37	-0.76	21.61	0.145	2.000	Pass
		64QAM	36	18	21.12	-0.76	20.36	0.109	2.000	Pass
			1	1	21.21	-0.76	20.45	0.111	2.000	Pass
			1	77	21.03	-0.76	20.27	0.106	2.000	Pass
		256QAM	36	18	18.98	-0.76	18.22	0.066	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
	HCH	PI/2 BPSK	1	1	18.6	-0.76	17.84	0.061	2.000	Pass
			1	77	18.37	-0.76	17.61	0.058	2.000	Pass
			36	18	23.27	-0.76	22.51	0.178	2.000	Pass
		QPSK	1	1	23.26	-0.76	22.50	0.178	2.000	Pass
			1	77	23.12	-0.76	22.36	0.172	2.000	Pass
			36	18	23.22	-0.76	22.46	0.176	2.000	Pass
		16QAM	1	1	23.3	-0.76	22.54	0.179	2.000	Pass
			1	77	23.18	-0.76	22.42	0.175	2.000	Pass
			36	18	22.27	-0.76	21.51	0.142	2.000	Pass
		64QAM	1	1	22.28	-0.76	21.52	0.142	2.000	Pass
			1	77	22.17	-0.76	21.41	0.138	2.000	Pass
			36	18	20.8	-0.76	20.04	0.101	2.000	Pass
		256QAM	1	1	21.05	-0.76	20.29	0.107	2.000	Pass
			1	77	20.85	-0.76	20.09	0.102	2.000	Pass
			36	18	18.74	-0.76	17.98	0.063	2.000	Pass
			1	1	18.3	-0.76	17.54	0.057	2.000	Pass
			1	77	18.13	-0.76	17.37	0.055	2.000	Pass
20	LCH	PI/2 BPSK	50	25	23.68	-0.76	22.92	0.196	2.000	Pass
			1	1	23.68	-0.76	22.92	0.196	2.000	Pass
			1	104	23.48	-0.76	22.72	0.187	2.000	Pass
		QPSK	50	25	23.6	-0.76	22.84	0.192	2.000	Pass
			1	1	23.7	-0.76	22.94	0.197	2.000	Pass
			1	104	23.53	-0.76	22.77	0.189	2.000	Pass
		16QAM	50	25	22.61	-0.76	21.85	0.153	2.000	Pass
			1	1	22.63	-0.76	21.87	0.154	2.000	Pass
			1	104	22.54	-0.76	21.78	0.151	2.000	Pass
		64QAM	50	25	21.24	-0.76	20.48	0.112	2.000	Pass
			1	1	21.38	-0.76	20.62	0.115	2.000	Pass
			1	104	21.28	-0.76	20.52	0.113	2.000	Pass
		256QAM	50	25	19.22	-0.76	18.46	0.070	2.000	Pass
			1	1	18.72	-0.76	17.96	0.063	2.000	Pass
			1	104	18.52	-0.76	17.76	0.060	2.000	Pass
	MCH	PI/2 BPSK	50	25	23.53	-0.76	22.77	0.189	2.000	Pass
			1	1	23.45	-0.76	22.69	0.186	2.000	Pass
			1	104	23.33	-0.76	22.57	0.181	2.000	Pass
		QPSK	50	25	23.51	-0.76	22.75	0.188	2.000	Pass
			1	1	23.53	-0.76	22.77	0.189	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n2										
		16QAM	1	104	23.31	-0.76	22.55	0.180	2.000	Pass
			50	25	22.43	-0.76	21.67	0.147	2.000	Pass
			1	1	22.53	-0.76	21.77	0.150	2.000	Pass
			1	104	22.33	-0.76	21.57	0.144	2.000	Pass
		64QAM	50	25	21.13	-0.76	20.37	0.109	2.000	Pass
			1	1	21.23	-0.76	20.47	0.111	2.000	Pass
			1	104	21.05	-0.76	20.29	0.107	2.000	Pass
		256QAM	50	25	19	-0.76	18.24	0.067	2.000	Pass
			1	1	18.58	-0.76	17.82	0.061	2.000	Pass
			1	104	18.36	-0.76	17.60	0.058	2.000	Pass
	HCH	PI/2 BPSK	50	25	23.27	-0.76	22.51	0.178	2.000	Pass
			1	1	23.33	-0.76	22.57	0.181	2.000	Pass
			1	104	23.14	-0.76	22.38	0.173	2.000	Pass
		QPSK	50	25	23.28	-0.76	22.52	0.179	2.000	Pass
			1	1	23.31	-0.76	22.55	0.180	2.000	Pass
			1	104	23.1	-0.76	22.34	0.171	2.000	Pass
		16QAM	50	25	22.25	-0.76	21.49	0.141	2.000	Pass
			1	1	22.38	-0.76	21.62	0.145	2.000	Pass
			1	104	22.15	-0.76	21.39	0.138	2.000	Pass
		64QAM	50	25	20.82	-0.76	20.06	0.101	2.000	Pass
			1	1	21.02	-0.76	20.26	0.106	2.000	Pass
			1	104	20.91	-0.76	20.15	0.104	2.000	Pass
		256QAM	50	25	18.82	-0.76	18.06	0.064	2.000	Pass
			1	1	18.36	-0.76	17.60	0.058	2.000	Pass
			1	104	18.17	-0.76	17.41	0.055	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5										
5	LCH	PI/2 BPSK	25	12	23.65	-2.79	20.86	0.122	7.000	Pass
			1	1	23.87	-2.79	21.08	0.128	7.000	Pass
			1	50	23.87	-2.79	21.08	0.128	7.000	Pass
		QPSK	25	12	23.71	-2.79	20.92	0.124	7.000	Pass
			1	1	23.77	-2.79	20.98	0.125	7.000	Pass
			1	50	23.75	-2.79	20.96	0.125	7.000	Pass
		16QAM	25	12	22.83	-2.79	20.04	0.101	7.000	Pass
			1	1	22.77	-2.79	19.98	0.100	7.000	Pass
			1	50	22.68	-2.79	19.89	0.097	7.000	Pass
		64QAM	25	12	21.3	-2.79	18.51	0.071	7.000	Pass
			1	1	21.43	-2.79	18.64	0.073	7.000	Pass
			1	50	21.47	-2.79	18.68	0.074	7.000	Pass
		256QAM	25	12	19.34	-2.79	16.55	0.045	7.000	Pass
			1	1	18.91	-2.79	16.12	0.041	7.000	Pass
			1	50	18.86	-2.79	16.07	0.040	7.000	Pass
	MCH	PI/2 BPSK	25	12	23.8	-2.79	21.01	0.126	7.000	Pass
			1	1	23.9	-2.79	21.11	0.129	7.000	Pass
			1	50	23.83	-2.79	21.04	0.127	7.000	Pass
		QPSK	25	12	23.78	-2.79	20.99	0.126	7.000	Pass
			1	1	23.92	-2.79	21.13	0.130	7.000	Pass
			1	50	23.89	-2.79	21.10	0.129	7.000	Pass
		16QAM	25	12	22.95	-2.79	20.16	0.104	7.000	Pass
			1	1	22.71	-2.79	19.92	0.098	7.000	Pass
			1	50	22.89	-2.79	20.10	0.102	7.000	Pass
		64QAM	25	12	21.4	-2.79	18.61	0.073	7.000	Pass
			1	1	21.51	-2.79	18.72	0.074	7.000	Pass
			1	50	21.59	-2.79	18.80	0.076	7.000	Pass
		256QAM	25	12	19.58	-2.79	16.79	0.048	7.000	Pass
			1	1	18.91	-2.79	16.12	0.041	7.000	Pass
			1	50	19.07	-2.79	16.28	0.042	7.000	Pass
	HCH	PI/2 BPSK	25	12	23.82	-2.79	21.03	0.127	7.000	Pass
			1	1	23.89	-2.79	21.10	0.129	7.000	Pass
			1	50	23.85	-2.79	21.06	0.128	7.000	Pass
		QPSK	25	12	23.75	-2.79	20.96	0.125	7.000	Pass
			1	1	23.88	-2.79	21.09	0.129	7.000	Pass
			1	50	23.88	-2.79	21.09	0.129	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5										
		16QAM	25	12	23.01	-2.79	20.22	0.105	7.000	Pass
			1	1	22.8	-2.79	20.01	0.100	7.000	Pass
			1	50	22.81	-2.79	20.02	0.100	7.000	Pass
		64QAM	25	12	21.44	-2.79	18.65	0.073	7.000	Pass
			1	1	21.59	-2.79	18.80	0.076	7.000	Pass
			1	50	21.54	-2.79	18.75	0.075	7.000	Pass
		256QAM	25	12	19.45	-2.79	16.66	0.046	7.000	Pass
			1	1	18.98	-2.79	16.19	0.042	7.000	Pass
			1	50	19	-2.79	16.21	0.042	7.000	Pass
15	LCH	PI/2 BPSK	36	18	23.82	-2.79	21.03	0.127	7.000	Pass
			1	1	23.75	-2.79	20.96	0.125	7.000	Pass
			1	77	23.84	-2.79	21.05	0.127	7.000	Pass
		QPSK	36	18	23.83	-2.79	21.04	0.127	7.000	Pass
			1	1	23.83	-2.79	21.04	0.127	7.000	Pass
			1	77	23.86	-2.79	21.07	0.128	7.000	Pass
		16QAM	36	18	22.86	-2.79	20.07	0.102	7.000	Pass
			1	1	22.76	-2.79	19.97	0.099	7.000	Pass
			1	77	22.82	-2.79	20.03	0.101	7.000	Pass
		64QAM	36	18	21.34	-2.79	18.55	0.072	7.000	Pass
			1	1	21.39	-2.79	18.60	0.072	7.000	Pass
			1	77	21.49	-2.79	18.70	0.074	7.000	Pass
		256QAM	36	18	19.36	-2.79	16.57	0.045	7.000	Pass
			1	1	18.87	-2.79	16.08	0.041	7.000	Pass
			1	77	19.05	-2.79	16.26	0.042	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.91	-2.79	21.12	0.129	7.000	Pass
			1	1	23.75	-2.79	20.96	0.125	7.000	Pass
			1	77	23.84	-2.79	21.05	0.127	7.000	Pass
		QPSK	36	18	23.89	-2.79	21.10	0.129	7.000	Pass
			1	1	23.78	-2.79	20.99	0.126	7.000	Pass
			1	77	23.86	-2.79	21.07	0.128	7.000	Pass
		16QAM	36	18	22.89	-2.79	20.10	0.102	7.000	Pass
			1	1	22.68	-2.79	19.89	0.097	7.000	Pass
			1	77	22.79	-2.79	20.00	0.100	7.000	Pass
		64QAM	36	18	21.47	-2.79	18.68	0.074	7.000	Pass
			1	1	21.47	-2.79	18.68	0.074	7.000	Pass
			1	77	21.48	-2.79	18.69	0.074	7.000	Pass
		256QAM	36	18	19.29	-2.79	16.50	0.045	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5										
	HCH	PI/2 BPSK	1	1	18.93	-2.79	16.14	0.041	7.000	Pass
			1	77	19.09	-2.79	16.30	0.043	7.000	Pass
			36	18	23.86	-2.79	21.07	0.128	7.000	Pass
		QPSK	1	1	23.78	-2.79	20.99	0.126	7.000	Pass
			1	77	23.75	-2.79	20.96	0.125	7.000	Pass
			36	18	23.9	-2.79	21.11	0.129	7.000	Pass
		16QAM	1	1	23.81	-2.79	21.02	0.126	7.000	Pass
			1	77	23.78	-2.79	20.99	0.126	7.000	Pass
			36	18	22.9	-2.79	20.11	0.103	7.000	Pass
		64QAM	1	1	22.67	-2.79	19.88	0.097	7.000	Pass
			1	77	22.64	-2.79	19.85	0.097	7.000	Pass
			36	18	21.41	-2.79	18.62	0.073	7.000	Pass
		256QAM	1	1	21.47	-2.79	18.68	0.074	7.000	Pass
			1	77	21.39	-2.79	18.60	0.072	7.000	Pass
			36	18	19.4	-2.79	16.61	0.046	7.000	Pass
			1	1	18.91	-2.79	16.12	0.041	7.000	Pass
			1	77	18.93	-2.79	16.14	0.041	7.000	Pass
			50	25	23.81	-2.79	21.02	0.126	7.000	Pass
20	LCH	PI/2 BPSK	1	1	23.77	-2.79	20.98	0.125	7.000	Pass
			1	104	23.79	-2.79	21.00	0.126	7.000	Pass
			50	25	23.86	-2.79	21.07	0.128	7.000	Pass
		QPSK	1	1	23.78	-2.79	20.99	0.126	7.000	Pass
			1	104	23.77	-2.79	20.98	0.125	7.000	Pass
			50	25	22.87	-2.79	20.08	0.102	7.000	Pass
		16QAM	1	1	22.73	-2.79	19.94	0.099	7.000	Pass
			1	104	22.75	-2.79	19.96	0.099	7.000	Pass
			50	25	21.4	-2.79	18.61	0.073	7.000	Pass
		64QAM	1	1	21.49	-2.79	18.70	0.074	7.000	Pass
			1	104	21.48	-2.79	18.69	0.074	7.000	Pass
			50	25	19.5	-2.79	16.71	0.047	7.000	Pass
		256QAM	1	1	18.95	-2.79	16.16	0.041	7.000	Pass
			1	104	18.99	-2.79	16.20	0.042	7.000	Pass
			50	25	24.02	-2.79	21.23	0.133	7.000	Pass
	MCH	PI/2 BPSK	1	1	23.85	-2.79	21.06	0.128	7.000	Pass
			1	104	23.79	-2.79	21.00	0.126	7.000	Pass
			50	25	23.89	-2.79	21.10	0.129	7.000	Pass
		QPSK	1	1	23.81	-2.79	21.02	0.126	7.000	Pass
			1	1	23.81	-2.79	21.02	0.126	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5										
		16QAM	1	104	23.83	-2.79	21.04	0.127	7.000	Pass
			50	25	22.95	-2.79	20.16	0.104	7.000	Pass
			1	1	22.78	-2.79	19.99	0.100	7.000	Pass
			1	104	22.71	-2.79	19.92	0.098	7.000	Pass
		64QAM	50	25	21.44	-2.79	18.65	0.073	7.000	Pass
			1	1	21.52	-2.79	18.73	0.075	7.000	Pass
			1	104	21.52	-2.79	18.73	0.075	7.000	Pass
		256QAM	50	25	19.49	-2.79	16.70	0.047	7.000	Pass
			1	1	18.99	-2.79	16.20	0.042	7.000	Pass
			1	104	19.01	-2.79	16.22	0.042	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.97	-2.79	21.18	0.131	7.000	Pass
			1	1	23.78	-2.79	20.99	0.126	7.000	Pass
			1	104	23.76	-2.79	20.97	0.125	7.000	Pass
		QPSK	50	25	23.98	-2.79	21.19	0.132	7.000	Pass
			1	1	23.78	-2.79	20.99	0.126	7.000	Pass
			1	104	23.82	-2.79	21.03	0.127	7.000	Pass
		16QAM	50	25	22.85	-2.79	20.06	0.101	7.000	Pass
			1	1	22.64	-2.79	19.85	0.097	7.000	Pass
			1	104	22.75	-2.79	19.96	0.099	7.000	Pass
		64QAM	50	25	21.4	-2.79	18.61	0.073	7.000	Pass
			1	1	21.47	-2.79	18.68	0.074	7.000	Pass
			1	104	21.49	-2.79	18.70	0.074	7.000	Pass
		256QAM	50	25	19.42	-2.79	16.63	0.046	7.000	Pass
			1	1	18.9	-2.79	16.11	0.041	7.000	Pass
			1	104	19.01	-2.79	16.22	0.042	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
5	LCH	PI/2 BPSK	25	12	23.68	0.28	23.96	0.249	7.000	Pass
			1	1	23.55	0.28	23.83	0.242	7.000	Pass
			1	50	23.62	0.28	23.90	0.245	7.000	Pass
		QPSK	25	12	23.58	0.28	23.86	0.243	7.000	Pass
			1	1	23.59	0.28	23.87	0.244	7.000	Pass
			1	50	23.65	0.28	23.93	0.247	7.000	Pass
		16QAM	25	12	22.75	0.28	23.03	0.201	7.000	Pass
			1	1	22.48	0.28	22.76	0.189	7.000	Pass
			1	50	22.61	0.28	22.89	0.195	7.000	Pass
		64QAM	25	12	21.19	0.28	21.47	0.140	7.000	Pass
			1	1	21.31	0.28	21.59	0.144	7.000	Pass
			1	50	21.4	0.28	21.68	0.147	7.000	Pass
		256QAM	25	12	19.29	0.28	19.57	0.091	7.000	Pass
			1	1	18.71	0.28	18.99	0.079	7.000	Pass
			1	50	18.77	0.28	19.05	0.080	7.000	Pass
	MCH	PI/2 BPSK	25	12	23.76	0.28	24.04	0.254	7.000	Pass
			1	1	23.63	0.28	23.91	0.246	7.000	Pass
			1	50	23.66	0.28	23.94	0.248	7.000	Pass
		QPSK	25	12	23.63	0.28	23.91	0.246	7.000	Pass
			1	1	23.64	0.28	23.92	0.247	7.000	Pass
			1	50	23.69	0.28	23.97	0.249	7.000	Pass
		16QAM	25	12	22.82	0.28	23.10	0.204	7.000	Pass
			1	1	22.6	0.28	22.88	0.194	7.000	Pass
			1	50	22.59	0.28	22.87	0.194	7.000	Pass
		64QAM	25	12	21.27	0.28	21.55	0.143	7.000	Pass
			1	1	21.36	0.28	21.64	0.146	7.000	Pass
			1	50	21.44	0.28	21.72	0.149	7.000	Pass
		256QAM	25	12	19.22	0.28	19.50	0.089	7.000	Pass
			1	1	18.65	0.28	18.93	0.078	7.000	Pass
			1	50	18.74	0.28	19.02	0.080	7.000	Pass
	HCH	PI/2 BPSK	25	12	23.53	0.28	23.81	0.240	7.000	Pass
			1	1	23.55	0.28	23.83	0.242	7.000	Pass
			1	50	23.55	0.28	23.83	0.242	7.000	Pass
		QPSK	25	12	23.47	0.28	23.75	0.237	7.000	Pass
			1	1	23.54	0.28	23.82	0.241	7.000	Pass
			1	50	23.49	0.28	23.77	0.238	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	25	12	22.71	0.28	22.99	0.199	7.000	Pass
			1	1	22.46	0.28	22.74	0.188	7.000	Pass
			1	50	22.51	0.28	22.79	0.190	7.000	Pass
		64QAM	25	12	21.18	0.28	21.46	0.140	7.000	Pass
			1	1	21.28	0.28	21.56	0.143	7.000	Pass
			1	50	21.29	0.28	21.57	0.144	7.000	Pass
		256QAM	25	12	19.14	0.28	19.42	0.087	7.000	Pass
			1	1	18.53	0.28	18.81	0.076	7.000	Pass
			1	50	18.55	0.28	18.83	0.076	7.000	Pass
15	LCH	PI/2 BPSK	36	18	23.78	0.28	24.06	0.255	7.000	Pass
			1	1	23.68	0.28	23.96	0.249	7.000	Pass
			1	77	23.76	0.28	24.04	0.254	7.000	Pass
		QPSK	36	18	23.61	0.28	23.89	0.245	7.000	Pass
			1	1	23.64	0.28	23.92	0.247	7.000	Pass
			1	77	23.75	0.28	24.03	0.253	7.000	Pass
		16QAM	36	18	22.61	0.28	22.89	0.195	7.000	Pass
			1	1	22.58	0.28	22.86	0.193	7.000	Pass
			1	77	22.67	0.28	22.95	0.197	7.000	Pass
		64QAM	36	18	21.26	0.28	21.54	0.143	7.000	Pass
			1	1	21.38	0.28	21.66	0.147	7.000	Pass
			1	77	21.46	0.28	21.74	0.149	7.000	Pass
		256QAM	36	18	19.19	0.28	19.47	0.089	7.000	Pass
			1	1	18.61	0.28	18.89	0.077	7.000	Pass
			1	77	18.69	0.28	18.97	0.079	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.83	0.28	24.11	0.258	7.000	Pass
			1	1	23.8	0.28	24.08	0.256	7.000	Pass
			1	77	23.76	0.28	24.04	0.254	7.000	Pass
		QPSK	36	18	23.77	0.28	24.05	0.254	7.000	Pass
			1	1	23.83	0.28	24.11	0.258	7.000	Pass
			1	77	23.77	0.28	24.05	0.254	7.000	Pass
		16QAM	36	18	22.83	0.28	23.11	0.205	7.000	Pass
			1	1	22.68	0.28	22.96	0.198	7.000	Pass
			1	77	22.62	0.28	22.90	0.195	7.000	Pass
		64QAM	36	18	21.37	0.28	21.65	0.146	7.000	Pass
			1	1	21.51	0.28	21.79	0.151	7.000	Pass
			1	77	21.44	0.28	21.72	0.149	7.000	Pass
		256QAM	36	18	19.26	0.28	19.54	0.090	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
	HCH	PI/2 BPSK	1	1	18.73	0.28	19.01	0.080	7.000	Pass
			1	77	18.75	0.28	19.03	0.080	7.000	Pass
			36	18	23.76	0.28	24.04	0.254	7.000	Pass
		QPSK	1	1	23.7	0.28	23.98	0.250	7.000	Pass
			1	77	23.7	0.28	23.98	0.250	7.000	Pass
			36	18	23.71	0.28	23.99	0.251	7.000	Pass
		16QAM	1	1	23.79	0.28	24.07	0.255	7.000	Pass
			1	77	23.64	0.28	23.92	0.247	7.000	Pass
			36	18	22.76	0.28	23.04	0.201	7.000	Pass
		64QAM	1	1	22.67	0.28	22.95	0.197	7.000	Pass
			1	77	22.53	0.28	22.81	0.191	7.000	Pass
			36	18	21.35	0.28	21.63	0.146	7.000	Pass
		256QAM	1	1	21.44	0.28	21.72	0.149	7.000	Pass
			1	77	21.27	0.28	21.55	0.143	7.000	Pass
			36	18	19.23	0.28	19.51	0.089	7.000	Pass
20	LCH	PI/2 BPSK	1	1	18.6	0.28	18.88	0.077	7.000	Pass
			50	25	23.77	0.28	24.05	0.254	7.000	Pass
			1	104	23.87	0.28	24.15	0.260	7.000	Pass
		QPSK	50	25	23.75	0.28	24.03	0.253	7.000	Pass
			1	1	23.7	0.28	23.98	0.250	7.000	Pass
			1	104	23.92	0.28	24.20	0.263	7.000	Pass
		16QAM	50	25	22.77	0.28	23.05	0.202	7.000	Pass
			1	1	22.56	0.28	22.84	0.192	7.000	Pass
			1	104	22.7	0.28	22.98	0.199	7.000	Pass
		64QAM	50	25	21.32	0.28	21.60	0.145	7.000	Pass
			1	1	21.44	0.28	21.72	0.149	7.000	Pass
			1	104	21.55	0.28	21.83	0.152	7.000	Pass
		256QAM	50	25	19.37	0.28	19.65	0.092	7.000	Pass
			1	1	18.57	0.28	18.85	0.077	7.000	Pass
			1	104	18.86	0.28	19.14	0.082	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.87	0.28	24.15	0.260	7.000	Pass
			1	1	23.76	0.28	24.04	0.254	7.000	Pass
			1	104	23.77	0.28	24.05	0.254	7.000	Pass
		QPSK	50	25	23.73	0.28	24.01	0.252	7.000	Pass
			1	1	23.79	0.28	24.07	0.255	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	1	104	23.75	0.28	24.03	0.253	7.000	Pass
			50	25	22.78	0.28	23.06	0.202	7.000	Pass
			1	1	22.71	0.28	22.99	0.199	7.000	Pass
			1	104	22.54	0.28	22.82	0.191	7.000	Pass
		64QAM	50	25	21.36	0.28	21.64	0.146	7.000	Pass
			1	1	21.47	0.28	21.75	0.150	7.000	Pass
			1	104	21.38	0.28	21.66	0.147	7.000	Pass
		256QAM	50	25	19.27	0.28	19.55	0.090	7.000	Pass
			1	1	18.68	0.28	18.96	0.079	7.000	Pass
			1	104	18.62	0.28	18.90	0.078	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.68	0.28	23.96	0.249	7.000	Pass
			1	1	23.74	0.28	24.02	0.252	7.000	Pass
			1	104	23.62	0.28	23.90	0.245	7.000	Pass
		QPSK	50	25	23.7	0.28	23.98	0.250	7.000	Pass
			1	1	23.76	0.28	24.04	0.254	7.000	Pass
			1	104	23.7	0.28	23.98	0.250	7.000	Pass
		16QAM	50	25	22.73	0.28	23.01	0.200	7.000	Pass
			1	1	22.62	0.28	22.90	0.195	7.000	Pass
			1	104	22.45	0.28	22.73	0.187	7.000	Pass
		64QAM	50	25	21.32	0.28	21.60	0.145	7.000	Pass
			1	1	21.4	0.28	21.68	0.147	7.000	Pass
			1	104	21.23	0.28	21.51	0.142	7.000	Pass
		256QAM	50	25	19.23	0.28	19.51	0.089	7.000	Pass
			1	1	18.64	0.28	18.92	0.078	7.000	Pass
			1	104	18.58	0.28	18.86	0.077	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
5	LCH	PI/2 BPSK	25	12	23.6	-3.53	-5.68	17.92	0.062	3.000	Pass
			1	1	23.6	-3.53	-5.68	17.92	0.062	3.000	Pass
			1	50	23.56	-3.53	-5.68	17.88	0.061	3.000	Pass
		QPSK	25	12	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
			1	1	23.5	-3.53	-5.68	17.82	0.061	3.000	Pass
			1	50	23.47	-3.53	-5.68	17.79	0.060	3.000	Pass
		16QAM	25	12	22.53	-3.53	-5.68	16.85	0.048	3.000	Pass
			1	1	22.44	-3.53	-5.68	16.76	0.047	3.000	Pass
			1	50	22.4	-3.53	-5.68	16.72	0.047	3.000	Pass
		64QAM	25	12	21.03	-3.53	-5.68	15.35	0.034	3.000	Pass
			1	1	21.16	-3.53	-5.68	15.48	0.035	3.000	Pass
			1	50	21.11	-3.53	-5.68	15.43	0.035	3.000	Pass
		256QAM	25	12	19.03	-3.53	-5.68	13.35	0.022	3.000	Pass
			1	1	18.5	-3.53	-5.68	12.82	0.019	3.000	Pass
			1	50	18.36	-3.53	-5.68	12.68	0.019	3.000	Pass
	MCH	PI/2 BPSK	25	12	23.62	-3.53	-5.68	17.94	0.062	3.000	Pass
			1	1	23.54	-3.53	-5.68	17.86	0.061	3.000	Pass
			1	50	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass
		QPSK	25	12	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
			1	1	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
			1	50	23.53	-3.53	-5.68	17.85	0.061	3.000	Pass
		16QAM	25	12	22.54	-3.53	-5.68	16.86	0.049	3.000	Pass
			1	1	22.46	-3.53	-5.68	16.78	0.048	3.000	Pass
			1	50	22.42	-3.53	-5.68	16.74	0.047	3.000	Pass
		64QAM	25	12	21.09	-3.53	-5.68	15.41	0.035	3.000	Pass
			1	1	21.19	-3.53	-5.68	15.51	0.036	3.000	Pass
			1	50	21.14	-3.53	-5.68	15.46	0.035	3.000	Pass
		256QAM	25	12	18.98	-3.53	-5.68	13.30	0.021	3.000	Pass
			1	1	18.5	-3.53	-5.68	12.82	0.019	3.000	Pass
			1	50	18.43	-3.53	-5.68	12.75	0.019	3.000	Pass
	HCH	PI/2 BPSK	25	12	23.45	-3.53	-5.68	17.77	0.060	3.000	Pass
			1	1	23.45	-3.53	-5.68	17.77	0.060	3.000	Pass
			1	50	23.4	-3.53	-5.68	17.72	0.059	3.000	Pass
		QPSK	25	12	23.4	-3.53	-5.68	17.72	0.059	3.000	Pass
			1	1	23.43	-3.53	-5.68	17.75	0.060	3.000	Pass
			1	50	23.38	-3.53	-5.68	17.70	0.059	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	25	12	22.38	-3.53	-5.68	16.70	0.047	3.000	Pass
			1	1	22.33	-3.53	-5.68	16.65	0.046	3.000	Pass
			1	50	22.25	-3.53	-5.68	16.57	0.045	3.000	Pass
		64QAM	25	12	20.89	-3.53	-5.68	15.21	0.033	3.000	Pass
			1	1	21.01	-3.53	-5.68	15.33	0.034	3.000	Pass
			1	50	20.98	-3.53	-5.68	15.30	0.034	3.000	Pass
		256QAM	25	12	18.92	-3.53	-5.68	13.24	0.021	3.000	Pass
			1	1	18.29	-3.53	-5.68	12.61	0.018	3.000	Pass
			1	50	18.24	-3.53	-5.68	12.56	0.018	3.000	Pass
10	LCH	PI/2 BPSK	25	12	23.57	-3.53	-5.68	17.89	0.062	3.000	Pass
			1	1	23.59	-3.53	-5.68	17.91	0.062	3.000	Pass
			1	50	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
		QPSK	25	12	23.53	-3.53	-5.68	17.85	0.061	3.000	Pass
			1	1	23.57	-3.53	-5.68	17.89	0.062	3.000	Pass
			1	50	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
		16QAM	25	12	22.46	-3.53	-5.68	16.78	0.048	3.000	Pass
			1	1	22.53	-3.53	-5.68	16.85	0.048	3.000	Pass
			1	50	22.45	-3.53	-5.68	16.77	0.048	3.000	Pass
		64QAM	25	12	21.02	-3.53	-5.68	15.34	0.034	3.000	Pass
			1	1	21.27	-3.53	-5.68	15.59	0.036	3.000	Pass
			1	50	21.14	-3.53	-5.68	15.46	0.035	3.000	Pass
		256QAM	25	12	18.95	-3.53	-5.68	13.27	0.021	3.000	Pass
			1	1	18.46	-3.53	-5.68	12.78	0.019	3.000	Pass
			1	50	18.41	-3.53	-5.68	12.73	0.019	3.000	Pass
	MCH	PI/2 BPSK	25	12	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass
			1	1	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass
			1	50	23.53	-3.53	-5.68	17.85	0.061	3.000	Pass
		QPSK	25	12	23.59	-3.53	-5.68	17.91	0.062	3.000	Pass
			1	1	23.63	-3.53	-5.68	17.95	0.062	3.000	Pass
			1	50	23.51	-3.53	-5.68	17.83	0.061	3.000	Pass
		16QAM	25	12	22.51	-3.53	-5.68	16.83	0.048	3.000	Pass
			1	1	22.55	-3.53	-5.68	16.87	0.049	3.000	Pass
			1	50	22.47	-3.53	-5.68	16.79	0.048	3.000	Pass
		64QAM	25	12	21.03	-3.53	-5.68	15.35	0.034	3.000	Pass
			1	1	21.24	-3.53	-5.68	15.56	0.036	3.000	Pass
			1	50	21.07	-3.53	-5.68	15.39	0.035	3.000	Pass
		256QAM	25	12	18.96	-3.53	-5.68	13.28	0.021	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
	HCH	PI/2 BPSK	1	1	18.46	-3.53	-5.68	12.78	0.019	3.000	Pass
			1	50	18.39	-3.53	-5.68	12.71	0.019	3.000	Pass
			25	12	23.57	-3.53	-5.68	17.89	0.062	3.000	Pass
		QPSK	1	1	23.58	-3.53	-5.68	17.90	0.062	3.000	Pass
			1	50	23.36	-3.53	-5.68	17.68	0.059	3.000	Pass
			25	12	23.52	-3.53	-5.68	17.84	0.061	3.000	Pass
		16QAM	1	1	23.46	-3.53	-5.68	17.78	0.060	3.000	Pass
			1	50	23.41	-3.53	-5.68	17.73	0.059	3.000	Pass
			25	12	22.48	-3.53	-5.68	16.80	0.048	3.000	Pass
		64QAM	1	1	22.43	-3.53	-5.68	16.75	0.047	3.000	Pass
			1	50	22.19	-3.53	-5.68	16.51	0.045	3.000	Pass
			25	12	20.85	-3.53	-5.68	15.17	0.033	3.000	Pass
		256QAM	1	1	21.15	-3.53	-5.68	15.47	0.035	3.000	Pass
			1	50	20.96	-3.53	-5.68	15.28	0.034	3.000	Pass
			25	12	18.93	-3.53	-5.68	13.25	0.021	3.000	Pass
			1	1	18.34	-3.53	-5.68	12.66	0.018	3.000	Pass
			1	50	18.28	-3.53	-5.68	12.60	0.018	3.000	Pass
			36	18	23.62	-3.53	-5.68	17.94	0.062	3.000	Pass
15	LCH	PI/2 BPSK	1	1	23.68	-3.53	-5.68	18.00	0.063	3.000	Pass
			1	77	23.49	-3.53	-5.68	17.81	0.060	3.000	Pass
			36	18	23.63	-3.53	-5.68	17.95	0.062	3.000	Pass
		QPSK	1	1	23.68	-3.53	-5.68	18.00	0.063	3.000	Pass
			1	77	23.6	-3.53	-5.68	17.92	0.062	3.000	Pass
			36	18	22.63	-3.53	-5.68	16.95	0.050	3.000	Pass
		16QAM	1	1	22.52	-3.53	-5.68	16.84	0.048	3.000	Pass
			1	77	22.38	-3.53	-5.68	16.70	0.047	3.000	Pass
			36	18	21.13	-3.53	-5.68	15.45	0.035	3.000	Pass
		64QAM	1	1	21.27	-3.53	-5.68	15.59	0.036	3.000	Pass
			1	77	21.08	-3.53	-5.68	15.40	0.035	3.000	Pass
			36	18	18.97	-3.53	-5.68	13.29	0.021	3.000	Pass
		256QAM	1	1	18.59	-3.53	-5.68	12.91	0.020	3.000	Pass
			1	77	18.5	-3.53	-5.68	12.82	0.019	3.000	Pass
			36	18	23.72	-3.53	-5.68	18.04	0.064	3.000	Pass
	MCH	PI/2 BPSK	1	1	23.63	-3.53	-5.68	17.95	0.062	3.000	Pass
			1	77	23.5	-3.53	-5.68	17.82	0.061	3.000	Pass
			36	18	23.55	-3.53	-5.68	17.87	0.061	3.000	Pass
		QPSK	1	1	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass
			1	1	23.61	-3.53	-5.68	17.93	0.062	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	1	77	23.52	-3.53	-5.68	17.84	0.061	3.000	Pass
			36	18	22.57	-3.53	-5.68	16.89	0.049	3.000	Pass
			1	1	22.57	-3.53	-5.68	16.89	0.049	3.000	Pass
			1	77	22.35	-3.53	-5.68	16.67	0.046	3.000	Pass
		64QAM	36	18	21.1	-3.53	-5.68	15.42	0.035	3.000	Pass
			1	1	21.17	-3.53	-5.68	15.49	0.035	3.000	Pass
			1	77	21	-3.53	-5.68	15.32	0.034	3.000	Pass
		256QAM	36	18	18.94	-3.53	-5.68	13.26	0.021	3.000	Pass
			1	1	18.54	-3.53	-5.68	12.86	0.019	3.000	Pass
			1	77	18.44	-3.53	-5.68	12.76	0.019	3.000	Pass
	HCH	PI/2 BPSK	36	18	23.63	-3.53	-5.68	17.95	0.062	3.000	Pass
			1	1	23.62	-3.53	-5.68	17.94	0.062	3.000	Pass
			1	77	23.51	-3.53	-5.68	17.83	0.061	3.000	Pass
		QPSK	36	18	23.54	-3.53	-5.68	17.86	0.061	3.000	Pass
			1	1	23.66	-3.53	-5.68	17.98	0.063	3.000	Pass
			1	77	23.46	-3.53	-5.68	17.78	0.060	3.000	Pass
		16QAM	36	18	22.54	-3.53	-5.68	16.86	0.049	3.000	Pass
			1	1	22.58	-3.53	-5.68	16.90	0.049	3.000	Pass
			1	77	22.31	-3.53	-5.68	16.63	0.046	3.000	Pass
		64QAM	36	18	21.03	-3.53	-5.68	15.35	0.034	3.000	Pass
			1	1	21.16	-3.53	-5.68	15.48	0.035	3.000	Pass
			1	77	21.01	-3.53	-5.68	15.33	0.034	3.000	Pass
		256QAM	36	18	18.94	-3.53	-5.68	13.26	0.021	3.000	Pass
			1	1	18.47	-3.53	-5.68	12.79	0.019	3.000	Pass
			1	77	18.42	-3.53	-5.68	12.74	0.019	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
20	LCH	PI/2 BPSK	50	25	23.56	-0.15	23.41	0.219	7.000	Pass
			1	1	23.41	-0.15	23.26	0.212	7.000	Pass
			1	104	23.43	-0.15	23.28	0.213	7.000	Pass
		QPSK	50	25	23.5	-0.15	23.35	0.216	7.000	Pass
			1	1	23.38	-0.15	23.23	0.210	7.000	Pass
			1	104	23.41	-0.15	23.26	0.212	7.000	Pass
		16QAM	50	25	22.56	-0.15	22.41	0.174	7.000	Pass
			1	1	22.48	-0.15	22.33	0.171	7.000	Pass
			1	104	22.47	-0.15	22.32	0.171	7.000	Pass
		64QAM	50	25	21.03	-0.15	20.88	0.122	7.000	Pass
			1	1	20.96	-0.15	20.81	0.121	7.000	Pass
			1	104	20.99	-0.15	20.84	0.121	7.000	Pass
		256QAM	50	25	19.01	-0.15	18.86	0.077	7.000	Pass
			1	1	18.95	-0.15	18.80	0.076	7.000	Pass
			1	104	18.97	-0.15	18.82	0.076	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.57	-0.15	23.42	0.220	7.000	Pass
			1	1	23.35	-0.15	23.20	0.209	7.000	Pass
			1	104	23.46	-0.15	23.31	0.214	7.000	Pass
		QPSK	50	25	23.56	-0.15	23.41	0.219	7.000	Pass
			1	1	23.37	-0.15	23.22	0.210	7.000	Pass
			1	104	23.39	-0.15	23.24	0.211	7.000	Pass
		16QAM	50	25	22.53	-0.15	22.38	0.173	7.000	Pass
			1	1	22.44	-0.15	22.29	0.169	7.000	Pass
			1	104	22.48	-0.15	22.33	0.171	7.000	Pass
		64QAM	50	25	20.96	-0.15	20.81	0.121	7.000	Pass
			1	1	20.95	-0.15	20.80	0.120	7.000	Pass
			1	104	20.96	-0.15	20.81	0.121	7.000	Pass
		256QAM	50	25	19.08	-0.15	18.93	0.078	7.000	Pass
			1	1	18.81	-0.15	18.66	0.073	7.000	Pass
			1	104	18.93	-0.15	18.78	0.076	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.74	-0.15	23.59	0.229	7.000	Pass
			1	1	23.56	-0.15	23.41	0.219	7.000	Pass
			1	104	23.56	-0.15	23.41	0.219	7.000	Pass
		QPSK	50	25	23.65	-0.15	23.50	0.224	7.000	Pass
			1	1	23.61	-0.15	23.46	0.222	7.000	Pass
			1	104	23.62	-0.15	23.47	0.222	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	50	25	22.72	-0.15	22.57	0.181	7.000	Pass
			1	1	22.58	-0.15	22.43	0.175	7.000	Pass
			1	104	22.6	-0.15	22.45	0.176	7.000	Pass
		64QAM	50	25	21.22	-0.15	21.07	0.128	7.000	Pass
			1	1	21.03	-0.15	20.88	0.122	7.000	Pass
			1	104	21.01	-0.15	20.86	0.122	7.000	Pass
		256QAM	50	25	19.22	-0.15	19.07	0.081	7.000	Pass
			1	1	19.12	-0.15	18.97	0.079	7.000	Pass
			1	104	19.13	-0.15	18.98	0.079	7.000	Pass
30	LCH	PI/2 BPSK	36	18	23.34	-0.15	23.19	0.208	7.000	Pass
			1	1	23.37	-0.15	23.22	0.210	7.000	Pass
			1	77	23.3	-0.15	23.15	0.207	7.000	Pass
		QPSK	36	18	23.35	-0.15	23.20	0.209	7.000	Pass
			1	1	23.46	-0.15	23.31	0.214	7.000	Pass
			1	77	23.32	-0.15	23.17	0.207	7.000	Pass
		16QAM	36	18	23.41	-0.15	23.26	0.212	7.000	Pass
			1	1	23.57	-0.15	23.42	0.220	7.000	Pass
			1	77	23.45	-0.15	23.30	0.214	7.000	Pass
		64QAM	36	18	22.84	-0.15	22.69	0.186	7.000	Pass
			1	1	22.7	-0.15	22.55	0.180	7.000	Pass
			1	77	22.67	-0.15	22.52	0.179	7.000	Pass
		256QAM	36	18	20.8	-0.15	20.65	0.116	7.000	Pass
			1	1	20.75	-0.15	20.60	0.115	7.000	Pass
			1	77	20.63	-0.15	20.48	0.112	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.33	-0.15	23.18	0.208	7.000	Pass
			1	1	23.41	-0.15	23.26	0.212	7.000	Pass
			1	77	23.25	-0.15	23.10	0.204	7.000	Pass
		QPSK	36	18	23.35	-0.15	23.20	0.209	7.000	Pass
			1	1	23.43	-0.15	23.28	0.213	7.000	Pass
			1	77	23.3	-0.15	23.15	0.207	7.000	Pass
		16QAM	36	18	23.41	-0.15	23.26	0.212	7.000	Pass
			1	1	23.41	-0.15	23.26	0.212	7.000	Pass
			1	77	23.35	-0.15	23.20	0.209	7.000	Pass
		64QAM	36	18	22.82	-0.15	22.67	0.185	7.000	Pass
			1	1	22.56	-0.15	22.41	0.174	7.000	Pass
			1	77	22.49	-0.15	22.34	0.171	7.000	Pass
		256QAM	36	18	20.77	-0.15	20.62	0.115	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
	HCH	PI/2 BPSK	1	1	20.77	-0.15	20.62	0.115	7.000	Pass
			1	77	20.64	-0.15	20.49	0.112	7.000	Pass
			36	18	23.27	-0.15	23.12	0.205	7.000	Pass
		QPSK	1	1	23.42	-0.15	23.27	0.212	7.000	Pass
			1	77	23.21	-0.15	23.06	0.202	7.000	Pass
			36	18	23.28	-0.15	23.13	0.206	7.000	Pass
		16QAM	1	1	23.43	-0.15	23.28	0.213	7.000	Pass
			1	77	23.21	-0.15	23.06	0.202	7.000	Pass
			36	18	23.32	-0.15	23.17	0.207	7.000	Pass
		64QAM	1	1	23.48	-0.15	23.33	0.215	7.000	Pass
			1	77	23.33	-0.15	23.18	0.208	7.000	Pass
			36	18	22.79	-0.15	22.64	0.184	7.000	Pass
		256QAM	1	1	22.89	-0.15	22.74	0.188	7.000	Pass
			1	77	22.72	-0.15	22.57	0.181	7.000	Pass
			36	18	20.76	-0.15	20.61	0.115	7.000	Pass
			1	1	20.75	-0.15	20.60	0.115	7.000	Pass
			1	77	20.55	-0.15	20.40	0.110	7.000	Pass
40	LCH	PI/2 BPSK	50	25	23.58	-0.15	23.43	0.220	7.000	Pass
			1	1	23.52	-0.15	23.37	0.217	7.000	Pass
			1	104	23.49	-0.15	23.34	0.216	7.000	Pass
		QPSK	50	25	23.47	-0.15	23.32	0.215	7.000	Pass
			1	1	23.57	-0.15	23.42	0.220	7.000	Pass
			1	104	23.57	-0.15	23.42	0.220	7.000	Pass
		16QAM	50	25	22.54	-0.15	22.39	0.173	7.000	Pass
			1	1	22.52	-0.15	22.37	0.173	7.000	Pass
			1	104	22.61	-0.15	22.46	0.176	7.000	Pass
		64QAM	50	25	20.99	-0.15	20.84	0.121	7.000	Pass
			1	1	20.98	-0.15	20.83	0.121	7.000	Pass
			1	104	21.06	-0.15	20.91	0.123	7.000	Pass
		256QAM	50	25	19.08	-0.15	18.93	0.078	7.000	Pass
			1	1	19.12	-0.15	18.97	0.079	7.000	Pass
			1	104	19.12	-0.15	18.97	0.079	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.57	-0.15	23.42	0.220	7.000	Pass
			1	1	23.55	-0.15	23.40	0.219	7.000	Pass
			1	104	23.47	-0.15	23.32	0.215	7.000	Pass
		QPSK	50	25	23.47	-0.15	23.32	0.215	7.000	Pass
			1	1	23.57	-0.15	23.42	0.220	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	1	104	23.49	-0.15	23.34	0.216	7.000	Pass
			50	25	22.52	-0.15	22.37	0.173	7.000	Pass
			1	1	22.55	-0.15	22.40	0.174	7.000	Pass
			1	104	22.52	-0.15	22.37	0.173	7.000	Pass
		64QAM	50	25	20.95	-0.15	20.80	0.120	7.000	Pass
			1	1	21	-0.15	20.85	0.122	7.000	Pass
			1	104	20.94	-0.15	20.79	0.120	7.000	Pass
		256QAM	50	25	19.08	-0.15	18.93	0.078	7.000	Pass
			1	1	19.12	-0.15	18.97	0.079	7.000	Pass
			1	104	19.02	-0.15	18.87	0.077	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.71	-0.15	23.56	0.227	7.000	Pass
			1	1	23.63	-0.15	23.48	0.223	7.000	Pass
			1	104	23.62	-0.15	23.47	0.222	7.000	Pass
		QPSK	50	25	23.62	-0.15	23.47	0.222	7.000	Pass
			1	1	23.68	-0.15	23.53	0.225	7.000	Pass
			1	104	23.63	-0.15	23.48	0.223	7.000	Pass
		16QAM	50	25	22.65	-0.15	22.50	0.178	7.000	Pass
			1	1	22.63	-0.15	22.48	0.177	7.000	Pass
			1	104	22.59	-0.15	22.44	0.175	7.000	Pass
		64QAM	50	25	21.12	-0.15	20.97	0.125	7.000	Pass
			1	1	21.2	-0.15	21.05	0.127	7.000	Pass
			1	104	21.08	-0.15	20.93	0.124	7.000	Pass
		256QAM	50	25	19.32	-0.15	19.17	0.083	7.000	Pass
			1	1	19.25	-0.15	19.10	0.081	7.000	Pass
			1	104	19.2	-0.15	19.05	0.080	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
20	LCH	PI/2 BPSK	50	25	24.69	0.08	24.77	0.300	2.000	Pass
			1	1	24.6	0.08	24.68	0.294	2.000	Pass
			1	104	24.67	0.08	24.75	0.299	2.000	Pass
		QPSK	50	25	24.68	0.08	24.76	0.299	2.000	Pass
			1	1	24.6	0.08	24.68	0.294	2.000	Pass
			1	104	24.68	0.08	24.76	0.299	2.000	Pass
		16QAM	50	25	23.77	0.08	23.85	0.243	2.000	Pass
			1	1	23.64	0.08	23.72	0.236	2.000	Pass
			1	104	23.7	0.08	23.78	0.239	2.000	Pass
		64QAM	50	25	22.24	0.08	22.32	0.171	2.000	Pass
			1	1	22.03	0.08	22.11	0.163	2.000	Pass
			1	104	22.13	0.08	22.21	0.166	2.000	Pass
		256QAM	50	25	20.18	0.08	20.26	0.106	2.000	Pass
			1	1	20.07	0.08	20.15	0.104	2.000	Pass
			1	104	20.09	0.08	20.17	0.104	2.000	Pass
	MCH	PI/2 BPSK	50	25	24.62	0.08	24.70	0.295	2.000	Pass
			1	1	24.53	0.08	24.61	0.289	2.000	Pass
			1	104	24.62	0.08	24.70	0.295	2.000	Pass
		QPSK	50	25	24.64	0.08	24.72	0.296	2.000	Pass
			1	1	24.45	0.08	24.53	0.284	2.000	Pass
			1	104	24.59	0.08	24.67	0.293	2.000	Pass
		16QAM	50	25	23.57	0.08	23.65	0.232	2.000	Pass
			1	1	23.45	0.08	23.53	0.225	2.000	Pass
			1	104	23.57	0.08	23.65	0.232	2.000	Pass
		64QAM	50	25	22.02	0.08	22.10	0.162	2.000	Pass
			1	1	22.03	0.08	22.11	0.163	2.000	Pass
			1	104	22.18	0.08	22.26	0.168	2.000	Pass
		256QAM	50	25	20.11	0.08	20.19	0.104	2.000	Pass
			1	1	19.99	0.08	20.07	0.102	2.000	Pass
			1	104	20.04	0.08	20.12	0.103	2.000	Pass
	HCH	PI/2 BPSK	50	25	24.55	0.08	24.63	0.290	2.000	Pass
			1	1	24.44	0.08	24.52	0.283	2.000	Pass
			1	104	24.47	0.08	24.55	0.285	2.000	Pass
		QPSK	50	25	24.47	0.08	24.55	0.285	2.000	Pass
			1	1	24.44	0.08	24.52	0.283	2.000	Pass
			1	104	24.45	0.08	24.53	0.284	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	50	25	23.48	0.08	23.56	0.227	2.000	Pass
			1	1	23.49	0.08	23.57	0.228	2.000	Pass
			1	104	23.51	0.08	23.59	0.229	2.000	Pass
		64QAM	50	25	21.95	0.08	22.03	0.160	2.000	Pass
			1	1	21.9	0.08	21.98	0.158	2.000	Pass
			1	104	22.05	0.08	22.13	0.163	2.000	Pass
		256QAM	50	25	19.95	0.08	20.03	0.101	2.000	Pass
			1	1	19.77	0.08	19.85	0.097	2.000	Pass
			1	104	19.96	0.08	20.04	0.101	2.000	Pass
60	LCH	PI/2 BPSK	81	40	24.59	0.08	24.67	0.293	2.000	Pass
			1	1	24.54	0.08	24.62	0.290	2.000	Pass
			1	160	24.42	0.08	24.50	0.282	2.000	Pass
		QPSK	81	40	24.61	0.08	24.69	0.294	2.000	Pass
			1	1	24.49	0.08	24.57	0.286	2.000	Pass
			1	160	24.46	0.08	24.54	0.284	2.000	Pass
		16QAM	81	40	23.6	0.08	23.68	0.233	2.000	Pass
			1	1	23.52	0.08	23.60	0.229	2.000	Pass
			1	160	23.5	0.08	23.58	0.228	2.000	Pass
		64QAM	81	40	22.13	0.08	22.21	0.166	2.000	Pass
			1	1	21.98	0.08	22.06	0.161	2.000	Pass
			1	160	21.93	0.08	22.01	0.159	2.000	Pass
		256QAM	81	40	20.09	0.08	20.17	0.104	2.000	Pass
			1	1	19.98	0.08	20.06	0.101	2.000	Pass
			1	160	19.9	0.08	19.98	0.100	2.000	Pass
	MCH	PI/2 BPSK	81	40	24.54	0.08	24.62	0.290	2.000	Pass
			1	1	24.45	0.08	24.53	0.284	2.000	Pass
			1	160	24.41	0.08	24.49	0.281	2.000	Pass
		QPSK	81	40	24.53	0.08	24.61	0.289	2.000	Pass
			1	1	24.48	0.08	24.56	0.286	2.000	Pass
			1	160	24.45	0.08	24.53	0.284	2.000	Pass
		16QAM	81	40	23.53	0.08	23.61	0.230	2.000	Pass
			1	1	23.5	0.08	23.58	0.228	2.000	Pass
			1	160	23.41	0.08	23.49	0.223	2.000	Pass
		64QAM	81	40	21.97	0.08	22.05	0.160	2.000	Pass
			1	1	21.85	0.08	21.93	0.156	2.000	Pass
			1	160	21.9	0.08	21.98	0.158	2.000	Pass
		256QAM	81	40	20.02	0.08	20.10	0.102	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	1	1	19.93	0.08	20.01	0.100	2.000	Pass
			1	160	19.89	0.08	19.97	0.099	2.000	Pass
			81	40	24.56	0.08	24.64	0.291	2.000	Pass
		QPSK	1	1	24.4	0.08	24.48	0.281	2.000	Pass
			1	160	24.35	0.08	24.43	0.277	2.000	Pass
			81	40	23.51	0.08	23.59	0.229	2.000	Pass
		16QAM	1	1	24.37	0.08	24.45	0.279	2.000	Pass
			1	160	24.35	0.08	24.43	0.277	2.000	Pass
			81	40	23.45	0.08	23.53	0.225	2.000	Pass
		64QAM	1	1	23.49	0.08	23.57	0.228	2.000	Pass
			1	160	23.41	0.08	23.49	0.223	2.000	Pass
			81	40	21.95	0.08	22.03	0.160	2.000	Pass
		256QAM	1	1	22.1	0.08	22.18	0.165	2.000	Pass
			1	160	22.04	0.08	22.12	0.163	2.000	Pass
			81	40	19.92	0.08	20.00	0.100	2.000	Pass
			1	1	19.9	0.08	19.98	0.100	2.000	Pass
			1	160	19.88	0.08	19.96	0.099	2.000	Pass
			135	67	24.52	0.08	24.60	0.288	2.000	Pass
100	LCH	PI/2 BPSK	1	1	24.51	0.08	24.59	0.288	2.000	Pass
			1	271	24.32	0.08	24.40	0.275	2.000	Pass
			135	67	24.55	0.08	24.63	0.290	2.000	Pass
		QPSK	1	1	24.39	0.08	24.47	0.280	2.000	Pass
			1	271	24.3	0.08	24.38	0.274	2.000	Pass
			135	67	23.43	0.08	23.51	0.224	2.000	Pass
		16QAM	1	1	23.43	0.08	23.51	0.224	2.000	Pass
			1	271	23.35	0.08	23.43	0.220	2.000	Pass
			135	67	21.93	0.08	22.01	0.159	2.000	Pass
		64QAM	1	1	21.95	0.08	22.03	0.160	2.000	Pass
			1	271	21.82	0.08	21.90	0.155	2.000	Pass
			135	67	19.92	0.08	20.00	0.100	2.000	Pass
		256QAM	1	1	19.97	0.08	20.05	0.101	2.000	Pass
			1	271	19.85	0.08	19.93	0.098	2.000	Pass
			135	67	24.55	0.08	24.63	0.290	2.000	Pass
	MCH	PI/2 BPSK	1	1	24.45	0.08	24.53	0.284	2.000	Pass
			1	271	24.39	0.08	24.47	0.280	2.000	Pass
			135	67	24.44	0.08	24.52	0.283	2.000	Pass
		QPSK	1	1	24.37	0.08	24.45	0.279	2.000	Pass
			1	1	24.37	0.08	24.45	0.279	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	271	24.37	0.08	24.45	0.279	2.000	Pass
			135	67	23.49	0.08	23.57	0.228	2.000	Pass
			1	1	23.31	0.08	23.39	0.218	2.000	Pass
			1	271	23.35	0.08	23.43	0.220	2.000	Pass
		64QAM	135	67	21.99	0.08	22.07	0.161	2.000	Pass
			1	1	21.86	0.08	21.94	0.156	2.000	Pass
			1	271	21.83	0.08	21.91	0.155	2.000	Pass
		256QAM	135	67	19.94	0.08	20.02	0.100	2.000	Pass
			1	1	19.9	0.08	19.98	0.100	2.000	Pass
			1	271	19.91	0.08	19.99	0.100	2.000	Pass
	HCH	PI/2 BPSK	135	67	24.54	0.08	24.62	0.290	2.000	Pass
			1	1	24.45	0.08	24.53	0.284	2.000	Pass
			1	271	24.42	0.08	24.50	0.282	2.000	Pass
		QPSK	135	67	24.42	0.08	24.50	0.282	2.000	Pass
			1	1	24.41	0.08	24.49	0.281	2.000	Pass
			1	271	24.42	0.08	24.50	0.282	2.000	Pass
		16QAM	135	67	23.43	0.08	23.51	0.224	2.000	Pass
			1	1	23.38	0.08	23.46	0.222	2.000	Pass
			1	271	23.4	0.08	23.48	0.223	2.000	Pass
		64QAM	135	67	21.96	0.08	22.04	0.160	2.000	Pass
			1	1	22	0.08	22.08	0.161	2.000	Pass
			1	271	21.98	0.08	22.06	0.161	2.000	Pass
		256QAM	135	67	19.93	0.08	20.01	0.100	2.000	Pass
			1	1	19.93	0.08	20.01	0.100	2.000	Pass
			1	271	19.87	0.08	19.95	0.099	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	23.36	-0.14	23.22	0.210	1.000	Pass
			1	1	23.35	-0.14	23.21	0.209	1.000	Pass
			1	23	23.35	-0.14	23.21	0.209	1.000	Pass
		QPSK	12	6	23.24	-0.14	23.10	0.204	1.000	Pass
			1	1	23.07	-0.14	22.93	0.196	1.000	Pass
			1	23	23.33	-0.14	23.19	0.208	1.000	Pass
		16QAM	12	6	22.24	-0.14	22.10	0.162	1.000	Pass
			1	1	21.99	-0.14	21.85	0.153	1.000	Pass
			1	23	22.36	-0.14	22.22	0.167	1.000	Pass
		64QAM	12	6	20.69	-0.14	20.55	0.114	1.000	Pass
			1	1	20.58	-0.14	20.44	0.111	1.000	Pass
			1	23	21.04	-0.14	20.90	0.123	1.000	Pass
		256QAM	12	6	18.88	-0.14	18.74	0.075	1.000	Pass
			1	1	18.34	-0.14	18.20	0.066	1.000	Pass
			1	23	18.35	-0.14	18.21	0.066	1.000	Pass
	MCH	PI/2 BPSK	12	6	23.17	-0.14	23.03	0.201	1.000	Pass
			1	1	23.11	-0.14	22.97	0.198	1.000	Pass
			1	23	23.19	-0.14	23.05	0.202	1.000	Pass
		QPSK	12	6	23.07	-0.14	22.93	0.196	1.000	Pass
			1	1	23.06	-0.14	22.92	0.196	1.000	Pass
			1	23	23.07	-0.14	22.93	0.196	1.000	Pass
		16QAM	12	6	22.12	-0.14	21.98	0.158	1.000	Pass
			1	1	22.16	-0.14	22.02	0.159	1.000	Pass
			1	23	22.08	-0.14	21.94	0.156	1.000	Pass
		64QAM	12	6	20.73	-0.14	20.59	0.115	1.000	Pass
			1	1	20.89	-0.14	20.75	0.119	1.000	Pass
			1	23	20.84	-0.14	20.70	0.117	1.000	Pass
		256QAM	12	6	18.66	-0.14	18.52	0.071	1.000	Pass
			1	1	18.14	-0.14	18.00	0.063	1.000	Pass
			1	23	18.11	-0.14	17.97	0.063	1.000	Pass
	HCH	PI/2 BPSK	12	6	23.16	-0.14	23.02	0.200	1.000	Pass
			1	1	23.2	-0.14	23.06	0.202	1.000	Pass
			1	23	23.17	-0.14	23.03	0.201	1.000	Pass
		QPSK	12	6	23.16	-0.14	23.02	0.200	1.000	Pass
			1	1	23.22	-0.14	23.08	0.203	1.000	Pass
			1	23	23.19	-0.14	23.05	0.202	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	22.29	-0.14	22.15	0.164	1.000	Pass
			1	1	22.24	-0.14	22.10	0.162	1.000	Pass
			1	23	22.17	-0.14	22.03	0.160	1.000	Pass
		64QAM	12	6	20.73	-0.14	20.59	0.115	1.000	Pass
			1	1	20.82	-0.14	20.68	0.117	1.000	Pass
			1	23	20.9	-0.14	20.76	0.119	1.000	Pass
		256QAM	12	6	18.61	-0.14	18.47	0.070	1.000	Pass
			1	1	18.17	-0.14	18.03	0.064	1.000	Pass
			1	23	18.14	-0.14	18.00	0.063	1.000	Pass
15	LCH	PI/2 BPSK	36	18	23.38	-0.14	23.24	0.211	1.000	Pass
			1	1	23.48	-0.14	23.34	0.216	1.000	Pass
			1	77	23.3	-0.14	23.16	0.207	1.000	Pass
		QPSK	36	18	23.38	-0.14	23.24	0.211	1.000	Pass
			1	1	23.39	-0.14	23.25	0.211	1.000	Pass
			1	77	23.3	-0.14	23.16	0.207	1.000	Pass
		16QAM	36	18	22.41	-0.14	22.27	0.169	1.000	Pass
			1	1	22.3	-0.14	22.16	0.164	1.000	Pass
			1	77	22.27	-0.14	22.13	0.163	1.000	Pass
		64QAM	36	18	20.89	-0.14	20.75	0.119	1.000	Pass
			1	1	20.9	-0.14	20.76	0.119	1.000	Pass
			1	77	20.92	-0.14	20.78	0.120	1.000	Pass
		256QAM	36	18	18.81	-0.14	18.67	0.074	1.000	Pass
			1	1	18.44	-0.14	18.30	0.068	1.000	Pass
			1	77	18.23	-0.14	18.09	0.064	1.000	Pass
	MCH	PI/2 BPSK	36	18	23.17	-0.14	23.03	0.201	1.000	Pass
			1	1	23.22	-0.14	23.08	0.203	1.000	Pass
			1	77	23.16	-0.14	23.02	0.200	1.000	Pass
		QPSK	36	18	23.11	-0.14	22.97	0.198	1.000	Pass
			1	1	23.2	-0.14	23.06	0.202	1.000	Pass
			1	77	23.15	-0.14	23.01	0.200	1.000	Pass
		16QAM	36	18	22.15	-0.14	22.01	0.159	1.000	Pass
			1	1	22.27	-0.14	22.13	0.163	1.000	Pass
			1	77	22.14	-0.14	22.00	0.158	1.000	Pass
		64QAM	36	18	20.72	-0.14	20.58	0.114	1.000	Pass
			1	1	20.91	-0.14	20.77	0.119	1.000	Pass
			1	77	20.84	-0.14	20.70	0.117	1.000	Pass
		256QAM	36	18	18.64	-0.14	18.50	0.071	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	HCH	PI/2 BPSK	1	1	18.23	-0.14	18.09	0.064	1.000	Pass
			1	77	18.18	-0.14	18.04	0.064	1.000	Pass
			36	18	23.24	-0.14	23.10	0.204	1.000	Pass
		QPSK	1	1	23.21	-0.14	23.07	0.203	1.000	Pass
			1	77	23.14	-0.14	23.00	0.200	1.000	Pass
			36	18	23.2	-0.14	23.06	0.202	1.000	Pass
		16QAM	1	1	23.21	-0.14	23.07	0.203	1.000	Pass
			1	77	23.05	-0.14	22.91	0.195	1.000	Pass
			36	18	22.11	-0.14	21.97	0.157	1.000	Pass
		64QAM	1	1	22.12	-0.14	21.98	0.158	1.000	Pass
			1	77	22.04	-0.14	21.90	0.155	1.000	Pass
			36	18	20.71	-0.14	20.57	0.114	1.000	Pass
		256QAM	1	1	20.93	-0.14	20.79	0.120	1.000	Pass
			1	77	20.77	-0.14	20.63	0.116	1.000	Pass
			36	18	18.6	-0.14	18.46	0.070	1.000	Pass
30	LCH	PI/2 BPSK	1	1	18.21	-0.14	18.07	0.064	1.000	Pass
			1	77	18.09	-0.14	17.95	0.062	1.000	Pass
			80	40	23.31	-0.14	23.17	0.207	1.000	Pass
		QPSK	1	1	23.44	-0.14	23.30	0.214	1.000	Pass
			1	158	23.04	-0.14	22.90	0.195	1.000	Pass
			80	40	23.29	-0.14	23.15	0.207	1.000	Pass
		16QAM	1	1	23.43	-0.14	23.29	0.213	1.000	Pass
			1	158	23.08	-0.14	22.94	0.197	1.000	Pass
			80	40	22.26	-0.14	22.12	0.163	1.000	Pass
		64QAM	1	1	22.38	-0.14	22.24	0.167	1.000	Pass
			1	158	22.15	-0.14	22.01	0.159	1.000	Pass
			80	40	20.81	-0.14	20.67	0.117	1.000	Pass
		256QAM	1	1	21.11	-0.14	20.97	0.125	1.000	Pass
			1	158	20.93	-0.14	20.79	0.120	1.000	Pass
			80	40	18.78	-0.14	18.64	0.073	1.000	Pass
	MCH	PI/2 BPSK	1	1	18.49	-0.14	18.35	0.068	1.000	Pass
			1	158	18.18	-0.14	18.04	0.064	1.000	Pass
			80	40	23.23	-0.14	23.09	0.204	1.000	Pass
		QPSK	1	1	23.19	-0.14	23.05	0.202	1.000	Pass
			1	158	23.12	-0.14	22.98	0.199	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	158	23.2	-0.14	23.06	0.202	1.000	Pass
			80	40	22.02	-0.14	21.88	0.154	1.000	Pass
			1	1	22.05	-0.14	21.91	0.155	1.000	Pass
			1	158	22.14	-0.14	22.00	0.158	1.000	Pass
		64QAM	80	40	20.69	-0.14	20.55	0.114	1.000	Pass
			1	1	20.82	-0.14	20.68	0.117	1.000	Pass
			1	158	20.93	-0.14	20.79	0.120	1.000	Pass
		256QAM	80	40	18.64	-0.14	18.50	0.071	1.000	Pass
			1	1	18.28	-0.14	18.14	0.065	1.000	Pass
			1	158	18.27	-0.14	18.13	0.065	1.000	Pass
	HCH	PI/2 BPSK	80	40	23.27	-0.14	23.13	0.206	1.000	Pass
			1	1	23.03	-0.14	22.89	0.195	1.000	Pass
			1	158	23.13	-0.14	22.99	0.199	1.000	Pass
		QPSK	80	40	23.15	-0.14	23.01	0.200	1.000	Pass
			1	1	23.13	-0.14	22.99	0.199	1.000	Pass
			1	158	23.07	-0.14	22.93	0.196	1.000	Pass
		16QAM	80	40	22.13	-0.14	21.99	0.158	1.000	Pass
			1	1	22.13	-0.14	21.99	0.158	1.000	Pass
			1	158	22	-0.14	21.86	0.153	1.000	Pass
		64QAM	80	40	20.79	-0.14	20.65	0.116	1.000	Pass
			1	1	20.83	-0.14	20.69	0.117	1.000	Pass
			1	158	20.8	-0.14	20.66	0.116	1.000	Pass
		256QAM	80	40	18.77	-0.14	18.63	0.073	1.000	Pass
			1	1	18.25	-0.14	18.11	0.065	1.000	Pass
			1	158	18.12	-0.14	17.98	0.063	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
20	LCH	PI/2 BPSK	25	12	23.32	1.23	24.55	0.285	2.000	Pass
			1	1	23.33	1.23	24.56	0.286	2.000	Pass
			1	49	23.35	1.23	24.58	0.287	2.000	Pass
		QPSK	25	12	23.37	1.23	24.60	0.288	2.000	Pass
			1	1	23.27	1.23	24.50	0.282	2.000	Pass
			1	49	23.35	1.23	24.58	0.287	2.000	Pass
		16QAM	25	12	22.41	1.23	23.64	0.231	2.000	Pass
			1	1	22.27	1.23	23.50	0.224	2.000	Pass
			1	49	22.39	1.23	23.62	0.230	2.000	Pass
		64QAM	25	12	20.87	1.23	22.10	0.162	2.000	Pass
			1	1	20.74	1.23	21.97	0.157	2.000	Pass
			1	49	20.83	1.23	22.06	0.161	2.000	Pass
		256QAM	25	12	18.84	1.23	20.07	0.102	1.000	Pass
			1	1	18.83	1.23	20.06	0.101	1.000	Pass
			1	49	18.91	1.23	20.14	0.103	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.39	1.23	24.62	0.290	1.000	Pass
			1	1	23.3	1.23	24.53	0.284	1.000	Pass
			1	49	23.38	1.23	24.61	0.289	1.000	Pass
		QPSK	25	12	23.31	1.23	24.54	0.284	1.000	Pass
			1	1	23.21	1.23	24.44	0.278	1.000	Pass
			1	49	23.35	1.23	24.58	0.287	1.000	Pass
		16QAM	25	12	22.34	1.23	23.57	0.228	1.000	Pass
			1	1	22.26	1.23	23.49	0.223	1.000	Pass
			1	49	22.35	1.23	23.58	0.228	1.000	Pass
		64QAM	25	12	20.85	1.23	22.08	0.161	1.000	Pass
			1	1	20.85	1.23	22.08	0.161	1.000	Pass
			1	49	20.92	1.23	22.15	0.164	1.000	Pass
		256QAM	25	12	18.82	1.23	20.05	0.101	1.000	Pass
			1	1	18.8	1.23	20.03	0.101	1.000	Pass
			1	49	18.95	1.23	20.18	0.104	1.000	Pass
	HCH	PI/2 BPSK	25	12	23.39	1.23	24.62	0.290	1.000	Pass
			1	1	23.35	1.23	24.58	0.287	1.000	Pass
			1	49	23.44	1.23	24.67	0.293	1.000	Pass
		QPSK	25	12	23.4	1.23	24.63	0.290	1.000	Pass
			1	1	23.33	1.23	24.56	0.286	1.000	Pass
			1	49	23.38	1.23	24.61	0.289	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	25	12	22.48	1.23	23.71	0.235	1.000	Pass
			1	1	22.4	1.23	23.63	0.231	1.000	Pass
			1	49	22.4	1.23	23.63	0.231	1.000	Pass
		64QAM	25	12	20.94	1.23	22.17	0.165	1.000	Pass
			1	1	20.82	1.23	22.05	0.160	1.000	Pass
			1	49	20.85	1.23	22.08	0.161	1.000	Pass
		256QAM	25	12	18.89	1.23	20.12	0.103	1.000	Pass
			1	1	18.88	1.23	20.11	0.103	1.000	Pass
			1	49	18.97	1.23	20.20	0.105	1.000	Pass
60	LCH	PI/2 BPSK	81	40	23.19	1.23	24.42	0.277	1.000	Pass
			1	1	23.07	1.23	24.30	0.269	1.000	Pass
			1	160	23.05	1.23	24.28	0.268	1.000	Pass
		QPSK	81	40	23.09	1.23	24.32	0.270	1.000	Pass
			1	1	23.06	1.23	24.29	0.269	1.000	Pass
			1	160	23.08	1.23	24.31	0.270	1.000	Pass
		16QAM	81	40	22.11	1.23	23.34	0.216	1.000	Pass
			1	1	22.08	1.23	23.31	0.214	1.000	Pass
			1	160	22.14	1.23	23.37	0.217	1.000	Pass
		64QAM	81	40	20.64	1.23	21.87	0.154	1.000	Pass
			1	1	20.59	1.23	21.82	0.152	1.000	Pass
			1	160	20.59	1.23	21.82	0.152	1.000	Pass
		256QAM	81	40	18.62	1.23	19.85	0.097	1.000	Pass
			1	1	18.57	1.23	19.80	0.095	1.000	Pass
			1	160	18.61	1.23	19.84	0.096	1.000	Pass
	MCH	PI/2 BPSK	81	40	23.14	1.23	24.37	0.274	1.000	Pass
			1	1	23.01	1.23	24.24	0.265	1.000	Pass
			1	160	23	1.23	24.23	0.265	1.000	Pass
		QPSK	81	40	23.17	1.23	24.40	0.275	1.000	Pass
			1	1	23.01	1.23	24.24	0.265	1.000	Pass
			1	160	23.01	1.23	24.24	0.265	1.000	Pass
		16QAM	81	40	22.14	1.23	23.37	0.217	1.000	Pass
			1	1	22.04	1.23	23.27	0.212	1.000	Pass
			1	160	22.05	1.23	23.28	0.213	1.000	Pass
		64QAM	81	40	20.68	1.23	21.91	0.155	1.000	Pass
			1	1	20.52	1.23	21.75	0.150	1.000	Pass
			1	160	20.52	1.23	21.75	0.150	1.000	Pass
		256QAM	81	40	18.67	1.23	19.90	0.098	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	18.58	1.23	19.81	0.096	1.000	Pass
			1	160	18.6	1.23	19.83	0.096	1.000	Pass
			81	40	23.31	1.23	24.54	0.284	1.000	Pass
		QPSK	1	1	23.21	1.23	24.44	0.278	1.000	Pass
			1	160	23.07	1.23	24.30	0.269	1.000	Pass
			81	40	23.25	1.23	24.48	0.281	1.000	Pass
		16QAM	1	1	23.19	1.23	24.42	0.277	1.000	Pass
			1	160	23.07	1.23	24.30	0.269	1.000	Pass
			81	40	22.28	1.23	23.51	0.224	1.000	Pass
		64QAM	1	1	22.11	1.23	23.34	0.216	1.000	Pass
			1	160	22.07	1.23	23.30	0.214	1.000	Pass
			81	40	20.74	1.23	21.97	0.157	1.000	Pass
		256QAM	1	1	20.64	1.23	21.87	0.154	1.000	Pass
			1	160	20.54	1.23	21.77	0.150	1.000	Pass
			81	40	18.76	1.23	19.99	0.100	1.000	Pass
			1	1	18.76	1.23	19.99	0.100	1.000	Pass
			1	160	18.59	1.23	19.82	0.096	1.000	Pass
100	MCH	PI/2 BPSK	135	67	23.17	1.23	24.40	0.275	1.000	Pass
			1	1	23.01	1.23	24.24	0.265	1.000	Pass
			1	271	23.06	1.23	24.29	0.269	1.000	Pass
		QPSK	135	67	23.09	1.23	24.32	0.270	1.000	Pass
			1	1	22.97	1.23	24.20	0.263	1.000	Pass
			1	271	23.08	1.23	24.31	0.270	1.000	Pass
		16QAM	135	67	22.06	1.23	23.29	0.213	1.000	Pass
			1	1	21.98	1.23	23.21	0.209	1.000	Pass
			1	271	22.03	1.23	23.26	0.212	1.000	Pass
		64QAM	135	67	20.54	1.23	21.77	0.150	1.000	Pass
			1	1	20.55	1.23	21.78	0.151	1.000	Pass
			1	271	20.57	1.23	21.80	0.151	1.000	Pass
		256QAM	135	67	18.63	1.23	19.86	0.097	1.000	Pass
			1	1	18.51	1.23	19.74	0.094	1.000	Pass
			1	271	18.62	1.23	19.85	0.097	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
20	LCH	PI/2 BPSK	25	12	23.16	-0.66	22.50	0.178	1.000	Pass
			1	1	23.18	-0.66	22.52	0.179	1.000	Pass
			1	49	23.09	-0.66	22.43	0.175	1.000	Pass
		QPSK	25	12	23.17	-0.66	22.51	0.178	1.000	Pass
			1	1	23.19	-0.66	22.53	0.179	1.000	Pass
			1	49	23.05	-0.66	22.39	0.173	1.000	Pass
		16QAM	25	12	22.2	-0.66	21.54	0.143	1.000	Pass
			1	1	22.24	-0.66	21.58	0.144	1.000	Pass
			1	49	22.12	-0.66	21.46	0.140	1.000	Pass
		64QAM	25	12	20.66	-0.66	20.00	0.100	1.000	Pass
			1	1	20.65	-0.66	19.99	0.100	1.000	Pass
			1	49	20.55	-0.66	19.89	0.097	1.000	Pass
		256QAM	25	12	18.67	-0.66	18.01	0.063	1.000	Pass
			1	1	18.74	-0.66	18.08	0.064	1.000	Pass
			1	49	18.69	-0.66	18.03	0.064	1.000	Pass
	MCH	PI/2 BPSK	25	12	23.16	-0.66	22.50	0.178	1.000	Pass
			1	1	23.07	-0.66	22.41	0.174	1.000	Pass
			1	49	23.05	-0.66	22.39	0.173	1.000	Pass
		QPSK	25	12	23.21	-0.66	22.55	0.180	1.000	Pass
			1	1	23.16	-0.66	22.50	0.178	1.000	Pass
			1	49	23.06	-0.66	22.40	0.174	1.000	Pass
		16QAM	25	12	22.22	-0.66	21.56	0.143	1.000	Pass
			1	1	22.16	-0.66	21.50	0.141	1.000	Pass
			1	49	22.06	-0.66	21.40	0.138	1.000	Pass
		64QAM	25	12	20.72	-0.66	20.06	0.101	1.000	Pass
			1	1	20.63	-0.66	19.97	0.099	1.000	Pass
			1	49	20.53	-0.66	19.87	0.097	1.000	Pass
		256QAM	25	12	18.68	-0.66	18.02	0.063	1.000	Pass
			1	1	18.71	-0.66	18.05	0.064	1.000	Pass
			1	49	18.62	-0.66	17.96	0.063	1.000	Pass
	HCH	PI/2 BPSK	25	12	22.9	-0.66	22.24	0.167	1.000	Pass
			1	1	22.67	-0.66	22.01	0.159	1.000	Pass
			1	49	22.7	-0.66	22.04	0.160	1.000	Pass
		QPSK	25	12	22.69	-0.66	22.03	0.160	1.000	Pass
			1	1	22.69	-0.66	22.03	0.160	1.000	Pass
			1	49	22.7	-0.66	22.04	0.160	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	25	12	21.74	-0.66	21.08	0.128	1.000	Pass
			1	1	21.69	-0.66	21.03	0.127	1.000	Pass
			1	49	21.71	-0.66	21.05	0.127	1.000	Pass
		64QAM	25	12	20.22	-0.66	19.56	0.090	1.000	Pass
			1	1	20.18	-0.66	19.52	0.090	1.000	Pass
			1	49	20.19	-0.66	19.53	0.090	1.000	Pass
		256QAM	25	12	18.24	-0.66	17.58	0.057	1.000	Pass
			1	1	18.27	-0.66	17.61	0.058	1.000	Pass
			1	49	18.23	-0.66	17.57	0.057	1.000	Pass
60	LCH	PI/2 BPSK	81	40	22.96	-0.66	22.30	0.170	1.000	Pass
			1	1	22.88	-0.66	22.22	0.167	1.000	Pass
			1	160	22.77	-0.66	22.11	0.163	1.000	Pass
		QPSK	81	40	22.85	-0.66	22.19	0.166	1.000	Pass
			1	1	22.86	-0.66	22.20	0.166	1.000	Pass
			1	160	22.79	-0.66	22.13	0.163	1.000	Pass
		16QAM	81	40	21.89	-0.66	21.23	0.133	1.000	Pass
			1	1	21.94	-0.66	21.28	0.134	1.000	Pass
			1	160	21.77	-0.66	21.11	0.129	1.000	Pass
		64QAM	81	40	20.4	-0.66	19.74	0.094	1.000	Pass
			1	1	20.41	-0.66	19.75	0.094	1.000	Pass
			1	160	20.33	-0.66	19.67	0.093	1.000	Pass
		256QAM	81	40	18.37	-0.66	17.71	0.059	1.000	Pass
			1	1	18.37	-0.66	17.71	0.059	1.000	Pass
			1	160	18.31	-0.66	17.65	0.058	1.000	Pass
	MCH	PI/2 BPSK	81	40	23.05	-0.66	22.39	0.173	1.000	Pass
			1	1	22.89	-0.66	22.23	0.167	1.000	Pass
			1	160	22.81	-0.66	22.15	0.164	1.000	Pass
		QPSK	81	40	22.92	-0.66	22.26	0.168	1.000	Pass
			1	1	22.89	-0.66	22.23	0.167	1.000	Pass
			1	160	22.83	-0.66	22.17	0.165	1.000	Pass
		16QAM	81	40	21.95	-0.66	21.29	0.135	1.000	Pass
			1	1	21.92	-0.66	21.26	0.134	1.000	Pass
			1	160	21.84	-0.66	21.18	0.131	1.000	Pass
		64QAM	81	40	20.48	-0.66	19.82	0.096	1.000	Pass
			1	1	20.47	-0.66	19.81	0.096	1.000	Pass
			1	160	20.44	-0.66	19.78	0.095	1.000	Pass
		256QAM	81	40	18.43	-0.66	17.77	0.060	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	1	1	18.42	-0.66	17.76	0.060	1.000	Pass
			1	160	18.44	-0.66	17.78	0.060	1.000	Pass
			81	40	22.69	-0.66	22.03	0.160	1.000	Pass
		QPSK	1	1	22.68	-0.66	22.02	0.159	1.000	Pass
			1	160	22.62	-0.66	21.96	0.157	1.000	Pass
			81	40	22.71	-0.66	22.05	0.160	1.000	Pass
		16QAM	1	1	22.66	-0.66	22.00	0.158	1.000	Pass
			1	160	22.63	-0.66	21.97	0.157	1.000	Pass
			81	40	21.72	-0.66	21.06	0.128	1.000	Pass
		64QAM	1	1	21.69	-0.66	21.03	0.127	1.000	Pass
			1	160	21.66	-0.66	21.00	0.126	1.000	Pass
			81	40	20.27	-0.66	19.61	0.091	1.000	Pass
		256QAM	1	1	20.27	-0.66	19.61	0.091	1.000	Pass
			1	160	20.15	-0.66	19.49	0.089	1.000	Pass
			81	40	18.26	-0.66	17.60	0.058	1.000	Pass
			1	1	18.28	-0.66	17.62	0.058	1.000	Pass
			1	160	18.15	-0.66	17.49	0.056	1.000	Pass
100	LCH	PI/2 BPSK	135	67	22.84	-0.66	22.18	0.165	1.000	Pass
			1	1	22.79	-0.66	22.13	0.163	1.000	Pass
			1	271	22.8	-0.66	22.14	0.164	1.000	Pass
		QPSK	135	67	22.87	-0.66	22.21	0.166	1.000	Pass
			1	1	22.76	-0.66	22.10	0.162	1.000	Pass
			1	271	22.72	-0.66	22.06	0.161	1.000	Pass
		16QAM	135	67	21.86	-0.66	21.20	0.132	1.000	Pass
			1	1	21.86	-0.66	21.20	0.132	1.000	Pass
			1	271	21.74	-0.66	21.08	0.128	1.000	Pass
		64QAM	135	67	20.36	-0.66	19.70	0.093	1.000	Pass
			1	1	20.3	-0.66	19.64	0.092	1.000	Pass
			1	271	20.37	-0.66	19.71	0.094	1.000	Pass
		256QAM	135	67	18.35	-0.66	17.69	0.059	1.000	Pass
			1	1	18.34	-0.66	17.68	0.059	1.000	Pass
			1	271	18.44	-0.66	17.78	0.060	1.000	Pass
	MCH	PI/2 BPSK	135	67	22.93	-0.66	22.27	0.169	1.000	Pass
			1	1	22.67	-0.66	22.01	0.159	1.000	Pass
			1	271	22.8	-0.66	22.14	0.164	1.000	Pass
		QPSK	135	67	22.92	-0.66	22.26	0.168	1.000	Pass
			1	1	22.69	-0.66	22.03	0.160	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	1	271	22.79	-0.66	22.13	0.163	1.000	Pass
			135	67	21.91	-0.66	21.25	0.133	1.000	Pass
			1	1	21.78	-0.66	21.12	0.129	1.000	Pass
			1	271	21.89	-0.66	21.23	0.133	1.000	Pass
		64QAM	135	67	20.46	-0.66	19.80	0.095	1.000	Pass
			1	1	20.2	-0.66	19.54	0.090	1.000	Pass
			1	271	20.35	-0.66	19.69	0.093	1.000	Pass
		256QAM	135	67	18.51	-0.66	17.85	0.061	1.000	Pass
			1	1	18.33	-0.66	17.67	0.058	1.000	Pass
			1	271	18.41	-0.66	17.75	0.060	1.000	Pass
	HCH	PI/2 BPSK	135	67	22.8	-0.66	22.14	0.164	1.000	Pass
			1	1	22.73	-0.66	22.07	0.161	1.000	Pass
			1	271	22.69	-0.66	22.03	0.160	1.000	Pass
		QPSK	135	67	22.78	-0.66	22.12	0.163	1.000	Pass
			1	1	22.72	-0.66	22.06	0.161	1.000	Pass
			1	271	22.54	-0.66	21.88	0.154	1.000	Pass
		16QAM	135	67	21.82	-0.66	21.16	0.131	1.000	Pass
			1	1	21.73	-0.66	21.07	0.128	1.000	Pass
			1	271	21.5	-0.66	20.84	0.121	1.000	Pass
		64QAM	135	67	20.32	-0.66	19.66	0.092	1.000	Pass
			1	1	20.3	-0.66	19.64	0.092	1.000	Pass
			1	271	20.13	-0.66	19.47	0.089	1.000	Pass
		256QAM	135	67	18.31	-0.66	17.65	0.058	1.000	Pass
			1	1	18.31	-0.66	17.65	0.058	1.000	Pass
			1	271	18.2	-0.66	17.54	0.057	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	24.21	1.23	25.44	0.350	1.000	Pass
			1	1	24.22	1.23	25.45	0.351	1.000	Pass
			1	22	24.16	1.23	25.39	0.346	1.000	Pass
		QPSK	12	6	24.25	1.23	25.48	0.353	1.000	Pass
			1	1	24.26	1.23	25.49	0.354	1.000	Pass
			1	22	24.17	1.23	25.40	0.347	1.000	Pass
		16QAM	12	6	23.21	1.23	24.44	0.278	1.000	Pass
			1	1	23.22	1.23	24.45	0.279	1.000	Pass
			1	22	23.16	1.23	24.39	0.275	1.000	Pass
		64QAM	12	6	21.76	1.23	22.99	0.199	1.000	Pass
			1	1	21.75	1.23	22.98	0.199	1.000	Pass
			1	22	21.73	1.23	22.96	0.198	1.000	Pass
		256QAM	12	6	19.76	1.23	20.99	0.126	1.000	Pass
			1	1	19.71	1.23	20.94	0.124	1.000	Pass
			1	22	19.67	1.23	20.90	0.123	1.000	Pass
	MCH	PI/2 BPSK	12	6	24.19	1.23	25.42	0.348	1.000	Pass
			1	1	24.2	1.23	25.43	0.349	1.000	Pass
			1	22	24.13	1.23	25.36	0.344	1.000	Pass
		QPSK	12	6	24.21	1.23	25.44	0.350	1.000	Pass
			1	1	24.19	1.23	25.42	0.348	1.000	Pass
			1	22	24.14	1.23	25.37	0.344	1.000	Pass
		16QAM	12	6	23.14	1.23	24.37	0.274	1.000	Pass
			1	1	23.14	1.23	24.37	0.274	1.000	Pass
			1	22	23.15	1.23	24.38	0.274	1.000	Pass
		64QAM	12	6	21.68	1.23	22.91	0.195	1.000	Pass
			1	1	21.66	1.23	22.89	0.195	1.000	Pass
			1	22	21.64	1.23	22.87	0.194	1.000	Pass
		256QAM	12	6	19.68	1.23	20.91	0.123	1.000	Pass
			1	1	19.7	1.23	20.93	0.124	1.000	Pass
			1	22	19.69	1.23	20.92	0.124	1.000	Pass
	HCH	PI/2 BPSK	12	6	24.36	1.23	25.59	0.362	1.000	Pass
			1	1	24.33	1.23	25.56	0.360	1.000	Pass
			1	22	24.29	1.23	25.52	0.356	1.000	Pass
		QPSK	12	6	24.37	1.23	25.60	0.363	1.000	Pass
			1	1	24.33	1.23	25.56	0.360	1.000	Pass
			1	22	24.33	1.23	25.56	0.360	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	12	6	23.33	1.23	24.56	0.286	1.000	Pass
			1	1	23.35	1.23	24.58	0.287	1.000	Pass
			1	22	23.35	1.23	24.58	0.287	1.000	Pass
		64QAM	12	6	21.88	1.23	23.11	0.205	1.000	Pass
			1	1	21.87	1.23	23.10	0.204	1.000	Pass
			1	22	21.83	1.23	23.06	0.202	1.000	Pass
		256QAM	12	6	19.87	1.23	21.10	0.129	1.000	Pass
			1	1	19.88	1.23	21.11	0.129	1.000	Pass
			1	22	19.86	1.23	21.09	0.129	1.000	Pass
50	LCH	PI/2 BPSK	64	32	24	1.23	25.23	0.333	1.000	Pass
			1	1	24.02	1.23	25.25	0.335	1.000	Pass
			1	131	23.89	1.23	25.12	0.325	1.000	Pass
		QPSK	64	32	24.05	1.23	25.28	0.337	1.000	Pass
			1	1	23.99	1.23	25.22	0.333	1.000	Pass
			1	131	23.89	1.23	25.12	0.325	1.000	Pass
		16QAM	64	32	23.02	1.23	24.25	0.266	1.000	Pass
			1	1	22.99	1.23	24.22	0.264	1.000	Pass
			1	131	22.84	1.23	24.07	0.255	1.000	Pass
		64QAM	64	32	21.58	1.23	22.81	0.191	1.000	Pass
			1	1	21.56	1.23	22.79	0.190	1.000	Pass
			1	131	21.46	1.23	22.69	0.186	1.000	Pass
		256QAM	64	32	19.51	1.23	20.74	0.119	1.000	Pass
			1	1	19.51	1.23	20.74	0.119	1.000	Pass
			1	131	19.42	1.23	20.65	0.116	1.000	Pass
	MCH	PI/2 BPSK	64	32	24.08	1.23	25.31	0.340	1.000	Pass
			1	1	23.91	1.23	25.14	0.327	1.000	Pass
			1	131	24.01	1.23	25.24	0.334	1.000	Pass
		QPSK	64	32	24.04	1.23	25.27	0.337	1.000	Pass
			1	1	23.93	1.23	25.16	0.328	1.000	Pass
			1	131	24	1.23	25.23	0.333	1.000	Pass
		16QAM	64	32	23.01	1.23	24.24	0.265	1.000	Pass
			1	1	22.95	1.23	24.18	0.262	1.000	Pass
			1	131	23.04	1.23	24.27	0.267	1.000	Pass
		64QAM	64	32	21.55	1.23	22.78	0.190	1.000	Pass
			1	1	21.39	1.23	22.62	0.183	1.000	Pass
			1	131	21.49	1.23	22.72	0.187	1.000	Pass
		256QAM	64	32	19.51	1.23	20.74	0.119	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	19.38	1.23	20.61	0.115	1.000	Pass
			1	131	19.48	1.23	20.71	0.118	1.000	Pass
			64	32	24.13	1.23	25.36	0.344	1.000	Pass
		QPSK	1	1	24.12	1.23	25.35	0.343	1.000	Pass
			1	131	23.96	1.23	25.19	0.330	1.000	Pass
			64	32	24.09	1.23	25.32	0.340	1.000	Pass
		16QAM	1	1	24.11	1.23	25.34	0.342	1.000	Pass
			1	131	23.98	1.23	25.21	0.332	1.000	Pass
			64	32	23.09	1.23	24.32	0.270	1.000	Pass
		64QAM	1	1	23.04	1.23	24.27	0.267	1.000	Pass
			1	131	22.98	1.23	24.21	0.264	1.000	Pass
			64	32	21.66	1.23	22.89	0.195	1.000	Pass
		256QAM	1	1	21.48	1.23	22.71	0.187	1.000	Pass
			1	131	21.44	1.23	22.67	0.185	1.000	Pass
			64	32	19.63	1.23	20.86	0.122	1.000	Pass
			1	1	19.44	1.23	20.67	0.117	1.000	Pass
			1	131	19.43	1.23	20.66	0.116	1.000	Pass
			135	67	23.99	1.23	25.22	0.333	1.000	Pass
100	MCH	PI/2 BPSK	1	1	23.9	1.23	25.13	0.326	1.000	Pass
			1	271	23.95	1.23	25.18	0.330	1.000	Pass
			135	67	24.01	1.23	25.24	0.334	1.000	Pass
		QPSK	1	1	23.81	1.23	25.04	0.319	1.000	Pass
			1	271	23.91	1.23	25.14	0.327	1.000	Pass
			135	67	23.01	1.23	24.24	0.265	1.000	Pass
		16QAM	1	1	22.78	1.23	24.01	0.252	1.000	Pass
			1	271	22.89	1.23	24.12	0.258	1.000	Pass
			135	67	21.48	1.23	22.71	0.187	1.000	Pass
		64QAM	1	1	21.27	1.23	22.50	0.178	1.000	Pass
			1	271	21.32	1.23	22.55	0.180	1.000	Pass
			135	67	19.54	1.23	20.77	0.119	1.000	Pass
		256QAM	1	1	19.3	1.23	20.53	0.113	1.000	Pass
			1	271	19.35	1.23	20.58	0.114	1.000	Pass
			135	67	19.35	1.23	20.58	0.114	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
10	LCH	PI/2 BPSK	12	6	24.11	-0.66	23.45	0.221	2.000	Pass
			1	1	24.1	-0.66	23.44	0.221	2.000	Pass
			1	22	24.08	-0.66	23.42	0.220	2.000	Pass
		QPSK	12	6	24.12	-0.66	23.46	0.222	2.000	Pass
			1	1	24.04	-0.66	23.38	0.218	2.000	Pass
			1	22	24.05	-0.66	23.39	0.218	2.000	Pass
		16QAM	12	6	23.06	-0.66	22.40	0.174	2.000	Pass
			1	1	23.1	-0.66	22.44	0.175	2.000	Pass
			1	22	23.07	-0.66	22.41	0.174	2.000	Pass
		64QAM	12	6	21.63	-0.66	20.97	0.125	2.000	Pass
			1	1	21.57	-0.66	20.91	0.123	2.000	Pass
			1	22	21.58	-0.66	20.92	0.124	2.000	Pass
		256QAM	12	6	19.59	-0.66	18.93	0.078	2.000	Pass
			1	1	19.63	-0.66	18.97	0.079	2.000	Pass
			1	22	19.62	-0.66	18.96	0.079	2.000	Pass
	MCH	PI/2 BPSK	12	6	24.2	-0.66	23.54	0.226	2.000	Pass
			1	1	24.15	-0.66	23.49	0.223	2.000	Pass
			1	22	24.12	-0.66	23.46	0.222	2.000	Pass
		QPSK	12	6	24.16	-0.66	23.50	0.224	2.000	Pass
			1	1	24.11	-0.66	23.45	0.221	2.000	Pass
			1	22	24.14	-0.66	23.48	0.223	2.000	Pass
		16QAM	12	6	23.12	-0.66	22.46	0.176	2.000	Pass
			1	1	23.13	-0.66	22.47	0.177	2.000	Pass
			1	22	23.18	-0.66	22.52	0.179	2.000	Pass
		64QAM	12	6	21.7	-0.66	21.04	0.127	2.000	Pass
			1	1	21.59	-0.66	20.93	0.124	2.000	Pass
			1	22	21.59	-0.66	20.93	0.124	2.000	Pass
		256QAM	12	6	19.68	-0.66	19.02	0.080	2.000	Pass
			1	1	19.71	-0.66	19.05	0.080	2.000	Pass
			1	22	19.69	-0.66	19.03	0.080	2.000	Pass
	HCH	PI/2 BPSK	12	6	24.2	-0.66	23.54	0.226	2.000	Pass
			1	1	24.03	-0.66	23.37	0.217	2.000	Pass
			1	22	24.03	-0.66	23.37	0.217	2.000	Pass
		QPSK	12	6	24.07	-0.66	23.41	0.219	2.000	Pass
			1	1	24.03	-0.66	23.37	0.217	2.000	Pass
			1	22	24.01	-0.66	23.35	0.216	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	12	6	23.04	-0.66	22.38	0.173	2.000	Pass
			1	1	22.97	-0.66	22.31	0.170	2.000	Pass
			1	22	23.01	-0.66	22.35	0.172	2.000	Pass
		64QAM	12	6	21.52	-0.66	20.86	0.122	2.000	Pass
			1	1	21.47	-0.66	20.81	0.121	2.000	Pass
			1	22	21.46	-0.66	20.80	0.120	2.000	Pass
		256QAM	12	6	19.6	-0.66	18.94	0.078	2.000	Pass
			1	1	19.59	-0.66	18.93	0.078	2.000	Pass
			1	22	19.6	-0.66	18.94	0.078	2.000	Pass
50	LCH	PI/2 BPSK	64	32	24.01	-0.66	23.35	0.216	2.000	Pass
			1	1	23.94	-0.66	23.28	0.213	2.000	Pass
			1	131	23.83	-0.66	23.17	0.207	2.000	Pass
		QPSK	64	32	23.91	-0.66	23.25	0.211	2.000	Pass
			1	1	23.93	-0.66	23.27	0.212	2.000	Pass
			1	131	23.86	-0.66	23.20	0.209	2.000	Pass
		16QAM	64	32	22.86	-0.66	22.20	0.166	2.000	Pass
			1	1	22.96	-0.66	22.30	0.170	2.000	Pass
			1	131	22.85	-0.66	22.19	0.166	2.000	Pass
		64QAM	64	32	21.42	-0.66	20.76	0.119	2.000	Pass
			1	1	21.35	-0.66	20.69	0.117	2.000	Pass
			1	131	21.26	-0.66	20.60	0.115	2.000	Pass
		256QAM	64	32	19.38	-0.66	18.72	0.074	2.000	Pass
			1	1	19.51	-0.66	18.85	0.077	2.000	Pass
			1	131	19.38	-0.66	18.72	0.074	2.000	Pass
	MCH	PI/2 BPSK	64	32	24	-0.66	23.34	0.216	2.000	Pass
			1	1	23.88	-0.66	23.22	0.210	2.000	Pass
			1	131	23.91	-0.66	23.25	0.211	2.000	Pass
		QPSK	64	32	23.98	-0.66	23.32	0.215	2.000	Pass
			1	1	23.87	-0.66	23.21	0.209	2.000	Pass
			1	131	23.87	-0.66	23.21	0.209	2.000	Pass
		16QAM	64	32	22.97	-0.66	22.31	0.170	2.000	Pass
			1	1	22.86	-0.66	22.20	0.166	2.000	Pass
			1	131	22.89	-0.66	22.23	0.167	2.000	Pass
		64QAM	64	32	21.52	-0.66	20.86	0.122	2.000	Pass
			1	1	21.3	-0.66	20.64	0.116	2.000	Pass
			1	131	21.36	-0.66	20.70	0.117	2.000	Pass
		256QAM	64	32	19.47	-0.66	18.81	0.076	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	1	1	19.33	-0.66	18.67	0.074	2.000	Pass
			1	131	19.37	-0.66	18.71	0.074	2.000	Pass
			64	32	24.02	-0.66	23.36	0.217	2.000	Pass
		QPSK	1	1	23.91	-0.66	23.25	0.211	2.000	Pass
			1	131	23.94	-0.66	23.28	0.213	2.000	Pass
			64	32	23.98	-0.66	23.32	0.215	2.000	Pass
		16QAM	1	1	23.96	-0.66	23.30	0.214	2.000	Pass
			1	131	23.92	-0.66	23.26	0.212	2.000	Pass
			64	32	23	-0.66	22.34	0.171	2.000	Pass
		64QAM	1	1	22.9	-0.66	22.24	0.167	2.000	Pass
			1	131	22.87	-0.66	22.21	0.166	2.000	Pass
			64	32	21.6	-0.66	20.94	0.124	2.000	Pass
		256QAM	1	1	21.51	-0.66	20.85	0.122	2.000	Pass
			1	131	21.53	-0.66	20.87	0.122	2.000	Pass
			64	32	19.54	-0.66	18.88	0.077	2.000	Pass
			1	1	19.46	-0.66	18.80	0.076	2.000	Pass
			1	131	19.47	-0.66	18.81	0.076	2.000	Pass
			135	67	23.99	-0.66	23.33	0.215	2.000	Pass
100	MCH	PI/2 BPSK	1	1	23.84	-0.66	23.18	0.208	2.000	Pass
			1	271	23.94	-0.66	23.28	0.213	2.000	Pass
			135	67	23.9	-0.66	23.24	0.211	2.000	Pass
		QPSK	1	1	23.86	-0.66	23.20	0.209	2.000	Pass
			1	271	23.99	-0.66	23.33	0.215	2.000	Pass
			135	67	22.87	-0.66	22.21	0.166	2.000	Pass
		16QAM	1	1	22.72	-0.66	22.06	0.161	2.000	Pass
			1	271	22.96	-0.66	22.30	0.170	2.000	Pass
			135	67	21.39	-0.66	20.73	0.118	2.000	Pass
		64QAM	1	1	21.33	-0.66	20.67	0.117	2.000	Pass
			1	271	21.53	-0.66	20.87	0.122	2.000	Pass
			135	67	19.39	-0.66	18.73	0.075	2.000	Pass
		256QAM	1	1	19.37	-0.66	18.71	0.074	2.000	Pass
			1	271	19.42	-0.66	18.76	0.075	2.000	Pass
			135	67	19.39	-0.66	18.73	0.075	2.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n5A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.537	19.407	22.4828	20.09	0.102	2.00	Pass
			12	6	8	0	19.505	19.513	22.5193	20.16	0.104	2.00	Pass
	MCH		12	6	8	0	19.446	19.455	22.4608	20.10	0.102	2.00	Pass
	HCH		1	23	1	24	19.418	19.645	22.5433	20.23	0.105	2.00	Pass
		QP SK	12	6	8	0	19.344	19.491	22.4284	20.10	0.102	2.00	Pass
	LCH		1	1	1	0	19.586	19.478	22.5426	20.15	0.104	2.00	Pass
			12	6	8	0	19.385	19.491	22.4486	20.11	0.102	2.00	Pass
	MCH		12	6	8	0	19.370	19.454	22.4225	20.08	0.102	2.00	Pass
	HCH		1	23	1	24	19.385	19.530	22.4684	20.14	0.103	2.00	Pass
		16 QA M	12	6	8	0	19.440	19.476	22.4683	20.11	0.103	2.00	Pass
	LCH		1	1	1	0	19.417	19.350	22.3939	20.01	0.100	2.00	Pass
			12	6	8	0	19.290	19.454	22.3831	20.05	0.101	2.00	Pass
	MCH		12	6	8	0	19.347	19.428	22.398	20.05	0.101	2.00	Pass
	HCH		1	23	1	24	19.607	19.485	22.5567	20.16	0.104	2.00	Pass
		64 QA M	12	6	8	0	19.258	19.450	22.3654	20.04	0.101	2.00	Pass
	LCH		1	1	1	0	19.708	19.314	22.5258	20.07	0.102	2.00	Pass
			12	6	8	0	19.400	19.447	22.4339	20.08	0.102	2.00	Pass
	MCH		12	6	8	0	19.428	19.418	22.4333	20.07	0.102	2.00	Pass
	HCH		1	23	1	24	19.333	19.472	22.4134	20.08	0.102	2.00	Pass
		256 QA M	12	6	8	0	19.324	19.471	22.4084	20.08	0.102	2.00	Pass
	LCH		1	1	1	0	19.493	19.269	22.3927	19.98	0.099	2.00	Pass
			12	6	8	0	19.474	19.453	22.4738	20.10	0.102	2.00	Pass
	MCH		12	6	8	0	19.220	19.497	22.371	20.07	0.102	2.00	Pass
	HCH		1	23	1	24	20.004	19.488	22.764	20.28	0.107	2.00	Pass
		PI/2 BP SK	12	6	8	0	19.381	19.456	22.429	20.08	0.102	2.00	Pass
	LCH		1	1	1	0	19.481	18.920	22.2199	19.73	0.094	2.00	Pass
			108	54	18	0	19.420	19.347	22.394	20.01	0.100	2.00	Pass
	MCH		108	54	18	0	19.478	19.282	22.3914	19.98	0.100	2.00	Pass
20MHz(LTE) + 20MHz(NR)	HCH	QP SK	1	214	1	99	19.068	19.386	22.2402	19.95	0.099	2.00	Pass
			108	54	18	0	19.363	19.233	22.3088	19.91	0.098	2.00	Pass
	LCH		1	1	1	0	19.410	18.972	22.2068	19.74	0.094	2.00	Pass
			108	54	18	0	19.475	19.359	22.4277	20.04	0.101	2.00	Pass
	MCH	QP SK	108	54	18	0	19.437	19.418	22.4378	20.07	0.102	2.00	Pass
	HCH		1	214	1	99	19.066	19.310	22.2	19.89	0.097	2.00	Pass
			108	54	18	0	19.405	19.345	22.3854	20.01	0.100	2.00	Pass

	LCH	16	1	1	1	0	19.217	18.888	22.0659	19.63	0.092	2.00	Pass
			108	54	18	0	19.445	19.320	22.3932	20.00	0.100	2.00	Pass
	MCH	QA	108	54	18	0	19.409	19.381	22.4053	20.03	0.101	2.00	Pass
	HCH	M	1	214	1	99	19.177	19.237	22.2174	19.87	0.097	2.00	Pass
			108	54	18	0	19.316	19.300	22.3183	19.95	0.099	2.00	Pass
	LCH	64	1	1	1	0	19.924	19.100	22.5418	19.99	0.100	2.00	Pass
			108	54	18	0	19.330	19.325	22.3378	19.97	0.099	2.00	Pass
	MCH	QA	108	54	18	0	19.287	19.399	22.3537	20.01	0.100	2.00	Pass
	HCH	M	1	214	1	99	19.034	19.324	22.1917	19.89	0.098	2.00	Pass
			108	54	18	0	19.267	19.265	22.2763	19.91	0.098	2.00	Pass
	LCH	256	1	1	1	0	19.555	19.183	22.3833	19.93	0.098	2.00	Pass
			108	54	18	0	19.376	19.285	22.341	19.96	0.099	2.00	Pass
	MCH	QA	108	54	18	0	19.430	19.330	22.3906	20.00	0.100	2.00	Pass
	HCH	M	1	214	1	99	19.798	19.331	22.5811	20.11	0.103	2.00	Pass
			108	54	18	0	19.378	19.368	22.3833	20.02	0.100	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.921	21.143	23.5851	23.30	0.214	2.00	Pass
			12	6	8	0	19.993	21.175	23.6344	23.35	0.217	2.00	Pass
	MCH		12	6	8	0	19.956	21.114	23.5838	23.31	0.214	2.00	Pass
	HCH		1	23	1	24	20.057	21.132	23.638	23.36	0.217	2.00	Pass
		QP SK	12	6	8	0	19.947	21.143	23.5963	23.32	0.215	2.00	Pass
	LCH		1	1	1	0	19.924	20.970	23.4887	23.22	0.210	2.00	Pass
			12	6	8	0	20.017	21.080	23.5912	23.32	0.215	2.00	Pass
	MCH		12	6	8	0	19.969	21.140	23.6041	23.33	0.215	2.00	Pass
	HCH		1	23	1	24	20.082	21.060	23.6088	23.34	0.216	2.00	Pass
		16 QA M	12	6	8	0	19.958	21.150	23.6051	23.32	0.215	2.00	Pass
	LCH		1	1	1	0	20.130	20.861	23.5212	23.27	0.212	2.00	Pass
			12	6	8	0	19.943	21.106	23.5736	23.30	0.214	2.00	Pass
	MCH		12	6	8	0	19.989	21.102	23.5914	23.32	0.215	2.00	Pass
	HCH		1	23	1	24	20.059	21.091	23.6159	23.35	0.216	2.00	Pass
		64 QA M	12	6	8	0	20.030	21.138	23.6295	23.35	0.216	2.00	Pass
	LCH		1	1	1	0	19.943	21.065	23.5504	23.27	0.213	2.00	Pass
			12	6	8	0	19.948	21.087	23.565	23.29	0.213	2.00	Pass
	MCH		12	6	8	0	20.021	21.115	23.6127	23.34	0.216	2.00	Pass
	HCH		1	23	1	24	19.569	21.134	23.4319	23.13	0.206	2.00	Pass
		256 QA M	12	6	8	0	20.098	21.189	23.688	23.41	0.219	2.00	Pass
	LCH		1	1	1	0	19.520	21.014	23.3412	23.04	0.202	2.00	Pass
			12	6	8	0	19.692	21.152	23.4934	23.20	0.209	2.00	Pass
	MCH		12	6	8	0	19.783	21.117	23.5113	23.22	0.210	2.00	Pass
	HCH		1	23	1	24	19.928	21.180	23.6093	23.33	0.215	2.00	Pass
		PI/2 BP SK	12	6	8	0	19.903	21.149	23.5808	23.30	0.214	2.00	Pass
	LCH		1	1	1	0	20.062	20.694	23.3998	23.15	0.207	2.00	Pass
			108	54	18	0	20.129	20.909	23.5468	23.29	0.213	2.00	Pass
	MCH		108	54	18	0	20.177	21.000	23.6183	23.36	0.217	2.00	Pass
20MHz(LTE) + 20MHz(NR)	HCH	QP SK	1	214	1	99	19.971	20.875	23.4568	23.19	0.209	2.00	Pass
			108	54	18	0	20.147	21.003	23.6064	23.35	0.216	2.00	Pass
	LCH		1	1	1	0	20.040	20.684	23.3842	23.14	0.206	2.00	Pass
			108	54	18	0	20.115	20.784	23.4727	23.22	0.210	2.00	Pass
	MCH	PI/2 BP SK	108	54	18	0	20.150	20.871	23.5357	23.28	0.213	2.00	Pass
	HCH		1	214	1	99	19.798	20.894	23.3908	23.12	0.205	2.00	Pass
			108	54	18	0	20.141	20.913	23.5544	23.30	0.214	2.00	Pass
	LCH		108	54	18	0	20.141	20.913	23.5544	23.30	0.214	2.00	Pass

	LCH	16	1	1	1	0	20.134	20.789	23.4841	23.24	0.211	2.00	Pass
			108	54	18	0	20.088	20.870	23.5069	23.25	0.211	2.00	Pass
	MCH	QA	108	54	18	0	20.162	20.951	23.5847	23.33	0.215	2.00	Pass
			1	214	1	99	19.927	20.854	23.4255	23.16	0.207	2.00	Pass
	HCH	M	108	54	18	0	20.093	20.921	23.537	23.28	0.213	2.00	Pass
			1	1	1	0	20.551	20.747	23.6604	23.44	0.221	2.00	Pass
	LCH	64	108	54	18	0	20.151	20.991	23.6016	23.34	0.216	2.00	Pass
			108	54	18	0	20.155	20.870	23.5375	23.29	0.213	2.00	Pass
	MCH	QA	108	54	18	0	20.155	20.870	23.5375	23.29	0.213	2.00	Pass
			1	214	1	99	19.963	20.759	23.3895	23.13	0.206	2.00	Pass
	HCH	M	108	54	18	0	20.102	20.849	23.5018	23.25	0.211	2.00	Pass
			1	1	1	0	19.810	20.578	23.2213	22.97	0.198	2.00	Pass
	LCH	256	108	54	18	0	19.949	20.880	23.4497	23.19	0.208	2.00	Pass
			108	54	18	0	20.287	20.845	23.5853	23.34	0.216	2.00	Pass
	MCH	QA	108	54	18	0	20.287	20.845	23.5853	23.34	0.216	2.00	Pass
			1	214	1	99	19.706	20.749	23.269	23.00	0.199	2.00	Pass
	HCH	M	108	54	18	0	19.950	20.971	23.5007	23.23	0.210	2.00	Pass
			108	54	18	0	19.950	20.971	23.5007	23.23	0.210	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n41A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.871	20.874	24.4113	24.14	0.259	2.00	Pass
			25	12	8	0	21.888	20.981	24.4684	24.19	0.263	2.00	Pass
	MCH		25	12	8	0	21.864	20.993	24.4606	24.18	0.262	2.00	Pass
	HCH		1	49	1	24	21.562	20.989	24.2952	24.00	0.251	2.00	Pass
			25	12	8	0	21.796	21.023	24.437	24.15	0.260	2.00	Pass
	LCH	QP SK	1	1	1	0	21.816	20.850	24.3701	24.10	0.257	2.00	Pass
			25	12	8	0	21.778	21.041	24.4354	24.15	0.260	2.00	Pass
	MCH		25	12	8	0	21.846	20.980	24.4448	24.17	0.261	2.00	Pass
	HCH		1	49	1	24	21.593	21.028	24.33	24.04	0.253	2.00	Pass
			25	12	8	0	21.868	21.006	24.4687	24.19	0.262	2.00	Pass
	LCH	16 QA M	1	1	1	0	21.789	20.891	24.3735	24.10	0.257	2.00	Pass
			25	12	8	0	21.794	20.978	24.4154	24.13	0.259	2.00	Pass
	MCH		25	12	8	0	21.834	20.947	24.4234	24.15	0.260	2.00	Pass
	HCH		1	49	1	24	21.457	20.969	24.2302	23.93	0.247	2.00	Pass
			25	12	8	0	21.877	20.952	24.4494	24.17	0.261	2.00	Pass
	LCH	64 QA M	1	1	1	0	21.845	20.703	24.3217	24.06	0.254	2.00	Pass
			25	12	8	0	21.874	21.026	24.481	24.20	0.263	2.00	Pass
	MCH		25	12	8	0	21.903	20.907	24.4438	24.17	0.261	2.00	Pass
	HCH		1	49	1	24	21.616	20.932	24.2978	24.01	0.252	2.00	Pass
			25	12	8	0	21.832	20.991	24.4421	24.16	0.261	2.00	Pass
	LCH	256 QA M	1	1	1	0	20.577	20.709	23.6538	23.33	0.215	2.00	Pass
			25	12	8	0	20.444	20.973	23.7268	23.38	0.218	2.00	Pass
	MCH		25	12	8	0	20.403	20.967	23.7044	23.36	0.217	2.00	Pass
	HCH		1	49	1	24	20.258	20.973	23.6405	23.29	0.213	2.00	Pass
			25	12	8	0	20.483	20.988	23.7531	23.41	0.219	2.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	22.191	20.514	24.4432	24.20	0.263	2.00	Pass
			135	67	18	0	21.753	20.642	24.2432	23.98	0.250	2.00	Pass
	MCH		135	67	18	0	21.725	20.730	24.2662	23.99	0.251	2.00	Pass
	HCH		1	271	1	99	21.569	20.549	24.0992	23.83	0.241	2.00	Pass
			135	67	18	0	21.662	20.765	24.2469	23.97	0.249	2.00	Pass
	LCH	QP SK	1	1	1	0	22.242	20.261	24.3738	24.15	0.260	2.00	Pass
			135	67	18	0	21.649	20.769	24.2416	23.96	0.249	2.00	Pass
	MCH		135	67	18	0	21.613	20.730	24.2042	23.93	0.247	2.00	Pass
	HCH		1	271	1	99	21.585	20.520	24.0954	23.83	0.241	2.00	Pass
			135	67	18	0	21.640	20.660	24.1879	23.91	0.246	2.00	Pass

	LCH	16	1	1	1	0	22.185	20.294	24.3519	24.12	0.258	2.00	Pass
			135	67	18	0	21.709	20.618	24.208	23.94	0.248	2.00	Pass
	MCH	QA	135	67	18	0	21.691	20.714	24.2402	23.97	0.249	2.00	Pass
	HCH	M	1	271	1	99	21.634	20.649	24.1797	23.91	0.246	2.00	Pass
			135	67	18	0	21.674	20.609	24.1844	23.92	0.246	2.00	Pass
	LCH	64	1	1	1	0	21.910	20.510	24.2765	24.02	0.253	2.00	Pass
			135	67	18	0	21.644	20.586	24.1574	23.89	0.245	2.00	Pass
	MCH	QA	135	67	18	0	21.621	20.700	24.1952	23.92	0.247	2.00	Pass
	HCH	M	1	271	1	99	21.721	20.678	24.241	23.97	0.250	2.00	Pass
			135	67	18	0	21.714	20.680	24.238	23.97	0.249	2.00	Pass
	LCH	256	1	1	1	0	20.527	20.606	23.577	23.25	0.212	2.00	Pass
			135	67	18	0	20.170	20.625	23.4138	23.07	0.203	2.00	Pass
	MCH	QA	135	67	18	0	20.233	20.700	23.4831	23.14	0.206	2.00	Pass
	HCH	M	1	271	1	99	20.173	20.534	23.3675	23.03	0.201	2.00	Pass
			135	67	18	0	20.281	20.747	23.5305	23.19	0.208	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.028	20.992	23.547	23.55	0.227	1.00	Pass
			12	6	8	0	19.993	21.119	23.6027	23.60	0.229	1.00	Pass
	MCH		12	6	8	0	20.051	21.170	23.6567	23.66	0.232	1.00	Pass
	HCH		1	23	1	24	20.111	21.241	23.7229	23.72	0.236	1.00	Pass
		QP SK	12	6	8	0	20.022	21.076	23.5912	23.59	0.229	1.00	Pass
	LCH		1	1	1	0	20.032	20.919	23.5084	23.51	0.225	1.00	Pass
			12	6	8	0	20.015	21.109	23.6067	23.61	0.229	1.00	Pass
	MCH		12	6	8	0	20.064	21.090	23.6175	23.62	0.230	1.00	Pass
	HCH		1	23	1	24	20.017	21.161	23.6369	23.64	0.231	1.00	Pass
		16 QA M	12	6	8	0	20.034	21.080	23.5987	23.60	0.229	1.00	Pass
	LCH		1	1	1	0	19.948	20.977	23.5032	23.51	0.224	1.00	Pass
			12	6	8	0	20.060	21.048	23.5923	23.60	0.229	1.00	Pass
	MCH		12	6	8	0	19.939	21.128	23.5844	23.58	0.228	1.00	Pass
	HCH		1	23	1	24	19.848	21.078	23.5167	23.51	0.225	1.00	Pass
		64 QA M	12	6	8	0	19.989	21.122	23.6026	23.60	0.229	1.00	Pass
	LCH		1	1	1	0	20.262	21.012	23.6635	23.67	0.233	1.00	Pass
			12	6	8	0	19.992	21.105	23.5944	23.59	0.229	1.00	Pass
	MCH		12	6	8	0	20.155	20.965	23.5892	23.60	0.229	1.00	Pass
	HCH		1	23	1	24	20.626	21.131	23.8961	23.91	0.246	1.00	Pass
		256 QA M	12	6	8	0	20.029	21.075	23.5937	23.60	0.229	1.00	Pass
	LCH		1	1	1	0	19.860	20.862	23.4001	23.40	0.219	1.00	Pass
			12	6	8	0	20.025	21.081	23.5953	23.60	0.229	1.00	Pass
	MCH		12	6	8	0	19.937	21.164	23.604	23.60	0.229	1.00	Pass
	HCH		1	23	1	24	20.069	21.116	23.6343	23.64	0.231	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.954	21.085	23.5665	23.57	0.227	1.00	Pass
	LCH		1	1	1	0	20.172	20.953	23.5903	23.60	0.229	1.00	Pass
			50	25	18	0	20.190	20.860	23.5482	23.56	0.227	1.00	Pass
	MCH		50	25	18	0	20.250	21.058	23.6831	23.69	0.234	1.00	Pass
	HCH	QP SK	1	104	1	99	19.951	21.100	23.5737	23.57	0.228	1.00	Pass
			50	25	18	0	20.242	20.979	23.6364	23.65	0.232	1.00	Pass
	LCH		1	1	1	0	20.067	21.005	23.5716	23.58	0.228	1.00	Pass
			50	25	18	0	20.117	20.867	23.5185	23.53	0.225	1.00	Pass
	MCH	HCH	50	25	18	0	20.155	20.938	23.5744	23.58	0.228	1.00	Pass
			1	104	1	99	19.928	21.084	23.5546	23.55	0.227	1.00	Pass
	HCH		50	25	18	0	20.223	20.962	23.6185	23.63	0.231	1.00	Pass
20MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.172	20.953	23.5903	23.60	0.229	1.00	Pass
			50	25	18	0	20.190	20.860	23.5482	23.56	0.227	1.00	Pass
	MCH		50	25	18	0	20.250	21.058	23.6831	23.69	0.234	1.00	Pass
	HCH		1	104	1	99	19.951	21.100	23.5737	23.57	0.228	1.00	Pass
		QP SK	50	25	18	0	20.242	20.979	23.6364	23.65	0.232	1.00	Pass
	LCH		1	1	1	0	20.067	21.005	23.5716	23.58	0.228	1.00	Pass
			50	25	18	0	20.117	20.867	23.5185	23.53	0.225	1.00	Pass
	MCH		50	25	18	0	20.155	20.938	23.5744	23.58	0.228	1.00	Pass
	HCH	HCH	1	104	1	99	19.928	21.084	23.5546	23.55	0.227	1.00	Pass
			50	25	18	0	20.223	20.962	23.6185	23.63	0.231	1.00	Pass

	LCH	16	1	1	1	0	20.510	20.894	23.7165	23.74	0.236	1.00	Pass
			50	25	18	0	20.209	20.934	23.5969	23.61	0.230	1.00	Pass
	MCH	QA	50	25	18	0	20.281	21.017	23.6749	23.69	0.234	1.00	Pass
			1	104	1	99	19.875	20.803	23.374	23.38	0.218	1.00	Pass
	HCH	M	50	25	18	0	20.205	21.101	23.6864	23.69	0.234	1.00	Pass
			1	1	1	0	19.979	20.999	23.5292	23.53	0.226	1.00	Pass
	LCH	64	50	25	18	0	20.180	20.955	23.5951	23.60	0.229	1.00	Pass
			50	25	18	0	20.210	20.949	23.6055	23.62	0.230	1.00	Pass
	MCH	QA	50	25	18	0	20.210	20.949	23.6055	23.62	0.230	1.00	Pass
			1	104	1	99	20.078	21.056	23.6048	23.61	0.230	1.00	Pass
	HCH	M	50	25	18	0	20.189	20.858	23.5467	23.56	0.227	1.00	Pass
			1	1	1	0	19.693	20.812	23.2987	23.30	0.214	1.00	Pass
	LCH	256	50	25	18	0	20.070	21.073	23.6107	23.61	0.230	1.00	Pass
			50	25	18	0	20.343	20.945	23.6647	23.68	0.233	1.00	Pass
	MCH	QA	50	25	18	0	20.343	20.945	23.6647	23.68	0.233	1.00	Pass
			1	104	1	99	20.209	21.084	23.6788	23.69	0.234	1.00	Pass
	HCH	M	50	25	18	0	20.035	20.842	23.4675	23.48	0.223	1.00	Pass
			50	25	18	0	20.035	20.842	23.4675	23.48	0.223	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n2A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.906	20.023	22.9752	20.58	0.114	2.00	Pass
			12	6	8	0	19.736	20.133	22.9493	20.49	0.112	2.00	Pass
	MCH		12	6	8	0	19.699	20.102	22.9155	20.46	0.111	2.00	Pass
	HCH		1	23	1	24	19.691	20.091	22.9059	20.45	0.111	2.00	Pass
		QP SK	12	6	8	0	19.705	20.123	22.9293	20.47	0.111	2.00	Pass
	LCH		1	1	1	0	19.921	19.985	22.9634	20.58	0.114	2.00	Pass
			12	6	8	0	19.731	20.137	22.949	20.49	0.112	2.00	Pass
	MCH		12	6	8	0	19.705	20.100	22.9173	20.46	0.111	2.00	Pass
	HCH		1	23	1	24	19.691	20.092	22.9064	20.45	0.111	2.00	Pass
		16 QA M	12	6	8	0	19.722	20.120	22.9359	20.48	0.112	2.00	Pass
	LCH		1	1	1	0	19.517	20.072	22.8137	20.32	0.108	2.00	Pass
			12	6	8	0	19.712	20.074	22.9071	20.46	0.111	2.00	Pass
	MCH		12	6	8	0	19.782	20.067	22.9371	20.51	0.112	2.00	Pass
	HCH		1	23	1	24	19.666	20.050	22.8725	20.42	0.110	2.00	Pass
		64 QA M	12	6	8	0	19.757	20.128	22.9568	20.51	0.112	2.00	Pass
	LCH		1	1	1	0	19.727	19.864	22.8063	20.41	0.110	2.00	Pass
			12	6	8	0	19.788	20.141	22.9784	20.53	0.113	2.00	Pass
	MCH		12	6	8	0	19.862	20.226	23.0581	20.61	0.115	2.00	Pass
	HCH		1	23	1	24	19.775	20.087	22.9441	20.51	0.112	2.00	Pass
		256 QA M	12	6	8	0	19.867	20.192	23.0428	20.60	0.115	2.00	Pass
	LCH		1	1	1	0	19.207	19.967	22.6139	20.08	0.102	2.00	Pass
			12	6	8	0	18.877	20.095	22.5389	19.89	0.098	2.00	Pass
	MCH		12	6	8	0	18.785	20.069	22.4846	19.82	0.096	2.00	Pass
	HCH		1	23	1	24	18.137	20.163	22.2774	19.44	0.088	2.00	Pass
			12	6	8	0	18.858	20.116	22.5427	19.89	0.097	2.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.633	19.812	22.7337	20.33	0.108	2.00	Pass
			108	54	18	0	19.818	20.273	23.0618	20.59	0.115	2.00	Pass
	MCH		108	54	18	0	19.868	20.178	23.0361	20.60	0.115	2.00	Pass
	HCH		1	214	1	99	19.588	20.119	22.8719	20.39	0.109	2.00	Pass
		QP SK	108	54	18	0	19.900	20.269	23.0987	20.65	0.116	2.00	Pass
	LCH		1	1	1	0	19.555	20.040	22.8146	20.34	0.108	2.00	Pass
			108	54	18	0	19.904	20.273	23.1027	20.65	0.116	2.00	Pass
	MCH		108	54	18	0	19.851	20.233	23.0565	20.60	0.115	2.00	Pass
	HCH		1	214	1	99	19.590	19.998	22.8091	20.35	0.108	2.00	Pass
			108	54	18	0	19.889	20.148	23.0307	20.61	0.115	2.00	Pass

	LCH	16	1	1	1	0	19.786	20.088	22.9499	20.52	0.113	2.00	Pass
			108	54	18	0	19.816	20.227	23.0367	20.58	0.114	2.00	Pass
	MCH	QA	108	54	18	0	19.805	20.202	23.0183	20.56	0.114	2.00	Pass
	HCH	M	1	214	1	99	19.616	20.086	22.8677	20.40	0.110	2.00	Pass
			108	54	18	0	19.823	20.274	23.0647	20.60	0.115	2.00	Pass
	LCH	64	1	1	1	0	19.350	20.017	22.7066	20.19	0.104	2.00	Pass
			108	54	18	0	19.857	20.145	23.0137	20.58	0.114	2.00	Pass
	MCH	QA	108	54	18	0	19.848	20.234	23.0556	20.60	0.115	2.00	Pass
	HCH	M	1	214	1	99	19.638	20.223	22.9506	20.45	0.111	2.00	Pass
			108	54	18	0	19.847	20.215	23.0452	20.60	0.115	2.00	Pass
	LCH	256	1	1	1	0	18.910	19.869	22.4262	19.84	0.096	2.00	Pass
			108	54	18	0	18.848	20.240	22.6098	19.92	0.098	2.00	Pass
	MCH	QA	108	54	18	0	19.002	20.222	22.665	20.02	0.100	2.00	Pass
	HCH	M	1	214	1	99	19.246	20.129	22.7202	20.15	0.104	2.00	Pass
			108	54	18	0	18.878	20.232	22.6179	19.94	0.099	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.730	19.931	23.3591	21.98	0.158	2.00	Pass
			12	6	8	0	20.759	20.180	23.4894	22.05	0.160	2.00	Pass
	MCH		12	6	8	0	20.824	20.138	23.5048	22.10	0.162	2.00	Pass
	HCH		1	23	1	24	20.799	20.139	23.4918	22.08	0.161	2.00	Pass
		QP SK	12	6	8	0	20.799	20.161	23.502	22.08	0.161	2.00	Pass
	LCH		1	1	1	0	20.685	19.847	23.2965	21.93	0.156	2.00	Pass
			12	6	8	0	20.807	20.172	23.5114	22.09	0.162	2.00	Pass
	MCH		12	6	8	0	20.749	20.164	23.4766	22.04	0.160	2.00	Pass
	HCH		1	23	1	24	20.795	20.056	23.4515	22.06	0.161	2.00	Pass
		16 QA M	12	6	8	0	20.736	20.178	23.4763	22.03	0.160	2.00	Pass
	LCH		1	1	1	0	20.834	19.952	23.4257	22.07	0.161	2.00	Pass
			12	6	8	0	20.740	20.232	23.5037	22.05	0.160	2.00	Pass
	MCH		12	6	8	0	20.674	20.113	23.4129	21.97	0.157	2.00	Pass
	HCH		1	23	1	24	20.558	20.051	23.3222	21.87	0.154	2.00	Pass
		64 QA M	12	6	8	0	20.678	20.183	23.4478	21.99	0.158	2.00	Pass
	LCH		1	1	1	0	20.777	20.069	23.4477	22.04	0.160	2.00	Pass
			12	6	8	0	20.744	20.050	23.4211	22.01	0.159	2.00	Pass
	MCH		12	6	8	0	20.674	20.134	23.4227	21.98	0.158	2.00	Pass
	HCH		1	23	1	24	20.651	20.122	23.4048	21.96	0.157	2.00	Pass
		256 QA M	12	6	8	0	20.962	20.114	23.569	22.20	0.166	2.00	Pass
	LCH		1	1	1	0	20.167	19.848	23.0207	21.52	0.142	2.00	Pass
			12	6	8	0	20.035	20.147	23.1017	21.48	0.141	2.00	Pass
	MCH		12	6	8	0	19.968	20.127	23.0585	21.43	0.139	2.00	Pass
	HCH		1	23	1	24	20.236	20.149	23.203	21.64	0.146	2.00	Pass
			12	6	8	0	20.011	20.268	23.1517	21.49	0.141	2.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.876	19.902	23.4265	22.09	0.162	2.00	Pass
			108	54	12	0	20.936	20.292	23.6362	22.22	0.167	2.00	Pass
	MCH		108	54	12	0	20.894	20.283	23.6095	22.18	0.165	2.00	Pass
	HCH		1	214	1	49	20.755	20.090	23.4455	22.03	0.160	2.00	Pass
		QP SK	108	54	12	0	20.992	20.194	23.6216	22.24	0.168	2.00	Pass
	LCH		1	1	1	0	20.893	20.096	23.5231	22.14	0.164	2.00	Pass
			108	54	12	0	20.877	20.327	23.621	22.18	0.165	2.00	Pass
	MCH		108	54	12	0	20.936	20.302	23.6409	22.22	0.167	2.00	Pass
	HCH		1	214	1	49	20.751	20.068	23.4332	22.02	0.159	2.00	Pass
			108	54	12	0	20.917	20.313	23.6358	22.21	0.166	2.00	Pass

	LCH	16	1	1	1	0	20.844	20.056	23.4781	22.10	0.162	2.00	Pass
			108	54	12	0	20.931	20.369	23.6694	22.23	0.167	2.00	Pass
	MCH	QA	108	54	12	0	20.924	20.248	23.6094	22.20	0.166	2.00	Pass
	HCH	M	1	214	1	49	20.793	20.257	23.5436	22.10	0.162	2.00	Pass
			108	54	12	0	20.935	20.291	23.6352	22.22	0.167	2.00	Pass
	LCH	64	1	1	1	0	20.840	20.028	23.4632	22.09	0.162	2.00	Pass
			108	54	12	0	20.899	20.263	23.6029	22.18	0.165	2.00	Pass
	MCH	QA	108	54	12	0	20.883	20.168	23.5505	22.15	0.164	2.00	Pass
	HCH	M	1	214	1	49	20.449	20.086	23.2816	21.79	0.151	2.00	Pass
			108	54	12	0	20.965	20.380	23.6926	22.26	0.168	2.00	Pass
	LCH	256	1	1	1	0	19.978	19.976	22.9873	21.40	0.138	2.00	Pass
			108	54	12	0	20.020	20.173	23.1075	21.48	0.141	2.00	Pass
	MCH	QA	108	54	12	0	20.180	20.363	23.2828	21.64	0.146	2.00	Pass
	HCH	M	1	214	1	49	20.332	20.160	23.2572	21.71	0.148	2.00	Pass
			108	54	12	0	20.121	20.179	23.1604	21.56	0.143	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.930	19.921	22.9358	21.03	0.127	1.00	Pass
			12	6	8	0	19.833	20.040	22.948	20.99	0.126	1.00	Pass
	MCH		12	6	8	0	19.928	19.999	22.9739	21.05	0.127	1.00	Pass
	HCH		1	23	1	24	19.952	20.097	23.0354	21.09	0.129	1.00	Pass
		QP SK	12	6	8	0	19.929	20.036	22.9931	21.06	0.128	1.00	Pass
	LCH		1	1	1	0	19.873	19.914	22.9038	20.99	0.125	1.00	Pass
			12	6	8	0	19.818	20.137	22.9907	21.00	0.126	1.00	Pass
	MCH		12	6	8	0	19.892	20.023	22.9683	21.03	0.127	1.00	Pass
	HCH		1	23	1	24	19.852	20.119	22.9979	21.02	0.127	1.00	Pass
		16 QA M	12	6	8	0	19.879	20.026	22.9634	21.02	0.126	1.00	Pass
	LCH		1	1	1	0	20.113	19.939	23.0372	21.17	0.131	1.00	Pass
			12	6	8	0	19.912	20.019	22.9761	21.04	0.127	1.00	Pass
	MCH		12	6	8	0	19.930	19.984	22.9674	21.05	0.127	1.00	Pass
	HCH		1	23	1	24	20.110	20.098	23.1143	21.21	0.132	1.00	Pass
		64 QA M	12	6	8	0	19.890	20.030	22.9709	21.03	0.127	1.00	Pass
	LCH		1	1	1	0	20.141	19.848	23.0073	21.17	0.131	1.00	Pass
			12	6	8	0	19.897	20.019	22.9687	21.03	0.127	1.00	Pass
	MCH		12	6	8	0	19.869	20.049	22.9702	21.02	0.126	1.00	Pass
	HCH		1	23	1	24	19.897	19.977	22.9475	21.02	0.126	1.00	Pass
		256 QA M	12	6	8	0	20.055	20.115	23.0954	21.17	0.131	1.00	Pass
	LCH		1	1	1	0	18.972	19.804	22.4182	20.30	0.107	1.00	Pass
			12	6	8	0	19.009	20.108	22.6035	20.41	0.110	1.00	Pass
	MCH		12	6	8	0	19.110	19.980	22.577	20.45	0.111	1.00	Pass
	HCH		1	23	1	24	19.080	19.941	22.5421	20.41	0.110	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.169	20.021	22.6262	20.50	0.112	1.00	Pass
	LCH		1	1	1	0	19.514	19.971	22.7588	20.73	0.118	1.00	Pass
			108	54	18	0	20.032	20.218	23.1363	21.18	0.131	1.00	Pass
	MCH		108	54	18	0	19.978	20.094	23.0467	21.11	0.129	1.00	Pass
	HCH	QP SK	1	214	1	99	20.082	19.992	23.0475	21.16	0.131	1.00	Pass
			108	54	18	0	19.992	20.208	23.1116	21.15	0.130	1.00	Pass
	LCH		1	1	1	0	19.583	20.061	22.8389	20.81	0.120	1.00	Pass
			108	54	18	0	20.017	20.120	23.0791	21.15	0.130	1.00	Pass
	MCH	HCH	108	54	18	0	19.953	20.190	23.0834	21.12	0.129	1.00	Pass
			1	214	1	99	20.097	19.999	23.0586	21.18	0.131	1.00	Pass
	HCH		108	54	18	0	19.985	20.121	23.0638	21.12	0.129	1.00	Pass
			108	54	18	0	19.985	20.121	23.0638	21.12	0.129	1.00	Pass

	LCH	16	1	1	1	0	19.807	19.929	22.8787	20.94	0.124	1.00	Pass
			108	54	18	0	20.025	20.183	23.115	21.17	0.131	1.00	Pass
	MCH	QA	108	54	18	0	19.949	20.162	23.0671	21.11	0.129	1.00	Pass
	HCH	M	1	214	1	99	19.929	19.916	22.9328	21.03	0.127	1.00	Pass
			108	54	18	0	19.892	20.210	23.0642	21.08	0.128	1.00	Pass
	LCH	64	1	1	1	0	19.312	20.090	22.7287	20.62	0.115	1.00	Pass
			108	54	18	0	19.932	20.097	23.0256	21.08	0.128	1.00	Pass
	MCH	QA	108	54	18	0	19.905	20.222	23.0767	21.09	0.128	1.00	Pass
	HCH	M	1	214	1	99	19.912	20.169	23.0527	21.08	0.128	1.00	Pass
			108	54	18	0	20.015	20.184	23.1106	21.16	0.131	1.00	Pass
	LCH	256	1	1	1	0	19.342	19.792	22.5831	20.56	0.114	1.00	Pass
			108	54	18	0	19.110	20.200	22.6994	20.51	0.112	1.00	Pass
	MCH	QA	108	54	18	0	19.079	20.176	22.6723	20.48	0.112	1.00	Pass
	HCH	M	1	214	1	99	19.000	20.099	22.5945	20.40	0.110	1.00	Pass
			108	54	18	0	19.114	20.101	22.6458	20.48	0.112	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.743	19.788	22.7759	21.92	0.156	1.00	Pass
			12	6	8	0	20.051	20.121	23.0964	22.23	0.167	1.00	Pass
	MCH		12	6	8	0	20.057	20.180	23.1292	22.25	0.168	1.00	Pass
	HCH		1	23	1	24	20.093	20.141	23.1274	22.27	0.169	1.00	Pass
		QP SK	12	6	8	0	19.994	20.092	23.0536	22.18	0.165	1.00	Pass
	LCH		1	1	1	0	19.649	19.889	22.781	21.87	0.154	1.00	Pass
			12	6	8	0	20.021	20.097	23.0695	22.21	0.166	1.00	Pass
	MCH		12	6	8	0	19.889	20.148	23.0307	22.11	0.163	1.00	Pass
	HCH		1	23	1	24	20.154	20.158	23.1663	22.32	0.171	1.00	Pass
		16 QA M	12	6	8	0	20.076	20.080	23.0883	22.25	0.168	1.00	Pass
	LCH		1	1	1	0	19.974	19.833	22.9144	22.12	0.163	1.00	Pass
			12	6	8	0	20.084	20.146	23.1254	22.27	0.168	1.00	Pass
	MCH		12	6	8	0	20.046	20.150	23.1086	22.24	0.167	1.00	Pass
	HCH		1	23	1	24	20.046	20.144	23.1056	22.23	0.167	1.00	Pass
		64 QA M	12	6	8	0	19.888	20.124	23.0179	22.10	0.162	1.00	Pass
	LCH		1	1	1	0	19.259	19.882	22.592	21.56	0.143	1.00	Pass
			12	6	8	0	19.982	20.019	23.0108	22.16	0.164	1.00	Pass
	MCH		12	6	8	0	19.956	20.128	23.0532	22.16	0.164	1.00	Pass
	HCH		1	23	1	24	19.956	19.995	22.9858	22.13	0.163	1.00	Pass
		256 QA M	12	6	8	0	20.034	20.107	23.081	22.22	0.167	1.00	Pass
	LCH		1	1	1	0	19.012	19.895	22.4862	21.37	0.137	1.00	Pass
			12	6	8	0	19.196	20.061	22.6603	21.55	0.143	1.00	Pass
	MCH		12	6	8	0	19.151	20.178	22.7051	21.54	0.143	1.00	Pass
	HCH		1	23	1	24	19.228	20.139	22.7176	21.59	0.144	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.185	20.085	22.6686	21.54	0.143	1.00	Pass
	LCH		1	1	1	0	19.745	20.133	22.9536	21.99	0.158	1.00	Pass
			108	54	18	0	19.912	20.169	23.0527	22.13	0.163	1.00	Pass
	MCH		108	54	18	0	19.781	20.157	22.9834	22.03	0.159	1.00	Pass
	HCH		1	214	1	99	19.996	20.237	23.1285	22.21	0.166	1.00	Pass
		QP SK	108	54	18	0	19.733	20.183	22.9741	21.99	0.158	1.00	Pass
	LCH		1	1	1	0	19.766	20.018	22.9041	21.99	0.158	1.00	Pass
			108	54	18	0	19.812	20.277	23.061	22.08	0.161	1.00	Pass
	MCH		108	54	18	0	19.689	20.252	22.9899	21.97	0.158	1.00	Pass
	HCH		1	214	1	99	19.973	20.100	23.0473	22.17	0.165	1.00	Pass
		100M Hz(NR)	108	54	18	0	19.745	20.207	22.9924	22.01	0.159	1.00	Pass

	LCH	16	1	1	1	0	19.852	19.845	22.8588	22.02	0.159	1.00	Pass
			108	54	18	0	19.745	20.172	22.974	22.00	0.159	1.00	Pass
	MCH	QA	108	54	18	0	19.852	20.149	23.0133	22.08	0.161	1.00	Pass
	HCH	M	1	214	1	99	19.668	20.010	22.8527	21.91	0.155	1.00	Pass
			108	54	18	0	19.717	20.358	23.0596	22.02	0.159	1.00	Pass
	LCH	64	1	1	1	0	19.805	20.016	22.9221	22.02	0.159	1.00	Pass
			108	54	18	0	19.706	20.105	22.9204	21.96	0.157	1.00	Pass
	MCH	QA	108	54	18	0	19.600	20.109	22.8723	21.87	0.154	1.00	Pass
	HCH	M	1	214	1	99	20.196	20.030	23.1241	22.33	0.171	1.00	Pass
			108	54	18	0	19.676	20.206	22.9594	21.95	0.157	1.00	Pass
	LCH	256	1	1	1	0	18.987	20.096	22.5871	21.40	0.138	1.00	Pass
			108	54	18	0	18.789	20.272	22.6038	21.29	0.135	1.00	Pass
	MCH	QA	108	54	18	0	18.740	20.242	22.5659	21.25	0.133	1.00	Pass
	HCH	M	1	214	1	99	19.354	20.168	22.7903	21.69	0.148	1.00	Pass
			108	54	18	0	19.004	20.279	22.6984	21.45	0.140	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3700-3980)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	19.823	19.829	22.8363	20.54	0.113	1.00	Pass
			12	6	8	0	19.818	19.950	22.8948	20.57	0.114	1.00	Pass
	MCH	BP	12	6	8	0	19.828	20.021	22.9359	20.60	0.115	1.00	Pass
			1	23	1	24	19.457	20.038	22.7675	20.34	0.108	1.00	Pass
	HCH	SK	12	6	8	0	19.673	20.068	22.8853	20.50	0.112	1.00	Pass
			1	1	1	0	19.690	19.976	22.8457	20.49	0.112	1.00	Pass
	LCH	QP	12	6	8	0	19.750	20.060	22.9181	20.55	0.114	1.00	Pass
			12	6	8	0	19.727	20.027	22.8899	20.53	0.113	1.00	Pass
	MCH	SK	1	23	1	24	19.358	19.910	22.6531	20.23	0.106	1.00	Pass
			12	6	8	0	19.693	20.076	22.899	20.52	0.113	1.00	Pass
	HCH		1	1	1	0	19.684	19.945	22.8268	20.47	0.112	1.00	Pass
			12	6	8	0	19.846	20.067	22.9682	20.62	0.115	1.00	Pass
	LCH	16	12	6	8	0	19.617	20.049	22.8487	20.46	0.111	1.00	Pass
			1	23	1	24	19.280	20.000	22.6652	20.21	0.105	1.00	Pass
	MCH	QA	12	6	8	0	19.717	20.010	22.8763	20.52	0.113	1.00	Pass
			1	23	1	24	19.280	20.000	22.6652	20.21	0.105	1.00	Pass
	HCH	M	12	6	8	0	19.769	19.857	22.8235	20.51	0.112	1.00	Pass
			12	6	8	0	19.802	20.007	22.916	20.58	0.114	1.00	Pass
	LCH	64	12	6	8	0	19.774	19.999	22.8983	20.55	0.114	1.00	Pass
			1	23	1	24	19.475	20.023	22.7679	20.35	0.108	1.00	Pass
	MCH	QA	12	6	8	0	19.687	20.082	22.8993	20.52	0.113	1.00	Pass
			1	23	1	24	18.725	19.971	22.4028	19.82	0.096	1.00	Pass
	HCH	M	12	6	8	0	18.702	20.045	22.4355	19.83	0.096	1.00	Pass
			12	6	8	0	18.845	20.037	22.4921	19.92	0.098	1.00	Pass
	LCH	256	1	23	1	24	18.482	20.041	22.3414	19.68	0.093	1.00	Pass
			12	6	8	0	18.843	19.942	22.4375	19.89	0.097	1.00	Pass
	MCH	QA	1	1	1	0	19.459	19.967	22.7307	20.32	0.108	1.00	Pass
			12	6	8	0	19.532	20.187	22.8821	20.44	0.111	1.00	Pass
	HCH	BP	108	54	18	0	19.502	20.160	22.8537	20.41	0.110	1.00	Pass
			1	214	1	99	19.231	19.932	22.6059	20.15	0.104	1.00	Pass
	LCH	QP	108	54	18	0	19.351	20.248	22.8329	20.33	0.108	1.00	Pass
			1	1	1	0	19.421	19.926	22.6911	20.28	0.107	1.00	Pass
	MCH	SK	108	54	18	0	19.502	20.104	22.8237	20.39	0.109	1.00	Pass
			108	54	18	0	19.457	20.312	22.9158	20.42	0.110	1.00	Pass
	HCH		1	214	1	99	19.241	20.117	22.7113	20.21	0.105	1.00	Pass
			108	54	18	0	19.406	20.223	22.844	20.36	0.109	1.00	Pass

	LCH	16	1	1	1	0	19.448	19.866	22.6723	20.28	0.107	1.00	Pass
			108	54	18	0	19.479	20.101	22.8114	20.37	0.109	1.00	Pass
	MCH	QA	108	54	18	0	19.465	20.107	22.8082	20.37	0.109	1.00	Pass
			1	214	1	99	19.041	20.034	22.5761	20.05	0.101	1.00	Pass
	HCH	M	108	54	18	0	19.434	20.081	22.7798	20.34	0.108	1.00	Pass
			1	1	1	0	19.593	19.946	22.7834	20.41	0.110	1.00	Pass
	LCH	64	108	54	18	0	19.510	20.171	22.8634	20.42	0.110	1.00	Pass
			108	54	18	0	19.472	20.183	22.8523	20.39	0.110	1.00	Pass
	MCH	QA	108	54	18	0	19.472	20.183	22.8523	20.39	0.110	1.00	Pass
			1	214	1	99	19.308	20.082	22.7225	20.25	0.106	1.00	Pass
	HCH	M	108	54	18	0	19.362	20.148	22.7831	20.31	0.107	1.00	Pass
			1	1	1	0	18.643	20.041	22.4083	19.79	0.095	1.00	Pass
	LCH	256	108	54	18	0	18.482	20.194	22.4321	19.74	0.094	1.00	Pass
			108	54	18	0	18.514	20.065	22.3687	19.71	0.094	1.00	Pass
	MCH	QA	108	54	18	0	18.514	20.065	22.3687	19.71	0.094	1.00	Pass
			1	214	1	99	18.401	20.058	22.3184	19.63	0.092	1.00	Pass
	HCH	M	108	54	18	0	18.496	20.158	22.4163	19.73	0.094	1.00	Pass
			108	54	18	0	18.496	20.158	22.4163	19.73	0.094	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	21.831	19.900	23.9822	23.69	0.234	1.00	Pass
			25	12	8	0	21.728	20.198	24.0403	23.64	0.231	1.00	Pass
	MCH	BP	25	12	8	0	21.774	20.068	24.0145	23.66	0.232	1.00	Pass
			1	49	1	24	21.968	20.051	24.1247	23.83	0.241	1.00	Pass
	HCH	SK	25	12	8	0	21.764	20.125	24.0317	23.66	0.232	1.00	Pass
			1	1	1	0	21.873	19.942	24.0242	23.73	0.236	1.00	Pass
	LCH	QP	25	12	8	0	21.875	20.060	24.0719	23.75	0.237	1.00	Pass
			25	12	8	0	21.768	20.150	24.0442	23.67	0.233	1.00	Pass
	MCH	SK	1	49	1	24	21.912	20.012	24.0754	23.77	0.238	1.00	Pass
			25	12	8	0	21.820	20.090	24.0509	23.70	0.235	1.00	Pass
	LCH	16	1	1	1	0	21.772	19.934	23.9598	23.64	0.231	1.00	Pass
			25	12	8	0	21.736	20.074	23.9943	23.63	0.231	1.00	Pass
	MCH	QA	25	12	8	0	21.890	20.133	24.1101	23.77	0.238	1.00	Pass
			1	49	1	24	21.893	20.088	24.0939	23.77	0.238	1.00	Pass
	HCH	M	25	12	8	0	21.776	20.047	24.0073	23.66	0.232	1.00	Pass
			1	1	1	0	21.949	19.578	23.9336	23.75	0.237	1.00	Pass
	LCH	64	25	12	8	0	21.777	20.024	23.9987	23.66	0.232	1.00	Pass
			25	12	8	0	21.938	20.016	24.0928	23.79	0.240	1.00	Pass
	MCH	QA	1	49	1	24	22.074	20.067	24.1957	23.92	0.247	1.00	Pass
			25	12	8	0	21.757	20.111	24.0218	23.65	0.232	1.00	Pass
	LCH	256	1	1	1	0	19.971	19.570	22.7854	22.07	0.161	1.00	Pass
			25	12	8	0	19.933	20.168	23.0624	22.15	0.164	1.00	Pass
	MCH	QA	25	12	8	0	19.830	20.157	23.0069	22.07	0.161	1.00	Pass
			1	49	1	24	19.995	20.110	23.0632	22.19	0.165	1.00	Pass
	HCH	M	25	12	8	0	20.076	20.108	23.1023	22.25	0.168	1.00	Pass
			1	1	1	0	21.612	19.959	23.874	23.51	0.224	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	12	0	21.694	20.213	24.0266	23.61	0.230	1.00	Pass
			135	67	12	0	21.676	20.187	24.0053	23.59	0.229	1.00	Pass
	MCH	BP	1	271	1	49	21.786	20.026	24.0049	23.66	0.233	1.00	Pass
			135	67	12	0	21.703	20.247	24.046	23.63	0.230	1.00	Pass
	HCH	SK	1	1	1	0	21.777	20.086	24.0236	23.67	0.233	1.00	Pass
			135	67	12	0	21.495	20.219	23.914	23.44	0.221	1.00	Pass
	LCH	QP	135	67	12	0	21.610	20.194	23.9698	23.54	0.226	1.00	Pass
			1	271	1	49	21.741	20.034	23.9811	23.63	0.231	1.00	Pass
	MCH	SK	135	67	12	0	21.512	20.233	23.9297	23.46	0.222	1.00	Pass
			135	67	12	0	21.512	20.233	23.9297	23.46	0.222	1.00	Pass

	LCH	16	1	1	1	0	21.552	19.953	23.836	23.45	0.221	1.00	Pass
			135	67	12	0	21.462	20.099	23.8441	23.40	0.219	1.00	Pass
	MCH	QA	135	67	12	0	21.588	20.219	23.9675	23.52	0.225	1.00	Pass
			1	271	1	49	21.840	20.104	24.0685	23.72	0.236	1.00	Pass
	HCH	M	135	67	12	0	21.541	20.157	23.9142	23.47	0.223	1.00	Pass
			1	1	1	0	21.700	19.916	23.9093	23.58	0.228	1.00	Pass
	LCH	64	135	67	12	0	21.526	20.260	23.9493	23.48	0.223	1.00	Pass
			135	67	12	0	21.537	20.160	23.9131	23.47	0.222	1.00	Pass
	MCH	QA	135	67	12	0	21.537	20.160	23.9131	23.47	0.222	1.00	Pass
			1	271	1	49	22.136	20.020	24.2159	23.97	0.249	1.00	Pass
	HCH	M	135	67	12	0	21.609	20.280	24.0054	23.55	0.226	1.00	Pass
			1	1	1	0	19.860	20.130	23.0074	22.08	0.162	1.00	Pass
	LCH	256	135	67	12	0	19.760	20.279	23.0375	22.04	0.160	1.00	Pass
			135	67	12	0	19.633	20.175	22.9227	21.91	0.155	1.00	Pass
	MCH	QA	135	67	12	0	19.633	20.175	22.9227	21.91	0.155	1.00	Pass
			1	271	1	49	19.894	20.095	23.006	22.10	0.162	1.00	Pass
	HCH	M	135	67	12	0	19.804	20.202	23.0179	22.05	0.160	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.729	19.835	23.8947	22.01	0.159	1.00	Pass
			25	12	8	0	21.681	20.068	23.9593	22.02	0.159	1.00	Pass
	MCH		25	12	8	0	21.827	20.067	24.0459	22.13	0.163	1.00	Pass
	HCH		1	49	1	24	21.798	20.009	24.0053	22.10	0.162	1.00	Pass
			25	12	8	0	21.786	19.993	23.9917	22.08	0.162	1.00	Pass
	LCH	QP SK	1	1	1	0	21.706	19.786	23.8616	21.98	0.158	1.00	Pass
			25	12	8	0	21.729	20.093	23.9979	22.06	0.161	1.00	Pass
	MCH		25	12	8	0	21.786	20.033	24.0077	22.09	0.162	1.00	Pass
	HCH		1	49	1	24	21.689	19.962	23.9211	22.00	0.159	1.00	Pass
			25	12	8	0	21.658	20.063	23.9436	22.00	0.158	1.00	Pass
	LCH	16 QA M	1	1	1	0	21.888	19.795	23.9767	22.13	0.163	1.00	Pass
			25	12	8	0	21.829	20.053	24.0415	22.13	0.163	1.00	Pass
	MCH		25	12	8	0	21.754	20.174	24.0458	22.10	0.162	1.00	Pass
	HCH		1	49	1	24	21.918	20.017	24.081	22.20	0.166	1.00	Pass
			25	12	8	0	21.704	20.133	23.9995	22.05	0.160	1.00	Pass
	LCH	64 QA M	1	1	1	0	21.748	19.943	23.9489	22.04	0.160	1.00	Pass
			25	12	8	0	21.797	20.031	24.0135	22.10	0.162	1.00	Pass
	MCH		25	12	8	0	21.750	20.093	24.0104	22.08	0.161	1.00	Pass
	HCH		1	49	1	24	21.977	20.138	24.1644	22.27	0.169	1.00	Pass
			25	12	8	0	21.792	19.984	23.9917	22.09	0.162	1.00	Pass
	LCH	256 QA M	1	1	1	0	19.662	19.920	22.8032	20.45	0.111	1.00	Pass
			25	12	8	0	19.774	20.086	22.9431	20.58	0.114	1.00	Pass
	MCH		25	12	8	0	19.845	20.144	23.0074	20.65	0.116	1.00	Pass
	HCH		1	49	1	24	19.972	19.937	22.9648	20.68	0.117	1.00	Pass
			25	12	8	0	19.927	20.095	23.0221	20.69	0.117	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.623	19.908	23.8599	21.94	0.156	1.00	Pass
			135	67	12	0	21.599	20.293	24.0052	22.00	0.158	1.00	Pass
	MCH		135	67	12	0	21.575	20.298	23.9936	21.98	0.158	1.00	Pass
	HCH		1	271	1	49	21.417	20.123	23.8283	21.82	0.152	1.00	Pass
			135	67	12	0	21.416	20.252	23.8832	21.85	0.153	1.00	Pass
	LCH	QP SK	1	1	1	0	21.743	20.026	23.9791	22.06	0.161	1.00	Pass
			135	67	12	0	21.484	20.289	23.9378	21.91	0.155	1.00	Pass
	MCH		135	67	12	0	21.476	20.293	23.935	21.90	0.155	1.00	Pass
	HCH		1	271	1	49	21.328	20.123	23.7775	21.75	0.150	1.00	Pass
			135	67	12	0	21.605	20.325	24.0223	22.01	0.159	1.00	Pass

	LCH	16	1	1	1	0	21.791	19.938	23.9729	22.08	0.161	1.00	Pass
			135	67	12	0	21.585	20.314	24.0061	21.99	0.158	1.00	Pass
	MCH	QA	135	67	12	0	21.456	20.321	23.9358	21.89	0.155	1.00	Pass
			1	271	1	49	21.534	20.175	23.9177	21.92	0.156	1.00	Pass
	HCH	M	135	67	12	0	21.583	20.193	23.9537	21.96	0.157	1.00	Pass
			1	1	1	0	21.754	19.988	23.9705	22.06	0.161	1.00	Pass
	LCH	64	135	67	12	0	21.432	20.268	23.8992	21.86	0.154	1.00	Pass
			135	67	12	0	21.437	20.163	23.8568	21.84	0.153	1.00	Pass
	MCH	QA	135	67	12	0	21.437	20.163	23.8568	21.84	0.153	1.00	Pass
			1	271	1	49	21.557	20.047	23.8776	21.91	0.155	1.00	Pass
	HCH	M	135	67	12	0	21.519	20.270	23.9495	21.93	0.156	1.00	Pass
			1	1	1	0	19.410	19.891	22.6675	20.26	0.106	1.00	Pass
	LCH	256	135	67	12	0	19.673	20.194	22.9516	20.54	0.113	1.00	Pass
			135	67	12	0	19.566	20.286	22.9512	20.49	0.112	1.00	Pass
	MCH	QA	135	67	12	0	19.566	20.286	22.9512	20.49	0.112	1.00	Pass
			1	271	1	49	19.331	20.105	22.7455	20.27	0.106	1.00	Pass
	HCH	M	135	67	12	0	19.726	20.197	22.9782	20.58	0.114	1.00	Pass
			135	67	12	0	19.726	20.197	22.9782	20.58	0.114	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n5A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.564	22.209	24.4742	23.30	0.214	2.00	Pass
			12	6	8	0	20.393	22.502	24.5846	23.52	0.225	2.00	Pass
	MCH		12	6	8	0	20.465	22.366	24.529	23.42	0.220	2.00	Pass
	HCH		1	23	1	24	20.573	22.395	24.5892	23.46	0.222	2.00	Pass
		QP SK	12	6	8	0	20.373	22.496	24.5733	23.51	0.224	2.00	Pass
	LCH		1	1	1	0	20.502	22.132	24.4033	23.23	0.210	2.00	Pass
			12	6	8	0	20.491	22.402	24.5611	23.45	0.221	2.00	Pass
	MCH		12	6	8	0	20.444	22.338	24.5037	23.39	0.218	2.00	Pass
	HCH		1	23	1	24	20.510	22.376	24.5528	23.43	0.220	2.00	Pass
		16 QA M	12	6	8	0	20.468	22.393	24.5466	23.44	0.221	2.00	Pass
	LCH		1	1	1	0	20.704	22.316	24.5947	23.41	0.220	2.00	Pass
			12	6	8	0	20.509	22.309	24.5119	23.38	0.218	2.00	Pass
	MCH		12	6	8	0	20.533	22.280	24.5041	23.36	0.217	2.00	Pass
	HCH		1	23	1	24	20.480	22.359	24.5306	23.41	0.219	2.00	Pass
		64 QA M	12	6	8	0	20.559	22.254	24.499	23.34	0.216	2.00	Pass
	LCH		1	1	1	0	20.552	22.171	24.4468	23.27	0.212	2.00	Pass
			12	6	8	0	20.658	22.335	24.5872	23.42	0.220	2.00	Pass
	MCH		12	6	8	0	20.493	22.216	24.4497	23.30	0.214	2.00	Pass
	HCH		1	23	1	24	20.434	22.359	24.5126	23.41	0.219	2.00	Pass
		256 QA M	12	6	8	0	20.457	22.186	24.4173	23.26	0.212	2.00	Pass
	LCH		1	1	1	0	19.299	22.302	24.0653	23.19	0.209	2.00	Pass
			12	6	8	0	18.936	22.372	23.9956	23.21	0.209	2.00	Pass
	MCH		12	6	8	0	18.972	22.425	24.0433	23.26	0.212	2.00	Pass
	HCH		1	23	1	24	19.006	22.590	24.168	23.41	0.219	2.00	Pass
		PI/2 BP SK	12	6	8	0	18.950	22.345	23.9814	23.18	0.208	2.00	Pass
20MHz(LTE) + 20MHz(NR)	LCH		1	1	1	0	20.605	21.720	24.2085	22.91	0.195	2.00	Pass
			50	25	18	0	20.695	22.090	24.4586	23.23	0.210	2.00	Pass
	MCH		50	25	18	0	20.663	22.157	24.4842	23.28	0.213	2.00	Pass
	HCH		1	104	1	99	20.445	22.106	24.3647	23.20	0.209	2.00	Pass
		QP SK	50	25	18	0	20.669	22.090	24.4477	23.22	0.210	2.00	Pass
	LCH		1	1	1	0	20.481	21.829	24.2174	22.97	0.198	2.00	Pass
			50	25	18	0	20.662	22.180	24.4973	23.29	0.214	2.00	Pass
	MCH		50	25	18	0	20.632	22.157	24.4714	23.27	0.212	2.00	Pass
	HCH		1	104	1	99	20.374	21.822	24.1684	22.95	0.197	2.00	Pass
		PI/2 BP SK	50	25	18	0	20.637	22.064	24.4191	23.19	0.209	2.00	Pass
	LCH		1	1	1	0	20.605	21.720	24.2085	22.91	0.195	2.00	Pass
			50	25	18	0	20.695	22.090	24.4586	23.23	0.210	2.00	Pass
	MCH		50	25	18	0	20.663	22.157	24.4842	23.28	0.213	2.00	Pass

	LCH	16	1	1	1	0	20.559	22.250	24.4966	23.34	0.216	2.00	Pass
			50	25	18	0	20.678	22.110	24.4631	23.24	0.211	2.00	Pass
	MCH	QA	50	25	18	0	20.624	21.979	24.3644	23.12	0.205	2.00	Pass
			1	104	1	99	20.248	22.391	24.4607	23.40	0.219	2.00	Pass
	HCH	M	50	25	18	0	20.575	22.070	24.3968	23.19	0.208	2.00	Pass
			1	1	1	0	20.740	22.038	24.4476	23.19	0.209	2.00	Pass
	LCH	64	50	25	18	0	20.504	22.033	24.3457	23.15	0.206	2.00	Pass
			50	25	18	0	21.091	22.156	24.6664	23.35	0.216	2.00	Pass
	MCH	QA	50	25	18	0	20.819	21.773	24.3324	22.99	0.199	2.00	Pass
			1	104	1	99	20.355	22.138	24.3477	23.21	0.209	2.00	Pass
	HCH	M	50	25	18	0	19.141	21.825	23.6974	22.76	0.189	2.00	Pass
			1	1	1	0	19.202	22.075	23.8822	22.98	0.199	2.00	Pass
	LCH	256	50	25	18	0	19.168	22.023	23.8363	22.93	0.196	2.00	Pass
			50	25	18	0	18.853	21.901	23.6494	22.78	0.190	2.00	Pass
	MCH	QA	1	104	1	99	19.135	22.058	23.8482	22.96	0.198	2.00	Pass
			50	25	18	0							

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	-14.417	21.922	21.923	25.01	0.317	1.00	Pass
			12	6	8	0	-14.389	22.052	22.053	25.14	0.326	1.00	Pass
	MCH		12	6	8	0	-14.427	22.003	22.004	25.09	0.323	1.00	Pass
	HCH		1	23	1	24	-14.401	22.021	22.022	25.11	0.324	1.00	Pass
		QP SK	12	6	8	0	-14.349	21.989	21.99	25.07	0.322	1.00	Pass
	LCH		1	1	1	0	-14.358	22.169	22.17	25.25	0.335	1.00	Pass
			12	6	8	0	-14.410	22.063	22.064	25.15	0.327	1.00	Pass
	MCH		12	6	8	0	-14.368	21.992	21.993	25.08	0.322	1.00	Pass
	HCH		1	23	1	24	-14.578	22.069	22.0699	25.15	0.328	1.00	Pass
		16 QA M	12	6	8	0	-14.371	22.004	22.005	25.09	0.323	1.00	Pass
	LCH		1	1	1	0	-14.074	21.990	21.9911	25.08	0.322	1.00	Pass
			12	6	8	0	-14.371	21.937	21.938	25.02	0.318	1.00	Pass
	MCH		12	6	8	0	-14.424	21.922	21.923	25.01	0.317	1.00	Pass
	HCH		1	23	1	24	-14.634	21.852	21.853	24.94	0.312	1.00	Pass
		64 QA M	12	6	8	0	-14.378	22.051	22.052	25.14	0.326	1.00	Pass
	LCH		1	1	1	0	-14.043	21.948	21.9491	25.03	0.319	1.00	Pass
			12	6	8	0	-14.382	21.890	21.891	24.98	0.314	1.00	Pass
	MCH		12	6	8	0	-14.395	21.880	21.881	24.97	0.314	1.00	Pass
	HCH		1	23	1	24	-14.394	21.852	21.853	24.94	0.312	1.00	Pass
		256 QA M	12	6	8	0	-14.496	21.971	21.972	25.06	0.320	1.00	Pass
	LCH		1	1	1	0	-15.199	22.001	22.0018	25.09	0.323	1.00	Pass
			12	6	8	0	-15.226	22.018	22.0188	25.10	0.324	1.00	Pass
	MCH		12	6	8	0	-15.211	21.965	21.9658	25.05	0.320	1.00	Pass
	HCH		1	23	1	24	-15.402	21.919	21.9198	25.00	0.317	1.00	Pass
		PI/2 BP SK	12	6	8	0	-15.379	22.093	22.0938	25.18	0.330	1.00	Pass
	LCH		1	1	1	0	-14.392	21.620	21.6211	24.71	0.296	1.00	Pass
			80	40	18	0	-14.331	21.878	21.879	24.96	0.314	1.00	Pass
	MCH		80	40	18	0	-14.370	21.834	21.835	24.92	0.310	1.00	Pass
	HCH		1	158	1	99	-12.975	21.500	21.5015	24.59	0.287	1.00	Pass
20MHz(LTE) + 30MHz(NR)		QP SK	80	40	18	0	-14.358	21.708	21.7091	24.79	0.302	1.00	Pass
	LCH		1	1	1	0	-14.492	21.658	21.6591	24.74	0.298	1.00	Pass
			80	40	18	0	-14.304	21.766	21.7671	24.85	0.306	1.00	Pass
	MCH		80	40	18	0	-14.345	21.854	21.855	24.94	0.312	1.00	Pass
	HCH	PI/2 BP SK	1	158	1	99	-13.079	21.419	21.4205	24.51	0.282	1.00	Pass
			80	40	18	0	-14.275	21.735	21.7361	24.82	0.303	1.00	Pass
	LCH		1	1	1	0	-14.492	21.658	21.6591	24.74	0.298	1.00	Pass
	MCH		80	40	18	0	-14.304	21.766	21.7671	24.85	0.306	1.00	Pass

	LCH	16	1	1	1	0	-14.388	21.503	21.5041	24.59	0.288	1.00	Pass
			80	40	18	0	-14.291	21.755	21.7561	24.84	0.305	1.00	Pass
	MCH	QA	80	40	18	0	-14.306	21.745	21.7461	24.83	0.304	1.00	Pass
	HCH	M	1	158	1	99	-12.887	21.466	21.4676	24.55	0.285	1.00	Pass
			80	40	18	0	-14.307	21.811	21.8121	24.90	0.309	1.00	Pass
	LCH	64	1	1	1	0	-14.667	21.490	21.4911	24.58	0.287	1.00	Pass
			80	40	18	0	-14.355	21.684	21.6851	24.77	0.300	1.00	Pass
	MCH	QA	80	40	18	0	-14.412	21.652	21.6531	24.74	0.298	1.00	Pass
	HCH	M	1	158	1	99	-12.957	21.418	21.4196	24.50	0.282	1.00	Pass
			80	40	18	0	-14.292	21.719	21.7201	24.80	0.302	1.00	Pass
	LCH	256	1	1	1	0	-15.039	21.609	21.6099	24.69	0.295	1.00	Pass
			80	40	18	0	-15.211	21.857	21.8579	24.94	0.312	1.00	Pass
	MCH	QA	80	40	18	0	-15.131	21.812	21.8129	24.90	0.309	1.00	Pass
	HCH	M	1	158	1	99	-13.926	21.574	21.5752	24.66	0.292	1.00	Pass
			80	40	18	0	-15.212	21.706	21.7069	24.79	0.301	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.830	21.847	24.8488	25.63	0.365	1.00	Pass
			12	6	8	0	21.901	21.936	24.9288	25.71	0.372	1.00	Pass
	MCH		12	6	8	0	21.739	21.950	24.8561	25.63	0.365	1.00	Pass
	HCH		1	23	1	24	22.044	21.897	24.9814	25.77	0.378	1.00	Pass
		QP SK	12	6	8	0	21.775	21.832	24.8139	25.59	0.362	1.00	Pass
	LCH		1	1	1	0	21.780	21.787	24.7938	25.57	0.361	1.00	Pass
			12	6	8	0	21.872	21.901	24.8968	25.68	0.370	1.00	Pass
	MCH		12	6	8	0	21.755	22.009	24.8942	25.66	0.368	1.00	Pass
	HCH		1	23	1	24	21.891	21.839	24.8754	25.66	0.368	1.00	Pass
		16 QA M	12	6	8	0	21.677	21.866	24.7828	25.55	0.359	1.00	Pass
	LCH		1	1	1	0	22.000	21.796	24.9095	25.70	0.372	1.00	Pass
			12	6	8	0	21.685	21.852	24.7796	25.55	0.359	1.00	Pass
	MCH		12	6	8	0	21.824	21.846	24.8453	25.63	0.365	1.00	Pass
	HCH		1	23	1	24	22.025	21.830	24.9389	25.73	0.374	1.00	Pass
		64 QA M	12	6	8	0	21.785	21.881	24.8436	25.62	0.365	1.00	Pass
	LCH		1	1	1	0	21.670	21.604	24.6474	25.43	0.349	1.00	Pass
			12	6	8	0	21.814	21.877	24.8559	25.63	0.366	1.00	Pass
	MCH		12	6	8	0	21.642	21.857	24.7611	25.53	0.357	1.00	Pass
	HCH		1	23	1	24	22.086	21.820	24.9653	25.76	0.377	1.00	Pass
		256 QA M	12	6	8	0	21.741	21.818	24.79	25.57	0.360	1.00	Pass
	LCH		1	1	1	0	19.884	21.690	23.8905	24.57	0.287	1.00	Pass
			12	6	8	0	19.826	21.747	23.9022	24.58	0.287	1.00	Pass
	MCH		12	6	8	0	19.985	21.955	24.0911	24.77	0.300	1.00	Pass
	HCH		1	23	1	24	19.931	21.722	23.9285	24.61	0.289	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.771	21.860	23.9502	24.62	0.290	1.00	Pass
	LCH		1	1	1	0	21.502	21.700	24.6124	25.38	0.345	1.00	Pass
			108	54	18	0	21.575	21.890	24.7457	25.51	0.356	1.00	Pass
	MCH		108	54	18	0	21.663	21.747	24.7155	25.49	0.354	1.00	Pass
	HCH	QP SK	1	214	1	99	21.822	21.562	24.7042	25.50	0.355	1.00	Pass
			108	54	18	0	21.593	21.873	24.7456	25.51	0.356	1.00	Pass
	LCH		1	1	1	0	21.721	21.592	24.6673	25.46	0.351	1.00	Pass
			108	54	18	0	21.697	21.879	24.7993	25.57	0.361	1.00	Pass
	MCH	HCH	108	54	18	0	21.562	21.826	24.7063	25.47	0.353	1.00	Pass
			1	214	1	99	21.923	21.755	24.8501	25.64	0.366	1.00	Pass
	HCH		108	54	18	0	21.590	21.762	24.6872	25.46	0.351	1.00	Pass

	LCH	16	1	1	1	0	21.383	21.565	24.4853	25.26	0.335	1.00	Pass
			108	54	18	0	21.660	21.811	24.7465	25.52	0.356	1.00	Pass
	MCH	QA	108	54	18	0	21.654	21.924	24.8014	25.57	0.360	1.00	Pass
	HCH	M	1	214	1	99	21.468	21.677	24.5841	25.35	0.343	1.00	Pass
			108	54	18	0	21.598	21.891	24.7573	25.52	0.357	1.00	Pass
	LCH	64	1	1	1	0	21.501	21.588	24.555	25.33	0.341	1.00	Pass
			108	54	18	0	21.660	21.767	24.7241	25.50	0.355	1.00	Pass
	MCH	QA	108	54	18	0	21.675	21.745	24.7204	25.50	0.355	1.00	Pass
	HCH	M	1	214	1	99	21.756	21.734	24.7553	25.54	0.358	1.00	Pass
			108	54	18	0	21.577	21.728	24.6635	25.44	0.350	1.00	Pass
	LCH	256	1	1	1	0	19.841	21.583	23.8091	24.50	0.282	1.00	Pass
			108	54	18	0	19.629	21.841	23.8846	24.55	0.285	1.00	Pass
	MCH	QA	108	54	18	0	19.828	21.800	23.9353	24.61	0.289	1.00	Pass
	HCH	M	1	214	1	99	19.973	21.753	23.9639	24.65	0.292	1.00	Pass
			108	54	18	0	19.831	21.806	23.9401	24.61	0.289	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.829	21.865	24.8573	24.69	0.295	1.00	Pass
			12	6	8	0	21.751	21.904	24.8385	24.68	0.294	1.00	Pass
	MCH		12	6	8	0	21.624	22.003	24.8279	24.68	0.294	1.00	Pass
	HCH		1	23	1	24	21.890	22.024	24.9678	24.81	0.303	1.00	Pass
			12	6	8	0	21.777	22.033	24.9172	24.77	0.300	1.00	Pass
	LCH	QP SK	1	1	1	0	21.708	21.856	24.7929	24.64	0.291	1.00	Pass
			12	6	8	0	21.624	21.964	24.8076	24.66	0.293	1.00	Pass
	MCH		12	6	8	0	21.704	22.013	24.8715	24.72	0.297	1.00	Pass
	HCH		1	23	1	24	21.782	21.934	24.869	24.71	0.296	1.00	Pass
			12	6	8	0	21.736	22.043	24.9025	24.75	0.299	1.00	Pass
	LCH	16 QA M	1	1	1	0	21.690	21.667	24.6888	24.52	0.283	1.00	Pass
			12	6	8	0	21.777	21.860	24.829	24.67	0.293	1.00	Pass
	MCH		12	6	8	0	21.680	21.870	24.7863	24.63	0.291	1.00	Pass
	HCH		1	23	1	24	21.866	21.896	24.8913	24.73	0.297	1.00	Pass
			12	6	8	0	21.736	21.928	24.8434	24.69	0.294	1.00	Pass
	LCH	64 QA M	1	1	1	0	21.486	21.856	24.6852	24.54	0.284	1.00	Pass
			12	6	8	0	21.732	21.878	24.8159	24.66	0.292	1.00	Pass
	MCH		12	6	8	0	21.737	21.986	24.8736	24.72	0.297	1.00	Pass
	HCH		1	23	1	24	21.835	21.979	24.9179	24.76	0.299	1.00	Pass
			12	6	8	0	21.854	21.984	24.9298	24.77	0.300	1.00	Pass
	LCH	256 QA M	1	1	1	0	19.906	21.764	23.9439	23.88	0.244	1.00	Pass
			12	6	8	0	19.818	21.946	24.0214	23.97	0.249	1.00	Pass
	MCH		12	6	8	0	19.780	21.887	23.9703	23.92	0.246	1.00	Pass
	HCH		1	23	1	24	20.102	21.925	24.1188	24.05	0.254	1.00	Pass
			12	6	8	0	19.950	21.910	24.0499	23.99	0.250	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.517	21.306	24.4231	24.25	0.266	1.00	Pass
			108	54	18	0	21.672	21.791	24.7422	24.58	0.287	1.00	Pass
	MCH		108	54	18	0	21.456	21.750	24.6158	24.47	0.280	1.00	Pass
	HCH		1	214	1	99	21.506	21.419	24.473	24.30	0.269	1.00	Pass
			108	54	18	0	21.399	21.660	24.5418	24.39	0.275	1.00	Pass
	LCH	QP SK	1	1	1	0	21.413	21.804	24.6232	24.48	0.281	1.00	Pass
			108	54	18	0	21.563	21.805	24.696	24.54	0.285	1.00	Pass
	MCH		108	54	18	0	21.436	21.760	24.6113	24.46	0.280	1.00	Pass
	HCH		1	214	1	99	21.486	21.559	24.533	24.37	0.274	1.00	Pass
			108	54	18	0	21.504	21.665	24.5955	24.44	0.278	1.00	Pass

	LCH	16	1	1	1	0	21.553	21.472	24.523	24.35	0.273	1.00	Pass
			108	54	18	0	21.560	21.721	24.6515	24.50	0.282	1.00	Pass
	MCH	QA	108	54	18	0	21.452	21.712	24.5942	24.44	0.278	1.00	Pass
			1	214	1	99	21.363	21.572	24.4791	24.33	0.271	1.00	Pass
	HCH	M	108	54	18	0	21.615	21.687	24.6614	24.50	0.282	1.00	Pass
			1	1	1	0	21.380	21.366	24.3833	24.22	0.264	1.00	Pass
	LCH	64	108	54	18	0	21.470	21.666	24.5794	24.43	0.277	1.00	Pass
			108	54	18	0	21.588	21.650	24.6294	24.47	0.280	1.00	Pass
	MCH	QA	108	54	18	0	21.588	21.650	24.6294	24.47	0.280	1.00	Pass
			1	214	1	99	21.311	21.541	24.4378	24.29	0.268	1.00	Pass
	HCH	M	108	54	18	0	21.484	21.861	24.6869	24.54	0.285	1.00	Pass
			1	1	1	0	19.743	21.453	23.6919	23.62	0.230	1.00	Pass
	LCH	256	108	54	18	0	19.670	21.678	23.7993	23.74	0.237	1.00	Pass
			108	54	18	0	19.513	21.750	23.7843	23.74	0.236	1.00	Pass
	MCH	QA	108	54	18	0	19.513	21.750	23.7843	23.74	0.236	1.00	Pass
			1	214	1	99	19.334	21.512	23.5684	23.52	0.225	1.00	Pass
	HCH	M	108	54	18	0	19.676	21.655	23.7876	23.73	0.236	1.00	Pass
			108	54	18	0	19.676	21.655	23.7876	23.73	0.236	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_12A_n2A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.199	20.063	22.6628	18.52	0.071	2.00	Pass
			12	6	8	0	19.062	20.324	22.749	18.54	0.072	2.00	Pass
	MCH		12	6	8	0	19.118	20.376	22.8027	18.60	0.072	2.00	Pass
	HCH		1	23	1	24	19.039	20.225	22.6827	18.49	0.071	2.00	Pass
		QP SK	12	6	8	0	19.045	20.299	22.7274	18.52	0.071	2.00	Pass
	LCH		1	1	1	0	19.200	20.101	22.6841	18.54	0.071	2.00	Pass
			12	6	8	0	19.121	20.302	22.7618	18.57	0.072	2.00	Pass
	MCH		12	6	8	0	19.005	20.288	22.704	18.50	0.071	2.00	Pass
	HCH		1	23	1	24	19.017	20.221	22.6709	18.48	0.070	2.00	Pass
		16 QA M	12	6	8	0	19.133	20.320	22.7772	18.58	0.072	2.00	Pass
	LCH		1	1	1	0	19.019	20.127	22.6185	18.44	0.070	2.00	Pass
			12	6	8	0	19.062	20.377	22.7794	18.57	0.072	2.00	Pass
	MCH		12	6	8	0	19.104	20.341	22.7767	18.58	0.072	2.00	Pass
	HCH		1	23	1	24	19.049	20.174	22.6581	18.48	0.070	2.00	Pass
		64 QA M	12	6	8	0	18.981	20.220	22.6548	18.45	0.070	2.00	Pass
	LCH		1	1	1	0	18.954	20.179	22.6198	18.42	0.070	2.00	Pass
			12	6	8	0	19.089	20.290	22.7412	18.55	0.072	2.00	Pass
	MCH		12	6	8	0	19.040	20.303	22.7276	18.52	0.071	2.00	Pass
	HCH		1	23	1	24	19.135	20.069	22.6374	18.49	0.071	2.00	Pass
		256 QA M	12	6	8	0	19.121	20.358	22.7937	18.59	0.072	2.00	Pass
	LCH		1	1	1	0	19.397	20.229	22.8432	18.71	0.074	2.00	Pass
			12	6	8	0	19.051	20.305	22.7334	18.53	0.071	2.00	Pass
	MCH		12	6	8	0	18.940	20.287	22.6758	18.46	0.070	2.00	Pass
	HCH		1	23	1	24	18.876	20.218	22.6089	18.39	0.069	2.00	Pass
		PI/2 BP SK	12	6	8	0	18.980	20.310	22.706	18.49	0.071	2.00	Pass
10MHz(LTE) + 20MHz(NR)	LCH		1	1	1	0	19.038	20.226	22.6828	18.49	0.071	2.00	Pass
			50	25	18	0	19.214	20.407	22.8616	18.67	0.074	2.00	Pass
	MCH		50	25	18	0	19.194	20.399	22.8485	18.65	0.073	2.00	Pass
	HCH		1	104	1	99	18.925	20.193	22.6154	18.41	0.069	2.00	Pass
		QP SK	50	25	18	0	19.218	20.520	22.9279	18.72	0.074	2.00	Pass
	LCH		1	1	1	0	18.995	20.376	22.7505	18.53	0.071	2.00	Pass
			50	25	18	0	19.168	20.449	22.8659	18.66	0.073	2.00	Pass
	MCH		50	25	18	0	19.151	20.501	22.8885	18.67	0.074	2.00	Pass
	HCH		1	104	1	99	18.824	20.081	22.5081	18.30	0.068	2.00	Pass
		PI/2 BP SK	50	25	18	0	19.203	20.414	22.8609	18.66	0.074	2.00	Pass
	LCH		1	1	1	0	19.038	20.226	22.6828	18.49	0.071	2.00	Pass
			50	25	18	0	19.214	20.407	22.8616	18.67	0.074	2.00	Pass

	LCH	16	1	1	1	0	18.959	20.320	22.7029	18.48	0.070	2.00	Pass
			50	25	18	0	19.249	20.462	22.908	18.71	0.074	2.00	Pass
	MCH	QA	50	25	18	0	19.127	20.451	22.8496	18.63	0.073	2.00	Pass
			1	104	1	99	18.883	20.195	22.5987	18.39	0.069	2.00	Pass
	HCH	M	50	25	18	0	19.220	20.520	22.9288	18.72	0.074	2.00	Pass
			1	1	1	0	18.980	20.272	22.6842	18.47	0.070	2.00	Pass
	LCH	64	50	25	18	0	19.228	20.387	22.8563	18.67	0.074	2.00	Pass
			50	25	18	0	19.229	20.488	22.9143	18.71	0.074	2.00	Pass
	MCH	QA	50	25	18	0	19.229	20.488	22.9143	18.71	0.074	2.00	Pass
			1	104	1	99	19.026	20.036	22.5706	18.41	0.069	2.00	Pass
	HCH	M	50	25	18	0	19.187	20.471	22.8866	18.68	0.074	2.00	Pass
			1	1	1	0	18.849	20.425	22.7184	18.46	0.070	2.00	Pass
	LCH	256	50	25	18	0	19.087	20.523	22.8744	18.64	0.073	2.00	Pass
			50	25	18	0	19.099	20.487	22.8585	18.63	0.073	2.00	Pass
	MCH	QA	50	25	18	0	19.099	20.487	22.8585	18.63	0.073	2.00	Pass
			1	104	1	99	18.527	20.076	22.3805	18.13	0.065	2.00	Pass
	HCH	M	50	25	18	0	18.996	20.466	22.8032	18.56	0.072	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_12A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.145	20.125	22.6729	20.31	0.107	1.00	Pass
			12	6	8	0	19.134	20.321	22.7782	20.35	0.108	1.00	Pass
	MCH		12	6	8	0	19.031	20.399	22.7789	20.30	0.107	1.00	Pass
	HCH		1	23	1	24	19.175	20.111	22.6785	20.33	0.108	1.00	Pass
		QP SK	12	6	8	0	19.144	20.318	22.7808	20.36	0.109	1.00	Pass
	LCH		1	1	1	0	19.013	20.387	22.7644	20.28	0.107	1.00	Pass
			12	6	8	0	19.112	20.333	22.7756	20.34	0.108	1.00	Pass
	MCH		12	6	8	0	19.058	20.307	22.7375	20.29	0.107	1.00	Pass
	HCH		1	23	1	24	19.205	20.033	22.649	20.33	0.108	1.00	Pass
		16 QA M	12	6	8	0	19.187	20.349	22.817	20.40	0.110	1.00	Pass
	LCH		1	1	1	0	18.927	20.225	22.6346	20.17	0.104	1.00	Pass
			12	6	8	0	19.181	20.377	22.8303	20.40	0.110	1.00	Pass
	MCH		12	6	8	0	19.134	20.378	22.8107	20.37	0.109	1.00	Pass
	HCH		1	23	1	24	19.280	20.210	22.7801	20.43	0.110	1.00	Pass
		64 QA M	12	6	8	0	19.058	20.335	22.7536	20.30	0.107	1.00	Pass
	LCH		1	1	1	0	19.120	20.179	22.692	20.30	0.107	1.00	Pass
			12	6	8	0	19.099	20.305	22.754	20.32	0.108	1.00	Pass
	MCH		12	6	8	0	19.089	20.286	22.7389	20.31	0.107	1.00	Pass
	HCH		1	23	1	24	19.055	20.129	22.6354	20.24	0.106	1.00	Pass
		256 QA M	12	6	8	0	19.169	20.262	22.7601	20.36	0.109	1.00	Pass
	LCH		1	1	1	0	19.258	20.168	22.7471	20.40	0.110	1.00	Pass
			12	6	8	0	19.026	20.330	22.7371	20.28	0.107	1.00	Pass
	MCH		12	6	8	0	19.013	20.271	22.6977	20.25	0.106	1.00	Pass
	HCH		1	23	1	24	18.886	20.170	22.5856	20.13	0.103	1.00	Pass
			12	6	8	0	19.070	20.412	22.8029	20.33	0.108	1.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.780	20.230	22.5755	20.07	0.102	1.00	Pass
			108	54	18	0	19.168	20.598	22.9519	20.45	0.111	1.00	Pass
	MCH		108	54	18	0	19.125	20.484	22.8677	20.39	0.109	1.00	Pass
	HCH		1	214	1	99	19.292	20.183	22.7706	20.43	0.110	1.00	Pass
		QP SK	108	54	18	0	19.162	20.524	22.9065	20.43	0.110	1.00	Pass
	LCH		1	1	1	0	18.713	20.415	22.6571	20.08	0.102	1.00	Pass
			108	54	18	0	19.235	20.522	22.9363	20.48	0.112	1.00	Pass
	MCH		108	54	18	0	19.194	20.485	22.8976	20.44	0.111	1.00	Pass
	HCH		1	214	1	99	19.396	20.163	22.8067	20.50	0.112	1.00	Pass
			108	54	18	0	19.206	20.617	22.9789	20.49	0.112	1.00	Pass

	LCH	16	1	1	1	0	18.896	20.333	22.684	20.18	0.104	1.00	Pass
			108	54	18	0	19.243	20.453	22.9003	20.47	0.111	1.00	Pass
	MCH	QA	108	54	18	0	19.284	20.447	22.9146	20.50	0.112	1.00	Pass
			1	214	1	99	19.317	20.123	22.749	20.44	0.111	1.00	Pass
	HCH	M	108	54	18	0	19.239	20.527	22.9409	20.48	0.112	1.00	Pass
			1	1	1	0	18.625	20.408	22.6177	20.01	0.100	1.00	Pass
	LCH	64	108	54	18	0	19.167	20.634	22.9724	20.46	0.111	1.00	Pass
			108	54	18	0	19.177	20.509	22.9042	20.43	0.111	1.00	Pass
	MCH	QA	108	54	18	0	19.177	20.509	22.9042	20.43	0.111	1.00	Pass
			1	214	1	99	19.199	20.157	22.7147	20.36	0.109	1.00	Pass
	HCH	M	108	54	18	0	19.122	20.473	22.8601	20.38	0.109	1.00	Pass
			1	1	1	0	18.709	20.397	22.6448	20.07	0.102	1.00	Pass
	LCH	256	108	54	18	0	19.043	20.584	22.8918	20.36	0.109	1.00	Pass
			108	54	18	0	19.164	20.574	22.9363	20.44	0.111	1.00	Pass
	MCH	QA	108	54	18	0	19.164	20.574	22.9363	20.44	0.111	1.00	Pass
			1	214	1	99	18.746	20.217	22.5538	20.04	0.101	1.00	Pass
	HCH	M	108	54	18	0	19.049	20.521	22.8574	20.35	0.108	1.00	Pass
			108	54	18	0	19.049	20.521	22.8574	20.35	0.108	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_12A_n77A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.830	21.847	24.8488	21.07	0.128	1.00	Pass
			12	6	8	0	21.901	21.936	24.9288	21.32	0.135	1.00	Pass
	MCH		12	6	8	0	21.739	21.950	24.8561	21.39	0.138	1.00	Pass
	HCH		1	23	1	24	22.044	21.897	24.9814	21.40	0.138	1.00	Pass
		QP SK	12	6	8	0	21.775	21.832	24.8139	21.29	0.134	1.00	Pass
	LCH		1	1	1	0	21.780	21.787	24.7938	21.09	0.128	1.00	Pass
			12	6	8	0	21.872	21.901	24.8968	21.43	0.139	1.00	Pass
	MCH		12	6	8	0	21.755	22.009	24.8942	21.33	0.136	1.00	Pass
	HCH		1	23	1	24	21.891	21.839	24.8754	21.43	0.139	1.00	Pass
		16 QA M	12	6	8	0	21.677	21.866	24.7828	21.37	0.137	1.00	Pass
	LCH		1	1	1	0	22.000	21.796	24.9095	21.21	0.132	1.00	Pass
			12	6	8	0	21.685	21.852	24.7796	21.29	0.135	1.00	Pass
	MCH		12	6	8	0	21.824	21.846	24.8453	21.24	0.133	1.00	Pass
	HCH		1	23	1	24	22.025	21.830	24.9389	21.43	0.139	1.00	Pass
		64 QA M	12	6	8	0	21.785	21.881	24.8436	21.25	0.133	1.00	Pass
	LCH		1	1	1	0	21.670	21.604	24.6474	21.12	0.129	1.00	Pass
			12	6	8	0	21.814	21.877	24.8559	21.25	0.133	1.00	Pass
	MCH		12	6	8	0	21.642	21.857	24.7611	21.31	0.135	1.00	Pass
	HCH		1	23	1	24	22.086	21.820	24.9653	21.34	0.136	1.00	Pass
		256 QA M	12	6	8	0	21.741	21.818	24.79	21.31	0.135	1.00	Pass
	LCH		1	1	1	0	19.884	21.690	23.8905	21.17	0.131	1.00	Pass
			12	6	8	0	19.826	21.747	23.9022	21.28	0.134	1.00	Pass
	MCH		12	6	8	0	19.985	21.955	24.0911	21.32	0.136	1.00	Pass
	HCH		1	23	1	24	19.931	21.722	23.9285	21.21	0.132	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.771	21.860	23.9502	21.28	0.134	1.00	Pass
	LCH		1	1	1	0	21.502	21.700	24.6124	21.22	0.132	1.00	Pass
			108	54	18	0	21.575	21.890	24.7457	21.17	0.131	1.00	Pass
	MCH		108	54	18	0	21.663	21.747	24.7155	21.14	0.130	1.00	Pass
10MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	214	1	99	21.822	21.562	24.7042	21.38	0.138	1.00	Pass
			108	54	18	0	21.593	21.873	24.7456	21.17	0.131	1.00	Pass
	LCH		1	1	1	0	21.721	21.592	24.6673	21.31	0.135	1.00	Pass
			108	54	18	0	21.697	21.879	24.7993	21.19	0.131	1.00	Pass
	MCH	PI/2 BP SK	108	54	18	0	21.562	21.826	24.7063	21.18	0.131	1.00	Pass
	HCH		1	214	1	99	21.923	21.755	24.8501	21.35	0.137	1.00	Pass
			108	54	18	0	21.590	21.762	24.6872	21.13	0.130	1.00	Pass
	LCH		108	54	18	0	21.590	21.762	24.6872	21.13	0.130	1.00	Pass

	LCH	16	1	1	1	0	21.383	21.565	24.4853	21.17	0.131	1.00	Pass
			108	54	18	0	21.660	21.811	24.7465	21.15	0.130	1.00	Pass
	MCH	QA	108	54	18	0	21.654	21.924	24.8014	21.27	0.134	1.00	Pass
			1	214	1	99	21.468	21.677	24.5841	21.40	0.138	1.00	Pass
	HCH	M	108	54	18	0	21.598	21.891	24.7573	21.22	0.132	1.00	Pass
			1	1	1	0	21.501	21.588	24.555	21.17	0.131	1.00	Pass
	LCH	64	108	54	18	0	21.660	21.767	24.7241	21.17	0.131	1.00	Pass
			108	54	18	0	21.675	21.745	24.7204	21.15	0.130	1.00	Pass
	MCH	QA	108	54	18	0	21.675	21.745	24.7204	21.15	0.130	1.00	Pass
			1	214	1	99	21.756	21.734	24.7553	21.15	0.130	1.00	Pass
	HCH	M	108	54	18	0	21.577	21.728	24.6635	21.12	0.130	1.00	Pass
			1	1	1	0	19.841	21.583	23.8091	21.16	0.131	1.00	Pass
	LCH	256	108	54	18	0	19.629	21.841	23.8846	21.04	0.127	1.00	Pass
			108	54	18	0	19.828	21.800	23.9353	21.01	0.126	1.00	Pass
	MCH	QA	108	54	18	0	19.828	21.800	23.9353	21.01	0.126	1.00	Pass
			1	214	1	99	19.973	21.753	23.9639	21.03	0.127	1.00	Pass
	HCH	M	108	54	18	0	19.831	21.806	23.9401	21.10	0.129	1.00	Pass
			108	54	18	0	19.831	21.806	23.9401	21.10	0.129	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_12A_n77A(3700-3980)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.071	20.263	22.7181	19.92	0.098	1.00	Pass
			12	6	8	0	18.955	20.162	22.6106	19.80	0.096	1.00	Pass
	MCH		12	6	8	0	18.946	20.253	22.6588	19.83	0.096	1.00	Pass
	HCH		1	23	1	24	18.694	20.132	22.4825	19.61	0.091	1.00	Pass
			12	6	8	0	19.000	20.275	22.6944	19.87	0.097	1.00	Pass
	LCH	QP SK	1	1	1	0	18.941	19.969	22.4956	19.74	0.094	1.00	Pass
			12	6	8	0	18.952	20.290	22.6826	19.84	0.096	1.00	Pass
	MCH		12	6	8	0	18.934	20.246	22.6497	19.81	0.096	1.00	Pass
	HCH		1	23	1	24	18.610	20.116	22.4383	19.55	0.090	1.00	Pass
			12	6	8	0	19.013	20.278	22.7017	19.88	0.097	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.941	20.143	22.5938	19.79	0.095	1.00	Pass
			12	6	8	0	19.123	20.143	22.6732	19.92	0.098	1.00	Pass
	MCH		12	6	8	0	19.003	20.354	22.7411	19.90	0.098	1.00	Pass
	HCH		1	23	1	24	18.684	20.112	22.4667	19.60	0.091	1.00	Pass
			12	6	8	0	18.977	20.205	22.6446	19.83	0.096	1.00	Pass
	LCH	64 QA M	1	1	1	0	18.939	20.106	22.5719	19.78	0.095	1.00	Pass
			12	6	8	0	18.940	20.327	22.6989	19.84	0.096	1.00	Pass
	MCH		12	6	8	0	18.869	20.171	22.5789	19.75	0.094	1.00	Pass
	HCH		1	23	1	24	18.438	19.999	22.2986	19.39	0.087	1.00	Pass
			12	6	8	0	19.028	20.267	22.7018	19.89	0.097	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.986	20.003	22.5345	19.78	0.095	1.00	Pass
			12	6	8	0	18.882	20.145	22.5696	19.75	0.094	1.00	Pass
	MCH		12	6	8	0	18.828	20.245	22.6043	19.74	0.094	1.00	Pass
	HCH		1	23	1	24	18.524	20.060	22.3699	19.47	0.089	1.00	Pass
			12	6	8	0	18.767	20.166	22.5329	19.67	0.093	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.744	20.191	22.5378	19.67	0.093	1.00	Pass
			108	54	18	0	18.794	20.458	22.7155	19.78	0.095	1.00	Pass
	MCH		108	54	18	0	18.752	20.435	22.6848	19.75	0.094	1.00	Pass
	HCH		1	214	1	99	18.433	20.022	22.3101	19.40	0.087	1.00	Pass
			108	54	18	0	18.711	20.490	22.7013	19.74	0.094	1.00	Pass
	LCH	QP SK	1	1	1	0	18.814	20.271	22.6136	19.74	0.094	1.00	Pass
			108	54	18	0	18.589	20.373	22.5823	19.62	0.092	1.00	Pass
	MCH		108	54	18	0	18.683	20.416	22.6457	19.69	0.093	1.00	Pass
	HCH		1	214	1	99	18.451	20.138	22.3862	19.45	0.088	1.00	Pass
			108	54	18	0	18.631	20.386	22.6069	19.65	0.092	1.00	Pass

	LCH	16	1	1	1	0	18.882	20.361	22.6945	19.81	0.096	1.00	Pass
			108	54	18	0	18.630	20.336	22.5765	19.63	0.092	1.00	Pass
	MCH	QA	108	54	18	0	18.625	20.330	22.5709	19.63	0.092	1.00	Pass
	HCH	M	1	214	1	99	18.340	20.101	22.3195	19.36	0.086	1.00	Pass
			108	54	18	0	18.690	20.409	22.6443	19.70	0.093	1.00	Pass
	LCH	64	1	1	1	0	18.919	20.182	22.6066	19.78	0.095	1.00	Pass
			108	54	18	0	18.553	20.375	22.5692	19.59	0.091	1.00	Pass
	MCH	QA	108	54	18	0	18.542	20.382	22.569	19.59	0.091	1.00	Pass
	HCH	M	1	214	1	99	18.155	20.139	22.2696	19.25	0.084	1.00	Pass
			108	54	18	0	18.609	20.466	22.6463	19.66	0.092	1.00	Pass
	LCH	256	1	1	1	0	18.647	20.159	22.4788	19.59	0.091	1.00	Pass
			108	54	18	0	18.666	20.445	22.6563	19.69	0.093	1.00	Pass
	MCH	QA	108	54	18	0	18.568	20.415	22.5993	19.62	0.092	1.00	Pass
	HCH	M	1	214	1	99	18.482	20.029	22.3343	19.43	0.088	1.00	Pass
			108	54	18	0	18.497	20.354	22.5343	19.55	0.090	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.722	20.797	24.2944	24.96	0.313	1.00	Pass
			12	6	8	0	21.750	20.989	24.3964	25.05	0.320	1.00	Pass
	MCH		12	6	8	0	21.749	21.058	24.4275	25.08	0.322	1.00	Pass
	HCH		1	23	1	24	21.828	20.966	24.4287	25.09	0.323	1.00	Pass
		QP SK	12	6	8	0	21.801	21.044	24.4493	25.10	0.324	1.00	Pass
	LCH		1	1	1	0	21.757	20.714	24.277	24.95	0.313	1.00	Pass
			12	6	8	0	21.676	21.055	24.3869	25.03	0.318	1.00	Pass
	MCH		12	6	8	0	21.779	21.020	24.4264	25.08	0.322	1.00	Pass
	HCH		1	23	1	24	21.860	20.922	24.4266	25.09	0.323	1.00	Pass
		16 QA M	12	6	8	0	21.643	20.971	24.3303	24.98	0.315	1.00	Pass
	LCH		1	1	1	0	21.878	20.819	24.391	25.07	0.321	1.00	Pass
			12	6	8	0	21.652	20.952	24.3264	24.98	0.314	1.00	Pass
	MCH		12	6	8	0	21.826	21.033	24.4579	25.11	0.325	1.00	Pass
	HCH		1	23	1	24	21.969	21.002	24.5227	25.19	0.331	1.00	Pass
		64 QA M	12	6	8	0	21.808	20.945	24.4082	25.07	0.321	1.00	Pass
	LCH		1	1	1	0	21.783	20.791	24.3256	25.00	0.316	1.00	Pass
			12	6	8	0	21.840	20.936	24.4218	25.09	0.323	1.00	Pass
	MCH		12	6	8	0	21.730	21.018	24.3989	25.05	0.320	1.00	Pass
	HCH		1	23	1	24	21.850	21.029	24.4692	25.13	0.326	1.00	Pass
		256 QA M	12	6	8	0	21.718	21.014	24.3905	25.04	0.319	1.00	Pass
	LCH		1	1	1	0	19.739	20.804	23.3144	23.82	0.241	1.00	Pass
			12	6	8	0	19.865	21.042	23.5036	24.00	0.251	1.00	Pass
	MCH		12	6	8	0	19.901	21.039	23.5175	24.02	0.252	1.00	Pass
	HCH		1	23	1	24	20.040	20.957	23.533	24.05	0.254	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.777	21.000	23.4417	23.94	0.248	1.00	Pass
	LCH		1	1	1	0	21.773	20.938	24.3858	25.05	0.320	1.00	Pass
			108	54	18	0	21.640	20.864	24.2796	24.93	0.312	1.00	Pass
	MCH		108	54	18	0	21.615	20.946	24.3037	24.95	0.313	1.00	Pass
	HCH	QP SK	1	214	1	99	21.928	20.902	24.4555	25.13	0.326	1.00	Pass
			108	54	18	0	21.675	20.908	24.3187	24.97	0.314	1.00	Pass
	LCH		1	1	1	0	21.707	21.099	24.4239	25.07	0.321	1.00	Pass
			108	54	18	0	21.564	20.982	24.293	24.93	0.311	1.00	Pass
	MCH	HCH	108	54	18	0	21.559	20.877	24.2417	24.89	0.308	1.00	Pass
			1	214	1	99	21.762	20.995	24.4057	25.06	0.321	1.00	Pass
	HCH		108	54	18	0	21.722	20.926	24.3525	25.01	0.317	1.00	Pass

	LCH	16	1	1	1	0	21.568	20.905	24.2594	24.91	0.309	1.00	Pass
			108	54	18	0	21.674	20.907	24.3177	24.97	0.314	1.00	Pass
	MCH	QA	108	54	18	0	21.715	20.910	24.3414	25.00	0.316	1.00	Pass
	HCH	M	1	214	1	99	21.828	21.037	24.4608	25.12	0.325	1.00	Pass
			108	54	18	0	21.570	20.873	24.2458	24.89	0.309	1.00	Pass
	LCH	64	1	1	1	0	21.590	20.788	24.2178	24.87	0.307	1.00	Pass
			108	54	18	0	21.674	20.969	24.3461	25.00	0.316	1.00	Pass
	MCH	QA	108	54	18	0	21.752	20.974	24.3907	25.05	0.320	1.00	Pass
	HCH	M	1	214	1	99	21.871	20.970	24.4541	25.12	0.325	1.00	Pass
			108	54	18	0	21.771	20.864	24.3514	25.02	0.317	1.00	Pass
	LCH	256	1	1	1	0	20.189	20.929	23.585	24.12	0.258	1.00	Pass
			108	54	18	0	19.678	20.983	23.3896	23.88	0.244	1.00	Pass
	MCH	QA	108	54	18	0	19.628	20.859	23.2973	23.79	0.240	1.00	Pass
	HCH	M	1	214	1	99	19.812	20.918	23.4104	23.92	0.246	1.00	Pass
			108	54	18	0	19.763	20.835	23.3423	23.85	0.243	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.799	21.003	24.4295	24.01	0.252	1.00	Pass
			12	6	8	0	21.742	21.210	24.4944	24.08	0.256	1.00	Pass
	MCH		12	6	8	0	21.824	21.195	24.5312	24.12	0.258	1.00	Pass
	HCH		1	23	1	24	21.792	21.149	24.4927	24.08	0.256	1.00	Pass
		QP SK	12	6	8	0	21.687	21.156	24.4399	24.03	0.253	1.00	Pass
	LCH		1	1	1	0	21.814	20.981	24.4277	24.01	0.252	1.00	Pass
			12	6	8	0	21.681	21.086	24.404	23.99	0.251	1.00	Pass
	MCH		12	6	8	0	21.682	21.187	24.4518	24.04	0.254	1.00	Pass
	HCH		1	23	1	24	21.830	21.143	24.5104	24.09	0.257	1.00	Pass
		16 QA M	12	6	8	0	21.747	21.256	24.5187	24.11	0.257	1.00	Pass
	LCH		1	1	1	0	21.649	20.969	24.3326	23.92	0.246	1.00	Pass
			12	6	8	0	21.765	21.145	24.4764	24.06	0.255	1.00	Pass
	MCH		12	6	8	0	21.733	21.267	24.5165	24.11	0.257	1.00	Pass
	HCH		1	23	1	24	21.735	21.103	24.4408	24.02	0.253	1.00	Pass
		64 QA M	12	6	8	0	21.659	21.246	24.4677	24.06	0.255	1.00	Pass
	LCH		1	1	1	0	21.844	21.000	24.4528	24.03	0.253	1.00	Pass
			12	6	8	0	21.664	21.207	24.4518	24.04	0.254	1.00	Pass
	MCH		12	6	8	0	21.804	21.204	24.5247	24.11	0.258	1.00	Pass
	HCH		1	23	1	24	21.867	21.055	24.4902	24.07	0.255	1.00	Pass
		256 QA M	12	6	8	0	21.797	21.203	24.5204	24.11	0.257	1.00	Pass
	LCH		1	1	1	0	19.824	21.133	23.5379	23.18	0.208	1.00	Pass
			12	6	8	0	19.751	21.181	23.5349	23.18	0.208	1.00	Pass
	MCH		12	6	8	0	19.914	21.145	23.5833	23.22	0.210	1.00	Pass
	HCH		1	23	1	24	19.903	21.137	23.574	23.21	0.210	1.00	Pass
		PI/2 BP SK	12	6	8	0	19.869	21.136	23.5588	23.20	0.209	1.00	Pass
	LCH		1	1	1	0	21.557	20.532	24.085	23.66	0.232	1.00	Pass
			108	54	18	0	21.541	21.049	24.3123	23.90	0.245	1.00	Pass
	MCH		108	54	18	0	21.626	21.128	24.3944	23.98	0.250	1.00	Pass
	HCH		1	214	1	99	21.444	20.783	24.1364	23.72	0.235	1.00	Pass
		QP SK	108	54	18	0	21.490	21.078	24.2992	23.89	0.245	1.00	Pass
	LCH		1	1	1	0	21.496	20.809	24.1764	23.76	0.238	1.00	Pass
			108	54	18	0	21.625	21.057	24.3606	23.95	0.248	1.00	Pass
	MCH		108	54	18	0	21.394	21.039	24.2304	23.82	0.241	1.00	Pass
	HCH		1	214	1	99	21.228	20.860	24.0582	23.65	0.232	1.00	Pass
		100M Hz(NR)	108	54	18	0	21.663	21.095	24.3986	23.98	0.250	1.00	Pass

	LCH	16	1	1	1	0	21.562	20.880	24.2447	23.83	0.241	1.00	Pass
			108	54	18	0	21.649	21.077	24.3827	23.97	0.249	1.00	Pass
	MCH	QA	108	54	18	0	21.665	21.062	24.3843	23.97	0.249	1.00	Pass
			1	214	1	99	21.462	20.817	24.1618	23.75	0.237	1.00	Pass
	HCH	M	108	54	18	0	21.545	21.049	24.3144	23.90	0.246	1.00	Pass
			1	1	1	0	21.502	20.865	24.2055	23.79	0.239	1.00	Pass
	LCH	64	108	54	18	0	21.482	21.037	24.2755	23.86	0.243	1.00	Pass
			108	54	18	0	21.512	21.029	24.2875	23.88	0.244	1.00	Pass
	MCH	QA	108	54	18	0	21.512	21.029	24.2875	23.88	0.244	1.00	Pass
			1	214	1	99	21.346	20.896	24.1371	23.73	0.236	1.00	Pass
	HCH	M	108	54	18	0	21.506	21.023	24.2815	23.87	0.244	1.00	Pass
			1	1	1	0	19.676	20.811	23.2908	22.93	0.196	1.00	Pass
	LCH	256	108	54	18	0	19.716	21.138	23.4952	23.14	0.206	1.00	Pass
			108	54	18	0	19.692	21.019	23.4163	23.06	0.202	1.00	Pass
	MCH	QA	108	54	18	0	19.692	21.019	23.4163	23.06	0.202	1.00	Pass
			1	214	1	99	19.500	20.809	23.2139	22.85	0.193	1.00	Pass
	HCH	M	108	54	18	0	19.791	20.989	23.4415	23.08	0.203	1.00	Pass
			108	54	18	0	19.791	20.989	23.4415	23.08	0.203	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.673	20.891	23.3349	23.95	0.248	1.00	Pass
			25	12	8	0	20.059	21.060	23.5986	24.23	0.265	1.00	Pass
	MCH		25	12	8	0	19.927	21.052	23.5361	24.15	0.260	1.00	Pass
	HCH		1	49	1	24	20.091	20.951	23.5526	24.19	0.262	1.00	Pass
			25	12	8	0	19.899	21.036	23.5149	24.13	0.259	1.00	Pass
	LCH	QP SK	1	1	1	0	19.750	20.840	23.3394	23.96	0.249	1.00	Pass
			25	12	8	0	20.049	21.060	23.5942	24.22	0.264	1.00	Pass
	MCH		25	12	8	0	19.907	21.051	23.5269	24.14	0.260	1.00	Pass
	HCH		1	49	1	24	20.004	20.973	23.5258	24.15	0.260	1.00	Pass
			25	12	8	0	20.087	20.997	23.5761	24.21	0.264	1.00	Pass
	LCH	16 QA M	1	1	1	0	19.867	20.917	23.434	24.06	0.255	1.00	Pass
			25	12	8	0	19.860	21.005	23.4804	24.10	0.257	1.00	Pass
	MCH		25	12	8	0	20.031	21.108	23.6131	24.23	0.265	1.00	Pass
	HCH		1	49	1	24	20.181	20.949	23.5923	24.23	0.265	1.00	Pass
			25	12	8	0	19.917	20.988	23.4957	24.12	0.258	1.00	Pass
	LCH	64 QA M	1	1	1	0	19.707	20.878	23.3421	23.96	0.249	1.00	Pass
			25	12	8	0	19.965	21.102	23.5809	24.20	0.263	1.00	Pass
	MCH		25	12	8	0	19.838	21.071	23.5084	24.12	0.258	1.00	Pass
	HCH		1	49	1	24	20.276	20.983	23.6542	24.30	0.269	1.00	Pass
			25	12	8	0	19.901	21.063	23.531	24.15	0.260	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.865	20.916	23.0208	23.58	0.228	1.00	Pass
			25	12	8	0	19.165	21.099	23.2491	23.81	0.241	1.00	Pass
	MCH		25	12	8	0	19.063	21.107	23.2145	23.77	0.238	1.00	Pass
	HCH		1	49	1	24	19.422	21.058	23.3269	23.91	0.246	1.00	Pass
			25	12	8	0	19.105	21.052	23.197	23.76	0.238	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.847	20.647	23.2757	23.92	0.246	1.00	Pass
			135	67	18	0	19.684	20.930	23.3618	23.97	0.250	1.00	Pass
	MCH		135	67	18	0	19.857	20.905	23.4228	24.05	0.254	1.00	Pass
	HCH		1	271	1	99	20.058	20.531	23.3112	23.97	0.250	1.00	Pass
			135	67	18	0	19.736	20.973	23.4087	24.02	0.252	1.00	Pass
	LCH	QP SK	1	1	1	0	19.816	20.521	23.1931	23.84	0.242	1.00	Pass
			135	67	18	0	19.674	20.879	23.3285	23.94	0.248	1.00	Pass
	MCH		135	67	18	0	19.753	20.869	23.357	23.98	0.250	1.00	Pass
	HCH		1	271	1	99	19.927	20.596	23.2847	23.93	0.247	1.00	Pass
			135	67	18	0	19.804	20.950	23.425	24.04	0.254	1.00	Pass

	LCH	16	1	1	1	0	19.898	20.505	23.2224	23.88	0.244	1.00	Pass
			135	67	18	0	19.752	20.925	23.3883	24.00	0.251	1.00	Pass
	MCH	QA	135	67	18	0	19.744	20.919	23.3814	24.00	0.251	1.00	Pass
			1	271	1	99	19.696	20.524	23.14	23.78	0.239	1.00	Pass
	HCH	M	135	67	18	0	19.800	20.852	23.3681	23.99	0.251	1.00	Pass
			1	1	1	0	19.847	20.810	23.3654	23.99	0.251	1.00	Pass
	LCH	64	135	67	18	0	19.605	20.904	23.3132	23.92	0.247	1.00	Pass
			135	67	18	0	19.627	20.900	23.3203	23.93	0.247	1.00	Pass
	MCH	QA	135	67	18	0	19.627	20.900	23.3203	23.93	0.247	1.00	Pass
			1	271	1	99	19.962	20.445	23.2205	23.88	0.244	1.00	Pass
	HCH	M	135	67	18	0	19.717	20.929	23.3754	23.99	0.251	1.00	Pass
			1	1	1	0	18.792	20.492	22.735	23.32	0.215	1.00	Pass
	LCH	256	135	67	18	0	18.836	20.870	22.9813	23.54	0.226	1.00	Pass
			135	67	18	0	18.836	20.951	23.0313	23.59	0.228	1.00	Pass
	MCH	QA	135	67	18	0	18.836	20.951	23.0313	23.59	0.228	1.00	Pass
			1	271	1	99	19.242	20.511	22.933	23.54	0.226	1.00	Pass
	HCH	M	135	67	18	0	18.848	20.819	22.9547	23.52	0.225	1.00	Pass
			135	67	18	0	18.848	20.819	22.9547	23.52	0.225	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3700-3980)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	19.759	20.827	23.336	23.11	0.204	1.00	Pass
			25	12	8	0	19.775	21.159	23.5322	23.32	0.215	1.00	Pass
	MCH	BP	25	12	8	0	19.736	21.047	23.4511	23.23	0.210	1.00	Pass
			1	49	1	24	19.405	21.034	23.3057	23.10	0.204	1.00	Pass
	HCH	SK	25	12	8	0	19.707	21.125	23.4839	23.27	0.212	1.00	Pass
			1	1	1	0	19.753	21.015	23.44	23.22	0.210	1.00	Pass
	LCH	QP	25	12	8	0	19.713	21.054	23.4454	23.23	0.210	1.00	Pass
			25	12	8	0	19.751	21.153	23.5186	23.30	0.214	1.00	Pass
	MCH	SK	1	49	1	24	19.428	21.036	23.3163	23.11	0.205	1.00	Pass
			25	12	8	0	19.724	21.136	23.4974	23.28	0.213	1.00	Pass
	LCH	16	1	1	1	0	19.903	20.840	23.407	23.17	0.208	1.00	Pass
			25	12	8	0	19.765	21.094	23.4904	23.27	0.212	1.00	Pass
	MCH	QA	25	12	8	0	19.812	21.084	23.5047	23.28	0.213	1.00	Pass
			1	49	1	24	19.543	21.034	23.3625	23.15	0.207	1.00	Pass
	HCH	M	25	12	8	0	19.663	21.084	23.4417	23.23	0.210	1.00	Pass
			1	1	1	0	19.679	20.885	23.334	23.11	0.205	1.00	Pass
	LCH	64	25	12	8	0	19.751	21.155	23.5198	23.30	0.214	1.00	Pass
			25	12	8	0	19.696	21.061	23.4422	23.23	0.210	1.00	Pass
	MCH	QA	1	49	1	24	19.390	21.106	23.3425	23.14	0.206	1.00	Pass
			25	12	8	0	19.733	21.051	23.4521	23.23	0.211	1.00	Pass
	HCH	M	1	1	1	0	18.745	21.006	23.0313	22.85	0.193	1.00	Pass
			25	12	8	0	18.853	21.143	23.1575	22.98	0.198	1.00	Pass
	LCH	256	25	12	8	0	18.828	21.123	23.1357	22.96	0.198	1.00	Pass
			1	49	1	24	18.229	20.999	22.8415	22.68	0.185	1.00	Pass
	MCH	QA	25	12	8	0	18.932	21.100	23.1602	22.98	0.198	1.00	Pass
			1	1	1	0	19.573	20.800	23.24	23.02	0.200	1.00	Pass
	LCH	PI/2	135	67	18	0	19.581	21.108	23.4216	23.21	0.209	1.00	Pass
			135	67	18	0	19.509	21.082	23.3766	23.17	0.207	1.00	Pass
	MCH	BP	1	271	1	99	19.364	20.883	23.1999	22.99	0.199	1.00	Pass
			135	67	18	0	19.468	21.164	23.4086	23.20	0.209	1.00	Pass
	HCH	SK	1	1	1	0	19.533	20.740	23.1886	22.97	0.198	1.00	Pass
			135	67	18	0	19.558	21.014	23.357	23.14	0.206	1.00	Pass
	LCH	QP	135	67	18	0	19.514	21.089	23.3828	23.17	0.208	1.00	Pass
			1	271	1	99	19.189	20.886	23.1302	22.93	0.196	1.00	Pass
	MCH	SK	135	67	18	0	19.479	21.158	23.4094	23.21	0.209	1.00	Pass
			135	67	18	0	19.479	21.158	23.4094	23.21	0.209	1.00	Pass

	LCH	16	1	1	1	0	19.527	20.827	23.2358	23.02	0.200	1.00	Pass
			135	67	18	0	19.558	21.050	23.3781	23.17	0.207	1.00	Pass
	MCH	QA	135	67	18	0	19.463	21.052	23.3401	23.13	0.206	1.00	Pass
			1	271	1	99	19.346	20.909	23.2077	23.00	0.199	1.00	Pass
	HCH	M	135	67	18	0	19.559	21.032	23.368	23.16	0.207	1.00	Pass
			1	1	1	0	19.680	20.899	23.3424	23.12	0.205	1.00	Pass
	LCH	64	135	67	18	0	19.593	21.125	23.4365	23.23	0.210	1.00	Pass
			135	67	18	0	19.595	21.120	23.4344	23.22	0.210	1.00	Pass
	MCH	QA	135	67	18	0	19.595	21.120	23.4344	23.22	0.210	1.00	Pass
			1	271	1	99	19.064	20.750	22.9986	22.79	0.190	1.00	Pass
	HCH	M	135	67	18	0	19.614	21.099	23.43	23.22	0.210	1.00	Pass
			1	1	1	0	18.736	20.870	22.9431	22.76	0.189	1.00	Pass
	LCH	256	135	67	18	0	18.523	21.118	23.0218	22.85	0.193	1.00	Pass
			135	67	18	0	18.512	21.099	23.0056	22.84	0.192	1.00	Pass
	MCH	QA	135	67	18	0	18.512	21.099	23.0056	22.84	0.192	1.00	Pass
			1	271	1	99	18.405	20.844	22.8038	22.63	0.183	1.00	Pass
	HCH	M	135	67	18	0	18.668	21.054	23.0331	22.86	0.193	1.00	Pass
			135	67	18	0	18.668	21.054	23.0331	22.86	0.193	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	21.874	20.883	24.417	25.17	0.329	1.00	Pass
			12	6	8	0	21.843	20.951	24.4302	25.18	0.330	1.00	Pass
	MCH	BP	12	6	8	0	21.853	21.070	24.4894	25.23	0.334	1.00	Pass
			1	23	1	24	22.046	21.021	24.574	25.33	0.341	1.00	Pass
	HCH	SK	12	6	8	0	21.707	21.047	24.3998	25.14	0.326	1.00	Pass
			1	1	1	0	21.901	20.902	24.4405	25.20	0.331	1.00	Pass
	LCH	QP	12	6	8	0	21.717	21.006	24.3863	25.13	0.326	1.00	Pass
			12	6	8	0	21.712	20.982	24.3726	25.11	0.325	1.00	Pass
	MCH	SK	1	23	1	24	21.989	20.988	24.5276	25.29	0.338	1.00	Pass
			12	6	8	0	21.868	21.042	24.4849	25.23	0.334	1.00	Pass
	HCH		1	1	1	0	21.975	20.769	24.424	25.20	0.331	1.00	Pass
			12	6	8	0	21.853	21.096	24.5013	25.24	0.334	1.00	Pass
	LCH	16	12	6	8	0	21.917	21.021	24.5024	25.25	0.335	1.00	Pass
			1	23	1	24	22.044	21.016	24.5706	25.33	0.341	1.00	Pass
	MCH	QA	12	6	8	0	21.782	20.999	24.4184	25.16	0.328	1.00	Pass
			1	23	1	24	21.924	20.860	24.4348	25.20	0.331	1.00	Pass
	HCH	M	12	6	8	0	21.777	20.994	24.4134	25.16	0.328	1.00	Pass
			12	6	8	0	21.696	21.093	24.4153	25.15	0.327	1.00	Pass
	LCH	64	1	23	1	24	21.973	20.930	24.493	25.25	0.335	1.00	Pass
			12	6	8	0	21.935	21.091	24.5438	25.29	0.338	1.00	Pass
	MCH	QA	1	1	1	0	20.105	20.934	23.5496	24.19	0.262	1.00	Pass
			12	6	8	0	19.959	21.084	23.5681	24.19	0.262	1.00	Pass
	HCH	M	12	6	8	0	19.910	21.040	23.5219	24.14	0.259	1.00	Pass
			1	23	1	24	19.989	20.979	23.5224	24.15	0.260	1.00	Pass
	LCH	256	12	6	8	0	19.895	21.012	23.4996	24.12	0.258	1.00	Pass
			1	1	1	0	21.606	20.531	24.112	24.87	0.307	1.00	Pass
	MCH	BP	108	54	18	0	21.684	20.954	24.3446	25.09	0.322	1.00	Pass
			108	54	18	0	21.437	20.939	24.2054	24.93	0.311	1.00	Pass
	HCH	SK	1	214	1	99	21.732	20.472	24.1578	24.93	0.311	1.00	Pass
			108	54	18	0	21.600	20.842	24.2478	24.99	0.316	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	QP	1	1	1	0	21.760	20.557	24.2103	24.98	0.315	1.00	Pass
			108	54	18	0	21.569	20.864	24.2411	24.98	0.315	1.00	Pass
	MCH	SK	108	54	18	0	21.627	20.822	24.2534	25.00	0.316	1.00	Pass
			1	214	1	99	21.883	20.652	24.3213	25.09	0.323	1.00	Pass
	HCH		108	54	18	0	21.698	20.908	24.3312	25.08	0.322	1.00	Pass
	LCH	64	1	1	1	0	21.924	20.860	24.4348	25.20	0.331	1.00	Pass
			12	6	8	0	21.777	20.994	24.4134	25.16	0.328	1.00	Pass

	LCH	16	1	1	1	0	21.818	20.513	24.2246	25.00	0.316	1.00	Pass
			108	54	18	0	21.583	20.902	24.2661	25.00	0.316	1.00	Pass
	MCH	QA	108	54	18	0	21.545	20.774	24.1869	24.93	0.311	1.00	Pass
			1	214	1	99	21.654	20.465	24.1104	24.88	0.308	1.00	Pass
	HCH	M	108	54	18	0	21.565	20.906	24.2583	24.99	0.316	1.00	Pass
			1	1	1	0	21.401	20.376	23.929	24.69	0.294	1.00	Pass
	LCH	64	108	54	18	0	21.501	20.874	24.2091	24.94	0.312	1.00	Pass
			108	54	18	0	21.534	20.873	24.2264	24.96	0.314	1.00	Pass
	MCH	QA	108	54	18	0	21.534	20.873	24.2264	24.96	0.314	1.00	Pass
			1	214	1	99	21.861	20.555	24.2672	25.04	0.319	1.00	Pass
	HCH	M	108	54	18	0	21.617	20.857	24.2639	25.01	0.317	1.00	Pass
			1	1	1	0	19.619	20.519	23.1026	23.74	0.236	1.00	Pass
	LCH	256	108	54	18	0	19.700	20.835	23.3148	23.93	0.247	1.00	Pass
			108	54	18	0	19.593	20.925	23.3202	23.93	0.247	1.00	Pass
	MCH	QA	108	54	18	0	19.593	20.925	23.3202	23.93	0.247	1.00	Pass
			1	214	1	99	20.249	20.512	23.3928	24.07	0.255	1.00	Pass
	HCH	M	108	54	18	0	19.650	20.863	23.309	23.92	0.247	1.00	Pass
			108	54	18	0	19.650	20.863	23.309	23.92	0.247	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.681	21.011	24.3692	24.07	0.255	1.00	Pass
			12	6	8	0	21.624	21.177	24.4165	24.12	0.258	1.00	Pass
	MCH		12	6	8	0	21.706	21.150	24.4472	24.15	0.260	1.00	Pass
	HCH		1	23	1	24	21.768	21.221	24.5134	24.22	0.264	1.00	Pass
			12	6	8	0	21.690	21.122	24.4256	24.13	0.259	1.00	Pass
	LCH	QP SK	1	1	1	0	21.856	21.040	24.4774	24.17	0.261	1.00	Pass
			12	6	8	0	21.792	21.191	24.5122	24.21	0.264	1.00	Pass
	MCH		12	6	8	0	21.758	21.173	24.4856	24.19	0.262	1.00	Pass
	HCH		1	23	1	24	21.727	21.167	24.4663	24.17	0.261	1.00	Pass
			12	6	8	0	21.642	21.136	24.4067	24.11	0.258	1.00	Pass
	LCH	16 QA M	1	1	1	0	21.588	21.126	24.3734	24.08	0.256	1.00	Pass
			12	6	8	0	21.661	21.100	24.3999	24.10	0.257	1.00	Pass
	MCH		12	6	8	0	21.845	21.109	24.5029	24.20	0.263	1.00	Pass
	HCH		1	23	1	24	21.861	21.029	24.4752	24.17	0.261	1.00	Pass
			12	6	8	0	21.665	21.223	24.4599	24.17	0.261	1.00	Pass
	LCH	64 QA M	1	1	1	0	21.750	20.942	24.3751	24.07	0.255	1.00	Pass
			12	6	8	0	21.632	21.167	24.416	24.12	0.258	1.00	Pass
	MCH		12	6	8	0	21.664	21.171	24.4348	24.14	0.259	1.00	Pass
	HCH		1	23	1	24	21.711	21.020	24.3895	24.09	0.256	1.00	Pass
			12	6	8	0	21.761	21.177	24.4891	24.19	0.262	1.00	Pass
	LCH	256 QA M	1	1	1	0	20.042	21.154	23.6438	23.42	0.220	1.00	Pass
			12	6	8	0	19.968	21.200	23.6378	23.42	0.220	1.00	Pass
	MCH		12	6	8	0	19.928	21.188	23.6138	23.39	0.218	1.00	Pass
	HCH		1	23	1	24	19.832	21.156	23.5546	23.34	0.216	1.00	Pass
			12	6	8	0	19.932	21.147	23.5922	23.37	0.217	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.537	20.760	24.1762	23.87	0.244	1.00	Pass
			108	54	18	0	21.648	21.093	24.3897	24.09	0.257	1.00	Pass
	MCH		108	54	18	0	21.538	21.099	24.3343	24.04	0.254	1.00	Pass
	HCH		1	214	1	99	21.446	20.852	24.1694	23.87	0.244	1.00	Pass
			108	54	18	0	21.485	21.049	24.2828	23.99	0.251	1.00	Pass
	LCH	QP SK	1	1	1	0	21.428	20.730	24.1033	23.80	0.240	1.00	Pass
			108	54	18	0	21.342	21.094	24.2301	23.95	0.248	1.00	Pass
	MCH		108	54	18	0	21.410	21.167	24.3005	24.02	0.252	1.00	Pass
	HCH		1	214	1	99	21.841	20.835	24.3774	24.06	0.255	1.00	Pass
			108	54	18	0	21.589	21.041	24.3339	24.04	0.253	1.00	Pass

	LCH	16	1	1	1	0	21.799	20.854	24.3625	24.05	0.254	1.00	Pass
			108	54	18	0	21.555	21.137	24.3613	24.07	0.255	1.00	Pass
	MCH	QA	108	54	18	0	21.553	21.122	24.3531	24.06	0.255	1.00	Pass
	HCH	M	1	214	1	99	21.272	20.871	24.0864	23.80	0.240	1.00	Pass
			108	54	18	0	21.545	21.109	24.3428	24.05	0.254	1.00	Pass
	LCH	64	1	1	1	0	21.504	20.813	24.1825	23.88	0.244	1.00	Pass
			108	54	18	0	21.520	21.096	24.3235	24.03	0.253	1.00	Pass
	MCH	QA	108	54	18	0	21.611	21.081	24.3644	24.07	0.255	1.00	Pass
	HCH	M	1	214	1	99	21.592	20.898	24.2691	23.97	0.249	1.00	Pass
			108	54	18	0	21.504	21.072	24.3037	24.01	0.252	1.00	Pass
	LCH	256	1	1	1	0	19.703	20.927	23.3683	23.15	0.206	1.00	Pass
			108	54	18	0	19.729	21.070	23.4614	23.24	0.211	1.00	Pass
	MCH	QA	108	54	18	0	19.601	21.066	23.4053	23.19	0.209	1.00	Pass
	HCH	M	1	214	1	99	19.573	20.926	23.3123	23.09	0.204	1.00	Pass
			108	54	18	0	19.784	21.045	23.4704	23.25	0.211	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n5A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.030	21.189	23.6583	22.03	0.160	7.00	Pass
			12	6	8	0	19.857	21.423	23.7205	22.19	0.165	7.00	Pass
	MCH		12	6	8	0	19.914	21.360	23.7072	22.14	0.164	7.00	Pass
	HCH		1	23	1	24	20.004	21.506	23.8299	22.28	0.169	7.00	Pass
			12	6	8	0	19.928	21.302	23.6794	22.10	0.162	7.00	Pass
	LCH	QP SK	1	1	1	0	20.122	21.137	23.6694	22.01	0.159	7.00	Pass
			12	6	8	0	19.969	21.441	23.7774	22.22	0.167	7.00	Pass
	MCH		12	6	8	0	20.014	21.383	23.7625	22.18	0.165	7.00	Pass
	HCH		1	23	1	24	20.097	21.456	23.8397	22.26	0.168	7.00	Pass
			12	6	8	0	19.920	21.356	23.7074	22.14	0.164	7.00	Pass
	LCH	16 QA M	1	1	1	0	20.271	21.126	23.7298	22.03	0.160	7.00	Pass
			12	6	8	0	20.047	21.358	23.7621	22.17	0.165	7.00	Pass
	MCH		12	6	8	0	20.064	21.449	23.8218	22.25	0.168	7.00	Pass
	HCH		1	23	1	24	19.966	21.311	23.7007	22.12	0.163	7.00	Pass
			12	6	8	0	20.030	21.310	23.7273	22.13	0.163	7.00	Pass
	LCH	64 QA M	1	1	1	0	20.075	21.148	23.6549	22.01	0.159	7.00	Pass
			12	6	8	0	19.932	21.388	23.731	22.17	0.165	7.00	Pass
	MCH		12	6	8	0	19.856	21.373	23.6907	22.14	0.164	7.00	Pass
	HCH		1	23	1	24	19.570	21.332	23.5501	22.06	0.161	7.00	Pass
			12	6	8	0	20.010	21.342	23.7372	22.15	0.164	7.00	Pass
	LCH	256 QA M	1	1	1	0	19.331	21.203	23.3774	21.91	0.155	7.00	Pass
			12	6	8	0	18.972	21.300	23.3005	21.93	0.156	7.00	Pass
	MCH		12	6	8	0	19.013	21.374	23.3623	22.00	0.158	7.00	Pass
	HCH		1	23	1	24	19.332	21.495	23.5571	22.15	0.164	7.00	Pass
			12	6	8	0	19.190	21.293	23.3779	21.96	0.157	7.00	Pass
20MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.126	21.139	23.6723	22.01	0.159	7.00	Pass
			108	54	18	0	20.037	21.025	23.5693	21.90	0.155	7.00	Pass
	MCH		108	54	18	0	20.116	21.090	23.6405	21.97	0.157	7.00	Pass
	HCH		1	214	1	99	19.820	21.392	23.687	22.15	0.164	7.00	Pass
			108	54	18	0	20.144	20.978	23.5913	21.89	0.154	7.00	Pass
	LCH	QP SK	1	1	1	0	20.119	21.040	23.6142	21.93	0.156	7.00	Pass
			108	54	18	0	20.128	21.014	23.6039	21.91	0.155	7.00	Pass
	MCH		108	54	18	0	20.089	21.093	23.6302	21.97	0.157	7.00	Pass
	HCH		1	214	1	99	19.769	21.379	23.6585	22.13	0.163	7.00	Pass
			108	54	18	0	20.111	21.107	23.6478	21.98	0.158	7.00	Pass

	LCH	16	1	1	1	0	20.025	21.132	23.624	21.98	0.158	7.00	Pass
			108	54	18	0	20.123	20.921	23.5506	21.84	0.153	7.00	Pass
	MCH	QA	108	54	18	0	20.131	21.116	23.6617	21.99	0.158	7.00	Pass
			1	214	1	99	19.937	21.280	23.6705	22.08	0.162	7.00	Pass
	HCH	M	108	54	18	0	20.079	20.980	23.5631	21.87	0.154	7.00	Pass
			1	1	1	0	19.961	21.072	23.5622	21.92	0.156	7.00	Pass
	LCH	64	108	54	18	0	20.073	20.929	23.5324	21.83	0.153	7.00	Pass
			108	54	18	0	20.106	21.036	23.6061	21.92	0.156	7.00	Pass
	MCH	QA	108	54	18	0	20.106	21.036	23.6061	21.92	0.156	7.00	Pass
			1	214	1	99	19.647	21.467	23.6619	22.18	0.165	7.00	Pass
	HCH	M	108	54	18	0	20.064	21.011	23.5736	21.90	0.155	7.00	Pass
			1	1	1	0	18.879	21.233	23.2239	21.86	0.153	7.00	Pass
	LCH	256	108	54	18	0	19.687	20.998	23.4021	21.81	0.152	7.00	Pass
			108	54	18	0	18.821	21.058	23.0923	21.70	0.148	7.00	Pass
	MCH	QA	108	54	18	0	18.821	21.058	23.0923	21.70	0.148	7.00	Pass
			1	214	1	99	19.338	21.293	23.4349	21.98	0.158	7.00	Pass
	HCH	M	108	54	18	0	18.813	20.967	23.0325	21.62	0.145	7.00	Pass
			108	54	18	0	18.813	20.967	23.0325	21.62	0.145	7.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.051	21.163	23.6528	23.70	0.234	1.00	Pass
			12	6	8	0	20.037	21.235	23.6875	23.73	0.236	1.00	Pass
	MCH		12	6	8	0	19.989	21.186	23.6389	23.69	0.234	1.00	Pass
	HCH		1	23	1	24	20.063	21.249	23.7067	23.75	0.237	1.00	Pass
		QP SK	12	6	8	0	20.076	21.225	23.6987	23.75	0.237	1.00	Pass
	LCH		1	1	1	0	20.107	21.138	23.6633	23.71	0.235	1.00	Pass
			12	6	8	0	20.054	21.257	23.7073	23.75	0.237	1.00	Pass
	MCH		12	6	8	0	19.996	21.209	23.655	23.70	0.234	1.00	Pass
	HCH		1	23	1	24	20.005	21.268	23.6926	23.74	0.236	1.00	Pass
		16 QA M	12	6	8	0	20.083	21.220	23.6989	23.75	0.237	1.00	Pass
	LCH		1	1	1	0	20.053	21.074	23.6037	23.65	0.232	1.00	Pass
			12	6	8	0	20.039	21.274	23.7106	23.76	0.237	1.00	Pass
	MCH		12	6	8	0	20.148	21.257	23.7481	23.80	0.240	1.00	Pass
	HCH		1	23	1	24	20.041	21.310	23.732	23.78	0.239	1.00	Pass
		64 QA M	12	6	8	0	20.048	21.310	23.735	23.78	0.239	1.00	Pass
	LCH		1	1	1	0	20.057	21.204	23.6786	23.73	0.236	1.00	Pass
			12	6	8	0	20.081	21.298	23.7423	23.79	0.239	1.00	Pass
	MCH		12	6	8	0	20.100	21.260	23.7289	23.78	0.239	1.00	Pass
	HCH		1	23	1	24	20.558	21.385	24.0015	24.06	0.254	1.00	Pass
		256 QA M	12	6	8	0	20.097	21.263	23.7293	23.78	0.239	1.00	Pass
	LCH		1	1	1	0	20.111	21.171	23.6836	23.73	0.236	1.00	Pass
			12	6	8	0	20.011	21.208	23.6609	23.71	0.235	1.00	Pass
	MCH		12	6	8	0	20.019	21.333	23.7358	23.78	0.239	1.00	Pass
	HCH		1	23	1	24	19.850	21.430	23.7218	23.76	0.238	1.00	Pass
			12	6	8	0	19.681	21.319	23.5871	23.62	0.230	1.00	Pass
	LCH		1	1	1	0	20.224	20.795	23.5292	23.59	0.229	1.00	Pass
			108	54	18	0	20.237	21.191	23.7504	23.80	0.240	1.00	Pass
20MHz(LTE) + 40MHz(NR)	MCH	PI/2 BP SK	108	54	18	0	20.177	21.038	23.6391	23.69	0.234	1.00	Pass
	HCH		1	214	1	99	19.960	20.992	23.5169	23.57	0.227	1.00	Pass
			108	54	18	0	20.184	20.924	23.58	23.64	0.231	1.00	Pass
	LCH		1	1	1	0	20.091	20.805	23.473	23.53	0.225	1.00	Pass
		QP SK	108	54	18	0	20.239	21.184	23.7475	23.80	0.240	1.00	Pass
	MCH		108	54	18	0	20.193	21.150	23.7081	23.76	0.238	1.00	Pass
	HCH		1	214	1	99	19.799	21.198	23.5649	23.61	0.229	1.00	Pass
			108	54	18	0	20.256	21.149	23.7357	23.79	0.239	1.00	Pass

	LCH	16	1	1	1	0	20.118	20.831	23.4994	23.56	0.227	1.00	Pass
			108	54	18	0	20.199	21.079	23.6716	23.73	0.236	1.00	Pass
	MCH	QA	108	54	18	0	20.278	20.944	23.6341	23.69	0.234	1.00	Pass
	HCH	M	1	214	1	99	19.875	21.098	23.5397	23.59	0.228	1.00	Pass
			108	54	18	0	20.139	20.898	23.5454	23.60	0.229	1.00	Pass
	LCH	64	1	1	1	0	19.933	20.819	23.4089	23.46	0.222	1.00	Pass
			108	54	18	0	20.183	20.942	23.5894	23.65	0.232	1.00	Pass
	MCH	QA	108	54	18	0	20.180	21.197	23.7285	23.78	0.239	1.00	Pass
	HCH	M	1	214	1	99	20.003	21.127	23.6116	23.66	0.232	1.00	Pass
			108	54	18	0	20.181	21.160	23.7083	23.76	0.238	1.00	Pass
	LCH	256	1	1	1	0	20.133	20.702	23.4371	23.50	0.224	1.00	Pass
			108	54	18	0	20.067	21.123	23.6373	23.69	0.234	1.00	Pass
	MCH	QA	108	54	18	0	20.374	21.210	23.8224	23.88	0.244	1.00	Pass
	HCH	M	1	214	1	99	19.970	21.047	23.5521	23.60	0.229	1.00	Pass
			108	54	18	0	20.087	21.085	23.6249	23.68	0.233	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n41A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.702	21.364	24.5466	24.52	0.283	1.00	Pass
			25	12	8	0	21.599	21.429	24.5251	24.50	0.282	1.00	Pass
	MCH		25	12	8	0	21.673	21.412	24.5548	24.53	0.284	1.00	Pass
	HCH		1	49	1	24	21.483	21.400	24.452	24.42	0.277	1.00	Pass
		QP SK	25	12	8	0	21.597	21.449	24.5339	24.51	0.282	1.00	Pass
	LCH		1	1	1	0	21.586	21.309	24.46	24.43	0.278	1.00	Pass
			25	12	8	0	21.668	21.435	24.5634	24.54	0.284	1.00	Pass
	MCH		25	12	8	0	21.635	21.381	24.5202	24.49	0.281	1.00	Pass
	HCH		1	49	1	24	21.426	21.504	24.4755	24.45	0.278	1.00	Pass
		16 QA M	25	12	8	0	21.671	21.358	24.5276	24.50	0.282	1.00	Pass
	LCH		1	1	1	0	21.575	21.253	24.4273	24.40	0.276	1.00	Pass
			25	12	8	0	21.758	21.396	24.5911	24.57	0.286	1.00	Pass
	MCH		25	12	8	0	21.608	21.295	24.4646	24.44	0.278	1.00	Pass
	HCH		1	49	1	24	21.437	21.442	24.4498	24.42	0.277	1.00	Pass
		64 QA M	25	12	8	0	21.703	21.470	24.5984	24.57	0.287	1.00	Pass
	LCH		1	1	1	0	21.584	21.345	24.4764	24.45	0.279	1.00	Pass
			25	12	8	0	21.681	21.411	24.5584	24.53	0.284	1.00	Pass
	MCH		25	12	8	0	21.682	21.308	24.5093	24.49	0.281	1.00	Pass
	HCH		1	49	1	24	21.676	21.375	24.5384	24.51	0.283	1.00	Pass
		256 QA M	25	12	8	0	21.649	21.415	24.5439	24.52	0.283	1.00	Pass
	LCH		1	1	1	0	20.179	21.125	23.688	23.65	0.232	1.00	Pass
			25	12	8	0	20.221	21.442	23.8846	23.84	0.242	1.00	Pass
	MCH		25	12	8	0	20.175	21.418	23.8511	23.81	0.240	1.00	Pass
	HCH		1	49	1	24	19.979	21.421	23.7699	23.72	0.236	1.00	Pass
		PI/2 BP SK	25	12	8	0	20.226	21.328	23.8222	23.78	0.239	1.00	Pass
	LCH		1	1	1	0	22.136	20.987	24.6097	24.60	0.288	1.00	Pass
			135	67	18	0	21.528	21.259	24.4059	24.38	0.274	1.00	Pass
	MCH		135	67	18	0	21.592	21.241	24.4303	24.41	0.276	1.00	Pass
	HCH	QP SK	1	271	1	99	21.628	21.113	24.3884	24.37	0.273	1.00	Pass
			135	67	18	0	21.517	21.163	24.3539	24.33	0.271	1.00	Pass
	LCH		1	1	1	0	22.186	20.943	24.6191	24.61	0.289	1.00	Pass
			135	67	18	0	21.499	21.165	24.3455	24.32	0.270	1.00	Pass
	MCH	HCH	135	67	18	0	21.559	21.129	24.3596	24.34	0.271	1.00	Pass
			1	271	1	99	21.956	21.321	24.6604	24.64	0.291	1.00	Pass
	HCH		135	67	18	0	21.505	21.165	24.3486	24.32	0.271	1.00	Pass

	LCH	16	1	1	1	0	21.940	20.887	24.4556	24.44	0.278	1.00	Pass
			135	67	18	0	21.555	21.211	24.3967	24.37	0.274	1.00	Pass
	MCH	QA	135	67	18	0	21.539	21.192	24.3793	24.36	0.273	1.00	Pass
	HCH	M	1	271	1	99	21.348	21.235	24.3022	24.27	0.268	1.00	Pass
			135	67	18	0	21.515	21.153	24.3481	24.32	0.271	1.00	Pass
	LCH	64	1	1	1	0	22.061	21.042	24.5916	24.58	0.287	1.00	Pass
			135	67	18	0	21.507	21.126	24.331	24.31	0.270	1.00	Pass
	MCH	QA	135	67	18	0	21.565	21.229	24.4105	24.39	0.275	1.00	Pass
	HCH	M	1	271	1	99	21.681	21.246	24.4792	24.46	0.279	1.00	Pass
			135	67	18	0	21.580	21.226	24.4169	24.39	0.275	1.00	Pass
	LCH	256	1	1	1	0	20.981	20.701	23.8536	23.83	0.241	1.00	Pass
			135	67	18	0	20.132	21.162	23.6878	23.65	0.232	1.00	Pass
	MCH	QA	135	67	18	0	20.111	21.106	23.6472	23.61	0.229	1.00	Pass
	HCH	M	1	271	1	99	20.119	21.282	23.7496	23.71	0.235	1.00	Pass
			135	67	18	0	20.146	21.128	23.675	23.63	0.231	1.00	Pass