


Peak to Average Ratio


6.20 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.65	13	Pass




6.21 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	3.85	13	Pass




6.22 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	4.04	13	Pass




6.23 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.19	13	Pass




6.24 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.22	13	Pass




6.25 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.57	13	Pass




6.26 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.95	13	Pass




6.27 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	5.48	13	Pass




6.28 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




6.29 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.43	13	Pass




6.30 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	6.65	13	Pass




6.31 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




6.32 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	5.4	13	Pass



6.33 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	5.11	13	Pass




6.34 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)




6.35 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	7.13	13	Pass




6.36 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




6.37 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	6.59	13	Pass




6.38 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	6.24	13	Pass




6.39 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




6.40 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:504204, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2521.02	0.1	6.55	13	Pass




6.41 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	3.89	13	Pass




6.42 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	3.82	13	Pass




6.43 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.32	13	Pass




6.44 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.14	13	Pass




6.45 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.6	13	Pass




6.46 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)




6.47 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.51	13	Pass




6.48 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.2	13	Pass




6.49 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	5.85	13	Pass




6.50 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:518598, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	6.45	13	Pass




6.51 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




6.52 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	4.01	13	Pass




6.53 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




6.54 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	5.11	13	Pass




6.55 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	5.55	13	Pass




6.56 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	5.86	13	Pass




6.57 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	5.46	13	Pass



6.58 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:128, RB Position:0)




6.59 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




6.60 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:532998, Bandwidth:50, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:128, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2664.99	0.1	6.43	13	Pass




6.61 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	4.59	13	Pass




6.62 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	4.11	13	Pass




6.63 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	5.75	13	Pass




6.64 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	5.52	13	Pass




6.65 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.87	13	Pass




6.66 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.36	13	Pass



6.67 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
2546.01	0.1	6.8	13	Pass



6.68 Peak to Average Ratio for SA_Part22-24-27(NTNV)(Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

