


Spurious Emission at Antenna Terminals


**1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25,
Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.51	-13	52.51	Pass	401
0.15	30	0.01	RMS	0.21	-65.06	-13	52.06	Pass	2986
30	1000	0.1	RMS	822.2	-58.3	-13	45.3	Pass	9701
1000	1840	1	RMS	1840	-46.58	-13	33.58	Pass	841
1840	1920	1	RMS	1850.8	22.79	60	37.21	Pass	401
1920	3000	1	RMS	2955	-44.49	-13	31.49	Pass	1081
3000	12000	1	RMS	12000	-37.31	-13	24.31	Pass	9002
12000	20000	1	RMS	13602	-32.84	-13	19.84	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.15	-65.67	-13	52.67	Pass	2986
30	1000	0.1	RMS	869.914	-58.35	-13	45.35	Pass	9701
1000	1840	1	RMS	1837	-46.75	-13	33.75	Pass	841
1840	1920	1	RMS	1850.8	22.09	60	37.91	Pass	401
1920	3000	1	RMS	2933	-44.46	-13	31.46	Pass	1081
3000	12000	1	RMS	11978	-37.37	-13	24.37	Pass	9002
12000	20000	1	RMS	13601	-32.88	-13	19.88	Pass	8001




**1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27,
Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.72	-13	52.72	Pass	401
0.15	30	0.01	RMS	0.15	-65.27	-13	52.27	Pass	2986
30	1000	0.1	RMS	855.404	-58.34	-13	45.34	Pass	9701
1000	1840	1	RMS	1829	-46.98	-13	33.98	Pass	841
1840	1920	1	RMS	1873.2	22.77	60	37.23	Pass	401
1920	3000	1	RMS	2984	-44.47	-13	31.47	Pass	1081
3000	12000	1	RMS	12000	-37.31	-13	24.31	Pass	9002
12000	20000	1	RMS	13607	-32.87	-13	19.87	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65	-13	52	Pass	401
0.15	30	0.01	RMS	0.21	-65.88	-13	52.88	Pass	2986
30	1000	0.1	RMS	939.36	-58.36	-13	45.36	Pass	9701
1000	1840	1	RMS	1829	-46.99	-13	33.99	Pass	841
1840	1920	1	RMS	1873.2	21.62	60	38.38	Pass	401
1920	3000	1	RMS	2980	-44.48	-13	31.48	Pass	1081
3000	12000	1	RMS	11999	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13605	-32.94	-13	19.94	Pass	8001




**1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29,
Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.41	-13	52.41	Pass	401
0.15	30	0.01	RMS	0.17	-65.94	-13	52.94	Pass	2986
30	1000	0.1	RMS	842.3	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1824	-46.98	-13	33.98	Pass	841
1840	1920	1	RMS	1895.8	22.41	60	37.59	Pass	401
1920	3000	1	RMS	2986	-44.43	-13	31.43	Pass	1081
3000	12000	1	RMS	11991	-37.34	-13	24.34	Pass	9002
12000	20000	1	RMS	13598	-32.83	-13	19.83	Pass	8001




1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.54	-13	52.54	Pass	401
0.15	30	0.01	RMS	0.16	-65.56	-13	52.56	Pass	2986
30	1000	0.1	RMS	995.997	-58.19	-13	45.19	Pass	9701
1000	1840	1	RMS	1835	-46.94	-13	33.94	Pass	841
1840	1920	1	RMS	1895.8	21.88	60	38.12	Pass	401
1920	3000	1	RMS	2989	-44.42	-13	31.42	Pass	1081
3000	12000	1	RMS	11988	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13603	-32.87	-13	19.87	Pass	8001




**1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31,
Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.85	-13	51.85	Pass	401
0.15	30	0.01	RMS	0.18	-65.7	-13	52.7	Pass	2986
30	1000	0.1	RMS	974.383	-58.33	-13	45.33	Pass	9701
1000	1840	1	RMS	1836	-46.68	-13	33.68	Pass	841
1840	1920	1	RMS	1851	22.95	60	37.05	Pass	401
1920	3000	1	RMS	2991	-44.41	-13	31.41	Pass	1081
3000	12000	1	RMS	12000	-37.28	-13	24.28	Pass	9002
12000	20000	1	RMS	13599	-32.88	-13	19.88	Pass	8001




1.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.65	-13	51.65	Pass	401
0.15	30	0.01	RMS	0.18	-65.44	-13	52.44	Pass	2986
30	1000	0.1	RMS	858.406	-58.16	-13	45.16	Pass	9701
1000	1840	1	RMS	1836	-46.81	-13	33.81	Pass	841
1840	1920	1	RMS	1851	21.96	60	38.04	Pass	401
1920	3000	1	RMS	2991	-44.36	-13	31.36	Pass	1081
3000	12000	1	RMS	11995	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	13601	-32.8	-13	19.8	Pass	8001




**1.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33,
Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.78	-13	52.78	Pass	401
0.15	30	0.01	RMS	0.17	-65.78	-13	52.78	Pass	2986
30	1000	0.1	RMS	841	-58.26	-13	45.26	Pass	9701
1000	1840	1	RMS	1839	-46.79	-13	33.79	Pass	841
1840	1920	1	RMS	1871	22.8	60	37.2	Pass	401
1920	3000	1	RMS	2999	-44.37	-13	31.37	Pass	1081
3000	12000	1	RMS	11985	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13611	-32.82	-13	19.82	Pass	8001




1.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.29	-13	52.29	Pass	401
0.15	30	0.01	RMS	0.16	-65.54	-13	52.54	Pass	2986
30	1000	0.1	RMS	856.905	-58.14	-13	45.14	Pass	9701
1000	1840	1	RMS	1838	-46.91	-13	33.91	Pass	841
1840	1920	1	RMS	1871	21.78	60	38.22	Pass	401
1920	3000	1	RMS	2998	-44.39	-13	31.39	Pass	1081
3000	12000	1	RMS	11979	-37.32	-13	24.32	Pass	9002
12000	20000	1	RMS	13597	-32.86	-13	19.86	Pass	8001




1.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.99	-13	51.99	Pass	401
0.15	30	0.01	RMS	0.16	-65.88	-13	52.88	Pass	2986
30	1000	0.1	RMS	854.504	-58.27	-13	45.27	Pass	9701
1000	1840	1	RMS	1833	-46.91	-13	33.91	Pass	841
1840	1920	1	RMS	1891	22.54	60	37.46	Pass	401
1920	3000	1	RMS	3000	-44.44	-13	31.44	Pass	1081
3000	12000	1	RMS	11996	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13600	-32.84	-13	19.84	Pass	8001



1.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-63.97	-13	50.97	Pass	401
0.15	30	0.01	RMS	0.15	-65.85	-13	52.85	Pass	2986
30	1000	0.1	RMS	971.181	-58.33	-13	45.33	Pass	9701
1000	1840	1	RMS	1838	-46.9	-13	33.9	Pass	841
1840	1920	1	RMS	1891	21.71	60	38.29	Pass	401
1920	3000	1	RMS	2994	-44.42	-13	31.42	Pass	1081
3000	12000	1	RMS	11995	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13600	-32.79	-13	19.79	Pass	8001



2. LTE_Band4


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.62	-13	52.62	Pass	401
0.15	30	0.01	RMS	0.15	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	987.692	-58.39	-13	45.39	Pass	9701
1000	1700	1	RMS	1678	-46.96	-13	33.96	Pass	701
1700	1765	1	RMS	1710.238	22.77	60	37.23	Pass	401
1765	3000	1	RMS	2936	-44.42	-13	31.42	Pass	1236
3000	12000	1	RMS	11994	-37.31	-13	24.31	Pass	9002
12000	20000	1	RMS	13600	-32.83	-13	19.83	Pass	8001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.34	-13	52.34	Pass	401
0.15	30	0.01	RMS	0.19	-65.88	-13	52.88	Pass	2986
30	1000	0.1	RMS	837.3	-58.15	-13	45.15	Pass	9701
1000	1700	1	RMS	1700	-46.98	-13	33.98	Pass	701
1700	1765	1	RMS	1710.238	21.69	60	38.31	Pass	401
1765	3000	1	RMS	2986	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	12000	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13601	-32.81	-13	19.81	Pass	8001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.54	-13	51.54	Pass	401
0.15	30	0.01	RMS	0.25	-64.98	-13	51.98	Pass	2986
30	1000	0.1	RMS	984.19	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1680	-47.01	-13	34.01	Pass	701
1700	1765	1	RMS	1731.85	22.77	60	37.23	Pass	401
1765	3000	1	RMS	2973	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	12000	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13601	-32.82	-13	19.82	Pass	8001




**2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4,
Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.15	-66.1	-13	53.1	Pass	2986
30	1000	0.1	RMS	847.3	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1673	-47.03	-13	34.03	Pass	701
1700	1765	1	RMS	1732.01 3	22.12	60	37.88	Pass	401
1765	3000	1	RMS	2996	-44.38	-13	31.38	Pass	1236
3000	12000	1	RMS	11999	-37.22	-13	24.22	Pass	9002
12000	20000	1	RMS	13606	-32.78	-13	19.78	Pass	8001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.54	-13	52.54	Pass	401
0.15	30	0.01	RMS	0.18	-65.27	-13	52.27	Pass	2986
30	1000	0.1	RMS	860.007	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1680	-47.03	-13	34.03	Pass	701
1700	1765	1	RMS	1753.788	22.88	60	37.12	Pass	401
1765	3000	1	RMS	2992	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11999	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13605	-32.83	-13	19.83	Pass	8001




**2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.16	-65.47	-13	52.47	Pass	2986
30	1000	0.1	RMS	906.538	-58.22	-13	45.22	Pass	9701
1000	1700	1	RMS	1700	-46.65	-13	33.65	Pass	701
1700	1765	1	RMS	1710.075	22.65	60	37.35	Pass	401
1765	3000	1	RMS	2994	-44.42	-13	31.42	Pass	1236
3000	12000	1	RMS	11994	-37.28	-13	24.28	Pass	9002
12000	20000	1	RMS	13602	-32.83	-13	19.83	Pass	8001




**2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6,
Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.86	-13	52.86	Pass	401
0.15	30	0.01	RMS	0.15	-65.2	-13	52.2	Pass	2986
30	1000	0.1	RMS	825	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1681	-47.06	-13	34.06	Pass	701
1700	1765	1	RMS	1753.78 8	22.27	60	37.73	Pass	401
1765	3000	1	RMS	2999	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	11988	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13601	-32.8	-13	19.8	Pass	8001




**2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.98	-13	52.98	Pass	401
0.15	30	0.01	RMS	0.15	-64.48	-13	51.48	Pass	2986
30	1000	0.1	RMS	986.391	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1682	-46.97	-13	33.97	Pass	701
1700	1765	1	RMS	1710.075	21.85	60	38.15	Pass	401
1765	3000	1	RMS	2946	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11996	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13604	-32.78	-13	19.78	Pass	8001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.15	-64.73	-13	51.73	Pass	2986
30	1000	0.1	RMS	933.056	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1679	-47	-13	34	Pass	701
1700	1765	1	RMS	1731.2	22.83	60	37.17	Pass	401
1765	3000	1	RMS	2997	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	11999	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13602	-32.79	-13	19.79	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65	-13	52	Pass	401
0.15	30	0.01	RMS	0.15	-64.82	-13	51.82	Pass	2986
30	1000	0.1	RMS	927.252	-58.36	-13	45.36	Pass	9701
1000	1700	1	RMS	1675	-47.01	-13	34.01	Pass	701
1700	1765	1	RMS	1731.2	22.01	60	37.99	Pass	401
1765	3000	1	RMS	2998	-44.43	-13	31.43	Pass	1236
3000	12000	1	RMS	11999	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13603	-32.83	-13	19.83	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.84	-13	52.84	Pass	401
0.15	30	0.01	RMS	0.17	-65.74	-13	52.74	Pass	2986
30	1000	0.1	RMS	854.203	-58.3	-13	45.3	Pass	9701
1000	1700	1	RMS	1674	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1752.163	22.88	60	37.12	Pass	401
1765	3000	1	RMS	2987	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11998	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13601	-32.9	-13	19.9	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.37	-13	52.37	Pass	401
0.15	30	0.01	RMS	0.15	-65.39	-13	52.39	Pass	2986
30	1000	0.1	RMS	823.9	-58.25	-13	45.25	Pass	9701
1000	1700	1	RMS	1679	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1752.163	22.04	60	37.96	Pass	401
1765	3000	1	RMS	2985	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11998	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13602	-32.81	-13	19.81	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.32	-13	52.32	Pass	401
0.15	30	0.01	RMS	0.15	-65.82	-13	52.82	Pass	2986
30	1000	0.1	RMS	848	-58.3	-13	45.3	Pass	9701
1000	1700	1	RMS	1677	-46.95	-13	33.95	Pass	701
1700	1765	1	RMS	1710.238	22.67	60	37.33	Pass	401
1765	3000	1	RMS	2986	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	11998	-37.21	-13	24.21	Pass	9002
12000	20000	1	RMS	13600	-32.78	-13	19.78	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.65	-13	52.65	Pass	401
0.15	30	0.01	RMS	0.15	-65.35	-13	52.35	Pass	2986
30	1000	0.1	RMS	867.512	-58.32	-13	45.32	Pass	9701
1000	1700	1	RMS	1700	-47	-13	34	Pass	701
1700	1765	1	RMS	1710.238	21.89	60	38.11	Pass	401
1765	3000	1	RMS	2990	-44.38	-13	31.38	Pass	1236
3000	12000	1	RMS	11999	-37.19	-13	24.19	Pass	9002
12000	20000	1	RMS	13602	-32.8	-13	19.8	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.99	-13	52.99	Pass	401
0.15	30	0.01	RMS	0.15	-64.95	-13	51.95	Pass	2986
30	1000	0.1	RMS	849.1	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1679	-47.03	-13	34.03	Pass	701
1700	1765	1	RMS	1730.225	22.81	60	37.19	Pass	401
1765	3000	1	RMS	2986	-44.37	-13	31.37	Pass	1236
3000	12000	1	RMS	12000	-37.22	-13	24.22	Pass	9002
12000	20000	1	RMS	13603	-32.81	-13	19.81	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.16	-13	52.16	Pass	401
0.15	30	0.01	RMS	0.16	-65.42	-13	52.42	Pass	2986
30	1000	0.1	RMS	837.7	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1679	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1730.225	21.87	60	38.13	Pass	401
1765	3000	1	RMS	2991	-44.32	-13	31.32	Pass	1236
3000	12000	1	RMS	11999	-37.19	-13	24.19	Pass	9002
12000	20000	1	RMS	13604	-32.83	-13	19.83	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.53	-13	52.53	Pass	401
0.15	30	0.01	RMS	0.16	-65.62	-13	52.62	Pass	2986
30	1000	0.1	RMS	842.9	-58.29	-13	45.29	Pass	9701
1000	1700	1	RMS	1679	-47.01	-13	34.01	Pass	701
1700	1765	1	RMS	1750.213	22.89	60	37.11	Pass	401
1765	3000	1	RMS	2995	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11999	-37.2	-13	24.2	Pass	9002
12000	20000	1	RMS	13602	-32.7	-13	19.7	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.49	-13	52.49	Pass	401
0.15	30	0.01	RMS	0.19	-65.88	-13	52.88	Pass	2986
30	1000	0.1	RMS	839.2	-58.26	-13	45.26	Pass	9701
1000	1700	1	RMS	1677	-47.01	-13	34.01	Pass	701
1700	1765	1	RMS	1750.213	22.01	60	37.99	Pass	401
1765	3000	1	RMS	2985	-44.39	-13	31.39	Pass	1236
3000	12000	1	RMS	11999	-37.22	-13	24.22	Pass	9002
12000	20000	1	RMS	13604	-32.81	-13	19.81	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.57	-13	52.57	Pass	401
0.15	30	0.01	RMS	0.15	-64.93	-13	51.93	Pass	2986
30	1000	0.1	RMS	851.602	-58.22	-13	45.22	Pass	9701
1000	1700	1	RMS	1698	-46.95	-13	33.95	Pass	701
1700	1765	1	RMS	1710.563	22.72	60	37.28	Pass	401
1765	3000	1	RMS	2988	-44.43	-13	31.43	Pass	1236
3000	12000	1	RMS	11997	-37.18	-13	24.18	Pass	9002
12000	20000	1	RMS	13596	-32.8	-13	19.8	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-64.79	-13	51.79	Pass	401
0.15	30	0.01	RMS	0.17	-65.8	-13	52.8	Pass	2986
30	1000	0.1	RMS	999.8	-58.23	-13	45.23	Pass	9701
1000	1700	1	RMS	1678	-46.98	-13	33.98	Pass	701
1700	1765	1	RMS	1710.4	21.77	60	38.23	Pass	401
1765	3000	1	RMS	2995	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11998	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13601	-32.82	-13	19.82	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.19	-13	53.19	Pass	401
0.15	30	0.01	RMS	0.15	-64.96	-13	51.96	Pass	2986
30	1000	0.1	RMS	826	-58.18	-13	45.18	Pass	9701
1000	1700	1	RMS	1684	-46.99	-13	33.99	Pass	701
1700	1765	1	RMS	1727.95	22.79	60	37.21	Pass	401
1765	3000	1	RMS	2988	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11999	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	13600	-32.76	-13	19.76	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.17	-64.96	-13	51.96	Pass	2986
30	1000	0.1	RMS	855.204	-58.36	-13	45.36	Pass	9701
1000	1700	1	RMS	1677	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1727.95	22.02	60	37.98	Pass	401
1765	3000	1	RMS	2983	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	11999	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13603	-32.88	-13	19.88	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.46	-13	52.46	Pass	401
0.15	30	0.01	RMS	0.15	-65.39	-13	52.39	Pass	2986
30	1000	0.1	RMS	925.951	-58.25	-13	45.25	Pass	9701
1000	1700	1	RMS	1681	-47	-13	34	Pass	701
1700	1765	1	RMS	1745.5	22.86	60	37.14	Pass	401
1765	3000	1	RMS	2997	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	11999	-37.19	-13	24.19	Pass	9002
12000	20000	1	RMS	13601	-32.86	-13	19.86	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.85	-13	52.85	Pass	401
0.15	30	0.01	RMS	0.21	-65.4	-13	52.4	Pass	2986
30	1000	0.1	RMS	951.768	-58.33	-13	45.33	Pass	9701
1000	1700	1	RMS	1672	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1745.5	22.15	60	37.85	Pass	401
1765	3000	1	RMS	2994	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11993	-37.24	-13	24.24	Pass	9002
12000	20000	1	RMS	13601	-32.78	-13	19.78	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.88	-13	52.88	Pass	401
0.15	30	0.01	RMS	0.19	-65.68	-13	52.68	Pass	2986
30	1000	0.1	RMS	988.292	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1698	-46.64	-13	33.64	Pass	701
1700	1765	1	RMS	1710.725	22.54	60	37.46	Pass	401
1765	3000	1	RMS	2993	-44.37	-13	31.37	Pass	1236
3000	12000	1	RMS	12000	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13599	-32.78	-13	19.78	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.99	-13	51.99	Pass	401
0.15	30	0.01	RMS	0.15	-65.46	-13	52.46	Pass	2986
30	1000	0.1	RMS	846.9	-58.16	-13	45.16	Pass	9701
1000	1700	1	RMS	1698	-46.88	-13	33.88	Pass	701
1700	1765	1	RMS	1710.725	21.63	60	38.37	Pass	401
1765	3000	1	RMS	2987	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11998	-37.24	-13	24.24	Pass	9002
12000	20000	1	RMS	13600	-32.78	-13	19.78	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.42	-13	52.42	Pass	401
0.15	30	0.01	RMS	0.16	-65.43	-13	52.43	Pass	2986
30	1000	0.1	RMS	842.6	-58.13	-13	45.13	Pass	9701
1000	1700	1	RMS	1676	-47.02	-13	34.02	Pass	701
1700	1765	1	RMS	1725.838	22.63	60	37.37	Pass	401
1765	3000	1	RMS	2997	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11999	-37.11	-13	24.11	Pass	9002
12000	20000	1	RMS	13611	-32.85	-13	19.85	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.16	-13	52.16	Pass	401
0.15	30	0.01	RMS	0.17	-65.32	-13	52.32	Pass	2986
30	1000	0.1	RMS	954.87	-58.22	-13	45.22	Pass	9701
1000	1700	1	RMS	1679	-47.03	-13	34.03	Pass	701
1700	1765	1	RMS	1725.838	21.55	60	38.45	Pass	401
1765	3000	1	RMS	2938	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11998	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13600	-32.82	-13	19.82	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.17	-13	53.17	Pass	401
0.15	30	0.01	RMS	0.16	-65.44	-13	52.44	Pass	2986
30	1000	0.1	RMS	848.7	-58.14	-13	45.14	Pass	9701
1000	1700	1	RMS	1682	-47	-13	34	Pass	701
1700	1765	1	RMS	1740.788	22.77	60	37.23	Pass	401
1765	3000	1	RMS	2998	-44.35	-13	31.35	Pass	1236
3000	12000	1	RMS	11999	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13601	-32.76	-13	19.76	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.15	-13	53.15	Pass	401
0.15	30	0.01	RMS	0.26	-64.99	-13	51.99	Pass	2986
30	1000	0.1	RMS	962.675	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1683	-47	-13	34	Pass	701
1700	1765	1	RMS	1740.788	21.72	60	38.28	Pass	401
1765	3000	1	RMS	2989	-44.41	-13	31.41	Pass	1236
3000	12000	1	RMS	12000	-37.18	-13	24.18	Pass	9002
12000	20000	1	RMS	13600	-32.75	-13	19.75	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.9	-13	52.9	Pass	401
0.15	30	0.01	RMS	0.15	-64.87	-13	51.87	Pass	2986
30	1000	0.1	RMS	993.396	-58.17	-13	45.17	Pass	9701
1000	1700	1	RMS	1695	-46.34	-13	33.34	Pass	701
1700	1765	1	RMS	1711.05	22.62	60	37.38	Pass	401
1765	3000	1	RMS	2989	-44.37	-13	31.37	Pass	1236
3000	12000	1	RMS	11993	-37.23	-13	24.23	Pass	9002
12000	20000	1	RMS	13604	-32.77	-13	19.77	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.19	-65.67	-13	52.67	Pass	2986
30	1000	0.1	RMS	818.5	-58.2	-13	45.2	Pass	9701
1000	1700	1	RMS	1697	-46.88	-13	33.88	Pass	701
1700	1765	1	RMS	1711.05	21.7	60	38.3	Pass	401
1765	3000	1	RMS	2990	-44.37	-13	31.37	Pass	1236
3000	12000	1	RMS	11985	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13602	-32.84	-13	19.84	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.38	-13	52.38	Pass	401
0.15	30	0.01	RMS	0.17	-65.55	-13	52.55	Pass	2986
30	1000	0.1	RMS	949.767	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1699	-46.98	-13	33.98	Pass	701
1700	1765	1	RMS	1723.563	22.64	60	37.36	Pass	401
1765	3000	1	RMS	2999	-44.37	-13	31.37	Pass	1236
3000	12000	1	RMS	12000	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13603	-32.84	-13	19.84	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.27	-13	52.27	Pass	401
0.15	30	0.01	RMS	0.19	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	945.064	-58.29	-13	45.29	Pass	9701
1000	1700	1	RMS	1681	-47	-13	34	Pass	701
1700	1765	1	RMS	1723.563	21.7	60	38.3	Pass	401
1765	3000	1	RMS	2841	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11991	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	13601	-32.81	-13	19.81	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.41	-13	52.41	Pass	401
0.15	30	0.01	RMS	0.17	-65.61	-13	52.61	Pass	2986
30	1000	0.1	RMS	850.101	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1681	-46.98	-13	33.98	Pass	701
1700	1765	1	RMS	1736.075	22.69	60	37.31	Pass	401
1765	3000	1	RMS	2986	-44.36	-13	31.36	Pass	1236
3000	12000	1	RMS	11989	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13599	-32.83	-13	19.83	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.45	-13	52.45	Pass	401
0.15	30	0.01	RMS	0.15	-65.25	-13	52.25	Pass	2986
30	1000	0.1	RMS	843.9	-58.17	-13	45.17	Pass	9701
1000	1700	1	RMS	1680	-46.98	-13	33.98	Pass	701
1700	1765	1	RMS	1736.075	21.96	60	38.04	Pass	401
1765	3000	1	RMS	2984	-44.32	-13	31.32	Pass	1236
3000	12000	1	RMS	11998	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13597	-32.77	-13	19.77	Pass	8001



3. LTE_Band7


3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.32	-25	40.32	Pass	401
0.15	30	0.01	RMS	0.17	-65.5	-25	40.5	Pass	2986
30	1000	0.1	RMS	983.089	-58.26	-25	33.26	Pass	9701
1000	2490	1	RMS	2487	-45.41	-25	20.41	Pass	1491
2490	2580	1	RMS	2500.125	22.44	60	37.56	Pass	401
2580	3000	1	RMS	2621	-44.05	-25	19.05	Pass	421
3000	12000	1	RMS	11971	-55.16	-25	30.16	Pass	9002
12000	26000	1	RMS	25516	-40.67	-25	15.67	Pass	14002




3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.52	-25	40.52	Pass	401
0.15	30	0.01	RMS	0.15	-65.34	-25	40.34	Pass	2986
30	1000	0.1	RMS	853.903	-58.19	-25	33.19	Pass	9701
1000	2490	1	RMS	2487	-45.5	-25	20.5	Pass	1491
2490	2580	1	RMS	2500.125	21.54	60	38.46	Pass	401
2580	3000	1	RMS	2622	-44.04	-25	19.04	Pass	421
3000	12000	1	RMS	11977	-55.11	-25	30.11	Pass	9002
12000	26000	1	RMS	25495	-44.29	-25	19.29	Pass	14002




3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.02	-25	41.02	Pass	401
0.15	30	0.01	RMS	0.15	-65.14	-25	40.14	Pass	2986
30	1000	0.1	RMS	848.6	-58.36	-25	33.36	Pass	9701
1000	2490	1	RMS	2488	-45.51	-25	20.51	Pass	1491
2490	2580	1	RMS	2532.75	22.71	60	37.29	Pass	401
2580	3000	1	RMS	2984	-44.45	-25	19.45	Pass	421
3000	12000	1	RMS	11976	-55.14	-25	30.14	Pass	9002
12000	26000	1	RMS	25517	-44.35	-25	19.35	Pass	14002




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.24	-25	40.24	Pass	401
0.15	30	0.01	RMS	0.15	-65.42	-25	40.42	Pass	2986
30	1000	0.1	RMS	863.109	-58.26	-25	33.26	Pass	9701
1000	2490	1	RMS	2490	-45.51	-25	20.51	Pass	1491
2490	2580	1	RMS	2532.75	21.94	60	38.06	Pass	401
2580	3000	1	RMS	2994	-44.42	-25	19.42	Pass	421
3000	12000	1	RMS	11982	-55.08	-25	30.08	Pass	9002
12000	26000	1	RMS	25495	-44.28	-25	19.28	Pass	14002




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.25	-25	40.25	Pass	401
0.15	30	0.01	RMS	0.15	-65.26	-25	40.26	Pass	2986
30	1000	0.1	RMS	836.7	-58.32	-25	33.32	Pass	9701
1000	2490	1	RMS	2482	-45.55	-25	20.55	Pass	1491
2490	2580	1	RMS	2565.15	22.39	60	37.61	Pass	401
2580	3000	1	RMS	2687	-44.39	-25	19.39	Pass	421
3000	12000	1	RMS	11973	-55.09	-25	30.09	Pass	9002
12000	26000	1	RMS	25493	-44.28	-25	19.28	Pass	14002




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.89	-25	40.89	Pass	401
0.15	30	0.01	RMS	0.17	-66.17	-25	41.17	Pass	2986
30	1000	0.1	RMS	873.516	-58.31	-25	33.31	Pass	9701
1000	2490	1	RMS	2489	-45.47	-25	20.47	Pass	1491
2490	2580	1	RMS	2565.15	21.69	60	38.31	Pass	401
2580	3000	1	RMS	2991	-44.43	-25	19.43	Pass	421
3000	12000	1	RMS	11983	-54.97	-25	29.97	Pass	9002
12000	26000	1	RMS	25495	-44.36	-25	19.36	Pass	14002




**3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.06	-25	40.06	Pass	401
0.15	30	0.01	RMS	0.15	-64.35	-25	39.35	Pass	2986
30	1000	0.1	RMS	996.097	-58.35	-25	33.35	Pass	9701
1000	2490	1	RMS	2488	-45.2	-25	20.2	Pass	1491
2490	2580	1	RMS	2500.575	22.42	60	37.58	Pass	401
2580	3000	1	RMS	2623	-44.04	-25	19.04	Pass	421
3000	12000	1	RMS	11973	-55.09	-25	30.09	Pass	9002
12000	26000	1	RMS	25504	-44.32	-25	19.32	Pass	14002




**3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8,
Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.43	-25	40.43	Pass	401
0.15	30	0.01	RMS	0.15	-65.23	-25	40.23	Pass	2986
30	1000	0.1	RMS	841.3	-58.29	-25	33.29	Pass	9701
1000	2490	1	RMS	2490	-45.37	-25	20.37	Pass	1491
2490	2580	1	RMS	2500.575	21.58	60	38.42	Pass	401
2580	3000	1	RMS	2622	-44.05	-25	19.05	Pass	421
3000	12000	1	RMS	11976	-55.13	-25	30.13	Pass	9002
12000	26000	1	RMS	25502	-44.29	-25	19.29	Pass	14002




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.16	-25	40.16	Pass	401
0.15	30	0.01	RMS	0.15	-64.85	-25	39.85	Pass	2986
30	1000	0.1	RMS	987.592	-58.28	-25	33.28	Pass	9701
1000	2490	1	RMS	2488	-45.44	-25	20.44	Pass	1491
2490	2580	1	RMS	2530.5	22.7	60	37.3	Pass	401
2580	3000	1	RMS	2935	-44.4	-25	19.4	Pass	421
3000	12000	1	RMS	11978	-55.02	-25	30.02	Pass	9002
12000	26000	1	RMS	25498	-44.28	-25	19.28	Pass	14002




3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.18	-25	40.18	Pass	401
0.15	30	0.01	RMS	0.15	-65.52	-25	40.52	Pass	2986
30	1000	0.1	RMS	987.091	-58.15	-25	33.15	Pass	9701
1000	2490	1	RMS	2488	-45.46	-25	20.46	Pass	1491
2490	2580	1	RMS	2530.725	20.96	60	39.04	Pass	401
2580	3000	1	RMS	2991	-44.37	-25	19.37	Pass	421
3000	12000	1	RMS	11981	-55.08	-25	30.08	Pass	9002
12000	26000	1	RMS	25498	-44.25	-25	19.25	Pass	14002




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.38	-25	40.38	Pass	401
0.15	30	0.01	RMS	0.19	-65.37	-25	40.37	Pass	2986
30	1000	0.1	RMS	847.1	-58.26	-25	33.26	Pass	9701
1000	2490	1	RMS	2485	-45.51	-25	20.51	Pass	1491
2490	2580	1	RMS	2560.425	22.48	60	37.52	Pass	401
2580	3000	1	RMS	2989	-44.39	-25	19.39	Pass	421
3000	12000	1	RMS	11978	-55.03	-25	30.03	Pass	9002
12000	26000	1	RMS	25502	-44.31	-25	19.31	Pass	14002




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.14	-25	40.14	Pass	401
0.15	30	0.01	RMS	0.15	-65.7	-25	40.7	Pass	2986
30	1000	0.1	RMS	849.3	-58.23	-25	33.23	Pass	9701
1000	2490	1	RMS	2487	-45.49	-25	20.49	Pass	1491
2490	2580	1	RMS	2560.425	21.72	60	38.28	Pass	401
2580	3000	1	RMS	2685	-44.4	-25	19.4	Pass	421
3000	12000	1	RMS	11975	-55.05	-25	30.05	Pass	9002
12000	26000	1	RMS	25501	-44.31	-25	19.31	Pass	14002




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.21	-25	41.21	Pass	401
0.15	30	0.01	RMS	0.18	-65.38	-25	40.38	Pass	2986
30	1000	0.1	RMS	848.9	-58.29	-25	33.29	Pass	9701
1000	2490	1	RMS	2488	-45.23	-25	20.23	Pass	1491
2490	2580	1	RMS	2500.8	22.42	60	37.58	Pass	401
2580	3000	1	RMS	2622	-44.06	-25	19.06	Pass	421
3000	12000	1	RMS	11982	-55.06	-25	30.06	Pass	9002
12000	26000	1	RMS	25508	-44.29	-25	19.29	Pass	14002




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.31	-25	40.31	Pass	401
0.15	30	0.01	RMS	0.24	-65.27	-25	40.27	Pass	2986
30	1000	0.1	RMS	845.7	-58.29	-25	33.29	Pass	9701
1000	2490	1	RMS	2484	-45.44	-25	20.44	Pass	1491
2490	2580	1	RMS	2500.8	21.43	60	38.57	Pass	401
2580	3000	1	RMS	2623	-44.08	-25	19.08	Pass	421
3000	12000	1	RMS	11978	-55.12	-25	30.12	Pass	9002
12000	26000	1	RMS	25494	-44.26	-25	19.26	Pass	14002




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.07	-25	41.07	Pass	401
0.15	30	0.01	RMS	0.23	-66.07	-25	41.07	Pass	2986
30	1000	0.1	RMS	840.2	-58.28	-25	33.28	Pass	9701
1000	2490	1	RMS	2489	-45.45	-25	20.45	Pass	1491
2490	2580	1	RMS	2528.25	22.52	60	37.48	Pass	401
2580	3000	1	RMS	2659	-44.42	-25	19.42	Pass	421
3000	12000	1	RMS	11977	-55.17	-25	30.17	Pass	9002
12000	26000	1	RMS	25511	-44.37	-25	19.37	Pass	14002




3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-66.44	-25	41.44	Pass	401
0.15	30	0.01	RMS	0.16	-65.99	-25	40.99	Pass	2986
30	1000	0.1	RMS	944.263	-58.05	-25	33.05	Pass	9701
1000	2490	1	RMS	2479	-45.51	-25	20.51	Pass	1491
2490	2580	1	RMS	2528.25	21.54	60	38.46	Pass	401
2580	3000	1	RMS	2990	-44.4	-25	19.4	Pass	421
3000	12000	1	RMS	11981	-55.07	-25	30.07	Pass	9002
12000	26000	1	RMS	25501	-44.3	-25	19.3	Pass	14002




3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.62	-25	40.62	Pass	401
0.15	30	0.01	RMS	0.17	-64.66	-25	39.66	Pass	2986
30	1000	0.1	RMS	979.186	-58.31	-25	33.31	Pass	9701
1000	2490	1	RMS	2489	-45.51	-25	20.51	Pass	1491
2490	2580	1	RMS	2555.7	22.5	60	37.5	Pass	401
2580	3000	1	RMS	2683	-44.43	-25	19.43	Pass	421
3000	12000	1	RMS	11981	-55.02	-25	30.02	Pass	9002
12000	26000	1	RMS	25492	-44.29	-25	19.29	Pass	14002




3.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.01	-25	40.01	Pass	401
0.15	30	0.01	RMS	0.17	-64.77	-25	39.77	Pass	2986
30	1000	0.1	RMS	841.5	-58.33	-25	33.33	Pass	9701
1000	2490	1	RMS	2490	-45.46	-25	20.46	Pass	1491
2490	2580	1	RMS	2555.7	21.32	60	38.68	Pass	401
2580	3000	1	RMS	2687	-44.39	-25	19.39	Pass	421
3000	12000	1	RMS	11982	-55.07	-25	30.07	Pass	9002
12000	26000	1	RMS	25499	-44.24	-25	19.24	Pass	14002




3.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.95	-25	40.95	Pass	401
0.15	30	0.01	RMS	0.19	-64.85	-25	39.85	Pass	2986
30	1000	0.1	RMS	868.413	-58.26	-25	33.26	Pass	9701
1000	2490	1	RMS	2486	-45.29	-25	20.29	Pass	1491
2490	2580	1	RMS	2501.025	22.39	60	37.61	Pass	401
2580	3000	1	RMS	2624	-44.11	-25	19.11	Pass	421
3000	12000	1	RMS	11973	-55.14	-25	30.14	Pass	9002
12000	26000	1	RMS	25502	-44.27	-25	19.27	Pass	14002




3.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-66.06	-25	41.06	Pass	401
0.15	30	0.01	RMS	0.15	-64.88	-25	39.88	Pass	2986
30	1000	0.1	RMS	982.088	-58.39	-25	33.39	Pass	9701
1000	2490	1	RMS	2484	-45.39	-25	20.39	Pass	1491
2490	2580	1	RMS	2501.025	21.42	60	38.58	Pass	401
2580	3000	1	RMS	2623	-44.1	-25	19.1	Pass	421
3000	12000	1	RMS	11976	-55.09	-25	30.09	Pass	9002
12000	26000	1	RMS	25509	-44.3	-25	19.3	Pass	14002




3.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.83	-25	40.83	Pass	401
0.15	30	0.01	RMS	0.16	-65.14	-25	40.14	Pass	2986
30	1000	0.1	RMS	890.728	-58.33	-25	33.33	Pass	9701
1000	2490	1	RMS	2482	-45.56	-25	20.56	Pass	1491
2490	2580	1	RMS	2526	22.51	60	37.49	Pass	401
2580	3000	1	RMS	2995	-44.46	-25	19.46	Pass	421
3000	12000	1	RMS	11981	-55.15	-25	30.15	Pass	9002
12000	26000	1	RMS	25501	-44.31	-25	19.31	Pass	14002




3.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.33	-25	40.33	Pass	401
0.15	30	0.01	RMS	0.15	-65.38	-25	40.38	Pass	2986
30	1000	0.1	RMS	866.512	-58.3	-25	33.3	Pass	9701
1000	2490	1	RMS	2483	-45.47	-25	20.47	Pass	1491
2490	2580	1	RMS	2526	21.61	60	38.39	Pass	401
2580	3000	1	RMS	2987	-44.44	-25	19.44	Pass	421
3000	12000	1	RMS	11983	-55.1	-25	30.1	Pass	9002
12000	26000	1	RMS	25507	-44.34	-25	19.34	Pass	14002




3.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-65.54	-25	40.54	Pass	401
0.15	30	0.01	RMS	0.23	-64.97	-25	39.97	Pass	2986
30	1000	0.1	RMS	953.369	-58.31	-25	33.31	Pass	9701
1000	2490	1	RMS	2489	-45.53	-25	20.53	Pass	1491
2490	2580	1	RMS	2550.975	22.58	60	37.42	Pass	401
2580	3000	1	RMS	2991	-44.47	-25	19.47	Pass	421
3000	12000	1	RMS	11983	-55.05	-25	30.05	Pass	9002
12000	26000	1	RMS	25503	-44.29	-25	19.29	Pass	14002



3.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.03	-25	40.03	Pass	401
0.15	30	0.01	RMS	0.15	-65.29	-25	40.29	Pass	2986
30	1000	0.1	RMS	962.175	-58.27	-25	33.27	Pass	9701
1000	2490	1	RMS	2487	-45.53	-25	20.53	Pass	1491
2490	2580	1	RMS	2550.975	21.72	60	38.28	Pass	401
2580	3000	1	RMS	3000	-44.48	-25	19.48	Pass	421
3000	12000	1	RMS	11979	-55.15	-25	30.15	Pass	9002
12000	26000	1	RMS	25502	-44.39	-25	19.39	Pass	14002



4. LTE_Band66


4.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-66.31	-13	53.31	Pass	401
0.15	30	0.01	RMS	0.19	-64.88	-13	51.88	Pass	2986
30	1000	0.1	RMS	868.413	-58.39	-13	45.39	Pass	9701
1000	1700	1	RMS	1700	-47	-13	34	Pass	701
1700	1790	1	RMS	1710.125	22.82	60	37.18	Pass	401
1790	3000	1	RMS	2980	-44.45	-13	31.45	Pass	1211
3000	12000	1	RMS	11993	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13597	-32.85	-13	19.85	Pass	8001




**4.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:2,
Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.23	-13	52.23	Pass	401
0.15	30	0.01	RMS	0.15	-64.53	-13	51.53	Pass	2986
30	1000	0.1	RMS	852.802	-58.36	-13	45.36	Pass	9701
1000	1700	1	RMS	1695	-47.06	-13	34.06	Pass	701
1700	1790	1	RMS	1710.125	21.92	60	38.08	Pass	401
1790	3000	1	RMS	2922	-44.46	-13	31.46	Pass	1211
3000	12000	1	RMS	11993	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	13600	-32.85	-13	19.85	Pass	8001




4.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.35	-13	52.35	Pass	401
0.15	30	0.01	RMS	0.16	-65.81	-13	52.81	Pass	2986
30	1000	0.1	RMS	833.7	-58.31	-13	45.31	Pass	9701
1000	1700	1	RMS	1678	-47.06	-13	34.06	Pass	701
1700	1790	1	RMS	1744.55	22.92	60	37.08	Pass	401
1790	3000	1	RMS	2983	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	11994	-37.33	-13	24.33	Pass	9002
12000	20000	1	RMS	13601	-32.84	-13	19.84	Pass	8001




**4.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:4,
Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.43	-13	52.43	Pass	401
0.15	30	0.01	RMS	0.22	-66.11	-13	53.11	Pass	2986
30	1000	0.1	RMS	986.391	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1680	-47.06	-13	34.06	Pass	701
1700	1790	1	RMS	1744.32 5	21.98	60	38.02	Pass	401
1790	3000	1	RMS	2986	-44.38	-13	31.38	Pass	1211
3000	12000	1	RMS	11999	-37.24	-13	24.24	Pass	9002
12000	20000	1	RMS	13599	-32.77	-13	19.77	Pass	8001




4.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.49	-13	52.49	Pass	401
0.15	30	0.01	RMS	0.15	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	994.997	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1679	-47.1	-13	34.1	Pass	701
1700	1790	1	RMS	1778.75	23.38	60	36.62	Pass	401
1790	3000	1	RMS	2937	-44.46	-13	31.46	Pass	1211
3000	12000	1	RMS	11991	-37.32	-13	24.32	Pass	9002
12000	20000	1	RMS	13604	-32.79	-13	19.79	Pass	8001




**4.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:6,
Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-66.29	-13	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-65.85	-13	52.85	Pass	2986
30	1000	0.1	RMS	867.112	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1677	-47.1	-13	34.1	Pass	701
1700	1790	1	RMS	1778.75	22.39	60	37.61	Pass	401
1790	3000	1	RMS	2987	-44.45	-13	31.45	Pass	1211
3000	12000	1	RMS	11996	-37.3	-13	24.3	Pass	9002
12000	20000	1	RMS	13600	-32.84	-13	19.84	Pass	8001




**4.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:7,
Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.15	-64.86	-13	51.86	Pass	2986
30	1000	0.1	RMS	952.168	-58.3	-13	45.3	Pass	9701
1000	1700	1	RMS	1700	-46.98	-13	33.98	Pass	701
1700	1790	1	RMS	1710.125	22.77	60	37.23	Pass	401
1790	3000	1	RMS	2928	-44.46	-13	31.46	Pass	1211
3000	12000	1	RMS	11998	-37.27	-13	24.27	Pass	9002
12000	20000	1	RMS	13601	-32.84	-13	19.84	Pass	8001




4.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.49	-13	52.49	Pass	401
0.15	30	0.01	RMS	0.16	-65.54	-13	52.54	Pass	2986
30	1000	0.1	RMS	855.004	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1677	-47.02	-13	34.02	Pass	701
1700	1790	1	RMS	1710.125	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2428	-43.2	-13	30.2	Pass	1211
3000	12000	1	RMS	11995	-37.32	-13	24.32	Pass	9002
12000	20000	1	RMS	13601	-32.88	-13	19.88	Pass	8001




**4.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:9,
Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-64.95	-13	51.95	Pass	401
0.15	30	0.01	RMS	0.15	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	987.992	-58.38	-13	45.38	Pass	9701
1000	1700	1	RMS	1677	-47.08	-13	34.08	Pass	701
1700	1790	1	RMS	1743.65	22.94	60	37.06	Pass	401
1790	3000	1	RMS	2978	-44.46	-13	31.46	Pass	1211
3000	12000	1	RMS	11995	-37.37	-13	24.37	Pass	9002
12000	20000	1	RMS	13601	-32.87	-13	19.87	Pass	8001




4.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.03	-13	53.03	Pass	401
0.15	30	0.01	RMS	0.17	-65.23	-13	52.23	Pass	2986
30	1000	0.1	RMS	847	-58.25	-13	45.25	Pass	9701
1000	1700	1	RMS	1680	-47.08	-13	34.08	Pass	701
1700	1790	1	RMS	1743.65	22.05	60	37.95	Pass	401
1790	3000	1	RMS	2998	-44.45	-13	31.45	Pass	1211
3000	12000	1	RMS	11998	-37.35	-13	24.35	Pass	9002
12000	20000	1	RMS	13599	-32.86	-13	19.86	Pass	8001




4.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.82	-13	52.82	Pass	401
0.15	30	0.01	RMS	0.21	-65.03	-13	52.03	Pass	2986
30	1000	0.1	RMS	960.774	-58.32	-13	45.32	Pass	9701
1000	1700	1	RMS	1680	-47.04	-13	34.04	Pass	701
1700	1790	1	RMS	1777.175	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2986	-44.46	-13	31.46	Pass	1211
3000	12000	1	RMS	11996	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13602	-32.85	-13	19.85	Pass	8001




4.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.67	-13	52.67	Pass	401
0.15	30	0.01	RMS	0.21	-65.39	-13	52.39	Pass	2986
30	1000	0.1	RMS	997.098	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1680	-47.09	-13	34.09	Pass	701
1700	1790	1	RMS	1777.175	22.35	60	37.65	Pass	401
1790	3000	1	RMS	2989	-44.43	-13	31.43	Pass	1211
3000	12000	1	RMS	11998	-37.35	-13	24.35	Pass	9002
12000	20000	1	RMS	13603	-32.79	-13	19.79	Pass	8001




4.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-65.7	-13	52.7	Pass	401
0.15	30	0.01	RMS	0.15	-64.46	-13	51.46	Pass	2986
30	1000	0.1	RMS	866.712	-58.36	-13	45.36	Pass	9701
1000	1700	1	RMS	1698	-46.99	-13	33.99	Pass	701
1700	1790	1	RMS	1710.125	22.68	60	37.32	Pass	401
1790	3000	1	RMS	2989	-44.45	-13	31.45	Pass	1211
3000	12000	1	RMS	11992	-37.28	-13	24.28	Pass	9002
12000	20000	1	RMS	13600	-32.78	-13	19.78	Pass	8001




4.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.28	-13	52.28	Pass	401
0.15	30	0.01	RMS	0.15	-65.49	-13	52.49	Pass	2986
30	1000	0.1	RMS	913.743	-58.36	-13	45.36	Pass	9701
1000	1700	1	RMS	1700	-47.05	-13	34.05	Pass	701
1700	1790	1	RMS	1710.35	21.72	60	38.28	Pass	401
1790	3000	1	RMS	2997	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	11997	-37.33	-13	24.33	Pass	9002
12000	20000	1	RMS	13605	-32.83	-13	19.83	Pass	8001




4.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-65.66	-13	52.66	Pass	401
0.15	30	0.01	RMS	0.26	-65.73	-13	52.73	Pass	2986
30	1000	0.1	RMS	849.2	-58.27	-13	45.27	Pass	9701
1000	1700	1	RMS	1674	-47.09	-13	34.09	Pass	701
1700	1790	1	RMS	1742.75	22.97	60	37.03	Pass	401
1790	3000	1	RMS	2991	-44.39	-13	31.39	Pass	1211
3000	12000	1	RMS	11995	-37.31	-13	24.31	Pass	9002
12000	20000	1	RMS	13601	-32.79	-13	19.79	Pass	8001




4.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.36	-13	52.36	Pass	401
0.15	30	0.01	RMS	0.17	-65.84	-13	52.84	Pass	2986
30	1000	0.1	RMS	871.315	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1676	-47.1	-13	34.1	Pass	701
1700	1790	1	RMS	1742.75	22.17	60	37.83	Pass	401
1790	3000	1	RMS	2993	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	11998	-37.31	-13	24.31	Pass	9002
12000	20000	1	RMS	13606	-32.83	-13	19.83	Pass	8001




**4.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:17,
Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-65.21	-13	52.21	Pass	401
0.15	30	0.01	RMS	0.15	-65.45	-13	52.45	Pass	2986
30	1000	0.1	RMS	978.286	-58.38	-13	45.38	Pass	9701
1000	1700	1	RMS	1672	-47.07	-13	34.07	Pass	701
1700	1790	1	RMS	1775.15	23.29	60	36.71	Pass	401
1790	3000	1	RMS	2992	-44.44	-13	31.44	Pass	1211
3000	12000	1	RMS	11996	-37.18	-13	24.18	Pass	9002
12000	20000	1	RMS	13600	-32.83	-13	19.83	Pass	8001




4.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.5	-13	52.5	Pass	401
0.15	30	0.01	RMS	0.25	-65.69	-13	52.69	Pass	2986
30	1000	0.1	RMS	853.203	-58.31	-13	45.31	Pass	9701
1000	1700	1	RMS	1678	-47.05	-13	34.05	Pass	701
1700	1790	1	RMS	1775.15	22.34	60	37.66	Pass	401
1790	3000	1	RMS	2995	-44.4	-13	31.4	Pass	1211
3000	12000	1	RMS	11988	-37.35	-13	24.35	Pass	9002
12000	20000	1	RMS	13602	-32.82	-13	19.82	Pass	8001




**4.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:19,
Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.94	-13	52.94	Pass	401
0.15	30	0.01	RMS	0.16	-65.48	-13	52.48	Pass	2986
30	1000	0.1	RMS	850.401	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1700	-46.95	-13	33.95	Pass	701
1700	1790	1	RMS	1710.575	22.65	60	37.35	Pass	401
1790	3000	1	RMS	2986	-44.37	-13	31.37	Pass	1211
3000	12000	1	RMS	11999	-37.21	-13	24.21	Pass	9002
12000	20000	1	RMS	13600	-32.83	-13	19.83	Pass	8001




4.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	0.16	-65.43	-13	52.43	Pass	2986
30	1000	0.1	RMS	833.8	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1699	-47	-13	34	Pass	701
1700	1790	1	RMS	1710.575	21.86	60	38.14	Pass	401
1790	3000	1	RMS	2997	-44.42	-13	31.42	Pass	1211
3000	12000	1	RMS	11997	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13600	-32.81	-13	19.81	Pass	8001




4.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.66	-13	52.66	Pass	401
0.15	30	0.01	RMS	0.15	-64.46	-13	51.46	Pass	2986
30	1000	0.1	RMS	982.989	-58.29	-13	45.29	Pass	9701
1000	1700	1	RMS	1673	-47.02	-13	34.02	Pass	701
1700	1790	1	RMS	1740.5	22.98	60	37.02	Pass	401
1790	3000	1	RMS	2987	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	11997	-37.32	-13	24.32	Pass	9002
12000	20000	1	RMS	13603	-32.79	-13	19.79	Pass	8001




4.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-66.22	-13	53.22	Pass	401
0.15	30	0.01	RMS	0.18	-65.67	-13	52.67	Pass	2986
30	1000	0.1	RMS	866.211	-58.26	-13	45.26	Pass	9701
1000	1700	1	RMS	1677	-47.01	-13	34.01	Pass	701
1700	1790	1	RMS	1740.5	22.09	60	37.91	Pass	401
1790	3000	1	RMS	2936	-44.42	-13	31.42	Pass	1211
3000	12000	1	RMS	11999	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13602	-32.74	-13	19.74	Pass	8001




4.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.72	-13	52.72	Pass	401
0.15	30	0.01	RMS	0.15	-64.81	-13	51.81	Pass	2986
30	1000	0.1	RMS	821.7	-58.35	-13	45.35	Pass	9701
1000	1700	1	RMS	1676	-47.05	-13	34.05	Pass	701
1700	1790	1	RMS	1770.425	23.28	60	36.72	Pass	401
1790	3000	1	RMS	2929	-44.38	-13	31.38	Pass	1211
3000	12000	1	RMS	12000	-37.29	-13	24.29	Pass	9002
12000	20000	1	RMS	13603	-32.84	-13	19.84	Pass	8001




4.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.92	-13	51.92	Pass	401
0.15	30	0.01	RMS	0.18	-65.72	-13	52.72	Pass	2986
30	1000	0.1	RMS	842.4	-58.28	-13	45.28	Pass	9701
1000	1700	1	RMS	1678	-47.02	-13	34.02	Pass	701
1700	1790	1	RMS	1770.425	22.47	60	37.53	Pass	401
1790	3000	1	RMS	3000	-44.38	-13	31.38	Pass	1211
3000	12000	1	RMS	12000	-37.28	-13	24.28	Pass	9002
12000	20000	1	RMS	13601	-32.76	-13	19.76	Pass	8001




4.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-64.69	-13	51.69	Pass	401
0.15	30	0.01	RMS	0.17	-64.89	-13	51.89	Pass	2986
30	1000	0.1	RMS	967.178	-58.24	-13	45.24	Pass	9701
1000	1700	1	RMS	1700	-46.61	-13	33.61	Pass	701
1700	1790	1	RMS	1710.8	22.51	60	37.49	Pass	401
1790	3000	1	RMS	2996	-44.36	-13	31.36	Pass	1211
3000	12000	1	RMS	11997	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13602	-32.82	-13	19.82	Pass	8001




4.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-65.2	-13	52.2	Pass	401
0.15	30	0.01	RMS	0.17	-65.12	-13	52.12	Pass	2986
30	1000	0.1	RMS	980.087	-58.21	-13	45.21	Pass	9701
1000	1700	1	RMS	1698	-46.86	-13	33.86	Pass	701
1700	1790	1	RMS	1710.8	21.71	60	38.29	Pass	401
1790	3000	1	RMS	2991	-44.41	-13	31.41	Pass	1211
3000	12000	1	RMS	11994	-37.26	-13	24.26	Pass	9002
12000	20000	1	RMS	13596	-32.85	-13	19.85	Pass	8001



**4.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:27,
Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-65.63	-13	52.63	Pass	401
0.15	30	0.01	RMS	0.18	-65.66	-13	52.66	Pass	2986
30	1000	0.1	RMS	984.79	-58.37	-13	45.37	Pass	9701
1000	1700	1	RMS	1675	-47.01	-13	34.01	Pass	701
1700	1790	1	RMS	1738.25	22.87	60	37.13	Pass	401
1790	3000	1	RMS	2994	-44.38	-13	31.38	Pass	1211
3000	12000	1	RMS	11996	-37.28	-13	24.28	Pass	9002
12000	20000	1	RMS	13600	-32.75	-13	19.75	Pass	8001



4.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTLV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-65.91	-13	52.91	Pass	401
0.15	30	0.01	RMS	0.15	-64.83	-13	51.83	Pass	2986
30	1000	0.1	RMS	855.504	-58.2	-13	45.2	Pass	9701
1000	1700	1	RMS	1680	-47	-13	34	Pass	701
1700	1790	1	RMS	1738.25	21.87	60	38.13	Pass	401
1790	3000	1	RMS	2987	-44.39	-13	31.39	Pass	1211
3000	12000	1	RMS	12000	-37.25	-13	24.25	Pass	9002
12000	20000	1	RMS	13600	-32.77	-13	19.77	Pass	8001

