


Peak to Average Ratio


1.26 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.27 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.28 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)




1.29 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



1.30 Peak to Average Ratio for SA_Part96(NTNV)(Channel:646000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)




1.31 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.32 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	PAR (dB)	Upper Limit (dB)	Verdict
3570	0.1	4.17	13	Pass




1.33 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.34 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.35 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.36 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.37 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.38 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




1.39 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.40 Peak to Average Ratio for SA_Part96(NTNV)(Channel:638000, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




1.41 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.42 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.43 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.44 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.45 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.46 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.47 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)




1.48 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)




1.49 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




1.50 Peak to Average Ratio for SA_Part96(NTNV)(Channel:641666, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)




1.51 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.52 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.53 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)



1.54 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




1.55 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.56 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)




1.57 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)



1.58 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)



1.59 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)



1.60 Peak to Average Ratio for SA_Part96(NTNV)(Channel:645332, Bandwidth:40, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

