

Spurious Emission at Antenna Terminals

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 48	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n48	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
	40	LCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		MCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		HCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass

1. LTE_Band48


1.1 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.3	-40	12.3	Pass	401
0.15	30	0.01	RMS	0.15	-63.62	-40	23.62	Pass	2986
30	1000	0.1	RMS	895.2	-62.26	-40	22.26	Pass	9701
1000	3000	1	RMS	2997	-47.45	-40	7.45	Pass	2001
3000	3500	1	RMS	3243	-45.54	-40	5.54	Pass	501
3500	3750	1	RMS	3550.625	20.19	60	39.81	Pass	401
3750	6500	1	RMS	3799	-41.41	-40	1.41	Pass*	2751
6500	37000	1	RMS	36929	-52.34	-40	12.34	Pass	30501




**1.2 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:2,
Channel:55265, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-40	11.99	Pass	401
0.15	30	0.01	RMS	0.16	-64.24	-40	24.24	Pass	2986
30	1000	0.1	RMS	889.7	-62.39	-40	22.39	Pass	9701
1000	3000	1	RMS	3000	-47.39	-40	7.39	Pass	2001
3000	3500	1	RMS	3243	-45.74	-40	5.74	Pass	501
3500	3750	1	RMS	3550.625	19.21	60	40.79	Pass	401
3750	6500	1	RMS	3774	-41.47	-40	1.47	Pass*	2751
6500	37000	1	RMS	36904	-52.29	-40	12.29	Pass	30501




1.3 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.9	-40	12.9	Pass	401
0.15	30	0.01	RMS	0.15	-64.14	-40	24.14	Pass	2986
30	1000	0.1	RMS	859.8	-62.13	-40	22.13	Pass	9701
1000	3000	1	RMS	2993	-47.47	-40	7.47	Pass	2001
3000	3500	1	RMS	3316	-45.26	-40	5.26	Pass	501
3500	3750	1	RMS	3623.12 5	18.35	60	41.65	Pass	401
3750	6500	1	RMS	3801	-41.48	-40	1.48	Pass*	2751
6500	37000	1	RMS	36944	-52.37	-40	12.37	Pass	30501




**1.4 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:4,
Channel:55990, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.08	-40	12.08	Pass	401
0.15	30	0.01	RMS	0.15	-64.84	-40	24.84	Pass	2986
30	1000	0.1	RMS	921.8	-62.37	-40	22.37	Pass	9701
1000	3000	1	RMS	2997	-47.46	-40	7.46	Pass	2001
3000	3500	1	RMS	3316	-45.47	-40	5.47	Pass	501
3500	3750	1	RMS	3623.12 5	17.8	60	42.2	Pass	401
3750	6500	1	RMS	3797	-41.42	-40	1.42	Pass*	2751
6500	37000	1	RMS	36953	-52.28	-40	12.28	Pass	30501




**1.5 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:5,
Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.88	-40	10.88	Pass	401
0.15	30	0.01	RMS	0.15	-63.99	-40	23.99	Pass	2986
30	1000	0.1	RMS	945.3	-62.41	-40	22.41	Pass	9701
1000	3000	1	RMS	2997	-47.46	-40	7.46	Pass	2001
3000	3500	1	RMS	3388	-45.54	-40	5.54	Pass	501
3500	3750	1	RMS	3695	17.95	60	42.05	Pass	401
3750	6500	1	RMS	3788	-41.44	-40	1.44	Pass*	2751
6500	37000	1	RMS	7391	-51.01	-40	11.01	Pass	30501




**1.6 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:6,
Channel:56715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-52.3	-40	12.3	Pass	401
0.15	30	0.01	RMS	0.16	-64.69	-40	24.69	Pass	2986
30	1000	0.1	RMS	926.8	-62.38	-40	22.38	Pass	9701
1000	3000	1	RMS	2999	-47.48	-40	7.48	Pass	2001
3000	3500	1	RMS	3388	-45.85	-40	5.85	Pass	501
3500	3750	1	RMS	3695.62 5	17.37	60	42.63	Pass	401
3750	6500	1	RMS	3797	-41.46	-40	1.46	Pass*	2751
6500	37000	1	RMS	36958	-52.28	-40	12.28	Pass	30501




**1.7 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:7,
Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-40	11.51	Pass	401
0.15	30	0.01	RMS	0.15	-64.25	-40	24.25	Pass	2986
30	1000	0.1	RMS	987.7	-62.36	-40	22.36	Pass	9701
1000	3000	1	RMS	2996	-47.39	-40	7.39	Pass	2001
3000	3500	1	RMS	3243	-45.84	-40	5.84	Pass	501
3500	3750	1	RMS	3550.62 5	21.07	60	38.93	Pass	401
3750	6500	1	RMS	3795	-41.53	-40	1.53	Pass*	2751
6500	37000	1	RMS	36918	-52.3	-40	12.3	Pass	30501




**1.8 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:8,
Channel:55290, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.82	-40	12.82	Pass	401
0.15	30	0.01	RMS	0.15	-64.38	-40	24.38	Pass	2986
30	1000	0.1	RMS	865.5	-62.59	-40	22.59	Pass	9701
1000	3000	1	RMS	2997	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3291	-46.22	-40	6.22	Pass	501
3500	3750	1	RMS	3550.625	20.04	60	39.96	Pass	401
3750	6500	1	RMS	3800	-41.66	-40	1.66	Pass*	2751
6500	37000	1	RMS	36929	-52.38	-40	12.38	Pass	30501




**1.9 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:9,
Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.13	-40	12.13	Pass	401
0.15	30	0.01	RMS	0.16	-64.85	-40	24.85	Pass	2986
30	1000	0.1	RMS	894.1	-62.58	-40	22.58	Pass	9701
1000	3000	1	RMS	2995	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3313	-45.66	-40	5.66	Pass	501
3500	3750	1	RMS	3620.62 5	19.13	60	40.87	Pass	401
3750	6500	1	RMS	3794	-41.71	-40	1.71	Pass*	2751
6500	37000	1	RMS	36944	-52.35	-40	12.35	Pass	30501




1.10 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:10, Channel:55990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-52.88	-40	12.88	Pass	401
0.15	30	0.01	RMS	0.16	-64.41	-40	24.41	Pass	2986
30	1000	0.1	RMS	895.4	-62.59	-40	22.59	Pass	9701
1000	3000	1	RMS	2992	-47.73	-40	7.73	Pass	2001
3000	3500	1	RMS	3313	-45.82	-40	5.82	Pass	501
3500	3750	1	RMS	3620.625	18.21	60	41.79	Pass	401
3750	6500	1	RMS	3798	-41.75	-40	1.75	Pass*	2751
6500	37000	1	RMS	36935	-52.41	-40	12.41	Pass	30501




**1.11 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:11,
Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-40	12.33	Pass	401
0.15	30	0.01	RMS	0.15	-64.21	-40	24.21	Pass	2986
30	1000	0.1	RMS	892.4	-62.55	-40	22.55	Pass	9701
1000	3000	1	RMS	2994	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3293	-46.22	-40	6.22	Pass	501
3500	3750	1	RMS	3690.62 5	18.62	60	41.38	Pass	401
3750	6500	1	RMS	3785	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36953	-52.34	-40	12.34	Pass	30501




**1.12 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:12,
Channel:56690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-40	12.74	Pass	401
0.15	30	0.01	RMS	0.15	-64.44	-40	24.44	Pass	2986
30	1000	0.1	RMS	847.9	-62.54	-40	22.54	Pass	9701
1000	3000	1	RMS	2992	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3285	-46.24	-40	6.24	Pass	501
3500	3750	1	RMS	3690.62 5	17.88	60	42.12	Pass	401
3750	6500	1	RMS	3797	-41.62	-40	1.62	Pass*	2751
6500	37000	1	RMS	7381	-51.85	-40	11.85	Pass	30501




**1.13 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:13,
Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-40	12.88	Pass	401
0.15	30	0.01	RMS	0.15	-63.97	-40	23.97	Pass	2986
30	1000	0.1	RMS	835.8	-62.59	-40	22.59	Pass	9701
1000	3000	1	RMS	2996	-47.69	-40	7.69	Pass	2001
3000	3500	1	RMS	3244	-46.09	-40	6.09	Pass	501
3500	3750	1	RMS	3550.62 5	20.15	60	39.85	Pass	401
3750	6500	1	RMS	3795	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36927	-52.35	-40	12.35	Pass	30501




**1.14 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:14,
Channel:55315, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-52.79	-40	12.79	Pass	401
0.15	30	0.01	RMS	0.16	-64.23	-40	24.23	Pass	2986
30	1000	0.1	RMS	848	-62.47	-40	22.47	Pass	9701
1000	3000	1	RMS	3000	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3244	-46.18	-40	6.18	Pass	501
3500	3750	1	RMS	3550.62 5	19.37	60	40.63	Pass	401
3750	6500	1	RMS	3793	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36933	-52.4	-40	12.4	Pass	30501




**1.15 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:15,
Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-40	12.62	Pass	401
0.15	30	0.01	RMS	0.15	-64.05	-40	24.05	Pass	2986
30	1000	0.1	RMS	942.2	-62.55	-40	22.55	Pass	9701
1000	3000	1	RMS	3000	-47.72	-40	7.72	Pass	2001
3000	3500	1	RMS	3311	-45.6	-40	5.6	Pass	501
3500	3750	1	RMS	3618.12 5	18.57	60	41.43	Pass	401
3750	6500	1	RMS	3779	-41.68	-40	1.68	Pass*	2751
6500	37000	1	RMS	36933	-52.35	-40	12.35	Pass	30501




**1.16 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:16,
Channel:55990, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.89	-40	12.89	Pass	401
0.15	30	0.01	RMS	0.15	-63.64	-40	23.64	Pass	2986
30	1000	0.1	RMS	906.9	-62.62	-40	22.62	Pass	9701
1000	3000	1	RMS	2994	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3311	-45.71	-40	5.71	Pass	501
3500	3750	1	RMS	3618.12 5	17.9	60	42.1	Pass	401
3750	6500	1	RMS	3783	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36915	-52.33	-40	12.33	Pass	30501




**1.17 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:17,
Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.98	-40	12.98	Pass	401
0.15	30	0.01	RMS	0.16	-64.44	-40	24.44	Pass	2986
30	1000	0.1	RMS	874.8	-62.58	-40	22.58	Pass	9701
1000	3000	1	RMS	2994	-47.75	-40	7.75	Pass	2001
3000	3500	1	RMS	3287	-46.24	-40	6.24	Pass	501
3500	3750	1	RMS	3685.62 5	17.73	60	42.27	Pass	401
3750	6500	1	RMS	3779	-41.65	-40	1.65	Pass*	2751
6500	37000	1	RMS	36938	-52.38	-40	12.38	Pass	30501




**1.18 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:18,
Channel:56665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-52.56	-40	12.56	Pass	401
0.15	30	0.01	RMS	0.15	-64.31	-40	24.31	Pass	2986
30	1000	0.1	RMS	829.5	-62.67	-40	22.67	Pass	9701
1000	3000	1	RMS	2998	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3279	-46.23	-40	6.23	Pass	501
3500	3750	1	RMS	3685.62 5	16.94	60	43.06	Pass	401
3750	6500	1	RMS	3779	-41.69	-40	1.69	Pass*	2751
6500	37000	1	RMS	7372	-51.46	-40	11.46	Pass	30501




**1.19 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:19,
Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.09	-40	13.09	Pass	401
0.15	30	0.01	RMS	0.15	-64.65	-40	24.65	Pass	2986
30	1000	0.1	RMS	880.9	-62.66	-40	22.66	Pass	9701
1000	3000	1	RMS	2989	-47.72	-40	7.72	Pass	2001
3000	3500	1	RMS	3244	-45.98	-40	5.98	Pass	501
3500	3750	1	RMS	3551.25	20.41	60	39.59	Pass	401
3750	6500	1	RMS	3789	-41.77	-40	1.77	Pass*	2751
6500	37000	1	RMS	36934	-52.37	-40	12.37	Pass	30501




**1.20 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:20,
Channel:55340, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.57	-40	11.57	Pass	401
0.15	30	0.01	RMS	0.16	-64.52	-40	24.52	Pass	2986
30	1000	0.1	RMS	899.4	-62.56	-40	22.56	Pass	9701
1000	3000	1	RMS	2999	-47.76	-40	7.76	Pass	2001
3000	3500	1	RMS	3244	-46.11	-40	6.11	Pass	501
3500	3750	1	RMS	3551.25	19.45	60	40.55	Pass	401
3750	6500	1	RMS	3795	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36928	-52.33	-40	12.33	Pass	30501




**1.21 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:21,
Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.12	-40	11.12	Pass	401
0.15	30	0.01	RMS	0.16	-64.95	-40	24.95	Pass	2986
30	1000	0.1	RMS	856.8	-62.52	-40	22.52	Pass	9701
1000	3000	1	RMS	2995	-47.71	-40	7.71	Pass	2001
3000	3500	1	RMS	3309	-45.5	-40	5.5	Pass	501
3500	3750	1	RMS	3616.25	18.61	60	41.39	Pass	401
3750	6500	1	RMS	3795	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36928	-52.29	-40	12.29	Pass	30501




**1.22 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:22,
Channel:55990, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-40	12.1	Pass	401
0.15	30	0.01	RMS	0.17	-64.81	-40	24.81	Pass	2986
30	1000	0.1	RMS	908.9	-62.49	-40	22.49	Pass	9701
1000	3000	1	RMS	3000	-47.7	-40	7.7	Pass	2001
3000	3500	1	RMS	3309	-45.74	-40	5.74	Pass	501
3500	3750	1	RMS	3616.25	17.74	60	42.26	Pass	401
3750	6500	1	RMS	3798	-41.7	-40	1.7	Pass*	2751
6500	37000	1	RMS	36926	-52.4	-40	12.4	Pass	30501




**1.23 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:23,
Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.96	-40	12.96	Pass	401
0.15	30	0.01	RMS	0.15	-64.27	-40	24.27	Pass	2986
30	1000	0.1	RMS	906.4	-62.62	-40	22.62	Pass	9701
1000	3000	1	RMS	2999	-47.69	-40	7.69	Pass	2001
3000	3500	1	RMS	3374	-46.04	-40	6.04	Pass	501
3500	3750	1	RMS	3681.25	17.83	60	42.17	Pass	401
3750	6500	1	RMS	3795	-41.71	-40	1.71	Pass*	2751
6500	37000	1	RMS	36932	-52.4	-40	12.4	Pass	30501



**1.24 LTE Spurious Emission at Antenna Terminals_Part96(NTNV)(Subtest:24,
Channel:56640, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Freque ncy (MHz)	Stop Freque ncy (MHz)	RBW (MHz)	Detecto r	Freque ncy (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-40	13.15	Pass	401
0.15	30	0.01	RMS	0.15	-63.56	-40	23.56	Pass	2986
30	1000	0.1	RMS	873.5	-62.26	-40	22.26	Pass	9701
1000	3000	1	RMS	2990	-47.76	-40	7.76	Pass	2001
3000	3500	1	RMS	3374	-46.13	-40	6.13	Pass	501
3500	3750	1	RMS	3681.25	17.03	60	42.97	Pass	401
3750	6500	1	RMS	3796	-41.71	-40	1.71	Pass*	2751
6500	37000	1	RMS	36943	-52.37	-40	12.37	Pass	30501



1. n48 30kHz


1.1 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.4	-40	35.4	Pass	401
0.15	30	0.01	RMS	1.08	-74.47	-40	34.47	Pass	2986
30	1000	0.1	RMS	874.217	-66.32	-40	26.32	Pass	9701
1000	3000	1	RMS	2937	-53.52	-40	13.52	Pass	2001
3000	3500	1	RMS	3000	-50.52	-40	10.52	Pass	501
3500	3750	1	RMS	3553.125	6.6	60	53.4	Pass	401
3750	7000	1	RMS	4493	-56.27	-40	16.27	Pass	3251
7000	26500	1	RMS	25534	-60.15	-40	20.15	Pass	19503




1.2 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.59	-40	35.59	Pass	401
0.15	30	0.01	RMS	0.22	-74.84	-40	34.84	Pass	2986
30	1000	0.1	RMS	948.366	-66.93	-40	26.93	Pass	9701
1000	3000	1	RMS	2934	-53.66	-40	13.66	Pass	2001
3000	3500	1	RMS	3244	-48.59	-40	8.59	Pass	501
3500	3750	1	RMS	3551.25	17.95	60	42.05	Pass	401
3750	7000	1	RMS	3858	-54.4	-40	14.4	Pass	3251
7000	26500	1	RMS	7102	-55.36	-40	15.36	Pass	19503




1.3 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.38	-40	34.38	Pass	401
0.15	30	0.01	RMS	0.3	-74.1	-40	34.1	Pass	2986
30	1000	0.1	RMS	557	-66.89	-40	26.89	Pass	9701
1000	3000	1	RMS	2932	-53.62	-40	13.62	Pass	2001
3000	3500	1	RMS	3262	-48.71	-40	8.71	Pass	501
3500	3750	1	RMS	3568.75	18.1	60	41.9	Pass	401
3750	7000	1	RMS	3876	-54.1	-40	14.1	Pass	3251
7000	26500	1	RMS	7138	-56.85	-40	16.85	Pass	19503




1.4 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.56	-40	35.56	Pass	401
0.15	30	0.01	RMS	0.15	-74.19	-40	34.19	Pass	2986
30	1000	0.1	RMS	944.163	-66.37	-40	26.37	Pass	9701
1000	3000	1	RMS	2930	-53.59	-40	13.59	Pass	2001
3000	3500	1	RMS	3008	-50.51	-40	10.51	Pass	501
3500	3750	1	RMS	3618.125	7.15	60	52.85	Pass	401
3750	7000	1	RMS	4491	-56.3	-40	16.3	Pass	3251
7000	26500	1	RMS	25932	-60	-40	20	Pass	19503




1.5 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.25	-40	35.25	Pass	401
0.15	30	0.01	RMS	0.27	-74.89	-40	34.89	Pass	2986
30	1000	0.1	RMS	846.6	-67.17	-40	27.17	Pass	9701
1000	3000	1	RMS	2953	-53.69	-40	13.69	Pass	2001
3000	3500	1	RMS	3309	-48.71	-40	8.71	Pass	501
3500	3750	1	RMS	3616.25	18.42	60	41.58	Pass	401
3750	7000	1	RMS	4491	-56.21	-40	16.21	Pass	3251
7000	26500	1	RMS	7232	-57.73	-40	17.73	Pass	19503




1.6 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.79	-40	35.79	Pass	401
0.15	30	0.01	RMS	0.24	-73.94	-40	33.94	Pass	2986
30	1000	0.1	RMS	945.464	-67.04	-40	27.04	Pass	9701
1000	3000	1	RMS	2964	-53.64	-40	13.64	Pass	2001
3000	3500	1	RMS	3327	-48.34	-40	8.34	Pass	501
3500	3750	1	RMS	3633.75	18.77	60	41.23	Pass	401
3750	7000	1	RMS	3941	-54.88	-40	14.88	Pass	3251
7000	26500	1	RMS	7268	-55.31	-40	15.31	Pass	19503




1.7 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-74.5	-40	34.5	Pass	401
0.15	30	0.01	RMS	0.17	-75.17	-40	35.17	Pass	2986
30	1000	0.1	RMS	988.592	-66.42	-40	26.42	Pass	9701
1000	3000	1	RMS	2926	-53.64	-40	13.64	Pass	2001
3000	3500	1	RMS	3010	-50.56	-40	10.56	Pass	501
3500	3750	1	RMS	3697.5	6.97	60	53.03	Pass	401
3750	7000	1	RMS	4492	-55.73	-40	15.73	Pass	3251
7000	26500	1	RMS	25836	-59.95	-40	19.95	Pass	19503




1.8 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.13	-40	36.13	Pass	401
0.15	30	0.01	RMS	0.26	-74.96	-40	34.96	Pass	2986
30	1000	0.1	RMS	736.9	-66.58	-40	26.58	Pass	9701
1000	3000	1	RMS	2941	-53.59	-40	13.59	Pass	2001
3000	3500	1	RMS	3374	-49.16	-40	9.16	Pass	501
3500	3750	1	RMS	3681.25	18.23	60	41.77	Pass	401
3750	7000	1	RMS	3988	-54.68	-40	14.68	Pass	3251
7000	26500	1	RMS	7362	-51.76	-40	11.76	Pass	19503




1.9 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.24	-40	35.24	Pass	401
0.15	30	0.01	RMS	0.15	-74.43	-40	34.43	Pass	2986
30	1000	0.1	RMS	874.717	-66.58	-40	26.58	Pass	9701
1000	3000	1	RMS	2946	-53.61	-40	13.61	Pass	2001
3000	3500	1	RMS	3392	-49.3	-40	9.3	Pass	501
3500	3750	1	RMS	3698.75	18.52	60	41.48	Pass	401
3750	7000	1	RMS	4490	-56.41	-40	16.41	Pass	3251
7000	26500	1	RMS	7398	-50.46	-40	10.46	Pass	19503




1.10 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.46	-40	35.46	Pass	401
0.15	30	0.01	RMS	0.17	-74	-40	34	Pass	2986
30	1000	0.1	RMS	749.2	-66.55	-40	26.55	Pass	9701
1000	3000	1	RMS	2931	-53.69	-40	13.69	Pass	2001
3000	3500	1	RMS	3226	-48.74	-40	8.74	Pass	501
3500	3750	1	RMS	3553.125	3.27	60	56.73	Pass	401
3750	7000	1	RMS	4219	-40.67	-40	0.67	Pass*	3251
7000	26500	1	RMS	25910	-60.35	-40	20.35	Pass	19503




1.11 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.39	-40	34.39	Pass	401
0.15	30	0.01	RMS	0.55	-74.91	-40	34.91	Pass	2986
30	1000	0.1	RMS	746.4	-67.04	-40	27.04	Pass	9701
1000	3000	1	RMS	2955	-53.63	-40	13.63	Pass	2001
3000	3500	1	RMS	3226	-48.46	-40	8.46	Pass	501
3500	3750	1	RMS	3551.25	18.44	60	41.56	Pass	401
3750	7000	1	RMS	4219	-40.68	-40	0.68	Pass*	3251
7000	26500	1	RMS	7102	-55.54	-40	15.54	Pass	19503




1.12 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.99	-40	35.99	Pass	401
0.15	30	0.01	RMS	0.15	-74.43	-40	34.43	Pass	2986
30	1000	0.1	RMS	962.775	-67.06	-40	27.06	Pass	9701
1000	3000	1	RMS	2931	-53.6	-40	13.6	Pass	2001
3000	3500	1	RMS	3226	-48.36	-40	8.36	Pass	501
3500	3750	1	RMS	3588.75	18.42	60	41.58	Pass	401
3750	7000	1	RMS	4220	-40.79	-40	0.79	Pass*	3251
7000	26500	1	RMS	7178	-56.47	-40	16.47	Pass	19503




1.13 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.37	-40	35.37	Pass	401
0.15	30	0.01	RMS	0.17	-75.61	-40	35.61	Pass	2986
30	1000	0.1	RMS	840.4	-66.94	-40	26.94	Pass	9701
1000	3000	1	RMS	2967	-53.48	-40	13.48	Pass	2001
3000	3500	1	RMS	3226	-48.89	-40	8.89	Pass	501
3500	3750	1	RMS	3642.5	3.85	60	56.15	Pass	401
3750	7000	1	RMS	4220	-40.77	-40	0.77	Pass*	3251
7000	26500	1	RMS	25494	-60.05	-40	20.05	Pass	19503




1.14 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.71	-40	34.71	Pass	401
0.15	30	0.01	RMS	0.15	-72.93	-40	32.93	Pass	2986
30	1000	0.1	RMS	741.4	-65.74	-40	25.74	Pass	9701
1000	3000	1	RMS	2937	-53.64	-40	13.64	Pass	2001
3000	3500	1	RMS	3299	-48.11	-40	8.11	Pass	501
3500	3750	1	RMS	3606.25	18.56	60	41.44	Pass	401
3750	7000	1	RMS	4221	-40.5	-40	0.5	Pass*	3251
7000	26500	1	RMS	7212	-57.47	-40	17.47	Pass	19503




1.15 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.16	-40	35.16	Pass	401
0.15	30	0.01	RMS	0.28	-73.5	-40	33.5	Pass	2986
30	1000	0.1	RMS	977.485	-67.17	-40	27.17	Pass	9701
1000	3000	1	RMS	2959	-53.53	-40	13.53	Pass	2001
3000	3500	1	RMS	3226	-48.67	-40	8.67	Pass	501
3500	3750	1	RMS	3643.75	19.39	60	40.61	Pass	401
3750	7000	1	RMS	4219	-40.6	-40	0.6	Pass*	3251
7000	26500	1	RMS	7288	-54.67	-40	14.67	Pass	19503




1.16 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-76.57	-40	36.57	Pass	401
0.15	30	0.01	RMS	0.36	-74.92	-40	34.92	Pass	2986
30	1000	0.1	RMS	813.9	-66.49	-40	26.49	Pass	9701
1000	3000	1	RMS	2945	-53.74	-40	13.74	Pass	2001
3000	3500	1	RMS	3226	-48.99	-40	8.99	Pass	501
3500	3750	1	RMS	3662.5	3.93	60	56.07	Pass	401
3750	7000	1	RMS	4219	-41.1	-40	1.1	Pass*	3251
7000	26500	1	RMS	25901	-60.12	-40	20.12	Pass	19503



1.17 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.63	-40	33.63	Pass	401
0.15	30	0.01	RMS	0.47	-74.8	-40	34.8	Pass	2986
30	1000	0.1	RMS	915.344	-67.11	-40	27.11	Pass	9701
1000	3000	1	RMS	2933	-53.62	-40	13.62	Pass	2001
3000	3500	1	RMS	3354	-48.29	-40	8.29	Pass	501
3500	3750	1	RMS	3661.25	19.21	60	40.79	Pass	401
3750	7000	1	RMS	4220	-40.96	-40	0.96	Pass*	3251
7000	26500	1	RMS	7322	-52.11	-40	12.11	Pass	19503



1.18 Spurious Emission at Antenna Terminals for SA_Part96(NTLV)(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-75.08	-40	35.08	Pass	401
0.15	30	0.01	RMS	0.18	-74.78	-40	34.78	Pass	2986
30	1000	0.1	RMS	869.413	-66.85	-40	26.85	Pass	9701
1000	3000	1	RMS	2937	-53.57	-40	13.57	Pass	2001
3000	3500	1	RMS	3226	-48.72	-40	8.72	Pass	501
3500	3750	1	RMS	3698.75	19.19	60	40.81	Pass	401
3750	7000	1	RMS	4220	-40.9	-40	0.9	Pass*	3251
7000	26500	1	RMS	7398	-51.07	-40	11.07	Pass	19503

