



Test Graphs


11B_Ant1_2412




11B_Ant1_2437




11B_Ant1_2462




11G_Ant1_2412




11G_Ant1_2437




11G_Ant1_2462




11N20SISO_Ant1_2412



11N20SISO_Ant1_2437



11N20SISO_Ant1_2462



Appendix H: Emissions in Restricted Bands


Test Result

TestMod e	Antenn a	ChNam e	Frequen cy[MHz]	Detector	Freq [MHz]	Result [dBm]	Gain [dB]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-59.37	3.37	0.02	39.22	≤54	PASS
				AV	2386.060	-54.26	3.37	0.02	44.33	≤54	PASS
				AV	2390.000	-56.63	3.37	0.02	41.96	≤54	PASS
				Peak	2310.000	-51.66	3.37	0.00	46.91	≤74	PASS
				Peak	2385.930	-46.03	3.37	0.00	52.54	≤74	PASS
				Peak	2390.000	-47.52	3.37	0.00	51.05	≤74	PASS
		High	2462	AV	2483.500	-54.93	3.37	0.02	43.66	≤54	PASS
				AV	2487.740	-54.48	3.37	0.02	44.11	≤54	PASS
				AV	2500.000	-58.13	3.37	0.02	40.46	≤54	PASS
				Peak	2483.500	-48.28	3.37	0.00	50.29	≤74	PASS
				Peak	2483.780	-46.2	3.37	0.00	52.37	≤74	PASS
				Peak	2500.000	-50.9	3.37	0.00	47.67	≤74	PASS
11G	Ant1	Low	2412	AV	2310.000	-59.1	3.37	1.25	40.72	≤54	PASS
				AV	2380.990	-58.34	3.37	1.25	41.48	≤54	PASS
				AV	2390.000	-59.33	3.37	1.25	40.49	≤54	PASS
				Peak	2310.000	-51.89	3.37	0.00	46.68	≤74	PASS
				Peak	2333.670	-48.95	3.37	0.00	49.62	≤74	PASS
				Peak	2390.000	-51.13	3.37	0.00	47.44	≤74	PASS
		High	2462	AV	2483.500	-58.47	3.37	1.33	41.43	≤54	PASS
				AV	2485.980	-58.28	3.37	1.33	41.62	≤54	PASS
				AV	2500.000	-59.23	3.37	1.33	40.67	≤54	PASS
				Peak	2483.500	-50.22	3.37	0.00	48.35	≤74	PASS
				Peak	2485.210	-48.57	3.37	0.00	50	≤74	PASS
				Peak	2500.000	-52.13	3.37	0.00	46.44	≤74	PASS
11N20SI SO	Ant1	Low	2412	AV	2310.000	-59.4	3.37	1.12	40.29	≤54	PASS
				AV	2358.240	-58.28	3.37	1.12	41.41	≤54	PASS
				AV	2390.000	-58.97	3.37	1.12	40.72	≤54	PASS
				Peak	2310.000	-50.19	3.37	0.00	48.38	≤74	PASS
				Peak	2378.520	-48.41	3.37	0.00	50.16	≤74	PASS
				Peak	2390.000	-51.06	3.37	0.00	47.51	≤74	PASS
		High	2462	AV	2483.500	-58.41	3.37	1.06	41.22	≤54	PASS
				AV	2484.880	-57.89	3.37	1.06	41.74	≤54	PASS
				AV	2500.000	-58.82	3.37	1.06	40.81	≤54	PASS
				Peak	2483.500	-49.57	3.37	0.00	49.0	≤74	PASS
				Peak	2487.300	-48.47	3.37	0.00	50.1	≤74	PASS
				Peak	2500.000	-51.06	3.37	0.00	47.51	≤74	PASS


1. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs


11B_Ant1_Low_2412_AV




11B_Ant1_Low_2412_Peak




11B_Ant1_High_2462_AV




11B_Ant1_High_2462_Peak



11G_Ant1_Low_2412_AV




11G_Ant1_Low_2412_Peak




11G_Ant1_High_2462_AV




11G_Ant1_High_2462_Peak



11N20SISO_Ant1_Low_2412_AV



11N20SISO_Ant1_Low_2412_Peak



11N20SISO_Ant1_High_2462_AV



11N20SISO_Ant1_High_2462_Peak

