



## 11. LTE\_Band71


### 11.1. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:1, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




## 11.2. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:2, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




### 11.3. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:3, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




#### 11.4. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:4, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




# 11.5. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:5, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




# 11.6. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:6, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB Position:LOW)




# 11.7. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:7, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)




# 11.8. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:8, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 100, RB Position:LOW)




# 11.9. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:9, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)




**11.10. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:10,  
Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 100, RB  
Position:LOW)**



**11.11. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:11,  
Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB  
Position:LOW)**



**11.12. LTE Peak to Average Ratio\_Part22-24-27(NTNV)(Subtest:12,  
Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 100, RB  
Position:LOW)**




## NR

### 1. n2


#### 1.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 3.28     | 13               | Pass    |




## 1.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 3.89     | 13               | Pass    |




### 1.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)



#### 1.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)




### 1.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




# 1.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.86     | 13               | Pass    |




# 1.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.91     | 13               | Pass    |




# 1.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.05     | 13               | Pass    |




# 1.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.7      | 13               | Pass    |




# 1.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.52     | 13               | Pass    |




# 1.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 3.05     | 13               | Pass    |




# 1.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




### 1.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 4.36     | 13               | Pass    |




### 1.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 5.11     | 13               | Pass    |




# 1.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 5.53     | 13               | Pass    |




### 1.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 5.81     | 13               | Pass    |




# 1.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 5.3      | 13               | Pass    |




# 1.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 5.95     | 13               | Pass    |




### 1.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 6.52     | 13               | Pass    |




## 1.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1880                  | 0.1             | 20        | 6.52     | 13               | Pass    |




# 1.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 3.33     | 13               | Pass    |




**1.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




### 1.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 4.64     | 13               | Pass    |




### 1.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 5.06     | 13               | Pass    |




# 1.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 5.72     | 13               | Pass    |




# 1.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 5.77     | 13               | Pass    |




### 1.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 5.67     | 13               | Pass    |




### 1.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 5.95     | 13               | Pass    |




**1.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 6.66     | 13               | Pass    |




### 1.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1900                  | 0.1             | 20        | 6.52     | 13               | Pass    |




## 5. n5

### 5.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




## 5.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




### 5.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 4.87     | 13               | Pass    |




#### 5.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 5.16     | 13               | Pass    |




### 5.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 6.05     | 13               | Pass    |




## 5.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 5.95     | 13               | Pass    |




### 5.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 5.86     | 13               | Pass    |




## 5.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 6.09     | 13               | Pass    |




### 5.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 6.7      | 13               | Pass    |




## 5.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 834                   | 0.1             | 20        | 6.52     | 13               | Pass    |




# 5.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 3.33     | 13               | Pass    |




**5.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




### 5.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 4.97     | 13               | Pass    |




# 5.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 5.16     | 13               | Pass    |




# 5.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6.09     | 13               | Pass    |




# 5.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6        | 13               | Pass    |




**5.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 5.86     | 13               | Pass    |




# 5.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6.14     | 13               | Pass    |




# 5.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6.75     | 13               | Pass    |




## 5.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 836.5                 | 0.1             | 20        | 6.52     | 13               | Pass    |




## 5.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 3.37     | 13               | Pass    |




**5.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




### 5.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 5.16     | 13               | Pass    |




## 5.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 5.25     | 13               | Pass    |




**5.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6.23     | 13               | Pass    |




**5.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6        | 13               | Pass    |




**5.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 5.91     | 13               | Pass    |




**5.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6.09     | 13               | Pass    |




## 5.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6.75     | 13               | Pass    |




### 5.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 839                   | 0.1             | 20        | 6.56     | 13               | Pass    |




## 2. n7

### 2.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




## 2.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




### 2.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 4.31     | 13               | Pass    |




## 2.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.02     | 13               | Pass    |




## 2.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.39     | 13               | Pass    |




## 2.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.77     | 13               | Pass    |




## 2.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.3      | 13               | Pass    |




## 2.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 5.95     | 13               | Pass    |




## 2.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 6.52     | 13               | Pass    |




## 2.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2510                  | 0.1             | 20        | 6.52     | 13               | Pass    |




## 2.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 3.19     | 13               | Pass    |




## 2.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




## 2.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 4.59     | 13               | Pass    |




## 2.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 4.97     | 13               | Pass    |




## 2.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 5.67     | 13               | Pass    |




## 2.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 5.77     | 13               | Pass    |




## 2.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 5.48     | 13               | Pass    |




## 2.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 5.91     | 13               | Pass    |




## 2.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 6.66     | 13               | Pass    |




## 2.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2535                  | 0.1             | 20        | 6.56     | 13               | Pass    |




## 2.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 3.05     | 13               | Pass    |




**2.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




## 2.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 4.69     | 13               | Pass    |




## 2.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 5.11     | 13               | Pass    |




## 2.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 5.48     | 13               | Pass    |




## 2.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 5.86     | 13               | Pass    |




## 2.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 5.53     | 13               | Pass    |




## 2.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 5.95     | 13               | Pass    |




## 2.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 6.66     | 13               | Pass    |




## 2.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 2560                  | 0.1             | 20        | 6.42     | 13               | Pass    |




## 6. n12 15kHz

### 6.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**6.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**




### 6.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 5.25     | 13               | Pass    |




#### 6.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 5.16     | 13               | Pass    |




## 6.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 6.42     | 13               | Pass    |




## 6.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 6.09     | 13               | Pass    |




## 6.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 5.95     | 13               | Pass    |




## 6.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 6.28     | 13               | Pass    |




## 6.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 6.8      | 13               | Pass    |




**6.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 706.5                 | 0.1             | 18        | 6.56     | 13               | Pass    |




# 6.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 3.52     | 13               | Pass    |




**6.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**




### 6.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 5.34     | 13               | Pass    |




# 6.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 5.2      | 13               | Pass    |




# 6.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.61     | 13               | Pass    |




# 6.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.09     | 13               | Pass    |




# 6.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.05     | 13               | Pass    |




**6.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.33     | 13               | Pass    |




# 6.19. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.84     | 13               | Pass    |




## 6.20. Peak to Average Ratio for SA\_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 707.5                 | 0.1             | 18        | 6.56     | 13               | Pass    |




## 6.21. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 3.56     | 13               | Pass    |




**6.22. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:75, RB Position:0)**




### 6.23. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 5.3      | 13               | Pass    |




## 6.24. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 5.2      | 13               | Pass    |




## 6.25. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.28     | 13               | Pass    |




## 6.26. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.05     | 13               | Pass    |




## 6.27. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.05     | 13               | Pass    |




**6.28. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:75, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.33     | 13               | Pass    |




**6.29. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.84     | 13               | Pass    |




### 6.30. Peak to Average Ratio for SA\_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:75, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 708.5                 | 0.1             | 18        | 6.56     | 13               | Pass    |




## 15. n13

**15.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)**




**15.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 4.17     | 13               | Pass    |




### 15.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 5.02     | 13               | Pass    |




# 15.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 5.34     | 13               | Pass    |




### 15.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 6.05     | 13               | Pass    |




### 15.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 6.05     | 13               | Pass    |




### 15.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 5.77     | 13               | Pass    |




### 15.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 6.28     | 13               | Pass    |




### 15.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 6.66     | 13               | Pass    |




# 15.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:156400, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 782                   | 0.1             | 10        | 6.47     | 13               | Pass    |




## 16. n14

### 16.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




**16.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 4.17     | 13               | Pass    |




### 16.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 5.53     | 13               | Pass    |




#### 16.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 5.34     | 13               | Pass    |




# 16.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 6.75     | 13               | Pass    |




**16.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 6.23     | 13               | Pass    |




# 16.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 5.95     | 13               | Pass    |




# 16.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 6.33     | 13               | Pass    |




### 16.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 6.75     | 13               | Pass    |



**16.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:158600, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)**


| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 793                   | 0.1             | 10        | 6.52     | 13               | Pass    |




## 7. n25

### 7.1. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 3.28     | 13               | Pass    |




## 7.2. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




### 7.3. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 4.78     | 13               | Pass    |




#### 7.4. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.06     | 13               | Pass    |




### 7.5. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.95     | 13               | Pass    |




## 7.6. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.86     | 13               | Pass    |




## 7.7. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 5.72     | 13               | Pass    |




## 7.8. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.05     | 13               | Pass    |




## 7.9. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.66     | 13               | Pass    |




# 7.10. Peak to Average Ratio for SA\_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1860                  | 0.1             | 20        | 6.47     | 13               | Pass    |




### 7.11. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 3.05     | 13               | Pass    |




**7.12. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)**




### 7.13. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 4.27     | 13               | Pass    |




# 7.14. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 4.97     | 13               | Pass    |




**7.15. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.3      | 13               | Pass    |




**7.16. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)**

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.81     | 13               | Pass    |



# 7.17. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.3      | 13               | Pass    |



# 7.18. Peak to Average Ratio for SA\_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

| Center Frequency(MHz) | PAR Percent (%) | RBW (MHz) | PAR (dB) | Upper Limit (dB) | Verdict |
|-----------------------|-----------------|-----------|----------|------------------|---------|
| 1882.5                | 0.1             | 20        | 5.95     | 13               | Pass    |

