



7.19. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.56	13	Pass




7.20. Peak to Average Ratio for SA_Part22-24-27(Channel:376500, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1882.5	0.1	20	6.56	13	Pass




7.21. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	3.23	13	Pass




7.22. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




7.23. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	4.64	13	Pass




7.24. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.11	13	Pass




7.25. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.72	13	Pass




7.26. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.86	13	Pass




7.27. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	5.53	13	Pass




7.28. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6	13	Pass




7.29. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.61	13	Pass




7.30. Peak to Average Ratio for SA_Part22-24-27(Channel:381000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1905	0.1	20	6.52	13	Pass




6. n26 15kHz(824-849)

6.1. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




6.2. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	3.98	13	Pass




6.3. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	4.87	13	Pass




6.4. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.25	13	Pass




6.5. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.14	13	Pass




6.6. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6	13	Pass




6.7. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	5.72	13	Pass




6.8. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.14	13	Pass




6.9. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.7	13	Pass




6.10. Peak to Average Ratio for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
834	0.1	20	6.52	13	Pass




6.11. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	3.33	13	Pass




6.12. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




6.13. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	4.92	13	Pass




6.14. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.06	13	Pass




6.15. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6	13	Pass




6.16. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.91	13	Pass




6.17. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	5.81	13	Pass




6.18. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.05	13	Pass




6.19. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.7	13	Pass




6.20. Peak to Average Ratio for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
836.5	0.1	20	6.56	13	Pass




6.21. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	3.33	13	Pass




6.22. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




6.23. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.06	13	Pass




6.24. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.25	13	Pass




6.25. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.19	13	Pass




6.26. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.91	13	Pass




6.27. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	5.95	13	Pass




6.28. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.09	13	Pass




6.29. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.75	13	Pass




6.30. Peak to Average Ratio for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
839	0.1	20	6.52	13	Pass




1. n26 15kHz(814-824)


1.3. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




1.4. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




1.5. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)




1.6. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)



1.7. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)




1.8. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)




1.9. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	5.53	13	Pass




1.10. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.23	13	Pass




1.11. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.52	13	Pass




1.12. Peak to Average Ratio for SA_Part90(Channel:163800, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
819	0.1	10	6.66	13	Pass




17. n30 15kHz

17.1. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




17.2. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	3.94	13	Pass




17.3. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	4.17	13	Pass




17.4. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	4.92	13	Pass




17.5. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.06	13	Pass




17.6. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.77	13	Pass




17.7. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.06	13	Pass




17.8. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	5.95	13	Pass




17.9. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.42	13	Pass




17.10. Peak to Average Ratio for SA_Part22-24-27(Channel:462000, Bandwidth:10, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2310	0.1	10	6.42	13	Pass




14. n38_PC3

14.1. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




14.2. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.12	13	Pass




14.3. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	4.87	13	Pass




14.4. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.3	13	Pass




14.5. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.58	13	Pass




14.6. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6	13	Pass




14.7. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	5.58	13	Pass




14.8. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.33	13	Pass




14.9. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.28	13	Pass




14.10. Peak to Average Ratio for SA_Part22-24-27(Channel:516000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2580	0.1	20	6.42	13	Pass




14.11. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	3.52	13	Pass




14.12. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




14.13. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	4.45	13	Pass




14.14. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.34	13	Pass




14.15. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.72	13	Pass




14.16. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.05	13	Pass




14.17. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	5.67	13	Pass




14.18. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.28	13	Pass




14.19. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.23	13	Pass




14.20. Peak to Average Ratio for SA_Part22-24-27(Channel:519000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2595	0.1	20	6.37	13	Pass




14.21. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	3.75	13	Pass




14.22. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.17	13	Pass




14.23. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	4.73	13	Pass




14.24. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.44	13	Pass




14.25. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	5.67	13	Pass




14.26. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.19	13	Pass




14.27. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.09	13	Pass




14.28. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.33	13	Pass




14.29. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6	13	Pass




14.30. Peak to Average Ratio for SA_Part22-24-27(Channel:522000, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2610	0.1	20	6.37	13	Pass




18. n41

18.1. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




18.2. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




18.3. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	3.84	13	Pass




18.4. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	2.25	13	Pass




18.5. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	4.5	13	Pass




18.6. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	3.19	13	Pass




18.7. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	4.92	13	Pass




18.8. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	3.66	13	Pass




18.9. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	5.62	13	Pass




18.10. Peak to Average Ratio for SA_Part22-24-27(Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2506.02	0.1	20	5.34	13	Pass




18.11. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	3.47	13	Pass




18.12. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	2.53	13	Pass




18.13. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.03	13	Pass




18.14. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	3.09	13	Pass




18.15. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.87	13	Pass




18.16. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.03	13	Pass




18.17. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	5.11	13	Pass




18.18. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	4.5	13	Pass




18.19. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	5.91	13	Pass




18.20. Peak to Average Ratio for SA_Part22-24-27(Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2592.99	0.1	20	6.19	13	Pass




18.21. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	3.66	13	Pass




18.22. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:50, RB Position:0)




18.23. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	3.75	13	Pass




18.24. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	2.3	13	Pass




18.25. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	4.08	13	Pass




18.26. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	3.19	13	Pass




18.27. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	3.8	13	Pass




18.28. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	3.66	13	Pass




18.29. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	4.64	13	Pass



18.30. Peak to Average Ratio for SA_Part22-24-27(Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:50, RB Position:0)


Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
2679.99	0.1	20	4.87	13	Pass




4. n66

4.1. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	3.14	13	Pass




4.2. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




4.3. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	4.55	13	Pass




4.4. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.16	13	Pass




4.5. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.58	13	Pass




4.6. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.95	13	Pass




4.7. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	5.53	13	Pass




4.8. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.09	13	Pass




4.9. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.66	13	Pass




4.10. Peak to Average Ratio for SA_Part22-24-27(Channel:344000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1720	0.1	20	6.66	13	Pass




4.11. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	3.33	13	Pass




4.12. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




4.13. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	4.92	13	Pass




4.14. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.11	13	Pass




4.15. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6	13	Pass




4.16. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.91	13	Pass




4.17. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	5.77	13	Pass




4.18. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.05	13	Pass




4.19. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.75	13	Pass




4.20. Peak to Average Ratio for SA_Part22-24-27(Channel:349000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1745	0.1	20	6.56	13	Pass




4.21. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	3.09	13	Pass




4.22. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




4.23. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	4.5	13	Pass




4.24. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.11	13	Pass




4.25. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.62	13	Pass




4.26. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.91	13	Pass




4.27. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	5.34	13	Pass




4.28. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6	13	Pass




4.29. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.66	13	Pass




4.30. Peak to Average Ratio for SA_Part22-24-27(Channel:354000, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
1770	0.1	20	6.56	13	Pass




13. n71 15kHz

13.1. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)




13.2. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




13.3. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	5.11	13	Pass




13.4. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	5.34	13	Pass




13.5. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.23	13	Pass




13.6. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.19	13	Pass




13.7. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	5.91	13	Pass




13.8. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.28	13	Pass




13.9. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:1, RB Position:0)




13.10. Peak to Average Ratio for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:256QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
673	0.1	20	6.61	13	Pass




13.11. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	3.52	13	Pass




13.12. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	3.98	13	Pass




13.13. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	5.3	13	Pass




13.14. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	5.3	13	Pass




13.15. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.37	13	Pass




13.16. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.14	13	Pass



13.17. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:1, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.05	13	Pass



13.18. Peak to Average Ratio for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency(MHz)	PAR Percent (%)	RBW (MHz)	PAR (dB)	Upper Limit (dB)	Verdict
680.5	0.1	20	6.28	13	Pass

