

1.25. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.5	5.22	5	Pass




1.26. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.5	5.13	5	Pass




1.27. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26765, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
821.5	99	26	0.1	Peak	4.51	5.1	5	Pass




1.28. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.98	10.03	10	Pass




1.29. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.96	9.96	10	Pass



1.30. LTE Occupied Bandwidth_Part90(added 64QAM)(NTNV)(Channel:26740, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
819	99	26	0.2	Peak	8.96	9.96	10	Pass



15. LTE_Band30


15.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27685, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2307.5	99	26	0.1	Peak	4.5	5.18	5	Pass




15.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27685, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2307.5	99	26	0.1	Peak	4.5	5.2	5	Pass




15.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27685, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2307.5	99	26	0.1	Peak	4.5	5.23	5	Pass




15.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.1	Peak	4.52	5.21	5	Pass




15.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.1	Peak	4.5	5.12	5	Pass




15.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.1	Peak	4.5	5.1	5	Pass




15.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27735, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2312.5	99	26	0.1	Peak	4.51	5.15	5	Pass




15.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27735, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2312.5	99	26	0.1	Peak	4.51	5.16	5	Pass




15.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27735, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2312.5	99	26	0.1	Peak	4.51	5.18	5	Pass




15.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.2	Peak	9	10.16	10	Pass




15.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.2	Peak	8.98	10.07	10	Pass



15.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:27710, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2310	99	26	0.2	Peak	8.99	10	10	Pass



12. LTE_Band38


12.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.51	5.15	5	Pass




12.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.51	5.17	5	Pass




12.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37775, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2572.5	99	26	0.1	Peak	4.52	5.14	5	Pass




12.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.51	5.21	5	Pass




12.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.5	5.22	5	Pass




12.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.1	Peak	4.51	5.16	5	Pass




12.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.52	5.16	5	Pass




12.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.52	5.17	5	Pass




12.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38225, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2617.5	99	26	0.1	Peak	4.51	5.09	5	Pass




12.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	9.01	10.18	10	Pass




12.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	9.02	10.09	10	Pass




12.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37800, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2575	99	26	0.2	Peak	9	10.09	10	Pass




12.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9	10.17	10	Pass




12.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9	10.12	10	Pass




12.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.2	Peak	9.02	10.09	10	Pass




12.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.02	10.13	10	Pass




12.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.01	10.11	10	Pass




12.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38200, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2615	99	26	0.2	Peak	9.01	10.12	10	Pass




12.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.47	15.1	15	Pass




12.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.48	15	15	Pass




12.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37825, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2577.5	99	26	0.3	Peak	13.48	15.08	15	Pass




12.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.5	15.09	15	Pass




12.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.49	15.01	15	Pass




12.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.3	Peak	13.49	14.99	15	Pass




12.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.51	14.94	15	Pass




12.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.49	15.13	15	Pass




12.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38175, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2612.5	99	26	0.3	Peak	13.49	14.99	15	Pass




12.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.95	19.84	20	Pass




12.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.98	19.85	20	Pass




12.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:37850, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2580	99	26	0.39	Peak	17.95	19.77	20	Pass




12.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.97	19.92	20	Pass




12.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	18	19.77	20	Pass




12.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38000, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2595	99	26	0.39	Peak	17.99	19.82	20	Pass




12.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.97	19.92	20	Pass




12.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.97	19.8	20	Pass



12.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:38150, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2610	99	26	0.39	Peak	17.99	19.83	20	Pass



13. LTE_Band41 full


13.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.51	5.18	5	Pass




13.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.51	5.13	5	Pass




13.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39675, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2498.5	99	26	0.1	Peak	4.52	5.16	5	Pass




13.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.51	5.2	5	Pass




13.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.51	5.12	5	Pass




13.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.1	Peak	4.51	5.18	5	Pass




13.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.51	5.21	5	Pass




13.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.52	5.13	5	Pass




13.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41565, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2687.5	99	26	0.1	Peak	4.51	5.19	5	Pass




13.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	9.01	10.17	10	Pass




13.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	9.01	10.1	10	Pass




13.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39700, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2501	99	26	0.2	Peak	9	10.09	10	Pass




13.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	9.01	10.2	10	Pass




13.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	9.01	10.11	10	Pass




13.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.2	Peak	9.01	10.09	10	Pass




13.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9.01	10.1	10	Pass




13.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9.02	10.21	10	Pass




13.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41540, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2685	99	26	0.2	Peak	9.01	10.05	10	Pass




13.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.5	14.98	15	Pass




13.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.5	15.16	15	Pass




13.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39725, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2503.5	99	26	0.3	Peak	13.5	14.94	15	Pass




13.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.52	15	15	Pass




13.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.49	14.94	15	Pass




13.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.3	Peak	13.47	14.97	15	Pass




13.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.49	15.04	15	Pass




13.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.5	15.04	15	Pass




13.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41515, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2682.5	99	26	0.3	Peak	13.5	15.01	15	Pass




13.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.98	19.87	20	Pass




13.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.98	19.97	20	Pass




13.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:39750, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2506	99	26	0.39	Peak	17.95	19.86	20	Pass




13.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.99	19.97	20	Pass




13.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.98	19.83	20	Pass




13.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:40620, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2593	99	26	0.39	Peak	17.96	19.84	20	Pass




13.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	17.99	19.96	20	Pass




13.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	18	19.95	20	Pass



13.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:41490, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2680	99	26	0.39	Peak	17.94	19.89	20	Pass



1. LTE_Band43 3700-3800


1.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detecto r	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdic t
3702.5	99	26	0.1	Peak	4.51	5.12	5	Pass



1.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44615, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3702.5	99	26	0.1	Peak	4.51	5.16	5	Pass



1.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44615, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3702.5	99	26	0.1	Peak	4.51	5.15	5	Pass



1.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.1	Peak	4.53	5.2	5	Pass




1.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.1	Peak	4.51	5.14	5	Pass




1.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.1	Peak	4.51	5.18	5	Pass




1.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3797.5	99	26	0.1	Peak	4.52	5.21	5	Pass



1.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45565, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3797.5	99	26	0.1	Peak	4.53	5.15	5	Pass



1.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45565, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3797.5	99	26	0.1	Peak	4.51	5.21	5	Pass



1.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	9.02	10.21	10	Pass




1.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44640, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	9.02	10.2	10	Pass



1.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44640, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.2	Peak	9.02	10.1	10	Pass



1.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.2	Peak	9.01	10.17	10	Pass




1.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.2	Peak	9.03	10.12	10	Pass




1.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.2	Peak	9.01	10.02	10	Pass




1.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.2	Peak	9.02	10.18	10	Pass




1.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45540, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.2	Peak	9.03	10.1	10	Pass



1.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45540, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.2	Peak	9.01	10.09	10	Pass



1.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3707.5	99	26	0.3	Peak	13.51	15.06	15	Pass




1.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44665, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3707.5	99	26	0.3	Peak	13.52	15.03	15	Pass




1.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44665, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3707.5	99	26	0.3	Peak	13.51	15.07	15	Pass



1.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.3	Peak	13.48	14.98	15	Pass



1.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.3	Peak	13.5	15.12	15	Pass



1.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.3	Peak	13.49	15.05	15	Pass



1.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3792.5	99	26	0.3	Peak	13.51	15.05	15	Pass




1.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45515, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3792.5	99	26	0.3	Peak	13.51	15.02	15	Pass




1.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45515, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3792.5	99	26	0.3	Peak	13.48	14.97	15	Pass




1.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710	99	26	0.39	Peak	17.99	19.95	20	Pass




1.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44690, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710	99	26	0.39	Peak	17.99	20.11	20	Pass




1.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:44690, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710	99	26	0.39	Peak	17.96	19.9	20	Pass




1.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.39	Peak	18	19.98	20	Pass




1.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.39	Peak	18	19.84	20	Pass




1.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45090, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.39	Peak	17.97	19.79	20	Pass




1.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3790	99	26	0.39	Peak	17.97	19.92	20	Pass




1.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45490, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3790	99	26	0.39	Peak	17.98	19.79	20	Pass



1.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(Channel:45490, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3790	99	26	0.39	Peak	17.96	19.79	20	Pass



10. LTE_Band66


10.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.09	1.34	1.4	Pass




10.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.1	1.37	1.4	Pass




10.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131979, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1710.7	99	26	0.027	Peak	1.1	1.36	1.4	Pass




10.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.34	1.4	Pass




10.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.33	1.4	Pass




10.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.027	Peak	1.09	1.33	1.4	Pass




10.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.33	1.4	Pass




10.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:16QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.1	1.38	1.4	Pass




10.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132665, Bandwidth:1.4, Modulation:64QAM, RB Number:6, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1779.3	99	26	0.027	Peak	1.09	1.36	1.4	Pass




10.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3.06	3	Pass




10.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3.04	3	Pass




10.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131987, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1711.5	99	26	0.062	Peak	2.7	3.03	3	Pass




10.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.7	3.04	3	Pass




10.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.71	3.06	3	Pass




10.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.062	Peak	2.7	3.06	3	Pass




10.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.7	3.06	3	Pass




10.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:16QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.7	3.06	3	Pass




10.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132657, Bandwidth:3, Modulation:64QAM, RB Number:15, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1778.5	99	26	0.062	Peak	2.71	3.04	3	Pass




10.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.17	5	Pass




10.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.49	5.11	5	Pass




10.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:131997, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1712.5	99	26	0.1	Peak	4.5	5.16	5	Pass




10.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.51	5.07	5	Pass




10.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.5	5.18	5	Pass




10.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.1	Peak	4.51	5.11	5	Pass




10.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.5	5.17	5	Pass




10.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.51	5.13	5	Pass




10.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132647, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1777.5	99	26	0.1	Peak	4.5	5.09	5	Pass




10.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.98	10.03	10	Pass




10.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.98	9.93	10	Pass




10.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132022, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1715	99	26	0.2	Peak	8.99	10.09	10	Pass




10.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.98	10.05	10	Pass




10.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	8.99	10.04	10	Pass




10.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.2	Peak	9	10.03	10	Pass




10.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	9.01	10.1	10	Pass




10.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	9	10.08	10	Pass




10.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132622, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1775	99	26	0.2	Peak	8.98	10.01	10	Pass




10.37. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.46	14.94	15	Pass




10.38. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.49	14.95	15	Pass




10.39. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132047, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1717.5	99	26	0.3	Peak	13.48	15.01	15	Pass




10.40. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.49	15.07	15	Pass




10.41. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.51	14.93	15	Pass




10.42. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.3	Peak	13.45	14.96	15	Pass




10.43. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.48	14.86	15	Pass




10.44. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.46	14.95	15	Pass




10.45. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132597, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1772.5	99	26	0.3	Peak	13.49	15.05	15	Pass




10.46. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.94	19.83	20	Pass




10.47. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.98	19.65	20	Pass




10.48. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132072, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1720	99	26	0.39	Peak	17.95	19.73	20	Pass




10.49. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.94	19.82	20	Pass




10.50. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.96	19.7	20	Pass




10.51. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1745	99	26	0.39	Peak	17.92	19.77	20	Pass




10.52. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.91	19.78	20	Pass




10.53. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.92	19.82	20	Pass



10.54. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:132572, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1770	99	26	0.39	Peak	17.94	19.94	20	Pass



11. LTE_Band71


11.1. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.15	5	Pass




11.2. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.15	5	Pass




11.3. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133147, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
665.5	99	26	0.1	Peak	4.5	5.11	5	Pass




11.4. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.18	5	Pass




11.5. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.51	5.09	5	Pass




11.6. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.1	Peak	4.5	5.16	5	Pass




11.7. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.51	5.12	5	Pass




11.8. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.52	5.15	5	Pass




11.9. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133447, Bandwidth:5, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
695.5	99	26	0.1	Peak	4.49	5.22	5	Pass




11.10. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.97	10.08	10	Pass




11.11. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.98	10.04	10	Pass




11.12. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133172, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
668	99	26	0.2	Peak	8.98	9.99	10	Pass




11.13. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.98	10.01	10	Pass




11.14. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.97	10.05	10	Pass




11.15. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.2	Peak	8.95	9.96	10	Pass




11.16. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.98	10.06	10	Pass




11.17. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:16QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.98	9.96	10	Pass




11.18. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133422, Bandwidth:10, Modulation:64QAM, RB Number:50, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.2	Peak	8.95	9.99	10	Pass




11.19. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.44	14.93	15	Pass




11.20. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.44	14.85	15	Pass




11.21. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133197, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.3	Peak	13.44	14.83	15	Pass




11.22. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.45	14.99	15	Pass




11.23. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.45	14.87	15	Pass




11.24. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133297, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.3	Peak	13.46	14.92	15	Pass




11.25. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.46	14.91	15	Pass




11.26. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:16QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.47	14.95	15	Pass




11.27. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133397, Bandwidth:15, Modulation:64QAM, RB Number:75, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.3	Peak	13.43	14.89	15	Pass




11.28. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.85	19.7	20	Pass




11.29. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.88	19.72	20	Pass




11.30. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133222, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.39	Peak	17.86	19.62	20	Pass




11.31. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.88	19.51	20	Pass




11.32. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.9	19.89	20	Pass




11.33. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133322, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
683	99	26	0.39	Peak	17.88	19.67	20	Pass




11.34. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.89	19.58	20	Pass




11.35. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:16QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.9	19.57	20	Pass



11.36. LTE Occupied Bandwidth_Part22-24-27(added 64QAM)(NTNV)(Channel:133372, Bandwidth:20, Modulation:64QAM, RB Number:100, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.39	Peak	17.86	19.61	20	Pass




NR

1. n2


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.5	5.25	5	Pass




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.52	5.4	5	Pass




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.53	5.34	5	Pass




1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.58	5.43	5	Pass




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.56	5.3	5	Pass




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.52	5.28	5	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.54	5.29	5	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.56	5.34	5	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.55	5.3	5	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1852.5	99	26	0.1	Peak	4.53	5.41	5	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.1	Peak	4.53	5.32	5	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1907.5	99	26	0.1	Peak	4.52	5.31	5	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.81	10	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.27	9.83	10	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.27	9.81	10	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.28	9.73	10	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.28	9.87	10	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.27	9.85	10	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.27	9.86	10	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.26	9.89	10	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.26	9.84	10	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:371000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1855	99	26	0.03	Peak	9.28	9.85	10	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	9.28	9.85	10	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:381000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1905	99	26	0.03	Peak	9.28	9.84	10	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.08	14.67	15	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.08	14.69	15	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.07	14.69	15	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.07	14.57	15	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.07	14.64	15	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.06	14.58	15	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.09	14.58	15	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.09	14.55	15	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.08	14.62	15	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1857.5	99	26	0.03	Peak	14.08	14.67	15	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	14.08	14.67	15	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1902.5	99	26	0.03	Peak	14.08	14.64	15	Pass




1.37. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.91	19.65	20	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.91	19.57	20	Pass




1.39. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.9	19.53	20	Pass




1.40. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.91	19.5	20	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.91	19.54	20	Pass




1.42. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.9	19.39	20	Pass




1.43. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.89	19.51	20	Pass




1.44. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.91	19.51	20	Pass




1.45. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.9	19.4	20	Pass




1.46. Occupied Bandwidth for SA_Part22-24-27(Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1860	99	26	0.03	Peak	18.91	19.51	20	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1880	99	26	0.03	Peak	18.92	19.56	20	Pass



1.48. Occupied Bandwidth for SA_Part22-24-27(Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
1900	99	26	0.03	Peak	18.91	19.55	20	Pass



2. n5


2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.53	5.34	5	Pass




2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.5	5.27	5	Pass




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.51	5.31	5	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.5	5.21	5	Pass




2.5. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.51	5.28	5	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	5.21	5	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.51	5.24	5	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.52	5.36	5	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.49	5.21	5	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
826.5	99	26	0.1	Peak	4.53	5.41	5	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.1	Peak	4.53	5.33	5	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.52	5.31	5	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.77	10	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.26	9.79	10	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.71	10	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.26	9.77	10	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.72	10	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.25	9.69	10	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.25	9.85	10	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.25	9.83	10	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.24	9.78	10	Pass




2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.03	Peak	9.27	9.84	10	Pass




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	9.27	9.81	10	Pass




2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.03	Peak	9.26	9.74	10	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.07	14.75	15	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.67	15	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.05	14.65	15	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.06	14.59	15	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.59	15	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.03	14.58	15	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.65	15	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.08	14.6	15	Pass




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.05	14.53	15	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.03	Peak	14.08	14.68	15	Pass




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	14.07	14.64	15	Pass




2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.03	Peak	14.04	14.66	15	Pass




2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.89	19.52	20	Pass




2.38. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.59	20	Pass




2.39. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.85	19.45	20	Pass




2.40. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.5	20	Pass




2.41. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.88	19.49	20	Pass




2.42. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.86	19.5	20	Pass




2.43. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.88	19.45	20	Pass




2.44. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.87	19.51	20	Pass




2.45. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.85	19.38	20	Pass




2.46. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.03	Peak	18.9	19.59	20	Pass




2.47. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.03	Peak	18.89	19.52	20	Pass



2.48. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.03	Peak	18.85	19.46	20	Pass



3. n7


3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.51	5.28	5	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.51	5.28	5	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.51	5.27	5	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.51	5.33	5	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.51	5.3	5	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.5	5.3	5	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.53	5.4	5	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.53	5.41	5	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.53	5.37	5	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2502.5	99	26	0.1	Peak	4.53	5.31	5	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.1	Peak	4.54	5.31	5	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2567.5	99	26	0.1	Peak	4.53	5.32	5	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.27	9.89	10	Pass




3.14. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.27	9.78	10	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.27	9.82	10	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.28	9.76	10	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.27	9.76	10	Pass




3.18. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.28	9.8	10	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.27	9.81	10	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.26	9.89	10	Pass




3.21. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.26	9.89	10	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.03	Peak	9.28	9.82	10	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	9.28	9.84	10	Pass




3.24. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.03	Peak	9.27	9.83	10	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.08	14.73	15	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.08	14.68	15	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.08	14.7	15	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.07	14.63	15	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.07	14.6	15	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.06	14.62	15	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.09	14.65	15	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.08	14.59	15	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.09	14.62	15	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.03	Peak	14.08	14.71	15	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	14.07	14.59	15	Pass




3.36. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.03	Peak	14.09	14.73	15	Pass




3.37. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.89	19.5	20	Pass




3.38. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.9	19.52	20	Pass




3.39. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.91	19.55	20	Pass




3.40. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.91	19.44	20	Pass




3.41. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.89	19.53	20	Pass




3.42. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.91	19.62	20	Pass




3.43. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.89	19.46	20	Pass




3.44. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.9	19.46	20	Pass




3.45. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.91	19.46	20	Pass




3.46. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.03	Peak	18.91	19.55	20	Pass




3.47. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.03	Peak	18.9	19.53	20	Pass



3.48. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.03	Peak	18.92	19.51	20	Pass



4. n12 15kHz


4.5. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.5	5.28	5	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.52	5.31	5	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.53	5.33	5	Pass




4.8. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.51	5.28	5	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.51	5.23	5	Pass




4.10. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.2	5	Pass




4.11. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.51	5.33	5	Pass




4.12. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.5	5.28	5	Pass




4.13. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.5	5.26	5	Pass




4.14. Occupied Bandwidth for SA_Part22-24-27(Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
701.5	99	26	0.1	Peak	4.53	5.29	5	Pass




4.15. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.1	Peak	4.52	5.33	5	Pass




4.16. Occupied Bandwidth for SA_Part22-24-27(Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
713.5	99	26	0.1	Peak	4.53	5.35	5	Pass




4.17. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.25	9.8	10	Pass




4.18. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.26	9.85	10	Pass




4.19. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.75	10	Pass




4.20. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.26	9.77	10	Pass




4.21. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.68	10	Pass




4.22. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.73	10	Pass




4.23. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.25	9.81	10	Pass




4.24. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.25	9.81	10	Pass




4.25. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.25	9.83	10	Pass




4.26. Occupied Bandwidth for SA_Part22-24-27(Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
704	99	26	0.03	Peak	9.26	9.81	10	Pass




3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.8	10	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
711	99	26	0.03	Peak	9.26	9.74	10	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.08	14.6	15	Pass




4.27. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	9.27	9.76	15	Pass




4.28. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.06	14.65	15	Pass




4.29. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.05	14.58	15	Pass




4.30. Occupied Bandwidth for SA_Part22-24-27(Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
707.5	99	26	0.03	Peak	14.05	14.61	15	Pass



4.31. Occupied Bandwidth for SA_Part22-24-27(Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
708.5	99	26	0.03	Peak	14.05	14.57	15	Pass



4.32. Occupied Bandwidth for SA_Part22-24-27(Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
706.5	99	26	0.03	Peak	14.07	14.58	15	Pass

