

1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	9.27	9.8	10	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:138600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
693	99	26	0.03	Peak	9.26	9.79	10	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.05	14.67	15	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.07	14.65	15	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.07	14.66	15	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.03	14.61	15	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.05	14.56	15	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.05	14.57	15	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.07	14.58	15	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.07	14.6	15	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.07	14.58	15	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
670.5	99	26	0.03	Peak	14.06	14.65	15	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	14.06	14.68	15	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
690.5	99	26	0.03	Peak	14.07	14.74	15	Pass




1.37. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.84	19.46	20	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.88	19.49	20	Pass




1.39. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.89	19.55	20	Pass




1.40. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.87	19.52	20	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.87	19.56	20	Pass




1.42. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.86	19.58	20	Pass




1.43. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.85	19.42	20	Pass




1.44. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.86	19.44	20	Pass




1.45. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.87	19.46	20	Pass




1.46. Occupied Bandwidth for SA_Part22-24-27(Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
673	99	26	0.03	Peak	18.85	19.51	20	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
680.5	99	26	0.03	Peak	18.88	19.48	20	Pass



1.48. Occupied Bandwidth for SA_Part22-24-27(Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
688	99	26	0.03	Peak	18.88	19.46	20	Pass



1. n77(3450-3550)


1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.17	19.33	20	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.17	19.33	20	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.18	19.23	20	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.22	19.13	20	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.21	19.22	20	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.19	19.12	20	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.19	18.98	20	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.22	19.12	20	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.21	19.17	20	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.16	18.91	20	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.18	19.02	20	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.17	18.99	20	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.23	30.99	30	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.19	30.99	30	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.22	30.94	30	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.18	31.03	30	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.16	31.03	30	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.16	30.9	30	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.18	31.06	30	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.21	31.1	30	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.19	31.07	30	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.23	31.03	30	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.26	31.02	30	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.24	31.06	30	Pass




1.37. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	37.97	41.28	40	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.13	41.16	40	Pass




1.39. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.09	41.07	40	Pass




1.40. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.22	41.15	40	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.23	40.94	40	Pass




1.42. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.25	41.13	40	Pass




1.43. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.07	41.06	40	Pass




1.44. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.08	40.96	40	Pass




1.45. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.11	41.12	40	Pass




1.46. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.21	41.1	40	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.25	41.35	40	Pass




1.48. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.26	41.39	40	Pass




1.49. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.61	50.67	50	Pass




1.50. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.55	50.83	50	Pass




1.51. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.54	50.76	50	Pass




1.52. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.57	50.9	50	Pass




1.53. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.57	50.79	50	Pass




1.54. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.6	50.82	50	Pass




1.55. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.61	50.85	50	Pass




1.56. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.67	50.75	50	Pass




1.57. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.71	50.83	50	Pass




1.58. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.56	50.61	50	Pass




1.59. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.62	50.67	50	Pass




1.60. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.64	50.72	50	Pass




1.61. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.9	61.06	60	Pass




1.62. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.95	61.15	60	Pass




1.63. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.95	61.23	60	Pass




1.64. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.96	61.19	60	Pass




1.65. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	58.01	61.31	60	Pass




1.66. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	58.04	61.24	60	Pass




1.67. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.89	61.08	60	Pass




1.68. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.91	61.1	60	Pass




1.69. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.93	61.23	60	Pass




1.70. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.68	60.97	60	Pass




1.71. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.71	61.02	60	Pass




1.72. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.74	61.12	60	Pass




1.73. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.38	80.91	80	Pass




1.74. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.44	81.01	80	Pass




1.75. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.44	80.83	80	Pass




1.76. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.41	80.98	80	Pass




1.77. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.47	81.13	80	Pass




1.78. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.43	81.06	80	Pass




1.79. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.54	81.11	80	Pass




1.80. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.61	81.05	80	Pass




1.81. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.57	81.06	80	Pass




1.82. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.34	80.78	80	Pass




1.83. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.39	80.96	80	Pass




1.84. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.38	80.85	80	Pass




1.85. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.31	101.09	100	Pass




1.86. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.25	101.16	100	Pass




1.87. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.19	101.08	100	Pass



1.88. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.33	101.07	100	Pass



1. n77(3700-3980)


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detecto r	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdic t
3710.01	99	26	0.03	Peak	18.2	19.15	20	Pass




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	18.19	19.61	20	Pass




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3969.99	99	26	0.03	Peak	18.19	19.24	20	Pass




1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.2	19.27	20	Pass




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	18.19	19.11	20	Pass




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3969.99	99	26	0.03	Peak	18.17	18.98	20	Pass




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.18	19.07	20	Pass




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	18.18	19.16	20	Pass




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3969.99	99	26	0.03	Peak	18.18	19.49	20	Pass




1.10. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.18	18.9	20	Pass




1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	0.03	Peak	18.18	19.07	20	Pass




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3969.99	99	26	0.03	Peak	18.16	18.9	20	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.25	30.97	30	Pass




1.62. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.29	31.28	30	Pass




1.63. Occupied Bandwidth for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.3	31.12	30	Pass




1.64. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.21	30.82	30	Pass




1.65. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.23	30.72	30	Pass




1.66. Occupied Bandwidth for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.21	30.7	30	Pass




1.67. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.29	31.05	30	Pass




1.68. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.3	31.06	30	Pass




1.69. Occupied Bandwidth for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.32	31.05	30	Pass




1.70. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.23	30.9	30	Pass




1.71. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	28.26	30.83	30	Pass




1.72. Occupied Bandwidth for SA_Part22-24-27(Channel:664332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3964.98	99	26	1	Peak	28.27	30.79	30	Pass




1.13. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.26	41.34	40	Pass




1.14. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.3	41.29	40	Pass




1.15. Occupied Bandwidth for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.25	41.21	40	Pass




1.16. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.16	41.3	40	Pass




1.17. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.19	41.23	40	Pass




1.18. Occupied Bandwidth for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.14	40.87	40	Pass




1.19. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.14	41.21	40	Pass




1.20. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.15	41.12	40	Pass




1.21. Occupied Bandwidth for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.15	41.31	40	Pass




1.22. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.05	41.13	40	Pass




1.23. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	38.08	41.02	40	Pass




1.24. Occupied Bandwidth for SA_Part22-24-27(Channel:664000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3960	99	26	1	Peak	38.07	41.16	40	Pass




1.25. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.89	61.3	60	Pass




1.26. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	57.9	61.3	60	Pass




1.27. Occupied Bandwidth for SA_Part22-24-27(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	57.95	61.35	60	Pass




1.28. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	58.02	61.05	60	Pass




1.29. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	58	61.02	60	Pass




1.30. Occupied Bandwidth for SA_Part22-24-27(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	58.07	61.36	60	Pass




1.31. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.85	61	60	Pass




1.32. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	57.83	61.01	60	Pass




1.33. Occupied Bandwidth for SA_Part22-24-27(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	57.89	63.3	60	Pass




1.34. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.82	61.07	60	Pass




1.35. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	57.78	61.09	60	Pass




1.36. Occupied Bandwidth for SA_Part22-24-27(Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3949.98	99	26	1	Peak	57.82	61.11	60	Pass




1.37. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.49	80.83	80	Pass




1.38. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.41	80.86	80	Pass




1.39. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.52	80.75	80	Pass




1.40. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.63	81.06	80	Pass




1.41. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.57	81.05	80	Pass




1.42. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.61	81.1	80	Pass




1.43. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.41	80.94	80	Pass




1.44. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.34	80.96	80	Pass




1.45. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.42	80.86	80	Pass




1.46. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.36	80.86	80	Pass




1.47. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	77.27	80.86	80	Pass




1.48. Occupied Bandwidth for SA_Part22-24-27(Channel:662666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3939.99	99	26	1	Peak	77.37	80.84	80	Pass




1.49. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.26	101.05	100	Pass




1.50. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.38	101.05	100	Pass




1.51. Occupied Bandwidth for SA_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.32	101.04	100	Pass




1.52. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.45	101.04	100	Pass




1.53. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.49	101.03	100	Pass




1.54. Occupied Bandwidth for SA_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.49	101.03	100	Pass




1.55. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.31	101.22	100	Pass




1.56. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.35	101.23	100	Pass




1.57. Occupied Bandwidth for SA_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.35	101.19	100	Pass




1.58. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.44	100.99	100	Pass




1.59. Occupied Bandwidth for SA_Part22-24-27(Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3840	99	26	1	Peak	97.5	101.03	100	Pass



1.60. Occupied Bandwidth for SA_Part22-24-27(Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3930	99	26	1	Peak	97.49	101.06	100	Pass



2. n78(3450-3550)


2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.19	19.01	20	Pass




2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.19	19.54	20	Pass




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.18	19.33	20	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.18	19.09	20	Pass




2.5. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.18	18.95	20	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.17	19.13	20	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.18	19.02	20	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.17	19.06	20	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.16	19.2	20	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3460.02	99	26	0.03	Peak	18.16	18.88	20	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	0.03	Peak	18.18	19.09	20	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3540	99	26	0.03	Peak	18.18	18.99	20	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.24	31.09	30	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.24	31.22	30	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.21	31.11	30	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.17	30.77	30	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.19	30.72	30	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.18	30.79	30	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.26	31.09	30	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.28	31.03	30	Pass



2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.26	31.02	30	Pass




2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict


2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:631000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3465	99	26	1	Peak	28.2	30.91	30	Pass




2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	28.25	30.91	30	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:635666, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3534.99	99	26	1	Peak	28.22	30.94	30	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.25	41.36	40	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.27	41.15	40	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.28	41.19	40	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.12	41.17	40	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.12	41.16	40	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.13	40.98	40	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.1	41.1	40	Pass




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.14	41.09	40	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.14	41.21	40	Pass




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:631334, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3470.01	99	26	1	Peak	38.02	41.13	40	Pass




2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	38.05	41.12	40	Pass




2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:635332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3529.98	99	26	1	Peak	38.05	41.13	40	Pass




2.38. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.63	50.77	50	Pass




2.39. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.64	50.85	50	Pass




2.40. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.67	50.91	50	Pass




2.41. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.5	50.56	50	Pass




2.42. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.53	50.77	50	Pass




2.43. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.53	50.51	50	Pass




2.44. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.63	50.8	50	Pass




2.45. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.66	50.65	50	Pass




2.46. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.7	50.91	50	Pass




2.47. Occupied Bandwidth for SA_Part22-24-27(Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3475.02	99	26	1	Peak	47.61	50.56	50	Pass




2.48. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	47.64	50.76	50	Pass




2.49. Occupied Bandwidth for SA_Part22-24-27(Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3525	99	26	1	Peak	47.65	50.62	50	Pass




2.50. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.83	61.21	60	Pass




2.51. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.89	61.38	60	Pass




2.52. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.9	61.33	60	Pass




2.53. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.98	61.02	60	Pass




2.54. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	58.01	61.09	60	Pass




2.55. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	58.02	61.07	60	Pass




2.56. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.82	60.99	60	Pass




2.57. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.87	60.93	60	Pass




2.58. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.87	61.05	60	Pass




2.59. Occupied Bandwidth for SA_Part22-24-27(Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3480	99	26	1	Peak	57.82	61.04	60	Pass




2.60. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	57.82	61.12	60	Pass




2.61. Occupied Bandwidth for SA_Part22-24-27(Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3519.99	99	26	1	Peak	57.82	61.12	60	Pass




2.62. Occupied Bandwidth for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.6	70.83	70	Pass




2.63. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.68	70.96	70	Pass




2.64. Occupied Bandwidth for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.68	70.79	70	Pass




2.65. Occupied Bandwidth for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.46	70.74	70	Pass




2.66. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.53	70.72	70	Pass




2.67. Occupied Bandwidth for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.56	70.8	70	Pass




2.68. Occupied Bandwidth for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.54	70.83	70	Pass




2.69. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.58	70.82	70	Pass




2.70. Occupied Bandwidth for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.62	70.82	70	Pass




2.71. Occupied Bandwidth for SA_Part22-24-27(Channel:632334, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3485.01	99	26	1	Peak	67.35	70.91	70	Pass




2.72. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	67.45	70.88	70	Pass




2.73. Occupied Bandwidth for SA_Part22-24-27(Channel:634332, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3514.98	99	26	1	Peak	67.44	70.83	70	Pass




2.74. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.48	80.8	80	Pass




2.75. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.52	80.95	80	Pass




2.76. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.49	80.81	80	Pass




2.77. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.61	81.06	80	Pass




2.78. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.6	81.09	80	Pass




2.79. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.62	81.03	80	Pass




2.80. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.36	80.93	80	Pass




2.81. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.39	80.99	80	Pass




2.82. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.41	80.88	80	Pass




2.83. Occupied Bandwidth for SA_Part22-24-27(Channel:632668, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3490.02	99	26	1	Peak	77.33	80.93	80	Pass




2.84. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	77.38	80.9	80	Pass




2.85. Occupied Bandwidth for SA_Part22-24-27(Channel:634000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3510	99	26	1	Peak	77.33	80.83	80	Pass




2.86. Occupied Bandwidth for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.28	91.07	90	Pass




2.87. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.31	91.31	90	Pass




2.88. Occupied Bandwidth for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.32	91.06	90	Pass




2.89. Occupied Bandwidth for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.29	90.96	90	Pass




2.90. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.3	90.98	90	Pass




2.91. Occupied Bandwidth for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.32	91.05	90	Pass




2.92. Occupied Bandwidth for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.48	91.08	90	Pass




2.93. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.49	91	90	Pass




2.94. Occupied Bandwidth for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.51	91.18	90	Pass




2.95. Occupied Bandwidth for SA_Part22-24-27(Channel:633000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3495	99	26	1	Peak	87.5	91.06	90	Pass




2.96. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	87.55	91.17	90	Pass




2.97. Occupied Bandwidth for SA_Part22-24-27(Channel:633666, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3504.99	99	26	1	Peak	87.56	91.03	90	Pass




2.98. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.3	101.1	100	Pass




2.99. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.43	101.06	100	Pass




2.100. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.28	101.11	100	Pass



2.101. Occupied Bandwidth for SA_Part22-24-27(Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3499.98	99	26	1	Peak	97.45	100.95	100	Pass



2. n78(3700-3800)


2.1. Occupied Bandwidth for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.03	Peak	8.56	9.53	10	Pass




2.2. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	8.55	9.56	10	Pass




2.3. Occupied Bandwidth for SA_Part22-24-27(Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.03	Peak	8.56	9.52	10	Pass




2.4. Occupied Bandwidth for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.03	Peak	8.58	9.46	10	Pass




2.5. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	8.58	9.67	10	Pass




2.6. Occupied Bandwidth for SA_Part22-24-27(Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.03	Peak	8.58	9.46	10	Pass




2.7. Occupied Bandwidth for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.03	Peak	8.57	9.33	10	Pass




2.8. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	8.57	9.58	10	Pass




2.9. Occupied Bandwidth for SA_Part22-24-27(Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.03	Peak	8.57	9.38	10	Pass




2.10. Occupied Bandwidth for SA_Part22-24-27(Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3705	99	26	0.03	Peak	8.57	9.54	10	Pass




2.11. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	8.56	9.34	10	Pass




2.12. Occupied Bandwidth for SA_Part22-24-27(Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:24, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3795	99	26	0.03	Peak	8.57	9.57	10	Pass




2.13. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.17	19.32	20	Pass




2.14. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.17	19.35	20	Pass




2.15. Occupied Bandwidth for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.18	19.39	20	Pass




2.16. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.22	19.12	20	Pass




2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.21	19.17	20	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.2	19.19	20	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.21	19.2	20	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.22	19.16	20	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.21	19.36	20	Pass




2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3710.01	99	26	0.03	Peak	18.17	18.94	20	Pass




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	0.03	Peak	18.18	18.93	20	Pass




2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:51, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3789.99	99	26	0.03	Peak	18.18	19	20	Pass




2.92. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.23	31	30	Pass




2.93. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.21	30.99	30	Pass




2.94. Occupied Bandwidth for SA_Part22-24-27(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.12	31.02	30	Pass




2.95. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.36	31.17	30	Pass




2.96. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.34	31.18	30	Pass




2.97. Occupied Bandwidth for SA_Part22-24-27(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.36	31.22	30	Pass




2.98. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.2	31.53	30	Pass




2.99. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.2	31.1	30	Pass




2.100. Occupied Bandwidth for SA_Part22-24-27(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.19	31.17	30	Pass




2.101. Occupied Bandwidth for SA_Part22-24-27(Channel:647668, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3715.02	99	26	1	Peak	28.26	31.03	30	Pass




2.102. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	28.25	31	30	Pass




2.103. Occupied Bandwidth for SA_Part22-24-27(Channel:652332, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:78, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3784.98	99	26	1	Peak	28.26	30.98	30	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.05	41.26	40	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.1	41.3	40	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.09	41.1	40	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.24	41.21	40	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.25	41	40	Pass




2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.22	41.07	40	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.12	41.17	40	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.11	40.98	40	Pass




2.33. Occupied Bandwidth for SA_Part22-24-27(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.11	41.12	40	Pass




2.34. Occupied Bandwidth for SA_Part22-24-27(Channel:648000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3720	99	26	1	Peak	38.19	41.18	40	Pass




2.35. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	38.23	41.16	40	Pass




2.36. Occupied Bandwidth for SA_Part22-24-27(Channel:652000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3780	99	26	1	Peak	38.23	41.17	40	Pass




2.37. Occupied Bandwidth for SA_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.58	50.77	50	Pass




2.38. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.6	50.94	50	Pass




2.39. Occupied Bandwidth for SA_Part22-24-27(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.63	50.84	50	Pass




2.40. Occupied Bandwidth for SA_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.63	50.98	50	Pass




2.41. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.6	50.79	50	Pass




2.42. Occupied Bandwidth for SA_Part22-24-27(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.6	50.93	50	Pass




2.43. Occupied Bandwidth for SA_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.73	51.02	50	Pass




2.44. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.72	50.79	50	Pass




2.45. Occupied Bandwidth for SA_Part22-24-27(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.71	50.78	50	Pass




2.46. Occupied Bandwidth for SA_Part22-24-27(Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3725.01	99	26	1	Peak	47.62	50.55	50	Pass




2.47. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	47.64	50.68	50	Pass




2.48. Occupied Bandwidth for SA_Part22-24-27(Channel:651666, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3774.99	99	26	1	Peak	47.62	50.63	50	Pass




2.49. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.95	61.08	60	Pass




2.50. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.93	61.34	60	Pass




2.51. Occupied Bandwidth for SA_Part22-24-27(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.99	61.16	60	Pass




2.52. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	58.02	61.19	60	Pass




2.53. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	58.03	61.32	60	Pass




2.54. Occupied Bandwidth for SA_Part22-24-27(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	58.01	61.23	60	Pass




2.55. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.93	61.09	60	Pass




2.56. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.95	61.16	60	Pass




2.57. Occupied Bandwidth for SA_Part22-24-27(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.92	61.17	60	Pass




2.58. Occupied Bandwidth for SA_Part22-24-27(Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3730.02	99	26	1	Peak	57.7	61.02	60	Pass




2.59. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	57.72	61.06	60	Pass




2.60. Occupied Bandwidth for SA_Part22-24-27(Channel:651332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:162, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3769.98	99	26	1	Peak	57.69	61.18	60	Pass




2.104. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.42	70.87	70	Pass




2.105. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.4	70.9	70	Pass




2.106. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.41	71.02	70	Pass




2.107. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.54	70.99	70	Pass




2.108. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.53	70.94	70	Pass




2.109. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.52	70.81	70	Pass




2.110. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.53	71.03	70	Pass




2.111. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.51	71.08	70	Pass




2.112. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.48	70.94	70	Pass




2.113. Occupied Bandwidth for SA_Part22-24-27(Channel:649000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3735	99	26	1	Peak	67.53	70.86	70	Pass




2.114. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	67.52	70.87	70	Pass



2.115. Occupied Bandwidth for SA_Part22-24-27(Channel:651000, Bandwidth:70, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:189, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3765	99	26	1	Peak	67.52	70.86	70	Pass



2.61. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.43	80.84	80	Pass

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict




2.62. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.44	81.09	80	Pass




2.63. Occupied Bandwidth for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.43	80.93	80	Pass




2.64. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.44	81.06	80	Pass




2.65. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.44	81.08	80	Pass




2.66. Occupied Bandwidth for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.43	81.17	80	Pass




2.67. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.61	81.08	80	Pass




2.68. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.61	81.11	80	Pass




2.69. Occupied Bandwidth for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.58	81.05	80	Pass




2.70. Occupied Bandwidth for SA_Part22-24-27(Channel:649334, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3740.01	99	26	1	Peak	77.36	80.89	80	Pass




2.71. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	77.35	81	80	Pass




2.72. Occupied Bandwidth for SA_Part22-24-27(Channel:650666, Bandwidth:80, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:217, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3759.99	99	26	1	Peak	77.34	80.9	80	Pass




2.73. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.3	90.9	90	Pass




2.74. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.29	91.03	90	Pass




2.75. Occupied Bandwidth for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.27	90.9	90	Pass




2.76. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.3	91.06	90	Pass




2.77. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.28	90.88	90	Pass




2.78. Occupied Bandwidth for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.28	91.01	90	Pass




2.79. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.33	91	90	Pass




2.80. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.34	91.12	90	Pass




2.81. Occupied Bandwidth for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.33	91.06	90	Pass




2.82. Occupied Bandwidth for SA_Part22-24-27(Channel:649668, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3745.02	99	26	1	Peak	87.42	90.76	90	Pass




2.83. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	87.42	90.98	90	Pass




2.84. Occupied Bandwidth for SA_Part22-24-27(Channel:650332, Bandwidth:90, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:245, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3754.98	99	26	1	Peak	87.42	90.97	90	Pass




2.85. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.3	101.05	100	Pass




2.86. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:16QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.26	101.1	100	Pass




2.87. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:64QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.2	101.05	100	Pass



2.88. Occupied Bandwidth for SA_Part22-24-27(Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:256QAM, RB Number:273, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
3750	99	26	1	Peak	97.3	101.17	100	Pass



--BLANK BELOW--