


12.5. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	910.6	-57.97	-25	Pass	9701
1000	2560	1	RMS	2493	-43.34	-25	Pass	1561
2560	2630	1	RMS	2615.3	23.57	60	Pass	401
2630	3000	1	RMS	2999.075	-41.99	-25	Pass	401
3000	12000	1	RMS	10462	-55.62	-25	Pass	9001
12000	26500	1	RMS	25015	-34.14	-25	Pass	14501




12.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.79	-25	Pass	2986
30	1000	0.1	RMS	915.7	-57.74	-25	Pass	9701
1000	2560	1	RMS	2546	-43.34	-25	Pass	1561
2560	2630	1	RMS	2615.475	22.84	60	Pass	401
2630	3000	1	RMS	3000	-41.96	-25	Pass	401
3000	12000	1	RMS	10461	-55.62	-25	Pass	9001
12000	26500	1	RMS	25012	-34.16	-25	Pass	14501



12.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.4	-25	Pass	2986
30	1000	0.1	RMS	916.1	-57.84	-25	Pass	9701
1000	2560	1	RMS	2558	-42.96	-25	Pass	1561
2560	2630	1	RMS	2570.5	24.12	60	Pass	401
2630	3000	1	RMS	3000	-41.91	-25	Pass	401
3000	12000	1	RMS	10283	-54.87	-25	Pass	9001
12000	26500	1	RMS	25008	-34.19	-25	Pass	14501



12.8. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-25	Pass	2986
30	1000	0.1	RMS	916.7	-57.89	-25	Pass	9701
1000	2560	1	RMS	2559	-42.9	-25	Pass	1561
2560	2630	1	RMS	2570.5	23.4	60	Pass	401
2630	3000	1	RMS	2998.15	-41.96	-25	Pass	401
3000	12000	1	RMS	10283	-55.72	-25	Pass	9001
12000	26500	1	RMS	25014	-34.17	-25	Pass	14501



12.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-25	Pass	2986
30	1000	0.1	RMS	912.6	-57.73	-25	Pass	9701
1000	2560	1	RMS	2499	-43.27	-25	Pass	1561
2560	2630	1	RMS	2590.625	24.07	60	Pass	401
2630	3000	1	RMS	2999.075	-41.98	-25	Pass	401
3000	12000	1	RMS	10363	-55.26	-25	Pass	9001
12000	26500	1	RMS	25011	-34.1	-25	Pass	14501



12.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.63	-25	Pass	2986
30	1000	0.1	RMS	941.2	-57.85	-25	Pass	9701
1000	2560	1	RMS	2528	-43.33	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.81	60	Pass	401
2630	3000	1	RMS	3000	-42	-25	Pass	401
3000	12000	1	RMS	10363	-56.88	-25	Pass	9001
12000	26500	1	RMS	25010	-34.19	-25	Pass	14501



12.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.51	-25	Pass	2986
30	1000	0.1	RMS	927	-57.93	-25	Pass	9701
1000	2560	1	RMS	2559	-43.22	-25	Pass	1561
2560	2630	1	RMS	2610.575	24.36	60	Pass	401
2630	3000	1	RMS	2998.15	-41.98	-25	Pass	401
3000	12000	1	RMS	10442	-58.66	-25	Pass	9001
12000	26500	1	RMS	25013	-34.1	-25	Pass	14501



12.12. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.67	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.47	-25	Pass	2986
30	1000	0.1	RMS	903.6	-57.75	-25	Pass	9701
1000	2560	1	RMS	2534	-43.34	-25	Pass	1561
2560	2630	1	RMS	2610.575	23.57	60	Pass	401
2630	3000	1	RMS	2999.075	-42	-25	Pass	401
3000	12000	1	RMS	10443	-55.93	-25	Pass	9001
12000	26500	1	RMS	25013	-34.17	-25	Pass	14501



12.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.4	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.12	-25	Pass	2986
30	1000	0.1	RMS	925.6	-57.86	-25	Pass	9701
1000	2560	1	RMS	2556	-42.92	-25	Pass	1561
2560	2630	1	RMS	2570.85	24.08	60	Pass	401
2630	3000	1	RMS	2999.075	-41.95	-25	Pass	401
3000	12000	1	RMS	10283	-56.47	-25	Pass	9001
12000	26500	1	RMS	25013	-34.18	-25	Pass	14501



12.14. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.61	-25	Pass	2986
30	1000	0.1	RMS	928.5	-57.87	-25	Pass	9701
1000	2560	1	RMS	2558	-43	-25	Pass	1561
2560	2630	1	RMS	2570.85	23.16	60	Pass	401
2630	3000	1	RMS	3000	-41.97	-25	Pass	401
3000	12000	1	RMS	10283	-54.54	-25	Pass	9001
12000	26500	1	RMS	25010	-34.26	-25	Pass	14501



12.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.03	-25	Pass	2986
30	1000	0.1	RMS	955.7	-57.88	-25	Pass	9701
1000	2560	1	RMS	2538	-43.25	-25	Pass	1561
2560	2630	1	RMS	2588.525	23.46	60	Pass	401
2630	3000	1	RMS	3000	-41.95	-25	Pass	401
3000	12000	1	RMS	10353	-56.75	-25	Pass	9001
12000	26500	1	RMS	25012	-34.06	-25	Pass	14501



12.16. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.92	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.74	-25	Pass	2986
30	1000	0.1	RMS	937	-57.83	-25	Pass	9701
1000	2560	1	RMS	2516	-43.33	-25	Pass	1561
2560	2630	1	RMS	2588.35	22.54	60	Pass	401
2630	3000	1	RMS	3000	-41.95	-25	Pass	401
3000	12000	1	RMS	10354	-55.59	-25	Pass	9001
12000	26500	1	RMS	25014	-34.25	-25	Pass	14501




12.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.48	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.2	-25	Pass	2986
30	1000	0.1	RMS	927.7	-57.88	-25	Pass	9701
1000	2560	1	RMS	2560	-43.32	-25	Pass	1561
2560	2645	1	RMS	2605.688	23.93	60	Pass	401
2645	3000	1	RMS	3000	-41.98	-25	Pass	401
3000	12000	1	RMS	10423	-57.57	-25	Pass	9001
12000	26500	1	RMS	25014	-34.19	-25	Pass	14501




12.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.85	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	938.2	-57.93	-25	Pass	9701
1000	2560	1	RMS	2537	-43.34	-25	Pass	1561
2560	2645	1	RMS	2605.688	22.67	60	Pass	401
2645	3000	1	RMS	2999.113	-41.98	-25	Pass	401
3000	12000	1	RMS	11884	-59.01	-25	Pass	9001
12000	26500	1	RMS	25012	-34.17	-25	Pass	14501



12.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.1	-25	Pass	2986
30	1000	0.1	RMS	915.8	-57.93	-25	Pass	9701
1000	2560	1	RMS	2560	-42.74	-25	Pass	1561
2560	2630	1	RMS	2571.2	24.29	60	Pass	401
2630	3000	1	RMS	3000	-41.95	-25	Pass	401
3000	12000	1	RMS	10285	-57.49	-25	Pass	9001
12000	26500	1	RMS	25016	-34.22	-25	Pass	14501



12.20. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.24	-25	Pass	2986
30	1000	0.1	RMS	927.4	-57.81	-25	Pass	9701
1000	2560	1	RMS	2559	-42.75	-25	Pass	1561
2560	2630	1	RMS	2571.025	22.66	60	Pass	401
2630	3000	1	RMS	2998.15	-41.97	-25	Pass	401
3000	12000	1	RMS	10285	-58.54	-25	Pass	9001
12000	26500	1	RMS	25017	-34.19	-25	Pass	14501




12.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.13	-25	Pass	2986
30	1000	0.1	RMS	933.1	-57.86	-25	Pass	9701
1000	2560	1	RMS	2516	-43.29	-25	Pass	1561
2560	2630	1	RMS	2586.075	23.46	60	Pass	401
2630	3000	1	RMS	2998.15	-41.98	-25	Pass	401
3000	12000	1	RMS	10345	-58.73	-25	Pass	9001
12000	26500	1	RMS	25008	-34.13	-25	Pass	14501




12.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.01	-25	Pass	2986
30	1000	0.1	RMS	937.9	-57.89	-25	Pass	9701
1000	2560	1	RMS	2506	-43.3	-25	Pass	1561
2560	2630	1	RMS	2586.25	22.76	60	Pass	401
2630	3000	1	RMS	3000	-41.94	-25	Pass	401
3000	12000	1	RMS	11895	-58.97	-25	Pass	9001
12000	26500	1	RMS	25018	-34.15	-25	Pass	14501



12.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.86	-25	Pass	401
0.15	30	0.01	RMS	0.17	-53.93	-25	Pass	2986
30	1000	0.1	RMS	940.3	-57.76	-25	Pass	9701
1000	2560	1	RMS	2531	-43.3	-25	Pass	1561
2560	2645	1	RMS	2601.225	23.77	60	Pass	401
2645	3000	1	RMS	3000	-41.92	-25	Pass	401
3000	12000	1	RMS	10405	-55.48	-25	Pass	9001
12000	26500	1	RMS	25020	-34.15	-25	Pass	14501



12.24. LTE Spurious Emission at Antenna Terminals_Part22-24-

27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.51	-25	Pass	2986
30	1000	0.1	RMS	919	-57.71	-25	Pass	9701
1000	2560	1	RMS	2499	-43.3	-25	Pass	1561
2560	2645	1	RMS	2601.225	22.66	60	Pass	401
2645	3000	1	RMS	3000	-41.92	-25	Pass	401
3000	12000	1	RMS	11908	-58.98	-25	Pass	9001
12000	26500	1	RMS	25015	-34.17	-25	Pass	14501




13. LTE_Band41 full

13.1. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.03	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.58	-25	Pass	2986
30	1000	0.1	RMS	919.4	-57.85	-25	Pass	9701
1000	2486	1	RMS	2484	-43.32	-25	Pass	1487
2486	2700	1	RMS	2496.165	23	60	Pass	401
2700	3000	1	RMS	2999.25	-41.97	-25	Pass	401
3000	12000	1	RMS	9985	-47.82	-25	Pass	9001
12000	27000	1	RMS	25012	-34.99	-25	Pass	15001




13.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.96	-25	Pass	2986
30	1000	0.1	RMS	931.6	-57.8	-25	Pass	9701
1000	2486	1	RMS	2484	-43.31	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.3	60	Pass	401
2700	3000	1	RMS	2997	-41.98	-25	Pass	401
3000	12000	1	RMS	9985	-52.41	-25	Pass	9001
12000	27000	1	RMS	25013	-35.03	-25	Pass	15001




13.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.5	-25	Pass	2986
30	1000	0.1	RMS	962.6	-57.89	-25	Pass	9701
1000	2486	1	RMS	2485	-43.62	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.75	60	Pass	401
2700	3000	1	RMS	3000	-41.96	-25	Pass	401
3000	12000	1	RMS	10364	-56.06	-25	Pass	9001
12000	27000	1	RMS	25016	-34.98	-25	Pass	15001



13.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.75	-25	Pass	2986
30	1000	0.1	RMS	923.5	-57.86	-25	Pass	9701
1000	2486	1	RMS	2486	-43.63	-25	Pass	1487
2486	2700	1	RMS	2590.86	23.01	60	Pass	401
2700	3000	1	RMS	3000	-41.96	-25	Pass	401
3000	12000	1	RMS	11848	-58.96	-25	Pass	9001
12000	27000	1	RMS	25016	-34.95	-25	Pass	15001



13.5. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.85	-25	Pass	2986
30	1000	0.1	RMS	960.8	-57.86	-25	Pass	9701
1000	2486	1	RMS	2485	-43.59	-25	Pass	1487
2486	2700	1	RMS	2685.02	23.32	60	Pass	401
2700	3000	1	RMS	2999.25	-41.94	-25	Pass	401
3000	12000	1	RMS	10742	-57.46	-25	Pass	9001
12000	27000	1	RMS	25018	-34.98	-25	Pass	15001




13.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.39	-25	Pass	2986
30	1000	0.1	RMS	935.1	-57.86	-25	Pass	9701
1000	2486	1	RMS	2484	-43.59	-25	Pass	1487
2486	2700	1	RMS	2685.555	23.34	60	Pass	401
2700	3000	1	RMS	3000	-41.98	-25	Pass	401
3000	12000	1	RMS	10742	-57.52	-25	Pass	9001
12000	27000	1	RMS	25010	-34.98	-25	Pass	15001




13.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.17	-25	Pass	401
0.15	30	0.01	RMS	0.16	-54.3	-25	Pass	2986
30	1000	0.1	RMS	965.1	-57.86	-25	Pass	9701
1000	2486	1	RMS	2484	-43.41	-25	Pass	1487
2486	2700	1	RMS	2496.7	23.64	60	Pass	401
2700	3000	1	RMS	2999.25	-41.98	-25	Pass	401
3000	12000	1	RMS	9987	-52.3	-25	Pass	9001
12000	27000	1	RMS	25013	-35.01	-25	Pass	15001




13.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-25	Pass	2986
30	1000	0.1	RMS	926.8	-57.83	-25	Pass	9701
1000	2486	1	RMS	2484	-42.97	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.5	60	Pass	401
2700	3000	1	RMS	3000	-41.97	-25	Pass	401
3000	12000	1	RMS	9987	-49.75	-25	Pass	9001
12000	27000	1	RMS	25012	-34.97	-25	Pass	15001



13.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.31	-25	Pass	2986
30	1000	0.1	RMS	931.8	-57.82	-25	Pass	9701
1000	2486	1	RMS	2483	-43.62	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.64	60	Pass	401
2700	3000	1	RMS	2997.75	-41.96	-25	Pass	401
3000	12000	1	RMS	10355	-56.52	-25	Pass	9001
12000	27000	1	RMS	25013	-35.02	-25	Pass	15001



13.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.01	-25	Pass	2986
30	1000	0.1	RMS	918.7	-57.85	-25	Pass	9701
1000	2486	1	RMS	2486	-43.64	-25	Pass	1487
2486	2700	1	RMS	2588.72	22.01	60	Pass	401
2700	3000	1	RMS	2998.5	-41.93	-25	Pass	401
3000	12000	1	RMS	10354	-57.69	-25	Pass	9001
12000	27000	1	RMS	25012	-34.99	-25	Pass	15001



13.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.8	-25	Pass	2986
30	1000	0.1	RMS	886.1	-57.81	-25	Pass	9701
1000	2486	1	RMS	2486	-43.53	-25	Pass	1487
2486	2700	1	RMS	2680.74	24.4	60	Pass	401
2700	3000	1	RMS	2997	-41.94	-25	Pass	401
3000	12000	1	RMS	10722	-58.66	-25	Pass	9001
12000	27000	1	RMS	25015	-35.02	-25	Pass	15001



13.12. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.69	-25	Pass	2986
30	1000	0.1	RMS	968.6	-57.91	-25	Pass	9701
1000	2486	1	RMS	2483	-43.6	-25	Pass	1487
2486	2700	1	RMS	2680.74	23.07	60	Pass	401
2700	3000	1	RMS	2998.5	-41.95	-25	Pass	401
3000	12000	1	RMS	11864	-58.93	-25	Pass	9001
12000	27000	1	RMS	25010	-35.04	-25	Pass	15001



13.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.21	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.09	-25	Pass	2986
30	1000	0.1	RMS	929.6	-57.85	-25	Pass	9701
1000	2486	1	RMS	2486	-42.92	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.59	60	Pass	401
2700	3000	1	RMS	2998.5	-41.97	-25	Pass	401
3000	12000	1	RMS	9987	-47.96	-25	Pass	9001
12000	27000	1	RMS	25012	-34.99	-25	Pass	15001



13.14. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.37	-25	Pass	2986
30	1000	0.1	RMS	889.5	-57.74	-25	Pass	9701
1000	2486	1	RMS	2483	-43.41	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.46	60	Pass	401
2700	3000	1	RMS	3000	-41.98	-25	Pass	401
3000	12000	1	RMS	9988	-49.95	-25	Pass	9001
12000	27000	1	RMS	25011	-34.88	-25	Pass	15001



13.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.6	-25	Pass	2986
30	1000	0.1	RMS	938	-57.75	-25	Pass	9701
1000	2486	1	RMS	2486	-43.56	-25	Pass	1487
2486	2700	1	RMS	2586.045	23.21	60	Pass	401
2700	3000	1	RMS	3000	-41.98	-25	Pass	401
3000	12000	1	RMS	10345	-56	-25	Pass	9001
12000	27000	1	RMS	25012	-34.96	-25	Pass	15001



13.16. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.06	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.7	-25	Pass	2986
30	1000	0.1	RMS	909.1	-57.88	-25	Pass	9701
1000	2486	1	RMS	2486	-43.56	-25	Pass	1487
2486	2700	1	RMS	2586.045	21.76	60	Pass	401
2700	3000	1	RMS	2999.25	-41.94	-25	Pass	401
3000	12000	1	RMS	10346	-56.59	-25	Pass	9001
12000	27000	1	RMS	25015	-34.93	-25	Pass	15001



13.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.28	-25	Pass	2986
30	1000	0.1	RMS	890.9	-57.91	-25	Pass	9701
1000	2486	1	RMS	2486	-43.51	-25	Pass	1487
2486	2700	1	RMS	2675.925	23.51	60	Pass	401
2700	3000	1	RMS	2997.75	-41.93	-25	Pass	401
3000	12000	1	RMS	10703	-58.64	-25	Pass	9001
12000	27000	1	RMS	25012	-35.09	-25	Pass	15001



13.18. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.93	-25	Pass	2986
30	1000	0.1	RMS	916.8	-57.8	-25	Pass	9701
1000	2486	1	RMS	2483	-43.66	-25	Pass	1487
2486	2700	1	RMS	2675.925	22.78	60	Pass	401
2700	3000	1	RMS	3000	-41.95	-25	Pass	401
3000	12000	1	RMS	11871	-59.02	-25	Pass	9001
12000	27000	1	RMS	25011	-35.07	-25	Pass	15001




13.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.83	-25	Pass	2986
30	1000	0.1	RMS	902.6	-57.88	-25	Pass	9701
1000	2486	1	RMS	2486	-43.09	-25	Pass	1487
2486	2700	1	RMS	2497.235	22.89	60	Pass	401
2700	3000	1	RMS	2999.25	-41.95	-25	Pass	401
3000	12000	1	RMS	9989	-48.44	-25	Pass	9001
12000	27000	1	RMS	25011	-34.93	-25	Pass	15001




13.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.02	-25	Pass	401
0.15	30	0.01	RMS	0.15	-53.06	-25	Pass	2986
30	1000	0.1	RMS	911.3	-57.76	-25	Pass	9701
1000	2486	1	RMS	2486	-43.29	-25	Pass	1487
2486	2700	1	RMS	2497.235	23.13	60	Pass	401
2700	3000	1	RMS	2999.25	-41.98	-25	Pass	401
3000	12000	1	RMS	9988	-48.96	-25	Pass	9001
12000	27000	1	RMS	25012	-35.05	-25	Pass	15001



13.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.38	-25	Pass	2986
30	1000	0.1	RMS	947.7	-57.92	-25	Pass	9701
1000	2486	1	RMS	2485	-43.82	-25	Pass	1487
2486	2700	1	RMS	2583.905	22.51	60	Pass	401
2700	3000	1	RMS	3000	-42.14	-25	Pass	401
3000	12000	1	RMS	10337	-55.63	-25	Pass	9001
12000	27000	1	RMS	25011	-35	-25	Pass	15001



13.22. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.18	-25	Pass	2986
30	1000	0.1	RMS	917.8	-57.97	-25	Pass	9701
1000	2486	1	RMS	2485	-43.75	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.66	60	Pass	401
2700	3000	1	RMS	3000	-42.09	-25	Pass	401
3000	12000	1	RMS	10337	-58.08	-25	Pass	9001
12000	27000	1	RMS	25011	-35.03	-25	Pass	15001



13.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-54.08	-25	Pass	2986
30	1000	0.1	RMS	887.5	-57.93	-25	Pass	9701
1000	2486	1	RMS	2484	-43.74	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.78	60	Pass	401
2700	3000	1	RMS	2999.25	-42.1	-25	Pass	401
3000	12000	1	RMS	10684	-57.93	-25	Pass	9001
12000	27000	1	RMS	25011	-35.08	-25	Pass	15001



13.24. LTE Spurious Emission at Antenna Terminals_Part22-24-

27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.76	-25	Pass	401
0.15	30	0.01	RMS	0.16	-53.83	-25	Pass	2986
30	1000	0.1	RMS	921.3	-58.04	-25	Pass	9701
1000	2486	1	RMS	2484	-43.83	-25	Pass	1487
2486	2700	1	RMS	2671.11	21.92	60	Pass	401
2700	3000	1	RMS	3000	-42.14	-25	Pass	401
3000	12000	1	RMS	11859	-59	-25	Pass	9001
12000	27000	1	RMS	25010	-35.08	-25	Pass	15001



2. LTE_Band43 3700-3800


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:44615, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.33	-13	Pass	401
0.15	30	0.01	RMS	0.23	-68.51	-13	Pass	2986
30	1000	0.1	RMS	843.4	-59.62	-13	Pass	9701
1000	3000	1	RMS	2945	-44.67	-13	Pass	2001
3000	3680	1	RMS	3182	-41.98	-13	Pass	681
3680	3820	1	RMS	3699.95	21.59	60	Pass	401
3820	6500	1	RMS	6317	-41.66	-13	Pass	2681
6500	26500	1	RMS	26000	-41.68	-13	Pass	20003




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:44615, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.56	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.2	-13	Pass	2986
30	1000	0.1	RMS	864.11	-59.59	-13	Pass	9701
1000	3000	1	RMS	2957	-44.72	-13	Pass	2001
3000	3680	1	RMS	3180	-42.02	-13	Pass	681
3680	3820	1	RMS	3700.3	21.13	60	Pass	401
3820	6500	1	RMS	6324	-41.64	-13	Pass	2681
6500	26500	1	RMS	25997	-41.84	-13	Pass	20003




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:45090, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.11	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.1	-13	Pass	2986
30	1000	0.1	RMS	851.502	-59.72	-13	Pass	9701
1000	3000	1	RMS	2952	-44.66	-13	Pass	2001
3000	3680	1	RMS	3180	-42.04	-13	Pass	681
3680	3820	1	RMS	3747.55	22.93	60	Pass	401
3820	6500	1	RMS	6311	-41.67	-13	Pass	2681
6500	26500	1	RMS	26012	-41.77	-13	Pass	20003




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:45090, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-64.88	-13	Pass	401
0.15	30	0.01	RMS	0.36	-68.06	-13	Pass	2986
30	1000	0.1	RMS	851.001	-59.69	-13	Pass	9701
1000	3000	1	RMS	2956	-44.68	-13	Pass	2001
3000	3680	1	RMS	3181	-42.01	-13	Pass	681
3680	3820	1	RMS	3747.55	21.69	60	Pass	401
3820	6500	1	RMS	6311	-41.64	-13	Pass	2681
6500	26500	1	RMS	26001	-41.72	-13	Pass	20003




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:45565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.54	-13	Pass	2986
30	1000	0.1	RMS	843.1	-59.66	-13	Pass	9701
1000	3000	1	RMS	2950	-44.71	-13	Pass	2001
3000	3680	1	RMS	3181	-42.06	-13	Pass	681
3680	3820	1	RMS	3795.5	21.83	60	Pass	401
3820	6500	1	RMS	6410	-41.68	-13	Pass	2681
6500	26500	1	RMS	25998	-41.73	-13	Pass	20003




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:45565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.91	-13	Pass	2986
30	1000	0.1	RMS	856.305	-59.6	-13	Pass	9701
1000	3000	1	RMS	2953	-44.7	-13	Pass	2001
3000	3680	1	RMS	3180	-42.12	-13	Pass	681
3680	3820	1	RMS	3795.5	20.97	60	Pass	401
3820	6500	1	RMS	6317	-41.53	-13	Pass	2681
6500	26500	1	RMS	25991	-41.83	-13	Pass	20003




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:44640, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.07	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.83	-13	Pass	2986
30	1000	0.1	RMS	849.3	-59.57	-13	Pass	9701
1000	3000	1	RMS	2956	-44.68	-13	Pass	2001
3000	3680	1	RMS	3161	-42.11	-13	Pass	681
3680	3820	1	RMS	3700.3	22.1	60	Pass	401
3820	6500	1	RMS	6319	-41.68	-13	Pass	2681
6500	26500	1	RMS	26005	-41.71	-13	Pass	20003




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:44640, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.37	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.39	-13	Pass	2986
30	1000	0.1	RMS	850.901	-59.63	-13	Pass	9701
1000	3000	1	RMS	2957	-44.68	-13	Pass	2001
3000	3680	1	RMS	3160	-42.1	-13	Pass	681
3680	3820	1	RMS	3700.3	21.99	60	Pass	401
3820	6500	1	RMS	6313	-41.63	-13	Pass	2681
6500	26500	1	RMS	26002	-41.71	-13	Pass	20003




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:45090, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.67	-13	Pass	401
0.15	30	0.01	RMS	0.16	-67.55	-13	Pass	2986
30	1000	0.1	RMS	845.2	-59.68	-13	Pass	9701
1000	3000	1	RMS	2957	-44.68	-13	Pass	2001
3000	3680	1	RMS	3157	-42.12	-13	Pass	681
3680	3820	1	RMS	3745.45	22.07	60	Pass	401
3820	6500	1	RMS	6318	-41.62	-13	Pass	2681
6500	26500	1	RMS	26009	-41.77	-13	Pass	20003




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:45090, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.24	-68.03	-13	Pass	2986
30	1000	0.1	RMS	851.402	-59.5	-13	Pass	9701
1000	3000	1	RMS	2954	-44.7	-13	Pass	2001
3000	3680	1	RMS	3184	-42.09	-13	Pass	681
3680	3820	1	RMS	3745.1	21.17	60	Pass	401
3820	6500	1	RMS	6309	-41.65	-13	Pass	2681
6500	26500	1	RMS	26006	-41.78	-13	Pass	20003




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:45540, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.31	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.52	-13	Pass	2986
30	1000	0.1	RMS	850.701	-59.66	-13	Pass	9701
1000	3000	1	RMS	2954	-44.73	-13	Pass	2001
3000	3680	1	RMS	3179	-42.07	-13	Pass	681
3680	3820	1	RMS	3790.6	22.64	60	Pass	401
3820	6500	1	RMS	6317	-41.61	-13	Pass	2681
6500	26500	1	RMS	25993	-41.78	-13	Pass	20003




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:45540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.37	-13	Pass	2986
30	1000	0.1	RMS	847.6	-59.7	-13	Pass	9701
1000	3000	1	RMS	2954	-44.68	-13	Pass	2001
3000	3680	1	RMS	3159	-42.12	-13	Pass	681
3680	3820	1	RMS	3790.25	22.06	60	Pass	401
3820	6500	1	RMS	6437	-41.67	-13	Pass	2681
6500	26500	1	RMS	26000	-41.75	-13	Pass	20003




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:44665, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.5	-13	Pass	401
0.15	30	0.01	RMS	0.16	-68.39	-13	Pass	2986
30	1000	0.1	RMS	846.6	-59.67	-13	Pass	9701
1000	3000	1	RMS	2947	-44.69	-13	Pass	2001
3000	3680	1	RMS	3180	-42.06	-13	Pass	681
3680	3820	1	RMS	3700.65	22.59	60	Pass	401
3820	6500	1	RMS	6332	-41.64	-13	Pass	2681
6500	26500	1	RMS	26000	-41.76	-13	Pass	20003




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:44665, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.86	-13	Pass	2986
30	1000	0.1	RMS	856.205	-59.7	-13	Pass	9701
1000	3000	1	RMS	2959	-44.69	-13	Pass	2001
3000	3680	1	RMS	3157	-42.14	-13	Pass	681
3680	3820	1	RMS	3700.65	20.98	60	Pass	401
3820	6500	1	RMS	6319	-41.65	-13	Pass	2681
6500	26500	1	RMS	25989	-41.85	-13	Pass	20003




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:45090, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.15	-13	Pass	401
0.15	30	0.01	RMS	0.18	-68.47	-13	Pass	2986
30	1000	0.1	RMS	856.505	-59.51	-13	Pass	9701
1000	3000	1	RMS	2951	-44.69	-13	Pass	2001
3000	3680	1	RMS	3158	-42.12	-13	Pass	681
3680	3820	1	RMS	3743.35	22.47	60	Pass	401
3820	6500	1	RMS	6415	-41.66	-13	Pass	2681
6500	26500	1	RMS	25999	-41.73	-13	Pass	20003




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:45090, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.56	-13	Pass	401
0.15	30	0.01	RMS	0.17	-67.57	-13	Pass	2986
30	1000	0.1	RMS	863.309	-59.5	-13	Pass	9701
1000	3000	1	RMS	2958	-44.67	-13	Pass	2001
3000	3680	1	RMS	3179	-42.11	-13	Pass	681
3680	3820	1	RMS	3743	21.56	60	Pass	401
3820	6500	1	RMS	6315	-41.59	-13	Pass	2681
6500	26500	1	RMS	25995	-41.7	-13	Pass	20003




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:45515, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-67.53	-13	Pass	2986
30	1000	0.1	RMS	852.903	-59.52	-13	Pass	9701
1000	3000	1	RMS	2956	-44.69	-13	Pass	2001
3000	3680	1	RMS	3178	-42.15	-13	Pass	681
3680	3820	1	RMS	3785.7	22.73	60	Pass	401
3820	6500	1	RMS	6328	-41.67	-13	Pass	2681
6500	26500	1	RMS	25990	-41.79	-13	Pass	20003




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:45515, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.75	-13	Pass	401
0.15	30	0.01	RMS	0.19	-68.22	-13	Pass	2986
30	1000	0.1	RMS	844.6	-59.74	-13	Pass	9701
1000	3000	1	RMS	2955	-44.68	-13	Pass	2001
3000	3680	1	RMS	3160	-42.1	-13	Pass	681
3680	3820	1	RMS	3785.7	22.08	60	Pass	401
3820	6500	1	RMS	6315	-41.63	-13	Pass	2681
6500	26500	1	RMS	25996	-41.78	-13	Pass	20003




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:44690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.42	-13	Pass	2986
30	1000	0.1	RMS	862.909	-59.58	-13	Pass	9701
1000	3000	1	RMS	2955	-44.71	-13	Pass	2001
3000	3680	1	RMS	3165	-42.11	-13	Pass	681
3680	3820	1	RMS	3701	21.9	60	Pass	401
3820	6500	1	RMS	6307	-41.58	-13	Pass	2681
6500	26500	1	RMS	26004	-41.73	-13	Pass	20003




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:44690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.46	-13	Pass	401
0.15	30	0.01	RMS	0.2	-68.3	-13	Pass	2986
30	1000	0.1	RMS	847.8	-59.71	-13	Pass	9701
1000	3000	1	RMS	2958	-44.72	-13	Pass	2001
3000	3680	1	RMS	3161	-42.12	-13	Pass	681
3680	3820	1	RMS	3701	20.86	60	Pass	401
3820	6500	1	RMS	6323	-41.63	-13	Pass	2681
6500	26500	1	RMS	26003	-41.73	-13	Pass	20003



2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:45090, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.75	-13	Pass	401
0.15	30	0.01	RMS	0.18	-67.92	-13	Pass	2986
30	1000	0.1	RMS	853.403	-59.65	-13	Pass	9701
1000	3000	1	RMS	2953	-44.65	-13	Pass	2001
3000	3680	1	RMS	3181	-42.1	-13	Pass	681
3680	3820	1	RMS	3740.9	22.88	60	Pass	401
3820	6500	1	RMS	6495	-41.64	-13	Pass	2681
6500	26500	1	RMS	26002	-41.75	-13	Pass	20003



2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:22, Channel:45090, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-67.13	-13	Pass	401
0.15	30	0.01	RMS	0.22	-67.92	-13	Pass	2986
30	1000	0.1	RMS	851.902	-59.55	-13	Pass	9701
1000	3000	1	RMS	2957	-44.73	-13	Pass	2001
3000	3680	1	RMS	3159	-42.13	-13	Pass	681
3680	3820	1	RMS	3740.9	22.16	60	Pass	401
3820	6500	1	RMS	6313	-41.65	-13	Pass	2681
6500	26500	1	RMS	25999	-41.71	-13	Pass	20003




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:45490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-66.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-68.16	-13	Pass	2986
30	1000	0.1	RMS	849.1	-59.73	-13	Pass	9701
1000	3000	1	RMS	2953	-44.72	-13	Pass	2001
3000	3680	1	RMS	3160	-42.14	-13	Pass	681
3680	3820	1	RMS	3780.8	22.12	60	Pass	401
3820	6500	1	RMS	6323	-41.68	-13	Pass	2681
6500	26500	1	RMS	26000	-41.83	-13	Pass	20003



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:45490, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.065	-65.95	-13	Pass	401
0.15	30	0.01	RMS	0.21	-68.62	-13	Pass	2986
30	1000	0.1	RMS	855.104	-59.67	-13	Pass	9701
1000	3000	1	RMS	2947	-44.68	-13	Pass	2001
3000	3680	1	RMS	3159	-42.1	-13	Pass	681
3680	3820	1	RMS	3781.15	21.57	60	Pass	401
3820	6500	1	RMS	6321	-41.65	-13	Pass	2681
6500	26500	1	RMS	26011	-41.76	-13	Pass	20003



10. LTE_Band66


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.97	-13	Pass	2986
30	1000	0.1	RMS	938.9	-61.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.5	-13	Pass	701
1700	1790	1	RMS	1710.35	23.36	60	Pass	401
1790	3000	1	RMS	3000	-45.95	-13	Pass	1211
3000	12000	1	RMS	11852	-39.2	-13	Pass	9001
12000	20000	1	RMS	19997	-25.16	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.39	-13	Pass	2986
30	1000	0.1	RMS	967.8	-61.82	-13	Pass	9701
1000	1700	1	RMS	1700	-50.68	-13	Pass	701
1700	1790	1	RMS	1710.125	22.53	60	Pass	401
1790	3000	1	RMS	2998	-45.89	-13	Pass	1211
3000	12000	1	RMS	11854	-39.26	-13	Pass	9001
12000	20000	1	RMS	20000	-25.08	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	938.8	-61.87	-13	Pass	9701
1000	1700	1	RMS	1696	-50.84	-13	Pass	701
1700	1790	1	RMS	1744.55	23.3	60	Pass	401
1790	3000	1	RMS	2999	-45.94	-13	Pass	1211
3000	12000	1	RMS	11846	-39.29	-13	Pass	9001
12000	20000	1	RMS	19999	-25.2	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.2	-13	Pass	2986
30	1000	0.1	RMS	887.1	-61.93	-13	Pass	9701
1000	1700	1	RMS	1612	-50.88	-13	Pass	701
1700	1790	1	RMS	1744.55	22.27	60	Pass	401
1790	3000	1	RMS	2999	-46.06	-13	Pass	1211
3000	12000	1	RMS	11863	-39.34	-13	Pass	9001
12000	20000	1	RMS	19998	-25.16	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.04	-13	Pass	2986
30	1000	0.1	RMS	924	-61.9	-13	Pass	9701
1000	1700	1	RMS	1605	-50.83	-13	Pass	701
1700	1790	1	RMS	1778.75	23.07	60	Pass	401
1790	3000	1	RMS	3000	-45.96	-13	Pass	1211
3000	12000	1	RMS	11889	-39.32	-13	Pass	9001
12000	20000	1	RMS	19995	-25.15	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.21	-13	Pass	2986
30	1000	0.1	RMS	922.4	-61.79	-13	Pass	9701
1000	1700	1	RMS	1699	-50.86	-13	Pass	701
1700	1790	1	RMS	1778.75	22.27	60	Pass	401
1790	3000	1	RMS	2996	-46.02	-13	Pass	1211
3000	12000	1	RMS	11859	-39.29	-13	Pass	9001
12000	20000	1	RMS	20000	-25.08	-13	Pass	8001



10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.32	-13	Pass	2986
30	1000	0.1	RMS	928.9	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-49.67	-13	Pass	701
1700	1790	1	RMS	1710.35	23.26	60	Pass	401
1790	3000	1	RMS	3000	-45.99	-13	Pass	1211
3000	12000	1	RMS	11851	-39.29	-13	Pass	9001
12000	20000	1	RMS	20000	-25.13	-13	Pass	8001



10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	1000	0.1	RMS	941.6	-61.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.51	-13	Pass	701
1700	1790	1	RMS	1710.35	22.61	60	Pass	401
1790	3000	1	RMS	2999	-46.03	-13	Pass	1211
3000	12000	1	RMS	11849	-39.26	-13	Pass	9001
12000	20000	1	RMS	20000	-25.11	-13	Pass	8001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.79	-13	Pass	2986
30	1000	0.1	RMS	937.7	-61.78	-13	Pass	9701
1000	1700	1	RMS	1660	-50.87	-13	Pass	701
1700	1790	1	RMS	1743.65	23.23	60	Pass	401
1790	3000	1	RMS	2999	-45.91	-13	Pass	1211
3000	12000	1	RMS	11860	-39.22	-13	Pass	9001
12000	20000	1	RMS	19999	-25.12	-13	Pass	8001



10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.05	-13	Pass	2986
30	1000	0.1	RMS	907.1	-61.77	-13	Pass	9701
1000	1700	1	RMS	1603	-50.84	-13	Pass	701
1700	1790	1	RMS	1743.65	22.3	60	Pass	401
1790	3000	1	RMS	2999	-45.97	-13	Pass	1211
3000	12000	1	RMS	11854	-39.27	-13	Pass	9001
12000	20000	1	RMS	19996	-25.22	-13	Pass	8001



10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.4	-13	Pass	2986
30	1000	0.1	RMS	953.2	-61.98	-13	Pass	9701
1000	1700	1	RMS	1698	-50.9	-13	Pass	701
1700	1790	1	RMS	1777.175	23.22	60	Pass	401
1790	3000	1	RMS	3000	-46.03	-13	Pass	1211
3000	12000	1	RMS	11847	-39.33	-13	Pass	9001
12000	20000	1	RMS	19998	-25.19	-13	Pass	8001



10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	1000	0.1	RMS	922.4	-61.81	-13	Pass	9701
1000	1700	1	RMS	1684	-50.9	-13	Pass	701
1700	1790	1	RMS	1777.175	22.35	60	Pass	401
1790	3000	1	RMS	2993	-46.08	-13	Pass	1211
3000	12000	1	RMS	11865	-39.27	-13	Pass	9001
12000	20000	1	RMS	19996	-25.22	-13	Pass	8001



10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.56	-13	Pass	2986
30	1000	0.1	RMS	927.6	-62.03	-13	Pass	9701
1000	1700	1	RMS	1700	-50.66	-13	Pass	701
1700	1790	1	RMS	1710.35	23.48	60	Pass	401
1790	3000	1	RMS	2998	-46.03	-13	Pass	1211
3000	12000	1	RMS	11853	-39.33	-13	Pass	9001
12000	20000	1	RMS	19999	-25.15	-13	Pass	8001



10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.79	-13	Pass	2986
30	1000	0.1	RMS	939.2	-61.97	-13	Pass	9701
1000	1700	1	RMS	1700	-50.79	-13	Pass	701
1700	1790	1	RMS	1710.35	22.56	60	Pass	401
1790	3000	1	RMS	2999	-45.99	-13	Pass	1211
3000	12000	1	RMS	11857	-39.28	-13	Pass	9001
12000	20000	1	RMS	19995	-25.23	-13	Pass	8001



10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.06	-13	Pass	2986
30	1000	0.1	RMS	944.6	-61.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1790	1	RMS	1742.75	23.25	60	Pass	401
1790	3000	1	RMS	2997	-46.03	-13	Pass	1211
3000	12000	1	RMS	11853	-39.25	-13	Pass	9001
12000	20000	1	RMS	19997	-25.19	-13	Pass	8001



10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.93	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.67	-13	Pass	2986
30	1000	0.1	RMS	942.3	-61.83	-13	Pass	9701
1000	1700	1	RMS	1609	-50.9	-13	Pass	701
1700	1790	1	RMS	1742.75	22.37	60	Pass	401
1790	3000	1	RMS	3000	-46.01	-13	Pass	1211
3000	12000	1	RMS	11849	-39.34	-13	Pass	9001
12000	20000	1	RMS	19998	-25.2	-13	Pass	8001



10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	1000	0.1	RMS	909.6	-61.95	-13	Pass	9701
1000	1700	1	RMS	1699	-50.88	-13	Pass	701
1700	1790	1	RMS	1775.375	23.3	60	Pass	401
1790	3000	1	RMS	3000	-46	-13	Pass	1211
3000	12000	1	RMS	11856	-39.29	-13	Pass	9001
12000	20000	1	RMS	19997	-25.13	-13	Pass	8001



10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.89	-13	Pass	2986
30	1000	0.1	RMS	912.5	-61.86	-13	Pass	9701
1000	1700	1	RMS	1699	-50.87	-13	Pass	701
1700	1790	1	RMS	1775.375	22.35	60	Pass	401
1790	3000	1	RMS	3000	-46.04	-13	Pass	1211
3000	12000	1	RMS	11845	-39.28	-13	Pass	9001
12000	20000	1	RMS	19999	-25.16	-13	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.38	-13	Pass	2986
30	1000	0.1	RMS	951	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.64	-13	Pass	701
1700	1790	1	RMS	1710.575	23.32	60	Pass	401
1790	3000	1	RMS	2999	-46.01	-13	Pass	1211
3000	12000	1	RMS	11848	-39.26	-13	Pass	9001
12000	20000	1	RMS	20000	-25.26	-13	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.97	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.9	-13	Pass	2986
30	1000	0.1	RMS	960	-61.99	-13	Pass	9701
1000	1700	1	RMS	1699	-50.74	-13	Pass	701
1700	1790	1	RMS	1710.575	22.54	60	Pass	401
1790	3000	1	RMS	2994	-46.07	-13	Pass	1211
3000	12000	1	RMS	11846	-39.3	-13	Pass	9001
12000	20000	1	RMS	19998	-25.17	-13	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.3	-13	Pass	2986
30	1000	0.1	RMS	926.4	-61.99	-13	Pass	9701
1000	1700	1	RMS	1606	-50.87	-13	Pass	701
1700	1790	1	RMS	1740.725	23.25	60	Pass	401
1790	3000	1	RMS	2999	-46.03	-13	Pass	1211
3000	12000	1	RMS	11852	-39.31	-13	Pass	9001
12000	20000	1	RMS	19994	-25.19	-13	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.76	-13	Pass	2986
30	1000	0.1	RMS	934.4	-61.94	-13	Pass	9701
1000	1700	1	RMS	1697	-50.89	-13	Pass	701
1700	1790	1	RMS	1740.5	22.46	60	Pass	401
1790	3000	1	RMS	2999	-46.05	-13	Pass	1211
3000	12000	1	RMS	11849	-39.37	-13	Pass	9001
12000	20000	1	RMS	20000	-25.26	-13	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.33	-13	Pass	2986
30	1000	0.1	RMS	932.8	-61.83	-13	Pass	9701
1000	1700	1	RMS	1696	-50.87	-13	Pass	701
1700	1790	1	RMS	1770.65	23.14	60	Pass	401
1790	3000	1	RMS	2998	-45.99	-13	Pass	1211
3000	12000	1	RMS	11861	-39.3	-13	Pass	9001
12000	20000	1	RMS	19992	-25.23	-13	Pass	8001




10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-56.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.82	-13	Pass	2986
30	1000	0.1	RMS	930.2	-61.91	-13	Pass	9701
1000	1700	1	RMS	1689	-50.89	-13	Pass	701
1700	1790	1	RMS	1770.65	22.29	60	Pass	401
1790	3000	1	RMS	2997	-46.02	-13	Pass	1211
3000	12000	1	RMS	11852	-39.33	-13	Pass	9001
12000	20000	1	RMS	19996	-25.13	-13	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.15	-13	Pass	2986
30	1000	0.1	RMS	954.4	-61.78	-13	Pass	9701
1000	1700	1	RMS	1698	-50.16	-13	Pass	701
1700	1790	1	RMS	1710.8	23.22	60	Pass	401
1790	3000	1	RMS	3000	-45.95	-13	Pass	1211
3000	12000	1	RMS	11861	-39.34	-13	Pass	9001
12000	20000	1	RMS	19998	-25.11	-13	Pass	8001




10.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.41	-13	Pass	2986
30	1000	0.1	RMS	924.9	-61.95	-13	Pass	9701
1000	1700	1	RMS	1698	-50.58	-13	Pass	701
1700	1790	1	RMS	1710.8	22.21	60	Pass	401
1790	3000	1	RMS	2995	-46.09	-13	Pass	1211
3000	12000	1	RMS	11880	-39.29	-13	Pass	9001
12000	20000	1	RMS	19999	-25.13	-13	Pass	8001




10.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-13	Pass	2986
30	1000	0.1	RMS	937.6	-61.88	-13	Pass	9701
1000	1700	1	RMS	1700	-50.7	-13	Pass	701
1700	1790	1	RMS	1738.25	23.12	60	Pass	401
1790	3000	1	RMS	2999	-46.03	-13	Pass	1211
3000	12000	1	RMS	11851	-39.3	-13	Pass	9001
12000	20000	1	RMS	19999	-25.14	-13	Pass	8001




10.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.96	-13	Pass	2986
30	1000	0.1	RMS	941.2	-61.92	-13	Pass	9701
1000	1700	1	RMS	1696	-50.92	-13	Pass	701
1700	1790	1	RMS	1738.475	22.09	60	Pass	401
1790	3000	1	RMS	2999	-46.03	-13	Pass	1211
3000	12000	1	RMS	11841	-39.37	-13	Pass	9001
12000	20000	1	RMS	19997	-25.13	-13	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.57	-13	Pass	2986
30	1000	0.1	RMS	926.1	-62	-13	Pass	9701
1000	1700	1	RMS	1585	-50.88	-13	Pass	701
1700	1790	1	RMS	1765.925	22.94	60	Pass	401
1790	3000	1	RMS	2998	-46.01	-13	Pass	1211
3000	12000	1	RMS	11842	-39.27	-13	Pass	9001
12000	20000	1	RMS	20000	-25.16	-13	Pass	8001




10.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	1000	0.1	RMS	932.7	-61.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.91	-13	Pass	701
1700	1790	1	RMS	1765.925	22.1	60	Pass	401
1790	3000	1	RMS	2999	-46.04	-13	Pass	1211
3000	12000	1	RMS	11833	-39.35	-13	Pass	9001
12000	20000	1	RMS	19995	-25.22	-13	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.33	-13	Pass	2986
30	1000	0.1	RMS	912.1	-61.82	-13	Pass	9701
1000	1700	1	RMS	1696	-50.47	-13	Pass	701
1700	1790	1	RMS	1711.025	23.11	60	Pass	401
1790	3000	1	RMS	2998	-46.01	-13	Pass	1211
3000	12000	1	RMS	11851	-39.34	-13	Pass	9001
12000	20000	1	RMS	19998	-25.26	-13	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.86	-13	Pass	2986
30	1000	0.1	RMS	929.2	-61.9	-13	Pass	9701
1000	1700	1	RMS	1697	-50.69	-13	Pass	701
1700	1790	1	RMS	1711.025	22.29	60	Pass	401
1790	3000	1	RMS	2997	-46.03	-13	Pass	1211
3000	12000	1	RMS	11862	-39.32	-13	Pass	9001
12000	20000	1	RMS	19999	-25.13	-13	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.64	-13	Pass	2986
30	1000	0.1	RMS	906.5	-61.85	-13	Pass	9701
1000	1700	1	RMS	1697	-50.85	-13	Pass	701
1700	1790	1	RMS	1736	23.14	60	Pass	401
1790	3000	1	RMS	2997	-46.02	-13	Pass	1211
3000	12000	1	RMS	11850	-39.28	-13	Pass	9001
12000	20000	1	RMS	19998	-25.24	-13	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.63	-13	Pass	2986
30	1000	0.1	RMS	909.4	-61.92	-13	Pass	9701
1000	1700	1	RMS	1697	-50.87	-13	Pass	701
1700	1790	1	RMS	1736.225	22.09	60	Pass	401
1790	3000	1	RMS	2999	-46.04	-13	Pass	1211
3000	12000	1	RMS	11856	-39.3	-13	Pass	9001
12000	20000	1	RMS	19999	-25.18	-13	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.48	-13	Pass	2986
30	1000	0.1	RMS	911.4	-62.01	-13	Pass	9701
1000	1700	1	RMS	1696	-50.86	-13	Pass	701
1700	1790	1	RMS	1760.975	22.93	60	Pass	401
1790	3000	1	RMS	2996	-46.01	-13	Pass	1211
3000	12000	1	RMS	11850	-39.27	-13	Pass	9001
12000	20000	1	RMS	19996	-25.24	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.87	-13	Pass	2986
30	1000	0.1	RMS	903.6	-61.93	-13	Pass	9701
1000	1700	1	RMS	1699	-50.87	-13	Pass	701
1700	1790	1	RMS	1760.975	22.14	60	Pass	401
1790	3000	1	RMS	3000	-45.96	-13	Pass	1211
3000	12000	1	RMS	11855	-39.29	-13	Pass	9001
12000	20000	1	RMS	20000	-25.15	-13	Pass	8001



11. LTE_Band71


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.23	-13	Pass	2986
30	653	0.1	RMS	479	-63.14	-13	Pass	6231
653	709	0.1	RMS	663.3	20.79	60	Pass	561
709	1000	0.1	RMS	934.8	-61.94	-13	Pass	2911
1000	3000	1	RMS	3000	-46.05	-13	Pass	2001
3000	10000	1	RMS	9949	-41.63	-13	Pass	7001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.6	-13	Pass	2986
30	653	0.1	RMS	645.2	-63.19	-13	Pass	6231
653	709	0.1	RMS	663.3	20	60	Pass	561
709	1000	0.1	RMS	909.5	-62.01	-13	Pass	2911
1000	3000	1	RMS	2999	-46.07	-13	Pass	2001
3000	10000	1	RMS	9952	-41.65	-13	Pass	7001



11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	653	0.1	RMS	490.9	-63.17	-13	Pass	6231
653	709	0.1	RMS	678.3	20.73	60	Pass	561
709	1000	0.1	RMS	946.1	-61.91	-13	Pass	2911
1000	3000	1	RMS	2999	-46.04	-13	Pass	2001
3000	10000	1	RMS	9950	-41.61	-13	Pass	7001



11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.51	-13	Pass	2986
30	653	0.1	RMS	506.7	-63.17	-13	Pass	6231
653	709	0.1	RMS	678.3	19.65	60	Pass	561
709	1000	0.1	RMS	871.9	-62.01	-13	Pass	2911
1000	3000	1	RMS	2999	-46.09	-13	Pass	2001
3000	10000	1	RMS	9953	-41.64	-13	Pass	7001



11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.26	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.06	-13	Pass	2986
30	653	0.1	RMS	507.2	-63.08	-13	Pass	6231
653	709	0.1	RMS	693.3	20.52	60	Pass	561
709	1000	0.1	RMS	934.9	-61.92	-13	Pass	2911
1000	3000	1	RMS	3000	-46.03	-13	Pass	2001
3000	10000	1	RMS	9954	-41.71	-13	Pass	7001



11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-


27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.09	-13	Pass	2986
30	653	0.1	RMS	503.7	-63.07	-13	Pass	6231
653	709	0.1	RMS	693.3	19.79	60	Pass	561
709	1000	0.1	RMS	915.6	-61.87	-13	Pass	2911
1000	3000	1	RMS	2998	-46.06	-13	Pass	2001
3000	10000	1	RMS	9968	-41.64	-13	Pass	7001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.97	-13	Pass	2986
30	653	0.1	RMS	461.5	-63.15	-13	Pass	6231
653	709	0.1	RMS	663.6	21.14	60	Pass	561
709	1000	0.1	RMS	922.4	-61.91	-13	Pass	2911
1000	3000	1	RMS	2996	-46.1	-13	Pass	2001
3000	10000	1	RMS	9963	-41.59	-13	Pass	7001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.51	-13	Pass	2986
30	653	0.1	RMS	438.5	-63.12	-13	Pass	6231
653	709	0.1	RMS	663.6	20.35	60	Pass	561
709	1000	0.1	RMS	946	-61.94	-13	Pass	2911
1000	3000	1	RMS	2999	-46.04	-13	Pass	2001
3000	10000	1	RMS	9961	-41.63	-13	Pass	7001




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.1	-13	Pass	2986
30	653	0.1	RMS	503.2	-63.07	-13	Pass	6231
653	709	0.1	RMS	676.1	20.99	60	Pass	561
709	1000	0.1	RMS	889.6	-61.91	-13	Pass	2911
1000	3000	1	RMS	3000	-46.03	-13	Pass	2001
3000	10000	1	RMS	9955	-41.58	-13	Pass	7001




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.25	-13	Pass	2986
30	653	0.1	RMS	440.7	-63.24	-13	Pass	6231
653	709	0.1	RMS	676.1	20.16	60	Pass	561
709	1000	0.1	RMS	914.8	-61.88	-13	Pass	2911
1000	3000	1	RMS	3000	-46.07	-13	Pass	2001
3000	10000	1	RMS	9961	-41.66	-13	Pass	7001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.4	-13	Pass	2986
30	653	0.1	RMS	504.5	-63.13	-13	Pass	6231
653	709	0.1	RMS	688.6	21.05	60	Pass	561
709	1000	0.1	RMS	903.2	-61.74	-13	Pass	2911
1000	3000	1	RMS	2997	-46.08	-13	Pass	2001
3000	10000	1	RMS	9954	-41.68	-13	Pass	7001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.73	-13	Pass	2986
30	653	0.1	RMS	512.9	-63.13	-13	Pass	6231
653	709	0.1	RMS	688.6	20.1	60	Pass	561
709	1000	0.1	RMS	909.2	-61.95	-13	Pass	2911
1000	3000	1	RMS	3000	-46.05	-13	Pass	2001
3000	10000	1	RMS	9953	-41.7	-13	Pass	7001




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.35	-13	Pass	2986
30	653	0.1	RMS	433.8	-63.08	-13	Pass	6231
653	709	0.1	RMS	663.8	20.54	60	Pass	561
709	1000	0.1	RMS	905.3	-61.9	-13	Pass	2911
1000	3000	1	RMS	2997	-46.05	-13	Pass	2001
3000	10000	1	RMS	9951	-41.6	-13	Pass	7001




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.8	-13	Pass	2986
30	653	0.1	RMS	422.4	-63.18	-13	Pass	6231
653	709	0.1	RMS	663.8	19.47	60	Pass	561
709	1000	0.1	RMS	914.5	-61.95	-13	Pass	2911
1000	3000	1	RMS	3000	-45.99	-13	Pass	2001
3000	10000	1	RMS	9959	-41.68	-13	Pass	7001




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.64	-13	Pass	2986
30	653	0.1	RMS	496.2	-63.21	-13	Pass	6231
653	709	0.1	RMS	673.8	20.62	60	Pass	561
709	1000	0.1	RMS	981.7	-61.96	-13	Pass	2911
1000	3000	1	RMS	3000	-46	-13	Pass	2001
3000	10000	1	RMS	9952	-41.63	-13	Pass	7001




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-56.24	-13	Pass	401
0.15	30	0.01	RMS	0.16	-57.47	-13	Pass	2986
30	653	0.1	RMS	647.8	-63.25	-13	Pass	6231
653	709	0.1	RMS	673.8	19.55	60	Pass	561
709	1000	0.1	RMS	933.6	-61.84	-13	Pass	2911
1000	3000	1	RMS	2999	-46.09	-13	Pass	2001
3000	10000	1	RMS	9954	-41.66	-13	Pass	7001




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.89	-13	Pass	2986
30	653	0.1	RMS	502.8	-63.11	-13	Pass	6231
653	709	0.1	RMS	683.8	20.38	60	Pass	561
709	1000	0.1	RMS	924.9	-61.63	-13	Pass	2911
1000	3000	1	RMS	2999	-46.03	-13	Pass	2001
3000	10000	1	RMS	9966	-41.65	-13	Pass	7001




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.7	-13	Pass	2986
30	653	0.1	RMS	489.7	-63.19	-13	Pass	6231
653	709	0.1	RMS	683.8	19.58	60	Pass	561
709	1000	0.1	RMS	938	-61.79	-13	Pass	2911
1000	3000	1	RMS	2998	-46.05	-13	Pass	2001
3000	10000	1	RMS	9959	-41.64	-13	Pass	7001




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-58.03	-13	Pass	2986
30	653	0.1	RMS	633.9	-63.13	-13	Pass	6231
653	709	0.1	RMS	664.1	21.03	60	Pass	561
709	1000	0.1	RMS	872.7	-61.84	-13	Pass	2911
1000	3000	1	RMS	2998	-46.05	-13	Pass	2001
3000	10000	1	RMS	9961	-41.63	-13	Pass	7001




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-55.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.44	-13	Pass	2986
30	653	0.1	RMS	433.5	-63.19	-13	Pass	6231
653	709	0.1	RMS	664.1	19.97	60	Pass	561
709	1000	0.1	RMS	860	-61.98	-13	Pass	2911
1000	3000	1	RMS	3000	-46.03	-13	Pass	2001
3000	10000	1	RMS	9954	-41.64	-13	Pass	7001




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-55.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.87	-13	Pass	2986
30	653	0.1	RMS	503.6	-63.21	-13	Pass	6231
653	709	0.1	RMS	674.1	20.8	60	Pass	561
709	1000	0.1	RMS	887.4	-61.87	-13	Pass	2911
1000	3000	1	RMS	3000	-46.05	-13	Pass	2001
3000	10000	1	RMS	9953	-41.63	-13	Pass	7001




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-56.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-58.59	-13	Pass	2986
30	653	0.1	RMS	500.1	-63.16	-13	Pass	6231
653	709	0.1	RMS	674.1	19.9	60	Pass	561
709	1000	0.1	RMS	923.2	-62.04	-13	Pass	2911
1000	3000	1	RMS	3000	-46.09	-13	Pass	2001
3000	10000	1	RMS	9953	-41.63	-13	Pass	7001




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.51	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.94	-13	Pass	2986
30	653	0.1	RMS	497.7	-63.14	-13	Pass	6231
653	709	0.1	RMS	679.1	20.96	60	Pass	561
709	1000	0.1	RMS	915	-61.87	-13	Pass	2911
1000	3000	1	RMS	3000	-45.99	-13	Pass	2001
3000	10000	1	RMS	9962	-41.67	-13	Pass	7001



11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-56.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.57	-13	Pass	2986
30	653	0.1	RMS	514.1	-63.13	-13	Pass	6231
653	709	0.1	RMS	679.1	19.96	60	Pass	561
709	1000	0.1	RMS	942.9	-61.91	-13	Pass	2911
1000	3000	1	RMS	3000	-46.01	-13	Pass	2001
3000	10000	1	RMS	9952	-41.65	-13	Pass	7001




NR

1. n2


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.93	-13	53.93	Pass	401
0.15	30	0.01	RMS	0.68	-68.16	-13	55.16	Pass	2986
30	1000	0.1	RMS	997.498	-58.72	-13	45.72	Pass	9701
1000	1840	1	RMS	1840	-45.38	-13	32.38	Pass	841
1840	1920	1	RMS	1853.4	14.71	60	45.29	Pass	401
1920	3000	1	RMS	2976	-45.25	-13	32.25	Pass	1081
3000	7000	1	RMS	6978	-58.49	-13	45.49	Pass	4001
7000	20000	1	RMS	17503	-48.45	-13	35.45	Pass	13002




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.14	-13	54.14	Pass	401
0.15	30	0.01	RMS	0.17	-67.58	-13	54.58	Pass	2986
30	1000	0.1	RMS	892.829	-58.73	-13	45.73	Pass	9701
1000	1840	1	RMS	1808	-48.07	-13	35.07	Pass	841
1840	1920	1	RMS	1850.2	20.88	60	39.12	Pass	401
1920	3000	1	RMS	2970	-45.5	-13	32.5	Pass	1081
3000	7000	1	RMS	6975	-58.43	-13	45.43	Pass	4001
7000	20000	1	RMS	17498	-48.71	-13	35.71	Pass	13002




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.42	-13	56.42	Pass	401
0.15	30	0.01	RMS	0.15	-67.75	-13	54.75	Pass	2986
30	1000	0.1	RMS	996.798	-58.67	-13	45.67	Pass	9701
1000	1840	1	RMS	1840	-48.08	-13	35.08	Pass	841
1840	1920	1	RMS	1854.6	20.89	60	39.11	Pass	401
1920	3000	1	RMS	2970	-45.49	-13	32.49	Pass	1081
3000	7000	1	RMS	6984	-58.28	-13	45.28	Pass	4001
7000	20000	1	RMS	17498	-48.42	-13	35.42	Pass	13002




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.32	-13	53.32	Pass	401
0.15	30	0.01	RMS	14.21	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	897.732	-58.77	-13	45.77	Pass	9701
1000	1840	1	RMS	1836	-48.25	-13	35.25	Pass	841
1840	1920	1	RMS	1878.6	14.69	60	45.31	Pass	401
1920	3000	1	RMS	2970	-45.54	-13	32.54	Pass	1081
3000	7000	1	RMS	6979	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17501	-48.59	-13	35.59	Pass	13002




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.91	-13	54.91	Pass	401
0.15	30	0.01	RMS	0.24	-68.03	-13	55.03	Pass	2986
30	1000	0.1	RMS	894.93	-58.74	-13	45.74	Pass	9701
1000	1840	1	RMS	1819	-48.21	-13	35.21	Pass	841
1840	1920	1	RMS	1877.8	20.89	60	39.11	Pass	401
1920	3000	1	RMS	2975	-45.52	-13	32.52	Pass	1081
3000	7000	1	RMS	6977	-58.48	-13	45.48	Pass	4001
7000	20000	1	RMS	17498	-48.52	-13	35.52	Pass	13002




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.03	-13	54.03	Pass	401
0.15	30	0.01	RMS	0.2	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	900.534	-58.58	-13	45.58	Pass	9701
1000	1840	1	RMS	1806	-48.03	-13	35.03	Pass	841
1840	1920	1	RMS	1882	20.8	60	39.2	Pass	401
1920	3000	1	RMS	2977	-45.34	-13	32.34	Pass	1081
3000	7000	1	RMS	6975	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	17498	-48.75	-13	35.75	Pass	13002




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	4.31	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	478.9	-58.71	-13	45.71	Pass	9701
1000	1840	1	RMS	1800	-48.1	-13	35.1	Pass	841
1840	1920	1	RMS	1906	14.48	60	45.52	Pass	401
1920	3000	1	RMS	2976	-45.38	-13	32.38	Pass	1081
3000	7000	1	RMS	6974	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	17499	-48.59	-13	35.59	Pass	13002




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	2.76	-68.45	-13	55.45	Pass	2986
30	1000	0.1	RMS	482.1	-58.74	-13	45.74	Pass	9701
1000	1840	1	RMS	1806	-48.13	-13	35.13	Pass	841
1840	1920	1	RMS	1905.2	20.61	60	39.39	Pass	401
1920	3000	1	RMS	2980	-45.46	-13	32.46	Pass	1081
3000	7000	1	RMS	6982	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17498	-48.75	-13	35.75	Pass	13002




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.94	-13	55.94	Pass	401
0.15	30	0.01	RMS	1.53	-68.53	-13	55.53	Pass	2986
30	1000	0.1	RMS	978.386	-58.65	-13	45.65	Pass	9701
1000	1840	1	RMS	1809	-48.03	-13	35.03	Pass	841
1840	1920	1	RMS	1909.6	20.56	60	39.44	Pass	401
1920	3000	1	RMS	2976	-45.45	-13	32.45	Pass	1081
3000	7000	1	RMS	6981	-58.24	-13	45.24	Pass	4001
7000	20000	1	RMS	17501	-48.76	-13	35.76	Pass	13002




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	0.21	-68.96	-13	55.96	Pass	2986
30	1000	0.1	RMS	881.822	-58.85	-13	45.85	Pass	9701
1000	1840	1	RMS	1840	-36.22	-13	23.22	Pass	841
1840	1920	1	RMS	1862.4	10.34	60	49.66	Pass	401
1920	3000	1	RMS	2972	-45.47	-13	32.47	Pass	1081
3000	7000	1	RMS	6987	-58.4	-13	45.4	Pass	4001
7000	20000	1	RMS	17500	-48.36	-13	35.36	Pass	13002




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.15	-13	56.15	Pass	401
0.15	30	0.01	RMS	0.29	-68.64	-13	55.64	Pass	2986
30	1000	0.1	RMS	495.5	-58.87	-13	45.87	Pass	9701
1000	1840	1	RMS	1840	-48.24	-13	35.24	Pass	841
1840	1920	1	RMS	1850.4	20.64	60	39.36	Pass	401
1920	3000	1	RMS	2975	-45.39	-13	32.39	Pass	1081
3000	7000	1	RMS	6976	-58.51	-13	45.51	Pass	4001
7000	20000	1	RMS	17497	-48.46	-13	35.46	Pass	13002




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.96	-13	54.96	Pass	401
0.15	30	0.01	RMS	0.18	-68.72	-13	55.72	Pass	2986
30	1000	0.1	RMS	899.734	-58.9	-13	45.9	Pass	9701
1000	1840	1	RMS	1799	-48.15	-13	35.15	Pass	841
1840	1920	1	RMS	1864.4	21.06	60	38.94	Pass	401
1920	3000	1	RMS	2970	-45.28	-13	32.28	Pass	1081
3000	7000	1	RMS	6982	-58.59	-13	45.59	Pass	4001
7000	20000	1	RMS	17499	-48.54	-13	35.54	Pass	13002




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.3	-13	55.3	Pass	401
0.15	30	0.01	RMS	0.17	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	905.938	-58.67	-13	45.67	Pass	9701
1000	1840	1	RMS	1840	-47.41	-13	34.41	Pass	841
1840	1920	1	RMS	1874	10.31	60	49.69	Pass	401
1920	3000	1	RMS	2971	-45.32	-13	32.32	Pass	1081
3000	7000	1	RMS	6976	-58.45	-13	45.45	Pass	4001
7000	20000	1	RMS	17495	-48.63	-13	35.63	Pass	13002




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.19	-13	56.19	Pass	401
0.15	30	0.01	RMS	0.15	-68.73	-13	55.73	Pass	2986
30	1000	0.1	RMS	877.119	-58.78	-13	45.78	Pass	9701
1000	1840	1	RMS	1805	-48.08	-13	35.08	Pass	841
1840	1920	1	RMS	1872.8	21.01	60	38.99	Pass	401
1920	3000	1	RMS	2973	-45.26	-13	32.26	Pass	1081
3000	7000	1	RMS	6974	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17500	-48.38	-13	35.38	Pass	13002




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	0.48	-68.42	-13	55.42	Pass	2986
30	1000	0.1	RMS	982.288	-58.87	-13	45.87	Pass	9701
1000	1840	1	RMS	1811	-48.08	-13	35.08	Pass	841
1840	1920	1	RMS	1887	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2973	-45.24	-13	32.24	Pass	1081
3000	7000	1	RMS	6978	-58.4	-13	45.4	Pass	4001
7000	20000	1	RMS	17497	-48.76	-13	35.76	Pass	13002




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.73	-13	55.73	Pass	401
0.15	30	0.01	RMS	0.16	-67.61	-13	54.61	Pass	2986
30	1000	0.1	RMS	469.7	-58.79	-13	45.79	Pass	9701
1000	1840	1	RMS	1805	-48.14	-13	35.14	Pass	841
1840	1920	1	RMS	1896	10.07	60	49.93	Pass	401
1920	3000	1	RMS	1920	-36.2	-13	23.2	Pass	1081
3000	7000	1	RMS	6979	-58.22	-13	45.22	Pass	4001
7000	20000	1	RMS	17500	-48.64	-13	35.64	Pass	13002




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.71	-13	56.71	Pass	401
0.15	30	0.01	RMS	17.17	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	908.94	-58.61	-13	45.61	Pass	9701
1000	1840	1	RMS	1825	-48.16	-13	35.16	Pass	841
1840	1920	1	RMS	1895.4	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2971	-45.46	-13	32.46	Pass	1081
3000	7000	1	RMS	6983	-58.39	-13	45.39	Pass	4001
7000	20000	1	RMS	17498	-48.36	-13	35.36	Pass	13002




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.75	-13	55.75	Pass	401
0.15	30	0.01	RMS	29.93	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	868.913	-58.98	-13	45.98	Pass	9701
1000	1840	1	RMS	1799	-48.09	-13	35.09	Pass	841
1840	1920	1	RMS	1909.4	20.77	60	39.23	Pass	401
1920	3000	1	RMS	2975	-45.31	-13	32.31	Pass	1081
3000	7000	1	RMS	6974	-58.37	-13	45.37	Pass	4001
7000	20000	1	RMS	17500	-48.45	-13	35.45	Pass	13002




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.18	-13	55.18	Pass	2986
30	1000	0.1	RMS	915.344	-58.71	-13	45.71	Pass	9701
1000	1840	1	RMS	1840	-34.74	-13	21.74	Pass	841
1840	1920	1	RMS	1868.2	9.17	60	50.83	Pass	401
1920	3000	1	RMS	2979	-45.4	-13	32.4	Pass	1081
3000	7000	1	RMS	6976	-58.41	-13	45.41	Pass	4001
7000	20000	1	RMS	17500	-48.61	-13	35.61	Pass	13002




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.28	-13	54.28	Pass	401
0.15	30	0.01	RMS	0.39	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	982.488	-58.92	-13	45.92	Pass	9701
1000	1840	1	RMS	1803	-48.07	-13	35.07	Pass	841
1840	1920	1	RMS	1850.4	20.43	60	39.57	Pass	401
1920	3000	1	RMS	2971	-45.38	-13	32.38	Pass	1081
3000	7000	1	RMS	6974	-58.52	-13	45.52	Pass	4001
7000	20000	1	RMS	17501	-48.6	-13	35.6	Pass	13002




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.1	-13	54.1	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-13	56.01	Pass	2986
30	1000	0.1	RMS	898.533	-58.86	-13	45.86	Pass	9701
1000	1840	1	RMS	1783	-48.25	-13	35.25	Pass	841
1840	1920	1	RMS	1869.4	20.95	60	39.05	Pass	401
1920	3000	1	RMS	2972	-45.36	-13	32.36	Pass	1081
3000	7000	1	RMS	6980	-58.41	-13	45.41	Pass	4001
7000	20000	1	RMS	17501	-48.42	-13	35.42	Pass	13002




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	0.23	-68.58	-13	55.58	Pass	2986
30	1000	0.1	RMS	975.284	-58.78	-13	45.78	Pass	9701
1000	1840	1	RMS	1840	-45.11	-13	32.11	Pass	841
1840	1920	1	RMS	1871.8	8.98	60	51.02	Pass	401
1920	3000	1	RMS	2979	-45.53	-13	32.53	Pass	1081
3000	7000	1	RMS	6979	-58.34	-13	45.34	Pass	4001
7000	20000	1	RMS	17497	-48.28	-13	35.28	Pass	13002




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.35	-13	56.35	Pass	401
0.15	30	0.01	RMS	0.24	-68.36	-13	55.36	Pass	2986
30	1000	0.1	RMS	909.74	-58.89	-13	45.89	Pass	9701
1000	1840	1	RMS	1813	-48.12	-13	35.12	Pass	841
1840	1920	1	RMS	1870.4	20.96	60	39.04	Pass	401
1920	3000	1	RMS	2972	-45.54	-13	32.54	Pass	1081
3000	7000	1	RMS	6978	-58.32	-13	45.32	Pass	4001
7000	20000	1	RMS	17502	-48.76	-13	35.76	Pass	13002




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	1.21	-68.8	-13	55.8	Pass	2986
30	1000	0.1	RMS	992.295	-58.88	-13	45.88	Pass	9701
1000	1840	1	RMS	1782	-48.3	-13	35.3	Pass	841
1840	1920	1	RMS	1889.4	21.03	60	38.97	Pass	401
1920	3000	1	RMS	2963	-45.55	-13	32.55	Pass	1081
3000	7000	1	RMS	6977	-58.56	-13	45.56	Pass	4001
7000	20000	1	RMS	17498	-48.64	-13	35.64	Pass	13002




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	28.05	-68.79	-13	55.79	Pass	2986
30	1000	0.1	RMS	477.5	-58.7	-13	45.7	Pass	9701
1000	1840	1	RMS	1808	-48.14	-13	35.14	Pass	841
1840	1920	1	RMS	1891.6	8.84	60	51.16	Pass	401
1920	3000	1	RMS	1920	-36.31	-13	23.31	Pass	1081
3000	7000	1	RMS	6948	-58.69	-13	45.69	Pass	4001
7000	20000	1	RMS	17501	-48.49	-13	35.49	Pass	13002




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.79	-13	55.79	Pass	401
0.15	30	0.01	RMS	0.16	-68.06	-13	55.06	Pass	2986
30	1000	0.1	RMS	916.144	-58.79	-13	45.79	Pass	9701
1000	1840	1	RMS	1776	-48.35	-13	35.35	Pass	841
1840	1920	1	RMS	1890.4	20.98	60	39.02	Pass	401
1920	3000	1	RMS	2970	-45.41	-13	32.41	Pass	1081
3000	7000	1	RMS	6981	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17499	-48.46	-13	35.46	Pass	13002



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:380000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	13.92	-68.39	-13	55.39	Pass	2986
30	1000	0.1	RMS	895.331	-58.72	-13	45.72	Pass	9701
1000	1840	1	RMS	1793	-48.11	-13	35.11	Pass	841
1840	1920	1	RMS	1909.4	20.81	60	39.19	Pass	401
1920	3000	1	RMS	2969	-45.43	-13	32.43	Pass	1081
3000	7000	1	RMS	6976	-58.32	-13	45.32	Pass	4001
7000	20000	1	RMS	17494	-48.71	-13	35.71	Pass	13002



1. n5


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	3.28	-67.91	-13	54.91	Pass	2986
30	814	0.1	RMS	813.5	-55.32	-13	42.32	Pass	7841
814	859	0.1	RMS	824.5	4.88	60	55.12	Pass	451
859	1000	0.1	RMS	986.5	-58.51	-13	45.51	Pass	1411
1000	3000	1	RMS	2980	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7113	-57.16	-13	44.16	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	26.39	-69.36	-13	56.36	Pass	2986
30	814	0.1	RMS	634.6	-58.89	-13	45.89	Pass	7841
814	859	0.1	RMS	824.3	18.13	60	41.87	Pass	451
859	1000	0.1	RMS	869.1	-58.59	-13	45.59	Pass	1411
1000	3000	1	RMS	2973	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	7101	-57	-13	44	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	0.23	-68.21	-13	55.21	Pass	2986
30	814	0.1	RMS	813.3	-58.89	-13	45.89	Pass	7841
814	859	0.1	RMS	828.6	17.52	60	42.48	Pass	451
859	1000	0.1	RMS	928.2	-58.71	-13	45.71	Pass	1411
1000	3000	1	RMS	2968	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7134	-57.05	-13	44.05	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	24.99	-68.94	-13	55.94	Pass	2986
30	814	0.1	RMS	500.1	-58.99	-13	45.99	Pass	7841
814	859	0.1	RMS	838.6	5.01	60	54.99	Pass	451
859	1000	0.1	RMS	988.8	-58.85	-13	45.85	Pass	1411
1000	3000	1	RMS	2971	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7129	-57.17	-13	44.17	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.53	-13	53.53	Pass	401
0.15	30	0.01	RMS	0.46	-67.97	-13	54.97	Pass	2986
30	814	0.1	RMS	367.4	-59.08	-13	46.08	Pass	7841
814	859	0.1	RMS	834.3	17.92	60	42.08	Pass	451
859	1000	0.1	RMS	991.2	-59.23	-13	46.23	Pass	1411
1000	3000	1	RMS	2975	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	7099	-57.04	-13	44.04	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.7	-13	55.7	Pass	401
0.15	30	0.01	RMS	25.11	-69.24	-13	56.24	Pass	2986
30	814	0.1	RMS	761.3	-59.38	-13	46.38	Pass	7841
814	859	0.1	RMS	838.7	17.53	60	42.47	Pass	451
859	1000	0.1	RMS	900.4	-59.25	-13	46.25	Pass	1411
1000	3000	1	RMS	2985	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7107	-57.16	-13	44.16	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.02	-13	54.02	Pass	401
0.15	30	0.01	RMS	1.05	-68.32	-13	55.32	Pass	2986
30	814	0.1	RMS	814	-58.86	-13	45.86	Pass	7841
814	859	0.1	RMS	845	5.23	60	54.77	Pass	451
859	1000	0.1	RMS	904.6	-58.66	-13	45.66	Pass	1411
1000	3000	1	RMS	2977	-45.55	-13	32.55	Pass	2001
3000	10000	1	RMS	9987	-57.28	-13	44.28	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.63	-13	56.63	Pass	401
0.15	30	0.01	RMS	8.49	-68.93	-13	55.93	Pass	2986
30	814	0.1	RMS	485.5	-59.3	-13	46.3	Pass	7841
814	859	0.1	RMS	844.3	18.03	60	41.97	Pass	451
859	1000	0.1	RMS	907.2	-59.25	-13	46.25	Pass	1411
1000	3000	1	RMS	2969	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7140	-57.18	-13	44.18	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.15	-68.32	-13	55.32	Pass	2986
30	814	0.1	RMS	487.2	-59.36	-13	46.36	Pass	7841
814	859	0.1	RMS	848.7	17.63	60	42.37	Pass	451
859	1000	0.1	RMS	910.2	-59.24	-13	46.24	Pass	1411
1000	3000	1	RMS	2970	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7108	-57.29	-13	44.29	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	0.35	-68.57	-13	55.57	Pass	2986
30	814	0.1	RMS	813.5	-46.43	-13	33.43	Pass	7841
814	859	0.1	RMS	836.1	0.18	60	59.82	Pass	451
859	1000	0.1	RMS	993.4	-59.18	-13	46.18	Pass	1411
1000	3000	1	RMS	2972	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7143	-57.26	-13	44.26	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68	-13	55	Pass	401
0.15	30	0.01	RMS	20.09	-68.91	-13	55.91	Pass	2986
30	814	0.1	RMS	813.9	-59.44	-13	46.44	Pass	7841
814	859	0.1	RMS	824.5	18.19	60	41.81	Pass	451
859	1000	0.1	RMS	894.6	-59.19	-13	46.19	Pass	1411
1000	3000	1	RMS	2972	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	7108	-57.28	-13	44.28	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.11	-13	54.11	Pass	401
0.15	30	0.01	RMS	0.32	-69.08	-13	56.08	Pass	2986
30	814	0.1	RMS	477.2	-59.34	-13	46.34	Pass	7841
814	859	0.1	RMS	838.5	18.36	60	41.64	Pass	451
859	1000	0.1	RMS	903.8	-59.16	-13	46.16	Pass	1411
1000	3000	1	RMS	2969	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	7100	-57.25	-13	44.25	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.39	-13	54.39	Pass	401
0.15	30	0.01	RMS	0.31	-69.16	-13	56.16	Pass	2986
30	814	0.1	RMS	813.7	-49.84	-13	36.84	Pass	7841
814	859	0.1	RMS	840.8	0.23	60	59.77	Pass	451
859	1000	0.1	RMS	992.6	-59.25	-13	46.25	Pass	1411
1000	3000	1	RMS	2970	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	7099	-57.04	-13	44.04	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.04	-13	56.04	Pass	401
0.15	30	0.01	RMS	24.73	-68.94	-13	55.94	Pass	2986
30	814	0.1	RMS	475.9	-59.5	-13	46.5	Pass	7841
814	859	0.1	RMS	829.5	18.14	60	41.86	Pass	451
859	1000	0.1	RMS	923.1	-59.41	-13	46.41	Pass	1411
1000	3000	1	RMS	2971	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	7116	-57.14	-13	44.14	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.21	-13	56.21	Pass	401
0.15	30	0.01	RMS	0.15	-68.44	-13	55.44	Pass	2986
30	814	0.1	RMS	383.6	-59.46	-13	46.46	Pass	7841
814	859	0.1	RMS	843.5	18.58	60	41.42	Pass	451
859	1000	0.1	RMS	904.7	-59.17	-13	46.17	Pass	1411
1000	3000	1	RMS	2979	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7079	-57.41	-13	44.41	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.26	-68.13	-13	55.13	Pass	2986
30	814	0.1	RMS	813.9	-53.15	-13	40.15	Pass	7841
814	859	0.1	RMS	845.4	0.31	60	59.69	Pass	451
859	1000	0.1	RMS	918.3	-59.15	-13	46.15	Pass	1411
1000	3000	1	RMS	2969	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	7146	-57.33	-13	44.33	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.89	-13	54.89	Pass	401
0.15	30	0.01	RMS	28.15	-68.95	-13	55.95	Pass	2986
30	814	0.1	RMS	477.4	-59.43	-13	46.43	Pass	7841
814	859	0.1	RMS	834.5	18.27	60	41.73	Pass	451
859	1000	0.1	RMS	929.8	-59.41	-13	46.41	Pass	1411
1000	3000	1	RMS	2971	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7140	-57.37	-13	44.37	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.77	-13	55.77	Pass	401
0.15	30	0.01	RMS	3.06	-68.56	-13	55.56	Pass	2986
30	814	0.1	RMS	484.2	-59.34	-13	46.34	Pass	7841
814	859	0.1	RMS	848.5	18.37	60	41.63	Pass	451
859	1000	0.1	RMS	904.5	-59.27	-13	46.27	Pass	1411
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7102	-57.3	-13	44.3	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.16	-13	54.16	Pass	401
0.15	30	0.01	RMS	0.34	-68.67	-13	55.67	Pass	2986
30	814	0.1	RMS	812.9	-45.83	-13	32.83	Pass	7841
814	859	0.1	RMS	830.6	-0.91	60	60.91	Pass	451
859	1000	0.1	RMS	898.9	-59.03	-13	46.03	Pass	1411
1000	3000	1	RMS	2971	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7105	-57.03	-13	44.03	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	0.24	-68.74	-13	55.74	Pass	2986
30	814	0.1	RMS	484.9	-59.33	-13	46.33	Pass	7841
814	859	0.1	RMS	824.5	17.91	60	42.09	Pass	451
859	1000	0.1	RMS	877.3	-59.08	-13	46.08	Pass	1411
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7094	-57.4	-13	44.4	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.71	-13	55.71	Pass	401
0.15	30	0.01	RMS	13.91	-68.63	-13	55.63	Pass	2986
30	814	0.1	RMS	812.8	-59.35	-13	46.35	Pass	7841
814	859	0.1	RMS	843.4	17.72	60	42.28	Pass	451
859	1000	0.1	RMS	998.5	-59.09	-13	46.09	Pass	1411
1000	3000	1	RMS	2963	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7148	-57.16	-13	44.16	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.55	-13	53.55	Pass	401
0.15	30	0.01	RMS	13.01	-69.38	-13	56.38	Pass	2986
30	814	0.1	RMS	813.8	-47.02	-13	34.02	Pass	7841
814	859	0.1	RMS	838	-0.98	60	60.98	Pass	451
859	1000	0.1	RMS	901.6	-59.08	-13	46.08	Pass	1411
1000	3000	1	RMS	2974	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7106	-57.09	-13	44.09	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.9	-13	55.9	Pass	401
0.15	30	0.01	RMS	0.69	-68.17	-13	55.17	Pass	2986
30	814	0.1	RMS	503.7	-59.34	-13	46.34	Pass	7841
814	859	0.1	RMS	827	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	898.7	-59.19	-13	46.19	Pass	1411
1000	3000	1	RMS	2969	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7100	-57.27	-13	44.27	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	0.17	-69.02	-13	56.02	Pass	2986
30	814	0.1	RMS	811	-59.41	-13	46.41	Pass	7841
814	859	0.1	RMS	845.9	17.95	60	42.05	Pass	451
859	1000	0.1	RMS	898.7	-59.08	-13	46.08	Pass	1411
1000	3000	1	RMS	2969	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7154	-57.34	-13	44.34	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.89	-13	54.89	Pass	401
0.15	30	0.01	RMS	0.31	-68.98	-13	55.98	Pass	2986
30	814	0.1	RMS	814	-47.82	-13	34.82	Pass	7841
814	859	0.1	RMS	840.6	-0.84	60	60.84	Pass	451
859	1000	0.1	RMS	983.4	-59.32	-13	46.32	Pass	1411
1000	3000	1	RMS	2973	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	9977	-57.43	-13	44.43	Pass	7001




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	0.2	-68.36	-13	55.36	Pass	2986
30	814	0.1	RMS	814	-59.51	-13	46.51	Pass	7841
814	859	0.1	RMS	829.5	17.96	60	42.04	Pass	451
859	1000	0.1	RMS	897.3	-59.14	-13	46.14	Pass	1411
1000	3000	1	RMS	2980	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7116	-57.44	-13	44.44	Pass	7001



1.28. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.08	-13	54.08	Pass	401
0.15	30	0.01	RMS	22.38	-68.84	-13	55.84	Pass	2986
30	814	0.1	RMS	489.6	-59.24	-13	46.24	Pass	7841
814	859	0.1	RMS	848.4	17.96	60	42.04	Pass	451
859	1000	0.1	RMS	907.2	-59.15	-13	46.15	Pass	1411
1000	3000	1	RMS	2972	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7097	-57.05	-13	44.05	Pass	7001



2. n7


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.39	-25	41.39	Pass	401
0.15	30	0.01	RMS	20.36	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	899.233	-58.45	-25	33.45	Pass	9701
1000	2495	1	RMS	2495	-36.09	-25	11.09	Pass	1496
2495	2575	1	RMS	2503.6	13.9	60	46.1	Pass	401
2575	3000	1	RMS	2971	-45.24	-25	20.24	Pass	426
3000	7000	1	RMS	6974	-58.08	-25	33.08	Pass	4001
7000	26000	1	RMS	24109	-46.92	-25	21.92	Pass	19003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.48	-25	42.48	Pass	401
0.15	30	0.01	RMS	0.84	-67.96	-25	42.96	Pass	2986
30	1000	0.1	RMS	872.716	-58.57	-25	33.57	Pass	9701
1000	2495	1	RMS	2495	-45.7	-25	20.7	Pass	1496
2495	2575	1	RMS	2500.2	19.85	60	40.15	Pass	401
2575	3000	1	RMS	2986	-45.45	-25	20.45	Pass	426
3000	7000	1	RMS	6974	-58.14	-25	33.14	Pass	4001
7000	26000	1	RMS	25093	-46.8	-25	21.8	Pass	19003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.96	-25	42.96	Pass	401
0.15	30	0.01	RMS	8	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	896.531	-58.39	-25	33.39	Pass	9701
1000	2495	1	RMS	2494	-46.15	-25	21.15	Pass	1496
2495	2575	1	RMS	2504.6	19.87	60	40.13	Pass	401
2575	3000	1	RMS	2972	-45.2	-25	20.2	Pass	426
3000	7000	1	RMS	6980	-57.93	-25	32.93	Pass	4001
7000	26000	1	RMS	24112	-46.96	-25	21.96	Pass	19003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.31	-25	43.31	Pass	401
0.15	30	0.01	RMS	0.23	-67.56	-25	42.56	Pass	2986
30	1000	0.1	RMS	477.5	-58.62	-25	33.62	Pass	9701
1000	2495	1	RMS	2493	-46.61	-25	21.61	Pass	1496
2495	2575	1	RMS	2536	13.76	60	46.24	Pass	401
2575	3000	1	RMS	2971	-45.14	-25	20.14	Pass	426
3000	7000	1	RMS	6981	-58.33	-25	33.33	Pass	4001
7000	26000	1	RMS	25111	-46.89	-25	21.89	Pass	19003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.72	-25	42.72	Pass	401
0.15	30	0.01	RMS	0.24	-68.22	-25	43.22	Pass	2986
30	1000	0.1	RMS	894.23	-58.52	-25	33.52	Pass	9701
1000	2495	1	RMS	2489	-46.45	-25	21.45	Pass	1496
2495	2575	1	RMS	2532.8	19.86	60	40.14	Pass	401
2575	3000	1	RMS	2966	-45.29	-25	20.29	Pass	426
3000	7000	1	RMS	6982	-57.98	-25	32.98	Pass	4001
7000	26000	1	RMS	25105	-46.82	-25	21.82	Pass	19003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.67	-25	43.67	Pass	401
0.15	30	0.01	RMS	0.26	-68	-25	43	Pass	2986
30	1000	0.1	RMS	895.531	-58.47	-25	33.47	Pass	9701
1000	2495	1	RMS	2493	-46.25	-25	21.25	Pass	1496
2495	2575	1	RMS	2537	19.93	60	40.07	Pass	401
2575	3000	1	RMS	2968	-45.14	-25	20.14	Pass	426
3000	7000	1	RMS	6979	-58.12	-25	33.12	Pass	4001
7000	26000	1	RMS	25098	-46.76	-25	21.76	Pass	19003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.4	-25	42.4	Pass	401
0.15	30	0.01	RMS	4.88	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	997.999	-57.85	-25	32.85	Pass	9701
1000	2495	1	RMS	2494	-46.68	-25	21.68	Pass	1496
2495	2575	1	RMS	2568.6	13.85	60	46.15	Pass	401
2575	3000	1	RMS	2575	-37.8	-25	12.8	Pass	426
3000	7000	1	RMS	6972	-58.09	-25	33.09	Pass	4001
7000	26000	1	RMS	25082	-46.91	-25	21.91	Pass	19003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.99	-25	41.99	Pass	401
0.15	30	0.01	RMS	0.49	-67.29	-25	42.29	Pass	2986
30	1000	0.1	RMS	894.73	-57.96	-25	32.96	Pass	9701
1000	2495	1	RMS	2489	-46.05	-25	21.05	Pass	1496
2495	2575	1	RMS	2565.2	19.91	60	40.09	Pass	401
2575	3000	1	RMS	2978	-45.41	-25	20.41	Pass	426
3000	7000	1	RMS	6978	-58.04	-25	33.04	Pass	4001
7000	26000	1	RMS	25096	-46.84	-25	21.84	Pass	19003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.75	-25	44.75	Pass	401
0.15	30	0.01	RMS	28.62	-68.19	-25	43.19	Pass	2986
30	1000	0.1	RMS	817.2	-58.21	-25	33.21	Pass	9701
1000	2495	1	RMS	2493	-46.23	-25	21.23	Pass	1496
2495	2575	1	RMS	2569.6	20.06	60	39.94	Pass	401
2575	3000	1	RMS	2971	-45.16	-25	20.16	Pass	426
3000	7000	1	RMS	6982	-58.13	-25	33.13	Pass	4001
7000	26000	1	RMS	24103	-46.86	-25	21.86	Pass	19003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	0.18	-67.48	-25	42.48	Pass	2986
30	1000	0.1	RMS	910.541	-57.91	-25	32.91	Pass	9701
1000	2480	1	RMS	2480	-45.58	-25	20.58	Pass	1481
2480	2590	1	RMS	2518.225	8.44	60	51.56	Pass	401
2590	3000	1	RMS	2976	-45.15	-25	20.15	Pass	411
3000	7000	1	RMS	6984	-58.25	-25	33.25	Pass	4001
7000	26000	1	RMS	24094	-46.65	-25	21.65	Pass	19003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.25	-25	43.25	Pass	401
0.15	30	0.01	RMS	8.52	-68.16	-25	43.16	Pass	2986
30	1000	0.1	RMS	904.537	-57.88	-25	32.88	Pass	9701
1000	2480	1	RMS	2477	-46.55	-25	21.55	Pass	1481
2480	2590	1	RMS	2500.35	20.12	60	39.88	Pass	401
2590	3000	1	RMS	2975	-45.16	-25	20.16	Pass	411
3000	7000	1	RMS	6975	-57.95	-25	32.95	Pass	4001
7000	26000	1	RMS	25101	-46.6	-25	21.6	Pass	19003




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.94	-25	43.94	Pass	401
0.15	30	0.01	RMS	0.63	-68.42	-25	43.42	Pass	2986
30	1000	0.1	RMS	987.892	-57.99	-25	32.99	Pass	9701
1000	2480	1	RMS	2477	-46.7	-25	21.7	Pass	1481
2480	2590	1	RMS	2519.325	20.23	60	39.77	Pass	401
2590	3000	1	RMS	2971	-45.15	-25	20.15	Pass	411
3000	7000	1	RMS	6974	-58.07	-25	33.07	Pass	4001
7000	26000	1	RMS	24100	-46.76	-25	21.76	Pass	19003




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.02	-25	44.02	Pass	401
0.15	30	0.01	RMS	0.24	-67.46	-25	42.46	Pass	2986
30	1000	0.1	RMS	870.214	-57.95	-25	32.95	Pass	9701
1000	2480	1	RMS	2478	-46.77	-25	21.77	Pass	1481
2480	2590	1	RMS	2528.95	7.81	60	52.19	Pass	401
2590	3000	1	RMS	2977	-45.22	-25	20.22	Pass	411
3000	7000	1	RMS	6972	-58.14	-25	33.14	Pass	4001
7000	26000	1	RMS	25101	-46.46	-25	21.46	Pass	19003




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.66	-25	42.66	Pass	401
0.15	30	0.01	RMS	9.19	-68.45	-25	43.45	Pass	2986
30	1000	0.1	RMS	626.7	-58.33	-25	33.33	Pass	9701
1000	2480	1	RMS	2207	-46.78	-25	21.78	Pass	1481
2480	2590	1	RMS	2525.375	20.23	60	39.77	Pass	401
2590	3000	1	RMS	2981	-45.16	-25	20.16	Pass	411
3000	7000	1	RMS	6969	-58.25	-25	33.25	Pass	4001
7000	26000	1	RMS	25099	-46.63	-25	21.63	Pass	19003




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.32	-25	43.32	Pass	401
0.15	30	0.01	RMS	11.16	-68.4	-25	43.4	Pass	2986
30	1000	0.1	RMS	914.043	-58.13	-25	33.13	Pass	9701
1000	2480	1	RMS	2179	-46.6	-25	21.6	Pass	1481
2480	2590	1	RMS	2544.35	19.93	60	40.07	Pass	401
2590	3000	1	RMS	2974	-45.16	-25	20.16	Pass	411
3000	7000	1	RMS	6973	-58.09	-25	33.09	Pass	4001
7000	26000	1	RMS	24104	-46.76	-25	21.76	Pass	19003




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.1	-25	44.1	Pass	401
0.15	30	0.01	RMS	9.46	-68.89	-25	43.89	Pass	2986
30	1000	0.1	RMS	992.495	-58.46	-25	33.46	Pass	9701
1000	2480	1	RMS	2464	-46.73	-25	21.73	Pass	1481
2480	2590	1	RMS	2568.275	8.21	60	51.79	Pass	401
2590	3000	1	RMS	2590	-41.52	-25	16.52	Pass	411
3000	7000	1	RMS	6978	-58.05	-25	33.05	Pass	4001
7000	26000	1	RMS	25080	-46.81	-25	21.81	Pass	19003




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.71	-68.25	-25	43.25	Pass	2986
30	1000	0.1	RMS	861.408	-58.31	-25	33.31	Pass	9701
1000	2480	1	RMS	2179	-46.47	-25	21.47	Pass	1481
2480	2590	1	RMS	2550.4	19.82	60	40.18	Pass	401
2590	3000	1	RMS	2969	-45.12	-25	20.12	Pass	411
3000	7000	1	RMS	6972	-57.98	-25	32.98	Pass	4001
7000	26000	1	RMS	24120	-46.94	-25	21.94	Pass	19003




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.08	-25	43.08	Pass	401
0.15	30	0.01	RMS	26.44	-68.33	-25	43.33	Pass	2986
30	1000	0.1	RMS	902.736	-58.35	-25	33.35	Pass	9701
1000	2480	1	RMS	2476	-46.76	-25	21.76	Pass	1481
2480	2590	1	RMS	2569.375	20.23	60	39.77	Pass	401
2590	3000	1	RMS	2978	-45.09	-25	20.09	Pass	411
3000	7000	1	RMS	6980	-58.28	-25	33.28	Pass	4001
7000	26000	1	RMS	25098	-46.65	-25	21.65	Pass	19003




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.82	-25	43.82	Pass	401
0.15	30	0.01	RMS	0.15	-68.11	-25	43.11	Pass	2986
30	1000	0.1	RMS	909.14	-58.5	-25	33.5	Pass	9701
1000	2485	1	RMS	2485	-42.04	-25	17.04	Pass	1486
2485	2585	1	RMS	2513.25	9.64	60	50.36	Pass	401
2585	3000	1	RMS	2988	-45.35	-25	20.35	Pass	416
3000	7000	1	RMS	6983	-58.25	-25	33.25	Pass	4001
7000	26000	1	RMS	25093	-46.89	-25	21.89	Pass	19003




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.77	-25	42.77	Pass	401
0.15	30	0.01	RMS	0.15	-68.3	-25	43.3	Pass	2986
30	1000	0.1	RMS	897.932	-58.6	-25	33.6	Pass	9701
1000	2485	1	RMS	2481	-46.45	-25	21.45	Pass	1486
2485	2585	1	RMS	2500.25	20.12	60	39.88	Pass	401
2585	3000	1	RMS	2973	-45.22	-25	20.22	Pass	416
3000	7000	1	RMS	6987	-58.09	-25	33.09	Pass	4001
7000	26000	1	RMS	24107	-46.88	-25	21.88	Pass	19003




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.09	-25	43.09	Pass	401
0.15	30	0.01	RMS	0.24	-68.24	-25	43.24	Pass	2986
30	1000	0.1	RMS	888.826	-58.51	-25	33.51	Pass	9701
1000	2485	1	RMS	2482	-46.7	-25	21.7	Pass	1486
2485	2585	1	RMS	2514.5	20.15	60	39.85	Pass	401
2585	3000	1	RMS	2987	-45.45	-25	20.45	Pass	416
3000	7000	1	RMS	6981	-58.02	-25	33.02	Pass	4001
7000	26000	1	RMS	25065	-46.82	-25	21.82	Pass	19003




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.84	-25	44.84	Pass	401
0.15	30	0.01	RMS	0.63	-68.04	-25	43.04	Pass	2986
30	1000	0.1	RMS	877.219	-58.34	-25	33.34	Pass	9701
1000	2485	1	RMS	2484	-46.52	-25	21.52	Pass	1486
2485	2585	1	RMS	2529.25	9.15	60	50.85	Pass	401
2585	3000	1	RMS	2975	-45.27	-25	20.27	Pass	416
3000	7000	1	RMS	6979	-57.94	-25	32.94	Pass	4001
7000	26000	1	RMS	24104	-46.84	-25	21.84	Pass	19003




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.41	-25	43.41	Pass	401
0.15	30	0.01	RMS	0.21	-68.28	-25	43.28	Pass	2986
30	1000	0.1	RMS	723.3	-58.55	-25	33.55	Pass	9701
1000	2485	1	RMS	2485	-46.85	-25	21.85	Pass	1486
2485	2585	1	RMS	2527.75	20.19	60	39.81	Pass	401
2585	3000	1	RMS	2979	-45.34	-25	20.34	Pass	416
3000	7000	1	RMS	6974	-58.25	-25	33.25	Pass	4001
7000	26000	1	RMS	25105	-46.71	-25	21.71	Pass	19003




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.63	-25	43.63	Pass	401
0.15	30	0.01	RMS	0.31	-67.67	-25	42.67	Pass	2986
30	1000	0.1	RMS	991.094	-58.48	-25	33.48	Pass	9701
1000	2485	1	RMS	2484	-46.47	-25	21.47	Pass	1486
2485	2585	1	RMS	2542	19.9	60	40.1	Pass	401
2585	3000	1	RMS	2970	-45.17	-25	20.17	Pass	416
3000	7000	1	RMS	6977	-58.09	-25	33.09	Pass	4001
7000	26000	1	RMS	24098	-46.75	-25	21.75	Pass	19003




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.92	-25	43.92	Pass	401
0.15	30	0.01	RMS	0.17	-68.05	-25	43.05	Pass	2986
30	1000	0.1	RMS	900.334	-58.52	-25	33.52	Pass	9701
1000	2485	1	RMS	2210	-46.78	-25	21.78	Pass	1486
2485	2585	1	RMS	2568.25	9.57	60	50.43	Pass	401
2585	3000	1	RMS	2585	-39.86	-25	14.86	Pass	416
3000	7000	1	RMS	6980	-58.39	-25	33.39	Pass	4001
7000	26000	1	RMS	25790	-46.95	-25	21.95	Pass	19003




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.89	-25	43.89	Pass	401
0.15	30	0.01	RMS	15.16	-67.99	-25	42.99	Pass	2986
30	1000	0.1	RMS	991.494	-58.33	-25	33.33	Pass	9701
1000	2485	1	RMS	2482	-46.72	-25	21.72	Pass	1486
2485	2585	1	RMS	2555.25	19.85	60	40.15	Pass	401
2585	3000	1	RMS	2968	-45.28	-25	20.28	Pass	416
3000	7000	1	RMS	6978	-58.24	-25	33.24	Pass	4001
7000	26000	1	RMS	24107	-46.94	-25	21.94	Pass	19003



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.68	-25	43.68	Pass	401
0.15	30	0.01	RMS	21.43	-68.61	-25	43.61	Pass	2986
30	1000	0.1	RMS	901.235	-58.43	-25	33.43	Pass	9701
1000	2485	1	RMS	2485	-46.45	-25	21.45	Pass	1486
2485	2585	1	RMS	2569.5	20.16	60	39.84	Pass	401
2585	3000	1	RMS	2972	-45.23	-25	20.23	Pass	416
3000	7000	1	RMS	6972	-58.41	-25	33.41	Pass	4001
7000	26000	1	RMS	25796	-46.9	-25	21.9	Pass	19003



3. n12 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	0.16	-68.55	-13	55.55	Pass	2986
30	689	0.1	RMS	478.9	-59.52	-13	46.52	Pass	6591
689	726	0.1	RMS	702.505	4.91	60	55.09	Pass	401
726	1000	0.1	RMS	839.9	-58.8	-13	45.8	Pass	2741
1000	3000	1	RMS	2982	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	7109	-57.22	-13	44.22	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	24.03	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	475.2	-59.4	-13	46.4	Pass	6591
689	726	0.1	RMS	699.36	17.87	60	42.13	Pass	401
726	1000	0.1	RMS	887.3	-58.79	-13	45.79	Pass	2741
1000	3000	1	RMS	2965	-45.95	-13	32.95	Pass	2001
3000	10000	1	RMS	7140	-57.14	-13	44.14	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	13.3	-68.92	-13	55.92	Pass	2986
30	689	0.1	RMS	489.8	-59.32	-13	46.32	Pass	6591
689	726	0.1	RMS	703.615	17.72	60	42.28	Pass	401
726	1000	0.1	RMS	887.2	-58.49	-13	45.49	Pass	2741
1000	3000	1	RMS	2970	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7117	-57.18	-13	44.18	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.35	-13	54.35	Pass	401
0.15	30	0.01	RMS	0.23	-68.47	-13	55.47	Pass	2986
30	689	0.1	RMS	476.2	-59.49	-13	46.49	Pass	6591
689	726	0.1	RMS	705.743	4.72	60	55.28	Pass	401
726	1000	0.1	RMS	860.3	-58.63	-13	45.63	Pass	2741
1000	3000	1	RMS	2981	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7091	-57.21	-13	44.21	Pass	7001




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.26	-13	54.26	Pass	401
0.15	30	0.01	RMS	12.61	-69.21	-13	56.21	Pass	2986
30	689	0.1	RMS	478.4	-59.34	-13	46.34	Pass	6591
689	726	0.1	RMS	705.373	17.65	60	42.35	Pass	401
726	1000	0.1	RMS	990.3	-58.6	-13	45.6	Pass	2741
1000	3000	1	RMS	2977	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7136	-57.2	-13	44.2	Pass	7001




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	1.33	-68.31	-13	55.31	Pass	2986
30	689	0.1	RMS	635.3	-59.43	-13	46.43	Pass	6591
689	726	0.1	RMS	709.628	17.86	60	42.14	Pass	401
726	1000	0.1	RMS	881.3	-58.6	-13	45.6	Pass	2741
1000	3000	1	RMS	2980	-45.86	-13	32.86	Pass	2001
3000	10000	1	RMS	7119	-57.25	-13	44.25	Pass	7001




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.98	-13	54.98	Pass	401
0.15	30	0.01	RMS	0.15	-68.08	-13	55.08	Pass	2986
30	689	0.1	RMS	481.7	-59.39	-13	46.39	Pass	6591
689	726	0.1	RMS	711.755	4.72	60	55.28	Pass	401
726	1000	0.1	RMS	908.7	-58.69	-13	45.69	Pass	2741
1000	3000	1	RMS	2976	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9973	-57.29	-13	44.29	Pass	7001




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.63	-13	55.63	Pass	401
0.15	30	0.01	RMS	0.25	-68.8	-13	55.8	Pass	2986
30	689	0.1	RMS	483.1	-59.31	-13	46.31	Pass	6591
689	726	0.1	RMS	711.293	17.64	60	42.36	Pass	401
726	1000	0.1	RMS	877.6	-58.4	-13	45.4	Pass	2741
1000	3000	1	RMS	2975	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7109	-57.15	-13	44.15	Pass	7001




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142700, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	0.22	-68.81	-13	55.81	Pass	2986
30	689	0.1	RMS	636.9	-59.44	-13	46.44	Pass	6591
689	726	0.1	RMS	715.64	17.91	60	42.09	Pass	401
726	1000	0.1	RMS	989.5	-58.51	-13	45.51	Pass	2741
1000	3000	1	RMS	2971	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7084	-57.25	-13	44.25	Pass	7001




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.09	-13	55.09	Pass	401
0.15	30	0.01	RMS	25.77	-69.29	-13	56.29	Pass	2986
30	689	0.1	RMS	485.1	-59.31	-13	46.31	Pass	6591
689	726	0.1	RMS	701.858	1.85	60	58.15	Pass	401
726	1000	0.1	RMS	889.4	-58.65	-13	45.65	Pass	2741
1000	3000	1	RMS	2980	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7122	-57.15	-13	44.15	Pass	7001




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.52	-69.14	-13	56.14	Pass	2986
30	689	0.1	RMS	496.5	-59.29	-13	46.29	Pass	6591
689	726	0.1	RMS	699.36	17.75	60	42.25	Pass	401
726	1000	0.1	RMS	875.7	-58.64	-13	45.64	Pass	2741
1000	3000	1	RMS	2972	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7097	-56.99	-13	43.99	Pass	7001




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.93	-13	55.93	Pass	401
0.15	30	0.01	RMS	12.8	-68.41	-13	55.41	Pass	2986
30	689	0.1	RMS	388.5	-59.44	-13	46.44	Pass	6591
689	726	0.1	RMS	708.61	17.89	60	42.11	Pass	401
726	1000	0.1	RMS	995.4	-58.61	-13	45.61	Pass	2741
1000	3000	1	RMS	2979	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7113	-57.02	-13	44.02	Pass	7001




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.08	-13	56.08	Pass	401
0.15	30	0.01	RMS	29.23	-69.04	-13	56.04	Pass	2986
30	689	0.1	RMS	462.9	-59.51	-13	46.51	Pass	6591
689	726	0.1	RMS	703.985	1.76	60	58.24	Pass	401
726	1000	0.1	RMS	914.2	-58.92	-13	45.92	Pass	2741
1000	3000	1	RMS	2970	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7114	-57.13	-13	44.13	Pass	7001




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.1	-13	56.1	Pass	401
0.15	30	0.01	RMS	29.87	-69.14	-13	56.14	Pass	2986
30	689	0.1	RMS	481.6	-59.07	-13	46.07	Pass	6591
689	726	0.1	RMS	702.875	17.95	60	42.05	Pass	401
726	1000	0.1	RMS	904.6	-58.33	-13	45.33	Pass	2741
1000	3000	1	RMS	2970	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7152	-57.31	-13	44.31	Pass	7001




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.08	-13	55.08	Pass	401
0.15	30	0.01	RMS	0.19	-67.74	-13	54.74	Pass	2986
30	689	0.1	RMS	491.1	-59.4	-13	46.4	Pass	6591
689	726	0.1	RMS	712.125	17.5	60	42.5	Pass	401
726	1000	0.1	RMS	899.1	-58.58	-13	45.58	Pass	2741
1000	3000	1	RMS	2975	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9987	-57.27	-13	44.27	Pass	7001




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.07	-13	54.07	Pass	401
0.15	30	0.01	RMS	3.65	-69.22	-13	56.22	Pass	2986
30	689	0.1	RMS	482	-59.3	-13	46.3	Pass	6591
689	726	0.1	RMS	707.5	1.71	60	58.29	Pass	401
726	1000	0.1	RMS	905.2	-58.66	-13	45.66	Pass	2741
1000	3000	1	RMS	2982	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7083	-57.34	-13	44.34	Pass	7001




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	13.99	-69.08	-13	56.08	Pass	2986
30	689	0.1	RMS	470.7	-59.06	-13	46.06	Pass	6591
689	726	0.1	RMS	706.39	18.08	60	41.92	Pass	401
726	1000	0.1	RMS	984.7	-58.56	-13	45.56	Pass	2741
1000	3000	1	RMS	2973	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7138	-57.27	-13	44.27	Pass	7001




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:142200, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	0.61	-68.38	-13	55.38	Pass	2986
30	689	0.1	RMS	473.6	-59.2	-13	46.2	Pass	6591
689	726	0.1	RMS	715.548	17.7	60	42.3	Pass	401
726	1000	0.1	RMS	792.7	-58.71	-13	45.71	Pass	2741
1000	3000	1	RMS	2972	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	7112	-57.05	-13	44.05	Pass	7001




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.5	-13	54.5	Pass	401
0.15	30	0.01	RMS	0.2	-67.77	-13	54.77	Pass	2986
30	689	0.1	RMS	478.1	-59.52	-13	46.52	Pass	6591
689	726	0.1	RMS	701.858	0.26	60	59.74	Pass	401
726	1000	0.1	RMS	896.3	-58.48	-13	45.48	Pass	2741
1000	3000	1	RMS	2969	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7137	-57.29	-13	44.29	Pass	7001




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.45	-13	55.45	Pass	401
0.15	30	0.01	RMS	15.26	-68.88	-13	55.88	Pass	2986
30	689	0.1	RMS	631.8	-59.49	-13	46.49	Pass	6591
689	726	0.1	RMS	699.453	18.22	60	41.78	Pass	401
726	1000	0.1	RMS	733.4	-58.64	-13	45.64	Pass	2741
1000	3000	1	RMS	2965	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7118	-57.17	-13	44.17	Pass	7001




3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.44	-13	54.44	Pass	401
0.15	30	0.01	RMS	0.32	-68.59	-13	55.59	Pass	2986
30	689	0.1	RMS	633.8	-59.25	-13	46.25	Pass	6591
689	726	0.1	RMS	713.513	18.19	60	41.81	Pass	401
726	1000	0.1	RMS	894.3	-58.77	-13	45.77	Pass	2741
1000	3000	1	RMS	2986	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	7108	-57.3	-13	44.3	Pass	7001




3.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	0.49	-68.99	-13	55.99	Pass	2986
30	689	0.1	RMS	461.6	-59.57	-13	46.57	Pass	6591
689	726	0.1	RMS	702.968	0.3	60	59.7	Pass	401
726	1000	0.1	RMS	909.6	-58.54	-13	45.54	Pass	2741
1000	3000	1	RMS	2975	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7111	-57.1	-13	44.1	Pass	7001




3.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70	-13	57	Pass	401
0.15	30	0.01	RMS	0.22	-68.02	-13	55.02	Pass	2986
30	689	0.1	RMS	483.2	-59.2	-13	46.2	Pass	6591
689	726	0.1	RMS	700.47	18.26	60	41.74	Pass	401
726	1000	0.1	RMS	905.1	-58.4	-13	45.4	Pass	2741
1000	3000	1	RMS	2973	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	7098	-57.17	-13	44.17	Pass	7001




3.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.67	-13	56.67	Pass	401
0.15	30	0.01	RMS	0.42	-67.83	-13	54.83	Pass	2986
30	689	0.1	RMS	472.2	-59.51	-13	46.51	Pass	6591
689	726	0.1	RMS	714.53	18.06	60	41.94	Pass	401
726	1000	0.1	RMS	875	-58.61	-13	45.61	Pass	2741
1000	3000	1	RMS	2972	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	7104	-57.23	-13	44.23	Pass	7001




3.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.24	-13	56.24	Pass	401
0.15	30	0.01	RMS	24.38	-69.06	-13	56.06	Pass	2986
30	689	0.1	RMS	496.4	-59.35	-13	46.35	Pass	6591
689	726	0.1	RMS	703.893	0.17	60	59.83	Pass	401
726	1000	0.1	RMS	908.8	-58.46	-13	45.46	Pass	2741
1000	3000	1	RMS	2969	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	9964	-57.29	-13	44.29	Pass	7001




3.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.33	-13	55.33	Pass	401
0.15	30	0.01	RMS	26.69	-69.11	-13	56.11	Pass	2986
30	689	0.1	RMS	487	-59.29	-13	46.29	Pass	6591
689	726	0.1	RMS	701.488	18.26	60	41.74	Pass	401
726	1000	0.1	RMS	995.4	-58.56	-13	45.56	Pass	2741
1000	3000	1	RMS	2983	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7142	-57.09	-13	44.09	Pass	7001



3.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141700, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	2.6	-68.94	-13	55.94	Pass	2986
30	689	0.1	RMS	496.4	-59.36	-13	46.36	Pass	6591
689	726	0.1	RMS	715.548	17.71	60	42.29	Pass	401
726	1000	0.1	RMS	908.9	-58.49	-13	45.49	Pass	2741
1000	3000	1	RMS	2969	-45.61	-13	32.61	Pass	2001
3000	10000	1	RMS	7109	-57.18	-13	44.18	Pass	7001



4. n13


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.21	-13	56.21	Pass	401
0.15	30	0.01	RMS	0.59	-68.74	-13	55.74	Pass	2986
30	767	0.1	RMS	651.8	-59.53	-13	46.53	Pass	7371
767	797	0.1	RMS	781.625	5.35	60	54.65	Pass	401
797	1000	0.1	RMS	797	-56.89	-13	43.89	Pass	2031
1000	3000	1	RMS	2977	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7108	-57.17	-13	44.17	Pass	7001




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.68	-68.55	-13	55.55	Pass	2986
30	767	0.1	RMS	717.7	-59.44	-13	46.44	Pass	7371
767	797	0.1	RMS	777.35	18.25	60	41.75	Pass	401
797	1000	0.1	RMS	895.1	-59.01	-13	46.01	Pass	2031
1000	3000	1	RMS	2984	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	7110	-57.15	-13	44.15	Pass	7001




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:155900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.59	-13	54.59	Pass	401
0.15	30	0.01	RMS	22.16	-69.24	-13	56.24	Pass	2986
30	767	0.1	RMS	477	-59.43	-13	46.43	Pass	7371
767	797	0.1	RMS	781.625	18.31	60	41.69	Pass	401
797	1000	0.1	RMS	909.9	-59.03	-13	46.03	Pass	2031
1000	3000	1	RMS	2977	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7104	-57.16	-13	44.16	Pass	7001




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	3.47	-69.29	-13	56.29	Pass	2986
30	767	0.1	RMS	481.6	-59.26	-13	46.26	Pass	7371
767	797	0.1	RMS	783.65	5.28	60	54.72	Pass	401
797	1000	0.1	RMS	797	-55.26	-13	42.26	Pass	2031
1000	3000	1	RMS	2967	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7119	-57.19	-13	44.19	Pass	7001




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	0.22	-68.74	-13	55.74	Pass	2986
30	767	0.1	RMS	482.4	-59.53	-13	46.53	Pass	7371
767	797	0.1	RMS	779.825	18.35	60	41.65	Pass	401
797	1000	0.1	RMS	898.2	-58.91	-13	45.91	Pass	2031
1000	3000	1	RMS	2985	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7133	-57.01	-13	44.01	Pass	7001




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.06	-13	56.06	Pass	401
0.15	30	0.01	RMS	0.85	-68.35	-13	55.35	Pass	2986
30	767	0.1	RMS	489.6	-59.44	-13	46.44	Pass	7371
767	797	0.1	RMS	784.175	18.29	60	41.71	Pass	401
797	1000	0.1	RMS	995.4	-59.12	-13	46.12	Pass	2031
1000	3000	1	RMS	2982	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7099	-57.02	-13	44.02	Pass	7001




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.98	-13	55.98	Pass	401
0.15	30	0.01	RMS	24.04	-68.98	-13	55.98	Pass	2986
30	767	0.1	RMS	475.2	-59.48	-13	46.48	Pass	7371
767	797	0.1	RMS	784.25	4.99	60	55.01	Pass	401
797	1000	0.1	RMS	797.2	-53.96	-13	40.96	Pass	2031
1000	3000	1	RMS	2969	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7074	-57.36	-13	44.36	Pass	7001




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.6	-13	55.6	Pass	401
0.15	30	0.01	RMS	0.28	-68.62	-13	55.62	Pass	2986
30	767	0.1	RMS	740	-59.42	-13	46.42	Pass	7371
767	797	0.1	RMS	782.3	18.21	60	41.79	Pass	401
797	1000	0.1	RMS	990.4	-58.98	-13	45.98	Pass	2031
1000	3000	1	RMS	2988	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	7098	-56.93	-13	43.93	Pass	7001




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156900, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	28.16	-68.48	-13	55.48	Pass	2986
30	767	0.1	RMS	740.3	-59.55	-13	46.55	Pass	7371
767	797	0.1	RMS	786.65	18.43	60	41.57	Pass	401
797	1000	0.1	RMS	994.2	-58.95	-13	45.95	Pass	2031
1000	3000	1	RMS	2972	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7114	-57.09	-13	44.09	Pass	7001




4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.58	-13	54.58	Pass	401
0.15	30	0.01	RMS	0.23	-68.76	-13	55.76	Pass	2986
30	767	0.1	RMS	497.9	-59.5	-13	46.5	Pass	7371
767	797	0.1	RMS	783.875	2.31	60	57.69	Pass	401
797	1000	0.1	RMS	797.2	-46.68	-13	33.68	Pass	2031
1000	3000	1	RMS	2970	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7086	-57.17	-13	44.17	Pass	7001




4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.39	-13	56.39	Pass	401
0.15	30	0.01	RMS	0.18	-68.97	-13	55.97	Pass	2986
30	767	0.1	RMS	474.4	-59.38	-13	46.38	Pass	7371
767	797	0.1	RMS	777.425	18.18	60	41.82	Pass	401
797	1000	0.1	RMS	911.4	-58.97	-13	45.97	Pass	2031
1000	3000	1	RMS	2971	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7086	-57.37	-13	44.37	Pass	7001



4.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:156400, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.74	-13	54.74	Pass	401
0.15	30	0.01	RMS	16.62	-68.8	-13	55.8	Pass	2986
30	767	0.1	RMS	734.2	-59.34	-13	46.34	Pass	7371
767	797	0.1	RMS	786.575	18.38	60	41.62	Pass	401
797	1000	0.1	RMS	988	-58.99	-13	45.99	Pass	2031
1000	3000	1	RMS	2969	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7100	-57.27	-13	44.27	Pass	7001



1. n14


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.8	-13	60.8	Pass	401
0.15	30	0.01	RMS	0.17	-71.28	-13	58.28	Pass	2986
30	778	0.1	RMS	778	-53.88	-13	40.88	Pass	7481
778	808	0.1	RMS	791.95	4.64	60	55.36	Pass	401
808	1000	0.1	RMS	808	-60.46	-13	47.46	Pass	1921
1000	3000	1	RMS	2870	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	8899	-59.6	-13	46.6	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.52	-13	59.52	Pass	401
0.15	30	0.01	RMS	0.16	-70.7	-13	57.7	Pass	2986
30	778	0.1	RMS	777	-63.97	-13	50.97	Pass	7481
778	808	0.1	RMS	788.35	17.87	60	42.13	Pass	401
808	1000	0.1	RMS	897.4	-63.86	-13	50.86	Pass	1921
1000	3000	1	RMS	2870	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	8989	-59.64	-13	46.64	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:158100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-72.91	-13	59.91	Pass	401
0.15	30	0.01	RMS	0.15	-70.93	-13	57.93	Pass	2986
30	778	0.1	RMS	737	-64.09	-13	51.09	Pass	7481
778	808	0.1	RMS	792.625	17.76	60	42.24	Pass	401
808	1000	0.1	RMS	909.2	-63.74	-13	50.74	Pass	1921
1000	3000	1	RMS	2869	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	8928	-59.58	-13	46.58	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.55	-13	60.55	Pass	401
0.15	30	0.01	RMS	0.15	-71.28	-13	58.28	Pass	2986
30	778	0.1	RMS	777.9	-57.52	-13	44.52	Pass	7481
778	808	0.1	RMS	794.35	4.67	60	55.33	Pass	401
808	1000	0.1	RMS	808.1	-57.75	-13	44.75	Pass	1921
1000	3000	1	RMS	2869	-49.06	-13	36.06	Pass	2001
3000	10000	1	RMS	8901	-59.63	-13	46.63	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.21	-13	60.21	Pass	401
0.15	30	0.01	RMS	0.18	-71.7	-13	58.7	Pass	2986
30	778	0.1	RMS	777.9	-64	-13	51	Pass	7481
778	808	0.1	RMS	790.825	17.92	60	42.08	Pass	401
808	1000	0.1	RMS	999.2	-63.63	-13	50.63	Pass	1921
1000	3000	1	RMS	2871	-49.05	-13	36.05	Pass	2001
3000	10000	1	RMS	8905	-59.55	-13	46.55	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:158600, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.95	-13	58.95	Pass	401
0.15	30	0.01	RMS	0.15	-70.36	-13	57.36	Pass	2986
30	778	0.1	RMS	742	-64.05	-13	51.05	Pass	7481
778	808	0.1	RMS	795.175	17.89	60	42.11	Pass	401
808	1000	0.1	RMS	903	-63.63	-13	50.63	Pass	1921
1000	3000	1	RMS	2874	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	8995	-59.62	-13	46.62	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.27	-13	58.27	Pass	401
0.15	30	0.01	RMS	0.16	-70.79	-13	57.79	Pass	2986
30	778	0.1	RMS	777.9	-60.41	-13	47.41	Pass	7481
778	808	0.1	RMS	794.125	4.56	60	55.44	Pass	401
808	1000	0.1	RMS	808.2	-54.22	-13	41.22	Pass	1921
1000	3000	1	RMS	2868	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	8932	-59.65	-13	46.65	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.16	-70.62	-13	57.62	Pass	2986
30	778	0.1	RMS	746.2	-64.13	-13	51.13	Pass	7481
778	808	0.1	RMS	793.3	17.84	60	42.16	Pass	401
808	1000	0.1	RMS	891.1	-63.7	-13	50.7	Pass	1921
1000	3000	1	RMS	2869	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	8998	-59.63	-13	46.63	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:159100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.86	-13	59.86	Pass	401
0.15	30	0.01	RMS	0.16	-71.23	-13	58.23	Pass	2986
30	778	0.1	RMS	745.5	-64.05	-13	51.05	Pass	7481
778	808	0.1	RMS	797.65	17.95	60	42.05	Pass	401
808	1000	0.1	RMS	885.6	-63.67	-13	50.67	Pass	1921
1000	3000	1	RMS	2870	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	8907	-59.63	-13	46.63	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.47	-13	60.47	Pass	401
0.15	30	0.01	RMS	0.18	-71.23	-13	58.23	Pass	2986
30	778	0.1	RMS	778	-49.22	-13	36.22	Pass	7481
778	808	0.1	RMS	795.25	1.67	60	58.33	Pass	401
808	1000	0.1	RMS	808	-48.87	-13	35.87	Pass	1921
1000	3000	1	RMS	2872	-49.1	-13	36.1	Pass	2001
3000	10000	1	RMS	8999	-59.63	-13	46.63	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.67	-13	59.67	Pass	401
0.15	30	0.01	RMS	0.15	-70.97	-13	57.97	Pass	2986
30	778	0.1	RMS	740.6	-64.02	-13	51.02	Pass	7481
778	808	0.1	RMS	788.425	17.89	60	42.11	Pass	401
808	1000	0.1	RMS	893.8	-63.72	-13	50.72	Pass	1921
1000	3000	1	RMS	2869	-49.09	-13	36.09	Pass	2001
3000	10000	1	RMS	8907	-59.62	-13	46.62	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:158600, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.16	-71.27	-13	58.27	Pass	2986
30	778	0.1	RMS	743.6	-64.02	-13	51.02	Pass	7481
778	808	0.1	RMS	797.575	17.93	60	42.07	Pass	401
808	1000	0.1	RMS	885.3	-63.66	-13	50.66	Pass	1921
1000	3000	1	RMS	2875	-49.08	-13	36.08	Pass	2001
3000	10000	1	RMS	8921	-59.67	-13	46.67	Pass	7001



5. n25


5.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.51	-13	53.51	Pass	401
0.15	30	0.01	RMS	0.96	-67.91	-13	54.91	Pass	2986
30	1000	0.1	RMS	478.7	-58.7	-13	45.7	Pass	9701
1000	1840	1	RMS	1840	-45.44	-13	32.44	Pass	841
1840	1925	1	RMS	1853.6	14.69	60	45.31	Pass	401
1925	3000	1	RMS	2932	-45.57	-13	32.57	Pass	1076
3000	7000	1	RMS	6983	-58.21	-13	45.21	Pass	4001
7000	20000	1	RMS	17500	-48.37	-13	35.37	Pass	13002




5.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.82	-13	54.82	Pass	401
0.15	30	0.01	RMS	2.57	-68.34	-13	55.34	Pass	2986
30	1000	0.1	RMS	897.432	-58.59	-13	45.59	Pass	9701
1000	1840	1	RMS	1840	-47.9	-13	34.9	Pass	841
1840	1925	1	RMS	1850.2	20.84	60	39.16	Pass	401
1925	3000	1	RMS	2968	-45.29	-13	32.29	Pass	1076
3000	7000	1	RMS	6978	-58.57	-13	45.57	Pass	4001
7000	20000	1	RMS	17502	-48.46	-13	35.46	Pass	13002




5.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:370500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.36	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	481.9	-58.58	-13	45.58	Pass	9701
1000	1840	1	RMS	1798	-48.11	-13	35.11	Pass	841
1840	1925	1	RMS	1854.45	20.84	60	39.16	Pass	401
1925	3000	1	RMS	2971	-45.39	-13	32.39	Pass	1076
3000	7000	1	RMS	6980	-58.57	-13	45.57	Pass	4001
7000	20000	1	RMS	17499	-48.58	-13	35.58	Pass	13002




5.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	17.71	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	990.594	-58.56	-13	45.56	Pass	9701
1000	1840	1	RMS	1840	-48.13	-13	35.13	Pass	841
1840	1925	1	RMS	1881.225	14.56	60	45.44	Pass	401
1925	3000	1	RMS	2972	-45.45	-13	32.45	Pass	1076
3000	7000	1	RMS	6983	-58.3	-13	45.3	Pass	4001
7000	20000	1	RMS	17497	-48.59	-13	35.59	Pass	13002




5.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.53	-13	54.53	Pass	401
0.15	30	0.01	RMS	0.23	-68.17	-13	55.17	Pass	2986
30	1000	0.1	RMS	893.73	-58.63	-13	45.63	Pass	9701
1000	1840	1	RMS	1831	-48.14	-13	35.14	Pass	841
1840	1925	1	RMS	1880.163	20.73	60	39.27	Pass	401
1925	3000	1	RMS	2969	-45.58	-13	32.58	Pass	1076
3000	7000	1	RMS	6978	-58.3	-13	45.3	Pass	4001
7000	20000	1	RMS	17500	-48.82	-13	35.82	Pass	13002




5.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.02	-13	56.02	Pass	401
0.15	30	0.01	RMS	1.96	-67.74	-13	54.74	Pass	2986
30	1000	0.1	RMS	875.918	-58.7	-13	45.7	Pass	9701
1000	1840	1	RMS	1806	-48.02	-13	35.02	Pass	841
1840	1925	1	RMS	1884.625	20.74	60	39.26	Pass	401
1925	3000	1	RMS	2992	-45.5	-13	32.5	Pass	1076
3000	7000	1	RMS	6985	-58.3	-13	45.3	Pass	4001
7000	20000	1	RMS	17501	-48.68	-13	35.68	Pass	13002




5.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.3	-13	54.3	Pass	401
0.15	30	0.01	RMS	3.41	-68.65	-13	55.65	Pass	2986
30	1000	0.1	RMS	866.512	-58.68	-13	45.68	Pass	9701
1000	1840	1	RMS	1816	-48.08	-13	35.08	Pass	841
1840	1925	1	RMS	1911.188	14.26	60	45.74	Pass	401
1925	3000	1	RMS	2975	-45.49	-13	32.49	Pass	1076
3000	7000	1	RMS	6974	-58.21	-13	45.21	Pass	4001
7000	20000	1	RMS	17501	-48.87	-13	35.87	Pass	13002




5.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.38	-13	55.38	Pass	401
0.15	30	0.01	RMS	0.81	-68.56	-13	55.56	Pass	2986
30	1000	0.1	RMS	907.639	-58.61	-13	45.61	Pass	9701
1000	1840	1	RMS	1804	-48.02	-13	35.02	Pass	841
1840	1925	1	RMS	1910.125	20.33	60	39.67	Pass	401
1925	3000	1	RMS	2984	-45.37	-13	32.37	Pass	1076
3000	7000	1	RMS	6981	-58.25	-13	45.25	Pass	4001
7000	20000	1	RMS	17500	-48.45	-13	35.45	Pass	13002




5.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:382500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.2	-13	55.2	Pass	401
0.15	30	0.01	RMS	0.73	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	892.929	-58.81	-13	45.81	Pass	9701
1000	1840	1	RMS	1801	-48.03	-13	35.03	Pass	841
1840	1925	1	RMS	1914.588	20.45	60	39.55	Pass	401
1925	3000	1	RMS	2972	-45.25	-13	32.25	Pass	1076
3000	7000	1	RMS	6977	-58.27	-13	45.27	Pass	4001
7000	20000	1	RMS	17499	-48.67	-13	35.67	Pass	13002



5.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.11	-13	56.11	Pass	401
0.15	30	0.01	RMS	20.3	-68.32	-13	55.32	Pass	2986
30	1000	0.1	RMS	912.442	-58.69	-13	45.69	Pass	9701
1000	1840	1	RMS	1840	-36.28	-13	23.28	Pass	841
1840	1925	1	RMS	1863.163	10.33	60	49.67	Pass	401
1925	3000	1	RMS	2968	-45.3	-13	32.3	Pass	1076
3000	7000	1	RMS	6982	-58.67	-13	45.67	Pass	4001
7000	20000	1	RMS	17500	-48.44	-13	35.44	Pass	13002



5.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.58	-13	56.58	Pass	401
0.15	30	0.01	RMS	22.28	-68.76	-13	55.76	Pass	2986
30	1000	0.1	RMS	874.217	-58.77	-13	45.77	Pass	9701
1000	1840	1	RMS	1808	-48.11	-13	35.11	Pass	841
1840	1925	1	RMS	1850.413	21.06	60	38.94	Pass	401
1925	3000	1	RMS	2972	-45.53	-13	32.53	Pass	1076
3000	7000	1	RMS	6994	-58.46	-13	45.46	Pass	4001
7000	20000	1	RMS	17498	-48.86	-13	35.86	Pass	13002

