



5.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:371500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.41	-13	55.41	Pass	401
0.15	30	0.01	RMS	29.29	-68.61	-13	55.61	Pass	2986
30	1000	0.1	RMS	893.63	-58.76	-13	45.76	Pass	9701
1000	1840	1	RMS	1821	-48.15	-13	35.15	Pass	841
1840	1925	1	RMS	1864.438	20.97	60	39.03	Pass	401
1925	3000	1	RMS	2979	-45.48	-13	32.48	Pass	1076
3000	7000	1	RMS	6981	-58.33	-13	45.33	Pass	4001
7000	20000	1	RMS	17500	-48.58	-13	35.58	Pass	13002




5.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.24	-68.57	-13	55.57	Pass	2986
30	1000	0.1	RMS	899.633	-58.8	-13	45.8	Pass	9701
1000	1840	1	RMS	1840	-47.57	-13	34.57	Pass	841
1840	1925	1	RMS	1876.338	10.29	60	49.71	Pass	401
1925	3000	1	RMS	2972	-45.53	-13	32.53	Pass	1076
3000	7000	1	RMS	6980	-58.1	-13	45.1	Pass	4001
7000	20000	1	RMS	17498	-48.68	-13	35.68	Pass	13002




5.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	27.8	-68.51	-13	55.51	Pass	2986
30	1000	0.1	RMS	908.439	-58.74	-13	45.74	Pass	9701
1000	1840	1	RMS	1814	-48.25	-13	35.25	Pass	841
1840	1925	1	RMS	1875.275	20.88	60	39.12	Pass	401
1925	3000	1	RMS	2995	-45.48	-13	32.48	Pass	1076
3000	7000	1	RMS	6977	-58.22	-13	45.22	Pass	4001
7000	20000	1	RMS	17503	-48.75	-13	35.75	Pass	13002




5.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	25.87	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	997.498	-58.74	-13	45.74	Pass	9701
1000	1840	1	RMS	1798	-47.99	-13	34.99	Pass	841
1840	1925	1	RMS	1889.3	20.9	60	39.1	Pass	401
1925	3000	1	RMS	2964	-45.34	-13	32.34	Pass	1076
3000	7000	1	RMS	6980	-58.4	-13	45.4	Pass	4001
7000	20000	1	RMS	17498	-48.49	-13	35.49	Pass	13002




5.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.11	-13	55.11	Pass	401
0.15	30	0.01	RMS	0.67	-68.38	-13	55.38	Pass	2986
30	1000	0.1	RMS	474.9	-58.54	-13	45.54	Pass	9701
1000	1840	1	RMS	1807	-48.12	-13	35.12	Pass	841
1840	1925	1	RMS	1901.413	10.14	60	49.86	Pass	401
1925	3000	1	RMS	2975	-45.56	-13	32.56	Pass	1076
3000	7000	1	RMS	6977	-58.32	-13	45.32	Pass	4001
7000	20000	1	RMS	17502	-48.72	-13	35.72	Pass	13002




5.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.15	30	0.01	RMS	0.2	-68.15	-13	55.15	Pass	2986
30	1000	0.1	RMS	899.233	-58.51	-13	45.51	Pass	9701
1000	1840	1	RMS	1789	-48.24	-13	35.24	Pass	841
1840	1925	1	RMS	1900.35	20.81	60	39.19	Pass	401
1925	3000	1	RMS	2971	-45.4	-13	32.4	Pass	1076
3000	7000	1	RMS	6978	-58.57	-13	45.57	Pass	4001
7000	20000	1	RMS	17502	-48.42	-13	35.42	Pass	13002




5.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.63	-13	54.63	Pass	401
0.15	30	0.01	RMS	0.27	-68.33	-13	55.33	Pass	2986
30	1000	0.1	RMS	909.94	-58.82	-13	45.82	Pass	9701
1000	1840	1	RMS	1818	-48.28	-13	35.28	Pass	841
1840	1925	1	RMS	1914.375	20.71	60	39.29	Pass	401
1925	3000	1	RMS	2937	-45.58	-13	32.58	Pass	1076
3000	7000	1	RMS	6981	-58.31	-13	45.31	Pass	4001
7000	20000	1	RMS	17498	-48.7	-13	35.7	Pass	13002




5.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.43	-13	56.43	Pass	401
0.15	30	0.01	RMS	0.26	-67.9	-13	54.9	Pass	2986
30	1000	0.1	RMS	869.714	-58.5	-13	45.5	Pass	9701
1000	1840	1	RMS	1840	-35.4	-13	22.4	Pass	841
1840	1925	1	RMS	1867.413	9.01	60	50.99	Pass	401
1925	3000	1	RMS	2968	-45.29	-13	32.29	Pass	1076
3000	7000	1	RMS	6980	-58.54	-13	45.54	Pass	4001
7000	20000	1	RMS	17500	-48.46	-13	35.46	Pass	13002




5.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	7.02	-68.13	-13	55.13	Pass	2986
30	1000	0.1	RMS	897.332	-58.6	-13	45.6	Pass	9701
1000	1840	1	RMS	1796	-48.09	-13	35.09	Pass	841
1840	1925	1	RMS	1850.413	20.97	60	39.03	Pass	401
1925	3000	1	RMS	2971	-45.24	-13	32.24	Pass	1076
3000	7000	1	RMS	6975	-58.56	-13	45.56	Pass	4001
7000	20000	1	RMS	17500	-48.68	-13	35.68	Pass	13002




5.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:372000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.89	-13	53.89	Pass	401
0.15	30	0.01	RMS	25.16	-68.26	-13	55.26	Pass	2986
30	1000	0.1	RMS	881.922	-58.65	-13	45.65	Pass	9701
1000	1840	1	RMS	1800	-48.01	-13	35.01	Pass	841
1840	1925	1	RMS	1869.325	20.94	60	39.06	Pass	401
1925	3000	1	RMS	2975	-45.33	-13	32.33	Pass	1076
3000	7000	1	RMS	6974	-58.56	-13	45.56	Pass	4001
7000	20000	1	RMS	17495	-48.49	-13	35.49	Pass	13002




5.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.83	-13	55.83	Pass	401
0.15	30	0.01	RMS	0.21	-68.05	-13	55.05	Pass	2986
30	1000	0.1	RMS	996.998	-58.65	-13	45.65	Pass	9701
1000	1840	1	RMS	1840	-46	-13	33	Pass	841
1840	1925	1	RMS	1874	9	60	51	Pass	401
1925	3000	1	RMS	2970	-45.54	-13	32.54	Pass	1076
3000	7000	1	RMS	6977	-58.25	-13	45.25	Pass	4001
7000	20000	1	RMS	17499	-48.61	-13	35.61	Pass	13002




5.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.92	-13	55.92	Pass	401
0.15	30	0.01	RMS	0.57	-67.97	-13	54.97	Pass	2986
30	1000	0.1	RMS	892.329	-58.62	-13	45.62	Pass	9701
1000	1840	1	RMS	1822	-48.18	-13	35.18	Pass	841
1840	1925	1	RMS	1872.938	20.94	60	39.06	Pass	401
1925	3000	1	RMS	2964	-45.52	-13	32.52	Pass	1076
3000	7000	1	RMS	6980	-58.24	-13	45.24	Pass	4001
7000	20000	1	RMS	17499	-48.49	-13	35.49	Pass	13002




5.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:376500, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	15.02	-68.81	-13	55.81	Pass	2986
30	1000	0.1	RMS	900.434	-58.68	-13	45.68	Pass	9701
1000	1840	1	RMS	1777	-48.21	-13	35.21	Pass	841
1840	1925	1	RMS	1891.85	21.02	60	38.98	Pass	401
1925	3000	1	RMS	2971	-45.19	-13	32.19	Pass	1076
3000	7000	1	RMS	6982	-58.49	-13	45.49	Pass	4001
7000	20000	1	RMS	17499	-48.48	-13	35.48	Pass	13002




5.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.97	-13	53.97	Pass	401
0.15	30	0.01	RMS	26.24	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	876.218	-58.85	-13	45.85	Pass	9701
1000	1840	1	RMS	1824	-48.13	-13	35.13	Pass	841
1840	1925	1	RMS	1896.525	8.79	60	51.21	Pass	401
1925	3000	1	RMS	2980	-45.5	-13	32.5	Pass	1076
3000	7000	1	RMS	6978	-58.16	-13	45.16	Pass	4001
7000	20000	1	RMS	17496	-48.86	-13	35.86	Pass	13002




5.29. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	0.24	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	907.639	-58.83	-13	45.83	Pass	9701
1000	1840	1	RMS	1799	-48.12	-13	35.12	Pass	841
1840	1925	1	RMS	1895.463	20.72	60	39.28	Pass	401
1925	3000	1	RMS	2981	-45.43	-13	32.43	Pass	1076
3000	7000	1	RMS	6983	-58.39	-13	45.39	Pass	4001
7000	20000	1	RMS	17500	-48.78	-13	35.78	Pass	13002



5.30. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:381000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.35	-13	55.35	Pass	401
0.15	30	0.01	RMS	19.08	-68.7	-13	55.7	Pass	2986
30	1000	0.1	RMS	882.822	-58.95	-13	45.95	Pass	9701
1000	1840	1	RMS	1818	-48.37	-13	35.37	Pass	841
1840	1925	1	RMS	1914.375	20.68	60	39.32	Pass	401
1925	3000	1	RMS	2971	-45.38	-13	32.38	Pass	1076
3000	7000	1	RMS	6974	-58.4	-13	45.4	Pass	4001
7000	20000	1	RMS	17495	-48.65	-13	35.65	Pass	13002



2. n26 15kHz(824-849)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.39	-13	55.39	Pass	401
0.15	30	0.01	RMS	0.18	-68.75	-13	55.75	Pass	2986
30	814	0.1	RMS	813.8	-55.15	-13	42.15	Pass	7841
814	859	0.1	RMS	824.8	5.14	60	54.86	Pass	451
859	1000	0.1	RMS	922.5	-59.28	-13	46.28	Pass	1411
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7108	-57.11	-13	44.11	Pass	7001




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.4	-13	55.4	Pass	401
0.15	30	0.01	RMS	0.21	-68.36	-13	55.36	Pass	2986
30	814	0.1	RMS	472.4	-59.46	-13	46.46	Pass	7841
814	859	0.1	RMS	824.3	18.15	60	41.85	Pass	451
859	1000	0.1	RMS	905.6	-59.12	-13	46.12	Pass	1411
1000	3000	1	RMS	2977	-45.58	-13	32.58	Pass	2001
3000	10000	1	RMS	9998	-57.27	-13	44.27	Pass	7001




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.76	-13	55.76	Pass	401
0.15	30	0.01	RMS	0.23	-68.34	-13	55.34	Pass	2986
30	814	0.1	RMS	643.7	-59.44	-13	46.44	Pass	7841
814	859	0.1	RMS	828.7	17.73	60	42.27	Pass	451
859	1000	0.1	RMS	907	-59.14	-13	46.14	Pass	1411
1000	3000	1	RMS	2971	-45.62	-13	32.62	Pass	2001
3000	10000	1	RMS	7099	-57.24	-13	44.24	Pass	7001




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.7	-13	54.7	Pass	401
0.15	30	0.01	RMS	0.34	-68.31	-13	55.31	Pass	2986
30	814	0.1	RMS	813.2	-59.3	-13	46.3	Pass	7841
814	859	0.1	RMS	834.9	5.02	60	54.98	Pass	451
859	1000	0.1	RMS	902.7	-59.23	-13	46.23	Pass	1411
1000	3000	1	RMS	2970	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7135	-57.36	-13	44.36	Pass	7001




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.98	-13	53.98	Pass	401
0.15	30	0.01	RMS	0.17	-68.64	-13	55.64	Pass	2986
30	814	0.1	RMS	618.7	-59.5	-13	46.5	Pass	7841
814	859	0.1	RMS	834.3	18.08	60	41.92	Pass	451
859	1000	0.1	RMS	904.5	-59.15	-13	46.15	Pass	1411
1000	3000	1	RMS	2966	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7117	-57.28	-13	44.28	Pass	7001




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.01	-13	55.01	Pass	401
0.15	30	0.01	RMS	4.46	-68.91	-13	55.91	Pass	2986
30	814	0.1	RMS	473.5	-59.32	-13	46.32	Pass	7841
814	859	0.1	RMS	838.7	17.58	60	42.42	Pass	451
859	1000	0.1	RMS	907	-59.11	-13	46.11	Pass	1411
1000	3000	1	RMS	2971	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	7121	-57.34	-13	44.34	Pass	7001




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	23.02	-68.48	-13	55.48	Pass	2986
30	814	0.1	RMS	464.8	-59.41	-13	46.41	Pass	7841
814	859	0.1	RMS	844.7	5.43	60	54.57	Pass	451
859	1000	0.1	RMS	913.3	-59.1	-13	46.1	Pass	1411
1000	3000	1	RMS	2977	-45.63	-13	32.63	Pass	2001
3000	10000	1	RMS	7103	-57.21	-13	44.21	Pass	7001




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.44	-13	56.44	Pass	401
0.15	30	0.01	RMS	24.48	-68.78	-13	55.78	Pass	2986
30	814	0.1	RMS	482.4	-59.41	-13	46.41	Pass	7841
814	859	0.1	RMS	844.3	18.13	60	41.87	Pass	451
859	1000	0.1	RMS	912.3	-59.23	-13	46.23	Pass	1411
1000	3000	1	RMS	2979	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7107	-56.93	-13	43.93	Pass	7001




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.72	-13	55.72	Pass	401
0.15	30	0.01	RMS	26.63	-69.36	-13	56.36	Pass	2986
30	814	0.1	RMS	484.2	-59.35	-13	46.35	Pass	7841
814	859	0.1	RMS	848.7	17.66	60	42.34	Pass	451
859	1000	0.1	RMS	895.7	-59.16	-13	46.16	Pass	1411
1000	3000	1	RMS	2979	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7119	-57.09	-13	44.09	Pass	7001




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	0.69	-68.52	-13	55.52	Pass	2986
30	814	0.1	RMS	813.5	-46.26	-13	33.26	Pass	7841
814	859	0.1	RMS	835.9	0.45	60	59.55	Pass	451
859	1000	0.1	RMS	881.5	-59.23	-13	46.23	Pass	1411
1000	3000	1	RMS	2980	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7117	-57.09	-13	44.09	Pass	7001




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.1	-13	55.1	Pass	401
0.15	30	0.01	RMS	0.33	-68.92	-13	55.92	Pass	2986
30	814	0.1	RMS	715.1	-59.44	-13	46.44	Pass	7841
814	859	0.1	RMS	824.5	18.38	60	41.62	Pass	451
859	1000	0.1	RMS	894.9	-58.87	-13	45.87	Pass	1411
1000	3000	1	RMS	2974	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7106	-57	-13	44	Pass	7001




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.31	-13	56.31	Pass	401
0.15	30	0.01	RMS	22.94	-68.34	-13	55.34	Pass	2986
30	814	0.1	RMS	803.2	-59.4	-13	46.4	Pass	7841
814	859	0.1	RMS	838.5	18.53	60	41.47	Pass	451
859	1000	0.1	RMS	908.8	-59.14	-13	46.14	Pass	1411
1000	3000	1	RMS	2969	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7101	-57.08	-13	44.08	Pass	7001




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.98	-13	54.98	Pass	401
0.15	30	0.01	RMS	0.28	-68.67	-13	55.67	Pass	2986
30	814	0.1	RMS	813.7	-49.99	-13	36.99	Pass	7841
814	859	0.1	RMS	841.2	0.34	60	59.66	Pass	451
859	1000	0.1	RMS	905.4	-59.04	-13	46.04	Pass	1411
1000	3000	1	RMS	2972	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7142	-57.25	-13	44.25	Pass	7001




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.27	-13	56.27	Pass	401
0.15	30	0.01	RMS	0.15	-68.31	-13	55.31	Pass	2986
30	814	0.1	RMS	488.3	-59.3	-13	46.3	Pass	7841
814	859	0.1	RMS	829.5	18.32	60	41.68	Pass	451
859	1000	0.1	RMS	862.8	-59.28	-13	46.28	Pass	1411
1000	3000	1	RMS	2970	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	9992	-57.27	-13	44.27	Pass	7001




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.09	-13	56.09	Pass	401
0.15	30	0.01	RMS	0.24	-68.87	-13	55.87	Pass	2986
30	814	0.1	RMS	734.8	-59.29	-13	46.29	Pass	7841
814	859	0.1	RMS	843.5	18.5	60	41.5	Pass	451
859	1000	0.1	RMS	991.4	-59.09	-13	46.09	Pass	1411
1000	3000	1	RMS	2970	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7118	-57.27	-13	44.27	Pass	7001




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	0.35	-68.64	-13	55.64	Pass	2986
30	814	0.1	RMS	813.9	-52.96	-13	39.96	Pass	7841
814	859	0.1	RMS	845.4	0.52	60	59.48	Pass	451
859	1000	0.1	RMS	914.4	-59.34	-13	46.34	Pass	1411
1000	3000	1	RMS	2971	-45.6	-13	32.6	Pass	2001
3000	10000	1	RMS	9979	-57.32	-13	44.32	Pass	7001




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.24	-69.04	-13	56.04	Pass	2986
30	814	0.1	RMS	474.2	-59.2	-13	46.2	Pass	7841
814	859	0.1	RMS	834.5	18.31	60	41.69	Pass	451
859	1000	0.1	RMS	887.3	-59.22	-13	46.22	Pass	1411
1000	3000	1	RMS	2965	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7109	-57.26	-13	44.26	Pass	7001




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.7	-13	54.7	Pass	401
0.15	30	0.01	RMS	7.69	-68.99	-13	55.99	Pass	2986
30	814	0.1	RMS	484.6	-59.27	-13	46.27	Pass	7841
814	859	0.1	RMS	848.5	18.59	60	41.41	Pass	451
859	1000	0.1	RMS	903.9	-59	-13	46	Pass	1411
1000	3000	1	RMS	2970	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7134	-57.28	-13	44.28	Pass	7001




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	24.01	-69.09	-13	56.09	Pass	2986
30	814	0.1	RMS	813.4	-44.58	-13	31.58	Pass	7841
814	859	0.1	RMS	835.6	-0.76	60	60.76	Pass	451
859	1000	0.1	RMS	991.8	-59.24	-13	46.24	Pass	1411
1000	3000	1	RMS	2976	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7110	-57.4	-13	44.4	Pass	7001




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	1	-68.44	-13	55.44	Pass	2986
30	814	0.1	RMS	769.2	-59.36	-13	46.36	Pass	7841
814	859	0.1	RMS	824.5	18.02	60	41.98	Pass	451
859	1000	0.1	RMS	881.6	-59.13	-13	46.13	Pass	1411
1000	3000	1	RMS	2973	-45.59	-13	32.59	Pass	2001
3000	10000	1	RMS	7126	-57.18	-13	44.18	Pass	7001




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.3	-13	56.3	Pass	401
0.15	30	0.01	RMS	20.99	-69.08	-13	56.08	Pass	2986
30	814	0.1	RMS	492	-59.42	-13	46.42	Pass	7841
814	859	0.1	RMS	843.4	18.11	60	41.89	Pass	451
859	1000	0.1	RMS	896.4	-59.17	-13	46.17	Pass	1411
1000	3000	1	RMS	2975	-45.67	-13	32.67	Pass	2001
3000	10000	1	RMS	7120	-57.12	-13	44.12	Pass	7001




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	3.36	-69.5	-13	56.5	Pass	2986
30	814	0.1	RMS	813.6	-46.99	-13	33.99	Pass	7841
814	859	0.1	RMS	838.6	-0.89	60	60.89	Pass	451
859	1000	0.1	RMS	880	-58.78	-13	45.78	Pass	1411
1000	3000	1	RMS	2980	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	7092	-57.22	-13	44.22	Pass	7001




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	0.23	-69.34	-13	56.34	Pass	2986
30	814	0.1	RMS	736.1	-59.48	-13	46.48	Pass	7841
814	859	0.1	RMS	827	18.07	60	41.93	Pass	451
859	1000	0.1	RMS	879.6	-59.11	-13	46.11	Pass	1411
1000	3000	1	RMS	2981	-45.82	-13	32.82	Pass	2001
3000	10000	1	RMS	7120	-57.07	-13	44.07	Pass	7001




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.37	-13	54.37	Pass	401
0.15	30	0.01	RMS	4.1	-68.61	-13	55.61	Pass	2986
30	814	0.1	RMS	810.2	-59.37	-13	46.37	Pass	7841
814	859	0.1	RMS	845.9	18.18	60	41.82	Pass	451
859	1000	0.1	RMS	900.4	-59.02	-13	46.02	Pass	1411
1000	3000	1	RMS	2978	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7101	-57.15	-13	44.15	Pass	7001




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.97	-13	54.97	Pass	401
0.15	30	0.01	RMS	22.2	-68.92	-13	55.92	Pass	2986
30	814	0.1	RMS	814	-47.2	-13	34.2	Pass	7841
814	859	0.1	RMS	840.4	-0.76	60	60.76	Pass	451
859	1000	0.1	RMS	883.3	-59.16	-13	46.16	Pass	1411
1000	3000	1	RMS	2978	-45.73	-13	32.73	Pass	2001
3000	10000	1	RMS	7113	-57.23	-13	44.23	Pass	7001




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.87	-13	56.87	Pass	401
0.15	30	0.01	RMS	0.29	-68.79	-13	55.79	Pass	2986
30	814	0.1	RMS	497.1	-59.44	-13	46.44	Pass	7841
814	859	0.1	RMS	829.5	18.06	60	41.94	Pass	451
859	1000	0.1	RMS	881.8	-59.17	-13	46.17	Pass	1411
1000	3000	1	RMS	2983	-45.77	-13	32.77	Pass	2001
3000	10000	1	RMS	7133	-57.18	-13	44.18	Pass	7001



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.63	-13	55.63	Pass	401
0.15	30	0.01	RMS	0.21	-68.7	-13	55.7	Pass	2986
30	814	0.1	RMS	728.5	-59.45	-13	46.45	Pass	7841
814	859	0.1	RMS	848.4	18.15	60	41.85	Pass	451
859	1000	0.1	RMS	993.5	-59.2	-13	46.2	Pass	1411
1000	3000	1	RMS	2980	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	7119	-57.07	-13	44.07	Pass	7001



1. n26 15kHz(814-824)


1.1. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	29.1	-68.75	-13	55.75	Pass	2986
30	804	0.1	RMS	482.3	-59.55	-13	46.55	Pass	7741
804	834	0.1	RMS	818.625	5.16	60	54.84	Pass	401
834	1000	0.1	RMS	834.1	-58.38	-13	45.38	Pass	1661
1000	3000	1	RMS	2975	-45.66	-13	32.66	Pass	2001
3000	10000	1	RMS	9962	-57.34	-13	44.34	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.74	-13	56.74	Pass	401
0.15	30	0.01	RMS	0.21	-68.9	-13	55.9	Pass	2986
30	804	0.1	RMS	476	-59.62	-13	46.62	Pass	7741
804	834	0.1	RMS	814.35	18.35	60	41.65	Pass	401
834	1000	0.1	RMS	898.4	-59.27	-13	46.27	Pass	1661
1000	3000	1	RMS	2972	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7099	-57.3	-13	44.3	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.21	-13	55.21	Pass	401
0.15	30	0.01	RMS	26.87	-69.43	-13	56.43	Pass	2986
30	804	0.1	RMS	467.3	-59.4	-13	46.4	Pass	7741
804	834	0.1	RMS	818.625	18.31	60	41.69	Pass	401
834	1000	0.1	RMS	903	-59.29	-13	46.29	Pass	1661
1000	3000	1	RMS	2968	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	9957	-57.32	-13	44.32	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.08	-13	57.08	Pass	401
0.15	30	0.01	RMS	0.33	-68.58	-13	55.58	Pass	2986
30	804	0.1	RMS	483.3	-59.47	-13	46.47	Pass	7741
804	834	0.1	RMS	821.1	5.02	60	54.98	Pass	401
834	1000	0.1	RMS	834.4	-57.86	-13	44.86	Pass	1661
1000	3000	1	RMS	2975	-45.87	-13	32.87	Pass	2001
3000	10000	1	RMS	7109	-57.32	-13	44.32	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.03	-13	56.03	Pass	401
0.15	30	0.01	RMS	21.91	-69.23	-13	56.23	Pass	2986
30	804	0.1	RMS	641.1	-59.65	-13	46.65	Pass	7741
804	834	0.1	RMS	816.825	18.56	60	41.44	Pass	401
834	1000	0.1	RMS	993.4	-59.23	-13	46.23	Pass	1661
1000	3000	1	RMS	2971	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7104	-57.1	-13	44.1	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.75	-13	56.75	Pass	401
0.15	30	0.01	RMS	9.32	-69.42	-13	56.42	Pass	2986
30	804	0.1	RMS	466.8	-59.43	-13	46.43	Pass	7741
804	834	0.1	RMS	821.175	18.43	60	41.57	Pass	401
834	1000	0.1	RMS	873.4	-59.19	-13	46.19	Pass	1661
1000	3000	1	RMS	2970	-46.03	-13	33.03	Pass	2001
3000	10000	1	RMS	7125	-57.16	-13	44.16	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.62	-68.34	-13	55.34	Pass	2986
30	804	0.1	RMS	631.7	-59.54	-13	46.54	Pass	7741
804	834	0.1	RMS	819.9	5.26	60	54.74	Pass	401
834	1000	0.1	RMS	834.1	-56.49	-13	43.49	Pass	1661
1000	3000	1	RMS	2976	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7089	-57.24	-13	44.24	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.37	-67.89	-13	54.89	Pass	2986
30	804	0.1	RMS	482.9	-59.53	-13	46.53	Pass	7741
804	834	0.1	RMS	819.3	18.4	60	41.6	Pass	401
834	1000	0.1	RMS	987.6	-59.1	-13	46.1	Pass	1661
1000	3000	1	RMS	2972	-45.64	-13	32.64	Pass	2001
3000	10000	1	RMS	7098	-57.3	-13	44.3	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:164300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.24	-69.24	-13	56.24	Pass	2986
30	804	0.1	RMS	468.3	-59.57	-13	46.57	Pass	7741
804	834	0.1	RMS	823.65	18.5	60	41.5	Pass	401
834	1000	0.1	RMS	898.2	-59.21	-13	46.21	Pass	1661
1000	3000	1	RMS	2965	-45.84	-13	32.84	Pass	2001
3000	10000	1	RMS	7138	-57.04	-13	44.04	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:1, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.23	-13	55.23	Pass	401
0.15	30	0.01	RMS	0.17	-68.18	-13	55.18	Pass	2986
30	804	0.1	RMS	640.4	-59.69	-13	46.69	Pass	7741
804	834	0.1	RMS	821.325	1.92	60	58.08	Pass	401
834	1000	0.1	RMS	834	-45.6	-13	32.6	Pass	1661
1000	3000	1	RMS	2971	-45.8	-13	32.8	Pass	2001
3000	10000	1	RMS	7107	-57.14	-13	44.14	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:2, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.27	-13	55.27	Pass	401
0.15	30	0.01	RMS	0.2	-68.77	-13	55.77	Pass	2986
30	804	0.1	RMS	714.2	-59.65	-13	46.65	Pass	7741
804	834	0.1	RMS	814.425	18.28	60	41.72	Pass	401
834	1000	0.1	RMS	997	-59.16	-13	46.16	Pass	1661
1000	3000	1	RMS	2974	-45.65	-13	32.65	Pass	2001
3000	10000	1	RMS	7101	-57.24	-13	44.24	Pass	7001



1.12. Spurious Emission at Antenna Terminals for SA_Part90(Subtest:3, Channel:163800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.97	-13	55.97	Pass	401
0.15	30	0.01	RMS	0.43	-68.62	-13	55.62	Pass	2986
30	804	0.1	RMS	474.2	-59.63	-13	46.63	Pass	7741
804	834	0.1	RMS	823.575	18.56	60	41.44	Pass	401
834	1000	0.1	RMS	907.4	-59.24	-13	46.24	Pass	1661
1000	3000	1	RMS	2976	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	7095	-57.18	-13	44.18	Pass	7001



2. n30 15kHz


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.43	-40	31.43	Pass	401
0.15	30	0.01	RMS	0.25	-69.23	-40	29.23	Pass	2986
30	1000	0.1	RMS	957.472	-60.38	-40	20.38	Pass	9701
1000	2295	1	RMS	2295	-50.18	-40	10.18	Pass	1296
2295	2325	1	RMS	2308.725	14.35	60	45.65	Pass	401
2325	3000	1	RMS	2867	-48.46	-40	8.46	Pass	676
3000	7000	1	RMS	6926	-61.45	-40	21.45	Pass	4001
7000	24000	1	RMS	23648	-47.58	-40	7.58	Pass	17003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.21	-40	31.21	Pass	401
0.15	30	0.01	RMS	0.15	-69.24	-40	29.24	Pass	2986
30	1000	0.1	RMS	751.3	-60.71	-40	20.71	Pass	9701
1000	2295	1	RMS	2292	-51.01	-40	11.01	Pass	1296
2295	2325	1	RMS	2305.35	20.54	60	39.46	Pass	401
2325	3000	1	RMS	2863	-48.49	-40	8.49	Pass	676
3000	7000	1	RMS	6922	-61.39	-40	21.39	Pass	4001
7000	24000	1	RMS	23635	-48.06	-40	8.06	Pass	17003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:461500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-40	30.19	Pass	401
0.15	30	0.01	RMS	0.21	-68.95	-40	28.95	Pass	2986
30	1000	0.1	RMS	898.333	-60.71	-40	20.71	Pass	9701
1000	2295	1	RMS	2121	-50.93	-40	10.93	Pass	1296
2295	2325	1	RMS	2309.7	20.61	60	39.39	Pass	401
2325	3000	1	RMS	2865	-48.53	-40	8.53	Pass	676
3000	7000	1	RMS	6930	-61.23	-40	21.23	Pass	4001
7000	24000	1	RMS	23868	-47.92	-40	7.92	Pass	17003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.48	-40	30.48	Pass	401
0.15	30	0.01	RMS	0.23	-68.29	-40	28.29	Pass	2986
30	1000	0.1	RMS	998.899	-60.46	-40	20.46	Pass	9701
1000	2295	1	RMS	2281	-50.83	-40	10.83	Pass	1296
2295	2325	1	RMS	2308.725	14.27	60	45.73	Pass	401
2325	3000	1	RMS	2867	-48.52	-40	8.52	Pass	676
3000	7000	1	RMS	6926	-61.27	-40	21.27	Pass	4001
7000	24000	1	RMS	23585	-47.72	-40	7.72	Pass	17003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.96	-40	30.96	Pass	401
0.15	30	0.01	RMS	0.16	-68.9	-40	28.9	Pass	2986
30	1000	0.1	RMS	914.243	-60.35	-40	20.35	Pass	9701
1000	2295	1	RMS	2285	-50.92	-40	10.92	Pass	1296
2295	2325	1	RMS	2307.825	20.54	60	39.46	Pass	401
2325	3000	1	RMS	2875	-48.55	-40	8.55	Pass	676
3000	7000	1	RMS	6935	-61.39	-40	21.39	Pass	4001
7000	24000	1	RMS	23966	-48.03	-40	8.03	Pass	17003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.44	-40	29.44	Pass	401
0.15	30	0.01	RMS	0.2	-69.6	-40	29.6	Pass	2986
30	1000	0.1	RMS	959.973	-60.82	-40	20.82	Pass	9701
1000	2295	1	RMS	2288	-50.88	-40	10.88	Pass	1296
2295	2325	1	RMS	2312.1	20.48	60	39.52	Pass	401
2325	3000	1	RMS	2881	-48.58	-40	8.58	Pass	676
3000	7000	1	RMS	6934	-61.39	-40	21.39	Pass	4001
7000	24000	1	RMS	23369	-47.67	-40	7.67	Pass	17003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.56	-40	27.56	Pass	401
0.15	30	0.01	RMS	0.19	-69.51	-40	29.51	Pass	2986
30	1000	0.1	RMS	880.221	-60.75	-40	20.75	Pass	9701
1000	2295	1	RMS	2080	-50.98	-40	10.98	Pass	1296
2295	2325	1	RMS	2311.05	14.26	60	45.74	Pass	401
2325	3000	1	RMS	2874	-48.54	-40	8.54	Pass	676
3000	7000	1	RMS	6932	-61.39	-40	21.39	Pass	4001
7000	24000	1	RMS	23623	-47.94	-40	7.94	Pass	17003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.42	-40	29.42	Pass	401
0.15	30	0.01	RMS	0.26	-69.6	-40	29.6	Pass	2986
30	1000	0.1	RMS	990.894	-60.64	-40	20.64	Pass	9701
1000	2295	1	RMS	2278	-50.88	-40	10.88	Pass	1296
2295	2325	1	RMS	2310.375	20.6	60	39.4	Pass	401
2325	3000	1	RMS	2872	-48.53	-40	8.53	Pass	676
3000	7000	1	RMS	6894	-61.49	-40	21.49	Pass	4001
7000	24000	1	RMS	23593	-47.75	-40	7.75	Pass	17003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.09	-40	31.09	Pass	401
0.15	30	0.01	RMS	0.26	-68.69	-40	28.69	Pass	2986
30	1000	0.1	RMS	902.936	-61.05	-40	21.05	Pass	9701
1000	2295	1	RMS	2279	-50.96	-40	10.96	Pass	1296
2295	2325	1	RMS	2314.65	20.45	60	39.55	Pass	401
2325	3000	1	RMS	2876	-48.49	-40	8.49	Pass	676
3000	7000	1	RMS	6932	-61.42	-40	21.42	Pass	4001
7000	24000	1	RMS	23665	-47.84	-40	7.84	Pass	17003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.24	-40	32.24	Pass	401
0.15	30	0.01	RMS	0.16	-69.85	-40	29.85	Pass	2986
30	1000	0.1	RMS	878.419	-61.11	-40	21.11	Pass	9701
1000	2295	1	RMS	2295	-43.81	-40	3.81	Pass	1296
2295	2325	1	RMS	2306.7	11.19	60	48.81	Pass	401
2325	3000	1	RMS	2325	-43.08	-40	3.08	Pass	676
3000	7000	1	RMS	6921	-61.35	-40	21.35	Pass	4001
7000	24000	1	RMS	23415	-47.88	-40	7.88	Pass	17003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.48	-40	31.48	Pass	401
0.15	30	0.01	RMS	0.15	-69.89	-40	29.89	Pass	2986
30	1000	0.1	RMS	766.2	-60.43	-40	20.43	Pass	9701
1000	2295	1	RMS	2293	-50.91	-40	10.91	Pass	1296
2295	2325	1	RMS	2305.425	20.65	60	39.35	Pass	401
2325	3000	1	RMS	2874	-48.5	-40	8.5	Pass	676
3000	7000	1	RMS	6883	-61.4	-40	21.4	Pass	4001
7000	24000	1	RMS	23602	-47.82	-40	7.82	Pass	17003



2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:462000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:51)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.09	-40	32.09	Pass	401
0.15	30	0.01	RMS	0.17	-70.39	-40	30.39	Pass	2986
30	1000	0.1	RMS	977.685	-60.21	-40	20.21	Pass	9701
1000	2295	1	RMS	2295	-50.95	-40	10.95	Pass	1296
2295	2325	1	RMS	2314.575	20.47	60	39.53	Pass	401
2325	3000	1	RMS	2869	-48.56	-40	8.56	Pass	676
3000	7000	1	RMS	6938	-61.53	-40	21.53	Pass	4001
7000	24000	1	RMS	23627	-48.05	-40	8.05	Pass	17003



6. n38_PC3


6.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.94	-25	44.94	Pass	401
0.15	30	0.01	RMS	29.74	-64.47	-25	39.47	Pass	2986
30	1000	0.1	RMS	622.4	-54.25	-25	29.25	Pass	9701
1000	2550	1	RMS	2550	-39.59	-25	14.59	Pass	1551
2550	2640	1	RMS	2572.275	8.35	60	51.65	Pass	401
2640	3000	1	RMS	2971.2	-44.81	-25	19.81	Pass	401
3000	7000	1	RMS	6979	-55.91	-25	30.91	Pass	4001
7000	26500	1	RMS	24131	-45.31	-25	20.31	Pass	19503




6.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-69.44	-25	44.44	Pass	401
0.15	30	0.01	RMS	24.84	-63.78	-25	38.78	Pass	2986
30	1000	0.1	RMS	373.6	-54.34	-25	29.34	Pass	9701
1000	2550	1	RMS	2512	-45.6	-25	20.6	Pass	1551
2550	2640	1	RMS	2570.925	20.53	60	39.47	Pass	401
2640	3000	1	RMS	2972.1	-44.7	-25	19.7	Pass	401
3000	7000	1	RMS	6959	-56.56	-25	31.56	Pass	4001
7000	26500	1	RMS	25521	-45.11	-25	20.11	Pass	19503




6.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:516000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.1	-25	43.1	Pass	401
0.15	30	0.01	RMS	10.06	-65.08	-25	40.08	Pass	2986
30	1000	0.1	RMS	489.2	-54.37	-25	29.37	Pass	9701
1000	2550	1	RMS	2521	-45.11	-25	20.11	Pass	1551
2550	2640	1	RMS	2588.925	20.29	60	39.71	Pass	401
2640	3000	1	RMS	2976.6	-44.67	-25	19.67	Pass	401
3000	7000	1	RMS	6958	-56.64	-25	31.64	Pass	4001
7000	26500	1	RMS	24126	-45.17	-25	20.17	Pass	19503




6.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.29	-25	44.29	Pass	401
0.15	30	0.01	RMS	5.97	-63.6	-25	38.6	Pass	2986
30	1000	0.1	RMS	912.142	-53.86	-25	28.86	Pass	9701
1000	2550	1	RMS	2488	-45.5	-25	20.5	Pass	1551
2550	2640	1	RMS	2602.65	8.45	60	51.55	Pass	401
2640	3000	1	RMS	2976.6	-45	-25	20	Pass	401
3000	7000	1	RMS	6988	-56.95	-25	31.95	Pass	4001
7000	26500	1	RMS	24154	-45.34	-25	20.34	Pass	19503




6.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-68.99	-25	43.99	Pass	401
0.15	30	0.01	RMS	0.48	-64.21	-25	39.21	Pass	2986
30	1000	0.1	RMS	760.9	-53.97	-25	28.97	Pass	9701
1000	2550	1	RMS	2470	-45.36	-25	20.36	Pass	1551
2550	2640	1	RMS	2586	20.29	60	39.71	Pass	401
2640	3000	1	RMS	2985.6	-44.81	-25	19.81	Pass	401
3000	7000	1	RMS	6987	-57.02	-25	32.02	Pass	4001
7000	26500	1	RMS	26189	-45.49	-25	20.49	Pass	19503




6.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.14	-25	43.14	Pass	401
0.15	30	0.01	RMS	23.04	-64.25	-25	39.25	Pass	2986
30	1000	0.1	RMS	702.1	-53.66	-25	28.66	Pass	9701
1000	2550	1	RMS	2498	-44.69	-25	19.69	Pass	1551
2550	2640	1	RMS	2604	20.5	60	39.5	Pass	401
2640	3000	1	RMS	2964.9	-44.96	-25	19.96	Pass	401
3000	7000	1	RMS	6912	-57.02	-25	32.02	Pass	4001
7000	26500	1	RMS	25761	-45.14	-25	20.14	Pass	19503




6.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.55	-25	42.55	Pass	401
0.15	30	0.01	RMS	3.06	-63.68	-25	38.68	Pass	2986
30	1000	0.1	RMS	866.311	-52.31	-25	27.31	Pass	9701
1000	2550	1	RMS	2448	-45.33	-25	20.33	Pass	1551
2550	2640	1	RMS	2617.5	8.59	60	51.41	Pass	401
2640	3000	1	RMS	2640	-38.38	-25	13.38	Pass	401
3000	7000	1	RMS	6975	-56.65	-25	31.65	Pass	4001
7000	26500	1	RMS	25794	-44.76	-25	19.76	Pass	19503




6.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.59	-25	41.59	Pass	401
0.15	30	0.01	RMS	2.46	-62.77	-25	37.77	Pass	2986
30	1000	0.1	RMS	882.122	-54.06	-25	29.06	Pass	9701
1000	2550	1	RMS	2517	-45.53	-25	20.53	Pass	1551
2550	2640	1	RMS	2601.075	20.35	60	39.65	Pass	401
2640	3000	1	RMS	2984.7	-45	-25	20	Pass	401
3000	7000	1	RMS	6972	-56.14	-25	31.14	Pass	4001
7000	26500	1	RMS	25416	-45.21	-25	20.21	Pass	19503




6.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:522000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.81	-25	42.81	Pass	401
0.15	30	0.01	RMS	26.06	-63.66	-25	38.66	Pass	2986
30	1000	0.1	RMS	450.4	-54.13	-25	29.13	Pass	9701
1000	2550	1	RMS	2496	-45.66	-25	20.66	Pass	1551
2550	2640	1	RMS	2619.075	20.61	60	39.39	Pass	401
2640	3000	1	RMS	2962.2	-45.14	-25	20.14	Pass	401
3000	7000	1	RMS	6983	-56.02	-25	31.02	Pass	4001
7000	26500	1	RMS	25108	-45.12	-25	20.12	Pass	19503




6.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.79	-25	42.79	Pass	401
0.15	30	0.01	RMS	16.15	-64.35	-25	39.35	Pass	2986
30	1000	0.1	RMS	949.366	-53.99	-25	28.99	Pass	9701
1000	2540	1	RMS	2540	-40.78	-25	15.78	Pass	1541
2540	2650	1	RMS	2572.175	6.61	60	53.39	Pass	401
2650	3000	1	RMS	2969.375	-44.82	-25	19.82	Pass	401
3000	7000	1	RMS	6921	-56.98	-25	31.98	Pass	4001
7000	26500	1	RMS	25135	-44.64	-25	19.64	Pass	19503




6.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.95	-25	42.95	Pass	401
0.15	30	0.01	RMS	4.92	-64.29	-25	39.29	Pass	2986
30	1000	0.1	RMS	495.8	-53.59	-25	28.59	Pass	9701
1000	2540	1	RMS	2526	-45.52	-25	20.52	Pass	1541
2540	2650	1	RMS	2571.075	20.64	60	39.36	Pass	401
2650	3000	1	RMS	2970.25	-44.73	-25	19.73	Pass	401
3000	7000	1	RMS	6977	-56.45	-25	31.45	Pass	4001
7000	26500	1	RMS	25736	-45.69	-25	20.69	Pass	19503




6.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:517000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.3	-25	41.3	Pass	401
0.15	30	0.01	RMS	3.29	-62.97	-25	37.97	Pass	2986
30	1000	0.1	RMS	415.1	-53.99	-25	28.99	Pass	9701
1000	2540	1	RMS	2440	-45.49	-25	20.49	Pass	1541
2540	2650	1	RMS	2598.85	20.46	60	39.54	Pass	401
2650	3000	1	RMS	2979.875	-44.82	-25	19.82	Pass	401
3000	7000	1	RMS	6988	-56.26	-25	31.26	Pass	4001
7000	26500	1	RMS	26106	-45.33	-25	20.33	Pass	19503




6.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.73	-25	43.73	Pass	401
0.15	30	0.01	RMS	22.88	-63.8	-25	38.8	Pass	2986
30	1000	0.1	RMS	997.598	-53.57	-25	28.57	Pass	9701
1000	2540	1	RMS	2537	-43.98	-25	18.98	Pass	1541
2540	2650	1	RMS	2607.65	6.63	60	53.37	Pass	401
2650	3000	1	RMS	2650	-43.48	-25	18.48	Pass	401
3000	7000	1	RMS	6962	-56.57	-25	31.57	Pass	4001
7000	26500	1	RMS	25743	-44.78	-25	19.78	Pass	19503




6.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.79	-25	43.79	Pass	401
0.15	30	0.01	RMS	23.85	-62.25	-25	37.25	Pass	2986
30	1000	0.1	RMS	904.737	-53.33	-25	28.33	Pass	9701
1000	2540	1	RMS	2182	-45.67	-25	20.67	Pass	1541
2540	2650	1	RMS	2581.25	20.1	60	39.9	Pass	401
2650	3000	1	RMS	2981.625	-44.86	-25	19.86	Pass	401
3000	7000	1	RMS	6923	-56.85	-25	31.85	Pass	4001
7000	26500	1	RMS	24095	-45.09	-25	20.09	Pass	19503




6.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.084	-69.68	-25	44.68	Pass	401
0.15	30	0.01	RMS	12.49	-63.48	-25	38.48	Pass	2986
30	1000	0.1	RMS	892.529	-53.07	-25	28.07	Pass	9701
1000	2540	1	RMS	2179	-45.41	-25	20.41	Pass	1541
2540	2650	1	RMS	2608.75	20.61	60	39.39	Pass	401
2650	3000	1	RMS	2959.75	-44.87	-25	19.87	Pass	401
3000	7000	1	RMS	6975	-56.73	-25	31.73	Pass	4001
7000	26500	1	RMS	24138	-45.06	-25	20.06	Pass	19503




6.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:78, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-67.71	-25	42.71	Pass	401
0.15	30	0.01	RMS	28.15	-63.66	-25	38.66	Pass	2986
30	1000	0.1	RMS	629.4	-54.27	-25	29.27	Pass	9701
1000	2540	1	RMS	2531	-45.05	-25	20.05	Pass	1541
2540	2650	1	RMS	2616.725	6.9	60	53.1	Pass	401
2650	3000	1	RMS	2650	-39.24	-25	14.24	Pass	401
3000	7000	1	RMS	6964	-56.57	-25	31.57	Pass	4001
7000	26500	1	RMS	25486	-45.3	-25	20.3	Pass	19503




6.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-69.39	-25	44.39	Pass	401
0.15	30	0.01	RMS	24.96	-63.9	-25	38.9	Pass	2986
30	1000	0.1	RMS	885.324	-53.84	-25	28.84	Pass	9701
1000	2540	1	RMS	2442	-45.68	-25	20.68	Pass	1541
2540	2650	1	RMS	2591.15	20.37	60	39.63	Pass	401
2650	3000	1	RMS	2979.875	-44.93	-25	19.93	Pass	401
3000	7000	1	RMS	6935	-57.15	-25	32.15	Pass	4001
7000	26500	1	RMS	24138	-44.83	-25	19.83	Pass	19503




6.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:521000, Bandwidth:30, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:77)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-67.22	-25	42.22	Pass	401
0.15	30	0.01	RMS	3.1	-64.45	-25	39.45	Pass	2986
30	1000	0.1	RMS	954.57	-54.15	-25	29.15	Pass	9701
1000	2540	1	RMS	2488	-45.71	-25	20.71	Pass	1541
2540	2650	1	RMS	2618.925	20.63	60	39.37	Pass	401
2650	3000	1	RMS	2984.25	-44.97	-25	19.97	Pass	401
3000	7000	1	RMS	6970	-56.88	-25	31.88	Pass	4001
7000	26500	1	RMS	25104	-44.94	-25	19.94	Pass	19503




6.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.71	-25	44.71	Pass	401
0.15	30	0.01	RMS	24.27	-63.98	-25	38.98	Pass	2986
30	1000	0.1	RMS	496.4	-54.58	-25	29.58	Pass	9701
1000	2530	1	RMS	2530	-40.91	-25	15.91	Pass	1531
2530	2660	1	RMS	2602.475	5.27	60	54.73	Pass	401
2660	3000	1	RMS	2660.85	-43.07	-25	18.07	Pass	401
3000	7000	1	RMS	6981	-56.87	-25	31.87	Pass	4001
7000	26500	1	RMS	24091	-44.78	-25	19.78	Pass	19503




6.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.75	-25	42.75	Pass	401
0.15	30	0.01	RMS	9.86	-62.71	-25	37.71	Pass	2986
30	1000	0.1	RMS	919.847	-54.13	-25	29.13	Pass	9701
1000	2530	1	RMS	2486	-45.4	-25	20.4	Pass	1531
2530	2660	1	RMS	2570.95	20.56	60	39.44	Pass	401
2660	3000	1	RMS	2970.25	-44.89	-25	19.89	Pass	401
3000	7000	1	RMS	6984	-56.4	-25	31.4	Pass	4001
7000	26500	1	RMS	26181	-45.27	-25	20.27	Pass	19503




6.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-68.02	-25	43.02	Pass	401
0.15	30	0.01	RMS	22.43	-63.14	-25	38.14	Pass	2986
30	1000	0.1	RMS	612.1	-53.74	-25	28.74	Pass	9701
1000	2530	1	RMS	2475	-45.38	-25	20.38	Pass	1531
2530	2660	1	RMS	2608.975	20.6	60	39.4	Pass	401
2660	3000	1	RMS	2966.85	-44.74	-25	19.74	Pass	401
3000	7000	1	RMS	6982	-56.36	-25	31.36	Pass	4001
7000	26500	1	RMS	24793	-44.9	-25	19.9	Pass	19503




6.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.16	-25	43.16	Pass	401
0.15	30	0.01	RMS	21.18	-64.37	-25	39.37	Pass	2986
30	1000	0.1	RMS	901.034	-53.45	-25	28.45	Pass	9701
1000	2530	1	RMS	2530	-42.68	-25	17.68	Pass	1531
2530	2660	1	RMS	2611.9	5.33	60	54.67	Pass	401
2660	3000	1	RMS	2660	-41.82	-25	16.82	Pass	401
3000	7000	1	RMS	6964	-56.94	-25	31.94	Pass	4001
7000	26500	1	RMS	25128	-45.43	-25	20.43	Pass	19503




6.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.71	-25	43.71	Pass	401
0.15	30	0.01	RMS	12.42	-63.82	-25	38.82	Pass	2986
30	1000	0.1	RMS	835	-54.01	-25	29.01	Pass	9701
1000	2530	1	RMS	2199	-45.57	-25	20.57	Pass	1531
2530	2660	1	RMS	2576.15	20.31	60	39.69	Pass	401
2660	3000	1	RMS	2967.7	-44.96	-25	19.96	Pass	401
3000	7000	1	RMS	6975	-56.83	-25	31.83	Pass	4001
7000	26500	1	RMS	25416	-45.11	-25	20.11	Pass	19503




6.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:519000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.28	-25	43.28	Pass	401
0.15	30	0.01	RMS	13.52	-62.16	-25	37.16	Pass	2986
30	1000	0.1	RMS	357.1	-53.64	-25	28.64	Pass	9701
1000	2530	1	RMS	2519	-45.47	-25	20.47	Pass	1531
2530	2660	1	RMS	2613.85	20.71	60	39.29	Pass	401
2660	3000	1	RMS	2967.7	-44.94	-25	19.94	Pass	401
3000	7000	1	RMS	6922	-57.07	-25	32.07	Pass	4001
7000	26500	1	RMS	24134	-45.08	-25	20.08	Pass	19503




6.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.82	-25	42.82	Pass	401
0.15	30	0.01	RMS	20.49	-63.32	-25	38.32	Pass	2986
30	1000	0.1	RMS	778.3	-54.47	-25	29.47	Pass	9701
1000	2530	1	RMS	2530	-43.7	-25	18.7	Pass	1531
2530	2660	1	RMS	2612.875	5.5	60	54.5	Pass	401
2660	3000	1	RMS	2660	-40.37	-25	15.37	Pass	401
3000	7000	1	RMS	6975	-56.34	-25	31.34	Pass	4001
7000	26500	1	RMS	24173	-44.59	-25	19.59	Pass	19503




6.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-66.37	-25	41.37	Pass	401
0.15	30	0.01	RMS	24.86	-64.77	-25	39.77	Pass	2986
30	1000	0.1	RMS	525.2	-54.44	-25	29.44	Pass	9701
1000	2530	1	RMS	2496	-45.5	-25	20.5	Pass	1531
2530	2660	1	RMS	2581.025	20.18	60	39.82	Pass	401
2660	3000	1	RMS	2977.9	-44.92	-25	19.92	Pass	401
3000	7000	1	RMS	6965	-56.66	-25	31.66	Pass	4001
7000	26500	1	RMS	25825	-44.82	-25	19.82	Pass	19503



6.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:520000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.038	-69.68	-25	44.68	Pass	401
0.15	30	0.01	RMS	17.08	-64.38	-25	39.38	Pass	2986
30	1000	0.1	RMS	719.6	-53.49	-25	28.49	Pass	9701
1000	2530	1	RMS	2524	-45.08	-25	20.08	Pass	1531
2530	2660	1	RMS	2618.725	20.42	60	39.58	Pass	401
2660	3000	1	RMS	2985.55	-44.94	-25	19.94	Pass	401
3000	7000	1	RMS	6952	-56.93	-25	31.93	Pass	4001
7000	26500	1	RMS	25412	-45.02	-25	20.02	Pass	19503



1. n41


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.57	-25	46.57	Pass	401
0.15	30	0.01	RMS	0.19	-69.41	-25	44.41	Pass	2986
30	1000	0.1	RMS	894.33	-63.47	-25	38.47	Pass	9701
1000	2476	1	RMS	2476	-35.88	-25	10.88	Pass	1477
2476	2710	1	RMS	2513.44	14.08	60	45.92	Pass	401
2710	3000	1	RMS	2868.775	-48.74	-25	23.74	Pass	401
3000	7000	1	RMS	6926	-61.86	-25	36.86	Pass	4001
7000	26500	1	RMS	25203	-46.73	-25	21.73	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.82	-25	47.82	Pass	401
0.15	30	0.01	RMS	0.22	-68.67	-25	43.67	Pass	2986
30	1000	0.1	RMS	887.626	-63.31	-25	38.31	Pass	9701
1000	2476	1	RMS	2475	-50.63	-25	25.63	Pass	1477
2476	2710	1	RMS	2496.475	24.64	60	35.36	Pass	401
2710	3000	1	RMS	2870.95	-48.75	-25	23.75	Pass	401
3000	7000	1	RMS	6930	-61.87	-25	36.87	Pass	4001
7000	26500	1	RMS	25199	-46.76	-25	21.76	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:501204, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.71	-25	46.71	Pass	401
0.15	30	0.01	RMS	0.16	-68.44	-25	43.44	Pass	2986
30	1000	0.1	RMS	554.3	-62.95	-25	37.95	Pass	9701
1000	2476	1	RMS	2475	-50.64	-25	25.64	Pass	1477
2476	2710	1	RMS	2514.61	25.76	60	34.24	Pass	401
2710	3000	1	RMS	2869.5	-48.73	-25	23.73	Pass	401
3000	7000	1	RMS	6931	-61.79	-25	36.79	Pass	4001
7000	26500	1	RMS	25200	-46.8	-25	21.8	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.62	-25	46.62	Pass	401
0.15	30	0.01	RMS	0.19	-69.99	-25	44.99	Pass	2986
30	1000	0.1	RMS	903.636	-63.39	-25	38.39	Pass	9701
1000	2476	1	RMS	2476	-50.7	-25	25.7	Pass	1477
2476	2710	1	RMS	2600.02	13.19	60	46.81	Pass	401
2710	3000	1	RMS	2870.225	-48.7	-25	23.7	Pass	401
3000	7000	1	RMS	6923	-61.86	-25	36.86	Pass	4001
7000	26500	1	RMS	25196	-46.71	-25	21.71	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.39	-25	47.39	Pass	401
0.15	30	0.01	RMS	0.17	-69.43	-25	44.43	Pass	2986
30	1000	0.1	RMS	910.14	-63.39	-25	38.39	Pass	9701
1000	2476	1	RMS	2450	-50.69	-25	25.69	Pass	1477
2476	2710	1	RMS	2583.64	24.93	60	35.07	Pass	401
2710	3000	1	RMS	2869.5	-48.7	-25	23.7	Pass	401
3000	7000	1	RMS	6938	-61.76	-25	36.76	Pass	4001
7000	26500	1	RMS	25201	-46.72	-25	21.72	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.5	-25	46.5	Pass	401
0.15	30	0.01	RMS	0.16	-69.68	-25	44.68	Pass	2986
30	1000	0.1	RMS	900.034	-63.37	-25	38.37	Pass	9701
1000	2476	1	RMS	2476	-50.66	-25	25.66	Pass	1477
2476	2710	1	RMS	2601.775	25.43	60	34.57	Pass	401
2710	3000	1	RMS	2868.05	-48.71	-25	23.71	Pass	401
3000	7000	1	RMS	6933	-61.86	-25	36.86	Pass	4001
7000	26500	1	RMS	25195	-46.73	-25	21.73	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.57	-25	47.57	Pass	401
0.15	30	0.01	RMS	0.15	-69.69	-25	44.69	Pass	2986
30	1000	0.1	RMS	893.129	-63.26	-25	38.26	Pass	9701
1000	2476	1	RMS	2452	-50.65	-25	25.65	Pass	1477
2476	2710	1	RMS	2672.56	13.1	60	46.9	Pass	401
2710	3000	1	RMS	2710	-31.34	-25	6.34	Pass	401
3000	7000	1	RMS	6921	-61.87	-25	36.87	Pass	4001
7000	26500	1	RMS	25201	-46.82	-25	21.82	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.95	-25	47.95	Pass	401
0.15	30	0.01	RMS	0.17	-68.5	-25	43.5	Pass	2986
30	1000	0.1	RMS	710.3	-62.54	-25	37.54	Pass	9701
1000	2476	1	RMS	2476	-50.68	-25	25.68	Pass	1477
2476	2710	1	RMS	2670.805	25.11	60	34.89	Pass	401
2710	3000	1	RMS	2865.875	-48.71	-25	23.71	Pass	401
3000	7000	1	RMS	6886	-61.82	-25	36.82	Pass	4001
7000	26500	1	RMS	25202	-46.83	-25	21.83	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:535998, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.49	-25	46.49	Pass	401
0.15	30	0.01	RMS	0.24	-66.63	-25	41.63	Pass	2986
30	1000	0.1	RMS	728.3	-60.9	-25	35.9	Pass	9701
1000	2476	1	RMS	2456	-50.78	-25	25.78	Pass	1477
2476	2710	1	RMS	2688.94	24.52	60	35.48	Pass	401
2710	3000	1	RMS	2865.15	-48.66	-25	23.66	Pass	401
3000	7000	1	RMS	6936	-61.84	-25	36.84	Pass	4001
7000	26500	1	RMS	25202	-46.78	-25	21.78	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.02	-25	47.02	Pass	401
0.15	30	0.01	RMS	0.19	-68.97	-25	43.97	Pass	2986
30	1000	0.1	RMS	890.527	-63.45	-25	38.45	Pass	9701
1000	2446	1	RMS	2446	-50.57	-25	25.57	Pass	1447
2446	2740	1	RMS	2543.02	9.75	60	50.25	Pass	401
2740	3000	1	RMS	2868.05	-48.69	-25	23.69	Pass	401
3000	7000	1	RMS	6936	-61.86	-25	36.86	Pass	4001
7000	26500	1	RMS	25204	-46.78	-25	21.78	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.22	-25	47.22	Pass	401
0.15	30	0.01	RMS	0.22	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	896.131	-63.34	-25	38.34	Pass	9701
1000	2446	1	RMS	2445	-50.82	-25	25.82	Pass	1447
2446	2740	1	RMS	2496.715	24.49	60	35.51	Pass	401
2740	3000	1	RMS	2868.7	-48.67	-25	23.67	Pass	401
3000	7000	1	RMS	6934	-61.79	-25	36.79	Pass	4001
7000	26500	1	RMS	25196	-46.79	-25	21.79	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:505200, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.83	-25	47.83	Pass	401
0.15	30	0.01	RMS	0.18	-68.36	-25	43.36	Pass	2986
30	1000	0.1	RMS	584.1	-61.56	-25	36.56	Pass	9701
1000	2446	1	RMS	2440	-50.86	-25	25.86	Pass	1447
2446	2740	1	RMS	2544.49	25.24	60	34.76	Pass	401
2740	3000	1	RMS	2874.55	-48.69	-25	23.69	Pass	401
3000	7000	1	RMS	6930	-61.8	-25	36.8	Pass	4001
7000	26500	1	RMS	25194	-46.85	-25	21.85	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.05	-25	47.05	Pass	401
0.15	30	0.01	RMS	0.18	-69.17	-25	44.17	Pass	2986
30	1000	0.1	RMS	890.427	-63.32	-25	38.32	Pass	9701
1000	2446	1	RMS	2445	-50.79	-25	25.79	Pass	1447
2446	2740	1	RMS	2612.11	9.76	60	50.24	Pass	401
2740	3000	1	RMS	2868.05	-48.68	-25	23.68	Pass	401
3000	7000	1	RMS	6932	-61.79	-25	36.79	Pass	4001
7000	26500	1	RMS	25202	-46.75	-25	21.75	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.54	-25	47.54	Pass	401
0.15	30	0.01	RMS	0.22	-69.15	-25	44.15	Pass	2986
30	1000	0.1	RMS	608.5	-63.17	-25	38.17	Pass	9701
1000	2446	1	RMS	2444	-50.87	-25	25.87	Pass	1447
2446	2740	1	RMS	2568.745	24.64	60	35.36	Pass	401
2740	3000	1	RMS	2868.05	-48.64	-25	23.64	Pass	401
3000	7000	1	RMS	6922	-61.81	-25	36.81	Pass	4001
7000	26500	1	RMS	25200	-46.79	-25	21.79	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.9	-25	46.9	Pass	401
0.15	30	0.01	RMS	0.24	-69.3	-25	44.3	Pass	2986
30	1000	0.1	RMS	879.92	-63.27	-25	38.27	Pass	9701
1000	2446	1	RMS	2440	-50.82	-25	25.82	Pass	1447
2446	2740	1	RMS	2616.52	25.36	60	34.64	Pass	401
2740	3000	1	RMS	2864.8	-48.68	-25	23.68	Pass	401
3000	7000	1	RMS	6935	-61.79	-25	36.79	Pass	4001
7000	26500	1	RMS	25194	-46.77	-25	21.77	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-25	47.12	Pass	401
0.15	30	0.01	RMS	0.28	-69.16	-25	44.16	Pass	2986
30	1000	0.1	RMS	885.024	-63.33	-25	38.33	Pass	9701
1000	2446	1	RMS	2445	-50.7	-25	25.7	Pass	1447
2446	2740	1	RMS	2642.245	10.37	60	49.63	Pass	401
2740	3000	1	RMS	2740	-35.4	-25	10.4	Pass	401
3000	7000	1	RMS	6931	-61.75	-25	36.75	Pass	4001
7000	26500	1	RMS	25199	-46.68	-25	21.68	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.15	-68.66	-25	43.66	Pass	2986
30	1000	0.1	RMS	898.132	-63.42	-25	38.42	Pass	9701
1000	2446	1	RMS	2444	-50.88	-25	25.88	Pass	1447
2446	2740	1	RMS	2640.775	25.36	60	34.64	Pass	401
2740	3000	1	RMS	2868.7	-48.72	-25	23.72	Pass	401
3000	7000	1	RMS	6927	-61.81	-25	36.81	Pass	4001
7000	26500	1	RMS	25201	-46.75	-25	21.75	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:531996, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.94	-25	46.94	Pass	401
0.15	30	0.01	RMS	0.17	-68.73	-25	43.73	Pass	2986
30	1000	0.1	RMS	728	-61.35	-25	36.35	Pass	9701
1000	2446	1	RMS	2445	-50.82	-25	25.82	Pass	1447
2446	2740	1	RMS	2688.55	24.52	60	35.48	Pass	401
2740	3000	1	RMS	2866.75	-48.64	-25	23.64	Pass	401
3000	7000	1	RMS	6930	-61.76	-25	36.76	Pass	4001
7000	26500	1	RMS	25204	-46.67	-25	21.67	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.16	-70.51	-25	45.51	Pass	2986
30	1000	0.1	RMS	889.026	-63.27	-25	38.27	Pass	9701
1000	2396	1	RMS	2307	-49.22	-25	24.22	Pass	1397
2396	2790	1	RMS	2593	6.26	60	53.74	Pass	401
2790	3000	1	RMS	2867.175	-48.57	-25	23.57	Pass	401
3000	7000	1	RMS	6923	-61.68	-25	36.68	Pass	4001
7000	26500	1	RMS	25201	-46.71	-25	21.71	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.6	-25	47.6	Pass	401
0.15	30	0.01	RMS	0.17	-69.7	-25	44.7	Pass	2986
30	1000	0.1	RMS	901.435	-63.27	-25	38.27	Pass	9701
1000	2396	1	RMS	2395	-50.93	-25	25.93	Pass	1397
2396	2790	1	RMS	2496.47	23.64	60	36.36	Pass	401
2790	3000	1	RMS	2869.8	-48.6	-25	23.6	Pass	401
3000	7000	1	RMS	6926	-61.69	-25	36.69	Pass	4001
7000	26500	1	RMS	25201	-46.71	-25	21.71	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509202, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-25	47.43	Pass	401
0.15	30	0.01	RMS	0.16	-69.23	-25	44.23	Pass	2986
30	1000	0.1	RMS	895.931	-63.22	-25	38.22	Pass	9701
1000	2396	1	RMS	2396	-50.86	-25	25.86	Pass	1397
2396	2790	1	RMS	2593.985	23.18	60	36.82	Pass	401
2790	3000	1	RMS	2869.275	-48.57	-25	23.57	Pass	401
3000	7000	1	RMS	6919	-61.72	-25	36.72	Pass	4001
7000	26500	1	RMS	25195	-46.63	-25	21.63	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.33	-25	47.33	Pass	401
0.15	30	0.01	RMS	0.16	-70.17	-25	45.17	Pass	2986
30	1000	0.1	RMS	872.616	-63.33	-25	38.33	Pass	9701
1000	2396	1	RMS	2309	-49.98	-25	24.98	Pass	1397
2396	2790	1	RMS	2623.535	6.09	60	53.91	Pass	401
2790	3000	1	RMS	2867.7	-48.53	-25	23.53	Pass	401
3000	7000	1	RMS	6928	-61.65	-25	36.65	Pass	4001
7000	26500	1	RMS	25207	-46.65	-25	21.65	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.44	-25	46.44	Pass	401
0.15	30	0.01	RMS	0.15	-69.27	-25	44.27	Pass	2986
30	1000	0.1	RMS	583.3	-62.52	-25	37.52	Pass	9701
1000	2396	1	RMS	2393	-50.91	-25	25.91	Pass	1397
2396	2790	1	RMS	2543.75	23.42	60	36.58	Pass	401
2790	3000	1	RMS	2868.225	-48.62	-25	23.62	Pass	401
3000	7000	1	RMS	6932	-61.78	-25	36.78	Pass	4001
7000	26500	1	RMS	25197	-46.66	-25	21.66	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:518598, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.27	-25	47.27	Pass	401
0.15	30	0.01	RMS	0.15	-68.48	-25	43.48	Pass	2986
30	1000	0.1	RMS	907.038	-63.48	-25	38.48	Pass	9701
1000	2396	1	RMS	2395	-50.98	-25	25.98	Pass	1397
2396	2790	1	RMS	2641.265	24.55	60	35.45	Pass	401
2790	3000	1	RMS	2868.75	-48.69	-25	23.69	Pass	401
3000	7000	1	RMS	6933	-61.83	-25	36.83	Pass	4001
7000	26500	1	RMS	25200	-46.75	-25	21.75	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.87	-25	45.87	Pass	401
0.15	30	0.01	RMS	0.18	-69.75	-25	44.75	Pass	2986
30	1000	0.1	RMS	881.822	-63.44	-25	38.44	Pass	9701
1000	2396	1	RMS	2309	-50.19	-25	25.19	Pass	1397
2396	2790	1	RMS	2596.94	6.91	60	53.09	Pass	401
2790	3000	1	RMS	2868.225	-48.48	-25	23.48	Pass	401
3000	7000	1	RMS	6924	-61.78	-25	36.78	Pass	4001
7000	26500	1	RMS	25197	-46.83	-25	21.83	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.22	-25	46.22	Pass	401
0.15	30	0.01	RMS	0.16	-69.45	-25	44.45	Pass	2986
30	1000	0.1	RMS	887.626	-63.45	-25	38.45	Pass	9701
1000	2396	1	RMS	2392	-51.04	-25	26.04	Pass	1397
2396	2790	1	RMS	2590.045	22.42	60	37.58	Pass	401
2790	3000	1	RMS	2871.375	-48.69	-25	23.69	Pass	401
3000	7000	1	RMS	6931	-61.8	-25	36.8	Pass	4001
7000	26500	1	RMS	25206	-46.82	-25	21.82	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:528000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.56	-25	46.56	Pass	401
0.15	30	0.01	RMS	0.15	-68.77	-25	43.77	Pass	2986
30	1000	0.1	RMS	728.2	-62.02	-25	37.02	Pass	9701
1000	2396	1	RMS	2391	-51.03	-25	26.03	Pass	1397
2396	2790	1	RMS	2688.545	24.02	60	35.98	Pass	401
2790	3000	1	RMS	2870.85	-48.69	-25	23.69	Pass	401
3000	7000	1	RMS	6933	-61.79	-25	36.79	Pass	4001
7000	26500	1	RMS	25207	-46.79	-25	21.79	Pass	19503



8. n66


8.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	8.4	-68.43	-13	55.43	Pass	2986
30	1000	0.1	RMS	877.319	-58.59	-13	45.59	Pass	9701
1000	1700	1	RMS	1700	-45.93	-13	32.93	Pass	701
1700	1790	1	RMS	1713.725	14.98	60	45.02	Pass	401
1790	3000	1	RMS	2971	-45	-13	32	Pass	1211
3000	7000	1	RMS	6976	-58.37	-13	45.37	Pass	4001
7000	20000	1	RMS	17496	-48.4	-13	35.4	Pass	13002




8.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.03	-13	57.03	Pass	401
0.15	30	0.01	RMS	17.92	-68.14	-13	55.14	Pass	2986
30	1000	0.1	RMS	494.6	-58.63	-13	45.63	Pass	9701
1000	1700	1	RMS	1670	-48.51	-13	35.51	Pass	701
1700	1790	1	RMS	1710.125	20.98	60	39.02	Pass	401
1790	3000	1	RMS	2970	-45.18	-13	32.18	Pass	1211
3000	7000	1	RMS	6976	-58.44	-13	45.44	Pass	4001
7000	20000	1	RMS	17500	-48.26	-13	35.26	Pass	13002




8.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:342500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	27.82	-68.69	-13	55.69	Pass	2986
30	1000	0.1	RMS	915.744	-58.46	-13	45.46	Pass	9701
1000	1700	1	RMS	1694	-48.39	-13	35.39	Pass	701
1700	1790	1	RMS	1714.625	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2980	-45.25	-13	32.25	Pass	1211
3000	7000	1	RMS	6981	-58.19	-13	45.19	Pass	4001
7000	20000	1	RMS	17499	-48.6	-13	35.6	Pass	13002




8.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.84	-13	57.84	Pass	401
0.15	30	0.01	RMS	4.36	-68.62	-13	55.62	Pass	2986
30	1000	0.1	RMS	478.7	-58.4	-13	45.4	Pass	9701
1000	1700	1	RMS	1660	-48.42	-13	35.42	Pass	701
1700	1790	1	RMS	1746.125	15.02	60	44.98	Pass	401
1790	3000	1	RMS	2979	-45.2	-13	32.2	Pass	1211
3000	7000	1	RMS	6978	-58.36	-13	45.36	Pass	4001
7000	20000	1	RMS	17503	-48.58	-13	35.58	Pass	13002




8.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-70.63	-13	57.63	Pass	401
0.15	30	0.01	RMS	0.15	-68.14	-13	55.14	Pass	2986
30	1000	0.1	RMS	892.329	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1674	-48.34	-13	35.34	Pass	701
1700	1790	1	RMS	1742.75	21.18	60	38.82	Pass	401
1790	3000	1	RMS	2976	-45.05	-13	32.05	Pass	1211
3000	7000	1	RMS	6977	-58.15	-13	45.15	Pass	4001
7000	20000	1	RMS	17501	-48.36	-13	35.36	Pass	13002




8.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.126	-70.97	-13	57.97	Pass	401
0.15	30	0.01	RMS	19.21	-68.5	-13	55.5	Pass	2986
30	1000	0.1	RMS	926.751	-58.56	-13	45.56	Pass	9701
1000	1700	1	RMS	1679	-48.38	-13	35.38	Pass	701
1700	1790	1	RMS	1747.025	21.27	60	38.73	Pass	401
1790	3000	1	RMS	2970	-45.34	-13	32.34	Pass	1211
3000	7000	1	RMS	6979	-58.29	-13	45.29	Pass	4001
7000	20000	1	RMS	17501	-48.53	-13	35.53	Pass	13002




8.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.25	-13	56.25	Pass	401
0.15	30	0.01	RMS	15.8	-68.08	-13	55.08	Pass	2986
30	1000	0.1	RMS	994.296	-58.42	-13	45.42	Pass	9701
1000	1700	1	RMS	1697	-48.38	-13	35.38	Pass	701
1700	1790	1	RMS	1776.05	15.08	60	44.92	Pass	401
1790	3000	1	RMS	1790	-44.8	-13	31.8	Pass	1211
3000	7000	1	RMS	6980	-58.04	-13	45.04	Pass	4001
7000	20000	1	RMS	17498	-48.75	-13	35.75	Pass	13002




8.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.046	-70.7	-13	57.7	Pass	401
0.15	30	0.01	RMS	2.07	-67.94	-13	54.94	Pass	2986
30	1000	0.1	RMS	899.033	-58.46	-13	45.46	Pass	9701
1000	1700	1	RMS	1660	-48.42	-13	35.42	Pass	701
1700	1790	1	RMS	1775.15	21.31	60	38.69	Pass	401
1790	3000	1	RMS	2970	-45.19	-13	32.19	Pass	1211
3000	7000	1	RMS	6975	-58.42	-13	45.42	Pass	4001
7000	20000	1	RMS	17501	-48.55	-13	35.55	Pass	13002




8.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:355500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.048	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	0.32	-67.91	-13	54.91	Pass	2986
30	1000	0.1	RMS	887.225	-58.66	-13	45.66	Pass	9701
1000	1700	1	RMS	1645	-48.36	-13	35.36	Pass	701
1700	1790	1	RMS	1779.65	21.16	60	38.84	Pass	401
1790	3000	1	RMS	2968	-45.07	-13	32.07	Pass	1211
3000	7000	1	RMS	6977	-58.1	-13	45.1	Pass	4001
7000	20000	1	RMS	17503	-48.39	-13	35.39	Pass	13002




8.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.106	-71.73	-13	58.73	Pass	401
0.15	30	0.01	RMS	0.22	-67.86	-13	54.86	Pass	2986
30	1000	0.1	RMS	891.228	-58.46	-13	45.46	Pass	9701
1000	1700	1	RMS	1700	-35.24	-13	22.24	Pass	701
1700	1790	1	RMS	1711.475	10.33	60	49.67	Pass	401
1790	3000	1	RMS	2971	-45.2	-13	32.2	Pass	1211
3000	7000	1	RMS	6980	-58.41	-13	45.41	Pass	4001
7000	20000	1	RMS	17500	-48.52	-13	35.52	Pass	13002




8.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.38	-13	57.38	Pass	401
0.15	30	0.01	RMS	10.26	-68.67	-13	55.67	Pass	2986
30	1000	0.1	RMS	988.793	-58.57	-13	45.57	Pass	9701
1000	1700	1	RMS	1700	-48.28	-13	35.28	Pass	701
1700	1790	1	RMS	1710.35	21.11	60	38.89	Pass	401
1790	3000	1	RMS	2975	-45.52	-13	32.52	Pass	1211
3000	7000	1	RMS	6978	-58.23	-13	45.23	Pass	4001
7000	20000	1	RMS	17502	-48.46	-13	35.46	Pass	13002




8.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:343500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.07	-13	58.07	Pass	401
0.15	30	0.01	RMS	0.59	-68.56	-13	55.56	Pass	2986
30	1000	0.1	RMS	904.737	-58.43	-13	45.43	Pass	9701
1000	1700	1	RMS	1669	-48.49	-13	35.49	Pass	701
1700	1790	1	RMS	1724.3	20.98	60	39.02	Pass	401
1790	3000	1	RMS	2969	-45.13	-13	32.13	Pass	1211
3000	7000	1	RMS	6978	-58.43	-13	45.43	Pass	4001
7000	20000	1	RMS	17498	-48.45	-13	35.45	Pass	13002




8.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	25.52	-67.98	-13	54.98	Pass	2986
30	1000	0.1	RMS	905.037	-58.57	-13	45.57	Pass	9701
1000	1700	1	RMS	1700	-48.15	-13	35.15	Pass	701
1700	1790	1	RMS	1750.625	10.75	60	49.25	Pass	401
1790	3000	1	RMS	2972	-45.36	-13	32.36	Pass	1211
3000	7000	1	RMS	6975	-58.17	-13	45.17	Pass	4001
7000	20000	1	RMS	19798	-48.6	-13	35.6	Pass	13002




8.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	22.9	-68.44	-13	55.44	Pass	2986
30	1000	0.1	RMS	902.736	-58.63	-13	45.63	Pass	9701
1000	1700	1	RMS	1671	-48.53	-13	35.53	Pass	701
1700	1790	1	RMS	1737.8	21.5	60	38.5	Pass	401
1790	3000	1	RMS	2971	-45.14	-13	32.14	Pass	1211
3000	7000	1	RMS	6969	-58.37	-13	45.37	Pass	4001
7000	20000	1	RMS	17502	-48.65	-13	35.65	Pass	13002




8.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.6	-13	57.6	Pass	401
0.15	30	0.01	RMS	23.96	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	493.7	-58.56	-13	45.56	Pass	9701
1000	1700	1	RMS	1652	-48.46	-13	35.46	Pass	701
1700	1790	1	RMS	1751.975	21.37	60	38.63	Pass	401
1790	3000	1	RMS	2969	-45.11	-13	32.11	Pass	1211
3000	7000	1	RMS	3504	-58.11	-13	45.11	Pass	4001
7000	20000	1	RMS	17493	-48.45	-13	35.45	Pass	13002




8.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-70.14	-13	57.14	Pass	401
0.15	30	0.01	RMS	1.27	-68.54	-13	55.54	Pass	2986
30	1000	0.1	RMS	911.641	-58.5	-13	45.5	Pass	9701
1000	1700	1	RMS	1699	-48.51	-13	35.51	Pass	701
1700	1790	1	RMS	1766.6	10.5	60	49.5	Pass	401
1790	3000	1	RMS	1790	-30.83	-13	17.83	Pass	1211
3000	7000	1	RMS	6981	-58.49	-13	45.49	Pass	4001
7000	20000	1	RMS	17501	-48.3	-13	35.3	Pass	13002




8.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	28.99	-68.02	-13	55.02	Pass	2986
30	1000	0.1	RMS	893.63	-58.66	-13	45.66	Pass	9701
1000	1700	1	RMS	1693	-48.27	-13	35.27	Pass	701
1700	1790	1	RMS	1765.25	21.34	60	38.66	Pass	401
1790	3000	1	RMS	2964	-45.34	-13	32.34	Pass	1211
3000	7000	1	RMS	6973	-58.3	-13	45.3	Pass	4001
7000	20000	1	RMS	17500	-48.13	-13	35.13	Pass	13002




8.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.47	-13	57.47	Pass	401
0.15	30	0.01	RMS	18.51	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	893.83	-58.56	-13	45.56	Pass	9701
1000	1700	1	RMS	1690	-48.46	-13	35.46	Pass	701
1700	1790	1	RMS	1779.425	21.52	60	38.48	Pass	401
1790	3000	1	RMS	2969	-45.51	-13	32.51	Pass	1211
3000	7000	1	RMS	3559	-58.1	-13	45.1	Pass	4001
7000	20000	1	RMS	17502	-48.62	-13	35.62	Pass	13002




8.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-71.01	-13	58.01	Pass	401
0.15	30	0.01	RMS	0.15	-68.49	-13	55.49	Pass	2986
30	1000	0.1	RMS	916.645	-58.57	-13	45.57	Pass	9701
1000	1700	1	RMS	1700	-34.79	-13	21.79	Pass	701
1700	1790	1	RMS	1713.05	9.32	60	50.68	Pass	401
1790	3000	1	RMS	2971	-45.07	-13	32.07	Pass	1211
3000	7000	1	RMS	6979	-58.39	-13	45.39	Pass	4001
7000	20000	1	RMS	17499	-48.28	-13	35.28	Pass	13002




8.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.81	-13	56.81	Pass	401
0.15	30	0.01	RMS	1.52	-68.55	-13	55.55	Pass	2986
30	1000	0.1	RMS	868.413	-58.52	-13	45.52	Pass	9701
1000	1700	1	RMS	1700	-48.44	-13	35.44	Pass	701
1700	1790	1	RMS	1710.35	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2971	-45.13	-13	32.13	Pass	1211
3000	7000	1	RMS	6973	-58.25	-13	45.25	Pass	4001
7000	20000	1	RMS	17503	-48.39	-13	35.39	Pass	13002




8.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:344000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-71.68	-13	58.68	Pass	401
0.15	30	0.01	RMS	27.85	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	494.8	-58.61	-13	45.61	Pass	9701
1000	1700	1	RMS	1664	-48.51	-13	35.51	Pass	701
1700	1790	1	RMS	1729.25	21.08	60	38.92	Pass	401
1790	3000	1	RMS	2974	-45.23	-13	32.23	Pass	1211
3000	7000	1	RMS	6979	-58.42	-13	45.42	Pass	4001
7000	20000	1	RMS	17500	-48.65	-13	35.65	Pass	13002




8.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.68	-13	57.68	Pass	401
0.15	30	0.01	RMS	0.96	-68.31	-13	55.31	Pass	2986
30	1000	0.1	RMS	905.938	-58.64	-13	45.64	Pass	9701
1000	1700	1	RMS	1700	-47.26	-13	34.26	Pass	701
1700	1790	1	RMS	1751.975	9.25	60	50.75	Pass	401
1790	3000	1	RMS	2972	-45.21	-13	32.21	Pass	1211
3000	7000	1	RMS	6980	-58.56	-13	45.56	Pass	4001
7000	20000	1	RMS	17502	-48.66	-13	35.66	Pass	13002




8.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.59	-13	57.59	Pass	401
0.15	30	0.01	RMS	18.43	-68.76	-13	55.76	Pass	2986
30	1000	0.1	RMS	894.73	-58.62	-13	45.62	Pass	9701
1000	1700	1	RMS	1692	-48.53	-13	35.53	Pass	701
1700	1790	1	RMS	1735.325	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2935	-45.57	-13	32.57	Pass	1211
3000	7000	1	RMS	6986	-58.37	-13	45.37	Pass	4001
7000	20000	1	RMS	17501	-48.51	-13	35.51	Pass	13002




8.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:349000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.41	-13	56.41	Pass	401
0.15	30	0.01	RMS	0.22	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	872.315	-58.64	-13	45.64	Pass	9701
1000	1700	1	RMS	1696	-48.43	-13	35.43	Pass	701
1700	1790	1	RMS	1754.225	21.32	60	38.68	Pass	401
1790	3000	1	RMS	2981	-45.26	-13	32.26	Pass	1211
3000	7000	1	RMS	6976	-58.17	-13	45.17	Pass	4001
7000	20000	1	RMS	17498	-48.62	-13	35.62	Pass	13002




8.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.66	-13	56.66	Pass	401
0.15	30	0.01	RMS	19.96	-68.84	-13	55.84	Pass	2986
30	1000	0.1	RMS	905.537	-58.66	-13	45.66	Pass	9701
1000	1700	1	RMS	1662	-48.52	-13	35.52	Pass	701
1700	1790	1	RMS	1761.425	9.04	60	50.96	Pass	401
1790	3000	1	RMS	1790	-30.2	-13	17.2	Pass	1211
3000	7000	1	RMS	6974	-58.17	-13	45.17	Pass	4001
7000	20000	1	RMS	17500	-48.59	-13	35.59	Pass	13002




8.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-70.8	-13	57.8	Pass	401
0.15	30	0.01	RMS	20.24	-68.72	-13	55.72	Pass	2986
30	1000	0.1	RMS	898.233	-58.76	-13	45.76	Pass	9701
1000	1700	1	RMS	1693	-48.53	-13	35.53	Pass	701
1700	1790	1	RMS	1760.525	21.28	60	38.72	Pass	401
1790	3000	1	RMS	2965	-45.3	-13	32.3	Pass	1211
3000	7000	1	RMS	6979	-58.35	-13	45.35	Pass	4001
7000	20000	1	RMS	17499	-48.34	-13	35.34	Pass	13002



8.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:354000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.92	-13	56.92	Pass	401
0.15	30	0.01	RMS	0.57	-68.35	-13	55.35	Pass	2986
30	1000	0.1	RMS	910.14	-58.72	-13	45.72	Pass	9701
1000	1700	1	RMS	1697	-48.54	-13	35.54	Pass	701
1700	1790	1	RMS	1779.425	21.45	60	38.55	Pass	401
1790	3000	1	RMS	2969	-45.43	-13	32.43	Pass	1211
3000	7000	1	RMS	3559	-58.1	-13	45.1	Pass	4001
7000	20000	1	RMS	17500	-48.29	-13	35.29	Pass	13002



1. n71 15kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.81	-13	55.81	Pass	401
0.15	30	0.01	RMS	0.51	-68.54	-13	55.54	Pass	2986
30	653	0.1	RMS	500.7	-58.94	-13	45.94	Pass	6231
653	708	0.1	RMS	665.2	4.61	60	55.39	Pass	551
708	1000	0.1	RMS	749.2	-58.16	-13	45.16	Pass	2921
1000	3000	1	RMS	2970	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	7095	-57.31	-13	44.31	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.22	-13	56.22	Pass	401
0.15	30	0.01	RMS	22.63	-68.5	-13	55.5	Pass	2986
30	653	0.1	RMS	538.2	-59.53	-13	46.53	Pass	6231
653	708	0.1	RMS	663.3	17.6	60	42.4	Pass	551
708	1000	0.1	RMS	909.4	-58.78	-13	45.78	Pass	2921
1000	3000	1	RMS	2963	-45.9	-13	32.9	Pass	2001
3000	10000	1	RMS	7102	-56.93	-13	43.93	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:133100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.66	-13	56.66	Pass	401
0.15	30	0.01	RMS	0.15	-69.03	-13	56.03	Pass	2986
30	653	0.1	RMS	627.5	-59.34	-13	46.34	Pass	6231
653	708	0.1	RMS	667.7	17.25	60	42.75	Pass	551
708	1000	0.1	RMS	895.1	-58.82	-13	45.82	Pass	2921
1000	3000	1	RMS	2971	-45.71	-13	32.71	Pass	2001
3000	10000	1	RMS	9978	-57.38	-13	44.38	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.14	-13	54.14	Pass	401
0.15	30	0.01	RMS	20.45	-69	-13	56	Pass	2986
30	653	0.1	RMS	379.4	-59.32	-13	46.32	Pass	6231
653	708	0.1	RMS	678.7	4.77	60	55.23	Pass	551
708	1000	0.1	RMS	907.7	-58.56	-13	45.56	Pass	2921
1000	3000	1	RMS	2968	-45.94	-13	32.94	Pass	2001
3000	10000	1	RMS	7110	-57.03	-13	44.03	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.79	-13	56.79	Pass	401
0.15	30	0.01	RMS	0.4	-68.56	-13	55.56	Pass	2986
30	653	0.1	RMS	471.7	-59.56	-13	46.56	Pass	6231
653	708	0.1	RMS	678.3	17.73	60	42.27	Pass	551
708	1000	0.1	RMS	994.9	-58.87	-13	45.87	Pass	2921
1000	3000	1	RMS	2968	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7103	-57.17	-13	44.17	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	6.05	-68.9	-13	55.9	Pass	2986
30	653	0.1	RMS	652.5	-59.7	-13	46.7	Pass	6231
653	708	0.1	RMS	682.7	17.23	60	42.77	Pass	551
708	1000	0.1	RMS	859.2	-58.7	-13	45.7	Pass	2921
1000	3000	1	RMS	2970	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7133	-57.36	-13	44.36	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.14	-13	56.14	Pass	401
0.15	30	0.01	RMS	0.31	-68.66	-13	55.66	Pass	2986
30	653	0.1	RMS	493.7	-59.05	-13	46.05	Pass	6231
653	708	0.1	RMS	694.2	4.82	60	55.18	Pass	551
708	1000	0.1	RMS	708	-55.31	-13	42.31	Pass	2921
1000	3000	1	RMS	2970	-45.69	-13	32.69	Pass	2001
3000	10000	1	RMS	7134	-57.26	-13	44.26	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.69	-13	54.69	Pass	401
0.15	30	0.01	RMS	4.51	-69.21	-13	56.21	Pass	2986
30	653	0.1	RMS	475.5	-59.74	-13	46.74	Pass	6231
653	708	0.1	RMS	693.3	17.73	60	42.27	Pass	551
708	1000	0.1	RMS	787.8	-58.8	-13	45.8	Pass	2921
1000	3000	1	RMS	2970	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	9985	-57.25	-13	44.25	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:139100, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.8	-13	54.8	Pass	401
0.15	30	0.01	RMS	0.16	-68.22	-13	55.22	Pass	2986
30	653	0.1	RMS	494.9	-59.8	-13	46.8	Pass	6231
653	708	0.1	RMS	697.7	17.37	60	42.63	Pass	551
708	1000	0.1	RMS	917.6	-58.66	-13	45.66	Pass	2921
1000	3000	1	RMS	2970	-46.02	-13	33.02	Pass	2001
3000	10000	1	RMS	7092	-57.26	-13	44.26	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	0.2	-68.3	-13	55.3	Pass	2986
30	653	0.1	RMS	474.4	-59.68	-13	46.68	Pass	6231
653	708	0.1	RMS	674.9	0.09	60	59.91	Pass	551
708	1000	0.1	RMS	709.5	-57.26	-13	44.26	Pass	2921
1000	3000	1	RMS	2966	-45.85	-13	32.85	Pass	2001
3000	10000	1	RMS	7115	-57.08	-13	44.08	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	8.13	-69.19	-13	56.19	Pass	2986
30	653	0.1	RMS	618.9	-59.51	-13	46.51	Pass	6231
653	708	0.1	RMS	663.5	17.73	60	42.27	Pass	551
708	1000	0.1	RMS	903.4	-58.7	-13	45.7	Pass	2921
1000	3000	1	RMS	2978	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	7101	-57.16	-13	44.16	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.84	-13	56.84	Pass	401
0.15	30	0.01	RMS	0.24	-68.14	-13	55.14	Pass	2986
30	653	0.1	RMS	460.4	-59.75	-13	46.75	Pass	6231
653	708	0.1	RMS	677.5	18.07	60	41.93	Pass	551
708	1000	0.1	RMS	913.9	-58.33	-13	45.33	Pass	2921
1000	3000	1	RMS	2970	-45.76	-13	32.76	Pass	2001
3000	10000	1	RMS	7156	-57.33	-13	44.33	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	0.32	-68.22	-13	55.22	Pass	2986
30	653	0.1	RMS	481.8	-59.58	-13	46.58	Pass	6231
653	708	0.1	RMS	677.9	-0.09	60	60.09	Pass	551
708	1000	0.1	RMS	708.2	-53.39	-13	40.39	Pass	2921
1000	3000	1	RMS	2970	-45.72	-13	32.72	Pass	2001
3000	10000	1	RMS	9998	-57.46	-13	44.46	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	0.71	-69.42	-13	56.42	Pass	2986
30	653	0.1	RMS	480.4	-59.76	-13	46.76	Pass	6231
653	708	0.1	RMS	673.5	17.93	60	42.07	Pass	551
708	1000	0.1	RMS	989.1	-58.65	-13	45.65	Pass	2921
1000	3000	1	RMS	2977	-45.91	-13	32.91	Pass	2001
3000	10000	1	RMS	7096	-57.31	-13	44.31	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.86	-13	55.86	Pass	401
0.15	30	0.01	RMS	3.69	-69.13	-13	56.13	Pass	2986
30	653	0.1	RMS	476.8	-59.53	-13	46.53	Pass	6231
653	708	0.1	RMS	687.5	18.13	60	41.87	Pass	551
708	1000	0.1	RMS	897	-58.77	-13	45.77	Pass	2921
1000	3000	1	RMS	2968	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	7118	-57.08	-13	44.08	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.23	-13	55.23	Pass	401
0.15	30	0.01	RMS	18.99	-69.06	-13	56.06	Pass	2986
30	653	0.1	RMS	490.2	-59.69	-13	46.69	Pass	6231
653	708	0.1	RMS	685.9	0.24	60	59.76	Pass	551
708	1000	0.1	RMS	708.3	-46.25	-13	33.25	Pass	2921
1000	3000	1	RMS	2971	-45.79	-13	32.79	Pass	2001
3000	10000	1	RMS	10000	-57.39	-13	44.39	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.61	-13	55.61	Pass	401
0.15	30	0.01	RMS	29.85	-69.06	-13	56.06	Pass	2986
30	653	0.1	RMS	487.9	-59.66	-13	46.66	Pass	6231
653	708	0.1	RMS	683.5	17.99	60	42.01	Pass	551
708	1000	0.1	RMS	888	-58.48	-13	45.48	Pass	2921
1000	3000	1	RMS	2967	-45.83	-13	32.83	Pass	2001
3000	10000	1	RMS	7126	-57.14	-13	44.14	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:138100, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	0.54	-68.06	-13	55.06	Pass	2986
30	653	0.1	RMS	493.8	-59.49	-13	46.49	Pass	6231
653	708	0.1	RMS	697.5	18.12	60	41.88	Pass	551
708	1000	0.1	RMS	997.4	-58.78	-13	45.78	Pass	2921
1000	3000	1	RMS	2978	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7085	-57.22	-13	44.22	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.64	-13	54.64	Pass	401
0.15	30	0.01	RMS	0.94	-68.7	-13	55.7	Pass	2986
30	653	0.1	RMS	480.7	-59.57	-13	46.57	Pass	6231
653	708	0.1	RMS	674.6	-1.12	60	61.12	Pass	551
708	1000	0.1	RMS	708.3	-53.36	-13	40.36	Pass	2921
1000	3000	1	RMS	2977	-45.68	-13	32.68	Pass	2001
3000	10000	1	RMS	7102	-57.34	-13	44.34	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.99	-13	55.99	Pass	401
0.15	30	0.01	RMS	0.46	-68.41	-13	55.41	Pass	2986
30	653	0.1	RMS	481.3	-59.6	-13	46.6	Pass	6231
653	708	0.1	RMS	663.5	17.64	60	42.36	Pass	551
708	1000	0.1	RMS	888.7	-58.83	-13	45.83	Pass	2921
1000	3000	1	RMS	2971	-45.7	-13	32.7	Pass	2001
3000	10000	1	RMS	9983	-57.3	-13	44.3	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:134600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.96	-13	56.96	Pass	401
0.15	30	0.01	RMS	0.27	-68.78	-13	55.78	Pass	2986
30	653	0.1	RMS	482.2	-59.71	-13	46.71	Pass	6231
653	708	0.1	RMS	682.4	17.64	60	42.36	Pass	551
708	1000	0.1	RMS	915	-58.73	-13	45.73	Pass	2921
1000	3000	1	RMS	2980	-45.81	-13	32.81	Pass	2001
3000	10000	1	RMS	7101	-57.13	-13	44.13	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.75	-13	54.75	Pass	401
0.15	30	0.01	RMS	0.18	-68.38	-13	55.38	Pass	2986
30	653	0.1	RMS	465.2	-59.68	-13	46.68	Pass	6231
653	708	0.1	RMS	677.1	-1.11	60	61.11	Pass	551
708	1000	0.1	RMS	708	-49.33	-13	36.33	Pass	2921
1000	3000	1	RMS	2986	-46	-13	33	Pass	2001
3000	10000	1	RMS	7101	-57.13	-13	44.13	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-70.08	-13	57.08	Pass	401
0.15	30	0.01	RMS	12.84	-68.93	-13	55.93	Pass	2986
30	653	0.1	RMS	484.7	-59.64	-13	46.64	Pass	6231
653	708	0.1	RMS	671	17.67	60	42.33	Pass	551
708	1000	0.1	RMS	902.3	-58.49	-13	45.49	Pass	2921
1000	3000	1	RMS	2983	-45.93	-13	32.93	Pass	2001
3000	10000	1	RMS	7150	-57.17	-13	44.17	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:136100, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.78	-13	56.78	Pass	401
0.15	30	0.01	RMS	0.24	-68.49	-13	55.49	Pass	2986
30	653	0.1	RMS	621.3	-59.78	-13	46.78	Pass	6231
653	708	0.1	RMS	689.9	17.7	60	42.3	Pass	551
708	1000	0.1	RMS	799.3	-58.88	-13	45.88	Pass	2921
1000	3000	1	RMS	2978	-45.75	-13	32.75	Pass	2001
3000	10000	1	RMS	7105	-57.47	-13	44.47	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.6	-13	56.6	Pass	401
0.15	30	0.01	RMS	1.21	-69.09	-13	56.09	Pass	2986
30	653	0.1	RMS	485.1	-59.63	-13	46.63	Pass	6231
653	708	0.1	RMS	689.5	-0.87	60	60.87	Pass	551
708	1000	0.1	RMS	709	-45.63	-13	32.63	Pass	2921
1000	3000	1	RMS	2984	-45.88	-13	32.88	Pass	2001
3000	10000	1	RMS	7107	-57.05	-13	44.05	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	20.13	-68.95	-13	55.95	Pass	2986
30	653	0.1	RMS	618.5	-59.52	-13	46.52	Pass	6231
653	708	0.1	RMS	678.5	17.65	60	42.35	Pass	551
708	1000	0.1	RMS	926.2	-58.77	-13	45.77	Pass	2921
1000	3000	1	RMS	2982	-45.78	-13	32.78	Pass	2001
3000	10000	1	RMS	7121	-57.15	-13	44.15	Pass	7001



1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:137600, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-70.46	-13	57.46	Pass	401
0.15	30	0.01	RMS	0.17	-68.84	-13	55.84	Pass	2986
30	653	0.1	RMS	499.8	-59.74	-13	46.74	Pass	6231
653	708	0.1	RMS	697.4	17.64	60	42.36	Pass	551
708	1000	0.1	RMS	918.5	-58.55	-13	45.55	Pass	2921
1000	3000	1	RMS	2971	-45.74	-13	32.74	Pass	2001
3000	10000	1	RMS	9994	-57.43	-13	44.43	Pass	7001



1. n77(3450-3550)


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.15	-13	55.15	Pass	401
0.15	30	0.01	RMS	21.5	-64.13	-13	51.13	Pass	2986
30	1000	0.1	RMS	755.5	-53.77	-13	40.77	Pass	9701
1000	3000	1	RMS	2968	-43.32	-13	30.32	Pass	2001
3000	3440	1	RMS	3440	-30.05	-13	17.05	Pass	441
3440	3560	1	RMS	3465.5	12.13	60	47.87	Pass	401
3560	7000	1	RMS	6978	-56.05	-13	43.05	Pass	3441
7000	26500	1	RMS	25113	-44.15	-13	31.15	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	1.39	-62.91	-13	49.91	Pass	2986
30	1000	0.1	RMS	770.4	-53.42	-13	40.42	Pass	9701
1000	3000	1	RMS	2813	-43.98	-13	30.98	Pass	2001
3000	3440	1	RMS	3404	-39.76	-13	26.76	Pass	441
3440	3560	1	RMS	3451.1	23.46	60	36.54	Pass	401
3560	7000	1	RMS	6902	-53.86	-13	40.86	Pass	3441
7000	26500	1	RMS	25387	-43.88	-13	30.88	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.02	-68.87	-13	55.87	Pass	401
0.15	30	0.01	RMS	2.43	-63.33	-13	50.33	Pass	2986
30	1000	0.1	RMS	903.636	-53.35	-13	40.35	Pass	9701
1000	3000	1	RMS	2977	-43.93	-13	30.93	Pass	2001
3000	3440	1	RMS	3407	-39.57	-13	26.57	Pass	441
3440	3560	1	RMS	3469.1	23.32	60	36.68	Pass	401
3560	7000	1	RMS	6938	-54.18	-13	41.18	Pass	3441
7000	26500	1	RMS	25835	-45.04	-13	32.04	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.31	-13	55.31	Pass	401
0.15	30	0.01	RMS	29.71	-63.42	-13	50.42	Pass	2986
30	1000	0.1	RMS	907.339	-53.37	-13	40.37	Pass	9701
1000	3000	1	RMS	2915	-43.62	-13	30.62	Pass	2001
3000	3440	1	RMS	3422	-39.73	-13	26.73	Pass	441
3440	3560	1	RMS	3505.7	11.36	60	48.64	Pass	401
3560	7000	1	RMS	6935	-56.64	-13	43.64	Pass	3441
7000	26500	1	RMS	25078	-44.58	-13	31.58	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-69.65	-13	56.65	Pass	401
0.15	30	0.01	RMS	22.19	-63.66	-13	50.66	Pass	2986
30	1000	0.1	RMS	487.1	-53.45	-13	40.45	Pass	9701
1000	3000	1	RMS	2841	-43.89	-13	30.89	Pass	2001
3000	3440	1	RMS	3413	-39.69	-13	26.69	Pass	441
3440	3560	1	RMS	3491	23.14	60	36.86	Pass	401
3560	7000	1	RMS	6982	-54.21	-13	41.21	Pass	3441
7000	26500	1	RMS	26150	-44.65	-13	31.65	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.07	-13	55.07	Pass	401
0.15	30	0.01	RMS	16.72	-63.28	-13	50.28	Pass	2986
30	1000	0.1	RMS	858.106	-53.28	-13	40.28	Pass	9701
1000	3000	1	RMS	2971	-43.86	-13	30.86	Pass	2001
3000	3440	1	RMS	3428	-39.66	-13	26.66	Pass	441
3440	3560	1	RMS	3509	22.81	60	37.19	Pass	401
3560	7000	1	RMS	6981	-55.84	-13	42.84	Pass	3441
7000	26500	1	RMS	26259	-44.98	-13	31.98	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-67.92	-13	54.92	Pass	401
0.15	30	0.01	RMS	28.46	-63.02	-13	50.02	Pass	2986
30	1000	0.1	RMS	890.728	-54.14	-13	41.14	Pass	9701
1000	3000	1	RMS	2973	-43.7	-13	30.7	Pass	2001
3000	3440	1	RMS	3418	-39.72	-13	26.72	Pass	441
3440	3560	1	RMS	3545.6	11.1	60	48.9	Pass	401
3560	7000	1	RMS	3560	-32.65	-13	19.65	Pass	3441
7000	26500	1	RMS	25211	-44.36	-13	31.36	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	0.32	-62.2	-13	49.2	Pass	2986
30	1000	0.1	RMS	956.071	-53.36	-13	40.36	Pass	9701
1000	3000	1	RMS	2779	-43.86	-13	30.86	Pass	2001
3000	3440	1	RMS	3420	-39.73	-13	26.73	Pass	441
3440	3560	1	RMS	3530.9	22.55	60	37.45	Pass	401
3560	7000	1	RMS	6998	-56.46	-13	43.46	Pass	3441
7000	26500	1	RMS	24085	-44.1	-13	31.1	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.4	-13	55.4	Pass	401
0.15	30	0.01	RMS	22.2	-62.96	-13	49.96	Pass	2986
30	1000	0.1	RMS	995.997	-53.4	-13	40.4	Pass	9701
1000	3000	1	RMS	2919	-44.16	-13	31.16	Pass	2001
3000	3440	1	RMS	3421	-39.76	-13	26.76	Pass	441
3440	3560	1	RMS	3548.9	22.68	60	37.32	Pass	401
3560	7000	1	RMS	3560	-50.79	-13	37.79	Pass	3441
7000	26500	1	RMS	25507	-44.71	-13	31.71	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.41	-13	55.41	Pass	401
0.15	30	0.01	RMS	6.17	-63.52	-13	50.52	Pass	2986
30	1000	0.1	RMS	694.8	-52.93	-13	39.93	Pass	9701
1000	3000	1	RMS	2985	-43.72	-13	30.72	Pass	2001
3000	3440	1	RMS	3440	-32.64	-13	19.64	Pass	441
3440	3560	1	RMS	3458.9	6.92	60	53.08	Pass	401
3560	7000	1	RMS	3561	-43.84	-13	30.84	Pass	3441
7000	26500	1	RMS	26224	-44.71	-13	31.71	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.24	-13	55.24	Pass	401
0.15	30	0.01	RMS	0.67	-62.62	-13	49.62	Pass	2986
30	1000	0.1	RMS	884.423	-53.72	-13	40.72	Pass	9701
1000	3000	1	RMS	2970	-43.39	-13	30.39	Pass	2001
3000	3440	1	RMS	3400	-39.71	-13	26.71	Pass	441
3440	3560	1	RMS	3451.1	23.63	60	36.37	Pass	401
3560	7000	1	RMS	6959	-56.44	-13	43.44	Pass	3441
7000	26500	1	RMS	25634	-44.66	-13	31.66	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:632000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-67.93	-13	54.93	Pass	401
0.15	30	0.01	RMS	20.7	-63.19	-13	50.19	Pass	2986
30	1000	0.1	RMS	901.935	-53.08	-13	40.08	Pass	9701
1000	3000	1	RMS	2933	-43.81	-13	30.81	Pass	2001
3000	3440	1	RMS	3416	-39.63	-13	26.63	Pass	441
3440	3560	1	RMS	3509	22.83	60	37.17	Pass	401
3560	7000	1	RMS	3567	-55.28	-13	42.28	Pass	3441
7000	26500	1	RMS	25449	-44.5	-13	31.5	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.44	-13	55.44	Pass	401
0.15	30	0.01	RMS	25.62	-63.33	-13	50.33	Pass	2986
30	1000	0.1	RMS	979.486	-54.04	-13	41.04	Pass	9701
1000	3000	1	RMS	2977	-43.55	-13	30.55	Pass	2001
3000	3440	1	RMS	3440	-36.37	-13	23.37	Pass	441
3440	3560	1	RMS	3482	6.67	60	53.33	Pass	401
3560	7000	1	RMS	3560	-40.64	-13	27.64	Pass	3441
7000	26500	1	RMS	25367	-44.91	-13	31.91	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	29.42	-63.99	-13	50.99	Pass	2986
30	1000	0.1	RMS	864.71	-53.65	-13	40.65	Pass	9701
1000	3000	1	RMS	2836	-43.87	-13	30.87	Pass	2001
3000	3440	1	RMS	3401	-39.69	-13	26.69	Pass	441
3440	3560	1	RMS	3470.9	23.42	60	36.58	Pass	401
3560	7000	1	RMS	6972	-55.53	-13	42.53	Pass	3441
7000	26500	1	RMS	24776	-44.66	-13	31.66	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.49	-13	56.49	Pass	401
0.15	30	0.01	RMS	11.21	-64.4	-13	51.4	Pass	2986
30	1000	0.1	RMS	889.127	-53.45	-13	40.45	Pass	9701
1000	3000	1	RMS	2983	-43.49	-13	30.49	Pass	2001
3000	3440	1	RMS	3403	-39.54	-13	26.54	Pass	441
3440	3560	1	RMS	3528.8	22.34	60	37.66	Pass	401
3560	7000	1	RMS	3560	-54.84	-13	41.84	Pass	3441
7000	26500	1	RMS	25519	-44.52	-13	31.52	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.72	-13	55.72	Pass	401
0.15	30	0.01	RMS	6.71	-62.07	-13	49.07	Pass	2986
30	1000	0.1	RMS	388.6	-53.13	-13	40.13	Pass	9701
1000	3000	1	RMS	2882	-44.03	-13	31.03	Pass	2001
3000	3440	1	RMS	3425	-39.24	-13	26.24	Pass	441
3440	3560	1	RMS	3541.7	6.42	60	53.58	Pass	401
3560	7000	1	RMS	3560	-35.72	-13	22.72	Pass	3441
7000	26500	1	RMS	24101	-43.99	-13	30.99	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.064	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	9.29	-62.62	-13	49.62	Pass	2986
30	1000	0.1	RMS	923.649	-53.6	-13	40.6	Pass	9701
1000	3000	1	RMS	2924	-43.79	-13	30.79	Pass	2001
3000	3440	1	RMS	3429	-39.6	-13	26.6	Pass	441
3440	3560	1	RMS	3491	23.13	60	36.87	Pass	401
3560	7000	1	RMS	6982	-55.15	-13	42.15	Pass	3441
7000	26500	1	RMS	25067	-44.82	-13	31.82	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:634666, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-69.22	-13	56.22	Pass	401
0.15	30	0.01	RMS	28.62	-63.57	-13	50.57	Pass	2986
30	1000	0.1	RMS	882.122	-53.46	-13	40.46	Pass	9701
1000	3000	1	RMS	2982	-43.84	-13	30.84	Pass	2001
3000	3440	1	RMS	3401	-39.77	-13	26.77	Pass	441
3440	3560	1	RMS	3548.9	22.64	60	37.36	Pass	401
3560	7000	1	RMS	3560	-50.25	-13	37.25	Pass	3441
7000	26500	1	RMS	24167	-44.91	-13	31.91	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.57	-13	55.57	Pass	401
0.15	30	0.01	RMS	27.98	-62.56	-13	49.56	Pass	2986
30	1000	0.1	RMS	829.4	-53.22	-13	40.22	Pass	9701
1000	3000	1	RMS	2926	-43.82	-13	30.82	Pass	2001
3000	3440	1	RMS	3440	-35.45	-13	22.45	Pass	441
3440	3560	1	RMS	3459.5	4.3	60	55.7	Pass	401
3560	7000	1	RMS	3560	-37.86	-13	24.86	Pass	3441
7000	26500	1	RMS	25067	-44.82	-13	31.82	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.149	-69.08	-13	56.08	Pass	401
0.15	30	0.01	RMS	1.49	-62.61	-13	49.61	Pass	2986
30	1000	0.1	RMS	877.119	-53.23	-13	40.23	Pass	9701
1000	3000	1	RMS	2970	-43.84	-13	30.84	Pass	2001
3000	3440	1	RMS	3439	-39.61	-13	26.61	Pass	441
3440	3560	1	RMS	3451.1	23.46	60	36.54	Pass	401
3560	7000	1	RMS	6902	-54.3	-13	41.3	Pass	3441
7000	26500	1	RMS	24133	-44.67	-13	31.67	Pass	19503



1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	0.96	-63.46	-13	50.46	Pass	2986
30	1000	0.1	RMS	759.6	-53.86	-13	40.86	Pass	9701
1000	3000	1	RMS	2785	-43.87	-13	30.87	Pass	2001
3000	3440	1	RMS	3421	-39.74	-13	26.74	Pass	441
3440	3560	1	RMS	3548.9	22.45	60	37.55	Pass	401
3560	7000	1	RMS	3560	-50.52	-13	37.52	Pass	3441
7000	26500	1	RMS	24124	-44.7	-13	31.7	Pass	19503



2. n77(3700-3980)


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.029	-68.06	-13	55.06	Pass	401
0.15	30	0.01	RMS	27.31	-64.5	-13	51.5	Pass	2986
30	1000	0.1	RMS	890.227	-53.51	-13	40.51	Pass	9701
1000	3000	1	RMS	2759	-43.9	-13	30.9	Pass	2001
3000	3690	1	RMS	3690	-31.11	-13	18.11	Pass	691
3690	3990	1	RMS	3715.5	10.49	60	49.51	Pass	401
3990	7000	1	RMS	6898	-56.56	-13	43.56	Pass	3011
7000	26500	1	RMS	25511	-44.72	-13	31.72	Pass	19503




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-68.78	-13	55.78	Pass	401
0.15	30	0.01	RMS	26.4	-64.02	-13	51.02	Pass	2986
30	1000	0.1	RMS	919.146	-53.54	-13	40.54	Pass	9701
1000	3000	1	RMS	2929	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3411	-38.99	-13	25.99	Pass	691
3690	3990	1	RMS	3701.25	20.95	60	39.05	Pass	401
3990	7000	1	RMS	6989	-56.36	-13	43.36	Pass	3011
7000	26500	1	RMS	24074	-44.5	-13	31.5	Pass	19503




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.099	-69.64	-13	56.64	Pass	401
0.15	30	0.01	RMS	18.56	-64.15	-13	51.15	Pass	2986
30	1000	0.1	RMS	980.687	-54.04	-13	41.04	Pass	9701
1000	3000	1	RMS	2968	-43.84	-13	30.84	Pass	2001
3000	3690	1	RMS	3432	-39.32	-13	26.32	Pass	691
3690	3990	1	RMS	3719.25	20.97	60	39.03	Pass	401
3990	7000	1	RMS	7000	-56.19	-13	43.19	Pass	3011
7000	26500	1	RMS	24783	-44.11	-13	31.11	Pass	19503




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.13	-13	57.13	Pass	401
0.15	30	0.01	RMS	28.15	-63.85	-13	50.85	Pass	2986
30	1000	0.1	RMS	906.938	-53.09	-13	40.09	Pass	9701
1000	3000	1	RMS	2933	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3392	-39.57	-13	26.57	Pass	691
3690	3990	1	RMS	3834	10.9	60	49.1	Pass	401
3990	7000	1	RMS	6965	-56.86	-13	43.86	Pass	3011
7000	26500	1	RMS	26072	-44.54	-13	31.54	Pass	19503




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.21	-13	56.21	Pass	401
0.15	30	0.01	RMS	27.06	-62.14	-13	49.14	Pass	2986
30	1000	0.1	RMS	473.6	-53.67	-13	40.67	Pass	9701
1000	3000	1	RMS	2971	-43.21	-13	30.21	Pass	2001
3000	3690	1	RMS	3404	-39.11	-13	26.11	Pass	691
3690	3990	1	RMS	3831	22.06	60	37.94	Pass	401
3990	7000	1	RMS	6976	-56.17	-13	43.17	Pass	3011
7000	26500	1	RMS	25106	-43.95	-13	30.95	Pass	19503




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-69.46	-13	56.46	Pass	401
0.15	30	0.01	RMS	21.36	-63.25	-13	50.25	Pass	2986
30	1000	0.1	RMS	852.502	-53.53	-13	40.53	Pass	9701
1000	3000	1	RMS	2857	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3411	-39.61	-13	26.61	Pass	691
3690	3990	1	RMS	3849	21.59	60	38.41	Pass	401
3990	7000	1	RMS	6956	-56.37	-13	43.37	Pass	3011
7000	26500	1	RMS	25769	-44.38	-13	31.38	Pass	19503




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.32	-13	55.32	Pass	401
0.15	30	0.01	RMS	3.58	-64.2	-13	51.2	Pass	2986
30	1000	0.1	RMS	446.8	-53.71	-13	40.71	Pass	9701
1000	3000	1	RMS	2881	-43.93	-13	30.93	Pass	2001
3000	3690	1	RMS	3423	-39.23	-13	26.23	Pass	691
3690	3990	1	RMS	3975.75	9.81	60	50.19	Pass	401
3990	7000	1	RMS	3990	-31.16	-13	18.16	Pass	3011
7000	26500	1	RMS	25785	-44.15	-13	31.15	Pass	19503




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-67.46	-13	54.46	Pass	401
0.15	30	0.01	RMS	26.5	-63.67	-13	50.67	Pass	2986
30	1000	0.1	RMS	386.3	-53.27	-13	40.27	Pass	9701
1000	3000	1	RMS	2903	-43.91	-13	30.91	Pass	2001
3000	3690	1	RMS	3426	-39.57	-13	26.57	Pass	691
3690	3990	1	RMS	3960.75	20.94	60	39.06	Pass	401
3990	7000	1	RMS	3997	-52.88	-13	39.88	Pass	3011
7000	26500	1	RMS	25120	-44.57	-13	31.57	Pass	19503




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	12.38	-64.61	-13	51.61	Pass	2986
30	1000	0.1	RMS	619.4	-53.2	-13	40.2	Pass	9701
1000	3000	1	RMS	2920	-43.91	-13	30.91	Pass	2001
3000	3690	1	RMS	3403	-39.62	-13	26.62	Pass	691
3690	3990	1	RMS	3978.75	20.86	60	39.14	Pass	401
3990	7000	1	RMS	3997	-49.67	-13	36.67	Pass	3011
7000	26500	1	RMS	24183	-44.08	-13	31.08	Pass	19503




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	0.74	-62.72	-13	49.72	Pass	2986
30	1000	0.1	RMS	911.641	-53.39	-13	40.39	Pass	9701
1000	3000	1	RMS	2933	-43.67	-13	30.67	Pass	2001
3000	3690	1	RMS	3689	-34.14	-13	21.14	Pass	691
3690	3990	1	RMS	3751.5	5.36	60	54.64	Pass	401
3990	7000	1	RMS	6990	-56.45	-13	43.45	Pass	3011
7000	26500	1	RMS	24112	-44.61	-13	31.61	Pass	19503




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.65	-13	54.65	Pass	401
0.15	30	0.01	RMS	0.91	-63.65	-13	50.65	Pass	2986
30	1000	0.1	RMS	851.101	-53.24	-13	40.24	Pass	9701
1000	3000	1	RMS	2980	-43.72	-13	30.72	Pass	2001
3000	3690	1	RMS	3416	-39.32	-13	26.32	Pass	691
3690	3990	1	RMS	3701.25	20.72	60	39.28	Pass	401
3990	7000	1	RMS	6982	-56.38	-13	43.38	Pass	3011
7000	26500	1	RMS	25902	-44.27	-13	31.27	Pass	19503




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:648668, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.43	-13	55.43	Pass	401
0.15	30	0.01	RMS	8.5	-62.46	-13	49.46	Pass	2986
30	1000	0.1	RMS	708	-53.28	-13	40.28	Pass	9701
1000	3000	1	RMS	2837	-43.95	-13	30.95	Pass	2001
3000	3690	1	RMS	3433	-39.44	-13	26.44	Pass	691
3690	3990	1	RMS	3759	21.42	60	38.58	Pass	401
3990	7000	1	RMS	6993	-55.81	-13	42.81	Pass	3011
7000	26500	1	RMS	26170	-44.71	-13	31.71	Pass	19503




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-68.91	-13	55.91	Pass	401
0.15	30	0.01	RMS	8.81	-62.94	-13	49.94	Pass	2986
30	1000	0.1	RMS	913.543	-52.99	-13	39.99	Pass	9701
1000	3000	1	RMS	2967	-43.54	-13	30.54	Pass	2001
3000	3690	1	RMS	3402	-39.55	-13	26.55	Pass	691
3690	3990	1	RMS	3816.75	5.92	60	54.08	Pass	401
3990	7000	1	RMS	6973	-55.98	-13	42.98	Pass	3011
7000	26500	1	RMS	25123	-44.3	-13	31.3	Pass	19503




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-68.68	-13	55.68	Pass	401
0.15	30	0.01	RMS	28.59	-62.28	-13	49.28	Pass	2986
30	1000	0.1	RMS	870.914	-53.14	-13	40.14	Pass	9701
1000	3000	1	RMS	2976	-43.25	-13	30.25	Pass	2001
3000	3690	1	RMS	3403	-39.15	-13	26.15	Pass	691
3690	3990	1	RMS	3810.75	21.19	60	38.81	Pass	401
3990	7000	1	RMS	6972	-55.97	-13	42.97	Pass	3011
7000	26500	1	RMS	25670	-44.14	-13	31.14	Pass	19503




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.043	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	19.36	-63.58	-13	50.58	Pass	2986
30	1000	0.1	RMS	902.335	-53.22	-13	40.22	Pass	9701
1000	3000	1	RMS	2997	-43.95	-13	30.95	Pass	2001
3000	3690	1	RMS	3414	-39.3	-13	26.3	Pass	691
3690	3990	1	RMS	3869.25	20.54	60	39.46	Pass	401
3990	7000	1	RMS	6985	-56.82	-13	43.82	Pass	3011
7000	26500	1	RMS	24779	-45.14	-13	32.14	Pass	19503




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:162, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.108	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	6.11	-63.98	-13	50.98	Pass	2986
30	1000	0.1	RMS	958.372	-53.13	-13	40.13	Pass	9701
1000	3000	1	RMS	2894	-43.74	-13	30.74	Pass	2001
3000	3690	1	RMS	3425	-39.16	-13	26.16	Pass	691
3690	3990	1	RMS	3946.5	5.57	60	54.43	Pass	401
3990	7000	1	RMS	3990	-32.59	-13	19.59	Pass	3011
7000	26500	1	RMS	26080	-44.89	-13	31.89	Pass	19503




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.17	-13	57.17	Pass	401
0.15	30	0.01	RMS	12.88	-64.02	-13	51.02	Pass	2986
30	1000	0.1	RMS	424.1	-52.74	-13	39.74	Pass	9701
1000	3000	1	RMS	2753	-43.68	-13	30.68	Pass	2001
3000	3690	1	RMS	3380	-39.56	-13	26.56	Pass	691
3690	3990	1	RMS	3921	21.62	60	38.38	Pass	401
3990	7000	1	RMS	6908	-56.65	-13	43.65	Pass	3011
7000	26500	1	RMS	24123	-43.98	-13	30.98	Pass	19503




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:663332, Bandwidth:60, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:161)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.69	-13	56.69	Pass	401
0.15	30	0.01	RMS	8	-63.28	-13	50.28	Pass	2986
30	1000	0.1	RMS	931.555	-53.82	-13	40.82	Pass	9701
1000	3000	1	RMS	2974	-43.87	-13	30.87	Pass	2001
3000	3690	1	RMS	3377	-39.42	-13	26.42	Pass	691
3690	3990	1	RMS	3978.75	21.18	60	38.82	Pass	401
3990	7000	1	RMS	3991	-50.58	-13	37.58	Pass	3011
7000	26500	1	RMS	25768	-44.45	-13	31.45	Pass	19503




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-66.85	-13	53.85	Pass	401
0.15	30	0.01	RMS	20.88	-64.21	-13	51.21	Pass	2986
30	1000	0.1	RMS	699.1	-53.33	-13	40.33	Pass	9701
1000	3000	1	RMS	2935	-43.95	-13	30.95	Pass	2001
3000	3690	1	RMS	3690	-36.68	-13	23.68	Pass	691
3690	3990	1	RMS	3776.25	2.95	60	57.05	Pass	401
3990	7000	1	RMS	6950	-56.27	-13	43.27	Pass	3011
7000	26500	1	RMS	24155	-44.16	-13	31.16	Pass	19503




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-67.2	-13	54.2	Pass	401
0.15	30	0.01	RMS	15.14	-62.88	-13	49.88	Pass	2986
30	1000	0.1	RMS	989.993	-53.33	-13	40.33	Pass	9701
1000	3000	1	RMS	2926	-44.11	-13	31.11	Pass	2001
3000	3690	1	RMS	3431	-39.26	-13	26.26	Pass	691
3690	3990	1	RMS	3701.25	20.34	60	39.66	Pass	401
3990	7000	1	RMS	6999	-56.53	-13	43.53	Pass	3011
7000	26500	1	RMS	25123	-45	-13	32	Pass	19503




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.86	-13	54.86	Pass	401
0.15	30	0.01	RMS	6.3	-62.74	-13	49.74	Pass	2986
30	1000	0.1	RMS	864.71	-53.6	-13	40.6	Pass	9701
1000	3000	1	RMS	2967	-43.77	-13	30.77	Pass	2001
3000	3690	1	RMS	3403	-39.38	-13	26.38	Pass	691
3690	3990	1	RMS	3798.75	20.8	60	39.2	Pass	401
3990	7000	1	RMS	6967	-56.66	-13	43.66	Pass	3011
7000	26500	1	RMS	24132	-44.95	-13	31.95	Pass	19503




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.15	-70.4	-13	57.4	Pass	401
0.15	30	0.01	RMS	21.06	-64.42	-13	51.42	Pass	2986
30	1000	0.1	RMS	706.5	-53.71	-13	40.71	Pass	9701
1000	3000	1	RMS	2989	-43.73	-13	30.73	Pass	2001
3000	3690	1	RMS	3411	-39.29	-13	26.29	Pass	691
3690	3990	1	RMS	3816.75	3.47	60	56.53	Pass	401
3990	7000	1	RMS	3992	-45.43	-13	32.43	Pass	3011
7000	26500	1	RMS	25959	-45.17	-13	32.17	Pass	19503




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.14	-13	55.14	Pass	401
0.15	30	0.01	RMS	13.7	-62.59	-13	49.59	Pass	2986
30	1000	0.1	RMS	911.041	-53.96	-13	40.96	Pass	9701
1000	3000	1	RMS	2963	-43.54	-13	30.54	Pass	2001
3000	3690	1	RMS	3419	-39.55	-13	26.55	Pass	691
3690	3990	1	RMS	3791.25	20.72	60	39.28	Pass	401
3990	7000	1	RMS	6990	-55.95	-13	42.95	Pass	3011
7000	26500	1	RMS	24074	-43.96	-13	30.96	Pass	19503




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.036	-68.61	-13	55.61	Pass	401
0.15	30	0.01	RMS	25.68	-62.81	-13	49.81	Pass	2986
30	1000	0.1	RMS	884.223	-53.35	-13	40.35	Pass	9701
1000	3000	1	RMS	2904	-43.88	-13	30.88	Pass	2001
3000	3690	1	RMS	3433	-39.37	-13	26.37	Pass	691
3690	3990	1	RMS	3888.75	21.32	60	38.68	Pass	401
3990	7000	1	RMS	6993	-56.59	-13	43.59	Pass	3011
7000	26500	1	RMS	25472	-44.25	-13	31.25	Pass	19503




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.66	-13	54.66	Pass	401
0.15	30	0.01	RMS	2.87	-63.44	-13	50.44	Pass	2986
30	1000	0.1	RMS	893.73	-52.88	-13	39.88	Pass	9701
1000	3000	1	RMS	2973	-43.67	-13	30.67	Pass	2001
3000	3690	1	RMS	3430	-39.28	-13	26.28	Pass	691
3690	3990	1	RMS	3891	3.34	60	56.66	Pass	401
3990	7000	1	RMS	3990	-36.56	-13	23.56	Pass	3011
7000	26500	1	RMS	25512	-44.42	-13	31.42	Pass	19503




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	17.74	-63.84	-13	50.84	Pass	2986
30	1000	0.1	RMS	950.167	-53.72	-13	40.72	Pass	9701
1000	3000	1	RMS	2974	-43.69	-13	30.69	Pass	2001
3000	3690	1	RMS	3402	-39.22	-13	26.22	Pass	691
3690	3990	1	RMS	3881.25	20.74	60	39.26	Pass	401
3990	7000	1	RMS	6973	-56.46	-13	43.46	Pass	3011
7000	26500	1	RMS	25772	-44.37	-13	31.37	Pass	19503



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:662000, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.51	-13	54.51	Pass	401
0.15	30	0.01	RMS	19.56	-62.94	-13	49.94	Pass	2986
30	1000	0.1	RMS	902.335	-53.48	-13	40.48	Pass	9701
1000	3000	1	RMS	2994	-43.88	-13	30.88	Pass	2001
3000	3690	1	RMS	3425	-39.43	-13	26.43	Pass	691
3690	3990	1	RMS	3978.75	20.96	60	39.04	Pass	401
3990	7000	1	RMS	3990	-50.31	-13	37.31	Pass	3011
7000	26500	1	RMS	25071	-44.06	-13	31.06	Pass	19503



3. n78(3450-3550)


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.037	-68.74	-13	55.74	Pass	401
0.15	30	0.01	RMS	20.58	-63.73	-13	50.73	Pass	2986
30	1000	0.1	RMS	897.632	-53.53	-13	40.53	Pass	9701
1000	3000	1	RMS	2819	-43.85	-13	30.85	Pass	2001
3000	3440	1	RMS	3440	-29.54	-13	16.54	Pass	441
3440	3560	1	RMS	3465.2	12.36	60	47.64	Pass	401
3560	7000	1	RMS	6920	-56.08	-13	43.08	Pass	3441
7000	26500	1	RMS	24098	-44.32	-13	31.32	Pass	19503




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-68.42	-13	55.42	Pass	401
0.15	30	0.01	RMS	21.92	-62.81	-13	49.81	Pass	2986
30	1000	0.1	RMS	994.596	-53.31	-13	40.31	Pass	9701
1000	3000	1	RMS	2978	-43.44	-13	30.44	Pass	2001
3000	3440	1	RMS	3408	-39.49	-13	26.49	Pass	441
3440	3560	1	RMS	3451.1	23.79	60	36.21	Pass	401
3560	7000	1	RMS	6902	-55.42	-13	42.42	Pass	3441
7000	26500	1	RMS	24406	-44.83	-13	31.83	Pass	19503




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.082	-69.28	-13	56.28	Pass	401
0.15	30	0.01	RMS	1.53	-64.27	-13	51.27	Pass	2986
30	1000	0.1	RMS	880.221	-53.46	-13	40.46	Pass	9701
1000	3000	1	RMS	2974	-43.58	-13	30.58	Pass	2001
3000	3440	1	RMS	3408	-39.78	-13	26.78	Pass	441
3440	3560	1	RMS	3469.1	23.66	60	36.34	Pass	401
3560	7000	1	RMS	6938	-55.71	-13	42.71	Pass	3441
7000	26500	1	RMS	24098	-44.8	-13	31.8	Pass	19503




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.5	-13	55.5	Pass	401
0.15	30	0.01	RMS	10.15	-62.8	-13	49.8	Pass	2986
30	1000	0.1	RMS	906.438	-53.61	-13	40.61	Pass	9701
1000	3000	1	RMS	2975	-43.71	-13	30.71	Pass	2001
3000	3440	1	RMS	3407	-39.66	-13	26.66	Pass	441
3440	3560	1	RMS	3505.7	11.55	60	48.45	Pass	401
3560	7000	1	RMS	6945	-56.68	-13	43.68	Pass	3441
7000	26500	1	RMS	24097	-44.87	-13	31.87	Pass	19503




3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.11	-13	55.11	Pass	401
0.15	30	0.01	RMS	29.46	-62.96	-13	49.96	Pass	2986
30	1000	0.1	RMS	595.7	-53.34	-13	40.34	Pass	9701
1000	3000	1	RMS	2992	-43.72	-13	30.72	Pass	2001
3000	3440	1	RMS	3407	-39.72	-13	26.72	Pass	441
3440	3560	1	RMS	3491	23.29	60	36.71	Pass	401
3560	7000	1	RMS	6982	-55.1	-13	42.1	Pass	3441
7000	26500	1	RMS	25102	-44.02	-13	31.02	Pass	19503




3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.041	-69.55	-13	56.55	Pass	401
0.15	30	0.01	RMS	18.72	-63.59	-13	50.59	Pass	2986
30	1000	0.1	RMS	887.125	-53.88	-13	40.88	Pass	9701
1000	3000	1	RMS	2981	-43.35	-13	30.35	Pass	2001
3000	3440	1	RMS	3405	-39.74	-13	26.74	Pass	441
3440	3560	1	RMS	3509	22.92	60	37.08	Pass	401
3560	7000	1	RMS	6931	-56.27	-13	43.27	Pass	3441
7000	26500	1	RMS	25501	-45.23	-13	32.23	Pass	19503




3.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.063	-69.68	-13	56.68	Pass	401
0.15	30	0.01	RMS	28.25	-63.44	-13	50.44	Pass	2986
30	1000	0.1	RMS	883.323	-53.14	-13	40.14	Pass	9701
1000	3000	1	RMS	2587	-43.94	-13	30.94	Pass	2001
3000	3440	1	RMS	3405	-39.63	-13	26.63	Pass	441
3440	3560	1	RMS	3545.6	11.25	60	48.75	Pass	401
3560	7000	1	RMS	3560	-33.43	-13	20.43	Pass	3441
7000	26500	1	RMS	26111	-44.65	-13	31.65	Pass	19503




3.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.71	-13	54.71	Pass	401
0.15	30	0.01	RMS	22.26	-62.48	-13	49.48	Pass	2986
30	1000	0.1	RMS	644.6	-53.81	-13	40.81	Pass	9701
1000	3000	1	RMS	2848	-43.94	-13	30.94	Pass	2001
3000	3440	1	RMS	3427	-39.65	-13	26.65	Pass	441
3440	3560	1	RMS	3530.9	22.72	60	37.28	Pass	401
3560	7000	1	RMS	3567	-55.18	-13	42.18	Pass	3441
7000	26500	1	RMS	26333	-44.9	-13	31.9	Pass	19503




3.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.055	-69.72	-13	56.72	Pass	401
0.15	30	0.01	RMS	9.68	-62.31	-13	49.31	Pass	2986
30	1000	0.1	RMS	872.415	-53.79	-13	40.79	Pass	9701
1000	3000	1	RMS	2755	-43.2	-13	30.2	Pass	2001
3000	3440	1	RMS	3425	-40.03	-13	27.03	Pass	441
3440	3560	1	RMS	3548.9	22.8	60	37.2	Pass	401
3560	7000	1	RMS	3560	-50.65	-13	37.65	Pass	3441
7000	26500	1	RMS	25121	-44.54	-13	31.54	Pass	19503




3.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	23.91	-63.39	-13	50.39	Pass	2986
30	1000	0.1	RMS	866.612	-53.88	-13	40.88	Pass	9701
1000	3000	1	RMS	2980	-43.6	-13	30.6	Pass	2001
3000	3440	1	RMS	3439	-31.98	-13	18.98	Pass	441
3440	3560	1	RMS	3456.2	7.83	60	52.17	Pass	401
3560	7000	1	RMS	3560	-48.68	-13	35.68	Pass	3441
7000	26500	1	RMS	24124	-44.32	-13	31.32	Pass	19503




3.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-67.41	-13	54.41	Pass	401
0.15	30	0.01	RMS	23.14	-64.19	-13	51.19	Pass	2986
30	1000	0.1	RMS	535.8	-53.55	-13	40.55	Pass	9701
1000	3000	1	RMS	2942	-44.23	-13	31.23	Pass	2001
3000	3440	1	RMS	3416	-39.7	-13	26.7	Pass	441
3440	3560	1	RMS	3451.1	23.42	60	36.58	Pass	401
3560	7000	1	RMS	6902	-55.45	-13	42.45	Pass	3441
7000	26500	1	RMS	26167	-44.54	-13	31.54	Pass	19503




3.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:631668, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.049	-68.45	-13	55.45	Pass	401
0.15	30	0.01	RMS	28.37	-63.52	-13	50.52	Pass	2986
30	1000	0.1	RMS	599.9	-53.85	-13	40.85	Pass	9701
1000	3000	1	RMS	2932	-43.72	-13	30.72	Pass	2001
3000	3440	1	RMS	3418	-39.7	-13	26.7	Pass	441
3440	3560	1	RMS	3498.8	22.77	60	37.23	Pass	401
3560	7000	1	RMS	6998	-56.12	-13	43.12	Pass	3441
7000	26500	1	RMS	25507	-44.48	-13	31.48	Pass	19503




3.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.12	-68.58	-13	55.58	Pass	401
0.15	30	0.01	RMS	22.11	-62.74	-13	49.74	Pass	2986
30	1000	0.1	RMS	965.177	-53.34	-13	40.34	Pass	9701
1000	3000	1	RMS	2979	-43.21	-13	30.21	Pass	2001
3000	3440	1	RMS	3440	-38.07	-13	25.07	Pass	441
3440	3560	1	RMS	3481.1	7.4	60	52.6	Pass	401
3560	7000	1	RMS	3560	-43.12	-13	30.12	Pass	3441
7000	26500	1	RMS	25363	-45.2	-13	32.2	Pass	19503




3.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.119	-68.69	-13	55.69	Pass	401
0.15	30	0.01	RMS	9.38	-62.65	-13	49.65	Pass	2986
30	1000	0.1	RMS	901.034	-54.08	-13	41.08	Pass	9701
1000	3000	1	RMS	2910	-43.9	-13	30.9	Pass	2001
3000	3440	1	RMS	3417	-39.73	-13	26.73	Pass	441
3440	3560	1	RMS	3476.3	23.18	60	36.82	Pass	401
3560	7000	1	RMS	6952	-55.21	-13	42.21	Pass	3441
7000	26500	1	RMS	26248	-44.59	-13	31.59	Pass	19503




3.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.22	-13	55.22	Pass	401
0.15	30	0.01	RMS	3.31	-63.51	-13	50.51	Pass	2986
30	1000	0.1	RMS	900.734	-53.48	-13	40.48	Pass	9701
1000	3000	1	RMS	2981	-43.55	-13	30.55	Pass	2001
3000	3440	1	RMS	3419	-39.57	-13	26.57	Pass	441
3440	3560	1	RMS	3523.7	22.32	60	37.68	Pass	401
3560	7000	1	RMS	3571	-55.39	-13	42.39	Pass	3441
7000	26500	1	RMS	26053	-44.57	-13	31.57	Pass	19503




3.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.95	-13	54.95	Pass	401
0.15	30	0.01	RMS	13.44	-63.56	-13	50.56	Pass	2986
30	1000	0.1	RMS	857.305	-53.92	-13	40.92	Pass	9701
1000	3000	1	RMS	2931	-43.39	-13	30.39	Pass	2001
3000	3440	1	RMS	3437	-39.79	-13	26.79	Pass	441
3440	3560	1	RMS	3546.2	7.03	60	52.97	Pass	401
3560	7000	1	RMS	3560	-36.18	-13	23.18	Pass	3441
7000	26500	1	RMS	24098	-44.52	-13	31.52	Pass	19503




3.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.23	-13	54.23	Pass	401
0.15	30	0.01	RMS	16.35	-63.67	-13	50.67	Pass	2986
30	1000	0.1	RMS	635.4	-53.68	-13	40.68	Pass	9701
1000	3000	1	RMS	2967	-43.64	-13	30.64	Pass	2001
3000	3440	1	RMS	3403	-39.67	-13	26.67	Pass	441
3440	3560	1	RMS	3501.2	22.79	60	37.21	Pass	401
3560	7000	1	RMS	3563	-55.6	-13	42.6	Pass	3441
7000	26500	1	RMS	26111	-44.79	-13	31.79	Pass	19503




3.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:635000, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.081	-69.56	-13	56.56	Pass	401
0.15	30	0.01	RMS	16.98	-63.04	-13	50.04	Pass	2986
30	1000	0.1	RMS	891.228	-53.11	-13	40.11	Pass	9701
1000	3000	1	RMS	2975	-43.75	-13	30.75	Pass	2001
3000	3440	1	RMS	3423	-39.58	-13	26.58	Pass	441
3440	3560	1	RMS	3548.6	22.26	60	37.74	Pass	401
3560	7000	1	RMS	3560	-50.64	-13	37.64	Pass	3441
7000	26500	1	RMS	25083	-44.26	-13	31.26	Pass	19503




3.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:273, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.25	-13	55.25	Pass	401
0.15	30	0.01	RMS	27.1	-62.64	-13	49.64	Pass	2986
30	1000	0.1	RMS	493.9	-53.07	-13	40.07	Pass	9701
1000	3000	1	RMS	2972	-43.54	-13	30.54	Pass	2001
3000	3440	1	RMS	3440	-35.45	-13	22.45	Pass	441
3440	3560	1	RMS	3464.3	4.21	60	55.79	Pass	401
3560	7000	1	RMS	3560	-37.6	-13	24.6	Pass	3441
7000	26500	1	RMS	25044	-44.92	-13	31.92	Pass	19503




3.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.8	-13	56.8	Pass	401
0.15	30	0.01	RMS	21.9	-63.79	-13	50.79	Pass	2986
30	1000	0.1	RMS	872.816	-53.86	-13	40.86	Pass	9701
1000	3000	1	RMS	2762	-43.67	-13	30.67	Pass	2001
3000	3440	1	RMS	3394	-39.8	-13	26.8	Pass	441
3440	3560	1	RMS	3451.1	23.29	60	36.71	Pass	401
3560	7000	1	RMS	6902	-54.83	-13	41.83	Pass	3441
7000	26500	1	RMS	25090	-44.29	-13	31.29	Pass	19503



3.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:100, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:272)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.024	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	7.57	-64.09	-13	51.09	Pass	2986
30	1000	0.1	RMS	635.7	-53.02	-13	40.02	Pass	9701
1000	3000	1	RMS	2925	-43.76	-13	30.76	Pass	2001
3000	3440	1	RMS	3439	-39.86	-13	26.86	Pass	441
3440	3560	1	RMS	3548.9	22.33	60	37.67	Pass	401
3560	7000	1	RMS	3561	-50.48	-13	37.48	Pass	3441
7000	26500	1	RMS	25433	-43.88	-13	30.88	Pass	19503



4. n78(3700-3800)


4.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-69.01	-13	56.01	Pass	401
0.15	30	0.01	RMS	28.91	-63.47	-13	50.47	Pass	2986
30	1000	0.1	RMS	975.184	-53.63	-13	40.63	Pass	9701
1000	3000	1	RMS	2760	-44.12	-13	31.12	Pass	2001
3000	3690	1	RMS	3690	-30.56	-13	17.56	Pass	691
3690	3810	1	RMS	3704.4	10.03	60	49.97	Pass	401
3810	7000	1	RMS	6989	-56.62	-13	43.62	Pass	3191
7000	26500	1	RMS	25936	-44.95	-13	31.95	Pass	19503




4.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.14	-68.85	-13	55.85	Pass	401
0.15	30	0.01	RMS	25.42	-63.28	-13	50.28	Pass	2986
30	1000	0.1	RMS	912.442	-54.02	-13	41.02	Pass	9701
1000	3000	1	RMS	2975	-43.43	-13	30.43	Pass	2001
3000	3690	1	RMS	3436	-39.66	-13	26.66	Pass	691
3690	3810	1	RMS	3701.1	21.49	60	38.51	Pass	401
3810	7000	1	RMS	6984	-55.93	-13	42.93	Pass	3191
7000	26500	1	RMS	25098	-43.26	-13	30.26	Pass	19503




4.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-68.82	-13	55.82	Pass	401
0.15	30	0.01	RMS	19.85	-62.92	-13	49.92	Pass	2986
30	1000	0.1	RMS	921.648	-52.94	-13	39.94	Pass	9701
1000	3000	1	RMS	2968	-43.56	-13	30.56	Pass	2001
3000	3690	1	RMS	3385	-39.52	-13	26.52	Pass	691
3690	3810	1	RMS	3719.1	21.54	60	38.46	Pass	401
3810	7000	1	RMS	6943	-56.48	-13	43.48	Pass	3191
7000	26500	1	RMS	25118	-44.22	-13	31.22	Pass	19503




4.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.59	-13	56.59	Pass	401
0.15	30	0.01	RMS	1.01	-64.43	-13	51.43	Pass	2986
30	1000	0.1	RMS	376.4	-53.28	-13	40.28	Pass	9701
1000	3000	1	RMS	2943	-43.98	-13	30.98	Pass	2001
3000	3690	1	RMS	3397	-39.51	-13	26.51	Pass	691
3690	3810	1	RMS	3755.7	10.32	60	49.68	Pass	401
3810	7000	1	RMS	6996	-56.05	-13	43.05	Pass	3191
7000	26500	1	RMS	25082	-44.62	-13	31.62	Pass	19503




4.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-68.53	-13	55.53	Pass	401
0.15	30	0.01	RMS	2.03	-63.68	-13	50.68	Pass	2986
30	1000	0.1	RMS	727.6	-53.42	-13	40.42	Pass	9701
1000	3000	1	RMS	2784	-43.83	-13	30.83	Pass	2001
3000	3690	1	RMS	3395	-39.45	-13	26.45	Pass	691
3690	3810	1	RMS	3741	21.85	60	38.15	Pass	401
3810	7000	1	RMS	6935	-56.56	-13	43.56	Pass	3191
7000	26500	1	RMS	25309	-44.73	-13	31.73	Pass	19503




4.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-68.54	-13	55.54	Pass	401
0.15	30	0.01	RMS	10.03	-63.21	-13	50.21	Pass	2986
30	1000	0.1	RMS	479.8	-53.01	-13	40.01	Pass	9701
1000	3000	1	RMS	2790	-44.01	-13	31.01	Pass	2001
3000	3690	1	RMS	3378	-39.63	-13	26.63	Pass	691
3690	3810	1	RMS	3759	21.94	60	38.06	Pass	401
3810	7000	1	RMS	6956	-56.42	-13	43.42	Pass	3191
7000	26500	1	RMS	25153	-45.02	-13	32.02	Pass	19503




4.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-67.67	-13	54.67	Pass	401
0.15	30	0.01	RMS	11.61	-63.74	-13	50.74	Pass	2986
30	1000	0.1	RMS	873.216	-53.36	-13	40.36	Pass	9701
1000	3000	1	RMS	2949	-43.58	-13	30.58	Pass	2001
3000	3690	1	RMS	3398	-39.21	-13	26.21	Pass	691
3690	3810	1	RMS	3783.9	10.44	60	49.56	Pass	401
3810	7000	1	RMS	3810	-30.59	-13	17.59	Pass	3191
7000	26500	1	RMS	25939	-44.64	-13	31.64	Pass	19503




4.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.81	-13	54.81	Pass	401
0.15	30	0.01	RMS	2.71	-63.48	-13	50.48	Pass	2986
30	1000	0.1	RMS	895.531	-53.16	-13	40.16	Pass	9701
1000	3000	1	RMS	2999	-44.21	-13	31.21	Pass	2001
3000	3690	1	RMS	3420	-39.45	-13	26.45	Pass	691
3690	3810	1	RMS	3780.9	22.03	60	37.97	Pass	401
3810	7000	1	RMS	3817	-52.52	-13	39.52	Pass	3191
7000	26500	1	RMS	25924	-44.37	-13	31.37	Pass	19503




4.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:652666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-69.13	-13	56.13	Pass	401
0.15	30	0.01	RMS	1.97	-63.57	-13	50.57	Pass	2986
30	1000	0.1	RMS	806.7	-53.12	-13	40.12	Pass	9701
1000	3000	1	RMS	2892	-43.9	-13	30.9	Pass	2001
3000	3690	1	RMS	3423	-39.06	-13	26.06	Pass	691
3690	3810	1	RMS	3798.9	21.85	60	38.15	Pass	401
3810	7000	1	RMS	3810	-51.05	-13	38.05	Pass	3191
7000	26500	1	RMS	24183	-44.99	-13	31.99	Pass	19503



4.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-68.37	-13	55.37	Pass	401
0.15	30	0.01	RMS	25.91	-63.71	-13	50.71	Pass	2986
30	1000	0.1	RMS	995.597	-53.12	-13	40.12	Pass	9701
1000	3000	1	RMS	2957	-43.6	-13	30.6	Pass	2001
3000	3690	1	RMS	3690	-32.93	-13	19.93	Pass	691
3690	3810	1	RMS	3747.6	5.91	60	54.09	Pass	401
3810	7000	1	RMS	3810	-47.05	-13	34.05	Pass	3191
7000	26500	1	RMS	25488	-45.01	-13	32.01	Pass	19503



4.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:648334, Bandwidth:50, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-68.65	-13	55.65	Pass	401
0.15	30	0.01	RMS	27.79	-62.9	-13	49.9	Pass	2986
30	1000	0.1	RMS	639.6	-52.98	-13	39.98	Pass	9701
1000	3000	1	RMS	2969	-43.42	-13	30.42	Pass	2001
3000	3690	1	RMS	3411	-39.42	-13	26.42	Pass	691
3690	3810	1	RMS	3701.1	21.23	60	38.77	Pass	401
3810	7000	1	RMS	6968	-55.95	-13	42.95	Pass	3191
7000	26500	1	RMS	25905	-44.54	-13	31.54	Pass	19503

