


2.17. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.17	15.01	15	Pass




2.18. Occupied Bandwidth for SA_Part22-24-27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
831.5	99	26	0.3	Peak	14.17	14.93	15	Pass




2.19. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	14.13	14.97	15	Pass




2.20. Occupied Bandwidth for SA_Part22-24-27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
841.5	99	26	0.3	Peak	14.13	14.93	15	Pass




2.21. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.3	Peak	18.92	21.97	20	Pass



2.22. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	18.92	19.89	20	Pass




2.23. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.3	Peak	18.89	20.25	20	Pass



2.24. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.3	Peak	18.93	21.93	20	Pass




2.25. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	18.93	20.26	20	Pass




2.26. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.3	Peak	18.89	20.24	20	Pass




2.27. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.3	Peak	18.96	19.89	20	Pass




2.28. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	18.97	19.93	20	Pass




2.29. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.3	Peak	18.93	19.85	20	Pass



2.30. Occupied Bandwidth for SA_Part22-24-27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
834	99	26	0.3	Peak	18.9	19.84	20	Pass




2.31. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	18.86	19.85	20	Pass




2.32. Occupied Bandwidth for SA_Part22-24-27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
839	99	26	0.3	Peak	18.85	19.86	20	Pass




3.49. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




3.50. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	1	Peak	24.2	32.47	25	Pass



3.53. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




3.54. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1. n7


1.1. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.2. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.3. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




1.4. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.5. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.6. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




1.7. Occupied Bandwidth for SA_Part22-24-27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.8. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




1.9. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)



1.11. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




1.12. Occupied Bandwidth for SA_Part22-24-27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




3.1. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.3	Peak	9.34	10.06	10	Pass




3.2. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	9.34	10.08	10	Pass




3.3. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.3	Peak	9.36	10.08	10	Pass




3.4. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.3	Peak	9.35	10.07	10	Pass




3.5. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	9.33	10.1	10	Pass




3.6. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.3	Peak	9.34	10.09	10	Pass




3.7. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.3	Peak	9.35	10.04	10	Pass




3.8. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	9.36	10.03	10	Pass




3.9. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.3	Peak	9.38	10.07	10	Pass




3.10. Occupied Bandwidth for SA_Part22-24-27(Channel:501000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2505	99	26	0.3	Peak	9.36	10.04	10	Pass




3.11. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	9.36	10.05	10	Pass




3.12. Occupied Bandwidth for SA_Part22-24-27(Channel:513000, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2565	99	26	0.3	Peak	9.36	10.06	10	Pass




3.13. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	14.11	14.96	15	Pass




3.14. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	14.11	14.93	15	Pass




3.15. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	14.14	15.37	15	Pass




3.16. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	14.18	15.01	15	Pass




3.17. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	14.15	14.96	15	Pass




3.18. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	14.18	15.33	15	Pass




3.19. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	14.15	15.01	15	Pass




3.20. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	14.14	14.98	15	Pass




3.21. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	14.15	14.95	15	Pass




3.22. Occupied Bandwidth for SA_Part22-24-27(Channel:501500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2507.5	99	26	0.3	Peak	14.16	14.94	15	Pass




3.23. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	14.13	14.94	15	Pass




3.24. Occupied Bandwidth for SA_Part22-24-27(Channel:512500, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2562.5	99	26	0.3	Peak	14.13	14.93	15	Pass




3.25. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.3	Peak	18.92	19.86	20	Pass




3.26. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	18.91	19.85	20	Pass




3.27. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.3	Peak	18.94	20.36	20	Pass




3.28. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.3	Peak	18.91	19.91	20	Pass




3.29. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	18.91	19.91	20	Pass




3.30. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.3	Peak	18.92	19.9	20	Pass




3.31. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.3	Peak	18.96	19.86	20	Pass




3.32. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	18.93	19.88	20	Pass




3.33. Occupied Bandwidth for SA_Part22-24-27(Channel:512000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2560	99	26	0.3	Peak	18.95	19.89	20	Pass




3.34. Occupied Bandwidth for SA_Part22-24-27(Channel:502000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2510	99	26	0.3	Peak	18.87	19.86	20	Pass




3.35. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2535	99	26	0.3	Peak	18.87	19.86	20	Pass




1.49. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
2512.5	99	26	1	Peak	24.41	41	25	Pass




1.50. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.51. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




1.52. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.53. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.54. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




1.55. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.56. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.57. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




1.58. Occupied Bandwidth for SA_Part22-24-27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.59. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.60. Occupied Bandwidth for SA_Part22-24-27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




1.61. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)




1.62. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)




1.63. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:160, RB Position:0)




1.64. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




1.65. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:160, RB Position:0)




1.67. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




1.69. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:160, RB Position:0)




1.70. Occupied Bandwidth for SA_Part22-24-27(Channel:503000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




1.71. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




1.72. Occupied Bandwidth for SA_Part22-24-27(Channel:511000, Bandwidth:30, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:160, RB Position:0)




1.74. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




1.75. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




1.76. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:188, RB Position:0)




1.77. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)




1.79. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:188, RB Position:0)




1.80. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




1.81. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




1.82. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:188, RB Position:0)




1.83. Occupied Bandwidth for SA_Part22-24-27(Channel:503500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)




1.84. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)




1.85. Occupied Bandwidth for SA_Part22-24-27(Channel:510500, Bandwidth:35, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:188, RB Position:0)




1.86. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




1.88. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:216, RB Position:0)




1.89. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




1.90. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




1.91. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:216, RB Position:0)




1.92. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




1.93. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




1.94. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:216, RB Position:0)




1.95. Occupied Bandwidth for SA_Part22-24-27(Channel:504000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




1.96. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




1.97. Occupied Bandwidth for SA_Part22-24-27(Channel:510000, Bandwidth:40, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:216, RB Position:0)




1.98. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




1.99. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




1.100. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




1.101. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




1.102. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




1.103. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




1.104. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




1.105. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




1.106. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)




1.107. Occupied Bandwidth for SA_Part22-24-27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)



1.108. Occupied Bandwidth for SA_Part22-24-27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)




1.109. Occupied Bandwidth for SA_Part22-24-27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:270, RB Position:0)




4. n26 15kHz(824-849)

4.1. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




4.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




4.3. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.5	6.3	5	Pass



4.4. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




4.5. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




4.6. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)


Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
846.5	99	26	0.1	Peak	4.51	6.05	5	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




4.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




4.9. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




4.10. Occupied Bandwidth for SA_Part22-24-27(Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)



4.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




4.12. Occupied Bandwidth for SA_Part22-24-27(Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




4.1. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.3	Peak	9.38	13.9	10	Pass



4.2. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	9.36	10.99	10	Pass




4.3. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.3	Peak	9.35	10.08	10	Pass




4.4. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.3	Peak	9.36	13.9	10	Pass




4.5. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	9.35	10.45	10	Pass




4.6. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.3	Peak	9.34	12.16	10	Pass




4.7. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.3	Peak	9.4	10.58	10	Pass



4.8. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	9.39	10.2	10	Pass




4.9. Occupied Bandwidth for SA_Part22-24-27(Channel:168800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
844	99	26	0.3	Peak	9.36	10.08	10	Pass



4.23. Occupied Bandwidth for SA_Part22-24-27(Channel:165800, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
829	99	26	0.3	Peak	9.37	10.05	10	Pass



4.11. Occupied Bandwidth for SA_Part22-24-27(Channel:167300, Bandwidth:10, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:52, RB Position:0)

Center Frequency (MHz)	OBW Power (%)	XdB Down (dB)	RBW (MHz)	Detector	OBW (MHz)	XdB Bandwidth (MHz)	Upper Limit (MHz)	Verdict
836.5	99	26	0.3	Peak	9.36	10.04	10	Pass

