

Annex A.5 Spurious Emission at Antenna Terminals

GSM

1. GSM_GSM850


1.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.89	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.25	-13	Pass	2986
30	500	0.1	Peak	489.2	-41.57	-13	Pass	4701
500	1000	0.1	Peak	824.3	33.22	-13	N/A	5001
1000	10000	1	Peak	2473	-36.42	-13	Pass	9001




1.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.49	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.61	-13	Pass	2986
30	500	0.1	Peak	487.5	-41.88	-13	Pass	4701
500	1000	0.1	Peak	836.7	32.96	-13	N/A	5001
1000	10000	1	Peak	2510	-37.23	-13	Pass	9001



1.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-36.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.59	-13	Pass	2986
30	500	0.1	Peak	490	-41.31	-13	Pass	4701
500	1000	0.1	Peak	848.8	33.01	-13	N/A	5001
1000	10000	1	Peak	9270	-38.46	-13	Pass	9001



2. GSM_PCS


2.1. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-41.78	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.47	-13	Pass	2986
30	1000	0.1	Peak	934.6	-45.96	-13	Pass	9701
1000	3000	1	Peak	1850	30.48	-13	N/A	2001
3000	20000	1	Peak	19955	-42.02	-13	Pass	17001




2.2. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-41.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-42.6	-13	Pass	2986
30	1000	0.1	Peak	697.1	-45.8	-13	Pass	9701
1000	3000	1	Peak	1880	30.6	-13	N/A	2001
3000	20000	1	Peak	18289	-42.31	-13	Pass	17001



2.3. GSM Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-41.36	-13	Pass	401
0.15	30	0.01	Peak	0.15	-44.13	-13	Pass	2986
30	1000	0.1	Peak	974.8	-45.71	-13	Pass	9701
1000	3000	1	Peak	1910	30.37	-13	N/A	2001
3000	20000	1	Peak	18885	-42.6	-13	Pass	17001




EGPRS

1. EGPRS_GSM850


1.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:128)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-35.76	-13	Pass	401
0.15	30	0.01	Peak	0.15	-37.42	-13	Pass	2986
30	500	0.1	Peak	496.7	-41.37	-13	Pass	4701
500	1000	0.1	Peak	824.1	26.54	-13	N/A	5001
1000	10000	1	Peak	9919	-38.85	-13	Pass	9001




1.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:190)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-36.08	-13	Pass	401
0.15	30	0.01	Peak	0.17	-37.95	-13	Pass	2986
30	500	0.1	Peak	495.6	-41.2	-13	Pass	4701
500	1000	0.1	Peak	836.6	28.41	-13	N/A	5001
1000	10000	1	Peak	9291	-39.22	-13	Pass	9001



1.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:251)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-35.14	-13	Pass	401
0.15	30	0.01	Peak	0.15	-38.57	-13	Pass	2986
30	500	0.1	Peak	460.5	-41.43	-13	Pass	4701
500	1000	0.1	Peak	848.8	28.61	-13	N/A	5001
1000	10000	1	Peak	9942	-39.09	-13	Pass	9001



2. EGPRS_PCS


2.1. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:512)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-40.28	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.39	-13	Pass	2986
30	1000	0.1	Peak	756	-45.16	-13	Pass	9701
1000	3000	1	Peak	1850	27.72	-13	N/A	2001
3000	20000	1	Peak	18996	-42.17	-13	Pass	17001




2.2. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:661)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-40.85	-13	Pass	401
0.15	30	0.01	Peak	0.16	-44.99	-13	Pass	2986
30	1000	0.1	Peak	982.1	-45.85	-13	Pass	9701
1000	3000	1	Peak	1880	27.25	-13	N/A	2001
3000	20000	1	Peak	18338	-41.96	-13	Pass	17001



2.3. EGPRS Spurious Emission at Antenna Terminals_Part22-24(NTNV)(Channel:810)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-39.81	-13	Pass	401
0.15	30	0.01	Peak	0.15	-41.86	-13	Pass	2986
30	1000	0.1	Peak	997.7	-45.58	-13	Pass	9701
1000	3000	1	Peak	1910	27.53	-13	N/A	2001
3000	20000	1	Peak	19019	-42.05	-13	Pass	17001




WCDMA

2. WCDMA_Band2


2.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9262)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.83	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.17	-13	Pass	2986
30	1000	0.1	Peak	980.2	-49.77	-13	Pass	9701
1000	3000	1	Peak	1851	22.53	-13	N/A	2001
3000	20000	1	Peak	18955	-32.42	-13	Pass	17001




2.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9400)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.19	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.27	-13	Pass	2986
30	1000	0.1	Peak	981.2	-50.03	-13	Pass	9701
1000	3000	1	Peak	1879	22.66	-13	N/A	2001
3000	20000	1	Peak	18292	-32.81	-13	Pass	17001



2.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:9538)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.13	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.11	-13	Pass	2986
30	1000	0.1	Peak	743.7	-49.85	-13	Pass	9701
1000	3000	1	Peak	1906	21.44	-13	N/A	2001
3000	20000	1	Peak	18966	-32.64	-13	Pass	17001



3. WCDMA_Band4


3.4. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1312)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.66	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.78	-13	Pass	2986
30	1000	0.1	Peak	898.2	-49.87	-13	Pass	9701
1000	3000	1	Peak	1711	21.84	-13	N/A	2001
3000	20000	1	Peak	19262	-32.15	-13	Pass	17001




3.5. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1412)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.24	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.02	-13	Pass	2986
30	1000	0.1	Peak	969.2	-49.58	-13	Pass	9701
1000	3000	1	Peak	1731	22.7	-13	N/A	2001
3000	20000	1	Peak	18859	-31.22	-13	Pass	17001



3.6. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:1513)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.16	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.53	-13	Pass	2986
30	1000	0.1	Peak	833.2	-49.96	-13	Pass	9701
1000	3000	1	Peak	1751	22.77	-13	N/A	2001
3000	20000	1	Peak	18955	-32.44	-13	Pass	17001



1. WCDMA_Band5


1.1. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.24	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.11	-13	Pass	2986
30	500	0.1	Peak	443.5	-51.77	-13	Pass	4701
500	1000	0.1	Peak	826.1	18.07	-13	N/A	5001
1000	10000	1	Peak	9299	-28.89	-13	Pass	9001




1.2. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4182)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.64	-13	Pass	2986
30	500	0.1	Peak	465.3	-52.19	-13	Pass	4701
500	1000	0.1	Peak	837	19.56	-13	N/A	5001
1000	10000	1	Peak	9918	-29.77	-13	Pass	9001



1.3. WCDMA Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Channel:4233)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-46.54	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.01	-13	Pass	2986
30	500	0.1	Peak	472.8	-51.4	-13	Pass	4701
500	1000	0.1	Peak	845.6	17.34	-13	N/A	5001
1000	10000	1	Peak	9306	-29.67	-13	Pass	9001




LTE

10. LTE_Band2


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-13	Pass	2986
30	1000	0.1	RMS	861.1	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-50.45	-13	Pass	841
1840	1920	1	RMS	1850.2	23.3	60	Pass	401
1920	3000	1	RMS	2679	-47.09	-13	Pass	1081
3000	12000	1	RMS	11976	-40	-13	Pass	9001
12000	20000	1	RMS	19957	-29.75	-13	Pass	8001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	1000	0.1	RMS	913.8	-60.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1850.2	22.54	60	Pass	401
1920	3000	1	RMS	2694	-47.01	-13	Pass	1081
3000	12000	1	RMS	11980	-40.07	-13	Pass	9001
12000	20000	1	RMS	19974	-29.82	-13	Pass	8001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	913.2	-60.86	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1920	1	RMS	1879.6	23.62	60	Pass	401
1920	3000	1	RMS	2687	-47.07	-13	Pass	1081
3000	12000	1	RMS	11941	-40.05	-13	Pass	9001
12000	20000	1	RMS	19950	-29.93	-13	Pass	8001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2986
30	1000	0.1	RMS	999.9	-60.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1879.6	22.42	60	Pass	401
1920	3000	1	RMS	2688	-47.08	-13	Pass	1081
3000	12000	1	RMS	11945	-40.09	-13	Pass	9001
12000	20000	1	RMS	19983	-29.84	-13	Pass	8001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	1000	0.1	RMS	982.6	-60.91	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1908.8	23.3	60	Pass	401
1920	3000	1	RMS	2677	-47.13	-13	Pass	1081
3000	12000	1	RMS	11948	-40.1	-13	Pass	9001
12000	20000	1	RMS	19966	-29.82	-13	Pass	8001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	1000	0.1	RMS	994.9	-60.73	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1908.8	22.36	60	Pass	401
1920	3000	1	RMS	2682	-47.12	-13	Pass	1081
3000	12000	1	RMS	11945	-40.03	-13	Pass	9001
12000	20000	1	RMS	19958	-29.86	-13	Pass	8001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	899.2	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-50.23	-13	Pass	841
1840	1920	1	RMS	1850.2	23.56	60	Pass	401
1920	3000	1	RMS	2684	-47.05	-13	Pass	1081
3000	12000	1	RMS	11955	-40.07	-13	Pass	9001
12000	20000	1	RMS	19978	-29.9	-13	Pass	8001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	901	-60.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.37	-13	Pass	841
1840	1920	1	RMS	1850.2	22.55	60	Pass	401
1920	3000	1	RMS	2682	-47.09	-13	Pass	1081
3000	12000	1	RMS	11948	-40.06	-13	Pass	9001
12000	20000	1	RMS	19961	-29.82	-13	Pass	8001




10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.96	-13	Pass	2986
30	1000	0.1	RMS	854.5	-60.77	-13	Pass	9701
1000	1840	1	RMS	1836	-50.46	-13	Pass	841
1840	1920	1	RMS	1878.8	23.45	60	Pass	401
1920	3000	1	RMS	2689	-47.11	-13	Pass	1081
3000	12000	1	RMS	11952	-40.02	-13	Pass	9001
12000	20000	1	RMS	19961	-29.87	-13	Pass	8001




10.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	1000	0.1	RMS	904.7	-60.81	-13	Pass	9701
1000	1840	1	RMS	1833	-50.5	-13	Pass	841
1840	1920	1	RMS	1878.8	22.4	60	Pass	401
1920	3000	1	RMS	2694	-47.12	-13	Pass	1081
3000	12000	1	RMS	11946	-40.04	-13	Pass	9001
12000	20000	1	RMS	19958	-29.91	-13	Pass	8001




10.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.62	-13	Pass	2986
30	1000	0.1	RMS	997.2	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1907.2	22.33	60	Pass	401
1920	3000	1	RMS	2677	-47.14	-13	Pass	1081
3000	12000	1	RMS	11949	-39.97	-13	Pass	9001
12000	20000	1	RMS	19963	-29.86	-13	Pass	8001




10.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.75	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.57	-13	Pass	2986
30	1000	0.1	RMS	907	-60.91	-13	Pass	9701
1000	1840	1	RMS	1839	-50.53	-13	Pass	841
1840	1920	1	RMS	1907.2	22.44	60	Pass	401
1920	3000	1	RMS	2692	-47.07	-13	Pass	1081
3000	12000	1	RMS	11953	-40.03	-13	Pass	9001
12000	20000	1	RMS	19958	-29.81	-13	Pass	8001




10.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	903.8	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.22	-13	Pass	841
1840	1920	1	RMS	1850.4	23.58	60	Pass	401
1920	3000	1	RMS	2678	-47	-13	Pass	1081
3000	12000	1	RMS	11936	-40.07	-13	Pass	9001
12000	20000	1	RMS	19951	-29.89	-13	Pass	8001




10.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.59	-13	Pass	2986
30	1000	0.1	RMS	929.1	-60.92	-13	Pass	9701
1000	1840	1	RMS	1840	-50.38	-13	Pass	841
1840	1920	1	RMS	1850.4	22.44	60	Pass	401
1920	3000	1	RMS	2690	-47.09	-13	Pass	1081
3000	12000	1	RMS	11954	-40.09	-13	Pass	9001
12000	20000	1	RMS	19971	-29.89	-13	Pass	8001




10.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.85	-13	Pass	2986
30	1000	0.1	RMS	991.1	-60.93	-13	Pass	9701
1000	1840	1	RMS	1825	-50.48	-13	Pass	841
1840	1920	1	RMS	1877.8	23.59	60	Pass	401
1920	3000	1	RMS	2679	-47.1	-13	Pass	1081
3000	12000	1	RMS	11950	-40.01	-13	Pass	9001
12000	20000	1	RMS	19962	-29.87	-13	Pass	8001




10.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	1000	0.1	RMS	994.6	-60.61	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1877.8	22.69	60	Pass	401
1920	3000	1	RMS	2682	-47.08	-13	Pass	1081
3000	12000	1	RMS	11948	-40.06	-13	Pass	9001
12000	20000	1	RMS	19957	-29.88	-13	Pass	8001




10.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	880.3	-60.81	-13	Pass	9701
1000	1840	1	RMS	1835	-50.54	-13	Pass	841
1840	1920	1	RMS	1905.4	22.35	60	Pass	401
1920	3000	1	RMS	2687	-47.06	-13	Pass	1081
3000	12000	1	RMS	11936	-40.02	-13	Pass	9001
12000	20000	1	RMS	19973	-29.89	-13	Pass	8001




10.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	930.5	-60.92	-13	Pass	9701
1000	1840	1	RMS	1836	-50.58	-13	Pass	841
1840	1920	1	RMS	1905.4	22.59	60	Pass	401
1920	3000	1	RMS	2695	-47.1	-13	Pass	1081
3000	12000	1	RMS	11950	-40.05	-13	Pass	9001
12000	20000	1	RMS	19963	-29.81	-13	Pass	8001




10.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	929.3	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-49.07	-13	Pass	841
1840	1920	1	RMS	1850.6	23.55	60	Pass	401
1920	3000	1	RMS	2683	-47	-13	Pass	1081
3000	12000	1	RMS	11964	-40.06	-13	Pass	9001
12000	20000	1	RMS	19972	-29.85	-13	Pass	8001




10.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.29	-13	Pass	2986
30	1000	0.1	RMS	891.3	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-49.48	-13	Pass	841
1840	1920	1	RMS	1850.6	22.55	60	Pass	401
1920	3000	1	RMS	2685	-47.11	-13	Pass	1081
3000	12000	1	RMS	11967	-40.06	-13	Pass	9001
12000	20000	1	RMS	19969	-29.87	-13	Pass	8001




10.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	901.7	-60.78	-13	Pass	9701
1000	1840	1	RMS	1836	-50.49	-13	Pass	841
1840	1920	1	RMS	1875.6	22.54	60	Pass	401
1920	3000	1	RMS	2686	-47.05	-13	Pass	1081
3000	12000	1	RMS	11946	-40.06	-13	Pass	9001
12000	20000	1	RMS	19960	-29.78	-13	Pass	8001




10.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.46	-13	Pass	2986
30	1000	0.1	RMS	895.6	-60.76	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1875.6	22.44	60	Pass	401
1920	3000	1	RMS	2691	-47.11	-13	Pass	1081
3000	12000	1	RMS	11968	-40.08	-13	Pass	9001
12000	20000	1	RMS	19966	-29.89	-13	Pass	8001




10.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	898.6	-60.87	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1900.6	23.42	60	Pass	401
1920	3000	1	RMS	2676	-47.12	-13	Pass	1081
3000	12000	1	RMS	11944	-40.06	-13	Pass	9001
12000	20000	1	RMS	19951	-29.88	-13	Pass	8001




10.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	884.2	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1900.6	22.52	60	Pass	401
1920	3000	1	RMS	2689	-47.06	-13	Pass	1081
3000	12000	1	RMS	11950	-39.97	-13	Pass	9001
12000	20000	1	RMS	19961	-29.88	-13	Pass	8001




10.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.81	-13	Pass	2986
30	1000	0.1	RMS	876.3	-60.86	-13	Pass	9701
1000	1840	1	RMS	1839	-47.33	-13	Pass	841
1840	1920	1	RMS	1850.8	23.66	60	Pass	401
1920	3000	1	RMS	2684	-47.03	-13	Pass	1081
3000	12000	1	RMS	11938	-40.08	-13	Pass	9001
12000	20000	1	RMS	19958	-29.89	-13	Pass	8001




10.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	981.9	-60.86	-13	Pass	9701
1000	1840	1	RMS	1840	-48.37	-13	Pass	841
1840	1920	1	RMS	1850.8	22.66	60	Pass	401
1920	3000	1	RMS	2695	-47.13	-13	Pass	1081
3000	12000	1	RMS	11964	-40.03	-13	Pass	9001
12000	20000	1	RMS	19968	-29.88	-13	Pass	8001




10.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	1000	0.1	RMS	948.7	-60.86	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1920	1	RMS	1873.4	23.44	60	Pass	401
1920	3000	1	RMS	2675	-47.09	-13	Pass	1081
3000	12000	1	RMS	11951	-40.03	-13	Pass	9001
12000	20000	1	RMS	19964	-29.9	-13	Pass	8001




10.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	1000	0.1	RMS	878.5	-60.83	-13	Pass	9701
1000	1840	1	RMS	1839	-50.54	-13	Pass	841
1840	1920	1	RMS	1873.4	22.58	60	Pass	401
1920	3000	1	RMS	2688	-47.09	-13	Pass	1081
3000	12000	1	RMS	11947	-40.05	-13	Pass	9001
12000	20000	1	RMS	19957	-29.82	-13	Pass	8001




10.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	1000	0.1	RMS	994.6	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-50.48	-13	Pass	841
1840	1920	1	RMS	1895.8	23.47	60	Pass	401
1920	3000	1	RMS	2686	-47.02	-13	Pass	1081
3000	12000	1	RMS	11951	-40.04	-13	Pass	9001
12000	20000	1	RMS	19939	-29.88	-13	Pass	8001




10.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	1000	0.1	RMS	876.4	-60.88	-13	Pass	9701
1000	1840	1	RMS	1836	-50.56	-13	Pass	841
1840	1920	1	RMS	1895.8	22.62	60	Pass	401
1920	3000	1	RMS	2678	-47.1	-13	Pass	1081
3000	12000	1	RMS	11948	-40.07	-13	Pass	9001
12000	20000	1	RMS	19958	-29.87	-13	Pass	8001




10.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	843.1	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-48.46	-13	Pass	841
1840	1920	1	RMS	1851	23.53	60	Pass	401
1920	3000	1	RMS	2681	-47.08	-13	Pass	1081
3000	12000	1	RMS	11952	-40.08	-13	Pass	9001
12000	20000	1	RMS	19957	-29.78	-13	Pass	8001




10.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	1000	0.1	RMS	981.8	-60.94	-13	Pass	9701
1000	1840	1	RMS	1840	-48.54	-13	Pass	841
1840	1920	1	RMS	1851.2	22.65	60	Pass	401
1920	3000	1	RMS	2683	-47.1	-13	Pass	1081
3000	12000	1	RMS	11969	-40	-13	Pass	9001
12000	20000	1	RMS	19954	-29.86	-13	Pass	8001




10.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.07	-13	Pass	2986
30	1000	0.1	RMS	907.7	-60.82	-13	Pass	9701
1000	1840	1	RMS	1840	-50.44	-13	Pass	841
1840	1920	1	RMS	1871	23.42	60	Pass	401
1920	3000	1	RMS	2686	-47.08	-13	Pass	1081
3000	12000	1	RMS	11949	-40.02	-13	Pass	9001
12000	20000	1	RMS	19967	-29.82	-13	Pass	8001




10.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	1000	0.1	RMS	845.4	-60.87	-13	Pass	9701
1000	1840	1	RMS	1837	-50.54	-13	Pass	841
1840	1920	1	RMS	1871	22.7	60	Pass	401
1920	3000	1	RMS	2681	-47.04	-13	Pass	1081
3000	12000	1	RMS	11948	-40.09	-13	Pass	9001
12000	20000	1	RMS	19949	-29.84	-13	Pass	8001




10.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	954.8	-60.76	-13	Pass	9701
1000	1840	1	RMS	1839	-50.37	-13	Pass	841
1840	1920	1	RMS	1891.2	23.43	60	Pass	401
1920	3000	1	RMS	2692	-47.11	-13	Pass	1081
3000	12000	1	RMS	11958	-39.98	-13	Pass	9001
12000	20000	1	RMS	19957	-29.9	-13	Pass	8001



10.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	888.2	-60.92	-13	Pass	9701
1000	1840	1	RMS	1839	-50.27	-13	Pass	841
1840	1920	1	RMS	1891	22.78	60	Pass	401
1920	3000	1	RMS	2689	-47.09	-13	Pass	1081
3000	12000	1	RMS	11955	-40.04	-13	Pass	9001
12000	20000	1	RMS	19957	-29.87	-13	Pass	8001



11. LTE_Band4


11.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.84	-13	Pass	2986
30	1000	0.1	RMS	923.5	-60.72	-13	Pass	9701
1000	1700	1	RMS	1661	-50.85	-13	Pass	701
1700	1765	1	RMS	1710.238	22.94	60	Pass	401
1765	3000	1	RMS	2696	-47.06	-13	Pass	1236
3000	12000	1	RMS	11942	-40.01	-13	Pass	9001
12000	20000	1	RMS	19967	-29.77	-13	Pass	8001




11.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	882.9	-60.77	-13	Pass	9701
1000	1700	1	RMS	1699	-50.85	-13	Pass	701
1700	1765	1	RMS	1710.238	22	60	Pass	401
1765	3000	1	RMS	2677	-47.14	-13	Pass	1236
3000	12000	1	RMS	11951	-40.04	-13	Pass	9001
12000	20000	1	RMS	19984	-29.87	-13	Pass	8001




11.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	978.3	-60.83	-13	Pass	9701
1000	1700	1	RMS	1690	-50.76	-13	Pass	701
1700	1765	1	RMS	1732.013	23.11	60	Pass	401
1765	3000	1	RMS	2696	-47.09	-13	Pass	1236
3000	12000	1	RMS	11948	-39.96	-13	Pass	9001
12000	20000	1	RMS	19966	-29.81	-13	Pass	8001




11.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	1000	0.1	RMS	973.8	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1732.013	22.16	60	Pass	401
1765	3000	1	RMS	2695	-47.13	-13	Pass	1236
3000	12000	1	RMS	11963	-40.07	-13	Pass	9001
12000	20000	1	RMS	19955	-29.85	-13	Pass	8001




11.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.74	-13	Pass	2986
30	1000	0.1	RMS	881.3	-60.82	-13	Pass	9701
1000	1700	1	RMS	1691	-50.87	-13	Pass	701
1700	1765	1	RMS	1753.788	23.04	60	Pass	401
1765	3000	1	RMS	2682	-47.13	-13	Pass	1236
3000	12000	1	RMS	11941	-40.04	-13	Pass	9001
12000	20000	1	RMS	19967	-29.87	-13	Pass	8001




11.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	894.1	-60.91	-13	Pass	9701
1000	1700	1	RMS	1664	-50.85	-13	Pass	701
1700	1765	1	RMS	1753.788	22.14	60	Pass	401
1765	3000	1	RMS	2677	-47.14	-13	Pass	1236
3000	12000	1	RMS	11971	-40.04	-13	Pass	9001
12000	20000	1	RMS	19959	-29.9	-13	Pass	8001




11.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.26	-13	Pass	2986
30	1000	0.1	RMS	924.3	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.74	-13	Pass	701
1700	1765	1	RMS	1710.238	23.02	60	Pass	401
1765	3000	1	RMS	2688	-47.07	-13	Pass	1236
3000	12000	1	RMS	11950	-40.04	-13	Pass	9001
12000	20000	1	RMS	19982	-29.92	-13	Pass	8001




11.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.84	-13	Pass	2986
30	1000	0.1	RMS	912.5	-60.86	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1710.238	22.19	60	Pass	401
1765	3000	1	RMS	2676	-47.09	-13	Pass	1236
3000	12000	1	RMS	11952	-40.09	-13	Pass	9001
12000	20000	1	RMS	19968	-29.85	-13	Pass	8001




11.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	1000	0.1	RMS	919.1	-60.78	-13	Pass	9701
1000	1700	1	RMS	1695	-50.86	-13	Pass	701
1700	1765	1	RMS	1731.2	23.06	60	Pass	401
1765	3000	1	RMS	2680	-47.08	-13	Pass	1236
3000	12000	1	RMS	11967	-40.04	-13	Pass	9001
12000	20000	1	RMS	19970	-29.86	-13	Pass	8001




11.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	995.6	-60.76	-13	Pass	9701
1000	1700	1	RMS	1690	-50.81	-13	Pass	701
1700	1765	1	RMS	1731.2	22.08	60	Pass	401
1765	3000	1	RMS	2678	-47.14	-13	Pass	1236
3000	12000	1	RMS	11965	-40	-13	Pass	9001
12000	20000	1	RMS	19954	-29.89	-13	Pass	8001




11.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.38	-13	Pass	2986
30	1000	0.1	RMS	999.4	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-50.75	-13	Pass	701
1700	1765	1	RMS	1752.163	22.97	60	Pass	401
1765	3000	1	RMS	2682	-47.04	-13	Pass	1236
3000	12000	1	RMS	11947	-40.03	-13	Pass	9001
12000	20000	1	RMS	19979	-29.89	-13	Pass	8001




11.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.9	-13	Pass	2986
30	1000	0.1	RMS	879	-60.78	-13	Pass	9701
1000	1700	1	RMS	1700	-50.86	-13	Pass	701
1700	1765	1	RMS	1752.163	22.21	60	Pass	401
1765	3000	1	RMS	2690	-47.05	-13	Pass	1236
3000	12000	1	RMS	11942	-40.05	-13	Pass	9001
12000	20000	1	RMS	19955	-29.89	-13	Pass	8001




11.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.85	-13	Pass	2986
30	1000	0.1	RMS	907.8	-60.92	-13	Pass	9701
1000	1700	1	RMS	1700	-50.61	-13	Pass	701
1700	1765	1	RMS	1710.4	23.15	60	Pass	401
1765	3000	1	RMS	2679	-47.12	-13	Pass	1236
3000	12000	1	RMS	11949	-40.04	-13	Pass	9001
12000	20000	1	RMS	19950	-29.87	-13	Pass	8001




11.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	884.6	-60.87	-13	Pass	9701
1000	1700	1	RMS	1700	-50.78	-13	Pass	701
1700	1765	1	RMS	1710.238	22.05	60	Pass	401
1765	3000	1	RMS	2680	-47.08	-13	Pass	1236
3000	12000	1	RMS	11946	-39.98	-13	Pass	9001
12000	20000	1	RMS	19963	-29.88	-13	Pass	8001




11.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	1000	0.1	RMS	886.2	-60.78	-13	Pass	9701
1000	1700	1	RMS	1668	-50.84	-13	Pass	701
1700	1765	1	RMS	1730.388	23.14	60	Pass	401
1765	3000	1	RMS	2692	-47.08	-13	Pass	1236
3000	12000	1	RMS	11945	-40.05	-13	Pass	9001
12000	20000	1	RMS	19954	-29.92	-13	Pass	8001




11.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	988.5	-60.86	-13	Pass	9701
1000	1700	1	RMS	1668	-50.88	-13	Pass	701
1700	1765	1	RMS	1730.388	22.13	60	Pass	401
1765	3000	1	RMS	2683	-47.12	-13	Pass	1236
3000	12000	1	RMS	11973	-40.07	-13	Pass	9001
12000	20000	1	RMS	19971	-29.85	-13	Pass	8001




11.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	1000	0.1	RMS	999	-60.84	-13	Pass	9701
1000	1700	1	RMS	1698	-50.77	-13	Pass	701
1700	1765	1	RMS	1750.213	23.01	60	Pass	401
1765	3000	1	RMS	2694	-47.06	-13	Pass	1236
3000	12000	1	RMS	11944	-39.98	-13	Pass	9001
12000	20000	1	RMS	19966	-29.86	-13	Pass	8001




11.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.26	-13	Pass	2986
30	1000	0.1	RMS	905.6	-60.76	-13	Pass	9701
1000	1700	1	RMS	1698	-50.82	-13	Pass	701
1700	1765	1	RMS	1750.375	22.24	60	Pass	401
1765	3000	1	RMS	2680	-47.06	-13	Pass	1236
3000	12000	1	RMS	11962	-40.02	-13	Pass	9001
12000	20000	1	RMS	19970	-29.78	-13	Pass	8001




11.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	897.9	-60.84	-13	Pass	9701
1000	1700	1	RMS	1700	-49.98	-13	Pass	701
1700	1765	1	RMS	1710.563	23.15	60	Pass	401
1765	3000	1	RMS	2685	-47.07	-13	Pass	1236
3000	12000	1	RMS	11948	-40.05	-13	Pass	9001
12000	20000	1	RMS	19978	-29.84	-13	Pass	8001




11.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.42	-13	Pass	2986
30	1000	0.1	RMS	885.7	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-50.09	-13	Pass	701
1700	1765	1	RMS	1710.563	22.16	60	Pass	401
1765	3000	1	RMS	2695	-47.13	-13	Pass	1236
3000	12000	1	RMS	11952	-40.07	-13	Pass	9001
12000	20000	1	RMS	19954	-29.87	-13	Pass	8001




11.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	974.5	-60.89	-13	Pass	9701
1000	1700	1	RMS	1690	-50.84	-13	Pass	701
1700	1765	1	RMS	1728.113	23.08	60	Pass	401
1765	3000	1	RMS	2694	-47.09	-13	Pass	1236
3000	12000	1	RMS	11955	-40.01	-13	Pass	9001
12000	20000	1	RMS	19955	-29.87	-13	Pass	8001




11.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	997	-60.94	-13	Pass	9701
1000	1700	1	RMS	1665	-50.87	-13	Pass	701
1700	1765	1	RMS	1728.113	22.15	60	Pass	401
1765	3000	1	RMS	2691	-47.09	-13	Pass	1236
3000	12000	1	RMS	11956	-39.99	-13	Pass	9001
12000	20000	1	RMS	19982	-29.88	-13	Pass	8001




11.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	869	-60.74	-13	Pass	9701
1000	1700	1	RMS	1693	-50.84	-13	Pass	701
1700	1765	1	RMS	1745.663	23.02	60	Pass	401
1765	3000	1	RMS	2695	-47.11	-13	Pass	1236
3000	12000	1	RMS	11943	-40.11	-13	Pass	9001
12000	20000	1	RMS	19971	-29.89	-13	Pass	8001




11.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	894.6	-60.87	-13	Pass	9701
1000	1700	1	RMS	1698	-50.87	-13	Pass	701
1700	1765	1	RMS	1745.5	22.1	60	Pass	401
1765	3000	1	RMS	2676	-47.08	-13	Pass	1236
3000	12000	1	RMS	11949	-40.05	-13	Pass	9001
12000	20000	1	RMS	19963	-29.88	-13	Pass	8001




11.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	1000	0.1	RMS	968.2	-60.95	-13	Pass	9701
1000	1700	1	RMS	1699	-47.76	-13	Pass	701
1700	1765	1	RMS	1710.888	23.15	60	Pass	401
1765	3000	1	RMS	2681	-47.09	-13	Pass	1236
3000	12000	1	RMS	11946	-40.07	-13	Pass	9001
12000	20000	1	RMS	19956	-29.82	-13	Pass	8001




11.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	884.9	-60.92	-13	Pass	9701
1000	1700	1	RMS	1699	-49.03	-13	Pass	701
1700	1765	1	RMS	1710.888	22.31	60	Pass	401
1765	3000	1	RMS	2682	-47.14	-13	Pass	1236
3000	12000	1	RMS	11957	-40.04	-13	Pass	9001
12000	20000	1	RMS	19972	-29.91	-13	Pass	8001




11.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.74	-13	Pass	2986
30	1000	0.1	RMS	998.6	-60.88	-13	Pass	9701
1000	1700	1	RMS	1700	-50.84	-13	Pass	701
1700	1765	1	RMS	1725.838	23.08	60	Pass	401
1765	3000	1	RMS	2694	-47.09	-13	Pass	1236
3000	12000	1	RMS	11942	-40.07	-13	Pass	9001
12000	20000	1	RMS	19952	-29.88	-13	Pass	8001




11.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2986
30	1000	0.1	RMS	878.6	-60.84	-13	Pass	9701
1000	1700	1	RMS	1699	-50.84	-13	Pass	701
1700	1765	1	RMS	1725.838	22.13	60	Pass	401
1765	3000	1	RMS	2686	-47.13	-13	Pass	1236
3000	12000	1	RMS	11952	-40.04	-13	Pass	9001
12000	20000	1	RMS	19970	-29.86	-13	Pass	8001




11.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.38	-13	Pass	2986
30	1000	0.1	RMS	908.1	-60.86	-13	Pass	9701
1000	1700	1	RMS	1675	-50.87	-13	Pass	701
1700	1765	1	RMS	1740.788	23.2	60	Pass	401
1765	3000	1	RMS	2691	-47.04	-13	Pass	1236
3000	12000	1	RMS	11957	-40.01	-13	Pass	9001
12000	20000	1	RMS	19975	-29.81	-13	Pass	8001




11.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	1000	0.1	RMS	972.9	-60.94	-13	Pass	9701
1000	1700	1	RMS	1679	-50.85	-13	Pass	701
1700	1765	1	RMS	1740.788	22.25	60	Pass	401
1765	3000	1	RMS	2691	-47.07	-13	Pass	1236
3000	12000	1	RMS	11966	-40.1	-13	Pass	9001
12000	20000	1	RMS	20000	-29.91	-13	Pass	8001




11.31. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	893.6	-60.8	-13	Pass	9701
1000	1700	1	RMS	1696	-48.85	-13	Pass	701
1700	1765	1	RMS	1711.05	23.03	60	Pass	401
1765	3000	1	RMS	2675	-47.1	-13	Pass	1236
3000	12000	1	RMS	11940	-40.04	-13	Pass	9001
12000	20000	1	RMS	19962	-29.92	-13	Pass	8001




11.32. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.21	-13	Pass	2986
30	1000	0.1	RMS	913	-60.91	-13	Pass	9701
1000	1700	1	RMS	1696	-49.43	-13	Pass	701
1700	1765	1	RMS	1711.05	22.25	60	Pass	401
1765	3000	1	RMS	2681	-47.09	-13	Pass	1236
3000	12000	1	RMS	11956	-40.06	-13	Pass	9001
12000	20000	1	RMS	19963	-29.81	-13	Pass	8001




11.33. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	897.6	-60.89	-13	Pass	9701
1000	1700	1	RMS	1694	-50.59	-13	Pass	701
1700	1765	1	RMS	1723.563	23.14	60	Pass	401
1765	3000	1	RMS	2677	-47.12	-13	Pass	1236
3000	12000	1	RMS	11948	-40.04	-13	Pass	9001
12000	20000	1	RMS	19969	-29.9	-13	Pass	8001




11.34. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	943.4	-60.85	-13	Pass	9701
1000	1700	1	RMS	1694	-50.72	-13	Pass	701
1700	1765	1	RMS	1723.563	22.08	60	Pass	401
1765	3000	1	RMS	2696	-47.08	-13	Pass	1236
3000	12000	1	RMS	11944	-40	-13	Pass	9001
12000	20000	1	RMS	19962	-29.82	-13	Pass	8001




11.35. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-13	Pass	2986
30	1000	0.1	RMS	911.5	-60.87	-13	Pass	9701
1000	1700	1	RMS	1671	-50.84	-13	Pass	701
1700	1765	1	RMS	1736.075	23.17	60	Pass	401
1765	3000	1	RMS	1765	-40.46	-13	Pass	1236
3000	12000	1	RMS	11955	-40.05	-13	Pass	9001
12000	20000	1	RMS	19957	-29.86	-13	Pass	8001



11.36. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.09	-13	Pass	2986
30	1000	0.1	RMS	890.8	-60.83	-13	Pass	9701
1000	1700	1	RMS	1662	-50.84	-13	Pass	701
1700	1765	1	RMS	1736.075	22.4	60	Pass	401
1765	3000	1	RMS	1765	-40.94	-13	Pass	1236
3000	12000	1	RMS	11941	-40.03	-13	Pass	9001
12000	20000	1	RMS	19973	-29.86	-13	Pass	8001



1. LTE_Band5


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.48	-13	Pass	7841
814	860	0.1	RMS	824.2	19.48	60	Pass	461
860	1000	0.1	RMS	908.2	-62.38	-13	Pass	1401
1000	3000	1	RMS	2686	-46.82	-13	Pass	2001
3000	10000	1	RMS	9972	-41.25	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.19	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.51	-13	Pass	7841
814	860	0.1	RMS	824.3	18.6	60	Pass	461
860	1000	0.1	RMS	995.3	-62.34	-13	Pass	1401
1000	3000	1	RMS	2695	-46.84	-13	Pass	2001
3000	10000	1	RMS	9948	-41.24	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	814	0.1	RMS	760.3	-61.68	-13	Pass	7841
814	860	0.1	RMS	836	19.52	60	Pass	461
860	1000	0.1	RMS	987.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	1672	-45.74	-13	Pass	2001
3000	10000	1	RMS	9948	-41.15	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	814	0.1	RMS	789.8	-61.59	-13	Pass	7841
814	860	0.1	RMS	836.1	18.63	60	Pass	461
860	1000	0.1	RMS	881.4	-62.35	-13	Pass	1401
1000	3000	1	RMS	1672	-46.57	-13	Pass	2001
3000	10000	1	RMS	9968	-41.26	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	814	0.1	RMS	810.1	-61.57	-13	Pass	7841
814	860	0.1	RMS	847.8	19.14	60	Pass	461
860	1000	0.1	RMS	880.4	-62.32	-13	Pass	1401
1000	3000	1	RMS	2682	-46.81	-13	Pass	2001
3000	10000	1	RMS	9976	-41.26	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.66	-13	Pass	7841
814	860	0.1	RMS	847.8	18.38	60	Pass	461
860	1000	0.1	RMS	996.6	-62.34	-13	Pass	1401
1000	3000	1	RMS	2687	-46.81	-13	Pass	2001
3000	10000	1	RMS	9993	-41.22	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.07	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.47	-13	Pass	7841
814	860	0.1	RMS	824.2	19.93	60	Pass	461
860	1000	0.1	RMS	996.9	-62.33	-13	Pass	1401
1000	3000	1	RMS	1648	-46.61	-13	Pass	2001
3000	10000	1	RMS	9989	-41.26	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	814	0.1	RMS	814	-61.4	-13	Pass	7841
814	860	0.1	RMS	824.2	19.01	60	Pass	461
860	1000	0.1	RMS	991.9	-62.41	-13	Pass	1401
1000	3000	1	RMS	2693	-46.8	-13	Pass	2001
3000	10000	1	RMS	9967	-41.25	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	814	0.1	RMS	798.6	-61.62	-13	Pass	7841
814	860	0.1	RMS	835.2	19.82	60	Pass	461
860	1000	0.1	RMS	996.9	-62.13	-13	Pass	1401
1000	3000	1	RMS	1670	-46.59	-13	Pass	2001
3000	10000	1	RMS	9947	-41.25	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	814	0.1	RMS	804.2	-61.6	-13	Pass	7841
814	860	0.1	RMS	835.2	18.91	60	Pass	461
860	1000	0.1	RMS	995.5	-62.51	-13	Pass	1401
1000	3000	1	RMS	2691	-46.81	-13	Pass	2001
3000	10000	1	RMS	9972	-41.21	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.69	-13	Pass	7841
814	860	0.1	RMS	846.2	19.66	60	Pass	461
860	1000	0.1	RMS	862	-62.35	-13	Pass	1401
1000	3000	1	RMS	2679	-46.83	-13	Pass	2001
3000	10000	1	RMS	9979	-41.26	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.62	-13	Pass	2986
30	814	0.1	RMS	804.3	-61.64	-13	Pass	7841
814	860	0.1	RMS	846.2	18.64	60	Pass	461
860	1000	0.1	RMS	966.9	-62.41	-13	Pass	1401
1000	3000	1	RMS	2683	-46.81	-13	Pass	2001
3000	10000	1	RMS	9969	-41.22	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.63	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.25	-13	Pass	7841
814	860	0.1	RMS	824.3	19.96	60	Pass	461
860	1000	0.1	RMS	997	-62.02	-13	Pass	1401
1000	3000	1	RMS	1649	-46.08	-13	Pass	2001
3000	10000	1	RMS	9290	-41.25	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.25	-13	Pass	7841
814	860	0.1	RMS	824.3	18.73	60	Pass	461
860	1000	0.1	RMS	997.6	-62.44	-13	Pass	1401
1000	3000	1	RMS	2693	-46.81	-13	Pass	2001
3000	10000	1	RMS	9281	-41.29	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.28	-13	Pass	2986
30	814	0.1	RMS	780.2	-61.48	-13	Pass	7841
814	860	0.1	RMS	834.3	19.84	60	Pass	461
860	1000	0.1	RMS	862.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	1669	-46.13	-13	Pass	2001
3000	10000	1	RMS	9283	-41.24	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.19	-13	Pass	2986
30	814	0.1	RMS	809.6	-61.54	-13	Pass	7841
814	860	0.1	RMS	834.3	19.05	60	Pass	461
860	1000	0.1	RMS	981.5	-62.47	-13	Pass	1401
1000	3000	1	RMS	1669	-46.81	-13	Pass	2001
3000	10000	1	RMS	9957	-41.25	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.48	-13	Pass	2986
30	814	0.1	RMS	758.6	-61.6	-13	Pass	7841
814	860	0.1	RMS	844.3	19.86	60	Pass	461
860	1000	0.1	RMS	886.4	-62.43	-13	Pass	1401
1000	3000	1	RMS	1689	-46.67	-13	Pass	2001
3000	10000	1	RMS	9278	-41.21	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-13	Pass	2986
30	814	0.1	RMS	811.9	-61.61	-13	Pass	7841
814	860	0.1	RMS	844.3	18.92	60	Pass	461
860	1000	0.1	RMS	995.4	-62.42	-13	Pass	1401
1000	3000	1	RMS	2675	-46.84	-13	Pass	2001
3000	10000	1	RMS	9992	-41.22	-13	Pass	7001




1.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	814	0.1	RMS	810	-58.99	-13	Pass	7841
814	860	0.1	RMS	824.6	20.45	60	Pass	461
860	1000	0.1	RMS	991.3	-62.32	-13	Pass	1401
1000	3000	1	RMS	1649	-45.57	-13	Pass	2001
3000	10000	1	RMS	9277	-41.26	-13	Pass	7001




1.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.71	-13	Pass	2986
30	814	0.1	RMS	812.9	-56.72	-13	Pass	7841
814	860	0.1	RMS	824.6	19.42	60	Pass	461
860	1000	0.1	RMS	893.3	-62.36	-13	Pass	1401
1000	3000	1	RMS	1649	-46.41	-13	Pass	2001
3000	10000	1	RMS	9999	-41.3	-13	Pass	7001




1.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	814	0.1	RMS	811	-61.63	-13	Pass	7841
814	860	0.1	RMS	832.1	20.49	60	Pass	461
860	1000	0.1	RMS	998.6	-62.17	-13	Pass	1401
1000	3000	1	RMS	1664	-45.69	-13	Pass	2001
3000	10000	1	RMS	9950	-41.24	-13	Pass	7001




1.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.71	-13	Pass	2986
30	814	0.1	RMS	810.5	-61.61	-13	Pass	7841
814	860	0.1	RMS	832.1	19.31	60	Pass	461
860	1000	0.1	RMS	997.7	-62.41	-13	Pass	1401
1000	3000	1	RMS	1664	-46.78	-13	Pass	2001
3000	10000	1	RMS	9949	-41.28	-13	Pass	7001




1.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	814	0.1	RMS	813.2	-61.5	-13	Pass	7841
814	860	0.1	RMS	839.6	20.4	60	Pass	461
860	1000	0.1	RMS	892.8	-62.3	-13	Pass	1401
1000	3000	1	RMS	1679	-46.02	-13	Pass	2001
3000	10000	1	RMS	9948	-41.36	-13	Pass	7001



1.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-13	Pass	2986
30	814	0.1	RMS	783	-61.71	-13	Pass	7841
814	860	0.1	RMS	839.6	19.41	60	Pass	461
860	1000	0.1	RMS	998.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	1679	-46.94	-13	Pass	2001
3000	10000	1	RMS	9279	-41.32	-13	Pass	7001



7. LTE_Band7


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.28	-25	Pass	2986
30	1000	0.1	RMS	901.1	-61.15	-25	Pass	9701
1000	2490	1	RMS	2490	-47.88	-25	Pass	1491
2490	2580	1	RMS	2500.35	22.36	60	Pass	401
2580	3000	1	RMS	2686	-47.58	-25	Pass	421
3000	12000	1	RMS	11859	-63.47	-25	Pass	9001
12000	26000	1	RMS	25594	-44.33	-25	Pass	14001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-25	Pass	2986
30	1000	0.1	RMS	981	-61.16	-25	Pass	9701
1000	2490	1	RMS	2490	-48.02	-25	Pass	1491
2490	2580	1	RMS	2500.35	21.61	60	Pass	401
2580	3000	1	RMS	2690	-47.59	-25	Pass	421
3000	12000	1	RMS	11851	-63.49	-25	Pass	9001
12000	26000	1	RMS	25574	-44.82	-25	Pass	14001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-25	Pass	401
0.15	30	0.01	RMS	0.16	-56.22	-25	Pass	2986
30	1000	0.1	RMS	921.7	-61.06	-25	Pass	9701
1000	2490	1	RMS	2490	-48.15	-25	Pass	1491
2490	2580	1	RMS	2532.75	22.2	60	Pass	401
2580	3000	1	RMS	2679	-47.62	-25	Pass	421
3000	12000	1	RMS	11850	-63.42	-25	Pass	9001
12000	26000	1	RMS	25593	-44.8	-25	Pass	14001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.09	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-25	Pass	2986
30	1000	0.1	RMS	883.1	-61.05	-25	Pass	9701
1000	2490	1	RMS	2483	-48.09	-25	Pass	1491
2490	2580	1	RMS	2532.75	21.46	60	Pass	401
2580	3000	1	RMS	2686	-47.62	-25	Pass	421
3000	12000	1	RMS	11870	-63.5	-25	Pass	9001
12000	26000	1	RMS	25614	-44.86	-25	Pass	14001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.5	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-25	Pass	2986
30	1000	0.1	RMS	985	-61.17	-25	Pass	9701
1000	2490	1	RMS	2486	-48.17	-25	Pass	1491
2490	2580	1	RMS	2565.375	22.36	60	Pass	401
2580	3000	1	RMS	2691	-47.61	-25	Pass	421
3000	12000	1	RMS	11851	-63.47	-25	Pass	9001
12000	26000	1	RMS	25610	-44.87	-25	Pass	14001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-25	Pass	2986
30	1000	0.1	RMS	924.9	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.1	-25	Pass	1491
2490	2580	1	RMS	2565.375	21.42	60	Pass	401
2580	3000	1	RMS	2690	-47.62	-25	Pass	421
3000	12000	1	RMS	11845	-63.44	-25	Pass	9001
12000	26000	1	RMS	25589	-44.82	-25	Pass	14001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.76	-25	Pass	2986
30	1000	0.1	RMS	988.6	-61.12	-25	Pass	9701
1000	2490	1	RMS	2490	-47.4	-25	Pass	1491
2490	2580	1	RMS	2500.575	22.59	60	Pass	401
2580	3000	1	RMS	2680	-47.52	-25	Pass	421
3000	12000	1	RMS	11867	-63.5	-25	Pass	9001
12000	26000	1	RMS	25585	-44.86	-25	Pass	14001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.57	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.52	-25	Pass	2986
30	1000	0.1	RMS	995.3	-61.16	-25	Pass	9701
1000	2490	1	RMS	2490	-47.38	-25	Pass	1491
2490	2580	1	RMS	2500.575	21.73	60	Pass	401
2580	3000	1	RMS	2687	-47.59	-25	Pass	421
3000	12000	1	RMS	11850	-63.52	-25	Pass	9001
12000	26000	1	RMS	25609	-44.86	-25	Pass	14001




7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.62	-25	Pass	2986
30	1000	0.1	RMS	899.8	-61.14	-25	Pass	9701
1000	2490	1	RMS	2484	-48.18	-25	Pass	1491
2490	2580	1	RMS	2530.5	22.26	60	Pass	401
2580	3000	1	RMS	2691	-47.6	-25	Pass	421
3000	12000	1	RMS	11871	-63.45	-25	Pass	9001
12000	26000	1	RMS	25597	-44.84	-25	Pass	14001




7.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-25	Pass	2986
30	1000	0.1	RMS	886.6	-61.09	-25	Pass	9701
1000	2490	1	RMS	2490	-48.03	-25	Pass	1491
2490	2580	1	RMS	2530.5	21.42	60	Pass	401
2580	3000	1	RMS	2694	-47.6	-25	Pass	421
3000	12000	1	RMS	11849	-63.52	-25	Pass	9001
12000	26000	1	RMS	25598	-44.78	-25	Pass	14001




7.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.7	-25	Pass	401
0.15	30	0.01	RMS	0.15	-57.09	-25	Pass	2986
30	1000	0.1	RMS	899.8	-61.05	-25	Pass	9701
1000	2490	1	RMS	2489	-48.05	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.33	60	Pass	401
2580	3000	1	RMS	2683	-47.62	-25	Pass	421
3000	12000	1	RMS	11854	-63.48	-25	Pass	9001
12000	26000	1	RMS	25597	-44.79	-25	Pass	14001




7.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-25	Pass	2986
30	1000	0.1	RMS	999	-61.13	-25	Pass	9701
1000	2490	1	RMS	2489	-48.1	-25	Pass	1491
2490	2580	1	RMS	2560.65	21.37	60	Pass	401
2580	3000	1	RMS	2687	-47.59	-25	Pass	421
3000	12000	1	RMS	11854	-63.47	-25	Pass	9001
12000	26000	1	RMS	25620	-44.8	-25	Pass	14001




7.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.42	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-25	Pass	2986
30	1000	0.1	RMS	885.6	-61.06	-25	Pass	9701
1000	2490	1	RMS	2489	-45.74	-25	Pass	1491
2490	2580	1	RMS	2500.8	22.45	60	Pass	401
2580	3000	1	RMS	2683	-47.59	-25	Pass	421
3000	12000	1	RMS	11866	-63.52	-25	Pass	9001
12000	26000	1	RMS	25630	-44.85	-25	Pass	14001




7.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-25	Pass	401
0.15	30	0.01	RMS	0.16	-57.06	-25	Pass	2986
30	1000	0.1	RMS	889.6	-61.06	-25	Pass	9701
1000	2490	1	RMS	2489	-46.55	-25	Pass	1491
2490	2580	1	RMS	2500.8	21.64	60	Pass	401
2580	3000	1	RMS	2684	-47.56	-25	Pass	421
3000	12000	1	RMS	11851	-63.47	-25	Pass	9001
12000	26000	1	RMS	25603	-44.78	-25	Pass	14001




7.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.46	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.72	-25	Pass	2986
30	1000	0.1	RMS	880.1	-61.08	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2580	1	RMS	2528.25	22.23	60	Pass	401
2580	3000	1	RMS	2687	-47.59	-25	Pass	421
3000	12000	1	RMS	11851	-63.49	-25	Pass	9001
12000	26000	1	RMS	25589	-44.8	-25	Pass	14001




7.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-25	Pass	2986
30	1000	0.1	RMS	992.9	-61.23	-25	Pass	9701
1000	2490	1	RMS	2489	-48.15	-25	Pass	1491
2490	2580	1	RMS	2528.25	21.36	60	Pass	401
2580	3000	1	RMS	2688	-47.59	-25	Pass	421
3000	12000	1	RMS	11851	-63.47	-25	Pass	9001
12000	26000	1	RMS	25610	-44.78	-25	Pass	14001




7.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-25	Pass	2986
30	1000	0.1	RMS	986.5	-61.14	-25	Pass	9701
1000	2490	1	RMS	2490	-48.15	-25	Pass	1491
2490	2595	1	RMS	2555.888	22.26	60	Pass	401
2595	3000	1	RMS	2682	-47.6	-25	Pass	406
3000	12000	1	RMS	11850	-63.51	-25	Pass	9001
12000	26000	1	RMS	25608	-44.84	-25	Pass	14001




7.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:21375, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.55	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.04	-25	Pass	2986
30	1000	0.1	RMS	995.9	-60.99	-25	Pass	9701
1000	2490	1	RMS	2490	-48.06	-25	Pass	1491
2490	2595	1	RMS	2555.888	21.39	60	Pass	401
2595	3000	1	RMS	2676	-47.58	-25	Pass	406
3000	12000	1	RMS	11869	-63.42	-25	Pass	9001
12000	26000	1	RMS	25569	-44.78	-25	Pass	14001




7.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.01	-25	Pass	2986
30	1000	0.1	RMS	902.2	-61.04	-25	Pass	9701
1000	2490	1	RMS	2486	-46.23	-25	Pass	1491
2490	2580	1	RMS	2501.025	22.44	60	Pass	401
2580	3000	1	RMS	2689	-47.57	-25	Pass	421
3000	12000	1	RMS	11863	-63.5	-25	Pass	9001
12000	26000	1	RMS	25597	-44.79	-25	Pass	14001




7.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-54.37	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.69	-25	Pass	2986
30	1000	0.1	RMS	999.9	-61.09	-25	Pass	9701
1000	2490	1	RMS	2486	-46.76	-25	Pass	1491
2490	2580	1	RMS	2501.025	21.62	60	Pass	401
2580	3000	1	RMS	2677	-47.61	-25	Pass	421
3000	12000	1	RMS	11850	-63.47	-25	Pass	9001
12000	26000	1	RMS	25584	-44.85	-25	Pass	14001




7.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:21100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-25	Pass	2986
30	1000	0.1	RMS	886.4	-61.11	-25	Pass	9701
1000	2490	1	RMS	2488	-48.02	-25	Pass	1491
2490	2580	1	RMS	2526	22.25	60	Pass	401
2580	3000	1	RMS	2692	-47.62	-25	Pass	421
3000	12000	1	RMS	11864	-63.53	-25	Pass	9001
12000	26000	1	RMS	25627	-44.89	-25	Pass	14001




7.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:21100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.99	-25	Pass	2986
30	1000	0.1	RMS	916.5	-61.01	-25	Pass	9701
1000	2490	1	RMS	2490	-47.99	-25	Pass	1491
2490	2580	1	RMS	2526	21.39	60	Pass	401
2580	3000	1	RMS	2695	-47.61	-25	Pass	421
3000	12000	1	RMS	11848	-63.5	-25	Pass	9001
12000	26000	1	RMS	25592	-44.91	-25	Pass	14001




7.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:21350, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.27	-25	Pass	401
0.15	30	0.01	RMS	0.15	-56.65	-25	Pass	2986
30	1000	0.1	RMS	864.9	-61.14	-25	Pass	9701
1000	2490	1	RMS	2489	-48.08	-25	Pass	1491
2490	2595	1	RMS	2551.163	22.14	60	Pass	401
2595	3000	1	RMS	2691	-47.59	-25	Pass	406
3000	12000	1	RMS	11944	-63.49	-25	Pass	9001
12000	26000	1	RMS	25610	-44.84	-25	Pass	14001



7.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:21350, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-25	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-25	Pass	2986
30	1000	0.1	RMS	883.2	-61.12	-25	Pass	9701
1000	2490	1	RMS	2490	-48.09	-25	Pass	1491
2490	2595	1	RMS	2551.163	21.44	60	Pass	401
2595	3000	1	RMS	2690	-47.61	-25	Pass	406
3000	12000	1	RMS	11886	-63.55	-25	Pass	9001
12000	26000	1	RMS	25630	-44.88	-25	Pass	14001



2. LTE_Band12


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	689	0.1	RMS	663.6	-62.34	-13	Pass	6591
689	726	0.1	RMS	699.268	20.08	60	Pass	401
726	1000	0.1	RMS	892.1	-61.76	-13	Pass	2741
1000	3000	1	RMS	2680	-46.94	-13	Pass	2001
3000	10000	1	RMS	9968	-41.29	-13	Pass	7001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	689	0.1	RMS	503.9	-62.27	-13	Pass	6591
689	726	0.1	RMS	699.268	19.11	60	Pass	401
726	1000	0.1	RMS	882.8	-61.85	-13	Pass	2741
1000	3000	1	RMS	2686	-46.98	-13	Pass	2001
3000	10000	1	RMS	9960	-41.3	-13	Pass	7001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	689	0.1	RMS	665.4	-62.47	-13	Pass	6591
689	726	0.1	RMS	707.038	20.14	60	Pass	401
726	1000	0.1	RMS	973	-61.71	-13	Pass	2741
1000	3000	1	RMS	2687	-46.96	-13	Pass	2001
3000	10000	1	RMS	9952	-41.32	-13	Pass	7001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.56	-13	Pass	2986
30	689	0.1	RMS	669.6	-62.43	-13	Pass	6591
689	726	0.1	RMS	707.038	19.14	60	Pass	401
726	1000	0.1	RMS	900	-61.67	-13	Pass	2741
1000	3000	1	RMS	2696	-46.99	-13	Pass	2001
3000	10000	1	RMS	9973	-41.3	-13	Pass	7001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	689	0.1	RMS	676.8	-62.45	-13	Pass	6591
689	726	0.1	RMS	714.808	19.61	60	Pass	401
726	1000	0.1	RMS	902.6	-61.72	-13	Pass	2741
1000	3000	1	RMS	2680	-46.98	-13	Pass	2001
3000	10000	1	RMS	9949	-41.35	-13	Pass	7001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	689	0.1	RMS	678.4	-62.47	-13	Pass	6591
689	726	0.1	RMS	714.808	18.58	60	Pass	401
726	1000	0.1	RMS	883.7	-61.84	-13	Pass	2741
1000	3000	1	RMS	2695	-46.94	-13	Pass	2001
3000	10000	1	RMS	9953	-41.36	-13	Pass	7001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.21	-13	Pass	2986
30	689	0.1	RMS	503	-62.51	-13	Pass	6591
689	726	0.1	RMS	699.268	19.99	60	Pass	401
726	1000	0.1	RMS	901.7	-61.72	-13	Pass	2741
1000	3000	1	RMS	2688	-46.95	-13	Pass	2001
3000	10000	1	RMS	9275	-41.34	-13	Pass	7001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	689	0.1	RMS	688.3	-62.45	-13	Pass	6591
689	726	0.1	RMS	699.268	19.12	60	Pass	401
726	1000	0.1	RMS	858.6	-61.8	-13	Pass	2741
1000	3000	1	RMS	2686	-46.96	-13	Pass	2001
3000	10000	1	RMS	9957	-41.26	-13	Pass	7001




2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	689	0.1	RMS	497.9	-62.33	-13	Pass	6591
689	726	0.1	RMS	706.205	19.85	60	Pass	401
726	1000	0.1	RMS	898.6	-61.49	-13	Pass	2741
1000	3000	1	RMS	2675	-46.95	-13	Pass	2001
3000	10000	1	RMS	9985	-41.34	-13	Pass	7001




2.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	689	0.1	RMS	688.4	-62.39	-13	Pass	6591
689	726	0.1	RMS	706.205	18.94	60	Pass	401
726	1000	0.1	RMS	874.4	-61.71	-13	Pass	2741
1000	3000	1	RMS	2677	-46.98	-13	Pass	2001
3000	10000	1	RMS	9950	-41.27	-13	Pass	7001




2.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	689	0.1	RMS	654.3	-62.38	-13	Pass	6591
689	726	0.1	RMS	713.235	20.11	60	Pass	401
726	1000	0.1	RMS	891.9	-61.59	-13	Pass	2741
1000	3000	1	RMS	2690	-46.91	-13	Pass	2001
3000	10000	1	RMS	9986	-41.29	-13	Pass	7001




2.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	689	0.1	RMS	510	-62.44	-13	Pass	6591
689	726	0.1	RMS	713.235	19.26	60	Pass	401
726	1000	0.1	RMS	899.2	-61.64	-13	Pass	2741
1000	3000	1	RMS	2683	-46.99	-13	Pass	2001
3000	10000	1	RMS	9958	-41.31	-13	Pass	7001




2.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	689	0.1	RMS	686.1	-62.46	-13	Pass	6591
689	726	0.1	RMS	699.36	20.04	60	Pass	401
726	1000	0.1	RMS	909.5	-61.74	-13	Pass	2741
1000	3000	1	RMS	2691	-46.97	-13	Pass	2001
3000	10000	1	RMS	9963	-41.36	-13	Pass	7001




2.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	689	0.1	RMS	684.9	-62.35	-13	Pass	6591
689	726	0.1	RMS	699.36	19.24	60	Pass	401
726	1000	0.1	RMS	868	-61.87	-13	Pass	2741
1000	3000	1	RMS	2682	-46.95	-13	Pass	2001
3000	10000	1	RMS	9279	-41.32	-13	Pass	7001




2.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.67	-13	Pass	2986
30	689	0.1	RMS	493.4	-62.47	-13	Pass	6591
689	726	0.1	RMS	705.373	19.99	60	Pass	401
726	1000	0.1	RMS	943.7	-61.72	-13	Pass	2741
1000	3000	1	RMS	2696	-46.95	-13	Pass	2001
3000	10000	1	RMS	9956	-41.38	-13	Pass	7001




2.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	689	0.1	RMS	499.3	-62.47	-13	Pass	6591
689	726	0.1	RMS	705.373	19.14	60	Pass	401
726	1000	0.1	RMS	900.5	-61.67	-13	Pass	2741
1000	3000	1	RMS	2693	-46.96	-13	Pass	2001
3000	10000	1	RMS	9986	-41.33	-13	Pass	7001




2.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.97	-13	Pass	2986
30	689	0.1	RMS	684.1	-62.34	-13	Pass	6591
689	726	0.1	RMS	711.293	19.6	60	Pass	401
726	1000	0.1	RMS	862.8	-61.7	-13	Pass	2741
1000	3000	1	RMS	2691	-46.96	-13	Pass	2001
3000	10000	1	RMS	9952	-41.28	-13	Pass	7001




2.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	689	0.1	RMS	688.9	-62.46	-13	Pass	6591
689	726	0.1	RMS	711.385	18.8	60	Pass	401
726	1000	0.1	RMS	885.3	-61.78	-13	Pass	2741
1000	3000	1	RMS	2688	-46.96	-13	Pass	2001
3000	10000	1	RMS	9990	-41.34	-13	Pass	7001




2.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.58	-13	Pass	2986
30	689	0.1	RMS	688.1	-62.25	-13	Pass	6591
689	726	0.1	RMS	699.545	19.75	60	Pass	401
726	1000	0.1	RMS	883.8	-61.74	-13	Pass	2741
1000	3000	1	RMS	2684	-46.96	-13	Pass	2001
3000	10000	1	RMS	9956	-41.38	-13	Pass	7001




2.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.45	-13	Pass	2986
30	689	0.1	RMS	685.1	-62.4	-13	Pass	6591
689	726	0.1	RMS	699.638	18.86	60	Pass	401
726	1000	0.1	RMS	896.4	-61.61	-13	Pass	2741
1000	3000	1	RMS	2694	-46.96	-13	Pass	2001
3000	10000	1	RMS	9948	-41.36	-13	Pass	7001




2.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.18	-13	Pass	2986
30	689	0.1	RMS	687.4	-62.34	-13	Pass	6591
689	726	0.1	RMS	703.06	20	60	Pass	401
726	1000	0.1	RMS	925.3	-61.7	-13	Pass	2741
1000	3000	1	RMS	2679	-46.93	-13	Pass	2001
3000	10000	1	RMS	9966	-41.39	-13	Pass	7001




2.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.49	-13	Pass	2986
30	689	0.1	RMS	497.5	-62.39	-13	Pass	6591
689	726	0.1	RMS	703.06	19.03	60	Pass	401
726	1000	0.1	RMS	891	-61.82	-13	Pass	2741
1000	3000	1	RMS	2676	-46.98	-13	Pass	2001
3000	10000	1	RMS	9947	-41.34	-13	Pass	7001




2.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	689	0.1	RMS	683.5	-62.32	-13	Pass	6591
689	726	0.1	RMS	706.575	20.19	60	Pass	401
726	1000	0.1	RMS	871	-61.79	-13	Pass	2741
1000	3000	1	RMS	2687	-46.94	-13	Pass	2001
3000	10000	1	RMS	9959	-41.33	-13	Pass	7001



2.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.42	-13	Pass	2986
30	689	0.1	RMS	503.7	-62.37	-13	Pass	6591
689	726	0.1	RMS	706.575	19.17	60	Pass	401
726	1000	0.1	RMS	885.5	-61.46	-13	Pass	2741
1000	3000	1	RMS	2691	-46.97	-13	Pass	2001
3000	10000	1	RMS	9964	-41.34	-13	Pass	7001



3. LTE_Band13


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	767	0.1	RMS	764.7	-61.67	-13	Pass	7371
767	797	0.1	RMS	777.35	19.95	60	Pass	401
797	1000	0.1	RMS	895.1	-62.15	-13	Pass	2031
1000	3000	1	RMS	2682	-46.94	-13	Pass	2001
3000	10000	1	RMS	9965	-41.35	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.5	-13	Pass	2986
30	767	0.1	RMS	763.2	-61.64	-13	Pass	7371
767	797	0.1	RMS	777.35	19.11	60	Pass	401
797	1000	0.1	RMS	977.5	-62.37	-13	Pass	2031
1000	3000	1	RMS	2687	-46.97	-13	Pass	2001
3000	10000	1	RMS	9997	-41.39	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.71	-13	Pass	2986
30	767	0.1	RMS	762.9	-61.67	-13	Pass	7371
767	797	0.1	RMS	779.825	20.01	60	Pass	401
797	1000	0.1	RMS	992	-62.22	-13	Pass	2031
1000	3000	1	RMS	2688	-46.99	-13	Pass	2001
3000	10000	1	RMS	9944	-41.35	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	767	0.1	RMS	765.5	-61.65	-13	Pass	7371
767	797	0.1	RMS	779.825	19.19	60	Pass	401
797	1000	0.1	RMS	997.5	-62.3	-13	Pass	2031
1000	3000	1	RMS	2691	-46.98	-13	Pass	2001
3000	10000	1	RMS	9937	-41.37	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	767	0.1	RMS	762.6	-61.7	-13	Pass	7371
767	797	0.1	RMS	782.3	19.61	60	Pass	401
797	1000	0.1	RMS	966.2	-62.3	-13	Pass	2031
1000	3000	1	RMS	2675	-46.98	-13	Pass	2001
3000	10000	1	RMS	9977	-41.32	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.16	-13	Pass	2986
30	767	0.1	RMS	763.2	-61.7	-13	Pass	7371
767	797	0.1	RMS	782.375	18.85	60	Pass	401
797	1000	0.1	RMS	997.9	-62	-13	Pass	2031
1000	3000	1	RMS	2687	-46.94	-13	Pass	2001
3000	10000	1	RMS	9275	-41.34	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	767	0.1	RMS	766.4	-61.6	-13	Pass	7371
767	797	0.1	RMS	777.575	20.02	60	Pass	401
797	1000	0.1	RMS	797.1	-61.19	-13	Pass	2031
1000	3000	1	RMS	2690	-46.98	-13	Pass	2001
3000	10000	1	RMS	9956	-41.3	-13	Pass	7001



3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	767	0.1	RMS	763.2	-61.69	-13	Pass	7371
767	797	0.1	RMS	777.575	19.04	60	Pass	401
797	1000	0.1	RMS	797.1	-61.74	-13	Pass	2031
1000	3000	1	RMS	2676	-46.96	-13	Pass	2001
3000	10000	1	RMS	9953	-41.33	-13	Pass	7001



4. LTE_Band17


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.75	-13	Pass	2986
30	694	0.1	RMS	693.5	-62.31	-13	Pass	6641
694	726	0.1	RMS	704.32	20.22	60	Pass	401
726	1000	0.1	RMS	989.6	-61.58	-13	Pass	2741
1000	3000	1	RMS	2687	-46.9	-13	Pass	2001
3000	10000	1	RMS	9277	-41.36	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	694	0.1	RMS	675.1	-62.33	-13	Pass	6641
694	726	0.1	RMS	704.32	19.32	60	Pass	401
726	1000	0.1	RMS	872	-61.85	-13	Pass	2741
1000	3000	1	RMS	2681	-46.95	-13	Pass	2001
3000	10000	1	RMS	9965	-41.34	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.56	-13	Pass	2986
30	694	0.1	RMS	501.6	-62.38	-13	Pass	6641
694	726	0.1	RMS	707.84	20.31	60	Pass	401
726	1000	0.1	RMS	887.9	-61.63	-13	Pass	2741
1000	3000	1	RMS	2690	-46.91	-13	Pass	2001
3000	10000	1	RMS	9976	-41.33	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	694	0.1	RMS	689.8	-62.35	-13	Pass	6641
694	726	0.1	RMS	707.84	19.58	60	Pass	401
726	1000	0.1	RMS	911.7	-61.77	-13	Pass	2741
1000	3000	1	RMS	2695	-46.94	-13	Pass	2001
3000	10000	1	RMS	9957	-41.31	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	694	0.1	RMS	687.3	-62.39	-13	Pass	6641
694	726	0.1	RMS	711.36	19.99	60	Pass	401
726	1000	0.1	RMS	883.4	-61.73	-13	Pass	2741
1000	3000	1	RMS	2695	-46.97	-13	Pass	2001
3000	10000	1	RMS	9947	-41.34	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.24	-13	Pass	6641
694	726	0.1	RMS	711.36	19.36	60	Pass	401
726	1000	0.1	RMS	895.6	-61.8	-13	Pass	2741
1000	3000	1	RMS	2682	-46.95	-13	Pass	2001
3000	10000	1	RMS	9982	-41.36	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.61	-13	Pass	2986
30	694	0.1	RMS	694	-61.44	-13	Pass	6641
694	726	0.1	RMS	704.56	20.17	60	Pass	401
726	1000	0.1	RMS	889.7	-61.74	-13	Pass	2741
1000	3000	1	RMS	2687	-46.98	-13	Pass	2001
3000	10000	1	RMS	9973	-41.36	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.47	-13	Pass	2986
30	694	0.1	RMS	694	-61.77	-13	Pass	6641
694	726	0.1	RMS	704.56	19.39	60	Pass	401
726	1000	0.1	RMS	906.9	-61.81	-13	Pass	2741
1000	3000	1	RMS	2692	-46.97	-13	Pass	2001
3000	10000	1	RMS	9279	-41.35	-13	Pass	7001




4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.84	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.6	-13	Pass	2986
30	694	0.1	RMS	693.9	-62.08	-13	Pass	6641
694	726	0.1	RMS	705.6	20.44	60	Pass	401
726	1000	0.1	RMS	906.5	-61.73	-13	Pass	2741
1000	3000	1	RMS	2693	-46.94	-13	Pass	2001
3000	10000	1	RMS	9954	-41.37	-13	Pass	7001




4.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	694	0.1	RMS	694	-62.02	-13	Pass	6641
694	726	0.1	RMS	705.6	19.31	60	Pass	401
726	1000	0.1	RMS	899.2	-61.62	-13	Pass	2741
1000	3000	1	RMS	2691	-46.97	-13	Pass	2001
3000	10000	1	RMS	9961	-41.36	-13	Pass	7001




4.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.17	-13	Pass	2986
30	694	0.1	RMS	694	-62.35	-13	Pass	6641
694	726	0.1	RMS	706.56	20.16	60	Pass	401
726	1000	0.1	RMS	916.3	-61.61	-13	Pass	2741
1000	3000	1	RMS	1413	-46.91	-13	Pass	2001
3000	10000	1	RMS	9970	-41.37	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	694	0.1	RMS	501.1	-62.46	-13	Pass	6641
694	726	0.1	RMS	706.56	19.18	60	Pass	401
726	1000	0.1	RMS	886.8	-61.84	-13	Pass	2741
1000	3000	1	RMS	2687	-46.97	-13	Pass	2001
3000	10000	1	RMS	9958	-41.26	-13	Pass	7001



5. LTE_Band26(part22)


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:26797, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	814	0.1	RMS	755.8	-61.63	-13	Pass	7841
814	860	0.1	RMS	824.2	19.45	60	Pass	461
860	1000	0.1	RMS	996.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	2686	-46.94	-13	Pass	2001
3000	10000	1	RMS	9279	-41.34	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:26797, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	814	0.1	RMS	812.9	-61.6	-13	Pass	7841
814	860	0.1	RMS	824.2	18.54	60	Pass	461
860	1000	0.1	RMS	991.2	-62.4	-13	Pass	1401
1000	3000	1	RMS	2683	-47	-13	Pass	2001
3000	10000	1	RMS	9964	-41.38	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:26915, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	789.5	-61.63	-13	Pass	7841
814	860	0.1	RMS	836.1	19.57	60	Pass	461
860	1000	0.1	RMS	995.7	-62.49	-13	Pass	1401
1000	3000	1	RMS	1672	-45.87	-13	Pass	2001
3000	10000	1	RMS	9981	-41.25	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:26915, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.1	-13	Pass	2986
30	814	0.1	RMS	804.6	-61.69	-13	Pass	7841
814	860	0.1	RMS	836.1	18.68	60	Pass	461
860	1000	0.1	RMS	894.9	-62.47	-13	Pass	1401
1000	3000	1	RMS	1672	-46.8	-13	Pass	2001
3000	10000	1	RMS	9970	-41.35	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:27033, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.45	-13	Pass	2986
30	814	0.1	RMS	814	-61.6	-13	Pass	7841
814	860	0.1	RMS	847.8	19.13	60	Pass	461
860	1000	0.1	RMS	908.6	-62.48	-13	Pass	1401
1000	3000	1	RMS	2692	-46.99	-13	Pass	2001
3000	10000	1	RMS	9953	-41.36	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:27033, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	814	0.1	RMS	759.9	-61.71	-13	Pass	7841
814	860	0.1	RMS	847.9	18.31	60	Pass	461
860	1000	0.1	RMS	888.6	-62.43	-13	Pass	1401
1000	3000	1	RMS	2683	-46.97	-13	Pass	2001
3000	10000	1	RMS	9960	-41.32	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:26805, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.61	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.21	-13	Pass	7841
814	860	0.1	RMS	824.2	19.77	60	Pass	461
860	1000	0.1	RMS	964.7	-62.42	-13	Pass	1401
1000	3000	1	RMS	1648	-46.92	-13	Pass	2001
3000	10000	1	RMS	9981	-41.38	-13	Pass	7001




5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:26805, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.5	-13	Pass	7841
814	860	0.1	RMS	824.2	18.86	60	Pass	461
860	1000	0.1	RMS	917.1	-62.5	-13	Pass	1401
1000	3000	1	RMS	2687	-46.95	-13	Pass	2001
3000	10000	1	RMS	9977	-41.35	-13	Pass	7001




5.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:26915, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	814	0.1	RMS	812.7	-61.54	-13	Pass	7841
814	860	0.1	RMS	835.2	19.78	60	Pass	461
860	1000	0.1	RMS	994.8	-62.43	-13	Pass	1401
1000	3000	1	RMS	1670	-46.96	-13	Pass	2001
3000	10000	1	RMS	9970	-41.35	-13	Pass	7001




5.10. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:26915, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	814	0.1	RMS	809	-61.62	-13	Pass	7841
814	860	0.1	RMS	835.2	18.82	60	Pass	461
860	1000	0.1	RMS	991	-62.43	-13	Pass	1401
1000	3000	1	RMS	2685	-46.98	-13	Pass	2001
3000	10000	1	RMS	9952	-41.34	-13	Pass	7001




5.11. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:27025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.18	-13	Pass	2986
30	814	0.1	RMS	796.6	-61.62	-13	Pass	7841
814	860	0.1	RMS	846.2	19.46	60	Pass	461
860	1000	0.1	RMS	863.2	-62.46	-13	Pass	1401
1000	3000	1	RMS	2685	-46.92	-13	Pass	2001
3000	10000	1	RMS	9963	-41.36	-13	Pass	7001




5.12. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:27025, Bandwidth:3, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.73	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.64	-13	Pass	7841
814	860	0.1	RMS	846.2	18.74	60	Pass	461
860	1000	0.1	RMS	876.8	-62.41	-13	Pass	1401
1000	3000	1	RMS	2681	-47	-13	Pass	2001
3000	10000	1	RMS	9964	-41.4	-13	Pass	7001




5.13. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:26815, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	814	0.1	RMS	813.6	-61.11	-13	Pass	7841
814	860	0.1	RMS	824.3	19.92	60	Pass	461
860	1000	0.1	RMS	995.5	-62.44	-13	Pass	1401
1000	3000	1	RMS	1649	-46.29	-13	Pass	2001
3000	10000	1	RMS	9962	-41.34	-13	Pass	7001




5.14. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:26815, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.13	-13	Pass	2986
30	814	0.1	RMS	813.7	-61.24	-13	Pass	7841
814	860	0.1	RMS	824.3	18.74	60	Pass	461
860	1000	0.1	RMS	990	-62.47	-13	Pass	1401
1000	3000	1	RMS	2689	-47	-13	Pass	2001
3000	10000	1	RMS	9941	-41.34	-13	Pass	7001




5.15. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:26915, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.66	-13	Pass	7841
814	860	0.1	RMS	834.3	19.84	60	Pass	461
860	1000	0.1	RMS	998.3	-62.44	-13	Pass	1401
1000	3000	1	RMS	1669	-46.45	-13	Pass	2001
3000	10000	1	RMS	9981	-41.26	-13	Pass	7001




5.16. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:26915, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.02	-13	Pass	2986
30	814	0.1	RMS	812.4	-61.69	-13	Pass	7841
814	860	0.1	RMS	834.3	19.07	60	Pass	461
860	1000	0.1	RMS	987.4	-62.43	-13	Pass	1401
1000	3000	1	RMS	2693	-46.98	-13	Pass	2001
3000	10000	1	RMS	9969	-41.36	-13	Pass	7001




5.17. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:27015, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.88	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.64	-13	Pass	2986
30	814	0.1	RMS	788.5	-61.61	-13	Pass	7841
814	860	0.1	RMS	844.3	19.99	60	Pass	461
860	1000	0.1	RMS	995.8	-62.41	-13	Pass	1401
1000	3000	1	RMS	2678	-46.94	-13	Pass	2001
3000	10000	1	RMS	9282	-41.31	-13	Pass	7001




5.18. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:27015, Bandwidth:5, Modulation:Q16, RB Number:1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.45	-13	Pass	2986
30	814	0.1	RMS	760.1	-61.69	-13	Pass	7841
814	860	0.1	RMS	844.3	19.05	60	Pass	461
860	1000	0.1	RMS	995	-62.43	-13	Pass	1401
1000	3000	1	RMS	2690	-46.98	-13	Pass	2001
3000	10000	1	RMS	9954	-41.33	-13	Pass	7001




5.19. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:26840, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.96	-13	Pass	2986
30	814	0.1	RMS	810	-59.01	-13	Pass	7841
814	860	0.1	RMS	824.6	20.34	60	Pass	461
860	1000	0.1	RMS	977.3	-62.38	-13	Pass	1401
1000	3000	1	RMS	1649	-45.84	-13	Pass	2001
3000	10000	1	RMS	9963	-41.38	-13	Pass	7001




5.20. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:26840, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.84	-13	Pass	2986
30	814	0.1	RMS	814	-60.51	-13	Pass	7841
814	860	0.1	RMS	824.6	19.3	60	Pass	461
860	1000	0.1	RMS	899.9	-62.42	-13	Pass	1401
1000	3000	1	RMS	1649	-46.71	-13	Pass	2001
3000	10000	1	RMS	9977	-41.37	-13	Pass	7001




5.21. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:26915, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	814	0.1	RMS	790.2	-61.57	-13	Pass	7841
814	860	0.1	RMS	832.1	20.33	60	Pass	461
860	1000	0.1	RMS	889.8	-62.44	-13	Pass	1401
1000	3000	1	RMS	1664	-45.94	-13	Pass	2001
3000	10000	1	RMS	9952	-41.28	-13	Pass	7001




5.22. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:26915, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	814	0.1	RMS	813.1	-61.71	-13	Pass	7841
814	860	0.1	RMS	832.1	19.4	60	Pass	461
860	1000	0.1	RMS	883.8	-62.49	-13	Pass	1401
1000	3000	1	RMS	1664	-46.81	-13	Pass	2001
3000	10000	1	RMS	9971	-41.37	-13	Pass	7001




5.23. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:26990, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	814	0.1	RMS	785.1	-61.59	-13	Pass	7841
814	860	0.1	RMS	839.6	20.33	60	Pass	461
860	1000	0.1	RMS	875.6	-62.36	-13	Pass	1401
1000	3000	1	RMS	1679	-45.97	-13	Pass	2001
3000	10000	1	RMS	9958	-41.29	-13	Pass	7001




5.24. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:26990, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	814	0.1	RMS	811.6	-61.59	-13	Pass	7841
814	860	0.1	RMS	839.6	19.39	60	Pass	461
860	1000	0.1	RMS	872	-62.47	-13	Pass	1401
1000	3000	1	RMS	2694	-46.98	-13	Pass	2001
3000	10000	1	RMS	9279	-41.39	-13	Pass	7001




5.25. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:26865, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.69	-13	Pass	2986
30	814	0.1	RMS	813.3	-51.92	-13	Pass	7841
814	860	0.1	RMS	824.8	19.79	60	Pass	461
860	1000	0.1	RMS	998.1	-62.38	-13	Pass	1401
1000	3000	1	RMS	1650	-46.2	-13	Pass	2001
3000	10000	1	RMS	9951	-41.31	-13	Pass	7001




5.26. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:26865, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	814	0.1	RMS	813.3	-54.66	-13	Pass	7841
814	860	0.1	RMS	824.8	18.85	60	Pass	461
860	1000	0.1	RMS	972.1	-62.37	-13	Pass	1401
1000	3000	1	RMS	2691	-46.98	-13	Pass	2001
3000	10000	1	RMS	9949	-41.28	-13	Pass	7001




5.27. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:26915, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2986
30	814	0.1	RMS	813	-58.58	-13	Pass	7841
814	860	0.1	RMS	829.8	19.78	60	Pass	461
860	1000	0.1	RMS	994.7	-62.46	-13	Pass	1401
1000	3000	1	RMS	1660	-46.42	-13	Pass	2001
3000	10000	1	RMS	9277	-41.36	-13	Pass	7001




5.28. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:26915, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.97	-13	Pass	2986
30	814	0.1	RMS	813	-59.8	-13	Pass	7841
814	860	0.1	RMS	829.8	19.02	60	Pass	461
860	1000	0.1	RMS	909.3	-62.33	-13	Pass	1401
1000	3000	1	RMS	2694	-46.98	-13	Pass	2001
3000	10000	1	RMS	9955	-41.3	-13	Pass	7001




5.29. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:26965, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.82	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.44	-13	Pass	7841
814	860	0.1	RMS	834.8	19.77	60	Pass	461
860	1000	0.1	RMS	971.7	-62.43	-13	Pass	1401
1000	3000	1	RMS	1670	-46.45	-13	Pass	2001
3000	10000	1	RMS	9942	-41.33	-13	Pass	7001



5.30. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:26965, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	814	0.1	RMS	813.5	-61.19	-13	Pass	7841
814	860	0.1	RMS	834.8	19.05	60	Pass	461
860	1000	0.1	RMS	930.8	-62.13	-13	Pass	1401
1000	3000	1	RMS	2676	-46.62	-13	Pass	2001
3000	10000	1	RMS	9284	-41.22	-13	Pass	7001



1. LTE_Band26(part90)


1.1. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:1, Channel:26697, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.59	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.62	-13	Pass	2986
30	809	0.1	Peak	753.1	-50.73	-13	Pass	7791
809	829	0.1	Peak	814.25	24.86	60	Pass	401
829	1000	0.1	Peak	844.1	-51.38	-13	Pass	1711
1000	3000	1	Peak	2693	-33.97	-13	Pass	2001
3000	10000	1	Peak	9946	-28.55	-13	Pass	7001




1.2. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:2, Channel:26697, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.2	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.73	-13	Pass	2986
30	809	0.1	Peak	739.3	-50.17	-13	Pass	7791
809	829	0.1	Peak	814.2	25.13	60	Pass	401
829	1000	0.1	Peak	895	-50.97	-13	Pass	1711
1000	3000	1	Peak	2778	-35.21	-13	Pass	2001
3000	10000	1	Peak	9938	-29.22	-13	Pass	7001




1.3. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:3, Channel:26740, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.18	-13	Pass	401
0.15	30	0.01	Peak	0.18	-49.03	-13	Pass	2986
30	809	0.1	Peak	748.4	-50.29	-13	Pass	7791
809	829	0.1	Peak	818.55	25.21	60	Pass	401
829	1000	0.1	Peak	832	-50.88	-13	Pass	1711
1000	3000	1	Peak	2574	-34.71	-13	Pass	2001
3000	10000	1	Peak	9973	-29.28	-13	Pass	7001




1.4. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:4, Channel:26740, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.17	-13	Pass	2986
30	809	0.1	Peak	470.3	-50.63	-13	Pass	7791
809	829	0.1	Peak	818.6	25.05	60	Pass	401
829	1000	0.1	Peak	923.4	-50.84	-13	Pass	1711
1000	3000	1	Peak	2953	-35.1	-13	Pass	2001
3000	10000	1	Peak	9283	-29.32	-13	Pass	7001




1.5. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:5, Channel:26783, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.52	-13	Pass	401
0.15	30	0.01	Peak	0.19	-48.96	-13	Pass	2986
30	809	0.1	Peak	766.2	-50.39	-13	Pass	7791
809	829	0.1	Peak	822.85	25.03	60	Pass	401
829	1000	0.1	Peak	960.9	-51.65	-13	Pass	1711
1000	3000	1	Peak	2691	-35.5	-13	Pass	2001
3000	10000	1	Peak	9308	-28.71	-13	Pass	7001




1.6. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:6, Channel:26783, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-46.01	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.3	-13	Pass	2986
30	809	0.1	Peak	793.1	-50	-13	Pass	7791
809	829	0.1	Peak	822.8	25.1	60	Pass	401
829	1000	0.1	Peak	920.8	-50.73	-13	Pass	1711
1000	3000	1	Peak	2691	-35.36	-13	Pass	2001
3000	10000	1	Peak	9228	-29.27	-13	Pass	7001




1.7. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:7, Channel:26705, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.011	-45.8	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.14	-13	Pass	2986
30	809	0.1	Peak	800	-50.37	-13	Pass	7791
809	829	0.1	Peak	814.2	24.66	60	Pass	401
829	1000	0.1	Peak	998	-50.84	-13	Pass	1711
1000	3000	1	Peak	2690	-35.43	-13	Pass	2001
3000	10000	1	Peak	9979	-29.21	-13	Pass	7001




1.8. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:8, Channel:26705, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.32	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.46	-13	Pass	2986
30	809	0.1	Peak	801.8	-50.31	-13	Pass	7791
809	829	0.1	Peak	814.2	25.04	60	Pass	401
829	1000	0.1	Peak	948.4	-51.48	-13	Pass	1711
1000	3000	1	Peak	2990	-35.14	-13	Pass	2001
3000	10000	1	Peak	9998	-29.12	-13	Pass	7001




1.9. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:9, Channel:26740, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.51	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.36	-13	Pass	2986
30	809	0.1	Peak	798.9	-50.38	-13	Pass	7791
809	829	0.1	Peak	817.75	25.2	60	Pass	401
829	1000	0.1	Peak	898.6	-50.67	-13	Pass	1711
1000	3000	1	Peak	2702	-34.84	-13	Pass	2001
3000	10000	1	Peak	9312	-28.99	-13	Pass	7001




1.10. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:10, Channel:26740, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.012	-45.8	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.92	-13	Pass	2986
30	809	0.1	Peak	807.2	-50.76	-13	Pass	7791
809	829	0.1	Peak	817.8	25.09	60	Pass	401
829	1000	0.1	Peak	927.9	-51.06	-13	Pass	1711
1000	3000	1	Peak	2801	-35.36	-13	Pass	2001
3000	10000	1	Peak	9978	-29.18	-13	Pass	7001




1.11. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:11, Channel:26775, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.26	-13	Pass	401
0.15	30	0.01	Peak	0.16	-48.63	-13	Pass	2986
30	809	0.1	Peak	802.3	-50.28	-13	Pass	7791
809	829	0.1	Peak	821.2	25.13	60	Pass	401
829	1000	0.1	Peak	988.4	-50.27	-13	Pass	1711
1000	3000	1	Peak	2910	-34.97	-13	Pass	2001
3000	10000	1	Peak	9204	-29.5	-13	Pass	7001




1.12. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:12, Channel:26775, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.013	-46.79	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49	-13	Pass	2986
30	809	0.1	Peak	741.5	-50.75	-13	Pass	7791
809	829	0.1	Peak	821.25	25.47	60	Pass	401
829	1000	0.1	Peak	889.1	-50.64	-13	Pass	1711
1000	3000	1	Peak	2713	-35.23	-13	Pass	2001
3000	10000	1	Peak	9299	-29.47	-13	Pass	7001




1.13. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:13, Channel:26715, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.34	-13	Pass	401
0.15	30	0.01	Peak	0.15	-48.65	-13	Pass	2986
30	809	0.1	Peak	808.6	-49.37	-13	Pass	7791
809	829	0.1	Peak	814.35	25.11	60	Pass	401
829	1000	0.1	Peak	943.6	-51.09	-13	Pass	1711
1000	3000	1	Peak	2930	-35.24	-13	Pass	2001
3000	10000	1	Peak	9975	-28.86	-13	Pass	7001




1.14. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:14, Channel:26715, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-44.09	-13	Pass	401
0.15	30	0.01	Peak	0.17	-48.23	-13	Pass	2986
30	809	0.1	Peak	809	-50.04	-13	Pass	7791
809	829	0.1	Peak	814.3	25.04	60	Pass	401
829	1000	0.1	Peak	885.3	-50.09	-13	Pass	1711
1000	3000	1	Peak	2692	-35.16	-13	Pass	2001
3000	10000	1	Peak	9309	-28.98	-13	Pass	7001




1.15. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:15, Channel:26740, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-47.96	-13	Pass	401
0.15	30	0.01	Peak	0.15	-49.47	-13	Pass	2986
30	809	0.1	Peak	492.8	-50.74	-13	Pass	7791
809	829	0.1	Peak	816.85	25.29	60	Pass	401
829	1000	0.1	Peak	867.5	-50.7	-13	Pass	1711
1000	3000	1	Peak	2674	-34.41	-13	Pass	2001
3000	10000	1	Peak	9250	-29.58	-13	Pass	7001




1.16. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:16, Channel:26740, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-44.88	-13	Pass	401
0.15	30	0.01	Peak	0.15	-46.66	-13	Pass	2986
30	809	0.1	Peak	570.1	-50.94	-13	Pass	7791
809	829	0.1	Peak	816.8	25.09	60	Pass	401
829	1000	0.1	Peak	935.7	-50.84	-13	Pass	1711
1000	3000	1	Peak	2797	-34.81	-13	Pass	2001
3000	10000	1	Peak	9854	-29.1	-13	Pass	7001




1.17. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:17, Channel:26765, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-47.53	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.71	-13	Pass	2986
30	809	0.1	Peak	734.3	-50.19	-13	Pass	7791
809	829	0.1	Peak	819.3	24.99	60	Pass	401
829	1000	0.1	Peak	829.1	-46.01	-13	Pass	1711
1000	3000	1	Peak	2785	-35.05	-13	Pass	2001
3000	10000	1	Peak	9971	-28.94	-13	Pass	7001




1.18. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:18, Channel:26765, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-45.54	-13	Pass	401
0.15	30	0.01	Peak	0.16	-47.55	-13	Pass	2986
30	809	0.1	Peak	770.4	-50.22	-13	Pass	7791
809	829	0.1	Peak	819.35	25.16	60	Pass	401
829	1000	0.1	Peak	829	-46.73	-13	Pass	1711
1000	3000	1	Peak	2676	-34.58	-13	Pass	2001
3000	10000	1	Peak	9257	-29.16	-13	Pass	7001




**1.19. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:19,
Channel:26740, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.009	-45.18	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.66	-13	Pass	2986
30	809	0.1	Peak	808.2	-48.85	-13	Pass	7791
809	829	0.1	Peak	814.55	25.08	60	Pass	401
829	1000	0.1	Peak	829.2	-38.51	-13	Pass	1711
1000	3000	1	Peak	2807	-34.72	-13	Pass	2001
3000	10000	1	Peak	9232	-28.78	-13	Pass	7001



1.20. LTE Spurious Emission at Antenna Terminals_Part90(NTNV)(Subtest:20, Channel:26740, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	Peak	0.01	-46.86	-13	Pass	401
0.15	30	0.01	Peak	0.15	-47.52	-13	Pass	2986
30	809	0.1	Peak	808.7	-48.89	-13	Pass	7791
809	829	0.1	Peak	814.55	25.02	60	Pass	401
829	1000	0.1	Peak	829.1	-38.23	-13	Pass	1711
1000	3000	1	Peak	2694	-34.57	-13	Pass	2001
3000	10000	1	Peak	9432	-29.3	-13	Pass	7001



8. LTE_Band38


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.61	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.11	-25	Pass	2986
30	1000	0.1	RMS	978.4	-57.16	-25	Pass	9701
1000	2560	1	RMS	2560	-43.32	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.68	60	Pass	401
2630	3000	1	RMS	2691.05	-43.61	-25	Pass	401
3000	12000	1	RMS	11871	-59.5	-25	Pass	9001
12000	26500	1	RMS	25593	-40.41	-25	Pass	14501




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-25	Pass	2986
30	1000	0.1	RMS	865.5	-57.08	-25	Pass	9701
1000	2560	1	RMS	2559	-43.33	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.26	60	Pass	401
2630	3000	1	RMS	2677.175	-43.62	-25	Pass	401
3000	12000	1	RMS	11971	-59.44	-25	Pass	9001
12000	26500	1	RMS	25604	-40.35	-25	Pass	14501




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.46	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.86	-25	Pass	2986
30	1000	0.1	RMS	997.3	-57.08	-25	Pass	9701
1000	2560	1	RMS	2560	-43.49	-25	Pass	1561
2560	2630	1	RMS	2592.725	22.43	60	Pass	401
2630	3000	1	RMS	2692.9	-43.64	-25	Pass	401
3000	12000	1	RMS	11855	-59.49	-25	Pass	9001
12000	26500	1	RMS	25583	-40.39	-25	Pass	14501




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.21	-25	Pass	2986
30	1000	0.1	RMS	888	-57.2	-25	Pass	9701
1000	2560	1	RMS	2552	-43.51	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.72	60	Pass	401
2630	3000	1	RMS	2681.8	-43.61	-25	Pass	401
3000	12000	1	RMS	11868	-59.47	-25	Pass	9001
12000	26500	1	RMS	25571	-40.37	-25	Pass	14501




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.47	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-25	Pass	2986
30	1000	0.1	RMS	926.9	-57.11	-25	Pass	9701
1000	2560	1	RMS	2541	-43.51	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.5	60	Pass	401
2630	3000	1	RMS	2677.175	-43.64	-25	Pass	401
3000	12000	1	RMS	11860	-59.51	-25	Pass	9001
12000	26500	1	RMS	25595	-40.31	-25	Pass	14501




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	903.6	-57.14	-25	Pass	9701
1000	2560	1	RMS	2556	-43.53	-25	Pass	1561
2560	2630	1	RMS	2615.475	21.57	60	Pass	401
2630	3000	1	RMS	2691.975	-43.61	-25	Pass	401
3000	12000	1	RMS	11850	-59.37	-25	Pass	9001
12000	26500	1	RMS	25615	-40.34	-25	Pass	14501




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.91	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.58	-25	Pass	2986
30	1000	0.1	RMS	998.2	-57.09	-25	Pass	9701
1000	2560	1	RMS	2560	-43.1	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.78	60	Pass	401
2630	3000	1	RMS	2689.2	-43.6	-25	Pass	401
3000	12000	1	RMS	11842	-59.54	-25	Pass	9001
12000	26500	1	RMS	25606	-40.44	-25	Pass	14501



8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.22	-25	Pass	2986
30	1000	0.1	RMS	998.5	-57.11	-25	Pass	9701
1000	2560	1	RMS	2560	-42.73	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.57	60	Pass	401
2630	3000	1	RMS	2686.425	-43.61	-25	Pass	401
3000	12000	1	RMS	11853	-59.45	-25	Pass	9001
12000	26500	1	RMS	25596	-40.34	-25	Pass	14501



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.74	-25	Pass	2986
30	1000	0.1	RMS	938.3	-57.19	-25	Pass	9701
1000	2560	1	RMS	2554	-43.46	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.69	60	Pass	401
2630	3000	1	RMS	2677.175	-43.63	-25	Pass	401
3000	12000	1	RMS	11849	-59.52	-25	Pass	9001
12000	26500	1	RMS	25591	-40.38	-25	Pass	14501

